

Infiniteon product Mind Map and Selection Tool

Vasily Basov
26.07.2018



Index

- › What is the tool?
- › How to run XMind?
- › 3 steps to start
- › How to use the tool

What is the Infineon product mind mapping tool?



- › First of all the tool is a mind map reflecting structure and hierarchy of Infineon portfolio. The mind map was created in popular mind mapping software called XMind.
- › XMind is very popular mind-mapping software. It has many different graphical possibilities for displaying the mind maps. For example it has so called "matrix" view which is a hybrid between usual table and mind map tree. Turned that this view is very convenient for fast product selection.
- › XMind allows to put internet links and attach files to the topics. User can open attached files or follow links to datasheets in one click.
- › Classical mind mapping is a manual work. Creating mind maps is useful thinking and studying exercise helping us to understand, cross-link and memorize big volume of data or complex ideas.
- › Infineon portfolio of >10.000 parts is a huge piece of data for human mind. But it's already have defined structure and can be logically presented in tree-like way.
- › The problem: This is very large mind map and we can't draw it manually. Even if we did, every change of the portfolio would require manual work to update. On top of that, the mind map can be build in multiple ways from the same data depends on parameter order. The convenient mind map format depends on customer's application. For instance in some application of MOSFETs we need V_{ds} and $R_{ds(on)}$ to choose the right part. In another situation we can choose based on V_{ds} , $I_{ds(on)}$ and package. So, ideally we need many parallel mind maps which show the portfolio from different viewpoints.
- › Fortunately we don't need to created the mind maps manually. I made software which takes the data from official Infineon website, processes it and build various versions of mind maps in a fraction of second. I can build new view and update existing with new data very quick and without manual work.
- › The tool is provided to users as internet link to zip archive with XMIND files. The archive is constantly updated with new data. So it's recommended that the user download it again every week.
- › *Learn more about XMind on www.xmind.net . The XMind has free version and more professional paid version. The free version has all the functions needed in our tool. Make sure you have XMind 8 or later version. The tool **won't** work properly on "XMind ZEN" software which is also available from the www.xmind.net website. See download link and installation options in "[How to run Xmind](#)" section of this presentation.*

How to run XMind?


- › The Mind Map and the selection tool needs XMIND software on your computer to run. This is free software (in basic version). The functionality of the free version is enough for us.
- › There are two options to get it:
 - Option 1: Download and install free XMIND version from website. The installation procedure may request access rights to install the software. Enabling local admin via iARM during the installation is needed on Infineon's systems. Go to <https://www.xmind.net/download/win/> and click on "Download XMind for Windows (exe)"
 - Option 2: Download all-in-one XMind package which allows to use XMind without installation. Go to <https://www.xmind.net/download/win/> and click "Download XMind for Windows (zip)". After downloading unzip to folder in convenient location (e.g. Desktop) and run by double click on Xmind.exe

3 steps to start

1. Make sure that you have XMind software on your computer. No difference if it's complete installation or all-in-one XMind package which works without installation. See [instruction](#) on the previous page.
2. Download fresh data from <https://github.com/vbasov007/IFX-Product-MAP/archive/master.zip>. Save in any folder (e.g. Desktop) and unzip
3. Open file START_HERE.xmind in XMind. Note: if you have XMind software completely installed on your system then the system already knows .xmind extension and you can just double click on the file to open XMind software. If you use all-in-one package then most probably .xmind extension is not associated with XMind.exe. This case you can first start XMind.exe and then open .xmind file via File menu. Also, you can associate .xmind extension with XMind.exe via dialog box which starts in Windows when you click on any file with unknown extension.

Starting page


This topics have something more.
Now click on icon inside MOSFET topic*



* The icon appearance can be different on the system where XMind is not installed
Most probably it will be "white sheet" icon which means "unknown file type" in Windows 10
Don't worry about this. Just click it.

MOSFET page

*Thank you for waiting this page loaded
It might take few seconds until XMind has
it shown. When you navigate to this page
second time during the session
it shows up instantly because
the data already in memory.*



Every topic with icon
is clickable. There are
different representations
of MOSFET data under each topic.
Click now on the first topic
to see the
Voltage->R_ds(on) table

Voltage, R_{ds(on)} page

MOSFET N TYPE 500-900V BY VOLTAGE, R _{DS(ON)}						
500 V	600 V	650 V	700 V	800 V	900 V	
70 mΩ	17 mΩ	19 mΩ	360 mΩ	85 mΩ	120 mΩ	
110 mΩ	18 mΩ	33 mΩ	450 mΩ	280 mΩ	340 mΩ	
140 mΩ	28 mΩ	37 mΩ	600 mΩ	290 mΩ	500 mΩ	
190 mΩ	31 mΩ	41 mΩ	750 mΩ	310 mΩ	800 mΩ	
199 mΩ	37 mΩ	45 mΩ	900 mΩ	360 mΩ	1000 mΩ	
250 mΩ	40 mΩ	48 mΩ	950 mΩ	450 mΩ	1200 mΩ	
280 mΩ	41 mΩ	65 mΩ	1000 mΩ	460 mΩ		
299 mΩ	45 mΩ	70 mΩ	1200 mΩ	600 mΩ		
350 mΩ	50 mΩ	74 mΩ	1400 mΩ	650 mΩ		
380 mΩ	55 mΩ	80 mΩ	1500 mΩ	750 mΩ		
399 mΩ	60 mΩ	95 mΩ	2000 mΩ	900 mΩ		
500 mΩ	65 mΩ	99 mΩ	2100 mΩ	950 mΩ		
520 mΩ	70 mΩ	105 mΩ		1200 mΩ		
600 mΩ	74 mΩ	110 mΩ		1300 mΩ		
650 mΩ	75 mΩ	125 mΩ		1400 mΩ		
800 mΩ	80 mΩ	130 mΩ		2000 mΩ		
950 mΩ	85 mΩ	150 mΩ		2400 mΩ		
1300 mΩ	90 mΩ	165 mΩ		2700 mΩ		
1400 mΩ	95 mΩ	190 mΩ		2800 mΩ		
2000 mΩ	99 mΩ	195 mΩ		3300 mΩ		

Expand and collapse topics by clicking "+" to find best fit part for your application

There is hot keys as well:

"*" expand current topic and all his subtopics

"/" collapse current subtopic

If you start type in a topic by mistake and just don't want to save the changes press "Esc". To undo any change press Ctrl-Z

Note that anything what you do with the map (e.g. just expanding some topics) changes the file and XMIND want to save the changes. It will ask if you try to close the file. Just close without saving if you don't need this changes

Look to the next slide as example what you can see

MOSFET N TYPE 500-900V BY VOLTAGE, R_DSON

500 V	600 V	650 V	700 V	800 V		900 V
70 mΩ	17 mΩ	19 mΩ	360 mΩ	85 mΩ		120 mΩ
110 mΩ	18 mΩ	33 mΩ	450 mΩ	280 mΩ		340 mΩ
140 mΩ	28 mΩ	37 mΩ	600 mΩ	290 mΩ		500 mΩ
190 mΩ	31 mΩ	41 mΩ	750 mΩ	310 mΩ		800 mΩ
199 mΩ	37 mΩ	45 mΩ	900 mΩ	360 mΩ		1000 mΩ
250 mΩ	40 mΩ	48 mΩ	950 mΩ	450 mΩ		1200 mΩ
280 mΩ	41 mΩ	65 mΩ	1000 mΩ	460 mΩ		
299 mΩ	45 mΩ	70 mΩ	1200 mΩ		600 mΩ	
350 mΩ	50 mΩ	74 mΩ	1400 mΩ			
380 mΩ	55 mΩ	80 mΩ	1500 mΩ			
399 mΩ	60 mΩ	95 mΩ	2000 mΩ			
500 mΩ	65 mΩ	99 mΩ	2100 mΩ			
520 mΩ	70 mΩ	105 mΩ				
600 mΩ	74 mΩ	110 mΩ				
650 mΩ	75 mΩ	125 mΩ				
800 mΩ	80 mΩ	130 mΩ				
950 mΩ	85 mΩ	150 mΩ				
1300 mΩ	90 mΩ	165 mΩ				
1400 mΩ	95 mΩ	190 mΩ				
2000 mΩ	99 mΩ	195 mΩ				

600 mΩ

650 mΩ

750 mΩ

900 mΩ

CoolMOS™ P7

CoolMOS™ C3

CoolMOS™ CE

85 mΩ

280 mΩ

290 mΩ

310 mΩ

360 mΩ

450 mΩ

460 mΩ

600 mΩ

650 mΩ

750 mΩ

900 mΩ

DPAK (TO-252)

IPAK (TO-251)

IPAK SL (TO-251 SL)

SOT-223

IPP80R600P7

V_DS max: 800 V - I_D max: 8 A

TO-220 R_DS (on) max: 600 mΩ - Q_G: 20 nC

TO-220 FullIPAK

IPA80R650CE

V_DS max: 800 V - I_D max: 4.5 A

R_DS (on) max: 650 mΩ - Q_G: 45 nC

TO-220 FullIPAK

Thank you!
Send your feedback and ideas to
Vasily.Basov@Infineon.com

Don't forget to get the latest version of the mind map:
<https://github.com/vbasov007/IFX-Product-MAP/archive/master.zip>



Part of your life. Part of tomorrow.

