

Infineon Portfolio XMIND Playbook

Vasily Basov



Index

- › What is the tool?
- › How to run XMind?
- › 3 steps to start
- › How to use the tool

What is Infineon Portfolio XMIND Playbook?



- › The XMIND Playbook is an interactive document created to explore, learn and present Infineon's product portfolio. The Playbook is based on the principals of mind mapping. The document is created in XMind - popular free mind mapping software.
- › Classical mind mapping is a manual work. Creating mind maps is useful thinking and studying exercise helping to understand, cross-link and memorize big volume of data or complex ideas.
- › Infineon portfolio consists in more than ten thousands part numbers. This is a huge piece of information for memorizing. Luckily the data has the structure and it can be presented as multi-level tree of data or mind map.
- › Detailed mind map for 10,000 products is very large document and we can't create it manually. Even if we did, every change of the portfolio would require manual work to update. In addition to that, the mind map can be build in multiple ways from the same data depends on parameters order. The convenient mind map format depends on particular use case. For instance in some application of MOSFETs we need V_{ds} and $R_{ds(on)}$ to choose the right part. In another situation we can choose based on V_{ds} , $I_{ds(on)}$ and package. Ideally we need many parallel mind maps which show the portfolio from different viewpoints.
- › Fortunately we don't need to create the mind maps manually. We made software which takes the data from the official Infineon website, processes it and build various versions of mind maps in a fraction of second. We can build new view and update existing with new data very quick and almost without manual work.
- › *Learn more about XMind on www.xmind.net . The XMind has free version and more professional paid version. The free version has all the functions needed in our tool. Make sure you have XMind 8 or later version. The tool **won't** work properly on "XMind ZEN" software which is also available from the www.xmind.net website. See download link and installation options in "[How to run Xmind](#)" section of this presentation.*


How to run XMind?

- › The Mind Map and the selection tool needs XMIND software on your computer to run. This is free software (in basic version). The functionality of the free version is enough for us.
- › There are two options to get it:
 - Option 1: Download and install free XMIND version from website. The installation procedure may request access rights to install the software. Enabling local admin via iARM during the installation is needed on Infineon's systems. Go to <https://www.xmind.net/download/win/> and click on "Download XMind for Windows (exe)"
 - Option 2: Download all-in-one XMind package which allows to use XMind without installation. Go to <https://www.xmind.net/download/win/> and click "Download XMind for Windows (zip)". After downloading unzip to folder in convenient location (e.g. Desktop) and run by double clicking on Xmind.exe

3 steps to start

1. Make sure that you have XMind software on your computer. No difference if it's complete installation or all-in-one XMind package which works without installation. See [instruction](#) on the previous page.
2. Download fresh data from <https://github.com/vbasov007/IFX-Product-MAP/archive/master.zip>. Save in any folder (e.g. Desktop) and unzip
3. Open file START_HERE.xmind in XMind. Note: if you have XMind software completely installed on your system then the system already knows .xmind extension and you can just double click on the file to open XMind software. If you use all-in-one package then most probably .xmind extension is not associated with XMind.exe. This case you can first start XMind.exe and then open .xmind file via File menu. Also, you can associate .xmind extension with XMind.exe via dialog box which starts in Windows when you click on any file with unknown extension.

START HERE:




Those topics have something more.
Now click on icon inside MOSFET
topic*

* The icon appearance can be different on the system where XMind is not installed
Most probably it will be "white sheet" icon which means "unknown file type" in Windows 10
Don't worry about this. Just click it.

MOSFET page

*Thank you for waiting this page loaded
It might take few seconds until XMind has
it shown. When you navigate to this page
second time during the session
it shows up instantly because
the data already in memory.*



Every topic with icon
is clickable. There are
different representations
of MOSFET data under each topic.
Click now on the first topic
to see the
Voltage->R_ds(on) table

Voltage, R_{ds(on)} page

MOSFET N TYPE 500-900V BY VOLTAGE, R _{DS(on)}						
500 V	600 V	650 V	700 V	800 V	900 V	
70 mΩ ⊕	17 mΩ ⊕	19 mΩ ⊕	360 mΩ ⊕	85 mΩ ⊕	120 mΩ ⊕	
110 mΩ ⊕	18 mΩ ⊕	33 mΩ ⊕	450 mΩ ⊕	280 mΩ ⊕	340 mΩ ⊕	
140 mΩ ⊕	28 mΩ ⊕	37 mΩ ⊕	600 mΩ ⊕	290 mΩ ⊕	500 mΩ ⊕	
190 mΩ ⊕	31 mΩ ⊕	41 mΩ ⊕	750 mΩ ⊕	310 mΩ ⊕	800 mΩ ⊕	
199 mΩ ⊕	37 mΩ ⊕	45 mΩ ⊕	900 mΩ ⊕	360 mΩ ⊕	1000 mΩ ⊕	
250 mΩ ⊕	40 mΩ ⊕	48 mΩ ⊕	950 mΩ ⊕	450 mΩ ⊕	1200 mΩ ⊕	
280 mΩ ⊕	41 mΩ ⊕	65 mΩ ⊕	1000 mΩ ⊕	460 mΩ ⊕		
299 mΩ ⊕	45 mΩ ⊕	70 mΩ ⊕	1200 mΩ ⊕	600 mΩ ⊕		
350 mΩ ⊕	50 mΩ ⊕	74 mΩ ⊕	1400 mΩ ⊕	650 mΩ ⊕		
380 mΩ ⊕	55 mΩ ⊕	80 mΩ ⊕	1500 mΩ ⊕	750 mΩ ⊕		
399 mΩ ⊕	60 mΩ ⊕	95 mΩ ⊕	2000 mΩ ⊕	900 mΩ ⊕		
500 mΩ ⊕	65 mΩ ⊕	99 mΩ ⊕	2100 mΩ ⊕	950 mΩ ⊕		
520 mΩ ⊕	70 mΩ ⊕	105 mΩ ⊕		1200 mΩ ⊕		
600 mΩ ⊕	74 mΩ ⊕	110 mΩ ⊕		1300 mΩ ⊕		
650 mΩ ⊕	75 mΩ ⊕	125 mΩ ⊕		1400 mΩ ⊕		
800 mΩ ⊕	80 mΩ ⊕	130 mΩ ⊕		2000 mΩ ⊕		
950 mΩ ⊕	85 mΩ ⊕	150 mΩ ⊕		2400 mΩ ⊕		
1300 mΩ ⊕	90 mΩ ⊕	165 mΩ ⊕		2700 mΩ ⊕		
1400 mΩ ⊕	95 mΩ ⊕	190 mΩ ⊕		2800 mΩ ⊕		
2000 mΩ ⊕	99 mΩ ⊕	195 mΩ ⊕		3300 mΩ ⊕		

Expand and collapse topics by clicking on ⊕ and ⊖

There are hot keys:
 "*" - expand current topic and all his subtopics,
 "/" - collapse current subtopic

If you start type in a topic by mistake and just don't want to save the changes press "Esc". To undo any change press Ctrl-Z

Note that anything what you do with the map (e.g. expanding some topics) changes the file and XMIND want to save the changes. It will ask if you try to close the file. Just close without saving if you don't need this changes

Look to the next slide as example what you can see

MOSFET N TYPE 500-900V BY VOLTAGE, R_DSON

500 V	600 V	650 V	700 V	800 V		900 V
70 mΩ	17 mΩ	19 mΩ	360 mΩ	85 mΩ		120 mΩ
110 mΩ	18 mΩ	33 mΩ	450 mΩ	280 mΩ		340 mΩ
140 mΩ	28 mΩ	37 mΩ	600 mΩ	290 mΩ		500 mΩ
190 mΩ	31 mΩ	41 mΩ	750 mΩ	310 mΩ		800 mΩ
199 mΩ	37 mΩ	45 mΩ	900 mΩ	360 mΩ		1000 mΩ
250 mΩ	40 mΩ	48 mΩ	950 mΩ	450 mΩ		1200 mΩ
280 mΩ	41 mΩ	65 mΩ	1000 mΩ	460 mΩ		
299 mΩ	45 mΩ	70 mΩ	1200 mΩ		600 mΩ	
350 mΩ	50 mΩ	74 mΩ	1400 mΩ			
380 mΩ	55 mΩ	80 mΩ	1500 mΩ			
399 mΩ	60 mΩ	95 mΩ	2000 mΩ			
500 mΩ	65 mΩ	99 mΩ	2100 mΩ			
520 mΩ	70 mΩ	105 mΩ				
600 mΩ	74 mΩ	110 mΩ				
650 mΩ	75 mΩ	125 mΩ				
800 mΩ	80 mΩ	130 mΩ				
950 mΩ	85 mΩ	150 mΩ				
1300 mΩ	90 mΩ	165 mΩ				
1400 mΩ	95 mΩ	190 mΩ				
2000 mΩ	99 mΩ	195 mΩ				

600 mΩ

650 mΩ

750 mΩ

900 mΩ

CoolMOS™ P7

CoolMOS™ C3

CoolMOS™ CE

85 mΩ

280 mΩ

290 mΩ

310 mΩ

360 mΩ

450 mΩ

460 mΩ

600 mΩ

650 mΩ

750 mΩ

900 mΩ

DPAK (TO-252)

IPAK (TO-251)

IPAK SL (TO-251 SL)

SOT-223

IPP80R600P7

V_DS max: 800 V - I_D max: 8 A

TO-220 R_DS (on) max: 600 mΩ - Q_G: 20 nC

TO-220 FullIPAK

TO-220 FullIPAK

TO-220 FullIPAK

TO-220 FullIPAK

TO-220 FullIPAK

TO-220 FullIPAK

TO-220 FullIPAK

TO-220 FullIPAK

IPAK (TO-251)
IPAK SL (TO-251 SL)
SOT-223
IPP80R600P7
V_DS max: 800 V - I_D max: 8 A
TO-220 R_DS (on) max: 600 mΩ - Q_G: 20 nC
TO-220 FullIPAK
IPA80R650CE
V_DS max: 800 V - I_D max: 4.5 A
R_DS (on) max: 650 mΩ - Q_G: 45 nC

Thank you!
Send your feedback and ideas to
Vasily.Basov@Infineon.com

Don't forget to get the latest version of the mind map:
<https://github.com/vbasov007/IFX-Product-MAP/archive/master.zip>



Part of your life. Part of tomorrow.

