



QRAPID

Operations Hub PRD

Product Requirements Document — P0

QRapid Technologies LLP | Internal Document | July 2026

Table of Contents

[1. Title & Metadata](#)

[2. Change History](#)

[3. Overview / Problem Statement](#)

[4. Goals & Success Metrics](#)

[5. Target Users / Personas](#)

[6. Scope](#)

[7. User Stories](#)

[8. Functional Requirements](#)

[8.1 Authentication](#)

[8.2 Two Lifecycles \(core model\)](#)

[8.3 Dashboard](#)

[8.4 Restaurants List](#)

[8.5 Add Restaurant Wizard \(thin\)](#)

[8.6 Configuration \(in the restaurant dashboard, not the Ops Hub\)](#)

[8.7 Edit Restaurant](#)

[8.8 Subscription Lifecycle and Money \(state-driven\)](#)

[8.9 Payments \(Razorpay\)](#)

[8.10 Global Assign QR](#)

[8.11 Menu Preview](#)

[8.12 Communications \(precise split: Razorpay vs QRapid/MSG91\)](#)

[8.13 Manual Lifecycle Overrides \(ops power\)](#)

[8.14 Setup Aging and Migration](#)

[9. Non-Functional Requirements](#)

[10. Design / UX Notes](#)

[11. Dependencies & Risks](#)

[12. Launch Plan](#)

[13. Appendix - Onboarding & Lifecycle Flow](#)

1. Title & Metadata

Field	Value
Project	QRapid 2.0 Operations Hub, Super Admin Console
Phase	P0 (production build)
Author	Vipul Katarnaware, Product
Status	v1, final for P0 development
Last Updated	15 July 2026
Related Docs	QRapid_2.0_Architecture.md, QRapid_2.0_Onboarding_Flow.md

2. Change History

Date	Author	Change
15 Jul 2026	Vipul	First version. Model: two independent lifecycles (setup and subscription), Razorpay-owned billing without mandate, configuration performed in the restaurant dashboard via login, QR assignment as a global tool, state-driven money actions.
15 Jul 2026	Vipul	Alignment pass after build review: suspended/archived are fully locked (edit only after reactivate/restore); no draft entity (abandoned wizards create nothing); timing overrides allowed on all alive stages including active; pricing stays read-only on active; no dedicated reminders system in P0 (dashboard tiles + Next Action cover it).
15 Jul 2026	Vipul	Final override model: Force Status and End Now removed; overrides collapse to a single Payment Due Date field (past date fires the transition immediately) plus Suspend Now, rendered inline in the Subscription card (no modal). Suspended shows Reactivate only; the 90-day auto-archive runs silently. Clock ownership resolved to Option A (QRapid owns the clock). Digital Menu shown in the Ops Hub as a read-only derived indicator; restaurant-side pause toggle deferred to P1.

3. Overview / Problem Statement

QRapid onboards and manages restaurant partners through manual, fragmented workflows across WhatsApp, spreadsheets, and ad hoc payment links. There is no single internal system where the operations team can onboard a restaurant, hand over a configured product, track its subscription lifecycle, and act on payment events. Menu setup alone costs 1 to 2 hours of manual entry per restaurant, and subscription states are tracked from memory.

QRapid 2.0 introduces a production Operations Hub for the Super Admin role: authenticated access, a durable system of record, Razorpay-owned recurring billing, and a fast onboarding-to-handover flow. Restaurant-side configuration (menu, tables, tax) is performed in the restaurant's own dashboard, keeping one source of truth. A Lovable prototype validated the flows; this document specifies the production build. The shadcn admin template (satnaing/shadcn-admin) is the component base for the actual build; Lovable is reference only.

4. Goals & Success Metrics

Goals

1. One system of record for the full restaurant partner lifecycle: onboarding, handover, renewal, suspension, archive, win-back.
2. Onboarding to handover in under one hour, with menu and tables configured in the restaurant dashboard.
3. Lean on Razorpay for billing so QRapid does not rebuild recurring payments, reminders, or dunning.
4. A single next-action view so payment follow-ups never slip.

Success Metrics

Metric	Target
Onboarding to handover time	Under 1 hour
Menu + tables configured for a new restaurant	100% before handover
Billing lifecycle handled by Razorpay without a custom scheduler	100%
Payment success to activation, manual steps	0
Existing restaurant base migrated at launch	100%

5. Target Users / Personas

Persona: Super Admin / Operations (internal, only role in P0)

Responsibilities: onboard restaurants; obtain restaurant-dashboard credentials and configure menu and tables via login; manage subscriptions; send payment and renewal links when due; record offline payments; suspend, reactivate, archive, restore; assign QR codes via the global tool; reset owner access.

Pain points: work spread across disconnected tools with no shared status view, and menu entry costing 1 to 2 hours per onboarding.

6. Scope

In Scope (P0)

- Admin authentication (email + password), single Super Admin role
- Durable database as system of record
- Dashboard: status tiles grouped by urgency, Recent Restaurants (glance), Upcoming Renewals, pending-setup count
- Restaurants list with search, status filters, sortable columns, minimal setup badge
- Add Restaurant wizard (thin: Business, Owner, Subscription, Review) with Save as Draft
- Full restaurant detail page, and Edit mode that opens the full page with fields editable
- Subscription lifecycle mirrored from Razorpay; state-driven money actions
- Razorpay integration: payment links (with Razorpay's built-in reminders), webhooks
- Offline payment recording (cash, complimentary)
- Global Assign QR tool: search, select restaurant, camera-scan a physical QR to bind a table
- View-only menu preview link per restaurant
- Owner access reset (SMS OTP first-login), credentials handoff
- Auto-archive of restaurants left incomplete for 30 days
- One-time migration of the existing restaurant base

Out of Scope (P0)

- RBAC beyond the single Super Admin role
 - Analytics/reporting beyond an optional revenue strip (future scope)
 - Impersonation / "Login as restaurant" (P1)
 - Restaurant-side configuration UI inside the Ops Hub (config lives in the restaurant dashboard)
 - Custom renewal/dunning scheduler (Razorpay owns this)
 - UPI Autopay / eNACH mandates (annual amount too large for autopay in P0)
 - VAT / alcohol tax engine
 - Printer configuration
-

7. User Stories

5. As an Operations admin, I want to log in securely so restaurant and payment data is protected.
6. As an Operations admin, I want to onboard a restaurant in a thin wizard and save partial progress as a draft.
7. As an Operations admin, I want the restaurant code auto-generated and immutable so identifiers stay unique.
8. As an Operations admin, I want credentials at creation so I can log into the restaurant dashboard and configure menu and tables.
9. As an Operations admin, I want setup to auto-complete once menu and tables exist so I do not maintain a manual checklist.
10. As an Operations admin, I want payment and renewal links to appear only when money is actually due so the UI never misleads me.
11. As an Operations admin, I want Razorpay to handle recurring billing, reminders, and retries so QRapid does not rebuild them.
12. As an Operations admin, I want to assign QR codes from one global tool by scanning a physical QR against a table.

13. As an Operations admin, I want a view-only menu preview link for demos and owner review.
 14. As an Operations admin, I want to edit any restaurant detail from one full edit surface.
 15. As an Operations admin, I want restaurants left incomplete to age out automatically so the list stays clean.
-

8. Functional Requirements

8.1 Authentication

- FR-1: The system shall require login (email + password); sessions expire after a configurable idle period.
- FR-2: PO has one role, Super Admin, with full access.

8.2 Two Lifecycles (core model)

- FR-3: Every restaurant shall have TWO independent states: a Setup state (draft, pending, completed) and a Subscription state (trial, active, renewal_grace, payment_due, suspended, archived).
- FR-4: These states shall be tracked and displayed independently. Subscription state is the primary status; setup state is shown as a minimal badge only when not completed.

8.3 Dashboard

- FR-5: The dashboard shall show status tiles grouped as Attention Needed (payment_due, renewal_grace, suspended) and Healthy (active, trial), plus Total and Pending Setup.
- FR-6: Recent Restaurants is a glance widget showing Restaurant, Status, Next Action only.
- FR-7: Upcoming Renewals shall show a link action only for restaurants in renewal_grace or payment_due; active restaurants with a future renewal show the date only.
- FR-8: Payment actions (Send/Resend Payment Link, Record Offline Payment) shall appear for restaurants in a payment-actionable status: payment_due, renewal_grace, and suspended. Never on active or trial outside conversion.

8.4 Restaurants List

- FR-9: The list shall show Restaurant (name + code + minimal setup badge when pending), Owner (name + mobile), City, Status (subscription), Next Action, Final Price, Renewal, Actions.
- FR-10: A copy icon beside the restaurant code shall copy the Restaurant ID.
- FR-11: Search (name, owner, mobile, code) and status filters (All, Trial, Active, Payment Due, Renewal Grace, Suspended, Archived) shall be present. Columns sortable.
- FR-12: The setup badge shall appear only when setup is not completed; completed restaurants show no setup badge.
- FR-13: Row actions: a visible Open button plus a 3-dot menu containing Edit Details (opens full page in edit mode), Assign QR (deep-links to the global tool preselected), and status-aware money actions.

8.5 Add Restaurant Wizard (thin)

- FR-14: Steps: Business, Owner, Subscription, Review. No menu/tax/QR here.
- FR-15: There is no draft entity. Wizard progress is held in-session only; an abandoned wizard creates no record. A restaurant exists only once fully created (setup state = pending). (Removes the earlier Save-as-Draft concept.)
- FR-16: Business: Name, Type, Description, Country (India fixed), Pincode (mandatory, auto-fetch State/City/Area with manual fallback), Address 1/2, Opening/Closing, GST toggle (+GST number when on), FSSAI optional, Source (Inbound/Outbound), Restaurant Code auto-generated read-only.
- FR-17: Owner: Owner Name, Primary WhatsApp (mandatory), Primary Email (rendered exactly as typed), Additional Mobiles/Emails.

- FR-18: Subscription: Plan (base price read-only from plan), Flat + Percent Discount, live Final Price (never negative). Activation: Start Free Trial (No Trial / 7 / 14 / 30 / Custom admin max 90) or Activate Immediately. Billing Mode: Online / Cash / Complimentary.
- FR-19: Review with per-section Edit; atomic creation; creation action disabled after success. On success, show credentials (Restaurant ID, mobile username, temporary password) with copy actions. Set setup state = pending.

8.6 Configuration (in the restaurant dashboard, not the Ops Hub)

- FR-20: Configuration (menu, tables, tax, service charge) is performed in the restaurant-facing dashboard using the credentials issued at onboarding. The Ops Hub shall NOT provide a configuration UI, and the restaurant detail page shall NOT display a Configuration section. Restaurant-side operational states (e.g., Digital Menu live status) may appear in the Ops Hub only as read-only derived indicators, in the same manner as the QR Assigned count, never as toggles or editors.
- FR-21: The mandatory configuration for handover is MENU and TABLES. Tax is optional.
- FR-22: When menu and tables both exist (shared database), setup state shall auto-flip to completed. On completion, the system shall send the owner a WhatsApp (via MSG91) with a first-login link to set their password.

8.7 Edit Restaurant

- FR-23: Edit Details shall open the full restaurant page in edit mode (not a modal). All sections are editable subject to state rules below.
- FR-24: Editing is available only in the alive stages: trial, active, renewal_grace, payment_due. Suspended and archived are FULLY LOCKED (no field edits). To edit a suspended or archived restaurant, ops must first Reactivate or Restore it into an alive stage; the edit page shows a status banner explaining this ("Reactivate to edit...", "Restore to edit...").
- FR-25: Within the alive stages, the Subscription PRICING section (plan, discount) is editable in trial, payment_due, and renewal_grace, and is READ-ONLY in active with a note ("Pricing changes apply at the next renewal."). Pricing on active is a historical, already-collected fact; changes are applied at the next renewal window, not mid-cycle. Business/Location/Owner/Hours remain editable in all four alive stages.

8.8 Subscription Lifecycle and Money (state-driven)

- FR-26: Subscription state is owned by Razorpay Subscriptions and mirrored in the Ops Hub via webhooks. QRapid runs no custom renewal/dunning scheduler.
- FR-27: Money is owed at exactly three moments: trial conversion, renewal, and never during active. Payment/renewal links and price editing appear ONLY in trial (conversion), payment_due, and renewal_grace.
- FR-28: An active subscription card is read-only and calm: it shows facts and "View Billing History" only, no payment link, no price editing.
- FR-29: Confirmed payment (webhook or recorded offline) returns the subscription to active and recomputes renewal date.
- FR-30: Secondary manual actions (e.g., Record Offline Payment) open a confirmation with a mandatory reason and write a reversible Timeline entry. Lifecycle overrides are specified in Section 8.13.
- FR-31: Suspended offers Reactivate; archived offers Restore. Archived is reversible with all history intact; data is retained permanently.

8.9 Payments (Razorpay)

- FR-32: The system shall create Razorpay payment links for conversion and renewal, relying on Razorpay's built-in Payment Link reminders (up to 3 SMS/email nudges) rather than a custom reminder engine.
- FR-33: Razorpay webhooks shall be signature-verified and idempotent; replays never double-apply.
- FR-34: At renewal, the restaurant app is hard-blocked behind the Razorpay-hosted payment screen until payment succeeds; on success the app unlocks and status flips to active.
- FR-35: Record Offline Payment captures amount, method (Cash/Complimentary), date, applying the same activation logic.

8.10 Global Assign QR

- FR-36: Assign QR is a global sidebar tool with a search box and a Select Restaurant dropdown; on selection it lists rooms and tables grouped by room. No Download QR Sheet or Open Workspace buttons here.
- FR-37: Assigning opens the device camera to scan a physical (naked) QR; on scan, that QR is bound to the selected table (the table's ordering link is written to the QR). Reassign is available per table.
- FR-38: The restaurant detail page shall NOT contain a duplicate QR grid; any QR entry point deep-links to the global tool preselected.

8.11 Menu Preview

- FR-39: Each restaurant shall have a shareable, view-only Menu Preview Link (menu visible, ordering disabled), surfaced with a copy action.

8.12 Communications (precise split: Razorpay vs QRapid/MSG91)

Razorpay's automated Payment Link reminders support only SMS and email, not WhatsApp. All WhatsApp messaging is therefore QRapid's responsibility via MSG91, triggered off Razorpay webhooks. The split:

Message / function	Owner
Hosted payment page / checkout	Razorpay
Payment collection, retries	Razorpay
Automated payment reminders via SMS + email (up to 3 per link)	Razorpay (Payment Link reminders)
Automated payment reminders via WhatsApp	QRapid via MSG91 (webhook-triggered)
Initial payment / renewal link delivery on WhatsApp	QRapid via MSG91
Payment success / receipt on WhatsApp	QRapid via MSG91 (off payment.captured webhook)
Credentials (username, temp password)	QRapid, shown once in-dashboard, copy only, never SMS'd
Owner first-login OTP	QRapid via MSG91 (SMS)
Setup-completed handover login link	QRapid via MSG91 (WhatsApp)

- FR-40: QRapid shall send the initial payment/renewal link on WhatsApp via MSG91, and may also send it on SMS. Razorpay's own SMS/email reminders are enabled on the link to supplement collection.
- FR-41: QRapid shall send WhatsApp payment reminders and receipts via MSG91, triggered by Razorpay webhooks (payment.captured, payment.failed), since Razorpay does not send WhatsApp natively.
- FR-42: Credentials (username, temp password) are shown once in-dashboard with copy; never sent as an SMS password.
- FR-43: Owner first-login uses SMS OTP via MSG91. Ops itself uses email + password, no OTP.
- FR-44: Setup-completed handover sends the owner a WhatsApp login link via MSG91.

8.13 Manual Lifecycle Overrides (ops power)

Every alive stage is governed by one deadline, and ops holds two powers over the lifecycle: move that deadline, or hard-block for cause. Nothing else. Force Status and End Now do not exist. These controls render inline in the Subscription card (no separate modal), and when role-based access arrives in P1 they are narrowed by role; in P0 the Super Admin holds them all.

- FR-45: Every alive stage (Trial, Active, Renewal Grace, Payment Due) is governed by a single underlying deadline, surfaced as one universal field labeled "Payment Due Date." Ops shall be able to move this deadline earlier or later on any alive stage. If the new date is today or earlier, the stage transition fires immediately and synchronously, without waiting for the daily aging job. This is the only mechanism for ending a stage early. Payment Due (soft block) is never entered as a standalone action; it is only ever reached by a deadline elapsing, naturally or via this field.
- FR-46: "Suspend Now" is a direct, for-cause hard block available on Trial, Active, Renewal Grace, and Payment Due. It sets status to Suspended immediately, independent of any date, and is styled as a destructive action.
- FR-47: A Suspended restaurant returns to Active by exactly three paths: (a) successful online payment via a sent payment link, confirmed by Razorpay webhook — auto-activates per FR-29, no manual reason or password needed since the webhook itself is the verification; (b) Record Offline Payment, confirmed the same way, gated per FR-49a below; (c) "Reactivate," a manual override used only when no payment has occurred (goodwill, correcting an erroneous suspension, a dispute resolved outside the system), gated per FR-49a below. No date field is shown or editable on a Suspended restaurant; the 90-day auto-archive countdown runs silently regardless of which path is taken, unless Active is reached first.
- FR-49a: In addition to the mandatory reason (FR-49), the following actions require the acting admin to re-enter their login password before the action is applied: Payment Due Date change, Suspend Now, Reactivate (override path only, not the payment-triggered path), Restore, Record Offline Payment and Edit Pricing Details (plan discount changes). This is a step-up confirmation, not a re-login — the session stays active; only this one action is blocked until the password is verified. The backend shall verify the submitted password against the current admin's stored credential before committing the transition; a failed attempt shall not apply the action or log a Timeline entry. This applies to the single Super Admin role in P0 and will be extended per-role once RBAC lands in P1.
- FR-48: Archived restaurants have exactly one available action: Restore (returns to Payment Due).
- FR-49: Every override (Payment Due Date change, Suspend Now, Reactivate, Restore) requires a confirmation with a mandatory free-text reason (minimum 3 characters), captured inline in the card, and writes a reversible Timeline event recording actor, old value, new value, and reason.
- FR-50: Overrides control timing and access-state only, never pricing. Pricing remains governed by FR-25 (read-only on Active; edited only in the renewal window). This separation keeps collected-revenue numbers trustworthy while giving ops full operational control.
- FR-51: P0 has no dedicated reminders system (inbox or toasts). Due and at-risk restaurants are surfaced by the dashboard Attention Needed tiles and the Next Action column; a reminders queue is deferred to a later phase.

8.14 Setup Aging and Migration

- FR-52: Any restaurant left with setup incomplete (pending) for 30 days shall auto-archive, with a Timeline note. (There is no separate draft state; see FR-15.)
- FR-53: A one-time import shall load the existing base (restaurants, owners, current status, renewal dates) through the same creation/transition services so imported records are indistinguishable from wizard-created ones.

9. Non-Functional Requirements

- NFR-1: Availability target 99.5% for the internal Ops Hub.
- NFR-2: Durable database with automated daily backups and 7-day point-in-time recovery.
- NFR-3: HTTPS everywhere; passwords hashed (bcrypt/argon2); temp passwords never stored in plaintext; secrets in a managed store.
- NFR-4: Razorpay webhook processing idempotent, completing within 5 seconds.
- NFR-5: Interactive pages load under 2 seconds on an office connection.
- NFR-6: The dev/staging environment is OFF by default and powered on only during active dev or staging testing, to control cost and reduce exposure (see architecture doc).

- NFR-7: All state names, field names, and vocabulary in code match this PRD exactly.
 - NFR-8: Desktop-first UI; mobile responsiveness is not a PO requirement.
-

10. Design / UX Notes

- Build on the shadcn admin template (satnaing/shadcn-admin). Lovable is reference only, not the production design.
 - Setup badge is minimal and shown only when pending; absence means completed.
 - Active subscription cards are quiet and read-only; action appears only when money is due.
 - Edit is one full-page surface, not a modal.
 - No em dashes; emails never text-transformed.
 - Pincode manual fallback, WhatsApp helper text, live table math, staff-only Internal Notes retained as validated patterns.
 - Lifecycle overrides render inline in the Subscription card: the Payment Due Date field is directly visible and editable, and Suspend Now sits below as a clearly destructive (red) action. Confirming either reveals a small inline reason row (input + Confirm/Cancel), not a modal. The former "Adjust Subscription Window" modal does not exist.
 - Wizard design direction: integrated header stepper with named steps (Business, Owner, Subscription, Review), sectioned card layout, breadcrumb navigation consistent with the shadcn-admin base. No Save as Draft control (FR-15).
 - Restaurant detail direction: compressed metadata header with one primary action (Edit Details) and ghost secondary actions (Assign QR, Menu Preview); monospaced rendering for technical data (codes, phone numbers, passwords); a recent Timeline snippet on the Overview; no Configuration section (FR-20); Setup Access shows mobile username and temporary password individually, each with its own copy icon.
 - Digital Menu appears only as a read-only derived indicator (like QR Assigned), with an optional Restaurants-list filter as the sole PO visibility into adoption; no adoption metrics or dashboard tiles for it.
-

11. Dependencies & Risks

Dependencies

- Razorpay account with Subscriptions, Payment Links, and Webhooks
- MSG91 for SMS and WhatsApp
- OpenRouter for AI menu extraction (in the restaurant dashboard)
- Pincode-to-location data source
- AWS (credits available); MongoDB Atlas credits noted (see architecture doc for DB choice)

Risks & Open Questions

- R-1: AI menu extraction accuracy unvalidated on real menus; benchmark 10 real menus before relying on it.
- R-2: Restaurant Code format needs final confirmation (proposed QR-YYYY-NNNN, yearly sequence). Immutable once set.
- R-3: Restore-from-archive pricing (old snapshot vs current plan) undefined; decide before billing work.
- R-4: Shared setup credentials post-handover carry audit risk; mitigated in P1 by audited impersonation.
- R-5: Migration data quality; validate before import.
- R-6 (deferred to P1): whether restaurants get a pause/resume control for the digital menu in their own dashboard, or menu-live is fully automatic once approved.
- R-7: the System card's support-diagnostic fields (Current Version, Last Sync) are currently undefined build artifacts; define their meaning or remove them before go-live.

Decision log (locked)

- Two independent lifecycles: setup and subscription.

- Razorpay owns billing/reminders/dunning; no mandate; hard block at renewal.
- Configuration lives in the restaurant dashboard; mandatory = menu + tables; tax optional; setup auto-completes.
- Money actions and price editing only at trial conversion and renewal; active is read-only.
- Suspended and archived: fully locked; edit only after reactivate/restore.
- No draft entity; abandoned wizards create nothing; restaurant exists only once fully created.
- Timing overrides on all alive stages including active; pricing read-only on active (changes apply at next renewal).
- No dedicated reminders system in P0; dashboard tiles + Next Action cover it.
- Override model collapsed to two controls: Payment Due Date (one universal field; past date = immediate transition) and Suspend Now. Force Status and End Now removed.
- Overrides render inline in the Subscription card; no override modal.
- Clock ownership resolved: Option A, QRapid owns the lifecycle clock; Razorpay is the payment rail.
- Digital Menu: read-only derived indicator in the Ops Hub; default off; restaurant-side control; no adoption metrics in P0.
- Global Assign QR with camera bind; no per-restaurant QR grid.
- Incomplete restaurants auto-archive after 30 days.
- MSG91 for SMS + WhatsApp; shadcn admin template for UI.

Clock Ownership decision (team to decide; all three documented per request)

The question: who owns the lifecycle CLOCK (the dates that decide when a restaurant transitions trial -> payment_due -> suspended, and when the app blocks)? This matters because ops wants full manual override power (extend, shorten, end now), and the override is only as clean as the clock model underneath. Razorpay always remains the payment RAIL (it collects the money); the question is only about the timing clock.

Option	How it works	Pros	Cons / risk	Override ease
A. QRapid owns the clock	QRapid stores current_status_ends_at and runs the transitions. Razorpay is only a payment link/checkout. On payment success (webhook) QRapid flips to active.	Full, instant override control (extend/shorten/end-now are local writes). One source of truth for timing. Simplest overrides.	QRapid must run a reliable daily job for auto-transitions. Slightly more logic on our side.	Easiest
B. Razorpay owns the clock	Razorpay Subscriptions drives the schedule and grace; QRapid mirrors status via webhooks.	Least billing logic to build; leans fully on Razorpay.	Overrides are hard: to end-now or extend, QRapid must push changes to Razorpay's schedule via API, which may not map cleanly to grace windows. Higher failure surface, higher maintenance, harder to reason about.	Hardest
C. Hybrid	Razorpay drives normal auto-renewal; QRapid keeps a thin override layer (an override date that, when set, supersedes Razorpay for blocking/transition).	Keeps Razorpay automation for the common path; still allows manual overrides.	Two clocks can disagree; needs careful precedence rules (override wins) and reconciliation. Medium complexity and medium risk.	Medium

Resolved: Option A (QRapid owns the clock). FR-45's requirement that a past-dated Payment Due Date fires the transition immediately and synchronously is only implementable cleanly if QRapid owns the timing clock; Razorpay remains the payment rail (links, hosted checkout, collection, link reminders, webhooks). Options B and C are recorded above for context. FR-49's mandatory reason + reversible Timeline entry applies regardless.

The list's date column shall be labeled "Next Date," not "Renewal." It surfaces the relevant upcoming date for the restaurant's current stage: trial end during Trial, the due date during Payment Due, the grace end during Renewal Grace, or the true renewal date once Active. This column is intentionally stage-neutral, since a genuine "renewal" does not exist prior to a restaurant's first successful payment (consistent with Razorpay's own subscription model, where a trial-stage subscription has a start date but no renewal, becoming a true recurring subscription only after the first charge). "Next Date" is read alongside the adjacent Next Action column, which states in plain language what the date means (e.g., "Trial ends in 6 days," "Pay within 5 days," "Renews on [date]").

12. Launch Plan

Milestone	Deliverable	Gate
M1 Foundation	Auth, DB, restaurants list, thin wizard with drafts, full detail + edit	Onboard a real restaurant end to end
M2 Money + lifecycle	Razorpay subscriptions/links/webhooks, offline payments, state-driven actions, mirrored status	A payment activates a restaurant with zero manual steps
M3 Config handover + QR + go-live	Restaurant-dashboard config path, auto-complete setup, global Assign QR with camera bind, menu preview link, migration import	Existing base migrated; new restaurant onboarded and handed over in under 1 hour

P0 exit: every restaurant lives in this system, no status tracked outside it, onboarding-to-handover under one hour.

13. Appendix - Onboarding & Lifecycle Flow

The end-to-end flow (form to handover to renewal), including what triggers on Razorpay and MSG91 and where a human is required, is maintained as a separate tree diagram in QRapid_2.0_Onboarding_Flow.md. It is a companion to this PRD and should be read alongside Section 8.

Note for maintainers: this is the first version of the PRD and has not been circulated beyond initial product discussion. Treat it as the single current version.