

f / F	file picker (workspace / cwd)
b	buffer picker
j	jumplist picker
g	changed files (git) picker
k	hover / docs popup (LSP)
s / S	document / workspace symbols (LSP)
d / D	document / workspace diagnostics
r	rename symbol (LSP)
a	code action (LSP)
h	select references to symbol
,	re-open last fuzzy picker
w	enter window mode
c / C	toggle line / block comments
Alt-c	toggle line comments
p / P	paste system clipboard after / before
y / Y	yank sel(s) / main sel to clipboard
R	replace selections with clipboard
/	global search (regex in workspace)
?	command palette (discover keys + cmds)
<i>SPC ? is your best friend when learning. SPC ' resumes global search etc.</i>	
WINDOW MODE (C-w)	
C-w / w	next window
v / C-v	vertical split
s / C-s	horizontal split
h/j/k/l	move to left/down/up/right window
H/J/K/L	swap window left/down/up/right
q / C-q	close window
o / C-o	only current window (close others)
f / F	goto file in sel (hsplit / vsplit)
VIEW MODE (z / Z)	

z / c	center line vertically
t	align line to top
b	align line to bottom
m	align view horizontally to middle
j/k	scroll view down/up (no cursor move)
C-f / C-b	page down/up
C-u / C-d	half page (cursor moves)
<i>Z makes it sticky (Esc exits). Great for reading without moving point.</i>	
PICKER KEYS	
Tab / C-n / Down	next entry
S-Tab / C-p / Up	prev entry
C-u / PgUp	page up
C-d / PgDn	page down
Home / End	first / last
Enter	open selected
Alt-Enter	open in background (keep picker)
C-s	open in horizontal split
C-v	open in vertical split
C-t	toggle preview
Esc / C-c	close picker
PROMPT / COMMAND-LINE	
Esc / C-c	close / cancel
C-b / Left	char left
Alt-b/C-Left	word left
C-f / Right	char right
Alt-f/C-Right	word right
C-a / Home	prompt start
C-e / End	prompt end
C-w / C-BS	delete word back
Alt-d/C-Del	delete word fwd
C-u	kill to start
C-k	kill to end
C-r	insert register (then name)
C-s	insert word under cursor
C-p / Up	history prev
C-n / Down	history next
Tab / S-Tab	next / prev completion
REGISTERS	

"r before op	use register r (yank/paste/change/delete)
"	default yank register (last yank)
/	last search pattern
:	last command
@	last macro
+	system clipboard (yank/paste join)
*	primary selection clipboard
.	current selection contents (read-only)
%	current filename (read-only)
#	selection indices (1,2,...) (read-only)
-	black hole (write discards)
<i>*+y yanks to system. Multiple sels joined by newline on clipboard yank.</i>	
SHELL & MACROS	
 	pipe sel thru cmd (replace w/ stdout)
Alt- 	pipe to cmd, ignore out
!	insert cmd stdout before sel
Alt-!	append cmd stdout after
\$	keep sels where cmd==0
:sh / :!	run shell cmd
:pipe / : 	pipe sels
Q	start/stop macro rec
q	replay macro
<i>Macros still experimental — prefer multi-sel + s for most bulk edits.</i>	
TYPABLE COMMANDS (:)	

:w / :write	save
:q / :quit	close view
:q!	force quit
:wq / :x	write + quit
:bc / :bclose	close buffer
:bco	close other buffers
:bn / :bp	next / prev buffer
:format / :fmt	format via LSP or formatter
:cd	change directory
:pwd	show cwd
:reload	discard changes + reload file
:theme	switch theme (no arg = current)
:tutor	open interactive tutor
:config-open	edit your config.toml
:lsp-restart	restart language servers
:set / :toggle	runtime option (e.g. search.smart-case)
<i>Many more; use SPC ? or : then Tab to explore. :reflow for hard wrap.</i>	
LSP WORKFLOW (built-in)	
SPC k	hover docs
SPC s	document symbols picker
SPC r	rename
SPC a	code action (quickfix/refactor)
gd / gy / gr / gi	goto def/type/refs/impl
]d / [d	next/prev diagnostic
SPC d	document diagnostics picker
=	format selection / :format
inlay hints	toggle via config or command
<i>No plugin install. Just open project with hx . — servers auto-start per lang.</i>	
MULTI-SELECTION TACTICS	
C/Alt-C	add cursor below/above
% s pat Enter	select every match of regex in file
* or Alt-* then n	search sel, add more matches
v n / v N	in select mode: accumulate search hits
SPC / then pick	global search + open files
ma f then c	change inside every function at once
x C x C	select several lines then edit together

<i>This replaces 90% of what you used macros / :%s for in Vim.</i>	
CONFIG & BEHAVIORS	
theme	"onedark" (or other)
line-number	relative (in [editor])
auto-format	true (on save)
auto-save	false
cursorline	true
cursor-shape	normal=block insert=bar
file-picker	hidden=true
keys.normal	add your maps
trim-ws	on write (opt)
jumplist	C-o/C-i +C-s
undo	persistent history
EditorConfig	respected
smart-tab	smart indent
<i>File: /.config/helix/config.toml . Use :config-open + :config-reload</i>	
COMMON GOTCHAS (from nvim)	
no :%s	use select-all + c or global search + replace
no visual block I	use C to add cursors then i or c
dd is xd	or x d; line select is explicit
yyp is x y p	select line, yank, paste
f only line?	no — multiline in Helix
registers	mostly same, but +/* special for clip
plugins	almost none needed — everything built-in
QUICKSTART CHEAT	
hx file.rs	open
SPC f	find files
SPC / foo	project search
x d	delete current line
% s foo Enter c	change every foo in file
C C c bar Esc	add cursors on 3 lines, change all
ma f c	change inside all functions
SPC a	apply code action at point
SPC r newname	rename symbol
:w	save
:bc or SPC w?	close buffer
<i>SPC ? for discovery. See official keymap.html for full list.</i>	