Program no 1. Table using External CSS

```
<html>
<head>
<link rel="stylesheet" href="TC.css">
</head>
<body >
<h1><h1>TIME TABLE</h1></h1>
<table class ="p1" border="10" cellspacing="2" align="center">

<tr class="p">
<td>TIME</td>
<td>MON</td>
<td>TUE</td>
<td>WED</td>
<td> THU</td>
<td>FRI</td>
<td>SAT</td>
</tr>
<tr>
<td>11 TO 12</td>
<td>LAB</td>
<td >LAB</td>
<td >CPP</td>
<td >OS</td>
<td >OS</td>
<td >CPP</td>
</tr>
<tr>
<td >12 TO 1</td>
```

```html
<td >LAB</td>

<td >LAB</td>

<td >OS</td>

<td >CPP</td>

<td >WEB</td>

<td >WEB</td>

</tr>

<tr rowspan="6" align="center" >

<td colspan="7" id="tr"><b>LUNCH BREAK</b> </td>

</tr>

<td >1.30 TO 2.30</td>

<td >MATH</td>

<td >MATH</td>

<td> MATH</td>

<td>WEB</td>

<td> FL</td>

<td >IL/FC</td>

</tr>

<tr>

<td >2.30 TO 3.30</td>

<td >IL/FC</td>

<td>WEB</td>

<td >LIB</td>

<td >LIB</td>

<td >CPP</td>

<td >FL</td>

</td>


</table>
```

```html
</body>

</html>
```

2.CSS file

```css
h1 {

        color: black;

        text-align: center;

        background-image: linear-gradient(to bottom right, indigo,indigo,white,violet,violet);

        border-style: inset;

        text-shadow: 1px 1px 2px yellow, 0 0 25px red, 0 0 5px yellow ;

    line-height:30px;

}


.p1 {

        box-shadow: 10px 10px 5px gray;

        }


tr:hover {

        background-color:#80ff00;

        text-align: center;

        text-decoration: underline;

        font-weight: bold;

        font-style: italic;

}
.p {

    background-color: cyan;

        font-weight: bold;

        line-height:20px;

}
```

```
#tr{

background-color:#ffff0080;

}
```

_____

Output

TIME TABLE

TIME	MON	TUE	WED	THU	FRI	SAT
11 TO 12	LAB	LAB	CPP	OS	OS	CPP
12 TO 1	LAB	LAB	OS	CPP	WEB	WEB
LUNCH BREAK						
1.30 TO 2.30	*MATH*	*MATH*	*MATH*	*WEB*	*FL*	*IL/FC*
2.30 TO 3.30	IL/FC	WEB	LIB	LIB	CPP	FL

_____

Program no 2 :- Frame program using CSS

```
<HTML>

<HEAD>

<TITLE>A frameset document</TITLE>


</HEAD>

<FRAMESET cols="50%,50%">

 <FRAMESET rows="50,50">

<FRAME src="A.html">

 <FRAME src="B.html">

 </FRAMESET>

<FRAMESET rows="50,50">
```

```
 <FRAME src="C.html">

 <FRAME src="D.html">

</FRAMESET>

</body>

</HTML>
```

❖ A.HTML

```
<html>

<head>

<style>

#grad1 {

  height: 290px;

  background-image: linear-gradient(pink, yellow);

}

</style>

</head>

<body>

<div id="grad1">

</div>

</body>

</html>
```

❖ B.HTML

```
<html>

<head>

<style>

#grad1 {

  height: 298px;
```

```
  background-color: red;

  background-image: linear-gradient(green, yellow, red);

}


</style>

</head>

<body>

<div id="grad1">

</div>

</body>

</html>
```

❖C.HTML

```
<html>

<head>

<style>

#grad1 {

  height: 290px;

  background-color: red;

  background-image: repeating-linear-gradient(indigo 10% ,violet 20%);

}


</style>

</head>

<body>

<div id="grad1">

</div>

</body>
```

</html>

❖ D.HTML

```html
<html>

<head>

<style>

#grad1 {

  height: 295px;

  background-color: red;

  background-image: repeating-linear-gradient(45deg, lightblue 0px, indigo 20px, lightblue 10px, indigo 10px,lightblue 20px);


}

</style>

</head>

<body>

<div id="grad1">

</div>

</body>

</html>
```

Output