

This PR features a new visual place recognizer which may be useful for initializing localization in other nodes such as NDT (ie. it performs global localization like GPS), only using vision. To be succesful, map of the place with global coordinate is required. This map can be created using orb_mapping node as part of orb_localizer.

Next Works

- Performance Evaluation
- Testing



dejanpan commented on Aug 1, 2017 via email ≥

Can you also comment how can we test it? Which launch file to start? What rosbag to play?

•••



sujiwo commented on Aug 1, 2017

Author

Testing

- 1. Obtain a bag file and corresponding ORB-SLAM map; the bag file must contains image stream
- 2. Launch place_recognizer.launch:

roslaunch orb_localizer place_recognizer.laund 📮 orb_config:=<path-to-orb-slam-config.yaml> map_file:=<path-to-orb-map> image_topic:= <image_topic>

3. Play the bag

Expected Results

Pose output in /<camera_namespace>/pose





yk-fujii mentioned this pull request on Mar 14, 2023

Release v.1.4.0



autowarefoundation/autoware_ai#953 10 tasks





ros/src/computing/perception/localization/pa
ckages/orb_localizer/README

```
+ (change indigo to your ROS version)

+ The default values are:

+ _TIMEOUT_SIGINT = 15.0 #seconds

+ _TIMEOUT_SIGTERM = 2.0 #seconds
```



dejanpan on Aug 2, 2017

this is not a very elegant solution to edit stuff in /opt/ros/indigo/lib/python2.7. Do you mean a SIGINT as a result of Ctrl+C or where does SIGINT come from?



sujiwo on Sep 22, 2017

Author

At this time I do not have good solution for this, because saving large ORB map eats too much time.

ros/src/computing/perception/localization/pa ckages/orb_localizer/include/Map.h

	105	+ hasImage;
	104	+ unsigned char
102	103	<pre>char signature[7];</pre>
101	102	<pre>struct MapFileHeader {</pre>
100	101	



dejanpan on Aug 2, 2017

Why not a bool?

ros/src/computing/perception/localization/pa
ckages/orb_localizer/include/Tracking.h

```
99 + // { return mpIniORBextractor; }
100 + //
101 + // cv::Mat getCalibrationMatrix
102 + // { return mK; }
```



dejanpan on Aug 2, 2017

dead code, should we remove?

ros/src/computing/perception/localization/pa
ckages/orb_localizer/nodes/common.cpp

222 223 224 225	+	if (imgenc::isBayer(imageMs@
223	+	int code=-1;
224	+	<pre>if (imageMsg->encod:</pre>
225	+	imageMsg->eı



ros/src/computing/perception/localization/pa
ckages/orb_localizer/nodes/common.cpp

```
239 + }
240 + cv::cvtColor(cv_ptr-
241 + }
242 + else
```

dejanpan on Aug 2, 2017

curly bracket after else

13 hidden conversations **Load more...**

...g/perception/localization/packages/orb_lo
calizer/nodes/place_recognizer/place_recogni
zer.cpp

```
215 + {
216 + for(int i=0; i<nKFs)
217 + {
218 + if(vcDiscare
```

dejanpan on Aug 2, 2017

everywhere with single line ifelse I would put {}

...g/perception/localization/packages/orb_lo
calizer/nodes/place_recognizer/place_recogni
zer.cpp

```
260 +
261 + for
262 +
263 +
```



dejanpan on Aug 2, 2017

put {} in "for" and "if"

...g/perception/localization/packages/orb_lo
calizer/nodes/place_recognizer/place_recogni
zer.cpp

263	+	
264	+	
265	+	//
263 264 265 266	+	if(



dejanpan on Aug 2, 2017

why 50? could you make it a parameter?

...g/perception/localization/packages/orb_lo calizer/nodes/place_recognizer/place_recogni zer.cpp

```
288
289
290
291
```



dejanpan on Aug 2, 2017

{}

ros/src/computing/perception/localization/pa ckages/orb_localizer/src/Map.cc

```
226
                if (saveKeyframeImages) {
227
228
                        string imageDir = ma
229
                        boost::filesystem::
```



dejanpan on Aug 2, 2017

I would check if imageDir exists



dejanpan commented on Aug 2, 2017

I reviewed but didn't test. Can you provide link to an example bag file?





yk-fujii mentioned this pull request on Mar 14, 2023

Release v.1.5.0



autowarefoundation/autoware_ai#958 20 tasks



dejanpan commented on Aug 25, 2017

@sujiwo you did not reply to any of my comments. If you can not / don't have time to fix also OK => just say so.

Do you have a publicly available ORB map and a corresponding image bag that I could test this with?



dejanpan commented on Aug 28, 2017

@sujiwo just a friendly reminder



sujiwo commented on Sep 22, 2017

Author

Sorry <u>@dejanpan</u> for very long time, I'm currently working on this.



gbiggs commented on Mar 15, 2019

@sujiwo @dejanpan Is this PR still applicable?

Spiggs added type:new-feature in review labels on Mar 15, 2019



sujiwo commented on Mar 15, 2019 via email ☑ Author

Unfortunately, No. It depended on ORB Localizer, which has been removed.

Pada tanggal Jum, 15 Mar 2019 pukul 15.29 Geoffrey Biggs < notifications@github.com> menulis:

<u>···</u>

- gbiggs closed this on Mar 17, 2019
- pamc-nu deleted the feature/place_recognizer branch 5 years ago
- A gbiggs unassigned dejanpan on Mar 24, 2019
- mitsudome-r added the version:autoware-ai label on Jun 14, 2022