## 6.14 Practice

For each integral, determine what technique would be useful to solve them. (For additional practice, solve the integral.)

1. 
$$\int \frac{a^3 - 1}{a^2 + 1} da$$

Solution: Long division

Answer:

$$\frac{1}{2}a^2 - \frac{1}{2}\ln(a^2 + 1) - \arctan a + C$$

2. 
$$\int \frac{1}{x^2 + 2x + 2} dx$$

Solution: Complete the square

Answer:

$$\arctan(x+1) + C$$

3. 
$$\int \frac{x}{x^2 + 2x + 2} dx$$

Solution: Complete the square, split the integral

Answer:

$$\frac{1}{2}\ln|x^2 + 2x + 2| - \arctan(x+1) + C$$

4. 
$$\int \frac{x+1}{x^2+2x+2} dx$$

Solution: Complete the square and simplify

Answer:

$$\frac{1}{2}$$
 ln  $|x+1| + C$ 

5. 
$$\int \frac{x-1}{x^2+2x+3} dx$$

**Solution:** Substitute  $u = x^2 + 2x + 3$ 

Answer:

$$\frac{1}{2}\ln|x^2 - 2x + 3| + C$$

6. 
$$\int_0^1 t(t-1)^{10} dt$$

**Solution:** Substitute u = t - 1

Answer:

$$\frac{1}{132}$$

7. 
$$\int x(x-1)(x-2) dx$$

Solution: Expand

Answer:

$$\frac{1}{4}x^4 - x^3 + x^2 + C$$

8. 
$$\int_{1}^{3} r \sqrt{r^2 - 1} \, dr$$

**Solution:** Substitute  $u = r^2 - 1$ 

Answer:

$$\frac{16\sqrt{2}}{3}$$

$$9. \int_{e}^{e^2} \frac{1}{x \ln x} \, dx$$

**Solution:** Substitute  $u = \ln x$ 

Answer:

 $\ln 2$ 

$$10. \int_0^{\pi/6} \frac{\cos \theta - \cos^3 \theta}{\sin^2 \theta} \, d\theta$$

Solution: Algebraic manipulation: trig identity and simplifying the fraction

Answer:

$$\frac{1}{2}$$

11. 
$$\int_{-2}^{2} x^3 \sin(x^2 + 1) \, dx$$

**Solution:** Odd function over a symmetric interval, or use substitution  $u = x^2 + 1$ 

Answer:

0

$$12. \int \frac{1}{\sqrt{u}e^{\sqrt{u}}} \, du$$

**Solution:** Substitute  $x = \sqrt{u}$ 

Answer:

$$-2e^{-\sqrt{u}} + C$$

$$13. \int \frac{1}{\sqrt{1-x-x^2}} \, dx$$

Solution: Complete the square

Answer:

$$\arcsin\left(\frac{2x+1}{\sqrt{5}}\right) + C$$

14. 
$$\int \frac{2^{\sin \theta}}{\sec \theta} d\theta$$

**Solution:** Substitute  $u = \sin \theta$  and use  $\frac{1}{\sec \theta} = \cos \theta$ 

Answer:

$$\frac{2^{\sin\theta}}{\ln 2} + C$$

15. 
$$\int_{-2}^{2} (x + x^2 + x^7 + \sin x) \, dx$$

**Solution:** Most of this is an odd function over a symmetric interval, then an easy integral of  $x^2$ 

Answer:

$$\frac{16}{3}$$