



Government of Maharashtra
Higher and Technical Education Department

Government College of Engineering, Chandrapur

Ballarpur Bypass Road, Babupeth, Chandrapur-442 403

Phone No. (Principal) : 07172-350095 & 350094
(Office) : 07172-350093 (T& P), 350092

Website : www.gcoec.ac.in
E-mail (Principal) : principal.gcoechandrapur@demaharashtra.gov.in
(Office) : office.gcoechandrapur@demaharashtra.gov.in

No:-GCOEC/Hostel/Store/PLA/2023-24/2322

Date:- 28 Aug. 2023

Quotation Call

To, **कार्यालयीन प्रत**

Sub: - Quotation for Supply of CCTV PoE Switch .

Sir,

The sealed quotations are invited for the items as enclosed herewith. The Quotation should be sent in envelopes duly sealed and subscribed as "QUOTATION FOR "...**Hostel CCTV PoE Port Switch..**" Due on date -**15 Sept. 2023**. So as to reach this office not latter than... **03:00 PM**....

Quotations will be opened on ... **15 Sept. 2023**.. at **04:00 pm** when you or your representative may, if so desire, be present at your own cost.

The Furniture/Instrument/Equipment/Goods/ Raw Materials /Stationary quoted for, should be of the best quality and you should specifically indicate the maker of manufacturer with specification. **You are also requested to enclose Shop Act Registration & Shop GST Registration (Xerox Copy) literature, booklets whichever necessary** of The Furniture/Instrument/Equipment/ Goods/ Raw Materials /Stationary

The rate should be F. O. R. Chandrapur, institute door delivery. Furniture/Instrument/ Equipment/ Goods/ Raw Materials /Stationary will have to be supplied within specified period as mentioned in our order.


The rates should be inclusive of all the taxes, CGST/GST, charges and packing forwarding freight etc.

The payment will be subject to delivery of items in good condition at the end of Inspection/ Installation/ Demonstration. Three copies of the bill shall be supplied along with The Furniture/Instrument/Equipment/Goods/ Raw Materials /Stationary

Refer to general terms and conditions Next Page. (Page No-2 & 3)

Attached. - List of Items -1 Copy

COPY: - Display on Notice Board


(Dr. Prashant V. Washimkar)
I/C Principal
Govt. College of Engineering,
Chandrapur

GENERAL TERMS AND CONDITIONS

I. Quotations should be submitted in following format.

S.N.	Description of goods	Specifications	Qty.	Quoted Unit Rate in Rs	Total Amount (All inclusive)	
					In figures	In words

2. Where ISI certification marked goods are available in market, procurement should generally be limited to goods with those or equivalent marking only.

3. The offers can make for all items or partly.

4. The make and model of the equipment if any must be clearly mentioned.

5. Price:-

i) Prices quoted should be in Indian rupees only.

ii) All duties, taxes and other levies payable by supplier shall be included in the total price.

6. Taxes:-

i) The rates quoted should be clearly indicating basic price and other break-up.

ii) The institute is having import duty exemptions, sales tax 4% against form D and Octrai exemption.

iii) Any other condition in this regard must be clearly mentioned.

7. Delivery:-

ii) The rate quoted should be for door delivery at institute premises.

ii) The supplier shall be responsible for delivery and installation of the equipment ordered at site and for making them fully operational within **60 days (Sixty days)** of receiving the purchase order. Approximate insurance to cover the equipment for the transit period & till the time of installation at the site is to be taken by the supplier.

8. Packing, forwarding, installation & Insurance:-

i) The rates quoted should be inclusive of packing, forwarding charges (Packing should be standard and acceptable to railway authority and Govt. Insurance fund)

ii) No separate payment shall be paid by institute under any circumstances.

iii) No separate payment shall be made for installation & demonstration including TA/DA to the representatives or Engineers sent for this purpose.

9. Payment:-

90 % payment would be payable on successful delivery & only after installation, Commissioning. Remaining 10 % will be payable after Specified / One Year Warranty of the supplied Product (Installation means equipments/system and peripheral should work with all application). The successful demonstration. Penalty at the rate of 1% per week shall be applicable for late delivery /Installation /Demonstration subject to maximum of 10%

10. Right:-

i) Undersigned reserves right to reject all or any of the quotations with our assigning any reason there-of and It is within the rights of the undersigned to reduced, increase or delete any items or quantity included in the list at the time placing supply order.

ii) Any conditional offer shall liable to be rejected.

II. Validity:-

i) The offers made should be valid for acceptance for a period of Six months minimum from the date of opening of the quotation.

12. Special Terms:-

i) Specification:-

a) Specification given is minimum only and are no way binding upon us. Any offer for a better system will be duly considered.

b) Any additional feature other than those mentioned in the specifications should be clearly mentioned.

ii) Detailed architecture and Technical details:-

a) Boucher and literature containing complete technical details and detailed architecture must be submitted along with quotation.

b) Boucher should be number marked as per the quotation item.

iii) **After sales service:-** Nearest service center to Chandrapur should be mentioned clearly along with the address.

iv) Inspection:-

If deemed fit or required by the authority, inspection before placing the order will have to be carried out by the supplier at his or her own expenses.

v) Warranty:-

a) Quoted items must be provided comprehensive warranty, which includes on-site maintenance with component replacement. The warranty period should be mentioned clearly.

b) Warranty period will begin from the date of successful installation and satisfactory functioning of the supplied items.

-----s/d-----

(Dr. Prashant V. Washimkar)


I/C Principal

Govt. College of Engineering,
Chandrapur

List of Material

Sr. No.	Particulars	Size/Specification	Qty	Rate
1	4-port POE switch ISI Mark	4-port POE switch (CP-DNW-GPU4G2-48 or equivalent) Uplink Ports: 2 1000Mbps Uplink port; PoE Ports: 1-4 RJ 45 PoE port, Max. 30W Output per Port Network Standard: IEEE 802.3i, IEEE 802.3u, IEEE 802.3x, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at Network Ports: 6 MAC Address List: 2K support Power Budget: ≤48W Operating Temperature: 0°C ~ 45°C Support VLAN; Standard DIP Indicator, Power supply Indicator, RJ-45 ACT Indicator Power Source: Built-in Power Supply Input: 110-240V AC, 50/60Hz	01	
2	8-port POE switch ISI Mark	8-port POE switch (CP-ANW-HPU8G2-96 or equivalent) Uplink Ports: 2 1000Mbps Uplink port; PoE Ports: 1-8 RJ 45 PoE port, Max. 30W Output per Port Network Standard: IEEE 802.3i, IEEE 802.3u, IEEE 802.3x, IEEE 802.3af, IEEE 802.3at Network Ports: 10 Power Budget: ≤96W Operating Temperature: 0°C ~ 45°C Support VLAN; Standard DIP Indicator, Power supply Indicator, RJ-45 ACT Indicator Power Source: Built-in Power Supply Input: 110-240V AC, 50/60Hz		

Sr. No.	Particulars	Size/Specification	Qty	Rate
3	8-port full giga POE switch ISI Mark	8-port full giga POE switch (CP-DNW-GPU8GF2-96 or equivalent) Uplink Ports: 2 1000Mbps RJ 45 port and 2 Giga SFP Uplink port; PoE Ports: 1-8 RJ 45 Gigabit POE port, Max. 30W Output per Port Network Standard: IEEE 802.3i, IEEE 802.3u, IEEE 802.3x, IEEE 802.3af, IEEE 802.3at Network Ports: 12 Power Budget: ≤96W Operating Temperature: 0°C ~ 45°C Support VLAN; Standard DIP Indicator, Power supply Indicator, RJ-45 ACT Indicator Power Source: Built-in Power Supply Input: 110-240V AC, 50/60Hz		
4	16-port POE switch ISI Mark	16-port POE switch (CP-ANW-HP16G2F1-15 or equivalent) Uplink Ports: 2 1000Mbps & 1 Gigabit SFP Uplink port; PoE Ports: 1-16 RJ 45 PoE port, Packet Forwarding Rate: 5.36 Mpps Network Standard: IEEE 802.3i, IEEE 802.3u, IEEE 802.3x, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at Network Ports: 19 MAC Address List: 8K support Power Budget: ≤150W Operating Temperature: 0°C ~ 45°C Support VLAN; Standard DIP Indicator, Power supply Indicator, RJ-45 ACT Indicator Power Source: Built-in Power Supply Input: 110-240V AC, 50/60Hz		
5	24-port POE switch ISI Mark	24-port POE switch (CP-DNW-HPU24G2F1-30 or equivalent) Uplink Ports: 2 1000Mbps & 1 Gigabit SFP Uplink port; Transmission Distance: Default: 0-100m PoE Ports: 1-24 PoE port, Max. 30W Output per Port Switch Capacity: 10.8 Gbps (non-blocking) Packet Forwarding Rate: 8.035 Mpps Network Standard: IEEE802.3/802.3u/802.3z/802.3ab/802.3x Network Ports: 27 Transmission Distance: 0-100m/1000Mbps or Port 9-24 Max. 250m/10Mbps MAC Address List: 2K Packet Buffer: 1.5Mb PoE Standard: IEEE802.3af, IEEE802.3at PoE Power Budget: ≤300W Operating Temperature: -20°C ~ 45°C Support VLAN; Standard DIP Indicator, Power supply Indicator, RJ-45 ACT Indicator Power Source: Built-in Power Supply Input: 110-240V AC, 50/60Hz		


 (Dr. Prashant V. Washimkar)
 I/C Principal
 Govt. College of Engineering,
 Chandrapur