Kiwoom REST API table of contents

No.	API ID	API name	major category	sub category	page number
1	au10001	access token issuance	OAuth authentication	access token issuance	7
2	au10002	access token revocation	OAuth authentication	access token revocation	9
3	ka00001	account numberinquiry	domestic stock	account	10
4	ka00198	realtimestockinquiryranking	domestic stock	stock information	11
5	ka01690	Daily balance return rate	domestic stock	account	13
6	ka10001	stock basic information request	domestic stock	stock information	15
7	ka10002	Korea Stock Exchange request	domestic stock	stock information	18
8	ka10003	execution information request	domestic stock	stock information	21
9	ka10004	stock asking pricerequest	domestic stock	quote	24
10	ka10005	stock weekly month hour minute request	domestic stock	quote	28
11	ka10006	stock time request	domestic stock	quote	31
12	ka10007	Request for price information	domestic stock	quote	33
13	ka10008	Stock foreign investor stock separate trading trend	domestic stock	institutional/foreign investor	39
14	ka10009	stockinstitutionalrequest	domestic stock	institutional/foreign investor	42
15	ka10010	sector program request	domestic stock	sector	44
16	ka10011	Request for full price of new stock warrants	domestic stock	quote	46
17	ka10013	Credit trading trend request	domestic stock	stock information	48
18	ka10014	Ball sell trend request	domestic stock	ball sell	51
19	ka10015	Daily transaction details request	domestic stock	stock information	54
20	ka10016	Reportlow pricerequest	domestic stock	stock information	58
21	ka10017	upper limit pricerequest	domestic stock	stock information	61
22	ka10018	High low price close request	domestic stock	stock information	64
23	ka10019	Request for sudden price fluctuations	domestic stock	stock information	67
24	ka10020	asking priceremaining quantitytoprequest	domestic stock	ranking information	70
25	ka10021	asking priceremaining quantity surgerequest	domestic stock	ranking information	73
26	ka10022	remaining quantity rate surgerequest	domestic stock	ranking information	75
27	ka10023	trading volume surgerequest	domestic stock	ranking information	77
28	ka10024	trading volume update request	domestic stock	stock information	80
29	ka10025	Request for intensive sale	domestic stock	stock information	82
30	ka10026	high/low PERrequest	domestic stock	stock information	85
31	ka10027	change from previous daychange ratetoprequest	domestic stock	ranking information	87
32	ka10028	opening pricechangechange raterequest	domestic stock	stock information	90
33	ka10029	expectedexecutionchange ratetoprequest	domestic stock	ranking information	93
34	ka10030	todaytrading volumetoprequest	domestic stock	ranking information	96
35	ka10031	previous daytrading volumetoprequest	domestic stock	ranking information	99
36	ka10032	trading amounttoprequest	domestic stock	ranking information	102
37	ka10033	Credit Ratiotoprequest	domestic stock	ranking information	104
38	ka10034	foreignperiodseparate saletoprequest	domestic stock	ranking information	107

Kiwoom REST API table of contents					
No.	API ID	API name	major category	sub category	page number
39	ka10035	foreignconsecutivenet tradingtoprequest	domestic stock	ranking information	109
40	ka10036	External limit exhaustion rate increases top	domestic stock	ranking information	112
41	ka10037	Foreign counter tradingtoprequest	domestic stock	ranking information	114
42	ka10038	stock star securities company rankingrequest	domestic stock	ranking information	117
43	ka10039	Separate securities trading toprequest	domestic stock	ranking information	119
44	ka10040	Today's Major DealerRequest	domestic stock	ranking information	121
45	ka10042	netbuytraderrankingrequest	domestic stock	ranking information	124
46	ka10043	Trader listing analysis request	domestic stock	stock information	126
47	ka10044	daily institutional sales stockrequest	domestic stock	quote	129
48	ka10045	Institutional trading trend by stock request	domestic stock	quote	131
49	ka10046	Execution intensity trend by time request	domestic stock	quote	133
50	ka10047	execution intensity trend daily request	domestic stock	quote	135
51	ka10048	ELW daily sensitivity indicator request	domestic stock	ELW	137
52	ka10050	ELW sensitivity indicator request	domestic stock	ELW	140
53	ka10051	Investor order buy request by sector	domestic stock	sector	143
54	ka10052	TraderMomenttrading VolumeRequest	domestic stock	stock information	146
55	ka10053	todaytopItalwonrequest	domestic stock	ranking information	148
56	ka10054	Volatility mitigation device activated stock request	domestic stock	stock information	150
57	ka10055	todayprevious dayexecutionamountrequest	domestic stock	stock information	153
58	ka10058	Daily stock request by investor	domestic stock	stock information	155
59	ka10059	By stockInvestorInstitutionalRequest	domestic stock	stock information	157
60	ka10060	By StockInvestorInstitutionalChartRequest	domestic stock	chart	160
61	ka10061	Total request by stockinvestorinstitutional	domestic stock	stock information	163
62	ka10062	samenet tradingrankingrequest	domestic stock	ranking information	165
63	ka10063	Intraday investor trading request	domestic stock	quote	167
64	ka10064	Intraday investor trading chart request	domestic stock	chart	170
65	ka10065	Intraday investor separate salestoprequest	domestic stock	ranking information	172
66	ka10066	Request for individual trading after market close	domestic stock	quote	174
67	ka10068	Loan/lending transaction trend request	domestic stock	loan transaction	177
68	ka10069	balance top trading10stockrequest	domestic stock	loan transaction	179
69	ka10072	By date, By stock, By date, Realizationprofit/lossrequest_date	domestic stock	account	182
70	ka10073	By date, by stock, by profit/lossrequest_period	domestic stock	account	184
71	ka10074	Realization by dateprofit/lossrequest	domestic stock	account	187
72	ka10075	unexecutedrequest	domestic stock	account	189
73	ka10076	executionrequest	domestic stock	account	192
74	ka10077	todayRealize profit/lossDetailed request	domestic stock	account	195
75	ka10078	Stock trading trend request by securities company	domestic stock	quote	197

Kiwoom REST API table of contents					
No.	API ID	API name	major category	sub category	page number
76	ka10079	Stock tick chart inquiry request	domestic stock	chart	199
77	ka10080	stockminute candlechartinquiryrequest	domestic stock	chart	201
78	ka10081	stockdaily candlechartinquiryrequest	domestic stock	chart	203
79	ka10082	stockweeklycandlechartinquiryrequest	domestic stock	chart	205
80	ka10083	Stock monthly candle chart inquiry request	domestic stock	chart	207
81	ka10084	todayprevious dayexecutionrequest	domestic stock	stock information	209
82	ka10085	accountreturn raterequest	domestic stock	account	211
83	ka10086	Daily stock price request	domestic stock	quote	214
84	ka10087	Single price request other than time	domestic stock	quote	217
85	ka10088	unexecuted split order details	domestic stock	account	221
86	ka10094	stock year chart inquiryrequest	domestic stock	chart	223
87	ka10095	Interested stock information request	domestic stock	stock information	225
88	ka10098	time and other single price change raterankingrequest	domestic stock	ranking information	229
89	ka10099	stock information list	domestic stock	stock information	231
90	ka10100	stock information inquiry	domestic stock	stock information	234
91	ka10101	sector code list	domestic stock	stock information	236
92	ka10102	Member company list	domestic stock	stock information	238
93	ka10131	institutionalforeign investorconsecutive sales status request	domestic stock	institutional/foreign investor	240
94	ka10170	today's trading log request	domestic stock	account	243
95	ka10171	Condition search list inquiry	domestic stock	Conditional search	245
96	ka10172	Conditional search request General	domestic stock	Conditional search	247
97	ka10173	Condition search request real time	domestic stock	Conditional search	250
98	ka10174	Disable real-time conditional search	domestic stock	Conditional search	253
99	ka20001	sectorcurrent pricerequest	domestic stock	sector	255
100	ka20002	sector stock price request	domestic stock	sector	258
101	ka20003	All sector index request	domestic stock	sector	261
102	ka20004	sectortickchartinquiryrequest	domestic stock	chart	263
103	ka20005	sectorminute candleinquiryrequest	domestic stock	chart	265
104	ka20006	sectordaily candleinquiryrequest	domestic stock	chart	267
105	ka20007	sectorweekly candleinquiryrequest	domestic stock	chart	269
106	ka20008	sectormonthly candleinquiryrequest	domestic stock	chart	271
107	ka20009	sectorcurrent pricedailyrequest	domestic stock	sector	273
108	ka20019	sectornyeonbonginquiryrequest	domestic stock	chart	276
109	ka20068	Loan/lending transaction trend request (by stock)	domestic stock	loan transaction	278
110	ka30001	ELW price sudden fluctuation request	domestic stock	ELW	280
111	ka30002	ELWnet tradingtoprequest by trader	domestic stock	ELW	282
112	ka30003	ELWLP holding daily trend request	domestic stock	ELW	284

Kiwoom REST API table of contents					
No.	API ID	API name	major category	sub category	page number
113	ka30004	ELW disparity rate request	domestic stock	ELW	286
114	ka30005	ELW condition search request	domestic stock	ELW	289
115	ka30009	ELWchange raterankingrequest	domestic stock	ELW	292
116	ka30010	ELWremaining quantityrankingrequest	domestic stock	ELW	294
117	ka30011	ELW proximity rate request	domestic stock	ELW	296
118	ka30012	ELWstockDetailed information request	domestic stock	ELW	298
119	ka40001	ETF return request	domestic stock	ETF	302
120	ka40002	ETFstock information request	domestic stock	ETF	304
121	ka40003	ETF daily trend request	domestic stock	ETF	306
122	ka40004	ETF full price request	domestic stock	ETF	309
123	ka40006	ETFtime trend request	domestic stock	ETF	312
124	ka40007	ETFtime execution request	domestic stock	ETF	314
125	ka40008	executionrequest by ETFdate	domestic stock	ETF	316
126	ka40009	ETFtime NAV status by segment	domestic stock	ETF	318
127	ka40010	ETFtime supply and demand status by unit	domestic stock	ETF	320
128	ka50010	Gold spot execution trend	domestic stock	quote	322
129	ka50012	Spot gold daily trend	domestic stock	quote	324
130	ka50079	gold spot tick chart inquiryrequest	domestic stock	chart	326
131	ka50080	Spot goldminute candlechartinquiryrequest	domestic stock	chart	328
132	ka50081	Spot golddaily candlechartinquiryrequest	domestic stock	chart	330
133	ka50082	Spot goldweekly candle chartinquiryrequest	domestic stock	chart	332
134	ka50083	Spot goldmonthly candlechartinquiryrequest	domestic stock	chart	334
135	ka50087	Gold spot forecast execution	domestic stock	quote	336
136	ka50091	spot gold todaytick chart inquiryrequest	domestic stock	chart	338
137	ka50092	spot goldtodayminute candlechartinquiryrequest	domestic stock	chart	340
138	ka50100	Gold spot price information	domestic stock	quote	342
139	ka50101	spot gold asking price	domestic stock	quote	344
140	ka52301	Current status of gold spot investors	domestic stock	institutional/foreign investor	346
141	ka90001	Request by theme group	domestic stock	theme	349
142	ka90002	theme composition stockrequest	domestic stock	theme	351
143	ka90003	Program orderbuytop50request	domestic stock	stock information	354
144	ka90004	Program trading status request by stock	domestic stock	stock information	356
145	ka90005	program trading trend by request time	domestic stock	quote	359
146	ka90006	program trading margin balance trend request	domestic stock	quote	362
147	ka90007	program trading cumulative trend request	domestic stock	quote	364
148	ka90008	Program trading trend request by stocktime	domestic stock	quote	366
149	ka90009	foreign investorinstitutionaltradingtoprequest	domestic stock	ranking information	369

Kiwoom REST API table of contents					
No.	API ID	API name	major category	sub category	page number
150	ka90010	program trading trend by request date	domestic stock	quote	372
151	ka90012	Request for loan transaction details	domestic stock	loan transaction	375
152	ka90013	stock daily program trading trend request	domestic stock	quote	377
153	kt00001	deposit detailed status request	domestic stock	account	380
154	kt00002	Daily estimated deposited asset status request	domestic stock	account	385
155	kt00003	Estimated assets inquiry request	domestic stock	account	387
156	kt00004	account evaluation status request	domestic stock	account	388
157	kt00005	executionbalancerequest	domestic stock	account	391
158	kt00007	Detailed order execution details request by account	domestic stock	account	394
159	kt00008	Next-day payment schedule request for each account	domestic stock	account	397
160	kt00009	Order execution status request by account	domestic stock	account	399
161	kt00010	order withdrawal amount request	domestic stock	account	402
162	kt00011	Quantity available for order by margin rateinquiryrequest	domestic stock	account	405
163	kt00012	Quantity available for order by credit deposit rateinquiryrequest	domestic stock	account	408
164	kt00013	marginDetailsinquiryrequest	domestic stock	account	411
165	kt00015	Comprehensive consignment transaction details request	domestic stock	account	414
166	kt00016	Daily account return rate detailed status request	domestic stock	account	418
167	kt00017	Today status request by account	domestic stock	account	421
168	kt00018	account evaluation balance details request	domestic stock	account	423
169	kt10000	stock buyorder	domestic stock	order	426
170	kt10001	stock sellorder	domestic stock	order	428
171	kt10002	stock modifyorder	domestic stock	order	430
172	kt10003	stock cancelorder	domestic stock	order	432
173	kt10006	credit buyorder	domestic stock	creditorder	434
174	kt10007	credit sellorder	domestic stock	creditorder	436
175	kt10008	credit modifyorder	domestic stock	creditorder	438
176	kt10009	credit cancelorder	domestic stock	creditorder	440
177	kt20016	Credit loan available stockrequest	domestic stock	stock information	442
178	kt20017	Credit loan availability inquiry	domestic stock	stock information	444
179	kt50000	spot gold buyorder	domestic stock	order	445
180	kt50001	spot gold sellorder	domestic stock	order	447
181	kt50002	spot gold modifyorder	domestic stock	order	449
182	kt50003	spot gold cancelorder	domestic stock	order	451
183	kt50020	Check gold spot balance	domestic stock	account	453
184	kt50021	gold spot deposit	domestic stock	account	456
185	kt50030	Gold spot orderexecutionFull inquiry	domestic stock	account	458
186	kt50031	spot gold orderexecutioninquiry	domestic stock	account	461

Kiwoom REST API table of contents					
No.	API ID	API name	major category	sub category	page number
187	kt50032	Gold spot transaction details inquiry	domestic stock	account	464
188	kt50075	gold spot unexecutedinquiry	domestic stock	account	467
189	00	orderexecution	domestic stock	Real-time price	470
190	04	balance	domestic stock	Real-time price	474
191	0A	stock momentum	domestic stock	Real-time price	477
192	0B	stockexecution	domestic stock	Real-time price	480
193	0C	stock preferential asking price	domestic stock	Real-time price	484
194	0D	stock asking priceremaining quantity	domestic stock	Real-time price	486
195	0E	stock time and asking price	domestic stock	Real-time price	495
196	0F	stock today trader	domestic stock	Real-time price	497
197	0G	ETF NAV	domestic stock	Real-time price	501
198	0H	stock forecast execution	domestic stock	Real-time price	504
199	0I	International gold conversion price	domestic stock	Real-time price	506
200	0J	sector index	domestic stock	Real-time price	508
201	0U	sector fluctuations	domestic stock	Real-time price	511
202	0g	stock information	domestic stock	Real-time price	514
203	0m	ELW theorist	domestic stock	Real-time price	517
204	0s	Market start time	domestic stock	Real-time price	520
205	0u	ELW indicator	domestic stock	Real-time price	523
206	0w	stockprogram trading	domestic stock	Real-time price	525
207	1h	Activate/disable VI	domestic stock	Real-time price	528
208	commonness	error code			531

API information	
menu location	OAuth authentication > access token issuance > access token issuance(au10001)
API name	access token issuance
API ID	au10001

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/oauth2/token
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	grant_type	grant_type	String	Y		client_credentials input
Body	appkey	app key	String	Y		
Body	secretkey	secret key	String	Y		

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	expires_dt	expiration date	String	Y		
Body	token_type	token type	String	Y		
Body	token	access token	String	Y		

Request Example

```
{
    "grant_type": "client_credentials",
    "appkey": "AxserEsdcredca.....",
    "secretkey": "SEefdcwcforehDre2fdvc...."
}
```

Response Example

```
{
    "expires_dt":"20241107083713",
```

Response Example

"token_type":"bearer",
"token":"WQJCwyqInphKnR3bSRtB9NE1lv..."
"return_code":0,
"return_msg":"Processed normally"
}

API information	
menu location	OAuth authentication > access token revocation > access token revocation(au10002)
API name	access token revocation
API ID	au10002

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/oauth2/revoke
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	appkey	app key	String	Y		
Body	secretkey	secret key	String	Y		
Body	token	access token	String	Y		

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed

Request Example

```
{
    "appkey": "AxserEsdcredca.....",
    "secretkey": "SEefdcwcforehDre2fdvc....",
    "token": "WQJCwyqInphKnR3bSRtB9NE1lv..."
}
```

Response Example

```
{
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > account > account numberinquiry(ka00001)
API name	account numberinquiry
API ID	ka00001

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/acnt
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about the account number of the current token.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	acctNo	account number	String	N	20	A 10-digit number is printed. The last 2 digits represent the account held by our company. This is the value for classification.

Request Example

```
{}
```

Response Example

```
{
    "acctNo": "0123456789"
    "return_code":0,
    "return_msg":"정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > stock information > real-time stock inquiry ranking(ka00198)
API name	realtimestockinquiryranking
API ID	ka00198

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/stkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquiry for real-time stock ranking information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	qry_tp	category	String	Y	1	1:1 minute, 2:10 minutes, 3:1time, 4:today cumulative, 5:30 seconds

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	item_inq_rank	realtimestockinquiryranking	LIST	N		
Body	- stk_nm	stock name	String	N	40	
Body	- bigd_rank	Big data ranking	String	N	20	0: No change in ranking
Body	- rank_chg	Ranking fluctuations	String	N	20	If there is no change in ranking (rank_chg=0), an empty value (") is output.
Body	- rank_chg_sign	ranking sign	String	N	20	rankingrise: +, rankingdecline: -, ranking unchanged: '
Body	- past_curr_prc	past current price	String	N	20	Stock price at the base time, Korean Won value including sub-asking price
Body	- base_comp_sign	base price change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- base_comp_chgr	base price change change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- prev_base_sign	Previous standard change sign	String	N	20	
Body	- prev_base_chgr	Change as of last time change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- dt	date	String	N	20	Base date, YYYYMMDD

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- tm	time	String	N	20	Base time, HHmmss
Body	- stk_cd	stock code	String	N	20	

Request Example

```
{
    "qry_tp": "1"
}
```

Response Example


```
{
    "item_inq_rank": [
        {
            "stk_nm": "키움증권",
            "bigd_rank": "1",
            "rank_chg": "0",
            "rank_chg_sign": "N",
            "past_curr_prc": "+70700",
            "base_comp_sign": "2",
            "base_comp_chgr": "+0.57",
            "prev_base_sign": "3",
            "prev_base_chgr": "0.00",
            "dt": "20250827",
            "tm": "085900",
            "stk_cd": "005930"
        },
        {
            "stk_nm": "키움증권",
            "bigd_rank": "2",
            "rank_chg": "-1",
            "rank_chg_sign": "-",
            "past_curr_prc": "+206000",
            "base_comp_sign": "2",
            "base_comp_chgr": "+0.49",
            "prev_base_sign": "3",
            "prev_base_chgr": "0.00",
            "dt": "20250827",
            "tm": "085900",
            "stk_cd": "039490"
        },
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > account > daily balancereturn rate(ka01690)
API name	Daily balance return rate
API ID	ka01690

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/acnt
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

The API provides data such as Heromun 4 [1690] Automatic Log (T) - Daily balance return rate screen.
The API does not support mock investment.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	qry_dt	inquirydate	String	Y	8	YYYYMMDD

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	dt	date	String	N	20	YYYYMMDD
Body	tot_buy_amt	total purchase price	String	N	20	Unit: Won
Body	tot_evlt_amt	Total valuation amount	String	N	20	Unit: Won
Body	tot_evltv_prft	Total valuation profit/loss	String	N	20	Unit: Won
Body	tot_prft_rt	return rate	String	N	20	Units: %, percentage formatted to two decimal places.
Body	dbst_bal	deposit	String	N	20	Unit: Won
Body	day_stk_asst	estimated assets	String	N	20	Unit: Won
Body	buy_wght	Cash proportion	String	N	20	Units: %, percentage formatted to two decimal places.
Body	day_bal_rt	Daily balance return rate	LIST	N		
Body	- cur_prc	current price	String	N	20	Unit: Won

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	20	
Body	- rmnd_qty	Quantity held	String	N	20	Unit: 1 week
Body	- buy_uv	purchase price	String	N	20	Unit: Won
Body	- buy_wght	buy proportion	String	N	20	Units: %, percentage formatted to one decimal place.
Body	- evltv_prft	valuation profit/loss	String	N	20	Unit: Won
Body	- prft_rt	return rate	String	N	20	Units: %, percentage formatted to two decimal places.
Body	- evlt_amt	valuation amount	String	N	20	Unit: Won
Body	- evlt_wght	Evaluation weight	String	N	20	Units: %, percentage formatted to one decimal place.

Request Example


```
{
    "qry_dt": "20250825"
}
```


Response Example


```
{
    "dt": "20250306",
    "tot_buy_amt": "192328073",
    "tot_evlt_amt": "0",
    "tot_evltv_prft": "-192359839",
    "tot_prft_rt": "-100.02",
    "dbst_bal": "0",
    "day_stk_asst": "0",
    "buy_wght": "0.00",
    "day_bal_rt": [
        {
            "cur_prc": "0",
            "stk_cd": "205100",
            "stk_nm": "엑셈",
            "rmnd_qty": "117478",
            "buy_uv": "1362",
            "buy_wght": "83.2",
            "evltv_prft": "-160071534",
            "prft_rt": "-100.01",
            "evlt_amt": "0",
            "evlt_wght": "0.0"
        },
        {
            "cur_prc": "0",
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "rmnd_qty": "187",
            "buy_uv": "78526",
            "buy_wght": "7.6",
            "evltv_prft": "-14689466",
            "prft_rt": "-100.04",
            "evlt_amt": "0",
            "evlt_wght": "0.0"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > stock information > stock basic information request(ka10001)
API name	stock basic information request
API ID	ka10001
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/stkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	
Inquire about basic stock information using stock code.	

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	20	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	stk_cd	stock code	String	N	20	
Body	stk_nm	stock name	String	N	40	
Body	setl_mm	settlement month	String	N	20	
Body	fav	par value	String	N	20	Unit: Won
Body	cap	capital	String	N	20	Unit: KRW 100 million
Body	flo_stk	listed stocks	String	N	20	Unit: thousand won
Body	crd_rt	credit ratio	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	oyr_hgst	Best of the year	String	N	20	Unit: Won, number included in asking price
Body	oyr_lwst	Lowest of the year	String	N	20	Unit: Won, number included in asking price
Body	mac	market capitalization	String	N	20	Unit: KRW 100 million
Body	mac_wght	market capitalization ratio	String	N	20	

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	for_exh_rt	External burnout rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	repl_pric	Daeyongga	String	N	20	Unit: Won
Body	per	PER	String	N	20	[Caution] PER and ROE values are provided by external vendors. This data is updated once a week or during earnings release season. done
Body	eps	EPS	String	N	20	
Body	roe	ROE	String	N	20	[Caution] PER and ROE values are provided by external vendors. This data is updated once a week or during earnings release season. done
Body	pbr	PBR	String	N	20	
Body	ev	EV	String	N	20	
Body	bps	BPS	String	N	20	
Body	sale_amt	take	String	N	20	Unit: KRW 100 million
Body	bus_pro	operating profit	String	N	20	Unit: KRW 100 million
Body	cup_nga	net profit	String	N	20	Unit: KRW 100 million
Body	250hgst	250 best	String	N	20	Unit: Won, number included in asking price
Body	250lwst	250 minimum	String	N	20	Unit: Won, number included in asking price
Body	open_pric	opening price	String	N	20	Unit: Won, number included in asking price
Body	high_pric	high price	String	N	20	Unit: Won, number included in asking price
Body	low_pric	low price	String	N	20	Unit: Won, number included in asking price
Body	upl_pric	upper limit price	String	N	20	Unit: Won, number included in asking price
Body	lst_pric	lower limit price	String	N	20	Unit: Won, number included in asking price
Body	base_pric	base price	String	N	20	Unit: Won
Body	exp_cntr_pric	Expected execution	String	N	20	
Body	exp_cntr_qty	Expected executed quantity	String	N	20	
Body	250hgst_pric_dt	250highest price	String	N	20	YYYYMMDD
Body	250hgst_pric_pre_rt	250highest pricechange rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	250lwst_pric_dt	250lowest priceday	String	N	20	YYYYMMDD
Body	250lwst_pric_pre_rt	250lowest pricechange rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	trde_qty	trading volume	String	N	20	Unit: 1 week
Body	trde_pre	transactionchange	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	fav_unit	par value unit	String	N	20	
Body	dstr_stk	Circulating stocks	String	N	20	Unit: 1 week
Body	dstr_rt	Distribution ratio	String	N	20	Units: %, percentage formatted to one decimal place with sign
Request Example						

Request Example


```
{
    "stk_cd": "005930"
}
```


Response Example


```
{
    "stk_cd": "005930",
    "stk_nm": "삼성전자",
    "setl_mm": "12",
    "fav": "5000",
    "cap": "1311",
    "flo_stk": "25527",
    "crd_rt": "+0.08",
    "oyr_hgst": "+181400",
    "oyr_lwst": "-91200",
    "mac": "24352",
    "mac_wght": "",
    "for_exh_rt": "0.00",
    "repl_pric": "66780",
    "per": "",
    "eps": "",
    "roe": "",
    "pbr": "",
    "ev": "",
    "bps": "-75300",
    "sale_amt": "0",
    "bus_pro": "0",
    "cup_nga": "0",
    "250hgst": "+124000",
    "250lwst": "-66800",
    "high_pric": "95400",
    "open_pric": "-0",
    "low_pric": "0",
    "upl_pric": "20241016",
    "lst_pric": "-47.41",
    "base_pric": "20231024",
    "exp_cntr_pric": "+26.69",
    "exp_cntr_qty": "95400",
    "250hgst_pric_dt": "3",
    "250hgst_pric_pre_rt": "0",
    "250lwst_pric_dt": "0.00",
    "250lwst_pric_pre_rt": "0",
    "cur_prc": "0.00",
    "pre_sig": "",
    "pred_pre": "",
    "flu_rt": "0",
    "trde_qty": "0",
    "trde_pre": "0",
    "fav_unit": "0",
    "dstr_stk": "0",
    "dstr_rt": "0",
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > stock information > stock exchange request(ka10002)
API name	Korea Stock Exchange request
API ID	ka10002
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/stkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	
Inquire about customer information using stock code.	

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	20	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	stk_cd	stock code	String	N	20	
Body	stk_nm	stock name	String	N	40	
Body	cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	flu_smbol	rise and fall sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	base_pric	base price	String	N	20	Unit: Won
Body	pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	sel_trde_ori_nm_1	SellTrader Name1	String	N	20	
Body	sel_trde_ori_1	sell trader1	String	N	20	
Body	sel_trde_qty_1	selltrading volume1	String	N	20	Unit: 1 week, number including sub-asking price
Body	buy_trde_ori_nm_1	BuyTrader Name1	String	N	20	

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	buy_trde_ori_1	BuyDealer 1	String	N	20	
Body	buy_trde_qty_1	buytrading volume1	String	N	20	Unit: 1 week, number including sub-asking price
Body	sel_trde_ori_nm_2	SellTrader Name 2	String	N	20	
Body	sel_trde_ori_2	sell trader 2	String	N	20	
Body	sel_trde_qty_2	selltrading volume2	String	N	20	Unit: 1 week, number including sub-asking price
Body	buy_trde_ori_nm_2	BuyDealer Name 2	String	N	20	
Body	buy_trde_ori_2	BuyDealer 2	String	N	20	
Body	buy_trde_qty_2	buytrading volume2	String	N	20	Unit: 1 week, number including sub-asking price
Body	sel_trde_ori_nm_3	SellTrader Name 3	String	N	20	
Body	sel_trde_ori_3	sell trader 3	String	N	20	
Body	sel_trde_qty_3	selltrading volume3	String	N	20	Unit: 1 week, number including sub-asking price
Body	buy_trde_ori_nm_3	BuyDealer Name 3	String	N	20	
Body	buy_trde_ori_3	BuyDealer 3	String	N	20	
Body	buy_trde_qty_3	buytrading volume3	String	N	20	Unit: 1 week, number including sub-asking price
Body	sel_trde_ori_nm_4	SellTraderName4	String	N	20	
Body	sel_trde_ori_4	sell trader 4	String	N	20	
Body	sel_trde_qty_4	selltrading volume4	String	N	20	Unit: 1 week, number including sub-asking price
Body	buy_trde_ori_nm_4	BuyTraderName4	String	N	20	
Body	buy_trde_ori_4	BuyDealer 4	String	N	20	
Body	buy_trde_qty_4	buytrading volume4	String	N	20	Unit: 1 week, number including sub-asking price
Body	sel_trde_ori_nm_5	SellTrader Name 5	String	N	20	
Body	sel_trde_ori_5	sell trader 5	String	N	20	
Body	sel_trde_qty_5	selltrading volume5	String	N	20	Unit: 1 week, number including sub-asking price
Body	buy_trde_ori_nm_5	BuyDealer Name 5	String	N	20	
Body	buy_trde_ori_5	BuyDealer 5	String	N	20	
Body	buy_trde_qty_5	buytrading volume5	String	N	20	Unit: 1 week, number including sub-asking price

Request Example

```
{
    "stk_cd": "005930"
}
```

Response Example


```
{
    "stk_cd": "005930",
    "stk_nm": "삼성전자",
    "cur_prc": "95400",
    "flu_smbol": "3",
    "base_pric": "95400",
    "pred_pre": "0",
    "flu_rt": "0.00",
    "sel_trde_ori_nm_1": "",
    "sel_trde_ori_1": "000",
    "sel_trde_qty_1": "0",
    "buy_trde_ori_nm_1": "",
    "buy_trde_ori_1": "000",
    "buy_trde_qty_1": "0",
```

Response Example


```
"sel_trde_ori_nm_2": "",
    "sel_trde_ori_2": "000",
    "sel_trde_qty_2": "0",
    "buy_trde_ori_nm_2": "",
    "buy_trde_ori_2": "000",
    "buy_trde_qty_2": "0",
    "sel_trde_ori_nm_3": "",
    "sel_trde_ori_3": "000",
    "sel_trde_qty_3": "0",
    "buy_trde_ori_nm_3": "",
    "buy_trde_ori_3": "000",
    "buy_trde_qty_3": "0",
    "sel_trde_ori_nm_4": "",
    "sel_trde_ori_4": "000",
    "sel_trde_qty_4": "0",
    "buy_trde_ori_nm_4": "",
    "buy_trde_ori_4": "000",
    "buy_trde_qty_4": "0",
    "sel_trde_ori_nm_5": "",
    "sel_trde_ori_5": "000",
    "sel_trde_qty_5": "0",
    "buy_trde_ori_nm_5": "",
    "buy_trde_ori_5": "000",
    "buy_trde_qty_5": "0",
    "return_code": 0,
    "return_msg": "Processed successfully"
}
```

API information	
menu location	domestic stock > stock information > execution information request(ka10003)
API name	execution information request
API ID	ka10003

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/stkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about execution information using stock code.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	20	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	cntr_infr	execution information	LIST	N		
Body	- tm	time	String	N	20	HHmmss
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- pre_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- pri_sel_bid_unit	First ask price unit	String	N	20	Unit: Won, number included in asking price
Body	- pri_buy_bid_unit	First bid price unit	String	N	20	Unit: Won, number included in asking price
Body	- cntr_trde_qty	executiontrading volume	String	N	20	Unit: 1 week, number including sub-asking price
Body	- sign	sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- acc_trde_qty	cumulative volume	String	N	20	Unit: 1 week
Body	- acc_trde_prica	cumulative trading amount	String	N	20	Unit: Won

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- cntr_str	execution intensity	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- stex_tp	Exchange category	String	N	20	KRX, NXT, integrated

Request Example


```
{
    "stk_cd": "005930"
}
```


Response Example


```
{
    "cntr_infr": [
        {
            "tm": "130429",
            "cur_prc": "+53500",
            "pred_pre": "+500",
            "pre_rt": "+0.94",
            "pri_sel_bid_unit": "+68900",
            "pri_buy_bid_unit": "+53500",
            "cntr_trde_qty": "1010",
            "sign": "2",
            "acc_trde_qty": "8735",
            "acc_trde_prica": "524269500",
            "cntr_str": "12.99",
            "stex_tp": "KRX"
        },
        {
            "tm": "130153",
            "cur_prc": "+68900",
            "pred_pre": "+15900",
            "pre_rt": "+30.00",
            "pri_sel_bid_unit": "+68900",
            "pri_buy_bid_unit": "+55000",
            "cntr_trde_qty": "456",
            "sign": "1",
            "acc_trde_qty": "7725",
            "acc_trde_prica": "470234500",
            "cntr_str": "12.99",
            "stex_tp": "KRX"
        },
        {
            "tm": "125947",
            "cur_prc": "+55000",
            "pred_pre": "+2000",
            "pre_rt": "+3.77",
            "pri_sel_bid_unit": "+68900",
            "pri_buy_bid_unit": "+55000",
            "cntr_trde_qty": "1000",
            "sign": "2",
            "acc_trde_qty": "7269",
            "acc_trde_prica": "438816100",
            "cntr_str": "12.99",
            "stex_tp": "KRX"
        },
        {
            "tm": "125153",
            "cur_prc": "+68900",
            "pred_pre": "+15900",
            "pre_rt": "+30.00",
            "pri_sel_bid_unit": "+68900",
            "pri_buy_bid_unit": "+60100",
            "cntr_trde_qty": "2",
            "sign": "1",
            "acc_trde_qty": "6269",
            "acc_trde_prica": "383816100",
            "cntr_str": "12.99",
            "stex_tp": "KRX"
        },
        {
            "tm": "124721",
            "cur_prc": "+68900",
            "pred_pre": "+15900",
            "pre_rt": "+30.00",
            "pri_sel_bid_unit": "+68900",
```

Response Example


```
"pri_buy_bid_unit": "+60100",
            "cntr_trde_qty": "2",
            "sign": "1",
            "acc_trde_qty": "6267",
            "acc_trde_prica": "383678300",
            "cntr_str": "12.99",
            "stex_tp": "KRX"
        },
        {
            "tm": "124507",
            "cur_prc": "+67100",
            "pred_pre": "+14100",
            "pre_rt": "+26.60",
            "pri_sel_bid_unit": "+68900",
            "pri_buy_bid_unit": "+67500",
            "cntr_trde_qty": "-5",
            "sign": "2",
            "acc_trde_qty": "6265",
            "acc_trde_prica": "383540500",
            "cntr_str": "12.99",
            "stex_tp": "KRX"
        }
    ],
    "return_code": 0,
    "return_msg": "Processed successfully"
}
```

API information	
menu location	domestic stock > market price > stock asking pricerequest(ka10004)
API name	stock asking pricerequest
API ID	ka10004

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/mrkcond
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about asking price information using stock code.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	20	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	bid_req_base_tm		String	N	20	YYYYMMDD
Body	sel_10th_pre_req_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	sel_10th_pre_req	sell10laneremaining quantity	String	N	20	Unit: 1 week
Body	sel_10th_pre_bid	sell10laneasking price	String	N	20	Unit: Won, number included in asking price
Body	sel_9th_pre_req_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	sel_9th_pre_req	sell9laneremaining quantity	String	N	20	Unit: 1 week
Body	sel_9th_pre_bid	sell9laneasking price	String	N	20	Unit: Won, number included in asking price
Body	sel_8th_pre_req_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	sel_8th_pre_req	sell8laneremaining quantity	String	N	20	Unit: 1 week
Body	sel_8th_pre_bid	sell8laneasking price	String	N	20	Unit: Won, number included in asking price
Body	sel_7th_pre_req_pre		String	N	20	Unit: 1 week, number including sub-asking price

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	sel_7th_pre_req	sell7laneremaining quantity	String	N	20	Unit: 1 week
Body	sel_7th_pre_bid	sell7laneasking price	String	N	20	Unit: Won, number included in asking price
Body	sel_6th_pre_req_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	sel_6th_pre_req	sell6laneremaining quantity	String	N	20	Unit: 1 week
Body	sel_6th_pre_bid	sell6laneasking price	String	N	20	Unit: Won, number included in asking price
Body	sel_5th_pre_req_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	sel_5th_pre_req	sell5laneremaining quantity	String	N	20	Unit: 1 week
Body	sel_5th_pre_bid	sell5laneasking price	String	N	20	Unit: Won, number included in asking price
Body	sel_4th_pre_req_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	sel_4th_pre_req	sell4laneremaining quantity	String	N	20	Unit: 1 week
Body	sel_4th_pre_bid	sell4laneasking price	String	N	20	Unit: Won, number included in asking price
Body	sel_3th_pre_req_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	sel_3th_pre_req	sell3laneremaining quantity	String	N	20	Unit: 1 week
Body	sel_3th_pre_bid	sell3laneasking price	String	N	20	Unit: Won, number included in asking price
Body	sel_2th_pre_req_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	sel_2th_pre_req	sell2laneremaining quantity	String	N	20	Unit: 1 week
Body	sel_2th_pre_bid	sell2laneasking price	String	N	20	Unit: Won, number included in asking price
Body	sel_1th_pre_req_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	sel_fpr_req	selltop priorityremaining quantity	String	N	20	Unit: 1 week
Body	sel_fpr_bid	selltop priorityasking price	String	N	20	Unit: Won, number included in asking price
Body	buy_fpr_bid	buy top priority asking price	String	N	20	Unit: Won, number included in asking price
Body	buy_fpr_req	buyTopRemaining quantity	String	N	20	Unit: 1 week
Body	buy_1th_pre_req_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	buy_2th_pre_bid	buy2laneasking price	String	N	20	Unit: Won, number included in asking price
Body	buy_2th_pre_req	buy2laneremaining quantity	String	N	20	Unit: 1 week
Body	buy_2th_pre_req_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	buy_3th_pre_bid	buy3laneasking price	String	N	20	Unit: Won, number included in asking price
Body	buy_3th_pre_req	buy3laneremaining quantity	String	N	20	Unit: 1 week
Body	buy_3th_pre_req_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	buy_4th_pre_bid	buy4laneasking price	String	N	20	Unit: Won, number included in asking price
Body	buy_4th_pre_req	buy4laneremaining quantity	String	N	20	Unit: 1 week
Body	buy_4th_pre_req_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	buy_5th_pre_bid	buy5laneasking price	String	N	20	Unit: Won, number included in asking price
Body	buy_5th_pre_req	buy5laneremaining quantity	String	N	20	Unit: 1 week
Body	buy_5th_pre_req_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	buy_6th_pre_bid	buy6laneasking price	String	N	20	Unit: Won, number included in asking price
Body	buy_6th_pre_req	buy6laneremaining quantity	String	N	20	Unit: 1 week

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	buy_6th_pre_req_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	buy_7th_pre_bid	buy7laneasking price	String	N	20	Unit: Won, number included in asking price
Body	buy_7th_pre_req	buy7laneremaining quantity	String	N	20	Unit: 1 week
Body	buy_7th_pre_req_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	buy_8th_pre_bid	buy8laneasking price	String	N	20	Unit: Won, number included in asking price
Body	buy_8th_pre_req	buy8laneremaining quantity	String	N	20	Unit: 1 week
Body	buy_8th_pre_req_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	buy_9th_pre_bid	buy9laneasking price	String	N	20	Unit: Won, number included in asking price
Body	buy_9th_pre_req	buy9laneremaining quantity	String	N	20	Unit: 1 week
Body	buy_9th_pre_req_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	buy_10th_pre_bid	buy10laneasking price	String	N	20	Unit: Won, number included in asking price
Body	buy_10th_pre_req	buy10laneremaining quantity	String	N	20	Unit: 1 week
Body	buy_10th_pre_req_pre	buy10laneremaining quantitychange	String	N	20	Unit: 1 week, number including sub-asking price
Body	tot_sel_req_jub_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	tot_sel_req	Total sellremaining quantity	String	N	20	Unit: 1 week
Body	tot_buy_req	Total buyremaining quantity	String	N	20	Unit: 1 week
Body	tot_buy_req_jub_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	ovt_sel_req_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	ovt_sel_req		String	N	20	Unit: 1 week, time and other ask price Total remaining quantity
Body	ovt_buy_req		String	N	20	Unit: 1 week, time and other bid price total remaining quantity
Body	ovt_buy_req_pre	outside of timebuyremaining quantitychange	String	N	20	Unit: 1 week, number including sub-asking price, bid price other than time, total remaining quantity Just before change

Request Example

```
{
    "stk_cd": "005930"
}
```

Response Example


```
{
    "bid_req_base_tm": "162000",
    "sel_10th_pre_req_pre": "0",
    "sel_10th_pre_req": "0",
    "sel_10th_pre_bid": "0",
    "sel_9th_pre_req_pre": "0",
    "sel_9th_pre_req": "0",
    "sel_9th_pre_bid": "0",
    "sel_8th_pre_req_pre": "0",
    "sel_8th_pre_req": "0",
    "sel_8th_pre_bid": "0",
    "sel_7th_pre_req_pre": "0",
    "sel_7th_pre_req": "0",
    "sel_7th_pre_bid": "0",
    "sel_6th_pre_req_pre": "0",
    "sel_6th_pre_req": "0",
    "sel_6th_pre_bid": "0",
    "sel_5th_pre_req_pre": "0",
    "sel_5th_pre_req": "0",
    "sel_5th_pre_bid": "0",
    "sel_4th_pre_req_pre": "0",
    "sel_4th_pre_req": "0",
```

Response Example

"sel_4th_pre_bid": "0", "sel_3th_pre_req_pre": "0", "sel_3th_pre_req": "0", "sel_3th_pre_bid": "0", "sel_2th_pre_req_pre": "0", "sel_2th_pre_req": "0", "sel_2th_pre_bid": "0", "sel_1th_pre_req_pre": "0", "sel_fpr_req": "0", "sel_fpr_bid": "0", "buy_fpr_bid": "0", "buy_fpr_req": "0", "buy_1th_pre_req_pre": "0", "buy_2th_pre_bid": "0", "buy_2th_pre_req": "0", "buy_2th_pre_req_pre": "0", "buy_3th_pre_bid": "0", "buy_3th_pre_req": "0", "buy_3th_pre_req_pre": "0", "buy_4th_pre_bid": "0", "buy_4th_pre_req": "0", "buy_4th_pre_req_pre": "0", "buy_5th_pre_bid": "0", "buy_5th_pre_req": "0", "buy_5th_pre_req_pre": "0", "buy_6th_pre_bid": "0", "buy_6th_pre_req": "0", "buy_6th_pre_req_pre": "0", "buy_7th_pre_bid": "0", "buy_7th_pre_req": "0", "buy_7th_pre_req_pre": "0", "buy_8th_pre_bid": "0", "buy_8th_pre_req": "0", "buy_8th_pre_req_pre": "0", "buy_9th_pre_bid": "0", "buy_9th_pre_req": "0", "buy_9th_pre_req_pre": "0", "buy_10th_pre_bid": "0", "buy_10th_pre_req": "0", "buy_10th_pre_req_pre": "0", "tot_sel_req_jub_pre": "0", "tot_sel_req": "0", "tot_buy_req": "0", "tot_buy_req_jub_pre": "0", "ovt_sel_req_pre": "0", "ovt_sel_req": "0", "ovt_buy_req": "0", "ovt_buy_req_pre": "0", "return_code": 0, "return_msg": "Processed successfully" }

API information	
menu location	domestic stock > market price > stock weekly, monthly, hourly and minute request(ka10005)
API name	stock weekly month hour minute request
API ID	ka10005

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/mrkcond
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about daily stock price information using stock code.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	20	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	stk_ddwkmm	Stock Weekly Month Hour Minute	LIST	N		
Body	- date	date	String	N	20	YYYYMMDD
Body	- open_pric	opening price	String	N	20	Unit: Won, number included in asking price
Body	- high_pric	high price	String	N	20	Unit: Won, number included in asking price
Body	- low_pric	low price	String	N	20	Unit: Won, number included in asking price
Body	- close_pric	closing price	String	N	20	Unit: Won, number included in asking price
Body	- pre	change	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- trde_prica	trading amount	String	N	20	Unit: million won
Body	- for_poss	Owned by foreigners	String	N	20	Units: %, percentage formatted to 2 decimal places with sign

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- for_wght	Foreign proportion	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- for_netprps	foreign purchase	String	N	20	
Body	- orgn_netprps	institutional net buy	String	N	20	
Body	- ind_netprps	Individual purchase	String	N	20	
Body	- crd_remn_rt	Credit balance rate	String	N	20	
Body	- frgn	foreign	String	N	20	Unit: 1 week, number including sub-asking price
Body	- prm	program	String	N	20	Unit: 1 week, number including sub-asking price

Request Example

```
{
    "stk_cd": "005930"
}
```

Response Example


```
{
    "stk_ddwkmm": [
        {
            "date": "20241028",
            "open_pric": "95400",
            "high_pric": "95400",
            "low_pric": "95400",
            "close_pric": "95400",
            "pre": "0",
            "flu_rt": "0.00",
            "trde_qty": "0",
            "trde_prica": "0",
            "cntr_str": "0.00",
            "for_poss": "+26.07",
            "for_wght": "+26.07",
            "for_netprps": "0",
            "orgn_netprps": "",
            "ind_netprps": "",
            "frgn": "",
            "crd_remn_rt": "",
            "prm": ""
        },
        {
            "date": "20241025",
            "open_pric": "95400",
            "high_pric": "95400",
            "low_pric": "95400",
            "close_pric": "95400",
            "pre": "",
            "flu_rt": "",
            "trde_qty": "0",
            "trde_prica": "",
            "cntr_str": "",
            "for_poss": "",
            "for_wght": "",
            "for_netprps": "",
            "orgn_netprps": "",
            "ind_netprps": "",
            "frgn": "",
            "crd_remn_rt": "",
            "prm": ""
        },
        {
            "date": "20241024",
            "open_pric": "94300",
            "high_pric": "95400",
            "low_pric": "94300",
            "close_pric": "+95400",
            "pre": "",
            "flu_rt": "",
            "trde_qty": "70",
            "trde_prica": "",
            "cntr_str": "",
```

Response Example


```
"for_poss": "",
            "for_wght": "",
            "for_netprps": "",
            "orgn_netprps": "",
            "ind_netprps": "",
            "frgn": "",
            "crd_remn_rt": "",
            "prm": ""
        }
    ],
    "return_code": 0,
    "return_msg": "Processed successfully"
}
```

API information	
menu location	domestic stock > market price > stock time request(ka10006)
API name	stock time request
API ID	ka10006

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/mrkcond
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about today?s stock price using the stock code.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	20	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	date	date	String	N	20	YYYYMMDD
Body	open_pric	opening price	String	N	20	Unit: Won, number included in asking price
Body	high_pric	high price	String	N	20	Unit: Won, number included in asking price
Body	low_pric	low price	String	N	20	Unit: Won, number included in asking price
Body	close_pric	closing price	String	N	20	Unit: Won, number included in asking price
Body	pre	change	String	N	20	Unit: Won, number included in asking price
Body	flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	trde_qty	trading volume	String	N	20	Unit: 1 week
Body	trde_prica	trading amount	String	N	20	Unit: million won
Body	cntr_str	execution intensity	String	N	20	Units: %, percentage formatted to two decimal places.

Request Example

Request Example


```
{
    "stk_cd": "005930"
}
```


Response Example


```
{
    "date": "20241105",
    "open_pric": "0",
    "high_pric": "0",
    "low_pric": "0",
    "close_pric": "135300",
    "pre": "0",
    "flu_rt": "0.00",
    "trde_qty": "0",
    "trde_prica": "0",
    "cntr_str": "0.00",
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > market price > price information request (ka10007)
API name	Request for price information
API ID	ka10007
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/mrkcond
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	
Inquire about price information using stock code.	

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	20	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	stk_nm	stock name	String	N	40	
Body	stk_cd	stock code	String	N	6	
Body	date	date	String	N	20	YYYYMMDD
Body	tm	time	String	N	20	HHmmss
Body	pred_close_pric	previous dayclosing price	String	N	20	Unit: Won
Body	pred_trde_qty	previous daytrading volume	String	N	20	Unit: 1 week
Body	upl_pric	upper limit price	String	N	20	Unit: Won, number included in asking price
Body	lst_pric	lower limit price	String	N	20	Unit: Won, number included in asking price
Body	pred_trde_prica	previous daytrading amount	String	N	20	Unit: million won
Body	flo_stkcnt	listed shares	String	N	20	Unit: 1 week
Body	cur_prc	current price	String	N	20	Unit: Won, number included in asking price

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	smbol	sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	pred_rt	previous dayrain	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	open_pric	opening price	String	N	20	Unit: Won, number included in asking price
Body	high_pric	high price	String	N	20	Unit: Won, number included in asking price
Body	low_pric	low price	String	N	20	Unit: Won, number included in asking price
Body	cntr_qty	execution amount	String	N	20	Unit: 1 week
Body	trde_qty	trading volume	String	N	20	Unit: 1 week
Body	trde_prica	trading amount	String	N	20	Unit: million won
Body	exp_cntr_pric	Expected execution	String	N	20	Unit: Won, number included in asking price
Body	exp_cntr_qty	Expected execution amount	String	N	20	Unit: 1 week
Body	exp_sel_pri_bid	Expected sell priority asking price	String	N	20	Unit: Won, number included in asking price
Body	exp_buy_pri_bid	Expected buy priority asking price	String	N	20	Unit: Won, number included in asking price
Body	trde_strt_dt	Transaction start date	String	N	20	YYYYMMDD
Body	exec_pric	Exercise price	String	N	20	Unit: Won
Body	hgst_pric	Highest price	String	N	20	Unit: Won, number included in asking price
Body	lwst_pric	lowest price	String	N	20	Unit: Won, number included in asking price
Body	hgst_pric_dt	Highest price day	String	N	20	YYYYMMDD
Body	lwst_pric_dt	Lowest price day	String	N	20	YYYYMMDD
Body	sel_1bid	sell1asking price	String	N	20	Unit: Won, number included in asking price
Body	sel_2bid	sell2asking price	String	N	20	Unit: Won, number included in asking price
Body	sel_3bid	sell3asking price	String	N	20	Unit: Won, number included in asking price
Body	sel_4bid	sell4asking price	String	N	20	Unit: Won, number included in asking price
Body	sel_5bid	sell5asking price	String	N	20	Unit: Won, number included in asking price
Body	sel_6bid	sell6asking price	String	N	20	Unit: Won, number included in asking price
Body	sel_7bid	sell7asking price	String	N	20	Unit: Won, number included in asking price
Body	sel_8bid	sell8asking price	String	N	20	Unit: Won, number included in asking price
Body	sel_9bid	sell9asking price	String	N	20	Unit: Won, number included in asking price
Body	sel_10bid	sell10asking price	String	N	20	Unit: Won, number included in asking price
Body	buy_1bid	buy1asking price	String	N	20	Unit: Won, number included in asking price
Body	buy_2bid	buy2asking price	String	N	20	Unit: Won, number included in asking price
Body	buy_3bid	buy3asking price	String	N	20	Unit: Won, number included in asking price
Body	buy_4bid	buy4asking price	String	N	20	Unit: Won, number included in asking price
Body	buy_5bid	buy5asking price	String	N	20	Unit: Won, number included in asking price
Body	buy_6bid	buy6asking price	String	N	20	Unit: Won, number included in asking price
Body	buy_7bid	buy7asking price	String	N	20	Unit: Won, number included in asking price
Body	buy_8bid	buy8asking price	String	N	20	Unit: Won, number included in asking price

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	buy_9bid	buy9asking price	String	N	20	Unit: Won, number included in asking price
Body	buy_10bid	buy10asking price	String	N	20	Unit: Won, number included in asking price
Body	sel_1bid_req		String	N	20	Unit: 1 week
Body	sel_2bid_req		String	N	20	Unit: 1 week
Body	sel_3bid_req		String	N	20	Unit: 1 week
Body	sel_4bid_req		String	N	20	Unit: 1 week
Body	sel_5bid_req		String	N	20	Unit: 1 week
Body	sel_6bid_req		String	N	20	Unit: 1 week
Body	sel_7bid_req		String	N	20	Unit: 1 week
Body	sel_8bid_req		String	N	20	Unit: 1 week
Body	sel_9bid_req		String	N	20	Unit: 1 week
Body	sel_10bid_req		String	N	20	Unit: 1 week
Body	buy_1bid_req		String	N	20	Unit: 1 week
Body	buy_2bid_req		String	N	20	Unit: 1 week
Body	buy_3bid_req		String	N	20	Unit: 1 week
Body	buy_4bid_req		String	N	20	Unit: 1 week
Body	buy_5bid_req		String	N	20	Unit: 1 week
Body	buy_6bid_req		String	N	20	Unit: 1 week
Body	buy_7bid_req		String	N	20	Unit: 1 week
Body	buy_8bid_req		String	N	20	Unit: 1 week
Body	buy_9bid_req		String	N	20	Unit: 1 week
Body	buy_10bid_req		String	N	20	Unit: 1 week
Body	sel_1bid_jub_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	sel_2bid_jub_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	sel_3bid_jub_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	sel_4bid_jub_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	sel_5bid_jub_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	sel_6bid_jub_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	sel_7bid_jub_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	sel_8bid_jub_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	sel_9bid_jub_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	sel_10bid_jub_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	buy_1bid_jub_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	buy_2bid_jub_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	buy_3bid_jub_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	buy_4bid_jub_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	buy_5bid_jub_pre		String	N	20	Unit: 1 week, number including sub-asking price

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	buy_6bid_jub_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	buy_7bid_jub_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	buy_8bid_jub_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	buy_9bid_jub_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	buy_10bid_jub_pre		String	N	20	Unit: 1 week, number including sub-asking price
Body	sel_1bid_cnt	sell1asking pricenumber of items	String	N	20	
Body	sel_2bid_cnt	sell2asking price number of cases	String	N	20	
Body	sel_3bid_cnt	sell3asking price number of cases	String	N	20	
Body	sel_4bid_cnt	sell4asking pricenumber of items	String	N	20	
Body	sel_5bid_cnt	sell5asking pricenumber of items	String	N	20	
Body	buy_1bid_cnt	number of buy1asking price	String	N	20	
Body	buy_2bid_cnt	number of buy2asking price	String	N	20	
Body	buy_3bid_cnt	buy3asking price number of cases	String	N	20	
Body	buy_4bid_cnt	buy4asking price number of cases	String	N	20	
Body	buy_5bid_cnt	buy5asking price number of cases	String	N	20	
Body	lpsel_1bid_req		String	N	20	Unit: 1 week
Body	lpsel_2bid_req		String	N	20	Unit: 1 week
Body	lpsel_3bid_req		String	N	20	Unit: 1 week
Body	lpsel_4bid_req		String	N	20	Unit: 1 week
Body	lpsel_5bid_req		String	N	20	Unit: 1 week
Body	lpsel_6bid_req		String	N	20	Unit: 1 week
Body	lpsel_7bid_req		String	N	20	Unit: 1 week
Body	lpsel_8bid_req		String	N	20	Unit: 1 week
Body	lpsel_9bid_req		String	N	20	Unit: 1 week
Body	lpsel_10bid_req		String	N	20	Unit: 1 week
Body	lpbuy_1bid_req		String	N	20	Unit: 1 week
Body	lpbuy_2bid_req		String	N	20	Unit: 1 week
Body	lpbuy_3bid_req		String	N	20	Unit: 1 week
Body	lpbuy_4bid_req		String	N	20	Unit: 1 week
Body	lpbuy_5bid_req		String	N	20	Unit: 1 week
Body	lpbuy_6bid_req		String	N	20	Unit: 1 week
Body	lpbuy_7bid_req		String	N	20	Unit: 1 week
Body	lpbuy_8bid_req		String	N	20	Unit: 1 week
Body	lpbuy_9bid_req		String	N	20	Unit: 1 week
Body	lpbuy_10bid_req		String	N	20	Unit: 1 week
Body	tot_buy_req	Total buyremaining quantity	String	N	20	Unit: 1 week
Body	tot_sel_req	Total sellremaining quantity	String	N	20	Unit: 1 week

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	tot_buy_cnt	Total number of purchases	String	N	20	
Body	tot_sel_cnt	Total number of sells	String	N	20	

Request Example

```
{
    "stk_cd": "005930"
}
```

Response Example

```
{
    "stk_nm": "삼성전자",
    "stk_cd": "005930",
    "date": "20241105",
    "tm": "104000",
    "pred_close_pric": "135300",
    "pred_trde_qty": "88862",
    "upl_pric": "+175800",
    "lst_pric": "-94800",
    "pred_trde_prica": "11963",
    "flo_stkcnt": "25527",
    "cur_prc": "135300",
    "smbol": "3",
    "flu_rt": "0.00",
    "pred_rt": "0.00",
    "open_pric": "0",
    "high_pric": "0",
    "low_pric": "0",
    "cntr_qty": "",
    "trde_qty": "0",
    "trde_prica": "0",
    "exp_cntr_pric": "-0",
    "exp_cntr_qty": "0",
    "exp_sel_pri_bid": "0",
    "exp_buy_pri_bid": "0",
    "trde_strt_dt": "00000000",
    "exec_pric": "0",
    "hgst_pric": "",
    "lwst_pric": "",
    "hgst_pric_dt": "",
    "lwst_pric_dt": "",
    "sel_1bid": "0",
    "sel_2bid": "0",
    "sel_3bid": "0",
    "sel_4bid": "0",
    "sel_5bid": "0",
    "sel_6bid": "0",
    "sel_7bid": "0",
    "sel_8bid": "0",
    "sel_9bid": "0",
    "sel_10bid": "0",
    "buy_1bid": "0",
    "buy_2bid": "0",
    "buy_3bid": "0",
    "buy_4bid": "0",
    "buy_5bid": "0",
    "buy_6bid": "0",
    "buy_7bid": "0",
    "buy_8bid": "0",
    "buy_9bid": "0",
    "buy_10bid": "0",
    "sel_1bid_req": "0",
    "sel_2bid_req": "0",
    "sel_3bid_req": "0",
    "sel_4bid_req": "0",
    "sel_5bid_req": "0",
    "sel_6bid_req": "0",
    "sel_7bid_req": "0",
    "sel_8bid_req": "0",
    "sel_9bid_req": "0",
    "sel_10bid_req": "0",
    "buy_1bid_req": "0",
    "buy_2bid_req": "0",
    "buy_3bid_req": "0",
```

Response Example

"buy_4bid_req": "0", "buy_5bid_req": "0", "buy_6bid_req": "0", "buy_7bid_req": "0", "buy_8bid_req": "0", "buy_9bid_req": "0", "buy_10bid_req": "0", "sel_1bid_jub_pre": "0", "sel_2bid_jub_pre": "0", "sel_3bid_jub_pre": "0", "sel_4bid_jub_pre": "0", "sel_5bid_jub_pre": "0", "sel_6bid_jub_pre": "0", "sel_7bid_jub_pre": "0", "sel_8bid_jub_pre": "0", "sel_9bid_jub_pre": "0", "sel_10bid_jub_pre": "0", "buy_1bid_jub_pre": "0", "buy_2bid_jub_pre": "0", "buy_3bid_jub_pre": "0", "buy_4bid_jub_pre": "0", "buy_5bid_jub_pre": "0", "buy_6bid_jub_pre": "0", "buy_7bid_jub_pre": "0", "buy_8bid_jub_pre": "0", "buy_9bid_jub_pre": "0", "buy_10bid_jub_pre": "0", "sel_1bid_cnt": "", "sel_2bid_cnt": "", "sel_3bid_cnt": "", "sel_4bid_cnt": "", "sel_5bid_cnt": "", "buy_1bid_cnt": "", "buy_2bid_cnt": "", "buy_3bid_cnt": "", "buy_4bid_cnt": "", "buy_5bid_cnt": "", "lpsel_1bid_req": "0", "lpsel_2bid_req": "0", "lpsel_3bid_req": "0", "lpsel_4bid_req": "0", "lpsel_5bid_req": "0", "lpsel_6bid_req": "0", "lpsel_7bid_req": "0", "lpsel_8bid_req": "0", "lpsel_9bid_req": "0", "lpsel_10bid_req": "0", "lpbuy_1bid_req": "0", "lpbuy_2bid_req": "0", "lpbuy_3bid_req": "0", "lpbuy_4bid_req": "0", "lpbuy_5bid_req": "0", "lpbuy_6bid_req": "0", "lpbuy_7bid_req": "0", "lpbuy_8bid_req": "0", "lpbuy_9bid_req": "0", "lpbuy_10bid_req": "0", "tot_buy_req": "0", "tot_sel_req": "0", "tot_buy_cnt": "", "tot_sel_cnt": "0", "return_code": 0, "return_msg": "Processed successfully" }

API information	
menu location	domestic stock > institutional/foreign investor > foreign investor stock separate trading trend (ka10008)
API name	Stock foreign investor stock separate trading trend
API ID	ka10008
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/frgnistt
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	
Inquire about trading trends by foreign investor stock.	

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	20	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	stk_frgnr	stock foreign investor	LIST	N		
Body	- dt	date	String	N	20	YYYYMMDD
Body	- close_pric	closing price	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- chg_qty	Variable quantity	String	N	20	Unit: 1 week, number including sub-asking price
Body	- poss_stkcnt	Number of shares held	String	N	20	Unit: 1 week
Body	- wght	specific gravity	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- gain_pos_stkcnt		String	N	20	Unit: 1 week
Body	- frgnr_limit	foreign investor limit	String	N	20	Unit: 1 week
Body	- frgnr_limit_irds		String	N	20	

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- limit_exh_rt	Limit exhaustion rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign

Request Example


```
{
    "stk_cd": "005930"
}
```


Response Example


```
{
    "stk_frgnr": [
        {
            "dt": "20241105",
            "close_pric": "135300",
            "pred_pre": "0",
            "trde_qty": "0",
            "chg_qty": "0",
            "poss_stkcnt": "6663509",
            "wght": "+26.10",
            "gain_pos_stkcnt": "18863197",
            "frgnr_limit": "25526706",
            "frgnr_limit_irds": "0",
            "limit_exh_rt": "+26.10"
        },
        {
            "dt": "20241101",
            "close_pric": "65100",
            "pred_pre": "0",
            "trde_qty": "0",
            "chg_qty": "-3441",
            "poss_stkcnt": "6642402",
            "wght": "+26.02",
            "gain_pos_stkcnt": "18884304",
            "frgnr_limit": "25526706",
            "frgnr_limit_irds": "0",
            "limit_exh_rt": "+26.02"
        },
        {
            "dt": "20241031",
            "close_pric": "65100",
            "pred_pre": "0",
            "trde_qty": "0",
            "chg_qty": "4627",
            "poss_stkcnt": "6645843",
            "wght": "+26.03",
            "gain_pos_stkcnt": "18880863",
            "frgnr_limit": "25526706",
            "frgnr_limit_irds": "0",
            "limit_exh_rt": "+26.03"
        },
        {
            "dt": "20241030",
            "close_pric": "+65100",
            "pred_pre": "+100",
            "trde_qty": "1",
            "chg_qty": "-10245",
            "poss_stkcnt": "6641216",
            "wght": "+26.02",
            "gain_pos_stkcnt": "18885490",
            "frgnr_limit": "25526706",
            "frgnr_limit_irds": "0",
            "limit_exh_rt": "+26.02"
        },
        {
            "dt": "20241029",
            "close_pric": "-65000",
            "pred_pre": "-27300",
            "trde_qty": "4",
            "chg_qty": "249",
            "poss_stkcnt": "6651461",
            "wght": "+26.06",
            "gain_pos_stkcnt": "18875245",
            "frgnr_limit": "25526706",
            "frgnr_limit_irds": "0",
            "limit_exh_rt": "+26.06"
```

Response Example


```
}
    ],
    "return_code": 0,
    "return_msg": "Processed successfully"
}
```

API information	
menu location	domestic stock > institutional/foreign investor > stock institutionalrequest(ka10009)
API name	stockinstitutionalrequest
API ID	ka10009

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/frgnistt
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about institutional trading trend information by stock.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	20	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	date	date	String	N	20	YYYYMMDD
Body	close_pric	closing price	String	N	20	Unit: Won, number included in asking price
Body	pre	change	String	N	20	Unit: Won, number included in asking price
Body	orgn_dt_acc	institutionalperiodcumulative	String	N	20	
Body	orgn_daly_nettrde	institutional daily net trading	String	N	20	
Body	frgnr_daly_nettrde	foreign investor daily net trading	String	N	20	
Body	frgnr_qota_rt	foreign investor shareholding ratio	String	N	20	

Request Example

```
{
    "stk_cd": "005930"
}
```

Response Example

Response Example


```
{
    "date": "20241105",
    "close_pric": "135300",
    "pre": "0",
    "orgn_dt_acc": "",
    "orgn_daly_nettrde": "",
    "frgnr_daly_nettrde": "",
    "frgnr_qota_rt": "",
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > sector > sector program request(ka10010)
API name	sector program request
API ID	ka10010

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/sect
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about sector program sales status information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	20	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	dfrt_trst_sell_qty	profit consignment sell quantity	String	N	20	
Body	dfrt_trst_sell_amt	Margin consignment sell amount	String	N	20	
Body	dfrt_trst_buy_qty	Profit consignment buy quantity	String	N	20	
Body	dfrt_trst_buy_amt	Margin consignment buy amount	String	N	20	
Body	dfrt_trst_netprps_qty		String	N	20	
Body	dfrt_trst_netprps_amt	Net purchase amount entrusted with profit	String	N	20	
Body	ndiffpro_trst_sell_qty		String	N	20	
Body	ndiffpro_trst_sell_amt	Non-arbitrage consignment sell amount	String	N	20	
Body	ndiffpro_trst_buy_qty		String	N	20	
Body	ndiffpro_trst_buy_am		String	N	20	

Response						
category	Element	Korean name	Type	Required	Length	Description
	t					
Body	ndiffpro_trst_netprps_qty	Net number of non-margin consignment purchases quantity	String	N	20	
Body	ndiffpro_trst_netprps_amt	Non-margin consignment net purchase amount liquid	String	N	20	
Body	all_dfrt_trst_sell_qty	Total margin consignment number of sells quantity	String	N	20	
Body	all_dfrt_trst_sell_amt	Total margin consignment sell gold liquid	String	N	20	
Body	all_dfrt_trst_buy_qty	Total margin consignment buy number quantity	String	N	20	
Body	all_dfrt_trst_buy_amt	Total margin consignment buy gold liquid	String	N	20	
Body	all_dfrt_trst_netprps_qty	Total margin consignment purchase quantity	String	N	20	
Body	all_dfrt_trst_netprps_amt	Total margin consignment purchase amount	String	N	20	

Request Example

```
{
    "stk_cd": "005930"
}
```

Response Example

```
{
    "dfrt_trst_sell_qty": "",
    "dfrt_trst_sell_amt": "",
    "dfrt_trst_buy_qty": "",
    "dfrt_trst_buy_amt": "",
    "dfrt_trst_netprps_qty": "",
    "dfrt_trst_netprps_amt": "",
    "ndiffpro_trst_sell_qty": "",
    "ndiffpro_trst_sell_amt": "",
    "ndiffpro_trst_buy_qty": "",
    "ndiffpro_trst_buy_amt": "",
    "ndiffpro_trst_netprps_qty": "",
    "ndiffpro_trst_netprps_amt": "",
    "all_dfrt_trst_sell_qty": "40242",
    "all_dfrt_trst_sell_amt": "",
    "all_dfrt_trst_buy_qty": "69219",
    "all_dfrt_trst_buy_amt": "",
    "all_dfrt_trst_netprps_qty": "346871946",
    "all_dfrt_trst_netprps_amt": "",
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > market price > new stock warrants full price request (ka10011)
API name	Request for full price of new stock warrants
API ID	ka10011

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/mrkcond
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquiry for stock price information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	newstk_recvrht_tp	New stock warrant category	String	Y	2	00:All, 05:Warrants, 07:Warrants

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	newstk_recvrht_mrpr	New share warrant price	LIST	N		
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre_sig	change sign	String	N	20	
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- fpr_sel_bid	Top priority ask price	String	N	20	Unit: Won, number included in asking price
Body	- fpr_buy_bid	Highest priority bid price	String	N	20	Unit: Won, number included in asking price
Body	- acc_trde_qty	cumulative volume	String	N	20	Unit: 1 week
Body	- open_pric	opening price	String	N	20	Unit: Won, number included in asking price

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- high_pric	high price	String	N	20	Unit: Won, number included in asking price
Body	- low_pric	low price	String	N	20	Unit: Won, number included in asking price

Request Example

```
{
    "newstk_recvrht_tp": "00"
}
```

Response Example

```
{
    "newstk_recvrht_mrpr": [
        {
            "stk_cd": "J0036221D",
            "stk_nm": "KG모빌리티 122WR",
            "cur_prc": "988",
            "pred_pre_sig": "3",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "fpr_sel_bid": "-0",
            "fpr_buy_bid": "-0",
            "acc_trde_qty": "0",
            "open_pric": "-0",
            "high_pric": "-0",
            "low_pric": "-0"
        },
        {
            "stk_cd": "J00532219",
            "stk_nm": "온타이드 9WR",
            "cur_prc": "12",
            "pred_pre_sig": "3",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "fpr_sel_bid": "-0",
            "fpr_buy_bid": "-0",
            "acc_trde_qty": "0",
            "open_pric": "-0",
            "high_pric": "-0",
            "low_pric": "-0"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > stock information > credit trading trend request(ka10013)
API name	Credit trading trend request
API ID	ka10013

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/stkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about credit trading trends.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	20	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	dt	date	String	Y	8	YYYYMMDD
Body	qry_tp	inquirycategory	String	Y	1	1:Loan, 2:Lender

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	crd_trde_trend	Credit trading trends	LIST	N		
Body	- dt	date	String	N	20	YYYYMMDD
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- new	new	String	N	20	Loan unit: million won, loan unit: million shares
Body	- rpya	repayment	String	N	20	Loan unit: million won, loan unit: million shares
Body	- remn	balance	String	N	20	Loan unit: million won, loan unit: million shares

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- amt	amount	String	N	20	Loan unit: million won, loan unit: million shares
Body	- pre	change	String	N	20	Loan unit: million won, lending unit: million shares, number including sub-asking price
Body	- shr_rt	donation rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- remn_rt	balance rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign

Request Example


```
{
    "stk_cd": "005930",
    "dt": "20241104",
    "qry_tp": "1"
}
```


Response Example


```
{
    "crd_trde_trend": [
        {
            "dt": "20241101",
            "cur_prc": "65100",
            "pred_pre_sig": "0",
            "pred_pre": "0",
            "trde_qty": "0",
            "new": "",
            "rpya": "",
            "remn": "",
            "amt": "",
            "pre": "",
            "shr_rt": "",
            "remn_rt": ""
        },
        {
            "dt": "20241031",
            "cur_prc": "65100",
            "pred_pre_sig": "0",
            "pred_pre": "0",
            "trde_qty": "0",
            "new": "",
            "rpya": "",
            "remn": "",
            "amt": "",
            "pre": "",
            "shr_rt": "",
            "remn_rt": ""
        },
        {
            "dt": "20241030",
            "cur_prc": "+65100",
            "pred_pre_sig": "2",
            "pred_pre": "+100",
            "trde_qty": "1",
            "new": "",
            "rpya": "",
            "remn": "",
            "amt": "",
            "pre": "",
            "shr_rt": "",
            "remn_rt": ""
        },
        {
            "dt": "20241029",
            "cur_prc": "-65000",
            "pred_pre_sig": "5",
            "pred_pre": "-27300",
            "trde_qty": "4",
            "new": "",
            "rpya": "",
            "remn": "",
            "amt": "",
            "pre": "",
            "shr_rt": "",
            "remn_rt": ""
```

Response Example


```
}
    ],
    "return_code": 0,
    "return_msg": "Processed successfully"
}
```

API information	
menu location	domestic stock > public sell > public sell trend request(ka10014)
API name	Ball sell trend request
API ID	ka10014
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/shsa
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	
Inquiry about empty sell trend information by stock.	

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	20	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	tm_tp	timecategory	String	N	1	0:start date, 1:period
Body	strt_dt	start date	String	Y	8	YYYYMMDD
Body	end_dt	end date character	String	Y	8	YYYYMMDD

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	shrts_trnsn	Ball sell trend	LIST	N		
Body	- dt	date	String	N	20	YYYYMMDD
Body	- close_pric	closing price	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- shrts_qty	Empty sell amount	String	N	20	Unit: 1 week

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- ovr_shrts_qty	Cumulative empty sell volume	String	N	20	Combined data of empty sell amount in set period
Body	- trde_wght	Trading proportion	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- shrts_trde_prica	Selltrading amount	String	N	20	Unit: thousand won
Body	- shrts_avg_pric	Ball sell average price	String	N	20	Unit: Won

Request Example

```
{
    "stk_cd": "005930",
    "tm_tp": "1",
    "strt_dt": "20250501",
    "end_dt": "20250519"
}
```

Response Example


```
{
    "shrts_trnsn": [
        {
            "dt": "20250519",
            "close_pric": "-55800",
            "pred_pre_sig": "5",
            "pred_pre": "-1000",
            "flu_rt": "-1.76",
            "trde_qty": "9802105",
            "shrts_qty": "841407",
            "ovr_shrts_qty": "6424755",
            "trde_wght": "+8.58",
            "shrts_trde_prica": "46985302",
            "shrts_avg_pric": "55841"
        },
        {
            "dt": "20250516",
            "close_pric": "-56800",
            "pred_pre_sig": "5",
            "pred_pre": "-500",
            "flu_rt": "-0.87",
            "trde_qty": "10385352",
            "shrts_qty": "487354",
            "ovr_shrts_qty": "5583348",
            "trde_wght": "+4.69",
            "shrts_trde_prica": "27725268",
            "shrts_avg_pric": "56889"
        },
        {
            "dt": "20250515",
            "close_pric": "-57300",
            "pred_pre_sig": "5",
            "pred_pre": "-100",
            "flu_rt": "-0.17",
            "trde_qty": "13139736",
            "shrts_qty": "404120",
            "ovr_shrts_qty": "5095994",
            "trde_wght": "+3.08",
            "shrts_trde_prica": "23278677",
            "shrts_avg_pric": "57603"
        },
        {
            "dt": "20250514",
            "close_pric": "+57400",
            "pred_pre_sig": "2",
            "pred_pre": "+500",
            "flu_rt": "+0.88",
            "trde_qty": "12468089",
            "shrts_qty": "607315",
            "ovr_shrts_qty": "4691874",
            "trde_wght": "+4.87",
            "shrts_trde_prica": "34862170",
            "shrts_avg_pric": "57404"
        },
    ],
    "return_code": 0,
```

Response Example
"return_msg": "Processed successfully" }

API information	
menu location	domestic stock > stock information > daily transaction details request(ka10015)
API name	Daily transaction details request
API ID	ka10015

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/stkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about transaction details based on stock code and specific date.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	20	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	strt_dt	start date	String	Y	8	YYYMMDD, inquiry for previous daily transaction information as of the start date

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	daly_trde_dtl	Daily transaction details	LIST	N		
Body	- dt	date	String	N	20	YYYYMMDD
Body	- close_pric	closing price	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- trde_prica	trading amount	String	N	20	Unit: million won
Body	- bf_mkrt_trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- bf_mkrt_trde_wght	Preload transaction proportion	String	N	20	Units: %, percentage formatted to two decimal places.

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- opmr_trde_qty	Intraday trading volume	String	N	20	Unit: 1 week
Body	- opmr_trde_wght	Intraday trading proportion	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- af_mkrt_trde_qty	Janghutrading volume	String	N	20	Unit: 1 week
Body	- af_mkrt_trde_wght		String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- tot_3	Total 3	String	N	20	
Body	- prid_trde_qty	trading volume during period	String	N	20	
Body	- cntr_str	execution intensity	String	N	20	
Body	- for_poss	Owned by foreigners	String	N	20	
Body	- for_wght	Foreign proportion	String	N	20	
Body	- for_netprps	foreign purchase	String	N	20	
Body	- orgn_netprps	institutional net buy	String	N	20	
Body	- ind_netprps	Individual purchase	String	N	20	
Body	- frgn	foreign	String	N	20	
Body	- crd_remn_rt	Credit balance rate	String	N	20	
Body	- prm	program	String	N	20	
Body	- bf_mkrt_trde_prica	Trading amount	String	N	20	Unit: million won
Body	- bf_mkrt_trde_prica_wght	Loadingtrading amount Specific gravity	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- opmr_trde_prica	Intraday trading amount	String	N	20	Unit: million won
Body	- opmr_trde_prica_wght	Intraday trading amount proportion	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- af_mkrt_trde_prica	Janghutrading amount	String	N	20	Unit: million won
Body	- af_mkrt_trde_prica_wght	After trading amount ratio	String	N	20	Units: %, percentage formatted to 2 decimal places with sign

Request Example


```
{
    "stk_cd": "005930",
    "strt_dt": "20241105"
}
```


Response Example


```
{
    "daly_trde_dtl": [
        {
            "dt": "20241105",
            "close_pric": "135300",
            "pred_pre_sig": "0",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "trde_qty": "0",
            "trde_prica": "0",
            "bf_mkrt_trde_qty": "",
            "bf_mkrt_trde_wght": "",
            "opmr_trde_qty": "",
            "opmr_trde_wght": "",
            "af_mkrt_trde_qty": "",
            "af_mkrt_trde_wght": "",
            "tot_3": "0",
            "prid_trde_qty": "0",
            "cntr_str": "",
            "for_poss": "",
```

Response Example


```
            "for_wght": "",
            "for_netprps": "",
            "orgn_netprps": "",
            "ind_netprps": "",
            "frgn": "",
            "crd_remn_rt": "",
            "prm": "",
            "bf_mkrt_trde_prica": "",
            "bf_mkrt_trde_prica_wght": "",
            "opmr_trde_prica": "",
            "opmr_trde_prica_wght": "",
            "af_mkrt_trde_prica": "",
            "af_mkrt_trde_prica_wght": ""
        },
        {
            "dt": "20241101",
            "close_pric": "65100",
            "pred_pre_sig": "0",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "trde_qty": "0",
            "trde_prica": "0",
            "bf_mkrt_trde_qty": "",
            "bf_mkrt_trde_wght": "",
            "opmr_trde_qty": "",
            "opmr_trde_wght": "",
            "af_mkrt_trde_qty": "",
            "af_mkrt_trde_wght": "",
            "tot_3": "0",
            "prid_trde_qty": "0",
            "cntr_str": "",
            "for_poss": "",
            "for_wght": "",
            "for_netprps": "",
            "orgn_netprps": "",
            "ind_netprps": "",
            "frgn": "",
            "crd_remn_rt": "",
            "prm": "",
            "bf_mkrt_trde_prica": "",
            "bf_mkrt_trde_prica_wght": "",
            "opmr_trde_prica": "",
            "opmr_trde_prica_wght": "",
            "af_mkrt_trde_prica": "",
            "af_mkrt_trde_prica_wght": ""
        },
        {
            "dt": "20241031",
            "close_pric": "65100",
            "pred_pre_sig": "0",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "trde_qty": "0",
            "trde_prica": "0",
            "bf_mkrt_trde_qty": "",
            "bf_mkrt_trde_wght": "",
            "opmr_trde_qty": "",
            "opmr_trde_wght": "",
            "af_mkrt_trde_qty": "",
            "af_mkrt_trde_wght": "",
            "tot_3": "0",
            "prid_trde_qty": "0",
            "cntr_str": "",
            "for_poss": "",
            "for_wght": "",
            "for_netprps": "",
            "orgn_netprps": "",
            "ind_netprps": "",
            "frgn": "",
            "crd_remn_rt": "",
            "prm": "",
            "bf_mkrt_trde_prica": "",
            "bf_mkrt_trde_prica_wght": "",
            "opmr_trde_prica": "",
            "opmr_trde_prica_wght": "",
            "af_mkrt_trde_prica": "",
            "af_mkrt_trde_prica_wght": ""
        }
    ],
```

Response Example
"return_code": 0, "return_msg": "Processed successfully" }

API information	
menu location	domestic stock > stock information > reportlow pricerequest(ka10016)
API name	Reportlow pricerequest
API ID	ka10016

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/stkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Report inquiry for low price stock information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	mrkt_tp	marketcategory	String	Y	3	000:All, 001:KOSPI, 101:KOSDAQ
Body	ntl_tp	Report low category	String	Y	1	1:new high,2:new low
Body	high_low_close_tp	high and low species category	String	Y	1	1: Based on high and low levels, 2: Based on closing price
Body	stk_cnd	stock conditions	String	Y	1	0: Total inquiry, 1: Excluding management stock, 3: Excluding preferred stock, 5: Excluding 100 increase, 6: increase to 1 million, 7: increase to 400,000, 8: increase to 300,000
Body	trde_qty_tp	trading volumecategory	String	Y	5	00000: All inquiries, 00010: More than 10,000 shares, 00050: More than 50,000 shares, 00100: 100,000 shares or more, 00150: 150,000 shares or more, 00200: 200,000 shares or more, 00300: 300,000 shares or more, 00500: 500,000 shares or more, 01000: 1 million shares or more
Body	crd_cnd	credit terms	String	Y	1	0: Total inquiry, 1: Credit loan group A, 2: Credit loan group B, 3: Credit loan group C, 4: Credit loan group D, 7: Credit loan group E, 9: All credit loans
Body	updown_incls	Including upper and lower limits	String	Y	1	0: Not included, 1: Included
Body	dt	period	String	Y	3	5:5 days, 10:10 days, 20:20 days, 60:60 days, 250:250 days, up to 250 days input possible
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT 3.Integration

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	ntl_pric	Reportlow price	LIST	N		

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- pred_trde_qty_pre_rt	previous daytrading volumechange rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- sel_bid	ask price	String	N	20	Unit: Won, number included in asking price
Body	- buy_bid	bid price	String	N	20	Unit: Won, number included in asking price
Body	- high_pric	high price	String	N	20	Unit: Won
Body	- low_pric	low price	String	N	20	Unit: Won

Request Example

```
{
    "mrkt_tp": "000",
    "ntl_tp": "1",
    "high_low_close_tp": "1",
    "stk_cnd": "0",
    "trde_qty_tp": "00000",
    "crd_cnd": "0",
    "updown_incls": "0",
    "dt": "5",
    "stex_tp": "1"
}
```

Response Example

```
{
    "ntl_pric": [
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "334",
            "pred_pre_sig": "3",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "trde_qty": "3",
            "pred_trde_qty_pre_rt": "-0.00",
            "sel_bid": "0",
            "buy_bid": "0",
            "high_pric": "334",
            "low_pric": "320"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "-6230",
            "pred_pre_sig": "5",
            "pred_pre": "-60",
            "flu_rt": "-0.95",
            "trde_qty": "77",
            "pred_trde_qty_pre_rt": "-6.16",
            "sel_bid": "+6300",
            "buy_bid": "-6270",
            "high_pric": "6340",
            "low_pric": "6150"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "-140000",
```

Response Example

"pred_pre_sig": "5", "pred_pre": "-800", "flu_rt": "-0.57", "trde_qty": "7", "pred_trde_qty_pre_rt": "-0.00", "sel_bid": "-140000", "buy_bid": "0", "high_pric": "140800", "low_pric": "70000" }, { "stk_cd": "005930", "stk_nm": "Samsung Electronics", "cur_prc": "+214000", "pred_pre_sig": "2", "pred_pre": "+20900", "flu_rt": "+10.82", "trde_qty": "45", "pred_trde_qty_pre_rt": "-0.05", "sel_bid": "0", "buy_bid": "+214000", "high_pric": "214000", "low_pric": "89800" }, { "stk_cd": "005930", "stk_nm": "Samsung Electronics", "cur_prc": "-89000", "pred_pre_sig": "5", "pred_pre": "-8400", "flu_rt": "-8.62", "trde_qty": "130", "pred_trde_qty_pre_rt": "-0.01", "sel_bid": "0", "buy_bid": "-89000", "high_pric": "97500", "low_pric": "58800" }, { "stk_cd": "005930", "stk_nm": "Samsung Electronics", "cur_prc": "+40300", "pred_pre_sig": "2", "pred_pre": "+1150", "flu_rt": "+2.94", "trde_qty": "86", "pred_trde_qty_pre_rt": "-0.13", "sel_bid": "+40550", "buy_bid": "+40300", "high_pric": "40300", "low_pric": "14000" }, { "stk_cd": "005930", "stk_nm": "Samsung Electronics", "cur_prc": "-190000", "pred_pre_sig": "5", "pred_pre": "-4000", "flu_rt": "-2.06", "trde_qty": "137", "pred_trde_qty_pre_rt": "-0.00", "sel_bid": "0", "buy_bid": "-182000", "high_pric": "195000", "low_pric": "67300" }], "return_code": 0, "return_msg": "Processed successfully" }

API information	
menu location	domestic stock > stock information > lower limit pricerequest(ka10017)
API name	upper limit pricerequest
API ID	ka10017

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/stkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about lower limit price stock information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	mrkt_tp	marketcategory	String	Y	3	000:All, 001:KOSPI, 101:KOSDAQ
Body	updown_tp	upper/lower category	String	Y	1	
Body	sort_tp	Sortcategory	String	Y	1	1: In order of stock code, 2: In order of consumption count (top 100), 3: In order of change rate.
Body	stk_cnd	stock conditions	String	Y	1	0: Full inquiry, 1: Excluding management stock, 3: Excluding preferred stock, 4: Excluding preferred stock + management stock, 5: Excluding 100 increase, 6: Showing only 1 million increase, 7: See multiplier 400,000, 8: See multiplier 300,000, 9: See multiplier 200,000, 10: Preferred stock + management stock + ventilation stock excluded
Body	trde_qty_tp	trading volumecategory	String	Y	5	00000: All inquiries, 00010: More than 10,000 shares, 00050: More than 50,000 shares, 00100: 100,000 shares or more, 00150: 150,000 shares or more, 00200: 200,000 shares or more, 00300: 300,000 shares or more, 00500: 500,000 shares or more, 01000: 1 million shares or more
Body	crd_cnd	credit terms	String	Y	1	0: Total inquiry, 1: Credit loan group A, 2: Credit loan group B, 3: Credit loan group C, 4: Credit loan group D, 7: Credit loan group E, 9: All credit loans
Body	trde_gold_tp	Purchase pricecategory	String	Y	1	0: Total inquiry, 1: Less than 1,000 won, 2: 1,000 won ~ 2,000 won, 3: 2,000 won ~ 3,000 won, 4: 5,000 won ~ 10,000 won, 5: 10,000 won or more, 8: 1,000 won or more
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT 3.Integration

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	updown_pric	lower limit price	LIST	N		

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- stk_cd	stock code	String	N	20	
Body	- stk_infr	stock information	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- pred_trde_qty	previous daytrading volume	String	N	20	Unit: 1 week
Body	- sel_req	sellremaining quantity	String	N	20	Unit: 1 week
Body	- sel_bid	ask price	String	N	20	Unit: Won, number included in asking price
Body	- buy_bid	bid price	String	N	20	Unit: Won, number included in asking price
Body	- buy_req	buyremaining quantity	String	N	20	Unit: 1 week
Body	- cnt	number	String	N	20	

Request Example

```
{
    "mrkt_tp": "000",
    "updown_tp": "1",
    "sort_tp": "1",
    "stk_cnd": "0",
    "trde_qty_tp": "0000",
    "crd_cnd": "0",
    "trde_gold_tp": "0",
    "stex_tp": "1"
}
```

Response Example

```
{
    "updown_pric": [
        {
            "stk_cd": "005930",
            "stk_infr": "",
            "stk_nm": "삼성전자",
            "cur_prc": "+235500",
            "pred_pre_sig": "1",
            "pred_pre": "+54200",
            "flu_rt": "+29.90",
            "trde_qty": "0",
            "pred_trde_qty": "96197",
            "sel_req": "0",
            "sel_bid": "0",
            "buy_bid": "+235500",
            "buy_req": "4",
            "cnt": "1"
        },
        {
            "stk_cd": "005930",
            "stk_infr": "",
            "stk_nm": "삼성전자",
            "cur_prc": "+13715",
            "pred_pre_sig": "1",
            "pred_pre": "+3165",
            "flu_rt": "+30.00",
            "trde_qty": "0",
            "pred_trde_qty": "929670",
            "sel_req": "0",
            "sel_bid": "0",
            "buy_bid": "+13715",
            "buy_req": "4",
```

Response Example


```
"cnt": "1"
        }
    ],
    "return_code": 0,
    "return_msg": "Processed successfully"
}
```

API information	
menu location	domestic stock > stock information > high low price close request(ka10018)
API name	High low price close request
API ID	ka10018

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/stkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about stock information near high and low price.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	high_low_tp	high and low category	String	Y	1	1:high price, 2:low price
Body	alacc_rt	proximity rate	String	Y	2	05:0.5 10:1.0, 15:1.5, 20:2.0. 25:2.5, 30:3.0
Body	mrkt_tp	marketcategory	String	Y	3	000:All, 001:KOSPI, 101:KOSDAQ
Body	trde_qty_tp	trading volumecategory	String	Y	5	00000: All inquiries, 00010: More than 10,000 shares, 00050: More than 50,000 shares, 00100: 100,000 shares or more, 00150: 150,000 shares or more, 00200: 200,000 shares or more, 00300: 300,000 shares or more, 00500: 500,000 shares or more, 01000: 1 million shares or more
Body	stk_cnd	stock conditions	String	Y	1	0: Total inquiry, 1: Excluding management stock, 3: Excluding preferred stock, 5: Excluding 100 increase, 6: increase to 1 million, 7: increase to 400,000, 8: increase to 300,000
Body	crd_cnd	credit terms	String	Y	1	0: Total inquiry, 1: Credit loan group A, 2: Credit loan group B, 3: Credit loan group C, 4: Credit loan group D, 7: Credit loan group E, 9: All credit loans
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT 3.Integration

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	high_low_pric_alacc	High low price close	LIST	N		
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- sel_bid	ask price	String	N	20	Unit: Won, number included in asking price
Body	- buy_bid	bid price	String	N	20	Unit: Won, number included in asking price
Body	- tdy_high_pric	todayhigh price	String	N	20	Unit: Won, number included in asking price
Body	- tdy_low_pric	todaylow price	String	N	20	Unit: Won, number included in asking price

Request Example

```
{
    "high_low_tp": "1",
    "alacc_rt": "05",
    "mrkt_tp": "000",
    "trde_qty_tp": "0000",
    "stk_cnd": "0",
    "crd_cnd": "0",
    "stex_tp": "1"
}
```

Response Example


```
{
    "high_low_pric_alacc": [
        {
            "stk_cd": "004930",
            "stk_nm": "삼성전자",
            "cur_prc": "334",
            "pred_pre_sig": "0",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "trde_qty": "3",
            "sel_bid": "0",
            "buy_bid": "0",
            "tdy_high_pric": "334",
            "tdy_low_pric": "334"
        },
        {
            "stk_cd": "004930",
            "stk_nm": "삼성전자",
            "cur_prc": "+7470",
            "pred_pre_sig": "2",
            "pred_pre": "+90",
            "flu_rt": "+1.22",
            "trde_qty": "2",
            "sel_bid": "0",
            "buy_bid": "-7320",
            "tdy_high_pric": "+7470",
            "tdy_low_pric": "+7470"
        },
        {
            "stk_cd": "004930",
            "stk_nm": "삼성전자",
            "cur_prc": "+214000",
            "pred_pre_sig": "60",
            "pred_pre": "+20900",
            "flu_rt": "+10.82",
            "trde_qty": "45",
            "sel_bid": "0",
            "buy_bid": "+214000",
            "tdy_high_pric": "+214000",
            "tdy_low_pric": "193100"
        },
        {
            "stk_cd": "004930",
```

Response Example

"stk_nm": "Samsung Electronics", "cur_prc": "+40300", "pred_pre_sig": "114", "pred_pre": "+1150", "flu_rt": "+2.94", "trde_qty": "86", "sel_bid": "+40550", "buy_bid": "+40300", "tdy_high_pric": "+40300", "tdy_low_pric": "39150" }, { "stk_cd": "004930", "stk_nm": "Samsung Electronics", "cur_prc": "-10060", "pred_pre_sig": "0", "pred_pre": "-1790", "flu_rt": "-15.11", "trde_qty": "1", "sel_bid": "-10060", "buy_bid": "0", "tdy_high_pric": "-10060", "tdy_low_pric": "-10060" }, { "stk_cd": "008370", "stk_nm": "Wonpung", "cur_prc": "+4970", "pred_pre_sig": "0", "pred_pre": "+15", "flu_rt": "+0.30", "trde_qty": "500", "sel_bid": "0", "buy_bid": "0", "tdy_high_pric": "+4970", "tdy_low_pric": "+4970" }], "return_code": 0, "return_msg": "Processed successfully" }

API information	
menu location	domestic stock > stock information > price fluctuation request(ka10019)
API name	Request for sudden price fluctuations
API ID	ka10019
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/stkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	
Inquire about stock information on sudden price fluctuations.	

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	mrkt_tp	marketcategory	String	Y	3	000: All, 001: KOSPI, 101: KOSDAQ, 201: KOSPI 200
Body	flu_tp	fluctuation category	String	Y	1	1: surge, 2: plummet
Body	tm_tp	timecategory	String	Y	1	1: minutes ago, 2: days ago
Body	tm	time	String	Y	2	minute or day input
Body	trde_qty_tp	trading volumecategory	String	Y	4	00000: All inquiries, 00010: More than 10,000 shares, 00050: More than 50,000 shares, 00100: 100,000 shares or more, 00150: 150,000 shares or more, 00200: 200,000 shares or more, 00300: 300,000 shares or more, 00500: 500,000 shares or more, 01000: 1 million shares or more
Body	stk_cnd	stock conditions	String	Y	1	0: Total inquiry, 1: Excluding management stock, 3: Excluding preferred stock, 5: Excluding 100 increase, 6: increase to 1 million, 7: increase to 400,000, 8: increase to 300,000
Body	crd_cnd	credit terms	String	Y	1	0: Total inquiry, 1: Credit loan group A, 2: Credit loan group B, 3: Credit loan group C, 4: Credit loan group D, 7: Credit loan group E, 9: All credit loans
Body	pric_cnd	Price conditions	String	Y	1	0: Total inquiry, 1: Less than 1,000 won, 2: 1,000 won ~ 2,000 won, 3: 2,000 won ~ 3,000 won, 4: 5,000 won ~ 10,000 won, 5: 10,000 won or more, 8: 1,000 won or more
Body	updown_incls	Including upper and lower limits	String	Y	1	0: Not included, 1: Included
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT 3.Integration

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	pric_jmpflu	Price fluctuations	LIST	N		
Body	- stk_cd	stock code	String	N	20	
Body	- stk_cls	stock classification	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- base_pric	base price	String	N	20	Unit: Won
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- base_pre	standardchange	String	N	20	Unit: Won
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- jmp_rt	surge rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign

Request Example

```
{
    "mrkt_tp": "000",
    "flu_tp": "1",
    "tm_tp": "1",
    "tm": "60",
    "trde_qty_tp": "0000",
    "stk_cnd": "0",
    "crd_cnd": "0",
    "pric_cnd": "0",
    "updown_incls": "1",
    "stex_tp": "1"
}
```

Response Example

```
{
    "pric_jmpflu": [
        {
            "stk_cd": "005930",
            "stk_cls": "",
            "stk_nm": "삼성전자",
            "pred_pre_sig": "2",
            "pred_pre": "+300",
            "flu_rt": "+0.57",
            "base_pric": "51600",
            "cur_prc": "+52700",
            "base_pre": "1100",
            "trde_qty": "2400",
            "jmp_rt": "+2.13"
        },
        {
            "stk_cd": "005930",
            "stk_cls": "",
            "stk_nm": "삼성전자",
            "pred_pre_sig": "5",
            "pred_pre": "-24200",
            "flu_rt": "-26.68",
            "base_pric": "66000",
            "cur_prc": "-66500",
            "base_pre": "500",
            "trde_qty": "577",
            "jmp_rt": "+0.76"
        },
        {
            "stk_cd": "005930",
            "stk_cls": "",
            "stk_nm": "삼성전자",
            "pred_pre_sig": "2",
            "pred_pre": "+10",
```

Response Example

"flu_rt": "+0.06", "base_pric": "16370", "cur_prc": "+16380", "base_pre": "10", "trde_qty": "102", "jmp_rt": "+0.06" }, { "stk_cd": "005930", "stk_cls": "", "stk_nm": "Samsung Electronics", "pred_pre_sig": "3", "pred_pre": "0", "flu_rt": "0.00", "base_pric": "334", "cur_prc": "334", "base_pre": "0", "trde_qty": "3", "jmp_rt": "0.00" }, { "stk_cd": "005930", "stk_cls": "", "stk_nm": "Samsung Electronics", "pred_pre_sig": "2", "pred_pre": "+90", "flu_rt": "+1.22", "base_pric": "7470", "cur_prc": "+7470", "base_pre": "0", "trde_qty": "2", "jmp_rt": "0.00" }], "return_code": 0, "return_msg": "Processed successfully" }

API information	
menu location	domestic stock > ranking information > asking priceremaining quantitytoprequest(ka10020)
API name	asking priceremaining quantitytoprequest
API ID	ka10020

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/rkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Asking price remaining quantity top Inquiry information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	mrkt_tp	marketcategory	String	Y	3	001:KOSPI, 101:KOSDAQ
Body	sort_tp	Sortcategory	String	Y	1	1: by net buyremaining quantity, 2: by net sellremaining quantity, 3: by buy ratio, 4: by sell ratio
Body	trde_qty_tp	trading volumecategory	String	Y	4	0000: Long trading (more than 0 shares), 0010: More than 10,000 shares, 0050: More than 50,000 shares, 00100:More than 100,000 shares
Body	stk_cnd	stock conditions	String	Y	1	0: All inquiries, 1: Excluding management stock, 5: Excluding increase 100, 6: View increase 1 million, 7: Increase 400,000 views, 8: Increase 300,000 views, 9: Increase 200,000 views
Body	crd_cnd	credit terms	String	Y	1	0: Total inquiry, 1: Credit loan group A, 2: Credit loan group B, 3: Credit loan group C, 4: Credit loan group D, 7: Credit loan group E, 9: All credit loans
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT 3.Integration

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	bid_req_upper	asking priceremaining quantitytop	LIST	N		
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- tot_sel_req	Total sellremaining quantity	String	N	20	Unit: 1 week
Body	- tot_buy_req	Total buyremaining quantity	String	N	20	Unit: 1 week
Body	- netprps_req	Net buyremaining quantity	String	N	20	Unit: 1 week
Body	- buy_rt	buy rate	String	N	20	Units: %, percentage formatted to two decimal places.

Request Example

```
{
    "mrkt_tp": "001",
    "sort_tp": "1",
    "trde_qty_tp": "0000",
    "stk_cnd": "0",
    "crd_cnd": "0",
    "stex_tp": "1"
}
```

Response Example


```
{
    "bid_req_upper": [
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "+65000",
            "pred_pre_sig": "2",
            "pred_pre": "+6300",
            "trde_qty": "214670",
            "tot_sel_req": "1",
            "tot_buy_req": "22287",
            "netprps_req": "22286",
            "buy_rt": "2228700.00"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "+13335",
            "pred_pre_sig": "2",
            "pred_pre": "+385",
            "trde_qty": "0",
            "tot_sel_req": "0",
            "tot_buy_req": "9946",
            "netprps_req": "9946",
            "buy_rt": "0.00"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "+10435",
            "pred_pre_sig": "2",
            "pred_pre": "+360",
            "trde_qty": "0",
            "tot_sel_req": "0",
            "tot_buy_req": "8013",
            "netprps_req": "8013",
            "buy_rt": "0.00"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "+9530",
            "pred_pre_sig": "2",
            "pred_pre": "+275",
            "trde_qty": "0",
            "tot_sel_req": "0",
            "tot_buy_req": "5432",
            "netprps_req": "5432",
            "buy_rt": "0.00"
        },
```

Response Example


```
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "+13120",
            "pred_pre_sig": "2",
            "pred_pre": "+55",
            "trde_qty": "0",
            "tot_sel_req": "0",
            "tot_buy_req": "5335",
            "netprps_req": "5335",
            "buy_rt": "0.00"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > ranking information > asking priceremaining quantity rapid increaserequest(ka10021)
API name	asking priceremaining quantity surgerequest
API ID	ka10021

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/rkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquiring about stock information where the asking price remaining quantity has increased rapidly.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	mrkt_tp	marketcategory	String	Y	3	001:KOSPI, 101:KOSDAQ
Body	trde_tp	Salescategory	String	Y	1	1:buyremaining quantity, 2:sellremaining quantity
Body	sort_tp	Sortcategory	String	Y	1	1:Surge amount, 2:Surge rate
Body	tm_tp	timecategory	String	Y	2	minute input
Body	trde_qty_tp	trading volumecategory	String	Y	4	1: More than 1,000 shares, 5: More than 5,000 shares, 10: More than 10,000 shares, 50: More than 50,000 shares, 100:100,000 shares or more
Body	stk_cnd	stock conditions	String	Y	1	0: All inquiries, 1: Excluding management stock, 5: Excluding increase 100, 6: View increase 1 million, 7: Increase 400,000 views, 8: Increase 300,000 views, 9: Increase 200,000 views
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT 3.Integration

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	bid_req_sdnin		LIST	N		
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- int	standard amount	String	N	20	Unit: 1 week
Body	- now	today	String	N	20	Unit: 1 week
Body	- sdnin_qty	surge in quantity	String	N	20	Unit: 1 week
Body	- sdnin_rt	surge rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- tot_buy_qty	Total buy amount	String	N	20	Unit: 1 week

Request Example

```
{
    "mrkt_tp": "001",
    "trde_tp": "1",
    "sort_tp": "1",
    "tm_tp": "30",
    "trde_qty_tp": "1",
    "stk_cnd": "0",
    "stex_tp": "3"
}
```

Response Example

```
{
    "bid_req_sdnin": [
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "8680",
            "pred_pre_sig": "3",
            "pred_pre": "0",
            "int": "5000",
            "now": "10000",
            "sdnin_qty": "5000",
            "sdnin_rt": "+100.00",
            "tot_buy_qty": "0"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > ranking information > remaining quantity rate surgerequest(ka10022)
API name	remaining quantity rate surgerequest
API ID	ka10022
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/rkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	
Inquire about stock information where the remaining quantity rate has increased rapidly.	

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	mrkt_tp	marketcategory	String	Y	3	001:KOSPI, 101:KOSDAQ
Body	rt_tp	ratiocategory	String	Y	1	1:buy/sell ratio, 2:sell/buy ratio
Body	tm_tp	timecategory	String	Y	2	minute input
Body	trde_qty_tp	trading volumecategory	String	Y	1	
Body	stk_cnd	stock conditions	String	Y	1	0: All inquiries, 1: Excluding management stock, 5: Excluding increase 100, 6: View increase 1 million, 7: Increase 400,000 views, 8: Increase 300,000 views, 9: Increase 200,000 views
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT 3.Integration

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	req_rt_sdnin	remaining quantity rate surge	LIST	N		
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- int	base rate	String	N	20	Units: %, percentage formatted to two decimal places.
Body	- now_rt	Current rate	String	N	20	Units: %, percentage formatted to two decimal places.
Body	- sdnin_rt	surge rate	String	N	20	Units: %, percentage formatted to two decimal places.
Body	- tot_sel_req	Total sellremaining quantity	String	N	20	Unit: 1 week
Body	- tot_buy_req	Total buyremaining quantity	String	N	20	Unit: 1 week

Request Example

```
{
    "mrkt_tp": "001",
    "rt_tp": "1",
    "tm_tp": "1",
    "trde_qty_tp": "5",
    "stk_cnd": "0",
    "stex_tp": "3"
}
```

Response Example

```
{
    "req_rt_sdnin": [
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "+74300",
            "pred_pre_sig": "2",
            "pred_pre": "+17000",
            "int": "+12600.00",
            "now_rt": "-21474836.00",
            "sdnin_rt": "-21474836.00",
            "tot_sel_req": "74",
            "tot_buy_req": "74337920"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > ranking information > trading volume surge request(ka10023)
API name	trading volume surgerequest
API ID	ka10023

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/rkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about stock information that has seen a surge in trading volume.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	mrkt_tp	marketcategory	String	Y	3	000:All, 001:KOSPI, 101:KOSDAQ
Body	sort_tp	Sortcategory	String	Y	1	1: Rapid increase, 2: Rapid increase rate, 3: Rapid decrease, 4: Rapid decrease rate
Body	tm_tp	timecategory	String	Y	1	1:minute, 2:previous day
Body	trde_qty_tp	trading volumecategory	String	Y	1	5:5,000 shares or more, 10:10,000 shares or more, 50:50,000 shares or more, 100:100,000 shares or more, 200:200,000 shares or more, 300:300,000 shares or more, 500:500,000 shares or more, 1000: More than 1 million shares
Body	tm	time	String	N	2	minute input
Body	stk_cnd	stock conditions	String	Y	1	0: All inquiries, 1: Excluding management stock, 3: Excluding preferred stocks, 11: Excluding liquidation sale stock, 4: Excluding management stock, preferred stock, 5: Excluding 100 increase, 6: Multiply 1 million, 13: Multiply 600,000, 12: Multiply 500,000, 7: Multiply 400,000, 8: View increase by 300,000, 9: View increase by 200,000, 17: Excluding ETN, 14: Excluding ETF, 18: Excluding ETF+ETN, 15: Excluding SPAC, 20: Excluding ETF+ETN+Spec
Body	pric_tp	price category	String	Y	1	0: Total inquiry, 2: More than 50,000 won, 5: More than 10,000 won, 6: More than 5,000 won, 8: 1,000 won or more, 9: 100,000 won or more
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT 3.Integration

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	trde_qty_sdnin	Trading volume surges	LIST	N		

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- prev_trde_qty	Previoustrading volume	String	N	20	Unit: 1 week
Body	- now_trde_qty	Currenttrading volume	String	N	20	Unit: 1 week
Body	- sdnin_qty	surge	String	N	20	Unit: 1 week, number including sub-asking price
Body	- sdnin_rt	surge rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign

Request Example

```
{
    "mrkt_tp": "000",
    "sort_tp": "1",
    "tm_tp": "2",
    "trde_qty_tp": "5",
    "tm": "",
    "stk_cnd": "0",
    "pric_tp": "0",
    "stex_tp": "3"
}
```

Response Example

```
{
    "trde_qty_sdnin": [
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "-152000",
            "pred_pre_sig": "5",
            "pred_pre": "-100",
            "flu_rt": "-0.07",
            "prev_trde_qty": "22532511",
            "now_trde_qty": "31103523",
            "sdnin_qty": "+8571012",
            "sdnin_rt": "+38.04"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "-94400",
            "pred_pre_sig": "5",
            "pred_pre": "-100",
            "flu_rt": "-0.11",
            "prev_trde_qty": "25027263",
            "now_trde_qty": "30535372",
            "sdnin_qty": "+5508109",
            "sdnin_rt": "+22.01"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "-42900",
            "pred_pre_sig": "5",
            "pred_pre": "-150",
            "flu_rt": "-0.35",
            "prev_trde_qty": "25717492",
            "now_trde_qty": "31033221",
            "sdnin_qty": "+5315729",
            "sdnin_rt": "+20.67"
        },
        {
            "stk_cd": "005930",
```

Response Example


```
"stk_nm": "Samsung Electronics",
            "cur_prc": "-22350",
            "pred_pre_sig": "5",
            "pred_pre": "-100",
            "flu_rt": "-0.45",
            "prev_trde_qty": "25548474",
            "now_trde_qty": "30673438",
            "sdnin_qty": "+5124964",
            "sdnin_rt": "+20.06"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "Samsung Electronics",
            "cur_prc": "-56400",
            "pred_pre_sig": "5",
            "pred_pre": "-300",
            "flu_rt": "-0.53",
            "prev_trde_qty": "26185726",
            "now_trde_qty": "30990416",
            "sdnin_qty": "+4804690",
            "sdnin_rt": "+18.35"
        }
    ],
    "return_code": 0,
    "return_msg": "Processed successfully"
}
```

API information	
menu location	domestic stock > stock information > trading volume update request(ka10024)
API name	trading volume update request
API ID	ka10024
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/stkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	
trading volume Inquiry for updated stock information.	

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	mrkt_tp	marketcategory	String	Y	3	000:All, 001:KOSPI, 101:KOSDAQ
Body	cycle_tp	Cycle category	String	Y	1	5:5 days, 10:10 days, 20:20 days, 60:60 days, 250:250 days
Body	trde_qty_tp	trading volumecategory	String	Y	1	5:5,000 shares or more, 10:10,000 shares or more, 50:50,000 shares or more, 100:100,000 shares or more, 200:200,000 shares or more, 300:300,000 shares or more, 500:500,000 shares or more, 1000: More than 1 million shares
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT 3.Integration

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	trde_qty_updt	trading volume update	LIST	N		
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- prev_trde_qty	Previoustrading volume	String	N	20	Unit: 1 week
Body	- now_trde_qty	Currenttrading volume	String	N	20	Unit: 1 week
Body	- sel_bid	ask price	String	N	20	Unit: Won, number included in asking price
Body	- buy_bid	bid price	String	N	20	Unit: Won, number included in asking price

Request Example

```
{
    "mrkt_tp": "000",
    "cycle_tp": "5",
    "trde_qty_tp": "5",
    "stex_tp": "3"
}
```

Response Example


```
{
    "trde_qty_updt": [
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "+74800",
            "pred_pre_sig": "1",
            "pred_pre": "+17200",
            "flu_rt": "+29.86",
            "prev_trde_qty": "243520",
            "now_trde_qty": "435771",
            "sel_bid": "0",
            "buy_bid": "+74800"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "-42900",
            "pred_pre_sig": "5",
            "pred_pre": "-150",
            "flu_rt": "-0.35",
            "prev_trde_qty": "25377975",
            "now_trde_qty": "31399114",
            "sel_bid": "-42900",
            "buy_bid": "+45250"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "-152000",
            "pred_pre_sig": "5",
            "pred_pre": "-100",
            "flu_rt": "-0.07",
            "prev_trde_qty": "22435675",
            "now_trde_qty": "31491771",
            "sel_bid": "-152000",
            "buy_bid": "-151900"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "-65300",
            "pred_pre_sig": "5",
            "pred_pre": "-100",
            "flu_rt": "-0.15",
            "prev_trde_qty": "25114462",
            "now_trde_qty": "26395169",
            "sel_bid": "-65300",
            "buy_bid": "+74900"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > stock information > concentration of listings request(ka10025)
API name	Request for intensive sale
API ID	ka10025
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/stkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	
Inquire about stock information concentrated on the sale area.	

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	mrkt_tp	marketcategory	String	Y	3	000:All, 001:KOSPI, 101:KOSDAQ
Body	prps_cnctr_rt	Property concentration ratio	String	Y	3	0~100 input
Body	cur_prc_entry	Enter current price	String	Y	1	
Body	prpscnt	Number of properties for sale	String	Y	2	number input
Body	cycle_tp	Cycle category	String	Y	2	50:50 days, 100:100 days, 150:150 days, 200:200 days, 250:250 days, 300:300 days
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT 3.Integration

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	prps_cnctr		LIST	N		
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- now_trde_qty	Currenttrading volume	String	N	20	Unit: 1 week
Body	- pric_strt	Starting price range	String	N	20	Unit: Won
Body	- pric_end	End of price range	String	N	20	Unit: Won
Body	- prps_qty	Quantity for sale	String	N	20	Unit: 1 week
Body	- prps_rt	listing fee	String	N	20	Units: %, percentage formatted to 2 decimal places with sign

Request Example

```
{
    "mrkt_tp": "000",
    "prps_cnctr_rt": "50",
    "cur_prc_entry": "0",
    "prpscnt": "10",
    "cycle_tp": "50",
    "stex_tp": "3"
}
```

Response Example

```
{
    "prps_cnctr": [
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "30000",
            "pred_pre_sig": "3",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "now_trde_qty": "0",
            "pric_strt": "31350",
            "pric_end": "31799",
            "prps_qty": "4",
            "prps_rt": "+50.00"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "30000",
            "pred_pre_sig": "3",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "now_trde_qty": "0",
            "pric_strt": "32700",
            "pric_end": "33149",
            "prps_qty": "4",
            "prps_rt": "+50.00"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "109",
            "pred_pre_sig": "3",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "now_trde_qty": "1",
            "pric_strt": "109",
            "pric_end": "326",
            "prps_qty": "8",
            "prps_rt": "+50.00"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "2555",
            "pred_pre_sig": "3",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "now_trde_qty": "0",
            "pric_strt": "2669",
```

Response Example


```
"pric_end": "2685",
            "prps_qty": "4",
            "prps_rt": "+50.00"
        }
    ],
    "return_code": 0,
    "return_msg": "Processed successfully"
}
```

API information	
menu location	domestic stock > stock information > high/low PERrequest(ka10026)
API name	high/low PERrequest
API ID	ka10026

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/stkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about high and low PER stock information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	pertp	PERcategory	String	Y	1	1: low PBR, 2: high PBR, 3: low PER, 4: high PER, 5: low ROE, 6: high ROE
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT 3.Integration

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	high_low_per	high and low PER	LIST	N		
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- per	PER	String	N	20	
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- now_trde_qty	Currenttrading volume	String	N	20	Unit: 1 week
Body	- sel_bid	ask price	String	N	20	Unit: Won, number included in asking price

Request Example


```
{
    "pertp": "1",
    "stex_tp": "3"
}
```


Response Example


```
{
    "high_low_per": [
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "per": "0.44",
            "cur_prc": "4930",
            "pred_pre_sig": "3",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "now_trde_qty": "0",
            "sel_bid": "0"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "per": "0.54",
            "cur_prc": "5980",
            "pred_pre_sig": "3",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "now_trde_qty": "0",
            "sel_bid": "0"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "per": "0.71",
            "cur_prc": "3445",
            "pred_pre_sig": "3",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "now_trde_qty": "0",
            "sel_bid": "0"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "per": "0.71",
            "cur_prc": "83",
            "pred_pre_sig": "3",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "now_trde_qty": "0",
            "sel_bid": "0"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "per": "0.82",
            "cur_prc": "7820",
            "pred_pre_sig": "3",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "now_trde_qty": "0",
            "sel_bid": "7820"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > ranking information > change from previous daychange ratetoprequest(ka10027)
API name	change from previous daychange ratetoprequest
API ID	ka10027

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/rkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about previous day change change rate information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	mrkt_tp	marketcategory	String	Y	3	000:All, 001:KOSPI, 101:KOSDAQ
Body	sort_tp	Sortcategory	String	Y	1	1:rise rate, 2:rise width, 3:decline rate, 4:decline width, 5:unchanged
Body	trde_qty_cnd	trading volume conditions	String	Y	5	0000: Total inquiry, 0010: More than 10,000 shares, 0050: More than 50,000 shares, 0100: More than 100,000 shares, 0150: More than 150,000 shares, 0200: More than 200,000 shares, 0300: 300,000 shares or more, 0500: 500,000 shares or more, 1000: 1 million shares or more
Body	stk_cnd	stock conditions	String	Y	2	0: All inquiries, 1: Excluding management stock, 4: Excluding preferred stock + management stock, 3: Excluding preferred stock, 5: Excluding 100 increase, 6: Viewing increase of 1 million, 7: Viewing increase of 400,000, 8: Increase 300,000 views, 9: Increase 200,000 views, 11: Excluding clearance sale stock, 12: View increase by 500,000, 13: View increase by 600,000, 14: Excluding ETF, 15: Excluding specifications, 16:Excluding ETF+ETN
Body	crd_cnd	credit terms	String	Y	1	0: Total inquiry, 1: Credit loan group A, 2: Credit loan group B, 3: Credit loan group C, 4: Credit loan group D, 7: Credit loan group E, 9: All credit loans
Body	updown_incls	Including upper and lower limits	String	Y	2	0: not included, 1: included
Body	pric_cnd	Price conditions	String	Y	2	0: Total inquiry, 1: Less than 1,000 won, 2: 1,000 won ~ 2,000 won, 3: 2,000 won ~ 5,000 won, 4: 5,000 won to 10,000 won, 5: 10,000 won or more, 8: 1,000 won or more, 10: less than 10,000 won
Body	trde_prica_cnd	trading amount conditions	String	Y	4	0: Total inquiry, 3: More than 30 million won, 5: More than 50 million won, 10: More than 100 million won, 30: 300 million won or more, 50: 500 million won or more, 100: 1 billion won or more, 300: more than 3 billion won, 500: more than 5 billion won, 1000: more than 10 billion won, 3000: 30 billion won or more, 5000: 50 billion won or more
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT 3.Integration

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001

Response						
category	Element	Korean name	Type	Required	Length	Description
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	pred_pre_flu_rt_upper	change from previous daychange ratetop	LIST	N		
Body	- stk_cls	stock classification	String	N	20	
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- sel_req	sellremaining quantity	String	N	20	Unit: 1 week
Body	- buy_req	buyremaining quantity	String	N	20	Unit: 1 week
Body	- now_trde_qty	Currenttrading volume	String	N	20	Unit: 1 week
Body	- cntr_str	execution intensity	String	N	20	Units: %, percentage formatted to two decimal places.
Body	- cnt	number	String	N	20	

Request Example

```
{
    "mrkt_tp": "000",
    "sort_tp": "1",
    "trde_qty_cnd": "0000",
    "stk_cnd": "0",
    "crd_cnd": "0",
    "updown_incls": "1",
    "pric_cnd": "0",
    "trde_prica_cnd": "0",
    "stex_tp": "3"
}
```

Response Example

```
{
    "pred_pre_flu_rt_upper": [
        {
            "stk_cls": "0",
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "+74800",
            "pred_pre_sig": "1",
            "pred_pre": "+17200",
            "flu_rt": "+29.86",
            "sel_req": "207",
            "buy_req": "3820638",
            "now_trde_qty": "446203",
            "cntr_str": "346.54",
            "cnt": "4"
        },
        {
            "stk_cls": "0",
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "+12000",
            "pred_pre_sig": "2",
            "pred_pre": "+2380",
            "flu_rt": "+24.74",
            "sel_req": "54",
            "buy_req": "0",
            "now_trde_qty": "6",
```

Response Example

"cntr_str": "500.00", "cnt": "1" }, { "stk_cls": "0", "stk_cd": "005930", "stk_nm": "Samsung Electronics", "cur_prc": "+22550", "pred_pre_sig": "2", "pred_pre": "+2300", "flu_rt": "+11.36", "sel_req": "3042", "buy_req": "11", "now_trde_qty": "9", "cntr_str": "500.00", "cnt": "2" }, { "stk_cls": "0", "stk_cd": "005930", "stk_nm": "Samsung Electronics", "cur_prc": "+45000", "pred_pre_sig": "2", "pred_pre": "+3950", "flu_rt": "+9.62", "sel_req": "0", "buy_req": "0", "now_trde_qty": "106", "cntr_str": "0.00", "cnt": "1" }], "return_code": 0, "return_msg": "Processed successfully" }

API information	
menu location	domestic stock > stock information > opening pricechangechange raterequest(ka10028)
API name	opening pricechangechange raterequest
API ID	ka10028

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/stkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about stock information with a large opening price change change rate.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	sort_tp	Sortcategory	String	Y	1	1:opening price, 2:high price, 3:low price, 4:base price
Body	trde_qty_cnd	trading volume conditions	String	Y	4	0000: Total inquiry, 0010: More than 10,000 shares, 0050: More than 50,000 shares, 0100: 100,000 shares or more, 0500: 500,000 shares or more, 1000: 1 million shares or more
Body	mrkt_tp	marketcategory	String	Y	3	000:All, 001:KOSPI, 101:KOSDAQ
Body	updown_incls	Including upper and lower limits	String	Y	1	0: not included, 1: included
Body	stk_cnd	stock conditions	String	Y	2	0: All inquiries, 1: Excluding management stock, 4: Excluding preferred stock + management stock, 3: Excluding preferred stock, 5: Excluding 100 increase, 6: Viewing increase of 1 million, 7: Viewing increase of 400,000, 8: Increase 300,000 views, 9: Increase 200,000 views
Body	crd_cnd	credit terms	String	Y	1	0: Total inquiry, 1: Credit loan group A, 2: Credit loan group B, 3: Credit loan group C, 4: Credit loan group D, 7: Credit loan group E, 9: All credit loans
Body	trde_prica_cnd	trading amount conditions	String	Y	4	0: Total inquiry, 3: More than 30 million won, 5: More than 50 million won, 10: More than 100 million won, 30: 300 million won or more, 50: 500 million won or more, 100: 1 billion won or more, 300: more than 3 billion won, 500: more than 5 billion won, 1000: more than 10 billion won, 3000: 30 billion won or more, 5000: 50 billion won or more
Body	flu_cnd	Conditions for rise and fall	String	Y	1	1:top, 2:bottom
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT 3.Integration

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	open_pric_pre_flu_rt	opening pricechangechange rate	LIST	N		
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- open_pric	opening price	String	N	20	Unit: Won, number included in asking price
Body	- high_pric	high price	String	N	20	Unit: Won, number included in asking price
Body	- low_pric	low price	String	N	20	Unit: Won, number included in asking price
Body	- open_pric_pre	opening pricechange	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- now_trde_qty	Currenttrading volume	String	N	20	Unit: 1 week
Body	- cntr_str	execution intensity	String	N	20	Units: %, percentage formatted to two decimal places.

Request Example

```
{
    "sort_tp": "1",
    "trde_qty_cnd": "0000",
    "mrkt_tp": "000",
    "updown_incls": "1",
    "stk_cnd": "0",
    "crd_cnd": "0",
    "trde_prica_cnd": "0",
    "flu_cnd": "1",
    "stex_tp": "3"
}
```

Response Example

```
{
    "open_pric_pre_flu_rt": [
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "+74800",
            "pred_pre_sig": "1",
            "pred_pre": "+17200",
            "flu_rt": "+29.86",
            "open_pric": "+65000",
            "high_pric": "+74800",
            "low_pric": "-57000",
            "open_pric_pre": "+15.08",
            "now_trde_qty": "448203",
            "cntr_str": "346.54"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "-200000",
            "pred_pre_sig": "5",
            "pred_pre": "-15000",
            "flu_rt": "-6.98",
            "open_pric": "-180000",
            "high_pric": "215000",
            "low_pric": "-180000",
            "open_pric_pre": "+11.11",
            "now_trde_qty": "619",
            "cntr_str": "385.07"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
```

Response Example

"cur_prc": "+200000", "pred_pre_sig": "2", "pred_pre": "+15600", "flu_rt": "+8.46", "open_pric": "184400", "high_pric": "+200000", "low_pric": "-183500", "open_pric_pre": "+8.46", "now_trde_qty": "143", "cntr_str": "500.00" }, { "stk_cd": "005930", "stk_nm": "Samsung Electronics", "cur_prc": "+140100", "pred_pre_sig": "2", "pred_pre": "+4100", "flu_rt": "+3.01", "open_pric": "+136100", "high_pric": "+150000", "low_pric": "-129000", "open_pric_pre": "+2.94", "now_trde_qty": "135", "cntr_str": "136.36" }], "return_code": 0, "return_msg": "Processed successfully" }

API information	
menu location	domestic stock > ranking information > expectedexecutionchange ratetoprequest(ka10029)
API name	expectedexecutionchange ratetoprequest
API ID	ka10029
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/rkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

Inquire about expected execution change rate information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	mrkt_tp	marketcategory	String	Y	3	000:All, 001:KOSPI, 101:KOSDAQ
Body	sort_tp	Sortcategory	String	Y	1	1:rise rate, 2:rise width, 3:unchanged, 4:decline rate, 5:decline width, 6:execution amount, 7: upper limit, 8: lower limit
Body	trde_qty_cnd	trading volume conditions	String	Y	5	0: Total inquiry, 1; More than 1,000 shares, 3: 3,000 shares, 5: 5,000 shares, 10: More than 10,000 shares, 50:50,000 shares or more, 100:100,000 shares or more
Body	stk_cnd	stock conditions	String	Y	2	0: All inquiries, 1: Excluding management stock, 3: Excluding preferred stocks, 4: Management stock, excluding preferred stock, 5: Excluding increase by 100, 6: View increase by 1 million, 7: Increase 400,000 views, 8: Increase 300,000 views, 9: Increase 200,000 views, 11: Excluding clearance sale stock, 12: View increase by 500,000, 13: View increase by 600,000, 14: Excluding ETF, 15: Excluding SPAC, 16: Excluding ETF+ETN
Body	crd_cnd	credit terms	String	Y	1	0: Total inquiry, 1: Credit loan group A, 2: Credit loan group B, 3: Credit loan group C, 4: Credit loan group D, 5: Excluding credit limit exceeding, 7: Credit loan group E, 8: Credit loan, 9: All credit loans
Body	pric_cnd	Price conditions	String	Y	2	0: Total inquiry, 1: Less than 1,000 won, 2: 1,000 won ~ 2,000 won, 3: 2,000 won ~ 5,000 won, 4: 5,000 won ~ 10,000 won, 5: 10,000 won or more, 8: 1,000 won or more, 10: less than 10,000 won
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT 3.Integration

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	exp_cntr_flu_rt_uppe	Expectedexecutionchange ratetop	LIST	N		

Response						
category	Element	Korean name	Type	Required	Length	Description
	r					
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- exp_cntr_pric	Expected execution	String	N	20	Unit: Won, number included in asking price
Body	- base_pric	base price	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- exp_cntr_qty	Expected execution amount	String	N	20	Unit: 1 week
Body	- sel_req	sellremaining quantity	String	N	20	Unit: 1 week
Body	- sel_bid	ask price	String	N	20	Unit: Won, number included in asking price
Body	- buy_bid	bid price	String	N	20	Unit: Won, number included in asking price
Body	- buy_req	buyremaining quantity	String	N	20	Unit: 1 week

Request Example

```
{
    "mrkt_tp": "000",
    "sort_tp": "1",
    "trde_qty_cnd": "0",
    "stk_cnd": "0",
    "crd_cnd": "0",
    "pric_cnd": "0",
    "stex_tp": "3"
}
```

Response Example


```
{
    "exp_cntr_flu_rt_upper": [
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "exp_cntr_pric": "+48100",
            "base_pric": "37000",
            "pred_pre_sig": "1",
            "pred_pre": "+11100",
            "flu_rt": "+30.00",
            "exp_cntr_qty": "1",
            "sel_req": "0",
            "sel_bid": "0",
            "buy_bid": "0",
            "buy_req": "0"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "exp_cntr_pric": "+40000",
            "base_pric": "34135",
            "pred_pre_sig": "2",
            "pred_pre": "+5865",
            "flu_rt": "+17.18",
            "exp_cntr_qty": "1",
            "sel_req": "1",
            "sel_bid": "+40000",
            "buy_bid": "+35370",
            "buy_req": "1"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "exp_cntr_pric": "+37750",
            "base_pric": "36550",
```

Response Example


```
"pred_pre_sig": "2",
            "pred_pre": "+1200",
            "flu_rt": "+3.28",
            "exp_cntr_qty": "2",
            "sel_req": "0",
            "sel_bid": "0",
            "buy_bid": "+37850",
            "buy_req": "3"
        }
    ],
    "return_code": 0,
    "return_msg": "Processed successfully"
}
```

API information	
menu location	domestic stock > ranking information > todaytrading volumetoprequest(ka10030)
API name	todaytrading volumetoprequest
API ID	ka10030

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/rkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Today trading volume top Inquiry for information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	mrkt_tp	marketcategory	String	Y	3	000:All, 001:KOSPI, 101:KOSDAQ
Body	sort_tp	Sortcategory	String	Y	1	1:trading volume, 2:trading turnover rate, 3:trading amount
Body	mang_stk_incls	Management stock included	String	Y	1	0: Including management stock, 1: Excluding management stock, 3: Excluding preferred stock, 11: Excluding liquidation sale stock, 4: Excluding management stock, preferred stock, 5: Excluding 100 increase, 6: See 100 mana increase, 13: See 600,000 mana increase, 12: See 500,000 mana increase, 7: View increase of 400,000, 8: View increase of 300,000, 9: View increase of 200,000, 14: Excluding ETFs, 15: Excluding SPAC, 16: Excluding ETF+ETN
Body	crd_tp	creditcategory	String	Y	1	0: All inquiries, 9: All credit loans, 1: Credit loan group A, 2: Credit loan group B, 3: Credit loan group C, 4: Credit loan group D, 8: Credit loan
Body	trde_qty_tp	trading volumecategory	String	Y	1	0: Total inquiry, 5: More than 5,000 shares, 10: More than 10,000 shares, 50: More than 50,000 shares, 100:100,000 shares or more, 200:200,000 shares or more, 300:300,000 shares or more, 500: 5 million shares or more, 1000: 1 million shares or more
Body	pric_tp	price category	String	Y	1	0: Total inquiry, 1: Less than 1,000 won, 2: More than 1,000 won, 3: 1,000 won to 2,000 won, 4: 2,000 won to 5,000 won, 5: 5,000 won or more, 6: 5,000 won to 10,000 won, 10: less than 10,000 won, 7: 10,000 won or more, 8: 50,000 won or more, 9: 100,000 won or more
Body	trde_prica_tp	trading amountcategory	String	Y	1	0: Total inquiry, 1: More than 10 million won, 3: More than 30 million won, 4: More than 50 million won, 10:100 million won or more, 30:300 million won or more, 50:500 million won or more, 100:1 billion won or more, 300: more than 3 billion won, 500: more than 5 billion won, 1000: more than 10 billion won, 3000: 30 billion won or more, 5000: 50 billion won or more
Body	mrkt_open_tp	Jang Unyoungcategory	String	Y	1	0:Full inquiry, 1:Intraday, 2:pre-market, 3:after-market
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT 3.Integration

Response

category	Element	Korean name	Type	Required	Length	Description

Response						
category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	tdy_trde_qty_upper	todaytrading volumetop	LIST	N		
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- pred_rt	previous dayrain	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- trde_tern_rt	transaction turnover rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- trde_amt	Transaction amount	String	N	20	Unit: million won
Body	- opmr_trde_qty	Intraday trading volume	String	N	20	
Body	- opmr_pred_rt	Intradayprevious dayRain	String	N	20	
Body	- opmr_trde_rt	Intraday trading turnover rate	String	N	20	
Body	- opmr_trde_amt	Intraday trading amount	String	N	20	
Body	- af_mkrt_trde_qty	Janghutrading volume	String	N	20	
Body	- af_mkrt_pred_rt	Janghuprevious dayRain	String	N	20	
Body	- af_mkrt_trde_rt	After-market turnover rate	String	N	20	
Body	- af_mkrt_trde_amt	After-market transaction amount	String	N	20	
Body	- bf_mkrt_trde_qty	trading volume	String	N	20	
Body	- bf_mkrt_pred_rt	Loading previous dayRain	String	N	20	
Body	- bf_mkrt_trde_rt	pre-market turnover rate	String	N	20	
Body	- bf_mkrt_trde_amt	Pre-loaded transaction amount	String	N	20	

Request Example

```
{
    "mrkt_tp": "000",
    "sort_tp": "1",
    "mang_stk_incls": "0",
    "crd_tp": "0",
    "trde_qty_tp": "0",
    "pric_tp": "0",
    "trde_prica_tp": "0",
    "mrkt_open_tp": "0",
    "stex_tp": "3"
}
```

Response Example

```
{
    "tdy_trde_qty_upper": [
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "-152000",
```

Response Example

"pred_pre_sig": "5", "pred_pre": "-100", "flu_rt": "-0.07", "trde_qty": "34954641", "pred_rt": "+155.13", "trde_tern_rt": "+48.21", "trde_amt": "5308092", "opmr_trde_qty": "0", "opmr_pred_rt": "0.00", "opmr_trde_rt": "+0.00", "opmr_trde_amt": "0", "af_mkrt_trde_qty": "0", "af_mkrt_pred_rt": "0.00", "af_mkrt_trde_rt": "+0.00", "af_mkrt_trde_amt": "0", "bf_mkrt_trde_qty": "0", "bf_mkrt_pred_rt": "0.00", "bf_mkrt_trde_rt": "+0.00", "bf_mkrt_trde_amt": "0" }, { "stk_cd": "005930", "stk_nm": "Samsung Electronics", "cur_prc": "-42950", "pred_pre_sig": "5", "pred_pre": "-100", "flu_rt": "-0.23", "trde_qty": "34854261", "pred_rt": "+135.53", "trde_tern_rt": "+13.83", "trde_amt": "1501908", "opmr_trde_qty": "0", "opmr_pred_rt": "0.00", "opmr_trde_rt": "+0.00", "opmr_trde_amt": "0", "af_mkrt_trde_qty": "0", "af_mkrt_pred_rt": "0.00", "af_mkrt_trde_rt": "+0.00", "af_mkrt_trde_amt": "0", "bf_mkrt_trde_qty": "0", "bf_mkrt_pred_rt": "0.00", "bf_mkrt_trde_rt": "+0.00", "bf_mkrt_trde_amt": "0" }], "returnCode": 0, "returnMsg": "Processed successfully" }

API information	
menu location	domestic stock > ranking information > previous daytrading volumetoprequest(ka10031)
API name	previous daytrading volumetoprequest
API ID	ka10031

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/rkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquiry for previous day trading volume top information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	mrkt_tp	marketcategory	String	Y	3	000:All, 001:KOSPI, 101:KOSDAQ
Body	qry_tp	inquirycategory	String	Y	1	1:previous daytrading volume top100stock, 2:previous daytrading amount top100stock
Body	rank_strt	Ranking begins	String	Y	3	Starting ranking value for inquiry among values ??0 to 100
Body	rank_end	End of ranking	String	Y	3	The end value of the ranking for which you want to inquire among the values ??0 to 100.
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT 3.Integration

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	pred_trde_qty_upper	previous daytrading volumetop	LIST	N		
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week

Request Example


```
{
    "mrkt_tp": "101",
    "qry_tp": "1",
    "rank_strt": "0",
    "rank_end": "10",
    "stex_tp": "3"
}
```


Response Example


```
{
    "pred_trde_qty_upper": [
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "81",
            "pred_pre_sig": "3",
            "pred_pre": "0",
            "trde_qty": "0"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "2050",
            "pred_pre_sig": "3",
            "pred_pre": "0",
            "trde_qty": "0"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "2375",
            "pred_pre_sig": "3",
            "pred_pre": "0",
            "trde_qty": "0"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "-43750",
            "pred_pre_sig": "5",
            "pred_pre": "-50",
            "trde_qty": "34605668"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "70",
            "pred_pre_sig": "3",
            "pred_pre": "0",
            "trde_qty": "0"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "-56600",
            "pred_pre_sig": "5",
            "pred_pre": "-100",
            "trde_qty": "33014975"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "11260",
            "pred_pre_sig": "3",
            "pred_pre": "0",
            "trde_qty": "0"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "-65300",
            "pred_pre_sig": "5",
            "pred_pre": "-100",
            "trde_qty": "28117804"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
```

Response Example


```
"cur_prc": "-94400",
            "pred_pre_sig": "5",
            "pred_pre": "-100",
            "trde_qty": "34289700"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "Samsung Electronics",
            "cur_prc": "-18610",
            "pred_pre_sig": "5",
            "pred_pre": "-20",
            "trde_qty": "33030086"
        }
    ],
    "return_code": 0,
    "return_msg": "Processed successfully"
}
```

API information	
menu location	domestic stock > ranking information > trading amounttoprequest(ka10032)
API name	trading amounttoprequest
API ID	ka10032

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/rkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about transaction amount top information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	mrkt_tp	marketcategory	String	Y	3	000:All, 001:KOSPI, 101:KOSDAQ
Body	mang_stk_incls	Management stock included	String	Y	1	0: Management stock not included, 1: Management stock included
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT 3.Integration

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	trde_prica_upper	trading amounttop	LIST	N		
Body	- stk_cd	stock code	String	N	20	
Body	- now_rank	Current ranking	String	N	20	
Body	- pred_rank	previous dayranking	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- sel_bid	ask price	String	N	20	Unit: Won, number included in asking price
Body	- buy_bid	bid price	String	N	20	Unit: Won, number included in asking price
Body	- now_trde_qty	Currenttrading volume	String	N	20	Unit: 1 week
Body	- pred_trde_qty	previous daytrading volume	String	N	20	Unit: 1 week
Body	- trde_prica	trading amount	String	N	20	Unit: million won

Request Example

```
{
    "mrkt_tp": "001",
    "mang_stk_incls": "1",
    "stex_tp": "3"
}
```

Response Example

```
{
    "trde_prica_upper": [
        {
            "stk_cd": "005930",
            "now_rank": "1",
            "pred_rank": "1",
            "stk_nm": "삼성전자",
            "cur_prc": "-152000",
            "pred_pre_sig": "5",
            "pred_pre": "-100",
            "flu_rt": "-0.07",
            "sel_bid": "-152000",
            "buy_bid": "-150000",
            "now_trde_qty": "34954641",
            "pred_trde_qty": "22532511",
            "trde_prica": "5308092"
        },
        {
            "stk_cd": "005930",
            "now_rank": "2",
            "pred_rank": "2",
            "stk_nm": "삼성전자",
            "cur_prc": "-53700",
            "pred_pre_sig": "4",
            "pred_pre": "-23000",
            "flu_rt": "-29.99",
            "sel_bid": "-76500",
            "buy_bid": "+85100",
            "now_trde_qty": "31821639",
            "pred_trde_qty": "30279412",
            "trde_prica": "2436091"
        },
        {
            "stk_cd": "005930",
            "now_rank": "3",
            "pred_rank": "3",
            "stk_nm": "삼성전자",
            "cur_prc": "-42950",
            "pred_pre_sig": "5",
            "pred_pre": "-100",
            "flu_rt": "-0.23",
            "sel_bid": "-42950",
            "buy_bid": "+45250",
            "now_trde_qty": "34854261",
            "pred_trde_qty": "25717492",
            "trde_prica": "1501908"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > ranking information > credit ratiotoprequest(ka10033)
API name	Credit Ratiotoprequest
API ID	ka10033
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/rkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	
Inquire about credit ratio top information.	

Request						
category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	mrkt_tp	marketcategory	String	Y	3	000:All, 001:KOSPI, 101:KOSDAQ
Body	trde_qty_tp	trading volumecategory	String	Y	3	0: Total inquiry, 10: More than 10,000 shares, 50: More than 50,000 shares, 100: More than 100,000 shares, 200:200,000 shares or more, 300:300,000 shares or more, 500:500,000 shares or more, 1000: More than 1 million shares
Body	stk_cnd	stock conditions	String	Y	1	0: All inquiries, 1: Excluding management stock, 5: Excluding increase 100, 6: View increase 1 million, 7: Increase 400,000 views, 8: Increase 300,000 views, 9: Increase 200,000 views
Body	updown_incls	Including upper and lower limits	String	Y	1	0: Excluding upper and lower limits, 1: Including upper and lower limits
Body	crd_cnd	credit terms	String	Y	1	0: Total inquiry, 1: Credit loan group A, 2: Credit loan group B, 3: Credit loan group C, 4: Credit loan group D, 7: Credit loan group E, 9: All credit loans
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT 3.Integration

Response						
category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	crd_rt_upper	Credit ratiotop	LIST	N		
Body	- stk_infr	stock information	String	N	20	
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- crd_rt	credit ratio	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- sel_req	sellremaining quantity	String	N	20	Unit: 1 week
Body	- buy_req	buyremaining quantity	String	N	20	Unit: 1 week
Body	- now_trde_qty	Currenttrading volume	String	N	20	Unit: 1 week

Request Example


```
{
    "mrkt_tp": "000",
    "trde_qty_tp": "0",
    "stk_cnd": "0",
    "updown_incls": "1",
    "crd_cnd": "0",
    "stex_tp": "3"
}
```


Response Example


```
{
    "crd_rt_upper": [
        {
            "stk_infr": "0",
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "16420",
            "pred_pre_sig": "3",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "crd_rt": "+9.49",
            "sel_req": "0",
            "buy_req": "0",
            "now_trde_qty": "0"
        },
        {
            "stk_infr": "0",
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "3415",
            "pred_pre_sig": "3",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "crd_rt": "+9.48",
            "sel_req": "1828",
            "buy_req": "0",
            "now_trde_qty": "0"
        },
        {
            "stk_infr": "0",
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "3660",
            "pred_pre_sig": "3",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "crd_rt": "+8.92",
            "sel_req": "0",
            "buy_req": "0",
            "now_trde_qty": "0"
        },
        {
            "stk_infr": "0",
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "11050",
```

Response Example


```
"pred_pre_sig": "3",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "crd_rt": "+8.73",
            "sel_req": "0",
            "buy_req": "0",
            "now_trde_qty": "0"
        }
    ],
    "return_code": 0,
    "return_msg": "Processed successfully"
}
```

API information	
menu location	domestic stock > ranking information > foreign period sold separately toprequest(ka10034)
API name	foreignperiodseparate saletoprequest
API ID	ka10034

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/rkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquiry for top sales information by foreign investor period.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	mrkt_tp	marketcategory	String	Y	3	000:All, 001:KOSPI, 101:KOSDAQ
Body	trde_tp	Salescategory	String	Y	1	1:net sell, 2:net buy, 3:net trading
Body	dt	period	String	Y	2	0:today, 1:previous day, 5:5 days, 10;10 days, 20:20 days, 60:60 days
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT, 3:Integrated

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	for_dt_trde_upper		LIST	N		
Body	- rank	ranking	String	N	20	
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- sel_bid	ask price	String	N	20	Unit: Won, number included in asking price

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- buy_bid	bid price	String	N	20	Unit: Won, number included in asking price
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- netprps_qty	Net buy volume	String	N	20	Unit: 1 week, number including sub-asking price
Body	- gain_pos_stkcnt		String	N	20	Unit: 1 week

Request Example


```
{
    "mrkt_tp": "001",
    "trde_tp": "2",
    "dt": "0",
    "stex_tp": "1"
}
```


Response Example


```
{
    "for_dt_trde_upper": [
        {
            "rank": "1",
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "+74800",
            "pred_pre_sig": "1",
            "pred_pre": "+17200",
            "sel_bid": "0",
            "buy_bid": "+74800",
            "trde_qty": "435771",
            "netprps_qty": "+290232191",
            "gain_pos_stkcnt": "2548278006"
        },
        {
            "rank": "2",
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "-183500",
            "pred_pre_sig": "5",
            "pred_pre": "-900",
            "sel_bid": "+184900",
            "buy_bid": "0",
            "trde_qty": "135",
            "netprps_qty": "+167189864",
            "gain_pos_stkcnt": "0"
        },
        {
            "rank": "3",
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "4115",
            "pred_pre_sig": "3",
            "pred_pre": "0",
            "sel_bid": "0",
            "buy_bid": "0",
            "trde_qty": "0",
            "netprps_qty": "+59255646",
            "gain_pos_stkcnt": "430439234"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > ranking information > external consultivenet tradingtoprequest(ka10035)
API name	foreignconsecutivenet tradingtoprequest
API ID	ka10035
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/rkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

Foreign investor consecutive net trading top Inquiry for information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	mrkt_tp	marketcategory	String	Y	3	000:All, 001:KOSPI, 101:KOSDAQ
Body	trde_tp	Salescategory	String	Y	1	1:consecutive sell, 2:consecutive buy
Body	base_dt_tp	Base datecategory	String	Y	1	0:based on today, 1:based on previous day
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT, 3:Integrated

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	for_cont_nettrde_upper	foreignconsecutivenet tradingtop	LIST	N		
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- dm1	D-1	String	N	20	Unit: 1 week, number including sub-asking price
Body	- dm2	D-2	String	N	20	Unit: 1 week, number including sub-asking price

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- dm3	D-3	String	N	20	Unit: 1 week, number including sub-asking price
Body	- tot	total	String	N	20	Unit: 1 week, number including sub-asking price
Body	- limit_exh_rt	limit exhaustion rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- pred_pre_1	change from previous day1	String	N	20	
Body	- pred_pre_2	change from previous day2	String	N	20	
Body	- pred_pre_3	change from previous day3	String	N	20	

Request Example


```
{
    "mrkt_tp": "000",
    "trde_tp": "2",
    "base_dt_tp": "1",
    "stex_tp": "1"
}
```


Response Example


```
{
    "for_cont_nettrde_upper": [
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "10200",
            "pred_pre_sig": "3",
            "pred_pre": "0",
            "dm1": "+33928250",
            "dm2": "+234840",
            "dm3": "+233891",
            "tot": "+34396981",
            "limit_exh_rt": "+71.53",
            "pred_pre_1": "",
            "pred_pre_2": "",
            "pred_pre_3": ""
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "-8540",
            "pred_pre_sig": "5",
            "pred_pre": "-140",
            "dm1": "+4033818",
            "dm2": "+12474308",
            "dm3": "+13173262",
            "tot": "+29681388",
            "limit_exh_rt": "+0.10",
            "pred_pre_1": "",
            "pred_pre_2": "",
            "pred_pre_3": ""
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "23000",
            "pred_pre_sig": "3",
            "pred_pre": "0",
            "dm1": "+24595310",
            "dm2": "+247863",
            "dm3": "+247188",
            "tot": "+25090361",
            "limit_exh_rt": "+38.85",
            "pred_pre_1": "",
            "pred_pre_2": "",
            "pred_pre_3": ""
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "195800",
            "pred_pre_sig": "3",
```

Response Example


```
"pred_pre": "0",
            "dm1": "+21220444",
            "dm2": "+213984",
            "dm3": "+104034",
            "tot": "+21538462",
            "limit_exh_rt": "+54.76",
            "pred_pre_1": "",
            "pred_pre_2": "",
            "pred_pre_3": ""
        }
    ],
    "return_code": 0,
    "return_msg": "Processed successfully"
}
```

API information	
menu location	domestic stock > ranking information > external limit exhaustion rate increasetop(ka10036)
API name	External limit exhaustion rate increases top
API ID	ka10036
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/rkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	
Foreign investor limit exhaustion rate increases top Inquiry for information.	

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	mrkt_tp	marketcategory	String	Y	3	000:All, 001:KOSPI, 101:KOSDAQ
Body	dt	period	String	Y	2	0:today, 1:previous day, 5:5 days, 10;10 days, 20:20 days, 60:60 days
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT, 3:Integrated

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	for_limit_exh_rt_incrs_upper	Increased external limit exhaustion rate top	LIST	N		
Body	- rank	ranking	String	N	20	
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- poss_stkcnt	Number of shares held	String	N	20	Unit: 1 week

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- gain_pos_stkcnt		String	N	20	Unit: 1 week
Body	- base_limit_exh_rt	Standardlimit exhaustion rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- limit_exh_rt	limit exhaustion rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- exh_rt_incrs	Increased burnout rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign

Request Example


```
{
    "mrkt_tp": "000",
    "dt": "1",
    "stex_tp": "1"
}
```


Response Example


```
{
    "for_limit_exh_rt_incrs_upper": [
        {
            "rank": "1",
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "14255",
            "pred_pre_sig": "3",
            "pred_pre": "0",
            "trde_qty": "0",
            "poss_stkcnt": "0",
            "gain_pos_stkcnt": "600000",
            "base_limit_exh_rt": "-283.33",
            "limit_exh_rt": "0.00",
            "exh_rt_incrs": "+283.33"
        },
        {
            "rank": "2",
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "1590",
            "pred_pre_sig": "3",
            "pred_pre": "0",
            "trde_qty": "0",
            "poss_stkcnt": "519785",
            "gain_pos_stkcnt": "31404714",
            "base_limit_exh_rt": "-101.25",
            "limit_exh_rt": "+1.63",
            "exh_rt_incrs": "+102.87"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > ranking information > foreign counter trading toprequest(ka10037)
API name	Foreign counter tradingtoprequest
API ID	ka10037

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/rkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about foreign investor counter sales top information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	mrkt_tp	marketcategory	String	Y	3	000:All, 001:KOSPI, 101:KOSDAQ
Body	dt	period	String	Y	2	0:today, 1:previous day, 5:5 days, 10;10 days, 20:20 days, 60:60 days
Body	trde_tp	Salescategory	String	Y	1	1: net buy, 2: net sell, 3: buy, 4: sell
Body	sort_tp	Sortcategory	String	Y	1	1:Amount, 2:Quantity
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT, 3:Integrated

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	frgn_wicket_trde_upper	Foreign counter trading top	LIST	N		
Body	- rank	ranking	String	N	20	
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- sel_trde_qty	selltrading volume	String	N	20	Unit: 1 week, number including sub-asking price
Body	- buy_trde_qty	buytrading volume	String	N	20	Unit: 1 week, number including sub-asking price
Body	- netprps_trde_qty	net buytrading volume	String	N	20	Unit: 1 week, number including sub-asking price
Body	- netprps_prica	Net purchase amount	String	N	20	Unit: million won
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- trde_prica	trading amount	String	N	20	Unit: million won

Request Example

```
{
    "mrkt_tp": "000",
    "dt": "0",
    "trde_tp": "1",
    "sort_tp": "2",
    "stex_tp": "1"
}
```

Response Example


```
{
    "frgn_wicket_trde_upper": [
        {
            "rank": "1",
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "69",
            "pred_pre_sig": "3",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "sel_trde_qty": "-0",
            "buy_trde_qty": "+0",
            "netprps_trde_qty": "0",
            "netprps_prica": "0",
            "trde_qty": "0",
            "trde_prica": "0"
        },
        {
            "rank": "2",
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "316",
            "pred_pre_sig": "3",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "sel_trde_qty": "-0",
            "buy_trde_qty": "+0",
            "netprps_trde_qty": "0",
            "netprps_prica": "0",
            "trde_qty": "0",
            "trde_prica": "0"
        },
        {
            "rank": "3",
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "675",
            "pred_pre_sig": "3",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "sel_trde_qty": "-0",
            "buy_trde_qty": "+0",
            "netprps_trde_qty": "0",
            "netprps_prica": "0",
            "trde_qty": "0",
            "trde_prica": "0"
        }
    ],
    "return_code": 0,
```

Response Example
"return_msg": "Processed successfully" }

API information	
menu location	domestic stock > ranking information > stock by stock ranking request(ka10038)
API name	stock star securities company rankingrequest
API ID	ka10038

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/rkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

We inquire about securities company trading ranking information by stock.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	6	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	strt_dt	start date	String	N	8	YYYYMMDD (4-digit year, 2-digit month, 2-digit day format)
Body	end_dt	end date character	String	N	8	YYYYMMDD (4-digit year, 2-digit month, 2-digit day format)
Body	qry_tp	inquirycategory	String	Y	1	1: Sort by sellranking, 2: Sort by buyranking
Body	dt	period	String	N	2	1:previous day, 4:5 days, 9:10 days, 19:20 days, 39:40 days, 59:60 days, 119:120 days ? If you want to make an inquiry using start date and end date, the period(dt) value is Set to empty value (")

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	rank_1		String	N	20	Unit: 1 week, number including sub-asking price
Body	rank_2		String	N	20	Unit: 1 week, number including sub-asking price
Body	rank_3		String	N	20	Unit: 1 week, number including sub-asking price
Body	prid_trde_qty	trading volume during period	String	N	20	Unit: 1 week

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	stk_sec_rank	Stock company ranking	LIST	N		
Body	- rank	ranking	String	N	20	
Body	- mmcm_nm	Member company name	String	N	20	
Body	- buy_qty	buyquantity	String	N	20	Unit: 1 week, number including sub-asking price
Body	- sell_qty	sellquantity	String	N	20	Unit: 1 week, number including sub-asking price
Body	- acc_netprps_qty	Cumulative net purchase quantity	String	N	20	Unit: 1 week, number including sub-asking price

Request Example

```
{
    "stk_cd": "005930",
    "strt_dt": "20241106",
    "end_dt": "20241107",
    "qry_tp": "2",
    "dt": "1"
}
```

Response Example

```
{
    "rank_1": "+34881",
    "rank_2": "-13253",
    "rank_3": "+21628",
    "prid_trde_qty": "43",
    "stk_sec_rank": [
        {
            "rank": "1",
            "mmcm_nm": "키움증권",
            "buy_qty": "+9800",
            "sell_qty": "-2813",
            "acc_netprps_qty": "+6987"
        },
        {
            "rank": "2",
            "mmcm_nm": "키움증권",
            "buy_qty": "+3459",
            "sell_qty": "-117",
            "acc_netprps_qty": "+3342"
        },
        {
            "rank": "3",
            "mmcm_nm": "키움증권",
            "buy_qty": "+3321",
            "sell_qty": "-125",
            "acc_netprps_qty": "+3196"
        },
        {
            "rank": "4",
            "mmcm_nm": "키움증권",
            "buy_qty": "+3941",
            "sell_qty": "-985",
            "acc_netprps_qty": "+2956"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > ranking information > Separate trading by securities company toprequest(ka10039)
API name	Separate securities trading toprequest
API ID	ka10039
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/rkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

Inquiry for top trading information by securities company.

Request						
category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	mmcm_cd	Member company code	String	Y	3	Member company code is ka10102 inquiry
Body	trde_qty_tp	trading volumecategory	String	Y	4	0:Total, 5:5000 shares, 10:10,000 shares, 50:50,000 shares, 100:100,000 shares, 500: 500,000 shares, 1000: 1 million shares
Body	trde_tp	Salescategory	String	Y	2	1: net buy, 2: net sell
Body	dt	period	String	Y	2	0:today, 1:previous day, 5:5 days, 10:10 days, 60:60 days
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT 3.Integration

Response						
category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	sec_trde_upper	Trading by securities company top	LIST	N		
Body	- rank	ranking	String	N	20	
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- prid_stkpc_flu		String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- prid_trde_qty	trading volume during period	String	N	20	Unit: 1 week

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- netprps	net buy	String	N	20	Unit: 1 week, number including sub-asking price
Body	- buy_trde_qty	buytrading volume	String	N	20	Unit: 1 week, number including sub-asking price
Body	- sel_trde_qty	selltrading volume	String	N	20	Unit: 1 week, number including sub-asking price
Body	- netprps_amt	Net purchase amount	String	N	20	Unit: 1,000 won, number included in asking price
Body	- buy_amt	buy amount	String	N	20	Unit: 1,000 won, number included in asking price
Body	- sell_amt	sell amount	String	N	20	Unit: 1,000 won, number included in asking price

Request Example

```
{
    "mmcm_cd": "001",
    "trde_qty_tp": "0",
    "trde_tp": "1",
    "dt": "1",
    "stex_tp": "3"
}
```

Response Example

```
{
    "sec_trde_upper": [
        {
            "rank": "1",
            "stk_cd": "219550_AL",
            "stk_nm": "디와이디",
            "prid_stkpc_flu": "+9",
            "flu_rt": "+3.52",
            "prid_trde_qty": "17608995",
            "netprps": "+406895",
            "buy_trde_qty": "+427268",
            "sel_trde_qty": "-20373",
            "netprps_amt": "+119706",
            "buy_amt": "+125569",
            "sell_amt": "-5863"
        },
        {
            "rank": "2",
            "stk_cd": "317120_AL",
            "stk_nm": "라닉스",
            "prid_stkpc_flu": "+467",
            "flu_rt": "+29.78",
            "prid_trde_qty": "2130125",
            "netprps": "+202658",
            "buy_trde_qty": "+212678",
            "sel_trde_qty": "-10020",
            "netprps_amt": "+409949",
            "buy_amt": "+430339",
            "sell_amt": "-20391"
        },
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > ranking information > today's major trading center request(ka10040)
API name	Today's Major DealerRequest
API ID	ka10040

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/rkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Today we are inquiring about major trading partners.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	6	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	sel_trde_ori_irds_1		String	N		Unit: 1 week, number including sub-asking price
Body	sel_trde_ori_qty_1	sellTraderQuantity1	String	N		Unit: 1 week, number including sub-asking price
Body	sel_trde_ori_1	sell trader1	String	N		
Body	sel_trde_ori_cd_1	sell trader code 1	String	N		
Body	buy_trde_ori_1	BuyDealer 1	String	N		
Body	buy_trde_ori_cd_1	buy trader code 1	String	N		
Body	buy_trde_ori_qty_1	buyTraderQuantity1	String	N		Unit: 1 week, number including sub-asking price
Body	buy_trde_ori_irds_1		String	N		Unit: 1 week, number including sub-asking price
Body	sel_trde_ori_irds_2		String	N		Unit: 1 week, number including sub-asking price
Body	sel_trde_ori_qty_2	sellTrader Quantity 2	String	N		Unit: 1 week, number including sub-asking price
Body	sel_trde_ori_2	sell trader 2	String	N		

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	sel_trde_ori_cd_2	sell trader code 2	String	N		
Body	buy_trde_ori_2	BuyDealer 2	String	N		
Body	buy_trde_ori_cd_2	buy trader code 2	String	N		
Body	buy_trde_ori_qty_2	buyTrader Quantity 2	String	N		Unit: 1 week, number including sub-asking price
Body	buy_trde_ori_irds_2		String	N		Unit: 1 week, number including sub-asking price
Body	sel_trde_ori_irds_3		String	N		Unit: 1 week, number including sub-asking price
Body	sel_trde_ori_qty_3	sellTraderQuantity3	String	N		Unit: 1 week, number including sub-asking price
Body	sel_trde_ori_3	sell trader 3	String	N		
Body	sel_trde_ori_cd_3	sell trader code 3	String	N		
Body	buy_trde_ori_3	BuyDealer 3	String	N		
Body	buy_trde_ori_cd_3	buy trader code 3	String	N		
Body	buy_trde_ori_qty_3	buyTrader Quantity 3	String	N		Unit: 1 week, number including sub-asking price
Body	buy_trde_ori_irds_3		String	N		Unit: 1 week, number including sub-asking price
Body	sel_trde_ori_irds_4		String	N		Unit: 1 week, number including sub-asking price
Body	sel_trde_ori_qty_4	sellTrader Quantity 4	String	N		Unit: 1 week, number including sub-asking price
Body	sel_trde_ori_4	sell trader 4	String	N		
Body	sel_trde_ori_cd_4	sell trader code 4	String	N		
Body	buy_trde_ori_4	BuyDealer 4	String	N		
Body	buy_trde_ori_cd_4	buy trader code 4	String	N		
Body	buy_trde_ori_qty_4	buyTrader Quantity 4	String	N		Unit: 1 week, number including sub-asking price
Body	buy_trde_ori_irds_4		String	N		Unit: 1 week, number including sub-asking price
Body	sel_trde_ori_irds_5		String	N		Unit: 1 week, number including sub-asking price
Body	sel_trde_ori_qty_5	sellTraderQuantity5	String	N		Unit: 1 week, number including sub-asking price
Body	sel_trde_ori_5	sell trader 5	String	N		
Body	sel_trde_ori_cd_5	sell trader code 5	String	N		
Body	buy_trde_ori_5	BuyDealer 5	String	N		
Body	buy_trde_ori_cd_5	buy trader code 5	String	N		
Body	buy_trde_ori_qty_5	BuyTraderQuantity5	String	N		Unit: 1 week, number including sub-asking price
Body	buy_trde_ori_irds_5		String	N		Unit: 1 week, number including sub-asking price
Body	frgn_sel_prsm_sum_chang	Foreign sales estimate merger Dong	String	N		Unit: 1 week, number including sub-asking price
Body	frgn_sel_prsm_sum	Estimates of foreign sales	String	N		Unit: 1 week, number including sub-asking price
Body	frgn_buy_prsm_sum	Foreign purchase estimate	String	N		Unit: 1 week, number including sub-asking price
Body	frgn_buy_prsm_sum_chang	Foreign purchase estimate joint venture Dong	String	N		Unit: 1 week, number including sub-asking price
Body	tdy_main_trde_ori	todayMajor traders	LIST	N		
Body	- sel_scesn_tm	sell departure time	String	N	20	
Body	- sell_qty	sellquantity	String	N	20	

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- sel_upper_scesn_ori	selltop Italwon	String	N	20	
Body	- buy_scesn_tm	buy breakaway time	String	N	20	
Body	- buy_qty	buyquantity	String	N	20	
Body	- buy_upper_scesn_ori	buytop italwon	String	N	20	
Body	- qry_dt	inquirydate	String	N	20	
Body	- qry_tm	inquirytime	String	N	20	

Request Example


```
{
    "stk_cd": "005930"
}
```


Response Example


```
{
    "sel_trde_ori_irds_1": "0",
    "sel_trde_ori_qty_1": "-5689",
    "sel_trde_ori_1": "모건스탠리",
    "sel_trde_ori_cd_1": "036",
    "buy_trde_ori_1": "모건스탠리",
    "buy_trde_ori_cd_1": "036",
    "buy_trde_ori_qty_1": "+6305",
    "buy_trde_ori_irds_1": "+615",
    "sel_trde_ori_irds_2": "+615",
    "sel_trde_ori_qty_2": "-615",
    "sel_trde_ori_2": "신  영",
    "sel_trde_ori_cd_2": "006",
    "buy_trde_ori_2": "키움증권",
    "buy_trde_ori_cd_2": "050",
    "buy_trde_ori_qty_2": "+7",
    "buy_trde_ori_irds_2": "0",
    "sel_trde_ori_irds_3": "0",
    "sel_trde_ori_qty_3": "-8",
    "sel_trde_ori_3": "키움증권",
    "sel_trde_ori_cd_3": "050",
    "buy_trde_ori_3": "",
    "buy_trde_ori_cd_3": "000",
    "buy_trde_ori_qty_3": "0",
    "buy_trde_ori_irds_3": "0",
    "sel_trde_ori_irds_4": "0",
    "sel_trde_ori_qty_4": "0",
    "sel_trde_ori_4": "",
    "sel_trde_ori_cd_4": "000",
    "buy_trde_ori_4": "",
    "buy_trde_ori_cd_4": "000",
    "buy_trde_ori_qty_4": "0",
    "buy_trde_ori_irds_4": "0",
    "sel_trde_ori_irds_5": "0",
    "sel_trde_ori_qty_5": "0",
    "sel_trde_ori_5": "",
    "sel_trde_ori_cd_5": "000",
    "buy_trde_ori_5": "",
    "buy_trde_ori_cd_5": "000",
    "buy_trde_ori_qty_5": "0",
    "buy_trde_ori_irds_5": "0",
    "frgn_sel_prsm_sum_chang": "0",
    "frgn_sel_prsm_sum": "-5689",
    "frgn_buy_prsm_sum": "+6305",
    "frgn_buy_prsm_sum_chang": "+615",
    "tdy_main_trde_ori": [],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > ranking information > netbuyerrankingrequest(ka10042)
API name	netbuytraderrankingrequest
API ID	ka10042
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/rkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	
We inquire about net buyer ranking information.	

Request						
category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	6	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	strt_dt	start date	String	N	8	YYYYMMDD (4-digit year, 2-digit month, 2-digit day format)
Body	end_dt	end date character	String	N	8	YYYYMMDD (4-digit year, 2-digit month, 2-digit day format)
Body	qry_dt_tp	inquiryperiodcategory	String	Y	1	Inquiry with 0:period, inquiry with 1:start date, end date
Body	pot_tp	point of viewcategory	String	Y	1	0:today, 1:previous day
Body	dt	period	String	N	4	5:5 days, 10:10 days, 20:20 days, 40:40 days, 60:60 days, 120:120 days
Body	sort_base	Sort by	String	Y	1	1: Closing price order, 2: Date order

Response						
category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	netprps_trde_ori_rank	netbuy trader ranking	LIST	N		
Body	- rank	ranking	String	N	20	
Body	- mmcm_cd	Member company code	String	N	20	

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- mmcm_nm	Member company name	String	N	20	

Request Example


```
{
    "stk_cd": "005930",
    "strt_dt": "20241031",
    "end_dt": "20241107",
    "qry_dt_tp": "0",
    "pot_tp": "0",
    "dt": "5",
    "sort_base": "1"
}
```


Response Example


```
{
    "netprps_trde_ori_rank": [
        {
            "rank": "1",
            "mmcm_cd": "36",
            "mmcm_nm": "키움증권"
        },
        {
            "rank": "2",
            "mmcm_cd": "50",
            "mmcm_nm": "키움증권"
        },
        {
            "rank": "3",
            "mmcm_cd": "45",
            "mmcm_nm": "키움증권"
        },
        {
            "rank": "4",
            "mmcm_cd": "6",
            "mmcm_nm": "키움증권"
        },
        {
            "rank": "5",
            "mmcm_cd": "64",
            "mmcm_nm": "키움증권"
        },
        {
            "rank": "6",
            "mmcm_cd": "31",
            "mmcm_nm": "키움증권"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > stock information > transaction price analysis request(ka10043)
API name	Trader listing analysis request
API ID	ka10043

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/stkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about the sales price analysis information of the dealer.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	20	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	strt_dt	start date	String	Y	8	YYYYMMDD
Body	end_dt	end date character	String	Y	8	YYYYMMDD
Body	qry_dt_tp	inquiryperiodcategory	String	Y	1	Inquiry with 0:period, inquiry with 1:start date, end date
Body	pot_tp	point of viewcategory	String	Y	1	0:today, 1:previous day
Body	dt	period	String	Y	4	5:5 days, 10:10 days, 20:20 days, 40:40 days, 60:60 days, 120:120 days
Body	sort_base	Sort by	String	Y	1	1: Closing price order, 2: Date order
Body	mmcm_cd	Member company code	String	Y	3	Member company code is ka10102 inquiry
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT 3.Integration

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	trde_ori_prps_anly	Transaction source price analysis	LIST	N		
Body	- dt	date	String	N	20	YYYYMMDD
Body	- close_pric	closing price	String	N	20	Unit: Won

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- sel_qty	sell quantity	String	N	20	Unit: 1 week
Body	- buy_qty	buy amount	String	N	20	Unit: 1 week
Body	- netprps_qty	Net buy quantity	String	N	20	Unit: 1 week
Body	- trde_qty_sum	trading volume sum	String	N	20	Unit: 1 week
Body	- trde_wght	Transaction weight	String	N	20	Units: %, percentage formatted to 2 decimal places with sign

Request Example


```
{
    "stk_cd": "005930",
    "strt_dt": "20241031",
    "end_dt": "20241107",
    "qry_dt_tp": "0",
    "pot_tp": "0",
    "dt": "5",
    "sort_base": "1",
    "mmcm_cd": "36",
    "stex_tp": "3"
}
```


Response Example


```
{
    "trde_ori_prps_anly": [
        {
            "dt": "20241105",
            "close_pric": "135300",
            "pre_sig": "2",
            "pred_pre": "+1700",
            "sel_qty": "43",
            "buy_qty": "1090",
            "netprps_qty": "1047",
            "trde_qty_sum": "1133",
            "trde_wght": "+1317.44"
        },
        {
            "dt": "20241107",
            "close_pric": "133600",
            "pre_sig": "3",
            "pred_pre": "0",
            "sel_qty": "0",
            "buy_qty": "0",
            "netprps_qty": "0",
            "trde_qty_sum": "0",
            "trde_wght": "0.00"
        },
        {
            "dt": "20241106",
            "close_pric": "132500",
            "pre_sig": "5",
            "pred_pre": "--1100",
            "sel_qty": "117",
            "buy_qty": "3459",
            "netprps_qty": "3342",
            "trde_qty_sum": "3576",
            "trde_wght": "+4158.14"
        },
        {
            "dt": "20241101",
            "close_pric": "65100",
            "pre_sig": "5",
            "pred_pre": "--68500",
            "sel_qty": "3728",
            "buy_qty": "12680",
            "netprps_qty": "8952",
            "trde_qty_sum": "16408",
            "trde_wght": "+19079.07"
```

Response Example


```
}
    ],
    "return_code": 0,
    "return_msg": "Processed successfully"
}
```

API information	
menu location	domestic stock > market price > daily institutional sale stockrequest(ka10044)
API name	daily institutional sales stockrequest
API ID	ka10044

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/mrkcond
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about daily institutional trading stock information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	strt_dt	start date	String	Y	8	YYYYMMDD
Body	end_dt	end date character	String	Y	8	YYYYMMDD
Body	trde_tp	Salescategory	String	Y	1	1: net sell, 2: net buy
Body	mrkt_tp	marketcategory	String	Y	3	001:KOSPI, 101:KOSDAQ
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT 3.Integration

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	daly_orgn_trde_stk	Daily institutional sales stock	LIST	N		
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- netprps_qty	Net buy quantity	String	N	20	Unit: 100 shares
Body	- netprps_amt	Net purchase amount	String	N	20	Unit: million won

Request Example

```
{
    "strt_dt": "20241106",
```

Request Example

```
    "end_dt": "20241107",
    "trde_tp": "1",
    "mrkt_tp": "001",
    "stex_tp": "3"
}
```

Response Example

```
{
    "daly_orgn_trde_stk": [
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "netprps_qty": "-0",
            "netprps_amt": "-1",
            "prsm_avg_pric": "140000",
            "cur_prc": "-95100",
            "avg_pric_pre": "--44900",
            "pre_rt": "-32.07"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "netprps_qty": "-0",
            "netprps_amt": "-0",
            "prsm_avg_pric": "12000",
            "cur_prc": "9920",
            "avg_pric_pre": "--2080",
            "pre_rt": "-17.33"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > market price > institutional trading trend by stock request(ka10045)
API name	Institutional trading trend by stock request
API ID	ka10045

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/mrkcond
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about institutional trading trend information by stock.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	20	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	strt_dt	start date	String	Y	8	YYYYMMDD
Body	end_dt	end date character	String	Y	8	YYYYMMDD
Body	orgn_prsm_unp_tp		String	Y	1	1:buy unit price, 2:sell unit price
Body	for_prsm_unp_tp		String	Y	1	1:buy unit price, 2:sell unit price

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	orgn_prsm_avg_pric		String	N		Unit: Won
Body	for_prsm_avg_pric	External estimated average price	String	N		Unit: Won
Body	stk_orgn_trde_trnsn	Institutional trading trend by stock	LIST	N		
Body	- dt	date	String	N	20	YYYYMMDD
Body	- close_pric	closing price	String	N	20	Unit: Won, number included in asking price
Body	- pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- orgn_dt_acc	institutionalperiodcumulative	String	N	20	
Body	- orgn_daly_nettrde_qty	institutional daily net trading quantity	String	N	20	Unit: 1 week
Body	- for_dt_acc	Foreign period accumulation	String	N	20	
Body	- for_daly_nettrde_qty	Foreign daily net trading quantity	String	N	20	Unit: 1 week
Body	- limit_exh_rt	limit exhaustion rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign

Request Example

```
{
    "stk_cd": "005930",
    "strt_dt": "20241007",
    "end_dt": "20241107",
    "orgn_prsm_unp_tp": "1",
    "for_prsm_unp_tp": "1"
}
```

Response Example

```
{
    "orgn_prsm_avg_pric": "117052",
    "for_prsm_avg_pric": "0",
    "stk_orgn_trde_trnsn": [
        {
            "dt": "20241107",
            "close_pric": "133600",
            "pre_sig": "0",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "trde_qty": "0",
            "orgn_dt_acc": "158",
            "orgn_daly_nettrde_qty": "0",
            "for_dt_acc": "28315",
            "for_daly_nettrde_qty": "0",
            "limit_exh_rt": "+26.14"
        },
        {
            "dt": "20241106",
            "close_pric": "-132500",
            "pre_sig": "5",
            "pred_pre": "-600",
            "flu_rt": "-0.45",
            "trde_qty": "43",
            "orgn_dt_acc": "158",
            "orgn_daly_nettrde_qty": "0",
            "for_dt_acc": "28315",
            "for_daly_nettrde_qty": "11243",
            "limit_exh_rt": "+26.14"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > market price > execution intensity trend request by time(ka10046)
API name	Execution intensity trend by time request
API ID	ka10046
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/mrkcond
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

Inquire about information on execution intensity trends by time.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	6	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	cntr_str_tm	By execution intensity time	LIST	N		
Body	- cntr_tm	execution time	String	N	20	HHmmss
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- acc_trde_prica	cumulative trading amount	String	N	20	Unit: million won
Body	- acc_trde_qty	cumulative volume	String	N	20	Unit: 1 week
Body	- cntr_str	execution intensity	String	N	20	Units: %, percentage formatted to two decimal places.
Body	- cntr_str_5min	execution intensity 5 minutes	String	N	20	Units: %, percentage formatted to two decimal places.

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- cntr_str_20min	execution intensity: 20 minutes	String	N	20	Units: %, percentage formatted to two decimal places.
Body	- cntr_str_60min	execution intensity: 60 minutes	String	N	20	Units: %, percentage formatted to two decimal places.
Body	- stex_tp	Exchange category	String	N	20	

Request Example

```
{
    "stk_cd": "005930"
}
```

Response Example


```
{
    "cntr_str_tm": [
        {
            "cntr_tm": "163713",
            "cur_prc": "+156600",
            "pred_pre": "+34900",
            "pred_pre_sig": "2",
            "flu_rt": "+28.68",
            "trde_qty": "-1",
            "acc_trde_prica": "14449",
            "acc_trde_qty": "113636",
            "cntr_str": "172.01",
            "cntr_str_5min": "172.01",
            "cntr_str_20min": "172.01",
            "cntr_str_60min": "170.67",
            "stex_tp": "KRX"
        },
        {
            "cntr_tm": "163500",
            "cur_prc": "+156600",
            "pred_pre": "+34900",
            "pred_pre_sig": "2",
            "flu_rt": "+28.68",
            "trde_qty": "2",
            "acc_trde_prica": "14449",
            "acc_trde_qty": "113635",
            "cntr_str": "172.01",
            "cntr_str_5min": "172.01",
            "cntr_str_20min": "172.01",
            "cntr_str_60min": "170.62",
            "stex_tp": "KRX"
        },
        {
            "cntr_tm": "163016",
            "cur_prc": "+156600",
            "pred_pre": "+34900",
            "pred_pre_sig": "2",
            "flu_rt": "+28.68",
            "trde_qty": "823",
            "acc_trde_prica": "14449",
            "acc_trde_qty": "113633",
            "cntr_str": "172.01",
            "cntr_str_5min": "172.01",
            "cntr_str_20min": "171.02",
            "cntr_str_60min": "170.70",
            "stex_tp": "KRX"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > market price > execution intensity trend daily request(ka10047)
API name	execution intensity trend daily request
API ID	ka10047
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/mrkcond
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	
Inquire about daily execution intensity trends.	

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	6	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	cntr_str_daly	executionstrengthdaily	LIST	N		
Body	- dt	date	String	N	20	YYYYMMDD
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- acc_trde_prica	cumulative trading amount	String	N	20	Unit: million won
Body	- acc_trde_qty	cumulative volume	String	N	20	Unit: 1 week
Body	- cntr_str	execution intensity	String	N	20	Units: %, percentage formatted to two decimal places.
Body	- cntr_str_5min	execution intensity 5 days	String	N	20	Units: %, percentage formatted to two decimal places.

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- cntr_str_20min	execution intensity 20 days	String	N	20	Units: %, percentage formatted to two decimal places.
Body	- cntr_str_60min	execution intensity 60 days	String	N	20	Units: %, percentage formatted to two decimal places.

Request Example

```
{
    "stk_cd": "005930"
}
```

Response Example

```
{
    "cntr_str_daly": [
        {
            "dt": "20241128",
            "cur_prc": "+219000",
            "pred_pre": "+14000",
            "pred_pre_sig": "2",
            "flu_rt": "+6.83",
            "trde_qty": "",
            "acc_trde_prica": "2",
            "acc_trde_qty": "8",
            "cntr_str": "0.00",
            "cntr_str_5min": "201.54",
            "cntr_str_20min": "139.37",
            "cntr_str_60min": "172.06"
        },
        {
            "dt": "20241127",
            "cur_prc": "+205000",
            "pred_pre": "+40300",
            "pred_pre_sig": "2",
            "flu_rt": "+24.47",
            "trde_qty": "",
            "acc_trde_prica": "9",
            "acc_trde_qty": "58",
            "cntr_str": "0.00",
            "cntr_str_5min": "209.54",
            "cntr_str_20min": "139.37",
            "cntr_str_60min": "180.40"
        },
        {
            "dt": "20241126",
            "cur_prc": "+164700",
            "pred_pre": "+38000",
            "pred_pre_sig": "1",
            "flu_rt": "+29.99",
            "trde_qty": "",
            "acc_trde_prica": "2",
            "acc_trde_qty": "15",
            "cntr_str": "7.69",
            "cntr_str_5min": "309.54",
            "cntr_str_20min": "164.37",
            "cntr_str_60min": "188.73"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > ELW > ELW daily sensitivity indicator request(ka10048)
API name	ELW daily sensitivity indicator request
API ID	ka10048
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/elw
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	
Inquire about ELW daily sensitivity indicator information.	

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	6	

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	elwdaly_snst_ix	ELW daily sensitivity indicator	LIST	N		
Body	- dt	date	String	N	20	
Body	- iv	IV	String	N	20	Provided as 100 times the decimal point removed Example) ?2658? means 26.58.
Body	- delta	delta	String	N	20	Provided as value with decimal point removed Example) The value ?590470? means 0.590470.
Body	- gam	gamma	String	N	20	Provided as value with decimal point removed Example) The value ?167? means 0.000167.
Body	- theta	theta	String	N	20	Provided as value with decimal point removed Example) The value "-991554" means -0.991554.
Body	- vega	Vega	String	N	20	Provided as value with decimal point removed

Response						
category	Element	Korean name	Type	Require d	Length	Description
						Example) The value "-991554" means -0.991554.
Body	- law	as	String	N	20	Provided as value with decimal point removed Example) The value ?76850? means 0.076850.
Body	- lp	LP	String	N	20	Provided as 100 times the decimal point removed Example) The value ?6197? means 61.87.

Request Example


```
{
    "stk_cd": "57JBHH"
}
```


Response Example


```
{
    "elwdaly_snst_ix": [
        {
            "dt": "000000",
            "iv": "1901",
            "delta": "126664",
            "gam": "5436",
            "theta": "-5271886",
            "vega": "41752995",
            "law": "13982453",
            "lp": "0"
        },
        {
            "dt": "000000",
            "iv": "1901",
            "delta": "126664",
            "gam": "5436",
            "theta": "-5271886",
            "vega": "41752995",
            "law": "13982453",
            "lp": "0"
        },
        {
            "dt": "000000",
            "iv": "1901",
            "delta": "126664",
            "gam": "5436",
            "theta": "-5271886",
            "vega": "41752995",
            "law": "13982453",
            "lp": "0"
        },
        {
            "dt": "000000",
            "iv": "1901",
            "delta": "126664",
            "gam": "5436",
            "theta": "-5271886",
            "vega": "41752995",
            "law": "13982453",
            "lp": "0"
        },
        {
            "dt": "000000",
            "iv": "1901",
            "delta": "126664",
            "gam": "5436",
            "theta": "-5271886",
            "vega": "41752995",
            "law": "13982453",
            "lp": "0"
        },
        {
            "dt": "000000",
            "iv": "1901",
            "delta": "126664",
            "gam": "5436",
            "theta": "-5271886",
```

Response Example


```
"vega": "41752995",
            "law": "13982453",
            "lp": "0"
        },
        {
            "dt": "000000",
            "iv": "1901",
            "delta": "126664",
            "gam": "5436",
            "theta": "-5271886",
            "vega": "41752995",
            "law": "13982453",
            "lp": "0"
        }
    ],
    "return_code": 0,
    "return_msg": "Processed successfully"
}
```

API information	
menu location	domestic stock > ELW > ELW sensitivity indicator request(ka10050)
API name	ELW sensitivity indicator request
API ID	ka10050
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/elw
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	6	

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	elwsnst_ix_array	ELW sensitivity indicator array	LIST	N		
Body	- cntr_tm	execution time	String	N	20	HHmmss
Body	- cur_prc	current price	String	N	20	Unit: Won
Body	- elwtheory_pric	ELW theorist	String	N	20	Provided as 100 times the decimal point removed Example) The value ?2658? means 26.58.
Body	- iv	IV	String	N	20	Provided as 100 times the decimal point removed Example) The value ?2658? means 26.58.
Body	- delta	delta	String	N	20	Provided as value with decimal point removed Example) The value ?590470? means 0.590470.
Body	- gam	gamma	String	N	20	Provided as value with decimal point removed Example) The value "163" means 0.000163.

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- theta	theta	String	N	20	Provided as value with decimal point removed Example) The value "-1057402" means -1.057402.
Body	- vega	Vega	String	N	20	Provided as value with decimal point removed Example) The value "290965" means 0.290965.
Body	- law	as	String	N	20	Provided as value with decimal point removed Example) The value "73629" means 0.073629.
Body	- lp	LP	String	N	20	Provided as 100 times the decimal point removed Example) The value ?2658? means 26.58.

Request Example


```
{
    "stk_cd": "57JBHH"
}
```


Response Example


```
{
    "elwsnst_ix_array": [
        {
            "cntr_tm": "095820",
            "cur_prc": "5",
            "elwtheory_pric": "4",
            "iv": "3336",
            "delta": "7128",
            "gam": "904",
            "theta": "-2026231",
            "vega": "1299294",
            "law": "95218",
            "lp": "0"
        },
        {
            "cntr_tm": "095730",
            "cur_prc": "5",
            "elwtheory_pric": "4",
            "iv": "3342",
            "delta": "7119",
            "gam": "902",
            "theta": "-2026391",
            "vega": "1297498",
            "law": "95078",
            "lp": "0"
        },
        {
            "cntr_tm": "095640",
            "cur_prc": "5",
            "elwtheory_pric": "4",
            "iv": "3345",
            "delta": "7114",
            "gam": "900",
            "theta": "-2026285",
            "vega": "1296585",
            "law": "95012",
            "lp": "0"
        },
        {
            "cntr_tm": "095550",
            "cur_prc": "5",
            "elwtheory_pric": "4",
            "iv": "3346",
            "delta": "7111",
            "gam": "900",
            "theta": "-2026075",
            "vega": "1296025",
            "law": "94974",
            "lp": "0"
        },
        {
```

Response Example


```
"cntr_tm": "095500",
            "cur_prc": "5",
            "elwtheory_pric": "4",
            "iv": "3339",
            "delta": "7121",
            "gam": "902",
            "theta": "-2025002",
            "vega": "1298269",
            "law": "95168",
            "lp": "0"
        }
    ],
    "return_code": 0,
    "return_msg": "Processed successfully"
}
```

API information	
menu location	domestic stock > sector > investor order by sector buyrequest(ka10051)
API name	Investor order buy request by sector
API ID	ka10051
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/sect
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	
We inquire about net purchase information by sector and investor.	

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	mrkt_tp	marketcategory	String	Y	1	KOSPI:0, KOSDAQ:1
Body	amt_qty_tp	AmountQuantitycategory	String	Y	1	Amount:0, Quantity:1
Body	base_dt	Based on date	String	N	8	YYYYMMDD
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT, 3:Integrated

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	inds_netprps	Buy by sector	LIST	N		
Body	- inds_cd	sector code	String	N	20	
Body	- inds_nm	sector name	String	N	20	
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pre_smbol	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- sc_netprps	Stock purchase	String	N	20	Unit: 100 million won or 1,000 shares, number including sub-asking price
Body	- insrnc_netprps	Insurance net buy	String	N	20	Unit: 100 million won or 1,000 shares, number including sub-asking price
Body	- invtrt_netprps	investment trust buy	String	N	20	Unit: 100 million won or 1,000 shares, number including sub-asking price
Body	- bank_netprps	Buy by bank	String	N	20	Unit: 100 million won or 1,000 shares, number including sub-asking price
Body	- jnsinkm_netprps	buy whole life money	String	N	20	Unit: 100 million won or 1,000 shares, number including sub-asking price
Body	- endw_netprps	Buy net of funds	String	N	20	Unit: 100 million won or 1,000 shares, number including sub-asking price
Body	- etc_corp_netprps	Buy by other corporations	String	N	20	Unit: 100 million won or 1,000 shares, number including sub-asking price
Body	- ind_netprps	Individual purchase	String	N	20	Unit: 100 million won or 1,000 shares, number including sub-asking price
Body	- frgnr_netprps	foreign investor net buy	String	N	20	Unit: 100 million won or 1,000 shares, number including sub-asking price
Body	- native_trmt_frgnr_netprps	Foreign investor treatment for Koreans buy	String	N	20	Unit: 100 million won or 1,000 shares, number including sub-asking price
Body	- natn_netprps	Buy by country	String	N	20	Unit: 100 million won or 1,000 shares, number including sub-asking price
Body	- samo_fund_netprps	Private fund net buy	String	N	20	Unit: 100 million won or 1,000 shares, number including sub-asking price
Body	- orgn_netprps	institutional gyesunbuy	String	N	20	Unit: 100 million won or 1,000 shares, number including sub-asking price

Request Example


```
{
    "mrkt_tp": "0",
    "amt_qty_tp": "0",
    "base_dt": "20241107",
    "stex_tp": "3"
}
```


Response Example


```
{
    "inds_netprps": [
        {
            "inds_cd": "001_AL",
            "inds_nm": "종합(KOSPI)",
            "cur_prc": "+265381",
            "pre_smbol": "2",
            "pred_pre": "+9030",
            "flu_rt": "352",
            "trde_qty": "1164",
            "sc_netprps": "+255",
            "insrnc_netprps": "+0",
            "invtrt_netprps": "+0",
            "bank_netprps": "+0",
            "jnsinkm_netprps": "+0",
            "endw_netprps": "+0",
            "etc_corp_netprps": "+0",
            "ind_netprps": "-0",
            "frgnr_netprps": "-622",
            "native_trmt_frgnr_netprps": "+4",
            "natn_netprps": "+0",
            "samo_fund_netprps": "+1",
            "orgn_netprps": "+601"
        },
        {
            "inds_cd": "002_AL",
            "inds_nm": "대형주",
            "cur_prc": "+265964",
            "pre_smbol": "2",
            "pred_pre": "+10690",
            "flu_rt": "419",
            "trde_qty": "1145",
            "sc_netprps": "+255",
            "insrnc_netprps": "+0",
            "invtrt_netprps": "+0",
            "bank_netprps": "+0",
```

Response Example


```
"jnsinkm_netprps": "+0",
            "endw_netprps": "+0",
            "etc_corp_netprps": "+0",
            "ind_netprps": "+16",
            "frgnr_netprps": "-622",
            "native_trmt_frgnr_netprps": "+4",
            "natn_netprps": "+0",
            "samo_fund_netprps": "+1",
            "orgn_netprps": "+602"
        }
    ],
    "return_code": 0,
    "return_msg": "Processed successfully"
}
```

API information	
menu location	domestic stock > stock information > trader moment trading volume request(ka10052)
API name	TraderMomenttrading VolumeRequest
API ID	ka10052
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/stkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	
The trader inquires about trading volume information at the moment.	

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	mmcm_cd	Member company code	String	Y	3	Member company code is ka10102 inquiry
Body	stk_cd	stock code	String	N	20	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	mrkt_tp	marketcategory	String	Y	1	0: All, 1: KOSPI, 2: KOSDAQ, 3: stock
Body	qty_tp	Quantitycategory	String	Y	3	0:Total, 1:1000 shares, 2:2000 shares, 3:, 5:, 10:10000 shares, 30: 30000 shares, 50: 50000 shares, 100: 100000 shares
Body	pric_tp	price category	String	Y	1	0: Total, 1: Less than 1,000 won, 8: More than 1,000 won, 2: 1,000 won ~ 2,000 won, 3: 2,000 won ~ 5,000 won, 4:5,000 won ~ 10,000 won, 5:10,000 won or more
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT 3.Integration

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	trde_ori_mont_trde_qty	Trader Momenttrading volume	LIST	N		
Body	- tm	time	String	N	20	HHmmss
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	20	

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- trde_ori_nm	Transaction source name	String	N	20	
Body	- tp	category	String	N	20	
Body	- mont_trde_qty	momenttrading volume	String	N	20	Unit: 1 week
Body	- acc_netprps	Cumulative purchase	String	N	20	Unit: 1 week
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign

Request Example

```
{
    "mmcm_cd": "888",
    "stk_cd": "",
    "mrkt_tp": "0",
    "qty_tp": "0",
    "pric_tp": "0",
    "stex_tp": "3"
}
```

Response Example

```
{
    "trde_ori_mont_trde_qty": [
        {
            "tm": "161437",
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "trde_ori_nm": "다이와",
            "tp": "-매도",
            "mont_trde_qty": "-399928",
            "acc_netprps": "-1073004",
            "cur_prc": "+57700",
            "pred_pre_sig": "2",
            "pred_pre": "400",
            "flu_rt": "+0.70"
        },
        {
            "tm": "161423",
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "trde_ori_nm": "다이와",
            "tp": "-매도",
            "mont_trde_qty": "-100000",
            "acc_netprps": "-673076",
            "cur_prc": "+57700",
            "pred_pre_sig": "2",
            "pred_pre": "400",
            "flu_rt": "+0.70"
        },
        {
            "tm": "161417",
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "trde_ori_nm": "다이와",
            "tp": "-매도",
            "mont_trde_qty": "-100000",
            "acc_netprps": "-573076",
            "cur_prc": "+57700",
            "pred_pre_sig": "2",
            "pred_pre": "400",
            "flu_rt": "+0.70"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > ranking information > todaytopItalwonrequest(ka10053)
API name	todaytopItalwonrequest
API ID	ka10053

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/rkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Today, we are inquiring about top departure information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	6	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	tdy_upper_scesn_ori	todaytop breakaway source	LIST	N		
Body	- sel_scesn_tm	sell departure time	String	N	20	HHmmss
Body	- sell_qty	sellquantity	String	N	20	Unit: 1 week
Body	- sel_upper_scesn_ori	selltop Italwon	String	N	20	
Body	- buy_scesn_tm	buy breakaway time	String	N	20	HHmmss
Body	- buy_qty	buyquantity	String	N	20	Unit: 1 week
Body	- buy_upper_scesn_ori	buytop italwon	String	N	20	
Body	- qry_dt	inquirydate	String	N	20	
Body	- qry_tm	inquirytime	String	N	20	

Request Example

Request Example


```
{
    "stk_cd": "005930"
}
```


Response Example


```
{
    "tdy_upper_scesn_ori": [
        {
            "sel_scesn_tm": "154706",
            "sell_qty": "32",
            "sel_upper_scesn_ori": "키움증권",
            "buy_scesn_tm": "151615",
            "buy_qty": "48",
            "buy_upper_scesn_ori": "키움증권",
            "qry_dt": "012",
            "qry_tm": "012"
        },
        {
            "sel_scesn_tm": "145127",
            "sell_qty": "14",
            "sel_upper_scesn_ori": "키움증권",
            "buy_scesn_tm": "144055",
            "buy_qty": "21",
            "buy_upper_scesn_ori": "키움증권",
            "qry_dt": "017",
            "qry_tm": "046"
        },
        {
            "sel_scesn_tm": "145117",
            "sell_qty": "10",
            "sel_upper_scesn_ori": "키움증권",
            "buy_scesn_tm": "140901",
            "buy_qty": "3",
            "buy_upper_scesn_ori": "키움증권",
            "qry_dt": "050",
            "qry_tm": "056"
        },
        {
            "sel_scesn_tm": "",
            "sell_qty": "",
            "sel_upper_scesn_ori": "",
            "buy_scesn_tm": "135548",
            "buy_qty": "2",
            "buy_upper_scesn_ori": "키움증권",
            "qry_dt": "",
            "qry_tm": "001"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > stock information > volatility mitigation device activation stockrequest(ka10054)
API name	Volatility mitigation device activated stock request
API ID	ka10054
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/stkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

Inquire about stock information triggered by the volatility mitigation device.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	mrkt_tp	marketcategory	String	Y	3	000: All, 001: KOSPI, 101: KOSDAQ
Body	bf_mkrt_tp	Loading category	String	Y	1	0: All, 1: Regular market, 2: Single price other than time
Body	stk_cd	stock code	String	N	20	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL) Total stock inquiry set to market category when blank input
Body	motn_tp	Activation category	String	Y	1	0: All, 1: Static VI, 2: Dynamic VI, 3: Dynamic VI + Static VI
Body	skip_stk	Excluding stock	String	Y	9	When making an inquiry including all stock, set 9 to 0 (000000000), excluding all stock. When inquiry, set 9 to 1 (111111111), check whether 9 are stock inquiry Set to include inquiry (0), exclude inquiry (1), and stock order is preferred stock, management stock, investment warning/risk, investor caution, ventilation stock, short-term overheating stock, margin 1 00%, ETF, ETN. Only preferred stocks are inquiry "011111111"", ?Set ?101111111?? when inquiring only for management stock.
Body	trde_qty_tp	trading volumecategory	String	Y	1	0: not used, 1: used
Body	min_trde_qty	Minimum trading volume	String	Y	12	0 weeks or more, input only when trading volume category is 1 (spaces allowed)
Body	max_trde_qty	Maximumtrading volume	String	Y	12	100000000 shares or less, input only when trading volume category is 1 (spaces allowed)
Body	trde_prica_tp	trading amountcategory	String	Y	1	0: not used, 1: used
Body	min_trde_prica	Minimum trading amount	String	Y	10	
Body	max_trde_prica	Maximum trading amount	String	Y	10	Less than 100000000 million won, only when trading amount category 1 input (space allowed)
Body	motn_drc	Activation direction	String	Y	1	0:full, 1:rise, 2:decline
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT 3.Integration

Response						
category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	motn_stk	Activation stock	LIST	N		
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- acc_trde_qty	cumulative volume	String	N	20	Unit: 1 week
Body	- motn_pric	Activation price	String	N	20	Unit: Won
Body	- dynm_dispty_rt	Dynamic disparity rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- trde_cntr_proc_time	Trading execution processing time	String	N	20	HHmmss
Body	- virelis_time	VI release time	String	N	20	HHmmss
Body	- viaplc_tp	VI application category	String	N	20	
Body	- dynm_stdpc	Dynamic base price	String	N	20	Unit: Won
Body	- static_stdpc	static base price	String	N	20	Unit: Won
Body	- static_dispty_rt	static disparity rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- open_pric_pre_flu_rt	opening pricechangechange rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- vimotn_cnt	Number of VI activations	String	N	20	
Body	- stex_tp	Exchange category	String	N	20	

Request Example

```
{
    "mrkt_tp": "000",
    "bf_mkrt_tp": "0",
    "stk_cd": "",
    "motn_tp": "0",
    "skip_stk": "000000000",
    "trde_qty_tp": "0",
    "min_trde_qty": "0",
    "max_trde_qty": "0",
    "trde_prica_tp": "0",
    "min_trde_prica": "0",
    "max_trde_prica": "0",
    "motn_drc": "0",
    "stex_tp": "3"
}
```

Response Example

```
{
    "motn_stk": [
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "acc_trde_qty": "1105968",
            "motn_pric": "67000",
            "dynm_dispty_rt": "+9.30",
            "trde_cntr_proc_time": "172311",
            "virelis_time": "172511",
            "viaplc_tp": "동적",
            "dynm_stdpc": "61300",
            "static_stdpc": "0",
            "static_dispty_rt": "0.00",
            "open_pric_pre_flu_rt": "+16.93",
            "vimotn_cnt": "23",
```

Response Example

"stex_tp": "NXT" }, { "stk_cd": "005930", "stk_nm": "Samsung Electronics", "acc_trde_qty": "1105968", "motn_pric": "65000", "dynm_dispty_rt": "-3.13", "trde_cntr_proc_time": "170120", "virelis_time": "170320", "viaplc_tp": "dynamic", "dynm_stdpc": "67100", "static_stdpc": "0", "static_dispty_rt": "0.00", "open_pric_pre_flu_rt": "+13.44", "vimotn_cnt": "22", "stex_tp": "NXT" }, { "stk_cd": "005930", "stk_nm": "Samsung Electronics", "acc_trde_qty": "14", "motn_pric": "95100", "dynm_dispty_rt": "-1.96", "trde_cntr_proc_time": "163030", "virelis_time": "163224", "viaplc_tp": "dynamic", "dynm_stdpc": "97000", "static_stdpc": "0", "static_dispty_rt": "0.00", "open_pric_pre_flu_rt": "+0.11", "vimotn_cnt": "2", "stex_tp": "KRX" }, { "stk_cd": "005930", "stk_nm": "Samsung Electronics", "acc_trde_qty": "153", "motn_pric": "250000", "dynm_dispty_rt": "+22.55", "trde_cntr_proc_time": "163030", "virelis_time": "163224", "viaplc_tp": "Dynamic+Static", "dynm_stdpc": "204000", "static_stdpc": "203500", "static_dispty_rt": "+22.85", "open_pric_pre_flu_rt": "+27.62", "vimotn_cnt": "3", "stex_tp": "KRX" }], "return_code": 0, "return_msg": "Processed successfully" }

API information	
menu location	domestic stock > stock information > todayprevious dayexecution amount request(ka10055)
API name	todayprevious dayexecutionamountrequest
API ID	ka10055

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/stkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Select today or previous day to inquire about execution amount information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	20	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	tdy_pred	todayprevious day	String	Y	1	1:today, 2:previous day

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	tdy_pred_cntr_qty		LIST	N		
Body	- cntr_tm	execution time	String	N	20	HHmmss
Body	- cntr_pric	execution	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- cntr_qty	execution amount	String	N	20	Unit: 1 week
Body	- acc_trde_qty	cumulative volume	String	N	20	Unit: 1 week
Body	- acc_trde_prica	cumulative trading amount	String	N	20	Unit: million won

Request Example

Request Example


```
{
    "stk_cd": "005930",
    "tdy_pred": "2"
}
```


Response Example


```
{
    "tdy_pred_cntr_qty": [
        {
            "cntr_tm": "171945",
            "cntr_pric": "+74800",
            "pred_pre_sig": "1",
            "pred_pre": "+17200",
            "flu_rt": "+29.86",
            "cntr_qty": "-1793",
            "acc_trde_qty": "446203",
            "acc_trde_prica": "33225"
        },
        {
            "cntr_tm": "154626",
            "cntr_pric": "+74800",
            "pred_pre_sig": "1",
            "pred_pre": "+17200",
            "flu_rt": "+29.86",
            "cntr_qty": "-1",
            "acc_trde_qty": "444401",
            "acc_trde_prica": "33090"
        },
        {
            "cntr_tm": "154626",
            "cntr_pric": "+74800",
            "pred_pre_sig": "1",
            "pred_pre": "+17200",
            "flu_rt": "+29.86",
            "cntr_qty": "-1",
            "acc_trde_qty": "444400",
            "acc_trde_prica": "33090"
        },
        {
            "cntr_tm": "154357",
            "cntr_pric": "+74800",
            "pred_pre_sig": "1",
            "pred_pre": "+17200",
            "flu_rt": "+29.86",
            "cntr_qty": "-100",
            "acc_trde_qty": "444399",
            "acc_trde_prica": "33090"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > stock information > daily trading by investor stockrequest(ka10058)
API name	Daily stock request by investor
API ID	ka10058
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/stkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

Inquire about daily trading stock information by investor.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	strt_dt	start date	String	Y	8	YYYYMMDD
Body	end_dt	end date character	String	Y	8	YYYYMMDD
Body	trde_tp	Salescategory	String	Y	1	net sell:1, net buy:2
Body	mrkt_tp	marketcategory	String	Y	3	001:KOSPI, 101:KOSDAQ
Body	invsr_tp	investor category	String	Y	4	8000:individual, 9000:foreign investor, 1000:financial investment, 3000:investment trust, 3100: private equity fund, 5000: other finance, 4000: banking, 2000: insurance, 6000: Pension fund, 7000: State, 7100: Other corporations, 9999: Institutional
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT 3.Integration

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	invsr_daly_trde_stk	Trading types by investor and by day neck	LIST	N		
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- netslmt_qty	Net sell quantity	String	N	20	Unit: 1 week, number including sub-asking price
Body	- netslmt_amt	Net sell amount	String	N	20	Unit: Won, number included in asking price

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- prsm_avg_pric	Estimated average price	String	N	20	Unit: Won
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- avg_pric_pre	average price change	String	N	20	Unit: Won, number included in asking price
Body	- pre_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- dt_trde_qty	periodtrading volume	String	N	20	Unit: 1 week

Request Example

```
{
    "strt_dt": "20241106",
    "end_dt": "20241107",
    "trde_tp": "2",
    "mrkt_tp": "101",
    "invsr_tp": "8000",
    "stex_tp": "3"
}
```

Response Example

```
{
    "invsr_daly_trde_stk": [
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "netslmt_qty": "+4464",
            "netslmt_amt": "+25467",
            "prsm_avg_pric": "57056",
            "cur_prc": "+61300",
            "pre_sig": "2",
            "pred_pre": "+4000",
            "avg_pric_pre": "+4244",
            "pre_rt": "+7.43",
            "dt_trde_qty": "1554171"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "netslmt_qty": "+12",
            "netslmt_amt": "+106",
            "prsm_avg_pric": "86658",
            "cur_prc": "+100200",
            "pre_sig": "2",
            "pred_pre": "+5200",
            "avg_pric_pre": "+13542",
            "pre_rt": "+15.62",
            "dt_trde_qty": "12868"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "netslmt_qty": "+46",
            "netslmt_amt": "+75",
            "prsm_avg_pric": "16320",
            "cur_prc": "15985",
            "pre_sig": "3",
            "pred_pre": "0",
            "avg_pric_pre": "--335",
            "pre_rt": "-2.05",
            "dt_trde_qty": "4770"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > stock information > investor institutional request by stock (ka10059)
API name	By stockInvestorInstitutionalRequest
API ID	ka10059
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/stkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

Inquire about trading trend information by stock, investor and institutional.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	dt	date	String	Y	8	YYYYMMDD
Body	stk_cd	stock code	String	Y	20	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	amt_qty_tp	AmountQuantitycategory	String	Y	1	1:Amount, 2:Quantity
Body	trde_tp	Salescategory	String	Y	1	0:net buy, 1:buy, 2:sell
Body	unit_tp	unitcategory	String	Y	4	1000:council, 1:unit

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	stk_invsr_orgn	By stockBy investorInstitutional	LIST	N		
Body	- dt	date	String	N	20	YYYYMMDD
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	2 decimal places on the right
Body	- acc_trde_qty	cumulative volume	String	N	20	Unit: 1 week

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- acc_trde_prica	cumulative trading amount	String	N	20	Unit: million won
Body	- ind_invsr	individual investor	String	N	20	Unit of amount: million won, unit of quantity: 1000 shares or 1 week (set as unit_tp value)
Body	- frgnr_invsr	foreign investorinvestor	String	N	20	Unit of amount: million won, unit of quantity: 1000 shares or 1 week (set as unit_tp value)
Body	- orgn	institutional system	String	N	20	Unit of amount: million won, unit of quantity: 1000 shares or 1 week (set as unit_tp value)
Body	- fnnc_invt	financial investment	String	N	20	Unit of amount: million won, unit of quantity: 1000 shares or 1 week (set as unit_tp value)
Body	- insrnc	insurance	String	N	20	Unit of amount: million won, unit of quantity: 1000 shares or 1 week (set as unit_tp value)
Body	- invtrt	Commitment	String	N	20	Unit of amount: million won, unit of quantity: 1000 shares or 1 week (set as unit_tp value)
Body	- etc_fnnc	Other finance	String	N	20	Unit of amount: million won, unit of quantity: 1000 shares or 1 week (set as unit_tp value)
Body	- bank	bank	String	N	20	Unit of amount: million won, unit of quantity: 1000 shares or 1 week (set as unit_tp value)
Body	- penfnd_etc	Pension funds, etc.	String	N	20	Unit of amount: million won, unit of quantity: 1000 shares or 1 week (set as unit_tp value)
Body	- samo_fund	private equity fund	String	N	20	Unit of amount: million won, unit of quantity: 1000 shares or 1 week (set as unit_tp value)
Body	- natn	nation	String	N	20	
Body	- etc_corp	Other corporations	String	N	20	Unit of amount: million won, unit of quantity: 1000 shares or 1 week (set as unit_tp value)
Body	- natfor	My foreign investor	String	N	20	Unit of amount: million won, unit of quantity: 1000 shares or 1 week (set as unit_tp value)

Request Example


```
{
    "dt": "20241107",
    "stk_cd": "005930",
    "amt_qty_tp": "1",
    "trde_tp": "0",
    "unit_tp": "1000"
}
```


Response Example


```
{
    "stk_invsr_orgn": [
        {
            "dt": "20241107",
            "cur_prc": "+61300",
            "pre_sig": "2",
            "pred_pre": "+4000",
            "flu_rt": "+698",
            "acc_trde_qty": "1105968",
            "acc_trde_prica": "64215",
            "ind_invsr": "1584",
            "frgnr_invsr": "-61779",
            "orgn": "60195",
            "fnnc_invt": "25514",
            "insrnc": "0",
            "invtrt": "0",
            "etc_fnnc": "34619",
            "bank": "4",
            "penfnd_etc": "-1",
            "samo_fund": "58",
            "natn": "0",
            "etc_corp": "0",
            "natfor": "1"
```

Response Example


```
},
      {
        "dt": "20241106",
        "cur_prc": "+74800",
        "pre_sig": "1",
        "pred_pre": "+17200",
        "flu_rt": "+2986",
        "acc_trde_qty": "448203",
        "acc_trde_prica": "33340",
        "ind_invsr": "-639",
        "frgnr_invsr": "-7",
        "orgn": "646",
        "fnnc_invt": "-47",
        "insrnc": "15",
        "invtrt": "-2",
        "etc_fnnc": "730",
        "bank": "-51",
        "penfnd_etc": "1",
        "samo_fund": "0",
        "natn": "0",
        "etc_corp": "0",
        "natfor": "0"
      }
    ],
    "return_code": 0,
    "return_msg": "Processed successfully"
}
```

API information	
menu location	domestic stock > chart > chart by stockinvestorinstitutionalrequest(ka10060)
API name	By StockInvestorInstitutionalChartRequest
API ID	ka10060
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/chart
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

Inquire about chart information by stock and institution.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	dt	date	String	Y	8	YYYYMMDD
Body	stk_cd	stock code	String	Y	20	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	amt_qty_tp	AmountQuantitycategory	String	Y	1	1:Amount, 2:Quantity
Body	trde_tp	Salescategory	String	Y	1	0:net buy, 1:buy, 2:sell
Body	unit_tp	unitcategory	String	Y	4	1000:council, 1:unit

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	stk_invsr_orgn_chart	By stockBy investorInstitutional chart	LIST	N		
Body	- dt	date	String	N	20	YYYYMMDD
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- acc_trde_prica	cumulative trading amount	String	N	20	Unit: million won
Body	- ind_invsr	individual investor	String	N	20	Unit: million won

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- frgnr_invsr	foreign investorinvestor	String	N	20	Unit: million won
Body	- orgn	institutional system	String	N	20	Unit: million won
Body	- fnnc_invt	financial investment	String	N	20	Unit: million won
Body	- insrnc	insurance	String	N	20	Unit: million won
Body	- invtrt	Commitment	String	N	20	Unit: million won
Body	- etc_fnnc	Other finance	String	N	20	Unit: million won
Body	- bank	bank	String	N	20	Unit: million won
Body	- penfnd_etc	Pension funds, etc.	String	N	20	Unit: million won
Body	- samo_fund	private equity fund	String	N	20	Unit: million won
Body	- natn	nation	String	N	20	Unit: million won
Body	- etc_corp	Other corporations	String	N	20	Unit: million won
Body	- natfor	My foreign investor	String	N	20	Unit: million won

Request Example


```
{
    "dt": "20241107",
    "stk_cd": "005930",
    "amt_qty_tp": "1",
    "trde_tp": "0",
    "unit_tp": "1000"
}
```


Response Example


```
{
    "stk_invsr_orgn_chart": [
        {
            "dt": "20241107",
            "cur_prc": "+61300",
            "pred_pre": "+4000",
            "acc_trde_prica": "1105968",
            "ind_invsr": "1584",
            "frgnr_invsr": "-61779",
            "orgn": "60195",
            "fnnc_invt": "25514",
            "insrnc": "0",
            "invtrt": "0",
            "etc_fnnc": "34619",
            "bank": "4",
            "penfnd_etc": "-1",
            "samo_fund": "58",
            "natn": "0",
            "etc_corp": "0",
            "natfor": "1"
        },
        {
            "dt": "20241106",
            "cur_prc": "+74800",
            "pred_pre": "+17200",
            "acc_trde_prica": "448203",
            "ind_invsr": "-639",
            "frgnr_invsr": "-7",
            "orgn": "646",
            "fnnc_invt": "-47",
            "insrnc": "15",
            "invtrt": "-2",
            "etc_fnnc": "730",
            "bank": "-51",
            "penfnd_etc": "1",
            "samo_fund": "0",
            "natn": "0",
            "etc_corp": "0",
            "natfor": "0"
```

Response Example


```
}
    ],
    "return_code": 0,
    "return_msg": "Processed successfully"
}
```

API information	
menu location	domestic stock > stock information > stock total investor institutional request(ka10061)
API name	Total request by stockinvestorinstitutional
API ID	ka10061
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/stkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

Inquire about total trading trend information by stock, investor and institutional.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	20	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	strt_dt	start date	String	Y	8	YYYYMMDD
Body	end_dt	end date character	String	Y	8	YYYYMMDD
Body	amt_qty_tp	AmountQuantitycategory	String	Y	1	1:Amount, 2:Quantity
Body	trde_tp	Salescategory	String	Y	1	0:net buy
Body	unit_tp	unitcategory	String	Y	4	1000:council, 1:unit

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	stk_invsr_orgn_tot	By stockBy investorInstitutional total	LIST	N		
Body	- ind_invsr	individual investor	String	N	20	Unit of amount: million won, unit of quantity: 1000 shares or 1 week (set as unit_tp value)
Body	- frgnr_invsr	foreign investorinvestor	String	N	20	Unit of amount: million won, unit of quantity: 1000 shares or 1 week (set as unit_tp value)
Body	- orgn	institutional system	String	N	20	Unit of amount: million won, unit of quantity: 1000 shares or 1 week (set as unit_tp value)

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- fnnc_invt	financial investment	String	N	20	Unit of amount: million won, unit of quantity: 1000 shares or 1 week (set as unit_tp value)
Body	- insrnc	insurance	String	N	20	Unit of amount: million won, unit of quantity: 1000 shares or 1 week (set as unit_tp value)
Body	- invtrt	Commitment	String	N	20	Unit of amount: million won, unit of quantity: 1000 shares or 1 week (set as unit_tp value)
Body	- etc_fnnc	Other finance	String	N	20	Unit of amount: million won, unit of quantity: 1000 shares or 1 week (set as unit_tp value)
Body	- bank	bank	String	N	20	Unit of amount: million won, unit of quantity: 1000 shares or 1 week (set as unit_tp value)
Body	- penfnd_etc	Pension funds, etc.	String	N	20	Unit of amount: million won, unit of quantity: 1000 shares or 1 week (set as unit_tp value)
Body	- samo_fund	private equity fund	String	N	20	Unit of amount: million won, unit of quantity: 1000 shares or 1 week (set as unit_tp value)
Body	- natn	nation	String	N	20	
Body	- etc_corp	Other corporations	String	N	20	Unit of amount: million won, unit of quantity: 1000 shares or 1 week (set as unit_tp value)
Body	- natfor	My foreign investor	String	N	20	Unit of amount: million won, unit of quantity: 1000 shares or 1 week (set as unit_tp value)

Request Example


```
{
    "stk_cd": "005930",
    "strt_dt": "20241007",
    "end_dt": "20241107",
    "amt_qty_tp": "1",
    "trde_tp": "0",
    "unit_tp": "1000"
}
```


Response Example


```
{
    "stk_invsr_orgn_tot": [
        {
            "ind_invsr": "--28837",
            "frgnr_invsr": "--40142",
            "orgn": "+64891",
            "fnnc_invt": "+72584",
            "insrnc": "--9071",
            "invtrt": "--7790",
            "etc_fnnc": "+35307",
            "bank": "+526",
            "penfnd_etc": "--22783",
            "samo_fund": "--3881",
            "natn": "0",
            "etc_corp": "+1974",
            "natfor": "+2114"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > ranking information > samenet tradingrankingrequest(ka10062)
API name	samenet tradingrankingrequest
API ID	ka10062

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/rkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Institutional/foreign investor Inquires about the same net trading ranking information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	strt_dt	start date	String	Y	8	YYYYMMDD (4-digit year, 2-digit month, 2-digit day format)
Body	end_dt	end date character	String	N	8	YYYYMMDD (4-digit year, 2-digit month, 2-digit day format)
Body	mrkt_tp	marketcategory	String	Y	3	000: All, 001: KOSPI, 101: KOSDAQ
Body	trde_tp	Salescategory	String	Y	1	1: net buy, 2: net sell
Body	sort_cnd	Sort condition	String	Y	1	1: Quantity, 2: Amount
Body	unit_tp	unitcategory	String	Y	1	1:Fresh shares, 1000:Thousand shares
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT 3.Integration

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	eql_nettrde_rank	samenet tradingranking	LIST	N		
Body	- stk_cd	stock code	String	N	20	
Body	- rank	ranking	String	N	20	
Body	- stk_nm	stock name	String	N	40	

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pre_sig	change sign	String	N	20	
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- acc_trde_qty	cumulative volume	String	N	20	Unit: 1 week
Body	- orgn_nettrde_qty	institutionalnet tradingquantity	String	N	20	Unit: 1 week or 1000 shares (set with unit_tp parameter), subasking price numbers included
Body	- orgn_nettrde_amt	institutionalnet trading amount	String	N	20	Unit: million won, number including sub-asking price
Body	- orgn_nettrde_avg_pric	institutionalnet tradingaverage price	String	N	20	Unit: million won
Body	- for_nettrde_qty	Foreign net trading quantity	String	N	20	Unit: 1 week or 1000 shares (set with unit_tp parameter), subasking price numbers included
Body	- for_nettrde_amt	Foreign net trading amount	String	N	20	Unit: million won, number including sub-asking price
Body	- for_nettrde_avg_pric	Foreign net trading average price	String	N	20	Unit: million won
Body	- nettrde_qty	net tradingquantity	String	N	20	Unit: 1 week or 1000 shares (set with unit_tp parameter), subasking price numbers included
Body	- nettrde_amt	net trading amount	String	N	20	Unit: million won, number including sub-asking price

Request Example

```
{
    "strt_dt": "20241106",
    "end_dt": "20241107",
    "mrkt_tp": "000",
    "trde_tp": "1",
    "sort_cnd": "1",
    "unit_tp": "1",
    "stex_tp": "3"
}
```

Response Example

```
{
    "eql_nettrde_rank": [
        {
            "stk_cd": "005930",
            "rank": "1",
            "stk_nm": "삼성전자",
            "cur_prc": "-206000",
            "pre_sig": "5",
            "pred_pre": "-500",
            "flu_rt": "-0.24",
            "acc_trde_qty": "85",
            "orgn_nettrde_qty": "+2",
            "orgn_nettrde_amt": "0",
            "orgn_nettrde_avg_pric": "206000",
            "for_nettrde_qty": "+275",
            "for_nettrde_amt": "+59",
            "for_nettrde_avg_pric": "213342",
            "nettrde_qty": "+277",
            "nettrde_amt": "+59"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > market price > intraday investor trading request (ka10063)
API name	Intraday investor trading request
API ID	ka10063
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/mrkcond
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

Inquire about intraday trading information for each investor.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	mrkt_tp	marketcategory	String	Y	3	000:All, 001:KOSPI, 101:KOSDAQ
Body	amt_qty_tp	AmountQuantitycategory	String	Y	1	1: Amount & Quantity
Body	invsr	By investor	String	Y	1	6:foreign investor, 7:institutional, 1:investment, 0:insurance, 2:bank, 3:pension fund, 4:state, 5:Other corporations
Body	frgn_all	All foreign	String	Y	1	1:checked, 0:unchecked
Body	smtm_netprps_tp	Simultaneous orderbuycategory	String	Y	1	1:checked, 0:unchecked
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT 3.Integration

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	opmr_invsr_trde	Intraday trading by investors	LIST	N		
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- acc_trde_qty	cumulative volume	String	N	20	Unit: 1 week
Body	- netprps_amt	Net purchase amount	String	N	20	Unit: million won
Body	- prev_netprps_amt	Previous purchase amount	String	N	20	Unit: million won
Body	- buy_amt	buy amount	String	N	20	Unit: million won
Body	- netprps_amt_irds		String	N	20	Unit: million won
Body	- buy_amt_irds	Increase or decrease buy amount	String	N	20	Unit: million won
Body	- sell_amt	sell amount	String	N	20	Unit: million won
Body	- sell_amt_irds		String	N	20	Unit: million won
Body	- netprps_qty	Net buy quantity	String	N	20	Unit: 1 week
Body	- prev_pot_netprps_qty	Net purchase quantity at the time of transfer	String	N	20	Unit: 1 week
Body	- netprps_irds	Net buy increase/decrease	String	N	20	Unit: 1 week
Body	- buy_qty	buyquantity	String	N	20	Unit: 1 week
Body	- buy_qty_irds	Increase or decrease buy quantity	String	N	20	Unit: 1 week
Body	- sell_qty	sellquantity	String	N	20	Unit: 1 week
Body	- sell_qty_irds	increase/decrease sell quantity	String	N	20	Unit: 1 week

Request Example

```
{
    "mrkt_tp": "000",
    "amt_qty_tp": "1",
    "invsr": "6",
    "frgn_all": "0",
    "smtm_netprps_tp": "0",
    "stex_tp": "3"
}
```

Response Example

```
{
    'opmr_invsr_trde':
        [
            {
                'stk_cd': '005930',
                'stk_nm': '삼성전자',
                'cur_prc': '64',
                'pre_sig': '3',
                'pred_pre': '0',
                'flu_rt': '0.00',
                'acc_trde_qty': '1',
                'netprps_qty': '+1083000',
                'prev_pot_netprps_qty': '+1083000',
                'netprps_irds': '0',
                'buy_qty': '+1113000',
                'buy_qty_irds': '0',
                'sell_qty': '--30000',
                'sell_qty_irds': '0'
            },
            {
                'stk_cd': '005930',
                'stk_nm': '삼성전자',
                 'cur_prc': '284',
                 'pre_sig': '3',
                 'pred_pre': '0',
                 'flu_rt': '0.00',
                 'acc_trde_qty': '0',
                 'netprps_qty': '--261000',
```

Response Example


```
'prev_pot_netprps_qty': '--347000',
                'netprps_irds': '+86000',
                'buy_qty': '+2728000',
                'buy_qty_irds': '+108000',
                'sell_qty': '--2989000',
                'sell_qty_irds': '+22000'
            }
        ],
    'return_code': 0,
    'return_msg': 'Processed successfully'
}
```

API information	
menu location	domestic stock > chart > intraday investor trading chart request (ka10064)
API name	Intraday investor trading chart request
API ID	ka10064

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/chart
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquiry for intraday trading chart information by investor.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	mrkt_tp	marketcategory	String	Y	3	000:All, 001:KOSPI, 101:KOSDAQ
Body	amt_qty_tp	AmountQuantitycategory	String	Y	1	1:Amount, 2:Quantity
Body	trde_tp	Salescategory	String	Y	1	0:net buy, 1:buy, 2:sell
Body	stk_cd	stock code	String	Y	20	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	opmr_invsr_trde_chart	Intraday trading difference by investor t	LIST	N		
Body	- tm	time	String	N	20	HHmmss
Body	- frgnr_invsr	foreign investorinvestor	String	N	20	Unit: 1 week or million won (set with amt_qty_tp parameter)
Body	- orgn	institutional system	String	N	20	Unit: 1 week or million won (set with amt_qty_tp parameter)
Body	- invtrt	Commitment	String	N	20	Unit: 1 week or million won (set with amt_qty_tp parameter)
Body	- insrnc	insurance	String	N	20	Unit: 1 week or million won (set with amt_qty_tp parameter)
Body	- bank	bank	String	N	20	Unit: 1 week or million won (set with amt_qty_tp parameter)

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- penfnd_etc	Pension funds, etc.	String	N	20	Unit: 1 week or million won (set with amt_qty_tp parameter)
Body	- etc_corp	Other corporations	String	N	20	Unit: 1 week or million won (set with amt_qty_tp parameter)
Body	- natn	nation	String	N	20	Unit: 1 week or million won (set with amt_qty_tp parameter)

Request Example


```
{
    "mrkt_tp": "000",
    "amt_qty_tp": "1",
    "trde_tp": "0",
    "stk_cd": "005930"
}
```


Response Example


```
{
    "opmr_invsr_trde_chart": [
        {
            "tm": "090000",
            "frgnr_invsr": "0",
            "orgn": "0",
            "invtrt": "0",
            "insrnc": "0",
            "bank": "0",
            "penfnd_etc": "0",
            "etc_corp": "0",
            "natn": "0"
        },
        {
            "tm": "092200",
            "frgnr_invsr": "3",
            "orgn": "0",
            "invtrt": "0",
            "insrnc": "0",
            "bank": "0",
            "penfnd_etc": "0",
            "etc_corp": "0",
            "natn": "0"
        },
        {
            "tm": "095200",
            "frgnr_invsr": "-68",
            "orgn": "0",
            "invtrt": "0",
            "insrnc": "0",
            "bank": "0",
            "penfnd_etc": "0",
            "etc_corp": "0",
            "natn": "0"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > ranking information > Intraday investor trading toprequest(ka10065)
API name	Intraday investor separate salestoprequest
API ID	ka10065

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/rkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquiry for top trading information by investor during the day.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	trde_tp	Salescategory	String	Y	1	1: net buy, 2: net sell
Body	mrkt_tp	marketcategory	String	Y	3	000:All, 001:KOSPI, 101:KOSDAQ
Body	orgn_tp	institutionalcategory	String	Y	4	9000:foreign investor, 9100:foreign, 1000:financial investment, 3000:investment trust, 5000: Other finance, 4000: Banking, 2000: Insurance, 6000: Pension fund, 7000: State, 7100: Other corporations, 9999: Institutional
Body	amt_qty_tp	AmountQuantitycategory	String	N	1	1:Amount, 2:Quantity

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	opmr_invsr_trde_upper	Intraday trading by investor above	LIST	N		
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- sel_qty	Sell ??amount/sell quantity	String	N	20	Unit: 1 week or million won (set with amt_qty_tp parameter), sub-asking price numbers
Body	- buy_qty	buy amount/buy amount	String	N	20	Unit: 1 week or million won (set with amt_qty_tp parameter), sub-asking price numbers
Body	- netslmt	net buy/net sell	String	N	20	Unit: 1 week or million won (set with trde_tp parameter), with asking price

Response						
category	Element	Korean name	Type	Required	Length	Description
						number

Request Example

```
{
    "trde_tp": "1",
    "mrkt_tp": "000",
    "orgn_tp": "9000",
    "amt_qty_tp": "1"
}
```

Response Example

```
{
    "opmr_invsr_trde_upper": [
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "sel_qty": "-39420",
            "buy_qty": "+73452",
            "netslmt": "+34033"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "sel_qty": "-13970",
            "buy_qty": "+25646",
            "netslmt": "+11676"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "sel_qty": "-10063",
            "buy_qty": "+21167",
            "netslmt": "+11104"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "sel_qty": "-37542",
            "buy_qty": "+47604",
            "netslmt": "+10061"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "sel_qty": "-2310",
            "buy_qty": "+10874",
            "netslmt": "+8564"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "sel_qty": "-24912",
            "buy_qty": "+33114",
            "netslmt": "+8203"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "sel_qty": "-27306",
            "buy_qty": "+34853",
            "netslmt": "+7547"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > Market price > Investor sales request after market close (ka10066)
API name	Request for individual trading after market close
API ID	ka10066

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/mrkcond
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

After the market closes, we inquire about trading information for each investor.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	mrkt_tp	marketcategory	String	Y	3	000:All, 001:KOSPI, 101:KOSDAQ
Body	amt_qty_tp	AmountQuantitycategory	String	Y	1	1:Amount, 2:Quantity
Body	trde_tp	Salescategory	String	Y	1	0:net buy, 1:buy, 2:sell
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT 3.Integration

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	opaf_invsr_trde	Intraday trading difference by investor t	LIST	N		
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- ind_invsr	individual investor	String	N	20	Unit: million won, 1 week
Body	- frgnr_invsr	foreign investorinvestor	String	N	20	Unit: million won, 1 week
Body	- orgn	institutional system	String	N	20	Unit: million won, 1 week
Body	- fnnc_invt	financial investment	String	N	20	Unit: million won, 1 week
Body	- insrnc	insurance	String	N	20	Unit: million won, 1 week
Body	- invtrt	Commitment	String	N	20	Unit: million won, 1 week
Body	- etc_fnnc	Other finance	String	N	20	Unit: million won, 1 week
Body	- bank	bank	String	N	20	Unit: million won, 1 week
Body	- penfnd_etc	Pension funds, etc.	String	N	20	Unit: million won, 1 week
Body	- samo_fund	private equity fund	String	N	20	Unit: million won, 1 week
Body	- natn	nation	String	N	20	Unit: million won, 1 week
Body	- etc_corp	Other corporations	String	N	20	Unit: million won, 1 week

Request Example


```
{
    "mrkt_tp": "000",
    "amt_qty_tp": "1",
    "trde_tp": "0",
    "stex_tp": "3"
}
```


Response Example


```
{
    "opaf_invsr_trde": [
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "-7410",
            "pre_sig": "5",
            "pred_pre": "-50",
            "flu_rt": "-0.67",
            "trde_qty": "8",
            "ind_invsr": "0",
            "frgnr_invsr": "0",
            "orgn": "0",
            "fnnc_invt": "0",
            "insrnc": "0",
            "invtrt": "0",
            "etc_fnnc": "0",
            "bank": "0",
            "penfnd_etc": "0",
            "samo_fund": "0",
            "natn": "0",
            "etc_corp": "0"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "542",
            "pre_sig": "3",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "trde_qty": "0",
            "ind_invsr": "0",
            "frgnr_invsr": "0",
            "orgn": "0",
            "fnnc_invt": "0",
            "insrnc": "0",
            "invtrt": "0",
            "etc_fnnc": "0",
            "bank": "0",
            "penfnd_etc": "0",
```

Response Example


```
"samo_fund": "0",
            "natn": "0",
            "etc_corp": "0"
        }
    ],
    "return_code": 0,
    "return_msg": "Processed successfully"
}
```

API information	
menu location	domestic stock > Lending/lending transaction > Lending/lending transaction trend request(ka10068)
API name	Loan/lending transaction trend request
API ID	ka10068

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/slb
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about loan transaction trend information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	strt_dt	start date	String	N	8	YYYYMMDD
Body	end_dt	end date character	String	N	8	YYYYMMDD
Body	all_tp	All categories	String	Y	6	1: Show all

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	dbrt_trde_trnsn	Loan/loan transaction trend	LIST	N		
Body	- dt	date	String	N	8	YYYYMMDD
Body	- dbrt_trde_cntrcnt		String	N	12	Unit: 1 week
Body	- dbrt_trde_rpy		String	N	18	Unit: 1 week
Body	- dbrt_trde_irds		String	N	60	Unit: 1 week
Body	- rmnd	balance number of weeks	String	N	18	Unit: 1 week
Body	- remn_amt	balance amount	String	N	18	Unit: million won

Request Example

```
{
    "strt_dt": "20250401",
```

Request Example

```
    "end_dt": "20250430",
    "all_tp": "1"
}
```

Response Example


```
{
    "dbrt_trde_trnsn": [
        {
            "dt": "20250430",
            "dbrt_trde_cntrcnt": "35330036",
            "dbrt_trde_rpy": "25217364",
            "dbrt_trde_irds": "10112672",
            "rmnd": "2460259444",
            "remn_amt": "73956254"
        },
        {
            "dt": "20250429",
            "dbrt_trde_cntrcnt": "23721553",
            "dbrt_trde_rpy": "13986586",
            "dbrt_trde_irds": "9734967",
            "rmnd": "2125919149",
            "remn_amt": "66422682"
        },
        {
            "dt": "20250428",
            "dbrt_trde_cntrcnt": "17165250",
            "dbrt_trde_rpy": "30883228",
            "dbrt_trde_irds": "-13717978",
            "rmnd": "2276180199",
            "remn_amt": "68480718"
        },
        {
            "dt": "20250425",
            "dbrt_trde_cntrcnt": "62932490",
            "dbrt_trde_rpy": "85148199",
            "dbrt_trde_irds": "-22215709",
            "rmnd": "2355269107",
            "remn_amt": "69882489"
        },
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > Balance trading > Balance trading10stockrequest(ka10069)
API name	balance top trading10stockrequest
API ID	ka10069

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/slb
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquiry for information on top 10 stock transactions.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	strt_dt	start date	String	Y	8	YYYYMMDD (4-digit year, 2-digit month, 2-digit day format)
Body	end_dt	end date character	String	N	8	YYYYMMDD (4-digit year, 2-digit month, 2-digit day format)
Body	mrkt_tp	marketcategory	String	Y	3	001:KOSPI, 101:KOSDAQ

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	dbrt_trde_cntrcnt_sum		String	N		Unit: 1 week
Body	dbrt_trde_rpy_sum		String	N		Unit: 1 week
Body	rmnd_sum	balance number sum	String	N		Unit: 1 week
Body	remn_amt_sum	sum of balance amount	String	N		Unit: million won
Body	dbrt_trde_cntrcnt_rt	Borrowing transactionexecutionmain defense fee Yul	String	N		Provided as 100 times the decimal point removed Example) ?2658? means 26.58%.
Body	dbrt_trde_rpy_rt	Loan transaction repayment fee Yul	String	N		Provided as 100 times the decimal point removed Example) ?2658? means 26.58%.

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	rmnd_rt	balance share ratio	String	N		Provided as 100 times the decimal point removed Example) ?2658? means 26.58%.
Body	remn_amt_rt	balance amount ratio	String	N		Provided as 100 times the decimal point removed Example) ?2658? means 26.58%.
Body	dbrt_trde_upper_10stk	bogietop trading10stock	LIST	N		
Body	- stk_nm	stock name	String	N	40	
Body	- stk_cd	stock code	String	N	20	
Body	- dbrt_trde_cntrcnt		String	N	20	Unit: 1 week
Body	- dbrt_trde_rpy		String	N	20	Unit: 1 week
Body	- rmnd	balance number of weeks	String	N	20	Unit: 1 week
Body	- remn_amt	balance amount	String	N	20	Unit: million won

Request Example


```
{
    "strt_dt": "20241110",
    "end_dt": "20241125",
    "mrkt_tp": "001"
}
```


Response Example


```
{
    "dbrt_trde_cntrcnt_sum": "3383301",
    "dbrt_trde_rpy_sum": "764254",
    "rmnd_sum": "173782689",
    "remn_amt_sum": "14218184",
    "dbrt_trde_cntrcnt_rt": "7061",
    "dbrt_trde_rpy_rt": "3196",
    "rmnd_rt": "2225",
    "remn_amt_rt": "3728",
    "dbrt_trde_upper_10stk": [
        {
            "stk_nm": "삼성전자",
            "stk_cd": "005930",
            "dbrt_trde_cntrcnt": "1209600",
            "dbrt_trde_rpy": "0",
            "rmnd": "1505173",
            "remn_amt": "1203"
        },
        {
            "stk_nm": "삼성전자",
            "stk_cd": "005930",
            "dbrt_trde_cntrcnt": "681807",
            "dbrt_trde_rpy": "304467",
            "rmnd": "122704705",
            "remn_amt": "9546426"
        },
        {
            "stk_nm": "삼성전자",
            "stk_cd": "005930",
            "dbrt_trde_cntrcnt": "297431",
            "dbrt_trde_rpy": "208222",
            "rmnd": "13731939",
            "remn_amt": "1691775"
        },
        {
            "stk_nm": "삼성전자",
            "stk_cd": "005930",
            "dbrt_trde_cntrcnt": "230866",
            "dbrt_trde_rpy": "301",
            "rmnd": "3012573",
            "remn_amt": "104838"
        }
```

Response Example


```
],
    "return_code": 0,
    "return_msg": "Processed successfully"
}
```

API information	
menu location	domestic stock > account > actualization by stock by dateprofit/lossrequest_date(ka10072)
API name	By date, By stock, By date, Realizationprofit/lossrequest_date
API ID	ka10072
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/acnt
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

Inquire about profit/loss information by date and stock code.

Request						
category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	N	6	stock code 6 digits
Body	strt_dt	start date	String	Y	8	YYYYMMDD

Response						
category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	dt_stk_div_rlzt_pl	date star stock star realization hand ripe	LIST	N		
Body	- stk_nm	stock name	String	N	40	
Body	- cntr_qty	execution amount	String	N	20	Unit: 1 week
Body	- buy_uv	purchase unit price	String	N	20	Unit: Won
Body	- cntr_pric	execution	String	N	20	Unit: Won
Body	- tdy_sel_pl	todaysellprofit/loss	String	N	20	Unit: Won
Body	- pl_rt	profit/loss rate	String	N	20	Units: %, percentage formatted to two decimal places.
Body	- stk_cd	stock code	String	N	20	stock code 6 digits
Body	- tdy_trde_cmsn	Today's purchase completion	String	N	20	Unit: Won
Body	- tdy_trde_tax	today sales tax	String	N	20	Unit: Won

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- wthd_alowa	Withdrawable amount	String	N	20	Unit: Won
Body	- loan_dt	loan date	String	N	20	YYYYMMDD
Body	- crd_tp	creditcategory	String	N	20	
Body	- stk_cd_1	stock code1	String	N	20	
Body	- tdy_sel_pl_1	todaysellprofit/loss1	String	N	20	

Request Example


```
{
    "stk_cd": "005930",
    "strt_dt": "20241128"
}
```


Response Example


```
{
    "dt_stk_div_rlzt_pl": [
        {
            "stk_nm": "삼성전자",
            "cntr_qty": "1",
            "buy_uv": "97602.96",
            "cntr_pric": "158200",
            "tdy_sel_pl": "59813.04",
            "pl_rt": "+61.28",
            "stk_cd": "A005930",
            "tdy_trde_cmsn": "500",
            "tdy_trde_tax": "284",
            "wthd_alowa": "0",
            "loan_dt": "",
            "crd_tp": "현금잔고",
            "stk_cd_1": "A005930",
            "tdy_sel_pl_1": "59813.04"
        },
        {
            "stk_nm": "삼성전자",
            "cntr_qty": "1",
            "buy_uv": "97602.96",
            "cntr_pric": "158200",
            "tdy_sel_pl": "59813.04",
            "pl_rt": "+61.28",
            "stk_cd": "A005930",
            "tdy_trde_cmsn": "500",
            "tdy_trde_tax": "284",
            "wthd_alowa": "0",
            "loan_dt": "",
            "crd_tp": "현금잔고",
            "stk_cd_1": "A005930",
            "tdy_sel_pl_1": "59813.04"
        }
    ],
    "return_code": 0,
    "return_msg": " 조회가 완료되었습니다."
}
```

API information	
menu location	domestic stock > account > profit/lossrequest_period(ka10073)
API name	By date, by stock, by profit/lossrequest_period
API ID	ka10073
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/acnt
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

Set stock code and period to inquire about realized profit/loss information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	N	6	stock code 6 digits
Body	strt_dt	start date	String	Y	8	YYYYMMDD
Body	end_dt	end date character	String	Y	8	YYYYMMDD

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	dt_stk_rlzt_pl	date star stock star realization hand ripe	LIST	N		
Body	- dt	date	String	N	20	YYYYMMDD
Body	- tdy_htssel_cmsn	todayhtssellcommission	String	N	20	Unit: Won
Body	- stk_nm	stock name	String	N	40	
Body	- cntr_qty	execution amount	String	N	20	Unit: 1 week
Body	- buy_uv	purchase unit price	String	N	20	Unit: Won
Body	- cntr_pric	execution	String	N	20	Unit: Won
Body	- tdy_sel_pl	todaysellprofit/loss	String	N	20	Unit: Won
Body	- pl_rt	profit/loss rate	String	N	20	Units: %, percentage formatted to two decimal places.

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- stk_cd	stock code	String	N	20	stock code 6 digits
Body	- tdy_trde_cmsn	Today's purchase completion	String	N	20	Unit: Won
Body	- tdy_trde_tax	today sales tax	String	N	20	Unit: Won
Body	- wthd_alowa	Withdrawable amount	String	N	20	Unit: Won
Body	- loan_dt	loan date	String	N	20	YYYYMMDD
Body	- crd_tp	creditcategory	String	N	20	

Request Example

```
{
    "stk_cd": "005930",
    "strt_dt": "20241128",
    "end_dt": "20241128"
}
```

Response Example


```
{
    "dt_stk_rlzt_pl": [
        {
            "dt": "20241128",
            "tdy_htssel_cmsn": "현금",
            "stk_nm": "삼성전자",
            "cntr_qty": "1",
            "buy_uv": "97602.96",
            "cntr_pric": "158200",
            "tdy_sel_pl": "59813.04",
            "pl_rt": "+61.28",
            "stk_cd": "A005930",
            "tdy_trde_cmsn": "500",
            "tdy_trde_tax": "284",
            "wthd_alowa": "0",
            "loan_dt": "",
            "crd_tp": "현금잔고"
        },
        {
            "dt": "20241128",
            "tdy_htssel_cmsn": "현금",
            "stk_nm": "삼성전자",
            "cntr_qty": "1",
            "buy_uv": "97602.96",
            "cntr_pric": "158200",
            "tdy_sel_pl": "59813.04",
            "pl_rt": "+61.28",
            "stk_cd": "A005930",
            "tdy_trde_cmsn": "500",
            "tdy_trde_tax": "284",
            "wthd_alowa": "0",
            "loan_dt": "",
            "crd_tp": "현금잔고"
        },
        {
            "dt": "20241128",
            "tdy_htssel_cmsn": "현금",
            "stk_nm": "삼성전자",
            "cntr_qty": "1",
            "buy_uv": "97602.96",
            "cntr_pric": "158200",
            "tdy_sel_pl": "59813.04",
            "pl_rt": "+61.28",
            "stk_cd": "A005930",
            "tdy_trde_cmsn": "500",
            "tdy_trde_tax": "284",
            "wthd_alowa": "0",
            "loan_dt": "",
            "crd_tp": "현금잔고"
        }
    ],
    "return_code": 0,
    "return_msg": " 조회가 완료되었습니다."
```

Response Example
}

API information	
menu location	domestic stock > account > profit/lossrequest by date(ka10074)
API name	Realization by dateprofit/lossrequest
API ID	ka10074

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/acnt
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Set a period and inquire about realized profit/loss information for that period.
[Caution] Data is filled only for the date when realized profit/loss occurred.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	strt_dt	start date	String	Y	8	YYYYMMDD
Body	end_dt	end date character	String	Y	8	YYYYMMDD

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	tot_buy_amt	Total buy amount	String	N		Unit: Won
Body	tot_sell_amt	Total sell amount	String	N		Unit: Won
Body	rlzt_pl	Realizationprofit/loss	String	N		Unit: Won
Body	trde_cmsn	Fee for each purchase	String	N		Unit: Won
Body	trde_tax	sales tax	String	N		Unit: Won
Body	dt_rlzt_pl	profit/loss by date	LIST	N		
Body	- dt	date	String	N	20	YYYYMMDD
Body	- buy_amt	buy amount	String	N	20	Unit: Won
Body	- sell_amt	sell amount	String	N	20	Unit: Won
Body	- tdy_sel_pl	todaysellprofit/loss	String	N	20	Unit: Won

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- tdy_trde_cmsn	Today's purchase completion	String	N	20	Unit: Won
Body	- tdy_trde_tax	today sales tax	String	N	20	Unit: Won

Request Example

```
{
    "strt_dt": "20241128",
    "end_dt": "20241128"
}
```

Response Example

```
{
    "tot_buy_amt": "0",
    "tot_sell_amt": "474600",
    "rlzt_pl": "179419",
    "trde_cmsn": "940",
    "trde_tax": "852",
    "dt_rlzt_pl": [
        {
            "dt": "20241128",
            "buy_amt": "0",
            "sell_amt": "474600",
            "tdy_sel_pl": "179419",
            "tdy_trde_cmsn": "940",
            "tdy_trde_tax": "852"
        }
    ],
    "return_code": 0,
    "return_msg": " 조회가 완료되었습니다."
}
```

API information	
menu location	domestic stock > account > unexecutedrequest(ka10075)
API name	unexecutedrequest
API ID	ka10075
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/acnt
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

Inquire about unexecuted details.
In the case of credit order, it can be checked in the io_tp_nm (order classification) property.
ex) io_tp_nm (order classification): +buy credit

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	all_stk_tp	Allstockcategory	String	Y	1	0:all, 1:stock
Body	trde_tp	Salescategory	String	Y	1	0:all, 1:sell, 2:buy
Body	stk_cd	stock code	String	N	6	stock code 6 digits
Body	stex_tp	Exchange category	String	Y	1	0: Consolidated, 1: KRX, 2: NXT

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	oso	unexecuted	LIST	N		
Body	- acnt_no	account number	String	N	20	Unique account number 10 digit number
Body	- ord_no	order number	String	N	20	Unique order number 7 digit number
Body	- mang_empno	Manager number	String	N	20	
Body	- stk_cd	stock code	String	N	20	
Body	- tsk_tp	Work category	String	N	20	
Body	- ord_stt	order status	String	N	20	

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- stk_nm	stock name	String	N	40	
Body	- ord_qty	order quantity	String	N	20	Unit: 1 week
Body	- ord_pric	order price	String	N	20	Unit: Won
Body	- oso_qty	unexecuted quantity	String	N	20	Unit: 1 week
Body	- cntr_tot_amt	Cumulative execution amount	String	N	20	Unit: Won
Body	- orig_ord_no	original order number	String	N	20	If there is no original order, output as '0000000'
Body	- io_tp_nm	order classification	String	N	20	
Body	- trde_tp	Salescategory	String	N	20	
Body	- tm	time	String	N	20	order time, HHmmss
Body	- cntr_no	execution number	String	N	20	
Body	- cntr_pric	execution	String	N	20	Unit: Won
Body	- cntr_qty	execution amount	String	N	20	Unit: 1 week
Body	- cur_prc	current price	String	N	20	
Body	- sel_bid	ask price	String	N	20	Unit: Won, current first ask price
Body	- buy_bid	bid price	String	N	20	Unit: Won, current first bid price
Body	- unit_cntr_pric	Unit execution	String	N	20	Unit: Won
Body	- unit_cntr_qty	Unit execution amount	String	N	20	Unit: 1 week
Body	- tdy_trde_cmsn	Today's purchase completion	String	N	20	Unit: Won
Body	- tdy_trde_tax	today sales tax	String	N	20	Unit: Won
Body	- ind_invsr	individual investor	String	N	20	
Body	- stex_tp	Exchange category	String	N	20	0: Consolidated, 1: KRX, 2: NXT
Body	- stex_tp_txt	Exchange category text	String	N	20	Integrated, KRX, NXT
Body	- sor_yn	SOR status value	String	N	20	Y,N
Body	- stop_pric	stop	String	N	20	stoplimit priceorder stop price

Request Example

```
{
    "all_stk_tp": "1",
    "trde_tp": "0",
    "stk_cd": "005930",
    "stex_tp": "0"
}
```

Response Example

```
{
    "oso": [
        {
            "acnt_no": "1234567890",
            "ord_no": "0000069",
            "mang_empno": "",
            "stk_cd": "005930",
            "tsk_tp": "",
            "ord_stt": "접수",
            "stk_nm": "삼성전자",
            "ord_qty": "1",
            "ord_pric": "0",
            "oso_qty": "1",
            "cntr_tot_amt": "0",
            "orig_ord_no": "0000000",
```

Response Example


```
"io_tp_nm": "+buy",
            "trde_tp": "market price",
            "tm": "154113",
            "cntr_no": "",
            "cntr_pric": "0",
            "cntr_qty": "0",
            "cur_prc": "+74100",
            "sel_bid": "0",
            "buy_bid": "+74100",
            "unit_cntr_pric": "",
            "unit_cntr_qty": "",
            "tdy_trde_cmsn": "0",
            "tdy_trde_tax": "0",
            "ind_invsr": "",
            "stex_tp": "1",
            "stex_tp_txt": "KRX",
            "sor_yn": "N"
        }
    ],
    "return_code": 0,
    "return_msg": "Your inquiry has been completed."
}
```

API information	
menu location	domestic stock > account > executionrequest(ka10076)
API name	executionrequest
API ID	ka10076

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/acnt
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about execution details.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	N	6	stock code 6 digits
Body	qry_tp	inquirycategory	String	Y	1	0:all, 1:stock
Body	sell_tp	sellcategory	String	Y	1	0:all, 1:sell, 2:buy
Body	ord_no	order number	String	N	10	Executed in the past than the order number entered as the search criteria value The details will be inquiry.
Body	stex_tp	Exchange category	String	Y	1	0: Consolidated, 1: KRX, 2: NXT

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	cntr	execution	LIST	N		
Body	- ord_no	order number	String	N	20	7 digit order number
Body	- stk_nm	stock name	String	N	40	
Body	- io_tp_nm	order classification	String	N	20	
Body	- ord_pric	order price	String	N	20	Unit: Won
Body	- ord_qty	order quantity	String	N	20	Unit: 1 week
Body	- cntr_pric	execution	String	N	20	Unit: Won

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- cntr_qty	execution amount	String	N	20	Unit: 1 week
Body	- oso_qty	unexecuted quantity	String	N	20	Unit: 1 week
Body	- tdy_trde_cmsn	Today's purchase completion	String	N	20	Unit: Won
Body	- tdy_trde_tax	today sales tax	String	N	20	Unit: Won
Body	- ord_stt	order status	String	N	20	
Body	- trde_tp	Salescategory	String	N	20	
Body	- orig_ord_no	original order number	String	N	20	If there is no original order, output as '0000000'
Body	- ord_tm	ordertime	String	N	20	HHmmss
Body	- stk_cd	stock code	String	N	20	stock code 6 digits
Body	- stex_tp	Exchange category	String	N	20	0: Consolidated, 1: KRX, 2: NXT
Body	- stex_tp_txt	Exchange category text	String	N	20	Integrated, KRX, NXT
Body	- sor_yn	SOR status value	String	N	20	Y,N
Body	- stop_pric	stop	String	N	20	stoplimit priceorder stop price

Request Example

```
{
    "stk_cd": "005930",
    "qry_tp": "1",
    "sell_tp": "0",
    "ord_no": "",
    "stex_tp": "0"
}
```

Response Example

```
{
    "cntr": [
        {
            "ord_no": "0000037",
            "stk_nm": "삼성전자",
            "io_tp_nm": "-매도",
            "ord_pric": "158200",
            "ord_qty": "1",
            "cntr_pric": "158200",
            "cntr_qty": "1",
            "oso_qty": "0",
            "tdy_trde_cmsn": "310",
            "tdy_trde_tax": "284",
            "ord_stt": "체결",
            "trde_tp": "보통",
            "orig_ord_no": "0000000",
            "ord_tm": "153815",
            "stk_cd": "005930",
            "stex_tp": "0",
            "stex_tp_txt": "SOR",
            "sor_yn": "Y"
        },
        {
            "ord_no": "0000036",
            "stk_nm": "삼성전자",
            "io_tp_nm": "-매도",
            "ord_pric": "158200",
            "ord_qty": "1",
            "cntr_pric": "158200",
            "cntr_qty": "1",
            "oso_qty": "0",
            "tdy_trde_cmsn": "310",
            "tdy_trde_tax": "284",
            "ord_stt": "체결",
            "trde_tp": "보통",
            "orig_ord_no": "0000000",
            "ord_tm": "153806",
```

Response Example

"stk_cd": "005930",
"stex_tp": "0",
"stex_tp_txt": "SOR",
"sor_yn": "Y"
}
],
"return_code": 0,
"return_msg": "Your inquiry has been completed."
}

API information	
menu location	domestic stock > account > todayrealized profit/loss detailed request(ka10077)
API name	todayRealize profit/lossDetailed request
API ID	ka10077
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/acnt
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

Inquiry for detailed information on profit/loss realized today.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	6	stock code 6 digits

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	tdy_rlzt_pl	todayrealizedprofit/loss	String	N		Unit: Won
Body	tdy_rlzt_pl_dtl	todayRealizeprofit/lossDetails	LIST	N		
Body	- stk_nm	stock name	String	N	40	
Body	- cntr_qty	execution amount	String	N	20	Unit: 1 week
Body	- buy_uv	purchase unit price	String	N	20	Unit: Won
Body	- cntr_pric	execution	String	N	20	Unit: Won
Body	- tdy_sel_pl	todaysellprofit/loss	String	N	20	Unit: Won
Body	- pl_rt	profit/loss rate	String	N	20	Units: %, percentage formatted to two decimal places.
Body	- tdy_trde_cmsn	Today's purchase completion	String	N	20	Unit: Won
Body	- tdy_trde_tax	today sales tax	String	N	20	Unit: Won
Body	- stk_cd	stock code	String	N	20	

Request Example


```
{
    "stk_cd": "005930"
}
```


Response Example


```
{
    "tdy_rlzt_pl": "179439",
    "tdy_rlzt_pl_dtl": [
        {
            "stk_nm": "삼성전자",
            "cntr_qty": "1",
            "buy_uv": "97602.9573459",
            "cntr_pric": "158200",
            "tdy_sel_pl": "59813.0426541",
            "pl_rt": "+61.28",
            "tdy_trde_cmsn": "500",
            "tdy_trde_tax": "284",
            "stk_cd": "A005930"
        },
        {
            "stk_nm": "삼성전자",
            "cntr_qty": "1",
            "buy_uv": "97602.9573459",
            "cntr_pric": "158200",
            "tdy_sel_pl": "59813.0426541",
            "pl_rt": "+61.28",
            "tdy_trde_cmsn": "500",
            "tdy_trde_tax": "284",
            "stk_cd": "A005930"
        },
        {
            "stk_nm": "삼성전자",
            "cntr_qty": "1",
            "buy_uv": "97602.9573459",
            "cntr_pric": "158200",
            "tdy_sel_pl": "59813.0426541",
            "pl_rt": "+61.28",
            "tdy_trde_cmsn": "500",
            "tdy_trde_tax": "284",
            "stk_cd": "A005930"
        }
    ],
    "return_code": 0,
    "return_msg": " 조회가 완료되었습니다."
}
```

API information	
menu location	domestic stock > market price > stock trading trend by securities company request(ka10078)
API name	Stock trading trend request by securities company
API ID	ka10078

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/mrkcond
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about stock trading trends by securities company.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	mmcm_cd	Member company code	String	Y	3	Member company code is ka10102 inquiry
Body	stk_cd	stock code	String	Y	20	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	strt_dt	start date	String	Y	8	YYYYMMDD
Body	end_dt	end date character	String	Y	8	YYYYMMDD

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	sec_stk_trde_trend	Stock trading by securities company incense	LIST	N		
Body	- dt	date	String	N	20	YYYYMMDD
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- acc_trde_qty	cumulative volume	String	N	20	Unit: 1 week

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- netprps_qty	Net buy quantity	String	N	20	Unit: 1 week
Body	- buy_qty	buyquantity	String	N	20	Unit: 1 week
Body	- sell_qty	sellquantity	String	N	20	Unit: 1 week

Request Example


```
{
    "mmcm_cd": "001",
    "stk_cd": "005930",
    "strt_dt": "20241106",
    "end_dt": "20241107"
}
```


Response Example


```
{
    "sec_stk_trde_trend": [
        {
            "dt": "20241107",
            "cur_prc": "10050",
            "pre_sig": "0",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "acc_trde_qty": "0",
            "netprps_qty": "0",
            "buy_qty": "0",
            "sell_qty": "0"
        },
        {
            "dt": "20241106",
            "cur_prc": "10240",
            "pre_sig": "0",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "acc_trde_qty": "0",
            "netprps_qty": "-1016",
            "buy_qty": "951",
            "sell_qty": "1967"
        },
        {
            "dt": "20241105",
            "cur_prc": "10040",
            "pre_sig": "0",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "acc_trde_qty": "0",
            "netprps_qty": "2016",
            "buy_qty": "5002",
            "sell_qty": "2986"
        },
        {
            "dt": "20241101",
            "cur_prc": "-5880",
            "pre_sig": "4",
            "pred_pre": "-2520",
            "flu_rt": "-30.00",
            "acc_trde_qty": "16139969",
            "netprps_qty": "-532",
            "buy_qty": "2454",
            "sell_qty": "2986"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > chart > stock tick chart inquiryrequest(ka10079)
API name	Stock tick chart inquiry request
API ID	ka10079

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/chart
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about stock tick chart information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	20	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	tic_scope	tick range	String	Y	2	1:1tick, 3:3tick, 5:5tick, 10:10tick, 30:30tick
Body	upd_stkpc_tp	revised stock price category	String	Y	1	0 or 1

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	stk_cd	stock code	String	N	6	
Body	last_tic_cnt	Last tick number	String	N		
Body	stk_tic_chart_qry	stock tick chart inquiry	LIST	N		
Body	- cur_prc	current price	String	N	20	Unit: Won
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- cntr_tm	execution time	String	N	20	YYYYMMDDHHmmss
Body	- open_pric	opening price	String	N	20	Unit: Won
Body	- high_pric	high price	String	N	20	Unit: Won
Body	- low_pric	low price	String	N	20	Unit: Won

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- pred_pre	change from previous day	String	N	20	current price - previous dayclosing price
Body	- pred_pre_sig	change from previous day symbol	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline

Request Example

```
{
    "stk_cd": "005930",
    "tic_scope": "1",
    "upd_stkpc_tp": "1"
}
```

Response Example

```
{
    "stk_cd": "005930",
    "last_tic_cnt": "",
    "stk_tic_chart_qry": [
        {
            "cur_prc": "78900",
            "trde_qty": "143",
            "cntr_tm": "20250917131939",
            "open_pric": "78900",
            "high_pric": "78900",
            "low_pric": "78900",
            "pred_pre": "500",
            "pred_pre_sig": "5"
        },
        {
            "cur_prc": "78900",
            "trde_qty": "200",
            "cntr_tm": "20250917131939",
            "open_pric": "78900",
            "high_pric": "78900",
            "low_pric": "78900",
            "pred_pre": "500",
            "pred_pre_sig": "5"
        },
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > chart > stockminute candle chartinquiryrequest(ka10080)
API name	stockminute candlechartinquiryrequest
API ID	ka10080
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/chart
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

Inquiry for stock minute candle chart information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	20	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	tic_scope	tick range	String	Y	2	1:1 min, 3:3 min, 5:5 min, 10:10 min, 15:15 min, 30:30 min, 45:45 min, 60:60 minutes
Body	upd_stkpc_tp	revised stock price category	String	Y	1	0 or 1
Body	base_dt	Based on date	String	N	8	YYYYMMDD

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	stk_cd	stock code	String	N	6	
Body	stk_min_pole_chart_qry	stock minute candle chart inquiry	LIST	N		
Body	- cur_prc	current price(closing price)	String	N	20	Unit: Won, number included in asking price
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- cntr_tm	execution time	String	N	20	YYYYMMDDHHmmss
Body	- open_pric	opening price	String	N	20	Unit: Won, number included in asking price
Body	- high_pric	high price	String	N	20	Unit: Won, number included in asking price

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- low_pric	low price	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre	change from previous day	String	N	20	current price - previous dayclosing price
Body	- pred_pre_sig	change from previous day symbol	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline

Request Example


```
{
    "stk_cd": "005930",
    "tic_scope": "1",
    "upd_stkpc_tp": "1",
    "base_dt": "20260202"
}
```


Response Example


```
{
    "stk_cd": "005930",
    "stk_min_pole_chart_qry": [
        {
            "cur_prc": "-78800",
            "trde_qty": "7913",
            "cntr_tm": "20250917132000",
            "open_pric": "-78850",
            "high_pric": "-78900",
            "low_pric": "-78800",
            "acc_trde_qty": "14947571",
            "pred_pre": "-600",
            "pred_pre_sig": "5"
        },
        {
            "cur_prc": "-78900",
            "trde_qty": "16084",
            "cntr_tm": "20250917131900",
            "open_pric": "-78900",
            "high_pric": "-78900",
            "low_pric": "-78800",
            "acc_trde_qty": "14939658",
            "pred_pre": "-500",
            "pred_pre_sig": "5"
        },
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > chart > stock daily candle chart inquiryrequest(ka10081)
API name	stockdaily candlechartinquiryrequest
API ID	ka10081
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/chart
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	
Inquiry for stock daily candle chart information.	

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	20	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	base_dt	Based on date	String	Y	8	YYYYMMDD
Body	upd_stkpc_tp	revised stock price category	String	Y	1	0 or 1 / If you wish to apply the revised share price, after the rights accrual date Please enter the date in base_dt for inquiry or consecutive inquiry. I hope so. For example, Samsung Electronics on May 4, 2018 (stock split) If you enter the rights accrual date) in base_dt and inquire with Apply Modified Stock Price (1), Data before May 4, 2018 is in the 30,000 won range with revised shares applied. Here comes the price. Consecutive inquiries are also the same. Rights accrual date When base_dt inquiry is made before May 3, 2018 Since modified stock is not applied, the price range is over 2 million won. To inquire about past chart data for which you want to apply revised stock prices, Set the base_dt after the rights accrual date, and the revised stock price You must set it to Apply (1) and do inquiry and consecutive inquiries.

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	stk_cd	stock code	String	N	6	
Body	stk_dt_pole_chart_qry	stock daily candle chart inquiry	LIST	N		
Body	- cur_prc	current price	String	N	20	Unit: Won

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- trde_prica	trading amount	String	N	20	Unit: million won
Body	- dt	date	String	N	20	YYYYMMDD
Body	- open_pric	opening price	String	N	20	Unit: Won
Body	- high_pric	high price	String	N	20	Unit: Won
Body	- low_pric	low price	String	N	20	Unit: Won
Body	- pred_pre	change from previous day	String	N	20	current price - previous dayclosing price
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- trde_tern_rt	transaction turnover rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign

Request Example

```
{
    "stk_cd": "005930",
    "base_dt": "20250908",
    "upd_stkpc_tp": "1"
}
```

Response Example

```
{
    "stk_cd": "005930",
    "stk_dt_pole_chart_qry": [
        {
            "cur_prc": "70100",
            "trde_qty": "9263135",
            "trde_prica": "648525",
            "dt": "20250908",
            "open_pric": "69800",
            "high_pric": "70500",
            "low_pric": "69600",
            "pred_pre": "+600",
            "pred_pre_sig": "2",
            "trde_tern_rt": "+0.16"
        },
        {
            "cur_prc": "69500",
            "trde_qty": "11526724",
            "trde_prica": "804642",
            "dt": "20250905",
            "open_pric": "70300",
            "high_pric": "70400",
            "low_pric": "69500",
            "pred_pre": "-600",
            "pred_pre_sig": "5",
            "trde_tern_rt": "+0.19"
        },
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > chart > stock weekly candle chart inquiryrequest(ka10082)
API name	stockweeklycandlechartinquiryrequest
API ID	ka10082
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/chart
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

Inquiry for stock weekly candle chart information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	20	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	base_dt	Based on date	String	Y	8	YYYYMMDD
Body	upd_stkpc_tp	revised stock price category	String	Y	1	0 or 1

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	stk_cd	stock code	String	N	6	
Body	stk_stk_pole_chart_qry	stock weekly candle chart inquiry	LIST	N		
Body	- cur_prc	current price	String	N	20	Unit: Won
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- trde_prica	trading amount	String	N	20	Unit: Won
Body	- dt	date	String	N	20	YYYYMMDD
Body	- open_pric	opening price	String	N	20	Unit: Won
Body	- high_pric	high price	String	N	20	Unit: Won

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- low_pric	low price	String	N	20	Unit: Won
Body	- pred_pre	change from previous day	String	N	20	current price - previous dayclosing price
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- trde_tern_rt	transaction turnover rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign

Request Example


```
{
    "stk_cd": "005930",
    "base_dt": "20250905",
    "upd_stkpc_tp": "1"
}
```


Response Example


```
{
    "stk_cd": "005930",
    "stk_stk_pole_chart_qry": [
        {
            "cur_prc": "69500",
            "trde_qty": "56700518",
            "trde_prica": "3922030535087",
            "dt": "20250901",
            "open_pric": "68400",
            "high_pric": "70400",
            "low_pric": "67500",
            "pred_pre": "-200",
            "pred_pre_sig": "5",
            "trde_tern_rt": "+0.96"
        },
        {
            "cur_prc": "69700",
            "trde_qty": "58841393",
            "trde_prica": "4144644408600",
            "dt": "20250825",
            "open_pric": "71700",
            "high_pric": "71800",
            "low_pric": "69600",
            "pred_pre": "-1700",
            "pred_pre_sig": "5",
            "trde_tern_rt": "+0.99"
        },
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > chart > stock monthly candle chart inquiryrequest(ka10083)
API name	Stock monthly candle chart inquiry request
API ID	ka10083
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/chart
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

Inquire about stock monthly candle chart information.

Request						
category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	20	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	base_dt	Based on date	String	Y	8	YYYYMMDD
Body	upd_stkpc_tp	revised stock price category	String	Y	1	0 or 1

Response						
category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	stk_cd	stock code	String	N	6	
Body	stk_mth_pole_chart_qry	stock monthly candle chart inquiry	LIST	N		
Body	- cur_prc	current price	String	N	20	Unit: Won
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- trde_prica	trading amount	String	N	20	Unit: Won
Body	- dt	date	String	N	20	YYYYMMDD
Body	- open_pric	opening price	String	N	20	Unit: Won
Body	- high_pric	high price	String	N	20	Unit: Won

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- low_pric	low price	String	N	20	Unit: Won
Body	- pred_pre	change from previous day	String	N	20	current price - previous dayclosing price
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- trde_tern_rt	transaction turnover rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign

Request Example


```
{
    "stk_cd": "005930",
    "base_dt": "20250905",
    "upd_stkpc_tp": "1"
}
```


Response Example


```
{
    "stk_cd": "005930",
    "stk_mth_pole_chart_qry": [
        {
            "cur_prc": "78900",
            "trde_qty": "215040968",
            "trde_prica": "15774571011618",
            "dt": "20250901",
            "open_pric": "68400",
            "high_pric": "79500",
            "low_pric": "67500",
            "pred_pre": "+9200",
            "pred_pre_sig": "2",
            "trde_tern_rt": "+3.38"
        },
        {
            "cur_prc": "69700",
            "trde_qty": "258905351",
            "trde_prica": "18306059690160",
            "dt": "20250804",
            "open_pric": "69500",
            "high_pric": "72400",
            "low_pric": "68300",
            "pred_pre": "+13600",
            "pred_pre_sig": "2",
            "trde_tern_rt": "+4.37"
        },
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > stock information > todayprevious dayexecutionrequest(ka10084)
API name	todayprevious dayexecutionrequest
API ID	ka10084
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/stkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	
Select today or previous day to inquire about execution information.	

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	20	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	tdy_pred	todayprevious day	String	Y	1	today : 1, previous day : 2
Body	tic_min	tick minute	String	Y	1	0:tick, 1:minute
Body	tm	time	String	N	4	inquirytime 4 digits, 0900 for 9 a.m., 2:30 p.m. In case 1430, when an empty value (") is input, it is automatically set to the current time.

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	tdy_pred_cntr	todayprevious dayexecution	LIST	N		
Body	- tm	time	String	N	20	HHmmss
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- pre_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- pri_sel_bid_unit	First ask price unit	String	N	20	Unit: Won, number included in asking price
Body	- pri_buy_bid_unit	First bid price unit	String	N	20	Unit: Won, number included in asking price

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- cntr_trde_qty	executiontrading volume	String	N	20	Unit: 1 week, number including sub-asking price
Body	- sign	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- acc_trde_qty	cumulative volume	String	N	20	Unit: 1 week
Body	- acc_trde_prica	cumulative trading amount	String	N	20	Unit: million won
Body	- cntr_str	execution intensity	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- stex_tp	Exchange category	String	N	20	KRX, NXT, integrated

Request Example

```
{
    "stk_cd": "005930",
    "tdy_pred": "1",
    "tic_min": "0",
    "tm": ""
}
```

Response Example

```
{
    "tdy_pred_cntr": [
        {
            "tm": "112711",
            "cur_prc": "+128300",
            "pred_pre": "+700",
            "pre_rt": "+0.55",
            "pri_sel_bid_unit": "-0",
            "pri_buy_bid_unit": "+128300",
            "cntr_trde_qty": "-1",
            "sign": "2",
            "acc_trde_qty": "2",
            "acc_trde_prica": "0",
            "cntr_str": "0.00"
        },
        {
            "tm": "111554",
            "cur_prc": "+128300",
            "pred_pre": "+700",
            "pre_rt": "+0.55",
            "pri_sel_bid_unit": "-0",
            "pri_buy_bid_unit": "+128300",
            "cntr_trde_qty": "-1",
            "sign": "2",
            "acc_trde_qty": "1",
            "acc_trde_prica": "0",
            "cntr_str": "0.00"
        }
    ],
    "returnCode": 0,
    "returnMsg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > account > accountreturn raterequest(ka10085)
API name	accountreturn raterequest
API ID	ka10085

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/acnt
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about return rate information for the token account.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stex_tp	Exchange category	String	Y	1	0: Consolidated, 1: KRX, 2: NXT

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	acnt_prft_rt	accountreturn rate	LIST	N		
Body	- dt	date	String	N	20	YYYYMMDD
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- cur_prc	current price	String	N	20	Unit: Won
Body	- pur_pric	purchase price	String	N	20	Unit: Won
Body	- pur_amt	purchase amount	String	N	20	Unit: Won
Body	- rmnd_qty	holding quantity	String	N	20	Unit: 1 week
Body	- tdy_sel_pl	todaysellprofit/loss	String	N	20	Unit: Won
Body	- tdy_trde_cmsn	Today's purchase completion	String	N	20	Unit: Won
Body	- tdy_trde_tax	today sales tax	String	N	20	Unit: Won

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- crd_tp	creditcategory	String	N	20	
Body	- loan_dt	loan date	String	N	20	YYYYMMDD, if there is no loan date, output as '00000000'
Body	- setl_remn	payment balance	String	N	20	Unit: Won
Body	- clrn_alow_qty	Quantity available for liquidation	String	N	20	Unit: 1 week
Body	- crd_amt	credit amount	String	N	20	Unit: Won
Body	- crd_int	credit interest	String	N	20	Unit: Won
Body	- expr_dt	expiration date	String	N	20	YYYYMMDD, if there is no expiration date, output as '00000000'

Request Example


```
{
    "stex_tp": "0"
}
```


Response Example


```
{
    "acnt_prft_rt": [
        {
            "dt": "",
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "-63000",
            "pur_pric": "124500",
            "pur_amt": "373500",
            "rmnd_qty": "3",
            "tdy_sel_pl": "0",
            "tdy_trde_cmsn": "0",
            "tdy_trde_tax": "0",
            "crd_tp": "00",
            "loan_dt": "00000000",
            "setl_remn": "3",
            "clrn_alow_qty": "3",
            "crd_amt": "0",
            "crd_int": "0",
            "expr_dt": "00000000"
        },
        {
            "dt": "",
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "+256500",
            "pur_pric": "209179",
            "pur_amt": "1673429",
            "rmnd_qty": "8",
            "tdy_sel_pl": "0",
            "tdy_trde_cmsn": "0",
            "tdy_trde_tax": "0",
            "crd_tp": "00",
            "loan_dt": "00000000",
            "setl_remn": "8",
            "clrn_alow_qty": "8",
            "crd_amt": "0",
            "crd_int": "0",
            "expr_dt": "00000000"
        },
        {
            "dt": "",
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "+156600",
            "pur_pric": "97603",
            "pur_amt": "3513706",
            "rmnd_qty": "36",
            "tdy_sel_pl": "0",
            "tdy_trde_cmsn": "0",
            "tdy_trde_tax": "0",
            "crd_tp": "00",
            "loan_dt": "00000000",
```

Response Example


```
"setl_remn": "39",
            "clrn_alow_qty": "36",
            "crd_amt": "0",
            "crd_int": "0",
            "expr_dt": "00000000"
        }
    ],
    "return_code": 0,
    "return_msg": "Your inquiry has been completed."
}
```

API information	
menu location	domestic stock > market price > daily stock price request(ka10086)
API name	Daily stock price request
API ID	ka10086
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/mrkcond
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

Inquire about daily stock price information.
[Caution] For foreign investor net purchase data, price data is not provided from the exchange and is only inquiry by quantity.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	20	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	qry_dt	inquirydate	String	Y	8	YYYYMMDD
Body	indc_tp	Displaycategory	String	Y	1	0: Quantity, 1: Amount (KRW in millions)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	daly_stkpc	Daily stock price	LIST	N		
Body	- date	date	String	N	20	YYYYMMDD
Body	- open_pric	opening price	String	N	20	Unit: Won, number included in asking price
Body	- high_pric	high price	String	N	20	Unit: Won, number included in asking price
Body	- low_pric	low price	String	N	20	Unit: Won, number included in asking price
Body	- close_pric	closing price	String	N	20	Unit: Won, number included in asking price
Body	- pred_rt	previous dayrain	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- amt_mn	Amount (million)	String	N	20	Unit: million won
Body	- crd_rt	credit fee	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- ind	individual	String	N	20	Unit: million won, 1 week, number including sub-asking price
Body	- orgn	institutional	String	N	20	Unit: million won, 1 week, number including sub-asking price
Body	- for_qty	foreign quantity	String	N	20	Unit: million won, 1 week, number including sub-asking price
Body	- frgn	foreign	String	N	20	Unit: million won, 1 week, number including sub-asking price
Body	- prm	program	String	N	20	Unit: million won, 1 week, number including sub-asking price
Body	- for_rt	exogenous ratio	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- for_poss	Owned by foreigners	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- for_wght	Foreign proportion	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- for_netprps	foreign purchase	String	N	20	Unit: million won, 1 week, number including sub-asking price
Body	- orgn_netprps	institutional net buy	String	N	20	Unit: million won, 1 week, number including sub-asking price
Body	- ind_netprps	Individual purchase	String	N	20	Unit: million won, 1 week, number including sub-asking price
Body	- crd_remn_rt	Credit balance rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign

Request Example

```
{
    "stk_cd": "005930",
    "qry_dt": "20241125",
    "indc_tp": "0"
}
```

Response Example


```
{
    "daly_stkpc": [
        {
            "date": "20241125",
            "open_pric": "+78800",
            "high_pric": "+101100",
            "low_pric": "-54500",
            "close_pric": "-55000",
            "pred_rt": "-22800",
            "flu_rt": "-29.31",
            "trde_qty": "20278",
            "amt_mn": "1179",
            "crd_rt": "0.00",
            "ind": "--714",
            "orgn": "+693",
            "for_qty": "--266783",
            "frgn": "0",
            "prm": "0",
            "for_rt": "+51.56",
            "for_poss": "+51.56",
            "for_wght": "+51.56",
            "for_netprps": "--266783",
            "orgn_netprps": "+693",
            "ind_netprps": "--714",
            "crd_remn_rt": "0.00"
        },
        {
            "date": "20241122",
            "open_pric": "-54500",
            "high_pric": "77800",
            "low_pric": "-54500",
            "close_pric": "77800",
            "pred_rt": "0",
            "flu_rt": "0.00",
```

Response Example


```
"trde_qty": "209653",
            "amt_mn": "11447",
            "crd_rt": "0.00",
            "ind": "--196415",
            "orgn": "+196104",
            "for_qty": "--2965929",
            "frgn": "0",
            "prm": "--6",
            "for_rt": "+51.56",
            "for_poss": "+51.56",
            "for_wght": "+51.56",
            "for_netprps": "--2965929",
            "orgn_netprps": "+196104",
            "ind_netprps": "--196415",
            "crd_remn_rt": "0.00"
        }
    ],
    "return_code": 0,
    "return_msg": "Processed successfully"
}
```

API information	
menu location	domestic stock > market price > single price other than time request(ka10087)
API name	Single price request other than time
API ID	ka10087

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/mrkcond
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about single price information other than time.
[Caution] The asking priceremaining quantity standard time is the regular time value, not the time for out-of-hours transactions.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	6	

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	bid_req_base_tm		String	N		HHmmss
Body	ovt_sigpric_sel_bid_jub_pre_5	time and single price_sell issue Just before change5	String	N		Unit: 1 week, number including sub-asking price
Body	ovt_sigpric_sel_bid_jub_pre_4	time and single price_sell issue Just before change4	String	N		Unit: 1 week, number including sub-asking price
Body	ovt_sigpric_sel_bid_jub_pre_3	time and single price_sell issue Just before change3	String	N		Unit: 1 week, number including sub-asking price
Body	ovt_sigpric_sel_bid_jub_pre_2	time and single price_sell issue Just before change2	String	N		Unit: 1 week, number including sub-asking price
Body	ovt_sigpric_sel_bid_jub_pre_1	time and single price_sell issue Just before change1	String	N		Unit: 1 week, number including sub-asking price
Body	ovt_sigpric_sel_bid_qty_5	time and single price_sell issue Quantity 5	String	N		Unit: 1 week
Body	ovt_sigpric_sel_bid_q	time and single price_sell issue	String	N		Unit: 1 week

Response						
category	Element	Korean name	Type	Required	Length	Description
	ty_4	Quantity 4				
Body	ovt_sigpric_sel_bid_qty_3	time and single price_sell issue Quantity 3	String	N		Unit: 1 week
Body	ovt_sigpric_sel_bid_qty_2	time and single price_sell issue Quantity 2	String	N		Unit: 1 week
Body	ovt_sigpric_sel_bid_qty_1	time and single price_sell issue Quantity 1	String	N		Unit: 1 week
Body	ovt_sigpric_sel_bid_5	time and single price_sell issue A5	String	N		Unit: Won, number included in asking price
Body	ovt_sigpric_sel_bid_4	time and single price_sell issue A4	String	N		Unit: Won, number included in asking price
Body	ovt_sigpric_sel_bid_3	time and single price_sell issue A3	String	N		Unit: Won, number included in asking price
Body	ovt_sigpric_sel_bid_2	time and single price_sell issue A2	String	N		Unit: Won, number included in asking price
Body	ovt_sigpric_sel_bid_1	time and single price_sell issue A1	String	N		Unit: Won, number included in asking price
Body	ovt_sigpric_buy_bid_1	Time and other single price_buy issue A1	String	N		Unit: Won, number included in asking price
Body	ovt_sigpric_buy_bid_2	Time and other single price_buy issue A2	String	N		Unit: Won, number included in asking price
Body	ovt_sigpric_buy_bid_3	Time and other single price_buy issue A3	String	N		Unit: Won, number included in asking price
Body	ovt_sigpric_buy_bid_4	Time and other single price_buy issue A4	String	N		Unit: Won, number included in asking price
Body	ovt_sigpric_buy_bid_5	Time and other single price_buy issue A5	String	N		Unit: Won, number included in asking price
Body	ovt_sigpric_buy_bid_qty_1	Time and other single price_buy issue Quantity 1	String	N		Unit: 1 week
Body	ovt_sigpric_buy_bid_qty_2	Time and other single price_buy issue Quantity 2	String	N		Unit: 1 week
Body	ovt_sigpric_buy_bid_qty_3	Time and other single price_buy issue Quantity 3	String	N		Unit: 1 week
Body	ovt_sigpric_buy_bid_qty_4	Time and other single price_buy issue Quantity 4	String	N		Unit: 1 week
Body	ovt_sigpric_buy_bid_qty_5	Time and other single price_buy issue Quantity 5	String	N		Unit: 1 week
Body	ovt_sigpric_buy_bid_jub_pre_1	Time and other single price_buy issue Just before change1	String	N		Unit: 1 week, number including sub-asking price
Body	ovt_sigpric_buy_bid_jub_pre_2	Time and other single price_buy issue Just before change2	String	N		Unit: 1 week, number including sub-asking price
Body	ovt_sigpric_buy_bid_jub_pre_3	Time and other single price_buy issue Just before change3	String	N		Unit: 1 week, number including sub-asking price
Body	ovt_sigpric_buy_bid_jub_pre_4	Time and other single price_buy issue Just before change4	String	N		Unit: 1 week, number including sub-asking price
Body	ovt_sigpric_buy_bid_jub_pre_5	Time and other single price_buy issue Just before change5	String	N		Unit: 1 week, number including sub-asking price
Body	ovt_sigpric_sel_bid_tot_req	time and single price_sell issue Gachongremaining quantity	String	N		Unit: 1 week

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	ovt_sigpric_buy_bid_tot_req	Time and other single price_buy issue Gachongremaining quantity	String	N		Unit: 1 week
Body	sel_bid_tot_req_jub_pre	ask pricetotalremaining quantityjust before change	String	N		Unit: 1 week, number including sub-asking price
Body	sel_bid_tot_req	ask pricetotalremaining quantity	String	N		Unit: 1 week
Body	buy_bid_tot_req	bid pricetotalremaining quantity	String	N		Unit: 1 week
Body	buy_bid_tot_req_jub_pre	bid pricetotalremaining quantityjust before change	String	N		Unit: 1 week, number including sub-asking price
Body	ovt_sel_bid_tot_req_jub_pre	time and ask price total cup change	String	N		Unit: 1 week, number including sub-asking price
Body	ovt_sel_bid_tot_req	time and ask price total cup quantity	String	N		Unit: 1 week
Body	ovt_buy_bid_tot_req	Total bid price outside of time quantity	String	N		Unit: 1 week
Body	ovt_buy_bid_tot_req_jub_pre	Total bid price outside of time change	String	N		Unit: 1 week, number including sub-asking price
Body	ovt_sigpric_cur_prc		String	N		Unit: Won, number included in asking price
Body	ovt_sigpric_pred_pre_sig	Single day outside of time_previous day Non-symbol	String	N		
Body	ovt_sigpric_pred_pre	Single day outside of time_previous day rain	String	N		Unit: Won, number included in asking price
Body	ovt_sigpric_flu_rt		String	N		Units: %, percentage formatted to 2 decimal places with sign
Body	ovt_sigpric_acc_trde_qty	Time and other single value_cumulative value Raeryang	String	N		Unit: 1 week

Request Example


```
{
    "stk_cd": "005930"
}
```


Response Example


```
{
    "bid_req_base_tm": "164000",
    "ovt_sigpric_sel_bid_jub_pre_5": "0",
    "ovt_sigpric_sel_bid_jub_pre_4": "0",
    "ovt_sigpric_sel_bid_jub_pre_3": "0",
    "ovt_sigpric_sel_bid_jub_pre_2": "0",
    "ovt_sigpric_sel_bid_jub_pre_1": "0",
    "ovt_sigpric_sel_bid_qty_5": "0",
    "ovt_sigpric_sel_bid_qty_4": "0",
    "ovt_sigpric_sel_bid_qty_3": "0",
    "ovt_sigpric_sel_bid_qty_2": "0",
    "ovt_sigpric_sel_bid_qty_1": "0",
    "ovt_sigpric_sel_bid_5": "-0",
    "ovt_sigpric_sel_bid_4": "-0",
    "ovt_sigpric_sel_bid_3": "-0",
    "ovt_sigpric_sel_bid_2": "-0",
    "ovt_sigpric_sel_bid_1": "-0",
    "ovt_sigpric_buy_bid_1": "-0",
    "ovt_sigpric_buy_bid_2": "-0",
    "ovt_sigpric_buy_bid_3": "-0",
    "ovt_sigpric_buy_bid_4": "-0",
    "ovt_sigpric_buy_bid_5": "-0",
    "ovt_sigpric_buy_bid_qty_1": "0",
    "ovt_sigpric_buy_bid_qty_2": "0",
    "ovt_sigpric_buy_bid_qty_3": "0",
    "ovt_sigpric_buy_bid_qty_4": "0",
    "ovt_sigpric_buy_bid_qty_5": "0",
    "ovt_sigpric_buy_bid_jub_pre_1": "0",
    "ovt_sigpric_buy_bid_jub_pre_2": "0",
```

Response Example


```
"ovt_sigpric_buy_bid_jub_pre_3": "0",
    "ovt_sigpric_buy_bid_jub_pre_4": "0",
    "ovt_sigpric_buy_bid_jub_pre_5": "0",
    "ovt_sigpric_sel_bid_tot_req": "0",
    "ovt_sigpric_buy_bid_tot_req": "0",
    "sel_bid_tot_req_jub_pre": "0",
    "sel_bid_tot_req": "24028",
    "buy_bid_tot_req": "26579",
    "buy_bid_tot_req_jub_pre": "0",
    "ovt_sel_bid_tot_req_jub_pre": "0",
    "ovt_sel_bid_tot_req": "0",
    "ovt_buy_bid_tot_req": "11",
    "ovt_buy_bid_tot_req_jub_pre": "0",
    "ovt_sigpric_cur_prc": "156600",
    "ovt_sigpric_pred_pre_sig": "0",
    "ovt_sigpric_pred_pre": "0",
    "ovt_sigpric_flu_rt": "0.00",
    "ovt_sigpric_acc_trde_qty": "0",
    "return_code": 0,
    "return_msg": "Processed successfully"
}
```

API information	
menu location	domestic stock > account > unexecuted split order details (ka10088)
API name	unexecuted split order details
API ID	ka10088
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/acnt
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

Inquiry for details of unexecuted split order.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	ord_no	order number	String	Y	20	7 digit order number

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	osop	unexecutedsplitorderless t	LIST	N		
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- ord_no	order number	String	N	20	7 digit order number
Body	- ord_qty	order quantity	String	N	20	Unit: 1 week
Body	- ord_pric	order price	String	N	20	Unit: Won
Body	- osop_qty	unexecuted quantity	String	N	20	Unit: 1 week
Body	- io_tp_nm	order classification	String	N	20	
Body	- trde_tp	Salescategory	String	N	20	
Body	- sell_tp	sell/number category	String	N	20	
Body	- cntr_qty	execution amount	String	N	20	Unit: 1 week

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- ord_stt	order status	String	N	20	
Body	- cur_prc	current price	String	N	20	Unit: Won
Body	- stex_tp	Exchange category	String	N	20	0: Consolidated, 1: KRX, 2: NXT
Body	- stex_tp_txt	Exchange category text	String	N	20	Integrated, KRX, NXT

Request Example

```
{
    "ord_no": "8"
}
```

Response Example

```
{
    "osop": [
        {
            "stk_cd": "005930",
            "acnt_no": "1234567890",
            "stk_nm": "삼성전자",
            "ord_no": "0000008",
            "ord_qty": "1",
            "ord_pric": "5150",
            "osop_qty": "1",
            "io_tp_nm": "+매수정정",
            "trde_tp": "보통",
            "sell_tp": "2",
            "cntr_qty": "0",
            "ord_stt": "접수",
            "cur_prc": "5250",
            "stex_tp": "1",
            "stex_tp_txt": "S-KRX"
        }
    ],
    "return_code": 0,
    "return_msg": " 조회가 완료되었습니다."
}
```

API information	
menu location	domestic stock > chart > stock annual chart inquiryrequest(ka10094)
API name	stock year chart inquiryrequest
API ID	ka10094
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/chart
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

I would like to inquire about stock yearly chart information.

Request						
category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	20	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	base_dt	Based on date	String	Y	8	YYYYMMDD
Body	upd_stkpc_tp	revised stock price category	String	Y	1	0 or 1

Response						
category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	stk_cd	stock code	String	N	6	
Body	stk_yr_pole_chart_qry	stock year chart inquiry	LIST	N		
Body	- cur_prc	current price	String	N	20	Unit: Won
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- trde_prica	trading amount	String	N	20	Unit: Won
Body	- dt	date	String	N	20	YYYYMMDD
Body	- open_pric	opening price	String	N	20	Unit: Won
Body	- high_pric	high price	String	N	20	Unit: Won

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- low_pric	low price	String	N	20	Unit: Won

Request Example


```
{
    "stk_cd": "005930",
    "base_dt": "20250905",
    "upd_stkpc_tp": "1"
}
```


Response Example


```
{
    "stk_cd": "005930",
    "stk_yr_pole_chart_qry": [
        {
            "cur_prc": "78200",
            "trde_qty": "10541142553",
            "trde_prica": "698972287992549",
            "dt": "20250102",
            "open_pric": "65100",
            "high_pric": "118800",
            "low_pric": "34900"
        },
        {
            "cur_prc": "65100",
            "trde_qty": "6932860023",
            "trde_prica": "487975647547136",
            "dt": "20240102",
            "open_pric": "78200",
            "high_pric": "861000",
            "low_pric": "39300"
        },
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > stock information > stock information request(ka10095)
API name	Interested stock information request
API ID	ka10095
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/stkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	
Inquire about stock information of interest.	

Request						
category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	20	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL) When inputting multiple stock codes | By category

Response						
category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	atn_stk_infr	Interested stock information	LIST	N		
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- base_pric	base price	String	N	20	Unit: Won
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- trde_prica	trading amount	String	N	20	Unit: million won

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- cntr_qty	execution amount	String	N	20	Unit: 1 week, number including sub-asking price
Body	- cntr_str	execution intensity	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- pred_trde_qty_pre		String	N	20	
Body	- sel_bid	ask price	String	N	20	Unit: Won, number included in asking price
Body	- buy_bid	bid price	String	N	20	Unit: Won, number included in asking price
Body	- sel_1th_bid	sell1stasking price	String	N	20	Unit: Won, number included in asking price
Body	- sel_2th_bid	sell2nd asking price	String	N	20	Unit: Won, number included in asking price
Body	- sel_3th_bid	sell3rdasking price	String	N	20	Unit: Won, number included in asking price
Body	- sel_4th_bid	sell 4th asking price	String	N	20	Unit: Won, number included in asking price
Body	- sel_5th_bid	sell5th asking price	String	N	20	Unit: Won, number included in asking price
Body	- buy_1th_bid	buy1st asking price	String	N	20	Unit: Won, number included in asking price
Body	- buy_2th_bid	buy2nd asking price	String	N	20	Unit: Won, number included in asking price
Body	- buy_3th_bid	buy3rd asking price	String	N	20	Unit: Won, number included in asking price
Body	- buy_4th_bid	buy4thasking price	String	N	20	Unit: Won, number included in asking price
Body	- buy_5th_bid	buy5th asking price	String	N	20	Unit: Won, number included in asking price
Body	- upl_pric	upper limit price	String	N	20	Unit: Won, number included in asking price
Body	- lst_pric	lower limit price	String	N	20	Unit: Won, number included in asking price
Body	- open_pric	opening price	String	N	20	Unit: Won, number included in asking price
Body	- high_pric	high price	String	N	20	Unit: Won, number included in asking price
Body	- low_pric	low price	String	N	20	Unit: Won, number included in asking price
Body	- close_pric	closing price	String	N	20	Unit: Won, number included in asking price
Body	- cntr_tm	execution time	String	N	20	HHmmss
Body	- exp_cntr_pric	Expected execution	String	N	20	Unit: Won, number included in asking price
Body	- exp_cntr_qty	Expected execution amount	String	N	20	Unit: 1 week
Body	- cap	capital	String	N	20	Unit: KRW 100 million
Body	- fav	par value	String	N	20	Unit: Won
Body	- mac	market capitalization	String	N	20	Unit: KRW 100 million
Body	- stkcnt	number of shares	String	N	20	Unit: 1 week
Body	- bid_tm	asking pricetime	String	N	20	HHmmss
Body	- dt	date	String	N	20	YYYYMMDD
Body	- pri_sel_req	First sellremaining quantity	String	N	20	Unit: 1 week
Body	- pri_buy_req	Firstbuyremaining quantity	String	N	20	Unit: 1 week
Body	- pri_sel_cnt	Number of priority sales	String	N	20	
Body	- pri_buy_cnt	Number of priority purchases	String	N	20	
Body	- tot_sel_req	Total sellremaining quantity	String	N	20	Unit: 1 week
Body	- tot_buy_req	Total buyremaining quantity	String	N	20	Unit: 1 week
Body	- tot_sel_cnt	Total number of sells	String	N	20	

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- tot_buy_cnt	Total number of purchases	String	N	20	
Body	- prty	parity	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- gear	gearing	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- pl_qutr	profit/loss quarter	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- cap_support	capital support	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- elwexec_pric	ELW event price	String	N	20	Unit: Won
Body	- cnvt_rt	conversion rate	String	N	20	Units: %, percentage formatted to 4 decimal places, including sign.
Body	- elwexpr_dt	ELW maturity date	String	N	20	YYYYMMDD
Body	- cntr_engg	Open interest	String	N	20	
Body	- cntr_pred_pre		String	N	20	
Body	- theory_pric	theorist	String	N	20	
Body	- innr_vltl	Implied Volatility	String	N	20	
Body	- delta	delta	String	N	20	
Body	- gam	gamma	String	N	20	
Body	- theta	theta	String	N	20	
Body	- vega	Vega	String	N	20	
Body	- law	as	String	N	20	

Request Example


```
{
    "stk_cd": "005930"
}
```


Response Example


```
{
    "atn_stk_infr": [
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "+156600",
            "base_pric": "121700",
            "pred_pre": "+34900",
            "pred_pre_sig": "2",
            "flu_rt": "+28.68",
            "trde_qty": "118636",
            "trde_prica": "14889",
            "cntr_qty": "-1",
            "cntr_str": "172.01",
            "pred_trde_qty_pre": "+1995.22",
            "sel_bid": "+156700",
            "buy_bid": "+156600",
            "sel_1th_bid": "+156700",
            "sel_2th_bid": "+156800",
            "sel_3th_bid": "+156900",
            "sel_4th_bid": "+158000",
            "sel_5th_bid": "+158100",
            "buy_1th_bid": "+156600",
            "buy_2th_bid": "+156500",
            "buy_3th_bid": "+156400",
            "buy_4th_bid": "+130000",
            "buy_5th_bid": "121700",
            "upl_pric": "+158200",
            "lst_pric": "-85200",
            "open_pric": "121700",
            "high_pric": "+158200",
            "low_pric": "-85200",
```

Response Example

"close_pric": "+156600", "cntr_tm": "163713", "exp_cntr_pric": "+156600", "exp_cntr_qty": "823", "cap": "7780", "fav": "100", "mac": "9348679", "stkcnt": "5969783", "bid_tm": "164000", "dt": "20241128", "pri_sel_req": "8003", "pri_buy_req": "7705", "pri_sel_cnt": "", "pri_buy_cnt": "", "tot_sel_req": "24028", "tot_buy_req": "26579", "tot_sel_cnt": "-11", "tot_buy_cnt": "", "prty": "0.00", "gear": "0.00", "pl_qutr": "0.00", "cap_support": "0.00", "elwexec_pric": "0", "cnvt_rt": "0.0000", "elweexpr_dt": "00000000", "cntr_engg": "", "cntr_pred_pre": "", "theory_pric": "", "innr_vltl": "", "delta": "", "gam": "", "theta": "", "vega": "", "law": "" }], "return_code": 0, "return_msg": "Processed successfully" }

API information	
menu location	domestic stock > ranking information > time and other single price change raterankingrequest(ka10098)
API name	time and other single price change raterankingrequest
API ID	ka10098

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/rkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquiry for single price change rate ranking information other than time.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	mrkt_tp	marketcategory	String	Y	3	000: All, 001: KOSPI, 101: KOSDAQ
Body	sort_base	Sort by	String	Y	1	1:rise rate, 2:rise width, 3:decline rate, 4:decline width, 5:unchanged
Body	stk_cnd	stock conditions	String	Y	2	0: Full inquiry, 1: Excluding management stock, 2: Excluding liquidation sale stock, 3: Excluding preferred stock, 4: Excluding management stock preferred stock, 5: Excluding 100 increase, 6: Increase 1 million views, 7: Increase 400 thousand views 8: See 300,000 augments, 9: See 200,000 augments, 12: See 500,000 augments, 13: See 600,000 augments, 14: Excluding ETF, 15: Excluding SPAC, 16: Excluding ETF+ETN, 17: Excluding ETN
Body	trde_qty_cnd	trading volume conditions	String	Y	5	0: Total inquiry, 10: More than 100 shares, 50: More than 500 shares, 100; More than 1,000 shares, 500: more than 5,000 shares, 1000: more than 10,000 shares, 5000: more than 50,000 shares, 10000:More than 100,000 shares
Body	crd_cnd	credit terms	String	Y	1	0: All inquiries, 9: All credit loans, 1: Credit loan group A, 2: Credit loan group B, 3: Credit loan group C, 4: Credit loan group D, 7: Credit loan group E, 8: Credit loan, 5:Excluding credit limit exceeding
Body	trde_prica	trading amount	String	Y	5	0: Total inquiry, 5: More than 5 million won, 10: More than 10 million won, 30: More than 30 million won, 50: 50 million won or more, 100: 100 million won or more, 300: 300 million won or more, 500: more than 500 million won, 1000: more than 1 billion won, 3000: more than 3 billion won, 5000: 5 billion won or more, 10000: 10 billion won or more

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	ovt_sigpric_flu_rt_rank	Other than time, single price change rate ranking	LIST	N		

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- rank	ranking	String	N	20	
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- sel_tot_req	sellgunsremaining quantity	String	N	20	Unit: 1 week
Body	- buy_tot_req	buytotalremaining quantity	String	N	20	Unit: 1 week
Body	- acc_trde_qty	cumulative volume	String	N	20	Unit: 1 week
Body	- acc_trde_prica	cumulative trading amount	String	N	20	Unit: million won
Body	- tdy_close_pric	todayclosing price	String	N	20	Unit: Won
Body	- tdy_close_pric_flu_rt	todayclosing pricechange rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign

Request Example

```
{
    "mrkt_tp": "000",
    "sort_base": "5",
    "stk_cnd": "0",
    "trde_qty_cnd": "0",
    "crd_cnd": "0",
    "trde_prica": "0"
}
```

Response Example

```
{
    "ovt_sigpric_flu_rt_rank": [
        {
            "rank": "1",
            "stk_cd": "069500",
            "stk_nm": "KODEX 200",
            "cur_prc": "17140",
            "pred_pre_sig": "3",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "sel_tot_req": "0",
            "buy_tot_req": "24",
            "acc_trde_qty": "42",
            "acc_trde_prica": "1",
            "tdy_close_pric": "17140",
            "tdy_close_pric_flu_rt": "-0.26"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > stock information > stock information list (ka10099)
API name	stock information list
API ID	ka10099

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/stkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Select the market and inquire about the stock list.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	mrkt_tp	marketcategory	String	Y	2	0: KOSPI, 10: KOSDAQ, 30: K-OTC, 50: Conex, 60:ETN, 70: Stop-loss ETN, 80: Spot gold, 90: Volatility ETN, 2: Infrastructure investment and financing, 3: ELW, 4: Mutual fund, 5: New stock warrants, 6: Ritz stock, 7: New stock warrant certificate, 8: ETF, 9: High yield fund

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	list	stock list	LIST	N		
Body	- code	stock code	String	N	20	short code
Body	- name	stock name	String	N	40	
Body	- listCount	listed shares	String	N	20	Unit: 1 week, 16-digit number including sign with 0-padding on the left

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- auditInfo	Supervision category	String	N	20	
Body	- regDay	Listing date	String	N	20	YYYYMMDD
Body	- lastPrice	previous dayclosing price	String	N	20	Unit: circle, 8-digit number including sign with 0-padding on the left
Body	- state	stock status	String	N	20	
Body	- marketCode	Market category code	String	N	20	
Body	- marketName	Market name	String	N	20	
Body	- upName	sector name	String	N	20	
Body	- upSizeName	Company size classification	String	N	20	
Body	- orderWarning	Investment caution stock availability	String	N	20	0: Not applicable, 2: Liquidation sale, 3: Short-term overheating, 4: Investment risk, 5: Investment progress, 1: ETF investor caution (pass only in case of ETF)
Body	- companyClassName	Company classification	String	N	20	Only KOSDAQ exists
Body	- nxtEnable	Is NXT available?	String	N	20	Y: Yes

Request Example

```
{
    "mrkt_tp": "0"
}
```

Response Example


```
{
    "return_msg": "정상적으로 처리되었습니다",
    "return_code": 0,
    "list": [
        {
            "code": "005930",
            "name": "삼성전자",
            "listCount": "0000000123759593",
            "auditInfo": "투자주의환기종목",
            "regDay": "20091204",
            "lastPrice": "00000197",
            "state": "관리종목",
            "marketCode": "10",
            "marketName": "코스닥",
            "upName": "",
            "upSizeName": "",
            "companyClassName": "",
            "orderWarning": "0",
            "nxtEnable": "Y"
        },
        {
            "code": "005930",
            "name": "삼성전자",
            "listCount": "0000000136637536",
            "auditInfo": "정상",
            "regDay": "20100423",
            "lastPrice": "00000213",
            "state": "증거금100%",
            "marketCode": "10",
            "marketName": "코스닥",
            "upName": "",
            "upSizeName": "",
            "companyClassName": "외국기업",
            "orderWarning": "0",
            "nxtEnable": "Y"
        },
        {
            "code": "005930",
            "name": "삼성전자",
            "listCount": "0000000080000000",
            "auditInfo": "정상",
            "regDay": "20160818",
            "lastPrice": "00000614",
```

Response Example

"state": "margin100%", "marketCode": "10", "marketName": "KOSDAQ", "upName": "", "upSizeName": "", "companyClassName": "Foreign company", "orderWarning": "0", "nxtEnable": "Y" }, { "code": "005930", "name": "Samsung Electronics", "listCount": "0000000141781250", "auditInfo": "normal", "regDay": "20160630", "lastPrice": "00000336", "state": "margin100%", "marketCode": "10", "marketName": "KOSDAQ", "upName": "", "upSizeName": "", "companyClassName": "Foreign company", "orderWarning": "0", "nxtEnable": "Y" }, { "code": "005930", "name": "Samsung Electronics", "listCount": "0000000067375000", "auditInfo": "Investor alert stock", "regDay": "20161025", "lastPrice": "00000951", "state": "Management stock", "marketCode": "10", "marketName": "KOSDAQ", "upName": "", "upSizeName": "", "companyClassName": "", "orderWarning": "0", "nxtEnable": "Y" }] }

API information	
menu location	domestic stock > stock information > stock information inquiry(ka10100)
API name	stock information inquiry
API ID	ka10100

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/stkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about stock information using the stock code.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	6	stock code 6 digits

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	code	stock code	String	N		short code
Body	name	stock name	String	N	40	
Body	listCount	listed shares	String	N	16	Unit: 1 week, 16-digit number including sign with 0-padding on the left
Body	auditInfo	Supervision category	String	N		
Body	regDay	Listing date	String	N	8	YYYYMMDD
Body	lastPrice	previous dayclosing price	String	N	8	Unit: circle, 8-digit number including sign with 0-padding on the left
Body	state	stock status	String	N		
Body	marketCode	Market category code	String	N		
Body	marketName	Market name	String	N		
Body	upName	sector name	String	N		
Body	upSizeName	Company size classification	String	N		

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	companyClassName	Company classification	String	N		Only KOSDAQ exists
Body	orderWarning	Investment caution stock availability	String	N		0: Not applicable, 2: Liquidation sale, 3: Short-term overheating, 4: Investment risk, 5: Investment progress, 1: ETF investor caution (pass only in case of ETF)
Body	nxtEnable	Is NXT available?	String	N		Y: Yes

Request Example

```
{
    "stk_cd": "005930"
}
```

Response Example

```
{
    "code": "005930",
    "name": "삼성전자",
    "listCount": "0000000026034239",
    "auditInfo": "정상",
    "regDay": "20090803",
    "lastPrice": "00136000",
    "state": "증거금20%|담보대출|신용가능",
    "marketCode": "0",
    "marketName": "거래소",
    "upName": "금융업",
    "upSizeName": "대형주",
    "companyClassName": "",
    "orderWarning": "0",
    "nxtEnable": "Y",
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > stock information > sector code list (ka10101)
API name	sector code list
API ID	ka10101

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/stkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about the sector code list.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	mrkt_tp	marketcategory	String	Y	1	0: KOSPI (exchange), 1: KOSDAQ, 2: KOSPI200, 4: KOSPI100, 7: KRX100(integrated index)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	list	sector code list	LIST	N		
Body	- marketCode	Market category code	LIST	N		
Body	- code	cord	String	N		
Body	- name	sector name	String	N		
Body	- group	group	String	N		

Request Example

```
{
    "mrkt_tp": "0"
}
```

Response Example

```
{
    "return_msg": "정상적으로 처리되었습니다",
    "list": [
```

Response Example


```
        {
            "marketCode": "0",
            "code": "001",
            "name": "종합(KOSPI)",
            "group": "1"
        },
        {
            "marketCode": "0",
            "code": "002",
            "name": "대형주",
            "group": "2"
        },
        {
            "marketCode": "0",
            "code": "003",
            "name": "중형주",
            "group": "3"
        },
        {
            "marketCode": "0",
            "code": "004",
            "name": "소형주",
            "group": "4"
        },
        {
            "marketCode": "0",
            "code": "005",
            "name": "음식료업",
            "group": "5"
        },
        {
            "marketCode": "0",
            "code": "006",
            "name": "섬유의복",
            "group": "6"
        },
        {
            "marketCode": "0",
            "code": "007",
            "name": "종이목재",
            "group": "7"
        },
        {
            "marketCode": "0",
            "code": "008",
            "name": "화학",
            "group": "8"
        },
        {
            "marketCode": "0",
            "code": "009",
            "name": "의약품",
            "group": "9"
        },
        {
            "marketCode": "0",
            "code": "010",
            "name": "비금속광물",
            "group": "10"
        },
        {
            "marketCode": "0",
            "code": "011",
            "name": "철강금속",
            "group": "11"
        }
    ],
    "return_code": 0
}
```

API information	
menu location	domestic stock > stock information > member company list (ka10102)
API name	Member company list
API ID	ka10102

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/stkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about the list of member companies.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	list	Member company code list	LIST	N		
Body	- code	cord	String	N		
Body	- name	sector name	String	N		
Body	- gb	category	String	N		

Request Example

```
{}
```

Response Example


```
{
    "return_msg": "정상적으로 처리되었습니다",
    "list": [
        {
            "code": "001",
            "name": "교  보",
            "gb": "0"
        },
        {
            "code": "002",
```

Response Example

"name": "Shinhan Investment", "gb": "0" }, { "code": "003", "name": "Korea Investment & Securities", "gb": "0" }, { "code": "004", "name": "instead", "gb": "0" }, { "code": "005", "name": "Mirae Daewoo", "gb": "0" }, { "code": "006", "name": "Shin Young", "gb": "0" }, { "code": "008", "name": "Eujin Investment & Securities", "gb": "0" }, { "code": "009", "name": "Han Yang", "gb": "0" }, { "code": "010", "name": "Meritz", "gb": "0" }, { "code": "012", "name": "NH Investment & Securities", "gb": "0" }], "return_code": 0 }

API information	
menu location	domestic stock > institutional/foreign investor > institutionalforeign investorconsecutive sales status request(ka10131)
API name	institutionalforeign investorconsecutive sales status request
API ID	ka10131

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/frgnistt
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquiry about institutional/foreign investor consecutive sales status information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	dt	period	String	Y	3	1: Latest day, 3: 3 days, 5: 5 days, 10:10 days, 20:20 days, 120:120 days, 0: inquiry with start date/end date
Body	strt_dt	start date	String	N	8	YYYYMMDD
Body	end_dt	end date character	String	N	8	YYYYMMDD
Body	mrkt_tp	Jangcategory	String	Y	3	001:KOSPI, 101:KOSDAQ
Body	netslmt_tp	Net sell category	String	Y	1	2: Net buy (fixed value)
Body	stk_inds_tp	stocksectorcategory	String	Y	1	0:stock,1:sector
Body	amt_qty_tp	AmountQuantitycategory	String	Y	1	0:Amount, 1:Quantity
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT, 3:Integrated

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	orgn_frgnr_cont_trde_prst	institutionalforeign investorconsecutivetrading Status	LIST	N		
Body	- rank	ranking	String	N		
Body	- stk_cd	stock code	String	N	6	

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- stk_nm	stock name	String	N	40	
Body	- prid_stkpc_flu_rt	period price change rate	String	N		Units: %, percentage formatted to 2 decimal places with sign
Body	- orgn_nettrde_amt	institutionalnet trading amount	String	N		Unit: million won, number including sub-asking price
Body	- orgn_nettrde_qty	institutionalnet trading volume	String	N		Unit: 1 week, number including sub-asking price
Body	- orgn_cont_netprps_dys	Institutional Consecutive Net Purchase Date number	String	N		Numbers included in asking price
Body	- orgn_cont_netprps_qty	Institutional Consecutive Net Purchase Volume	String	N		Unit: 1 week, number including sub-asking price
Body	- orgn_cont_netprps_amt	institutional consecutive net buy gold liquid	String	N		Unit: million won, number including sub-asking price
Body	- frgnr_nettrde_qty	foreign investornet trading volume	String	N		Unit: 1 week, number including sub-asking price
Body	- frgnr_nettrde_amt	foreign investornet trading amount	String	N		Unit: million won, number including sub-asking price
Body	- frgnr_cont_netprps_dys	foreign investorconsecutive net purchase date number	String	N		Numbers included in asking price
Body	- frgnr_cont_netprps_qty	foreign investorconsecutive net purchase volume	String	N		Unit: 1 week, number including sub-asking price
Body	- frgnr_cont_netprps_amt	foreign investorconsecutive net buy gold liquid	String	N		Unit: million won, number including sub-asking price
Body	- nettrde_qty	net trading volume	String	N		Unit: 1 week, number including sub-asking price
Body	- nettrde_amt	net trading amount	String	N		Unit: million won, number including sub-asking price
Body	- tot_cont_netprps_dys	Total consecutive net purchase days	String	N		Numbers included in asking price
Body	- tot_cont_nettrde_qty	Total consecutivenet trading quantity	String	N		Unit: 1 week, number including sub-asking price
Body	- tot_cont_netprps_amt	Total consecutive net buy amount	String	N		Unit: million won, number including sub-asking price

Request Example

```
{
    "dt": "1",
    "strt_dt": "",
    "end_dt": "",
    "mrkt_tp": "001",
    "netslmt_tp": "2",
    "stk_inds_tp": "0",
    "amt_qty_tp": "0",
    "stex_tp": "1"
}
```

Response Example

```
{
    "orgn_frgnr_cont_trde_prst": [
        {
            "rank": "1",
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "prid_stkpc_flu_rt": "-5.80",
            "orgn_nettrde_amt": "+48",
            "orgn_nettrde_qty": "+173",
            "orgn_cont_netprps_dys": "+1",
            "orgn_cont_netprps_qty": "+173",
            "orgn_cont_netprps_amt": "+48",
            "frgnr_nettrde_qty": "+0",
            "frgnr_nettrde_amt": "+0",
            "frgnr_cont_netprps_dys": "+1",
            "frgnr_cont_netprps_qty": "+1",
```

Response Example

"frgnr_cont_netprps_amt": "+0", "nettrde_qty": "+173", "nettrde_amt": "+48", "tot_cont_netprps_dys": "+2", "tot_cont_nettrde_qty": "+174", "tot_cont_netprps_amt": "+48" }, { "rank": "2", "stk_cd": "005930", "stk_nm": "Samsung Electronics", "prid_stkpc_flu_rt": "-4.21", "orgn_nettrde_amt": "+41", "orgn_nettrde_qty": "+159", "orgn_cont_netprps_dys": "+1", "orgn_cont_netprps_qty": "+159", "orgn_cont_netprps_amt": "+41", "frgnr_nettrde_qty": "+0", "frgnr_nettrde_amt": "+0", "frgnr_cont_netprps_dys": "+1", "frgnr_cont_netprps_qty": "+1", "frgnr_cont_netprps_amt": "+0", "nettrde_qty": "+159", "nettrde_amt": "+41", "tot_cont_netprps_dys": "+2", "tot_cont_nettrde_qty": "+160", "tot_cont_netprps_amt": "+42" }], "return_code": 0, "return_msg": "Processed successfully" }

API information	
menu location	domestic stock > account > today trading log request(ka10170)
API name	today's trading log request
API ID	ka10170
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/acnt
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

Inquire about sales log information by date.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	base_dt	Based on date	String	N	8	YYYYMMDD (if input is blank, today's data is provided, up to the last 2 months)
Body	ottks_tp	Sobriety category	String	Y	1	1:todaysell for todaybuy,2:todaysell all
Body	ch_crd_tp	Cash Credit category	String	Y	1	0: All, 1: Cash sales only, 2: Credit sales only

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	tot_sell_amt	Total sell amount	String	N		Unit: Won
Body	tot_buy_amt	Total buy amount	String	N		Unit: Won
Body	tot_cmsn_tax	Total fee_tax	String	N		Unit: Won
Body	tot_exct_amt	Total settlement amount	String	N		Unit: Won
Body	tot_pl_amt	Total profit/loss amount	String	N		Unit: Won
Body	tot_prft_rt	Total return rate	String	N		Units: %, percentage formatted to two decimal places.
Body	tdy_trde_diary	today's trading log	LIST	N		
Body	- stk_nm	stock name	String	N	40	
Body	- buy_avg_pric	buy average price	String	N		Unit: Won

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- buy_qty	buyquantity	String	N		Unit: 1 week
Body	- sel_avg_pric	sell average price	String	N		Unit: Won
Body	- sell_qty	sellquantity	String	N		Unit: 1 week
Body	- cmsn_alm_tax	Fee_Tax	String	N		Unit: Won
Body	- pl_amt	profit/loss amount	String	N		Unit: Won
Body	- sell_amt	sell amount	String	N		Unit: Won
Body	- buy_amt	buy amount	String	N		Unit: Won
Body	- prft_rt	return rate	String	N		Units: %, percentage formatted to two decimal places.
Body	- stk_cd	stock code	String	N	6	

Request Example

```
{
    "base_dt": "20241120",
    "ottks_tp": "1",
    "ch_crd_tp": "0"
}
```

Response Example

```
{
    "tot_sell_amt": "48240",
    "tot_buy_amt": "48240",
    "tot_cmsn_tax": "174",
    "tot_exct_amt": "-174",
    "tot_pl_amt": "-174",
    "tot_prft_rt": "-0.36",
    "tdy_trde_diary": [
        {
            "stk_nm": "삼성전자",
            "buy_avg_pric": "16080",
            "buy_qty": "3",
            "sel_avg_pric": "16080",
            "sell_qty": "3",
            "cmsn_alm_tax": "174",
            "pl_amt": "-174",
            "sell_amt": "48240",
            "buy_amt": "48240",
            "prft_rt": "-0.36",
            "stk_cd": "005930"
        }
    ],
    "return_code": 0,
    "return_msg": " 조회가 완료되었습니다."
}
```

API information	
menu location	domestic stock > conditional search > conditional search list inquiry(ka10171)
API name	Condition search list inquiry
API ID	ka10171

basic information	
Method	POST
production domain	wss://api.kiwoom.com:10000
mock trading domain	wss://mockapi.kiwoom.com:10000 (KRX only supported)
URL	/api/dostk/websocket
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

You can create a conditional search in Hero Moon 4.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	trnm	TR name	String	Y	7	CNSRLSTfixed value

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	return_code	Result code	String	N		Normal: 0
Body	return_msg	Result message	String	N		If normal, no message
Body	trnm	Service name	String	N	7	CNSRLST fixed value
Body	data	Conditional search expression list	LIST	N		
Body	- seq		String	N		
Body	- name		String	N		

Request Example

```
{
    "trnm": "CNSRLST"
}
```

Response Example

```
{
    'trnm': 'CNSRLST',
```

Response Example


```
'return_code': 0,
    'return_msg': '',
    'data': [
        ['0','Condition 1'],
        ['1','Condition 2'],
        ['2','condition3'],
        ['3','condition4'],
        ['4','Condition 5']
    ]
}
```

API information	
menu location	domestic stock > conditional search > conditional search request general (ka10172)
API name	Conditional search request General
API ID	ka10172

basic information	
Method	POST
production domain	wss://api.kiwoom.com:10000
mock trading domain	wss://mockapi.kiwoom.com:10000 (KRX only supported)
URL	/api/dostk/websocket
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

You can create a conditional search in Hero Moon 4.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	trnm	Service name	String	Y	7	CNSRREQ fixed value
Body	seq		String	Y	3	
Body	search_type	inquirytype	String	Y		0:Conditional search
Body	stex_tp	Exchange category	String	Y	1	K:KRX
Body	cont_yn	continuous inquiry	String	N	1	Y:consecutiveinquiryrequest,N:consecutiveinquiryrequest
Body	next_key	continuous inquiry key	String	N	20	

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	return_code	Result code	String	N		Normal:0 Rest:Error
Body	return_msg	Result message	String	N		If normal, no message
Body	trnm	Service name	String	N		CNSRREQ
Body	seq		String	N		
Body	cont_yn	continuous inquiry	String	N		Y if consecutive data exists, N if not
Body	next_key	continuous inquiry key	String	N		If continuous inquiry is Y, inquiry value required for next inquiry

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	data	Search result data	LIST	N		
Body	- 9001	stock code	String	N		1-digit prefix + 6-digit stock code, prefix (A: Stock / J: ELW / Q: ETN)
Body	- 302	stock name	String	N		
Body	- 10	current price	String	N		Unit: circle, 9-digit number including sign with 0-padding on the left
Body	- 25	change sign	String	N		1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- 11	change from previous day	String	N		Unit: circle, 9-digit number including sign with 0-padding on the left
Body	- 12	change rate	String	N		Unit: circle, 9-digit number including sign with 0-padding on the left ? The value of '000001500' is +1.50%, and the value of '-00001500' is -1.50%. It means.
Body	- 13	cumulative volume	String	N		Unit: 1 week, 9-digit number including sign with 0-padding on the left
Body	- 16	opening price	String	N		Unit: circle, 9-digit number including sign with 0-padding on the left
Body	- 17	high price	String	N		Unit: circle, 9-digit number including sign with 0-padding on the left
Body	- 18	low price	String	N		Unit: circle, 9-digit number including sign with 0-padding on the left

Request Example

```
{
    "trnm": "CNSRREQ",
    "seq": "4",
    "search_type": "0",
    "stex_tp": "K",
    "cont_yn": "N",
    "next_key": ""
}
```

Response Example

```
{
    'trnm': 'CNSRREQ',
    'seq': '2  ',
    'cont_yn': 'N',
    'next_key': '',
    'return_code': 0,
    'data': [
        {
            '9001': 'A005930',
            '302': '삼성전자',
            '10': '000021850',
            '25': '3',
            '11': '000000000',
            '12': '000000000',
            '13': '000000000',
            '16': '000000000',
            '17': '000000000',
            '18': '000000000'
        },
        {
            '9001': 'A005930',
            '302': '삼성전자',
            '10': '000044350',
            '25': '3',
            '11': '000000000',
            '12': '000000000',
            '13': '000000000',
            '16': '000000000',
            '17': '000000000',
            '18': '000000000'
        },
        {
            '9001': 'A005930',
            '302': '삼성전자',
            '10': '000003855',
            '25': '3',
            '11': '000000000',
```

Response Example

'12': '000000000', '13': '000000000', '16': '000000000', '17': '000000000', '18': '000000000' }, { '9001': 'A005930', '302': 'Samsung Electronics', '10': '000075000', '25': '5', '11': '-00000100', '12': '-00000130', '13': '010386116', '16': '000075100', '17': '000075600', '18': '000074700' }, { '9001': 'A005930', '302': 'Samsung Electronics', '10': '000002900', '25': '3', '11': '000000000', '12': '000000000', '13': '000000000', '16': '000000000', '17': '000000000', '18': '000000000' }] }

API information	
menu location	domestic stock > conditional search > conditional search request real time (ka10173)
API name	Condition search request real time
API ID	ka10173
basic information	
Method	POST
production domain	wss://api.kiwoom.com:10000
mock trading domain	wss://mockapi.kiwoom.com:10000 (KRX only supported)
URL	/api/dostk/websocket
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

Due to the internal structure of the system, real-time condition search inquiry can be used after first conducting condition search list inquiry.
You can create a conditional search in Hero Moon 4.

Request						
category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	trnm	Service name	String	Y	7	CNSRREQ fixed value
Body	seq		String	Y	3	
Body	search_type	inquirytype	String	Y	1	1: Conditional search + real-time conditional search
Body	stex_tp	Exchange category	String	Y	1	K:KRX

Response						
category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	inquiry data					
Body	return_code	Result code	String	N		Normal:0 Rest:Error
Body	return_msg	Result message	String	N		If normal, no message
Body	trnm	Service name	String	N		CNSRREQ
Body	seq		String	N		
Body	data	Search result data	LIST	N		
Body	- jmcode	stock code	String	N		1-digit prefix + 6-digit stock code, prefix (A: Stock / J: ELW / Q: ETN)

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	Real-time data					
Body	data	Search result data	LIST	Y		
Body	trnm	Service name	String	Y		REAL
Body	- type	real time field	String	Y	2	TR name(0A,0B....)
Body	- name	Real-time field name	String	Y		stock code
Body	- values	Real-time received value	Object	Y		
Body	- - 841	serial number	String	Y		
Body	- - 9001	stock code	String	Y		
Body	- - 843	insert/delete category	String	Y		I: Insert, D: Delete
Body	- - 20	execution time	String	Y		
Body	- - 907	sell/number category	String	Y		

Request Example

```
{
    "trnm": "CNSRREQ",
    "seq": "4",
    "search_type": "1",
    "stex_tp": "K"
}
```

Response Example

```
#inquirydata
{
   'trnm': 'CNSRREQ',
   'seq': '4',
   'return_code': 0,
   'data': [
      {'jmcode': 'A005930'},
      {'jmcode': 'A005930'},
      {'jmcode': 'A005930'},
```

Response Example


```
'data': [
      {
         'values': {
            '841': '4',
            '9001': '005930',
            '843': 'I',
            '20': '152028',
            '907': '2'
         },
         'type': '02',
         'name': 'Conditional search',
         'item': '005930'
      }
   ],
   'trnm': 'REAL'
}
```

API information	
menu location	domestic stock > conditional search > conditional search real-time release (ka10174)
API name	Disable real-time conditional search
API ID	ka10174

basic information	
Method	POST
production domain	wss://api.kiwoom.com:10000
mock trading domain	wss://mockapi.kiwoom.com:10000 (KRX only supported)
URL	/api/dostk/websocket
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

You can create a conditional search in Hero Moon 4.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	trnm	Service name	String	Y	7	CNSRCLR fixed value
Body	seq		String	Y		

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	return_code	Result code	String	Y		Normal:0 Rest:Error
Body	return_msg	Result message	String	Y		If normal, no message
Body	trnm	Service name	String	Y		CNSRCLR fixed value
Body	seq		String	Y		

Request Example

```
{
    "trnm": "CNSRCLR",
    "seq": "1"
}
```

Response Example

```
{
    'trnm': 'CNSRCLR',
    'seq' : '1',
```

Response Example

```
    'return_code': 0,
    'return_msg': ''
}
```

API information	
menu location	domestic stock > sector > sectorcurrent pricerequest(ka20001)
API name	sectorcurrent pricerequest
API ID	ka20001
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/sect
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	
Inquire about sector current price information.	

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	mrkt_tp	marketcategory	String	Y	1	0: KOSPI, 1: KOSDAQ, 2: KOSPI 200
Body	inds_cd	sector code	String	Y	3	001: General (KOSPI), 002: Large-cap stocks, 003: Mid-cap stocks, 004: Small-cap stocks 101:Comprehensive (KOSDAQ), 201:KOSPI200, 302:KOSTAR, 701: Rest of KRX100 ? Refer to sector code

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	cur_prc	current price	String	N	20	Unit: Number including index, subasking price
Body	pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	pred_pre	change from previous day	String	N	20	Unit: Number including index, subasking price
Body	flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	trde_qty	trading volume	String	N	20	Unit: 1000 shares
Body	trde_prica	trading amount	String	N	20	Unit: million won
Body	trde_frmatn_stk_num		String	N	20	Unit: stock count
Body	trde_frmatn_rt	Transaction formation rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	open_pric	opening price	String	N	20	Unit: Number including index, subasking price

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	high_pric	high price	String	N	20	Unit: Number including index, subasking price
Body	low_pric	low price	String	N	20	Unit: Number including index, subasking price
Body	upl	maximum	String	N	20	Unit: stock count
Body	rising	rise	String	N	20	Unit: stock count
Body	stdns	unchanged	String	N	20	Unit: stock count
Body	fall	decline	String	N	20	Unit: stock count
Body	lst	lower limit	String	N	20	Unit: stock count
Body	52wk_hgst_pric	Hosted by 52high price	String	N	20	Unit: Number including index, subasking price
Body	52wk_hgst_pric_dt	52host high price days	String	N	20	YYYYMMDD
Body	52wk_hgst_pric_pre_rt	52hosthigh pricechange rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	52wk_lwst_pric	52hostlow price	String	N	20	Unit: Number including index, subasking price
Body	52wk_lwst_pric_dt	52weeks low price days	String	N	20	YYYYMMDD
Body	52wk_lwst_pric_pre_rt	52 weekslow pricechange rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	inds_cur_prc_tm	By sectorcurrent price_time	LIST	N		
Body	- tm_n	timen	String	N	20	HHmmss
Body	- cur_prc_n	current pricen	String	N	20	Unit: Number including index, subasking price
Body	- pred_pre_sig_n	change signn	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre_n	change from previous dayn	String	N	20	Unit: Number including index, subasking price
Body	- flu_rt_n	change raten	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- trde_qty_n	trading volumen	String	N	20	Unit: 1000 shares
Body	- acc_trde_qty_n	cumulative volumen	String	N	20	Unit: 1000 shares

Request Example

```
{
    "mrkt_tp": "0",
    "inds_cd": "001"
}
```

Response Example

```
{
    "cur_prc": "-2394.49",
    "pred_pre_sig": "5",
    "pred_pre": "-278.47",
    "flu_rt": "-10.42",
    "trde_qty": "890",
    "trde_prica": "41867",
    "trde_frmatn_stk_num": "330",
    "trde_frmatn_rt": "+34.38",
    "open_pric": "-2669.53",
    "high_pric": "-2669.53",
    "low_pric": "-2375.21",
    "upl": "0",
    "rising": "17",
    "stdns": "183",
    "fall": "130",
    "lst": "3",
    "52wk_hgst_pric": "+3001.91",
    "52wk_hgst_pric_dt": "20241004",
    "52wk_hgst_pric_pre_rt": "-20.23",
    "52wk_lwst_pric": "-1608.07",
```

Response Example

"52wk_lwst_pric_dt": "20241031", "52wk_lwst_pric_pre_rt": "+48.90", "inds_cur_prc_tm": [{ "tm_n": "143000", "cur_prc_n": "-2394.49", "pred_pre_sig_n": "5", "pred_pre_n": "-278.47", "flu_rt_n": "-10.42", "trde_qty_n": "14", "acc_trde_qty_n": "890", "stex_tp": "" }, { "tm_n": "142950", "cur_prc_n": "-2394.49", "pred_pre_sig_n": "5", "pred_pre_n": "-278.47", "flu_rt_n": "-10.42", "trde_qty_n": "14", "acc_trde_qty_n": "876", "stex_tp": "" }, { "tm_n": "142940", "cur_prc_n": "-2394.49", "pred_pre_sig_n": "5", "pred_pre_n": "-278.47", "flu_rt_n": "-10.42", "trde_qty_n": "14", "acc_trde_qty_n": "862", "stex_tp": "" }, { "tm_n": "142930", "cur_prc_n": "-2395.62", "pred_pre_sig_n": "5", "pred_pre_n": "-277.34", "flu_rt_n": "-10.38", "trde_qty_n": "14", "acc_trde_qty_n": "848", "stex_tp": "" }], "return_code": 0, "return_msg": "Processed successfully" }

API information	
menu location	domestic stock > sector > sector stock price request(ka20002)
API name	sector stock price request
API ID	ka20002
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/sect
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	
Inquire about stock price information by sector.	

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	mrkt_tp	marketcategory	String	Y	1	0: KOSPI, 1: KOSDAQ, 2: KOSPI 200
Body	inds_cd	sector code	String	Y	3	001: General (KOSPI), 002: Large-cap stocks, 003: Mid-cap stocks, 004: Small-cap stocks 101:Comprehensive (KOSDAQ), 201:KOSPI200, 302:KOSTAR, 701: Rest of KRX100 ? Refer to sector code
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT, 3:Integrated

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	inds_stkpc	sector stock price	LIST	N		
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- now_trde_qty	Currenttrading volume	String	N	20	Unit: 1 week

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- sel_bid	ask price	String	N	20	Unit: Won, number included in asking price
Body	- buy_bid	bid price	String	N	20	Unit: Won, number included in asking price
Body	- open_pric	opening price	String	N	20	Unit: Won, number included in asking price
Body	- high_pric	high price	String	N	20	Unit: Won, number included in asking price
Body	- low_pric	low price	String	N	20	Unit: Won, number included in asking price

Request Example


```
{
    "mrkt_tp": "0",
    "inds_cd": "001",
    "stex_tp": "1"
}
```


Response Example


```
{
    "inds_stkpc": [
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "6200",
            "pred_pre_sig": "3",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "now_trde_qty": "116",
            "sel_bid": "+6990",
            "buy_bid": "0",
            "open_pric": "6200",
            "high_pric": "6200",
            "low_pric": "6200"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "465",
            "pred_pre_sig": "3",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "now_trde_qty": "0",
            "sel_bid": "0",
            "buy_bid": "0",
            "open_pric": "0",
            "high_pric": "0",
            "low_pric": "0"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "6090",
            "pred_pre_sig": "3",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "now_trde_qty": "0",
            "sel_bid": "0",
            "buy_bid": "-5000",
            "open_pric": "0",
            "high_pric": "0",
            "low_pric": "0"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "+68100",
            "pred_pre_sig": "2",
            "pred_pre": "+600",
            "flu_rt": "+0.89",
            "now_trde_qty": "3",
            "sel_bid": "0",
            "buy_bid": "+68100",
            "open_pric": "67500",
```

Response Example


```
"high_pric": "+68100",
            "low_pric": "-66000"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "Samsung Electronics",
            "cur_prc": "55300",
            "pred_pre_sig": "3",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "now_trde_qty": "0",
            "sel_bid": "+55400",
            "buy_bid": "-55000",
            "open_pric": "0",
            "high_pric": "0",
            "low_pric": "0"
        }
    ],
    "return_code": 0,
    "return_msg": "Processed successfully"
}
```

API information	
menu location	domestic stock > sector > all sector index request(ka20003)
API name	All sector index request
API ID	ka20003

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/sect
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about index information for all sectors.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	inds_cd	sector code	String	Y	3	001:Comprehensive (KOSPI), 101:Comprehensive (KOSDAQ)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	all_inds_idex	All sector indices	LIST	N		
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- cur_prc	current price	String	N	20	Unit: Number including index, subasking price
Body	- pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Number including index, subasking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- trde_qty	trading volume	String	N	20	Unit: 1000 shares
Body	- wght	specific gravity	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- trde_prica	trading amount	String	N	20	Unit: million won
Body	- upl	maximum	String	N	20	Unit: stock count

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- rising	rise	String	N	20	Unit: stock count
Body	- stdns	unchanged	String	N	20	Unit: stock count
Body	- fall	decline	String	N	20	Unit: stock count
Body	- lst	lower limit	String	N	20	Unit: stock count
Body	- flo_stk_num	Number of listed stocks	String	N	20	Unit: stock count

Request Example

```
{
    "inds_cd": "001"
}
```

Response Example


```
{
    "all_inds_idex": [
        {
            "stk_cd": "001",
            "stk_nm": "종합(KOSPI)",
            "cur_prc": "-2393.33",
            "pre_sig": "5",
            "pred_pre": "-279.63",
            "flu_rt": "-10.46",
            "trde_qty": "993",
            "wght": "",
            "trde_prica": "46494",
            "upl": "0",
            "rising": "17",
            "stdns": "184",
            "fall": "129",
            "lst": "4",
            "flo_stk_num": "960"
        },
        {
            "stk_cd": "002",
            "stk_nm": "대형주",
            "cur_prc": "-2379.14",
            "pre_sig": "5",
            "pred_pre": "-326.94",
            "flu_rt": "-12.08",
            "trde_qty": "957",
            "wght": "",
            "trde_prica": "44563",
            "upl": "0",
            "rising": "6",
            "stdns": "32",
            "fall": "56",
            "lst": "2",
            "flo_stk_num": "100"
        },
        {
            "stk_cd": "003",
            "stk_nm": "중형주",
            "cur_prc": "-2691.27",
            "pre_sig": "5",
            "pred_pre": "-58.55",
            "flu_rt": "-2.13",
            "trde_qty": "26",
            "wght": "",
            "trde_prica": "1823",
            "upl": "0",
            "rising": "5",
            "stdns": "75",
            "fall": "49",
            "lst": "2",
            "flo_stk_num": "200"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > chart > sectortick chart inquiryrequest(ka20004)
API name	sectortickchartinquiryrequest
API ID	ka20004
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/chart
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

Inquire about sector tick chart information.

Request						
category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	inds_cd	sector code	String	Y	3	001: General (KOSPI), 002: Large-cap stocks, 003: Mid-cap stocks, 004: Small-cap stocks 101:Comprehensive (KOSDAQ), 201:KOSPI200, 302:KOSTAR, 701: Rest of KRX100 ? Refer to sector code
Body	tic_scope	tick range	String	Y	2	1:1tick, 3:3tick, 5:5tick, 10:10tick, 30:30tick

Response						
category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	inds_cd	sector code	String	N	20	
Body	inds_tic_chart_qry	sectortickchart inquiry	LIST	N		
Body	- cur_prc	current price	String	N	20	Unit: exponential ? The exponent value is provided as a 100 times value with the decimal point removed.
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- cntr_tm	execution time	String	N	20	YYYYMMDDHHmmss
Body	- open_pric	opening price	String	N	20	Unit: exponential ? The exponent value is provided as a 100 times value with the decimal point removed.
Body	- high_pric	high price	String	N	20	Unit: exponential

Response						
category	Element	Korean name	Type	Required	Length	Description
						? The exponent value is provided as a 100 times value with the decimal point removed.
Body	- low_pric	low price	String	N	20	Unit: exponential ? The exponent value is provided as a 100 times value with the decimal point removed.
Body	- pred_pre	change from previous day	String	N	20	current price - previous dayclosing price
Body	- pred_pre_sig	change from previous day symbol	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline

Request Example

```
{
    "inds_cd": "001",
    "tic_scope": "1"
}
```

Response Example

```
{
    "inds_cd": "001",
    "inds_tic_chart_qry": [
        {
            "cur_prc": "388193",
            "trde_qty": "4",
            "cntr_tm": "20250917142630",
            "open_pric": "388193",
            "high_pric": "388193",
            "low_pric": "388193",
            "pred_pre": "18031",
            "pred_pre_sig": "43"
        },
        {
            "cur_prc": "383976",
            "trde_qty": "2",
            "cntr_tm": "20250917142350",
            "open_pric": "383976",
            "high_pric": "383976",
            "low_pric": "383976",
            "pred_pre": "13814",
            "pred_pre_sig": "43"
        },
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > chart > sectorminute candleinquiryrequest(ka20005)
API name	sectorminute candleinquiryrequest
API ID	ka20005
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/chart
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

sector minute candle Inquiry chart information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	inds_cd	sector code	String	Y	3	001: General (KOSPI), 002: Large-cap stocks, 003: Mid-cap stocks, 004: Small-cap stocks 101:Comprehensive (KOSDAQ), 201:KOSPI200, 302:KOSTAR, 701: Rest of KRX100 ? Refer to sector code
Body	tic_scope	tick range	String	Y	2	1:1 min, 3:3 min, 5:5 min, 10:10 min, 15:15 min, 30:30 min, 45:45 min, 60:60 minutes
Body	base_dt	Based on date	String	N	8	YYYYMMDD

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	inds_cd	sector code	String	N	20	
Body	inds_min_pole_qry	sectorminute candleinquiry	LIST	N		
Body	- cur_prc	current price	String	N	20	Unit: exponential ? The exponent value is provided as a 100 times value with the decimal point removed.
Body	- trde_qty	trading volume	String	N	20	
Body	- cntr_tm	execution time	String	N	20	
Body	- open_pric	opening price	String	N	20	Unit: exponential ? The exponent value is provided as a 100 times value with the decimal point removed.

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- high_pric	high price	String	N	20	Unit: exponential ? The exponent value is provided as a 100 times value with the decimal point removed.
Body	- low_pric	low price	String	N	20	Unit: exponential ? The exponent value is provided as a 100 times value with the decimal point removed.
Body	- acc_trde_qty	cumulative volume	String	N	20	Unit: 1 week
Body	- pred_pre	change from previous day	String	N	20	current price - previous dayclosing price
Body	- pred_pre_sig	change from previous day symbol	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline

Request Example

```
{
    "inds_cd": "001",
    "tic_scope": "5",
    "base_dt": "20260202"
}
```

Response Example

```
{
    "inds_cd": "001",
    "inds_dt_pole_qry": [
        {
            "cur_prc": "252127",
            "trde_qty": "393564",
            "dt": "20250210",
            "open_pric": "251064",
            "high_pric": "252733",
            "low_pric": "249918",
            "trde_prica": "10582466"
        },
        {
            "cur_prc": "252192",
            "trde_qty": "419872",
            "dt": "20250207",
            "open_pric": "253209",
            "high_pric": "253763",
            "low_pric": "251901",
            "trde_prica": "10240141"
        },
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > chart > sectordaily candleinquiryrequest(ka20006)
API name	sectordaily candleinquiryrequest
API ID	ka20006

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/chart
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquiry for sector daily candle chart information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	inds_cd	sector code	String	Y	3	001: General (KOSPI), 002: Large-cap stocks, 003: Mid-cap stocks, 004: Small-cap stocks 101:Comprehensive (KOSDAQ), 201:KOSPI200, 302:KOSTAR, 701: Rest of KRX100 ? Refer to sector code
Body	base_dt	Based on date	String	Y	8	YYYYMMDD

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	inds_cd	sector code	String	N	20	
Body	inds_dt_pole_qry	sectordaily candleinquiry	LIST	N		
Body	- cur_prc	current price	String	N	20	Unit: exponential ? The exponent value is provided as a 100 times value with the decimal point removed.
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- dt	date	String	N	20	YYYYMMDD
Body	- open_pric	opening price	String	N	20	Unit: exponential ? The exponent value is provided as a 100 times value with the decimal point removed.
Body	- high_pric	high price	String	N	20	Unit: exponential

Response						
category	Element	Korean name	Type	Required	Length	Description
						? The exponent value is provided as a 100 times value with the decimal point removed.
Body	- low_pric	low price	String	N	20	Unit: exponential ? The exponent value is provided as a 100 times value with the decimal point removed.
Body	- trde_prica	trading amount	String	N	20	Unit: million won

Request Example

```
{
    "inds_cd": "001",
    "base_dt": "20250905"
}
```

Response Example

```
{
    "inds_cd": "001",
    "inds_dt_pole_qry": [
        {
            "cur_prc": "252127",
            "trde_qty": "393564",
            "dt": "20250210",
            "open_pric": "251064",
            "high_pric": "252733",
            "low_pric": "249918",
            "trde_prica": "10582466"
        },
        {
            "cur_prc": "252192",
            "trde_qty": "419872",
            "dt": "20250207",
            "open_pric": "253209",
            "high_pric": "253763",
            "low_pric": "251901",
            "trde_prica": "10240141"
        },
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > chart > sectorweekly candleinquiryrequest(ka20007)
API name	sectorweekly candleinquiryrequest
API ID	ka20007
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/chart
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	
Inquiry for sector weekly candle chart information.	

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	inds_cd	sector code	String	Y	8	001: General (KOSPI), 002: Large-cap stocks, 003: Mid-cap stocks, 004: Small-cap stocks 101:Comprehensive (KOSDAQ), 201:KOSPI200, 302:KOSTAR, 701: Rest of KRX100 ? Refer to sector code
Body	base_dt	Based on date	String	Y	3	YYYYMMDD

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	inds_cd	sector code	String	N	20	
Body	inds_stk_pole_qry	sectorweekly candleinquiry	LIST	N		
Body	- cur_prc	current price	String	N	20	Unit: exponential ? The exponent value is provided as a 100 times value with the decimal point removed.
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- dt	date	String	N	20	YYYYMMDD
Body	- open_pric	opening price	String	N	20	Unit: exponential ? The exponent value is provided as a 100 times value with the decimal point removed.
Body	- high_pric	high price	String	N	20	Unit: exponential

Response						
category	Element	Korean name	Type	Required	Length	Description
						? The exponent value is provided as a 100 times value with the decimal point removed.
Body	- low_pric	low price	String	N	20	Unit: exponential ? The exponent value is provided as a 100 times value with the decimal point removed.
Body	- trde_prica	trading amount	String	N	20	Unit: million won

Request Example

```
{
    "inds_cd": "001",
    "base_dt": "20250905"
}
```

Response Example

```
{
    "inds_cd": "001",
    "inds_stk_pole_qry": [
        {
            "cur_prc": "252127",
            "trde_qty": "393564",
            "dt": "20250210",
            "open_pric": "251064",
            "high_pric": "252733",
            "low_pric": "249918",
            "trde_prica": "10582466"
        },
        {
            "cur_prc": "252192",
            "trde_qty": "2339138",
            "dt": "20250203",
            "open_pric": "246874",
            "high_pric": "253763",
            "low_pric": "243761",
            "trde_prica": "54703685"
        },
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > chart > sectormonthly candleinquiryrequest(ka20008)
API name	sectormonthly candleinquiryrequest
API ID	ka20008
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/chart
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

Inquiry for sector monthly candle chart information.

Request						
category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	inds_cd	sector code	String	Y	3	001: General (KOSPI), 002: Large-cap stocks, 003: Mid-cap stocks, 004: Small-cap stocks 101:Comprehensive (KOSDAQ), 201:KOSPI200, 302:KOSTAR, 701: Rest of KRX100 ? Refer to sector code
Body	base_dt	Based on date	String	Y	8	YYYYMMDD

Response						
category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	inds_cd	sector code	String	N	20	
Body	inds_mth_pole_qry	sectormonthly candleinquiry	LIST	N		
Body	- cur_prc	current price	String	N	20	Unit: exponential ? The exponent value is provided as a 100 times value with the decimal point removed.
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- dt	date	String	N	20	YYYYMMDD
Body	- open_pric	opening price	String	N	20	Unit: exponential ? The exponent value is provided as a 100 times value with the decimal point removed.
Body	- high_pric	high price	String	N	20	Unit: exponential

Response						
category	Element	Korean name	Type	Required	Length	Description
						? The exponent value is provided as a 100 times value with the decimal point removed.
Body	- low_pric	low price	String	N	20	Unit: exponential ? The exponent value is provided as a 100 times value with the decimal point removed.
Body	- trde_prica	trading amount	String	N	20	

Request Example

```
{
    "inds_cd": "002",
    "base_dt": "20250905"
}
```

Response Example

```
{
    "inds_cd": "002",
    "inds_mth_pole_qry": [
        {
            "cur_prc": "405407",
            "trde_qty": "366",
            "dt": "20250917",
            "open_pric": "380658",
            "high_pric": "425533",
            "low_pric": "345789",
            "trde_prica": "61127"
        },
        {
            "cur_prc": "251506",
            "trde_qty": "706969",
            "dt": "20250203",
            "open_pric": "246210",
            "high_pric": "253343",
            "low_pric": "243269",
            "trde_prica": "47770055"
        },
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > sector > sectorcurrent pricedaily request(ka20009)
API name	sectorcurrent pricedailyrequest
API ID	ka20009
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/sect
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

Sector current price Inquiry for daily information.

Request						
category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	mrkt_tp	marketcategory	String	Y	1	0: KOSPI, 1: KOSDAQ, 2: KOSPI 200
Body	inds_cd	sector code	String	Y	3	001: General (KOSPI), 002: Large-cap stocks, 003: Mid-cap stocks, 004: Small-cap stocks 101:Comprehensive (KOSDAQ), 201:KOSPI200, 302:KOSTAR, 701: Rest of KRX100 ? Refer to sector code

Response						
category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	cur_prc	current price	String	N	20	Unit: Number including index, subasking price
Body	pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	pred_pre	change from previous day	String	N	20	Unit: Number including index, subasking price
Body	flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	trde_qty	trading volume	String	N	20	Unit: 1000 shares
Body	trde_prica	trading amount	String	N	20	Unit: million won
Body	trde_frmatn_stk_num		String	N	20	Unit: stock count
Body	trde_frmatn_rt	Transaction formation rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	open_pric	opening price	String	N	20	Unit: Number including index, subasking price

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	high_pric	high price	String	N	20	Unit: Number including index, subasking price
Body	low_pric	low price	String	N	20	Unit: Number including index, subasking price
Body	upl	maximum	String	N	20	Unit: stock count
Body	rising	rise	String	N	20	Unit: stock count
Body	stdns	unchanged	String	N	20	Unit: stock count
Body	fall	decline	String	N	20	Unit: stock count
Body	lst	lower limit	String	N	20	Unit: stock count
Body	52wk_hgst_pric	Hosted by 52high price	String	N	20	Unit: Number including index, subasking price
Body	52wk_hgst_pric_dt	52host high price days	String	N	20	YYYYMMDD
Body	52wk_hgst_pric_pre_rt	52hosthigh pricechange rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	52wk_lwst_pric	52hostlow price	String	N	20	Unit: Number including index, subasking price
Body	52wk_lwst_pric_dt	52weeks low price days	String	N	20	YYYYMMDD
Body	52wk_lwst_pric_pre_rt	52 weekslow pricechange rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	inds_cur_prc_daly_rept	sectorcurrent price_daily repetition	LIST	N		
Body	- dt_n	daten	String	N	20	YYYYMMDD
Body	- cur_prc_n	current pricen	String	N	20	Unit: Number including index, subasking price
Body	- pred_pre_sig_n	change signn	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre_n	change from previous dayn	String	N	20	Unit: Number including index, subasking price
Body	- flu_rt_n	change raten	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- acc_trde_qty_n	cumulative volumen	String	N	20	Unit: 1000 shares

Request Example


```
{
    "mrkt_tp": "0",
    "inds_cd": "001"
}
```


Response Example


```
{
    "cur_prc": "-2384.71",
    "pred_pre_sig": "5",
    "pred_pre": "-288.25",
    "flu_rt": "-10.78",
    "trde_qty": "1103",
    "trde_prica": "48151",
    "trde_frmatn_stk_num": "333",
    "trde_frmatn_rt": "+34.69",
    "open_pric": "-2669.53",
    "high_pric": "-2669.53",
    "low_pric": "-2375.21",
    "upl": "0",
    "rising": "18",
    "stdns": "183",
    "fall": "132",
    "lst": "4",
    "52wk_hgst_pric": "+3001.91",
    "52wk_hgst_pric_dt": "20241004",
    "52wk_hgst_pric_pre_rt": "-20.56",
    "52wk_lwst_pric": "-1608.07",
    "52wk_lwst_pric_dt": "20241031",
```

Response Example

"52wk_lwst_pric_pre_rt": "+48.30", "inds_cur_prc_daly_rept": [{ "dt_n": "20241122", "cur_prc_n": "-2384.71", "pred_pre_sig_n": "5", "pred_pre_n": "-288.25", "flu_rt_n": "-10.78", "acc_trde_qty_n": "1103" }, { "dt_n": "20241121", "cur_prc_n": "+2672.96", "pred_pre_sig_n": "2", "pred_pre_n": "+25.56", "flu_rt_n": "+0.97", "acc_trde_qty_n": "444" }, { "dt_n": "20241120", "cur_prc_n": "+2647.40", "pred_pre_sig_n": "2", "pred_pre_n": "+83.56", "flu_rt_n": "+3.26", "acc_trde_qty_n": "195" }], "return_code": 0, "return_msg": "Processed successfully" }

API information	
menu location	domestic stock > chart > sector annual salary inquiryrequest(ka20019)
API name	sectornyeonbonginquiryrequest
API ID	ka20019
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/chart
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

Inquiry for sector annual salary chart information.

Request						
category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	inds_cd	sector code	String	Y	3	001: General (KOSPI), 002: Large-cap stocks, 003: Mid-cap stocks, 004: Small-cap stocks 101:Comprehensive (KOSDAQ), 201:KOSPI200, 302:KOSTAR, 701: Rest of KRX100 ? Refer to sector code
Body	base_dt	Based on date	String	Y	8	YYYYMMDD

Response						
category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	inds_cd	sector code	String	N	20	
Body	inds_yr_pole_qry	sectornyeonbon inquiry	LIST	N		
Body	- cur_prc	current price	String	N	20	Unit: exponential ? The exponent value is provided as a 100 times value with the decimal point removed.
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- dt	date	String	N	20	YYYYMMDD
Body	- open_pric	opening price	String	N	20	Unit: exponential ? The exponent value is provided as a 100 times value with the decimal point removed.
Body	- high_pric	high price	String	N	20	Unit: exponential

Response						
category	Element	Korean name	Type	Required	Length	Description
						? The exponent value is provided as a 100 times value with the decimal point removed.
Body	- low_pric	low price	String	N	20	Unit: exponential ? The exponent value is provided as a 100 times value with the decimal point removed.
Body	- trde_prica	trading amount	String	N	20	Unit: million won

Request Example

```
{
    "inds_cd": "001",
    "base_dt": "20250905"
}
```

Response Example

```
{
    "inds_cd": "001",
    "inds_yr_pole_qry": [
        {
            "cur_prc": "387923",
            "trde_qty": "11034579",
            "dt": "20250102",
            "open_pric": "240087",
            "high_pric": "409075",
            "low_pric": "238684",
            "trde_prica": "238469489"
        },
        {
            "cur_prc": "223424",
            "trde_qty": "16587474",
            "dt": "20241105",
            "open_pric": "258897",
            "high_pric": "864831",
            "low_pric": "210288",
            "trde_prica": "1285406885"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > Lending transaction > Lending transaction trend request (by stock) (ka20068)
API name	Loan/lending transaction trend request (by stock)
API ID	ka20068

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/slb
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about balance/loan transaction trend information by stock.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	strt_dt	start date	String	N	8	YYYYMMDD
Body	end_dt	end date character	String	N	8	YYYYMMDD
Body	all_tp	All categories	String	N	1	0: only display stock code inputstock
Body	stk_cd	stock code	String	Y	6	

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	dbrt_trde_trnsn	Loan/loan transaction trend	LIST	N		
Body	- dt	date	String	N	20	YYYYMMDD
Body	- dbrt_trde_cntrcnt		String	N	20	Unit: 1 week
Body	- dbrt_trde_rpy		String	N	20	Unit: 1 week
Body	- dbrt_trde_irds		String	N	20	Unit: 1 week
Body	- rmnd	balance number of weeks	String	N	20	Unit: 1 week
Body	- remn_amt	balance amount	String	N	20	Unit: million won

Request Example

Request Example


```
{
    "strt_dt": "20250401",
    "end_dt": "20250430",
    "all_tp": "0",
    "stk_cd": "005930"
}
```


Response Example


```
{
    "dbrt_trde_trnsn": [
        {
            "dt": "20250430",
            "dbrt_trde_cntrcnt": "1210354",
            "dbrt_trde_rpy": "2693108",
            "dbrt_trde_irds": "-1482754",
            "rmnd": "98242435",
            "remn_amt": "5452455"
        },
        {
            "dt": "20250429",
            "dbrt_trde_cntrcnt": "502018",
            "dbrt_trde_rpy": "1022714",
            "dbrt_trde_irds": "-520696",
            "rmnd": "99725189",
            "remn_amt": "5564666"
        },
        {
            "dt": "20250428",
            "dbrt_trde_cntrcnt": "958772",
            "dbrt_trde_rpy": "3122807",
            "dbrt_trde_irds": "-2164035",
            "rmnd": "100245885",
            "remn_amt": "5593720"
        },
        {
            "dt": "20250425",
            "dbrt_trde_cntrcnt": "1504273",
            "dbrt_trde_rpy": "5217540",
            "dbrt_trde_irds": "-3713267",
            "rmnd": "102409920",
            "remn_amt": "5704233"
        },
        {
            "dt": "20250424",
            "dbrt_trde_cntrcnt": "1803312",
            "dbrt_trde_rpy": "6076301",
            "dbrt_trde_irds": "-4272989",
            "rmnd": "106123187",
            "remn_amt": "5911062"
        },
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > ELW > ELW price fluctuation request(ka30001)
API name	ELW price sudden fluctuation request
API ID	ka30001

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/elw
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about ELW sensitivity indicator information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	flu_tp	fluctuation category	String	Y	1	1: surge, 2: plummet
Body	tm_tp	timecategory	String	Y	1	1: minutes ago, 2: days ago
Body	tm	time	String	Y	2	Minute or day input (e.g. 1, 3, 5)
Body	trde_qty_tp	trading volumecategory	String	Y	4	0: All, 10: More than 10,000 shares, 50: More than 50,000 shares, 100: More than 100,000 shares, 300: 300,000 shares or more, 500: 500,000 shares or more, 1000: 1 million shares or more
Body	isscomp_cd	Issuer code	String	Y	12	Total: 000000000000, Korea Investment & Securities: 3, Mirae Daewoo: 5, Shinyoung: 6, NK Investment & Securities: 12, KB Securities: 17
Body	bsis_aset_cd	Basic asset code	String	Y	12	Total:000000000000, KOSPI200:201, KOSDAQ150:150, Samsung Electronics: 005930, KT: 030200..
Body	rght_tp	Rightscategory	String	Y	3	000:Total, 001:Call, 002:Put, 003:DC, 004:DP, 005:EX, 006: Early termination call, 007: Early termination put
Body	lpcd	LP code	String	Y	12	Total: 000000000000, Korea Investment & Securities: 3, Mirae Daewoo: 5, Shinyoung: 6, NK Investment & Securities: 12, KB Securities: 17
Body	trde_end_elwskip		String	Y	1	0: Included, 1: Excluded

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	base_pric_tm	base pricetime	String	N	20	

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	elwpric_jmpflu	ELW price rises and falls	LIST	N		
Body	- stk_cd	stock code	String	N	20	
Body	- rank	ranking	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- trde_end_elwbase_pric	Transaction ends ELWbase price	String	N	20	Unit: Won
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- base_pre	standardchange	String	N	20	Unit: Won
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- jmp_rt	surge rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign

Request Example

```
{
    "flu_tp": "1",
    "tm_tp": "2",
    "tm": "1",
    "trde_qty_tp": "0",
    "isscomp_cd": "000000000000",
    "bsis_aset_cd": "000000000000",
    "rght_tp": "000",
    "lpcd": "000000000000",
    "trde_end_elwskip": "0"
}
```

Response Example

```
{
    "base_pric_tm": "기준가(11/21)",
    "elwpric_jmpflu": [
        {
            "stk_cd": "57JBHH",
            "rank": "1",
            "stk_nm": "한국JBHHKOSPI200풋",
            "pre_sig": "2",
            "pred_pre": "+10",
            "trde_end_elwbase_pric": "20",
            "cur_prc": "+30",
            "base_pre": "10",
            "trde_qty": "30",
            "jmp_rt": "+50.00"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > ELW > ELWnet tradingtoprequest(ka30002) by trader
API name	ELWnet tradingtoprequest by trader
API ID	ka30002
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/elw
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

Inquiry for ELWnet trading top information by trader.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	isscomp_cd	Issuer code	String	Y	3	3 digits, see Heromun 4 0273 screen (Kyobo: 001, Shinhan Investment Corp.: 002, Korea Investment & Securities: 003, Daishin: 004, Mirae Daewoo: 005, ,,,)
Body	trde_qty_tp	trading volumecategory	String	Y	4	0:Total, 5:5,000 shares, 10:10,000 shares, 50:50,000 shares, 100:100,000 shares, 500:500,000 shares, 1000: million shares
Body	trde_tp	Salescategory	String	Y	1	1: net buy, 2: net sell
Body	dt	period	String	Y	2	1:previous day, 5:5 days, 10:10 days, 40:40 days, 60:60 days
Body	trde_end_elwskip		String	Y	1	0: Included, 1: Excluded

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	trde_ori_elwnettrde_upper	ELWnet trading by trader top	LIST	N		
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- stkpc_flu	Stock price fluctuates	String	N	20	Numbers included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- netprps	net buy	String	N	20	Unit: 1 week, number including sub-asking price
Body	- buy_trde_qty	buytrading volume	String	N	20	Unit: 1 week
Body	- sel_trde_qty	selltrading volume	String	N	20	Unit: 1 week

Request Example

```
{
    "isscomp_cd": "003",
    "trde_qty_tp": "0",
    "trde_tp": "2",
    "dt": "60",
    "trde_end_elwskip": "0"
}
```

Response Example

```
{
    "trde_ori_elwnettrde_upper": [
        {
            "stk_cd": "57JBHH",
            "stk_nm": "한국JBHHKOSPI200풋",
            "stkpc_flu": "--3140",
            "flu_rt": "-88.95",
            "trde_qty": "500290",
            "netprps": "--846970",
            "buy_trde_qty": "+719140",
            "sel_trde_qty": "-1566110"
        },
        {
            "stk_cd": "57JBHH",
            "stk_nm": "한국JBHHKOSPI200풋",
            "stkpc_flu": "+205",
            "flu_rt": "+73.21",
            "trde_qty": "4950000",
            "netprps": "--108850",
            "buy_trde_qty": "+52450",
            "sel_trde_qty": "-161300"
        },
        {
            "stk_cd": "57JBHH",
            "stk_nm": "한국JBHHKOSPI200풋",
            "stkpc_flu": "+340",
            "flu_rt": "+115.25",
            "trde_qty": "60",
            "netprps": "--73960",
            "buy_trde_qty": "+29560",
            "sel_trde_qty": "-103520"
        },
        {
            "stk_cd": "57JBHH",
            "stk_nm": "한국JBHHKOSPI200풋",
            "stkpc_flu": "--65",
            "flu_rt": "-86.67",
            "trde_qty": "20",
            "netprps": "--23550",
            "buy_trde_qty": "+422800",
            "sel_trde_qty": "-446350"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > ELW > ELWLP holding daily trend request(ka30003)
API name	ELWLP holding daily trend request
API ID	ka30003

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/elw
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about daily trend information on ELW LP holdings.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	bsis_aset_cd	Basic asset code	String	Y	12	
Body	base_dt	Based on date	String	Y	8	YYYYMMDD

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	elwlpposs_daly_trnsn	ELWLP holding trend by day	LIST	N		
Body	- dt	date	String	N	20	YYYYMMDD
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pre_tp	changecategory	String	N	20	
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- trde_prica	trading amount	String	N	20	Unit: million won
Body	- chg_qty	Variable quantity	String	N	20	Unit: 1 week
Body	- lprmnd_qty	LPholding quantity	String	N	20	Unit: 1 week

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- wght	specific gravity	String	N	20	Units: %, percentage formatted to 2 decimal places with sign

Request Example

```
{
    "bsis_aset_cd": "57KJ99",
    "base_dt": "20241122"
}
```

Response Example

```
{
    "elwlpposs_daly_trnsn": [
        {
            "dt": "20241122",
            "cur_prc": "-125700",
            "pre_tp": "5",
            "pred_pre": "-900",
            "flu_rt": "-0.71",
            "trde_qty": "54",
            "trde_prica": "7",
            "chg_qty": "0",
            "lprmnd_qty": "0",
            "wght": "0.00"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > ELW > ELW disparity rate request(ka30004)
API name	ELW disparity rate request
API ID	ka30004

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/elw
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquiry for ELW disparity information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	isscomp_cd	Issuer code	String	Y	12	Total: 000000000000, Korea Investment & Securities: 3, Mirae Daewoo: 5, Shinyoung: 6, NK Investment & Securities: 12, KB Securities: 17
Body	bsis_aset_cd	Basic asset code	String	Y	12	Total:000000000000, KOSPI200:201, KOSDAQ150:150, Samsung Electronics: 005930, KT: 030200..
Body	rght_tp	Rightscategory	String	Y	3	000: All, 001: Call, 002: Put, 003: DC, 004: DP, 005: EX, 006: Early termination call, 007: Early termination put
Body	lpcd	LP code	String	Y	12	Total: 000000000000, Korea Investment & Securities: 3, Mirae Daewoo: 5, Shinyoung: 6, NK Investment & Securities: 12, KB Securities: 17
Body	trde_end_elwskip		String	Y	1	1: Excluding transaction termination ELW, 0: Including transaction termination ELW

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	elwdispty_rt	ELW difference ratio	LIST	N		
Body	- stk_cd	stock code	String	N	20	
Body	- isscomp_nm	Issuer name	String	N	20	
Body	- sqnc	Round	String	N	20	
Body	- base_aset_nm	Underlying asset name	String	N	20	

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- rght_tp	Rightscategory	String	N	20	
Body	- dispty_rt	Disparity rate	String	N	20	Provided as 100 times the decimal point removed Example) The value ?2658? means 26.58.
Body	- basis	basis	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- srvive_dys	Number of days remaining	String	N	20	
Body	- theory_pric	theorist	String	N	20	Provided as 100 times the decimal point removed Example) The value ?2658? means 26.58.
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pre_tp	changecategory	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- stk_nm	stock name	String	N	40	

Request Example


```
{
    "isscomp_cd": "000000000000",
    "bsis_aset_cd": "000000000000",
    "rght_tp": "000",
    "lpcd": "000000000000",
    "trde_end_elwskip": "0"
}
```


Response Example


```
{
    "elwdispty_rt": [
        {
            "stk_cd": "57JBHH",
            "isscomp_nm": "키움증권",
            "sqnc": "KK27",
            "base_aset_nm": "삼성전자",
            "rght_tp": "콜",
            "dispty_rt": "0",
            "basis": "+5.00",
            "srvive_dys": "21",
            "theory_pric": "0",
            "cur_prc": "5",
            "pre_tp": "3",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "trde_qty": "0",
            "stk_nm": "한국JBHHKOSPI200풋"
        },
        {
            "stk_cd": "57JBHH",
            "isscomp_nm": "키움증권",
            "sqnc": "KL57",
            "base_aset_nm": "삼성전자",
            "rght_tp": "콜",
            "dispty_rt": "0",
            "basis": "+10.00",
            "srvive_dys": "49",
            "theory_pric": "0",
            "cur_prc": "10",
            "pre_tp": "3",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "trde_qty": "0",
            "stk_nm": "한국JBHHKOSPI200풋"
        },
        {
```

Response Example


```
"stk_cd": "57JBHH",
            "isscomp_nm": "Kiwoom Securities",
            "sqnc": "KK28",
            "base_aset_nm": "Samsung Electronics",
            "rght_tp": "call",
            "dispty_rt": "0",
            "basis": "+5.00",
            "srvive_dys": "49",
            "theory_pric": "0",
            "cur_prc": "5",
            "pre_tp": "3",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "trde_qty": "0",
            "stk_nm": "Korea JBHHKOSPI200 foot"
        }
    ],
    "return_code": 0,
    "return_msg": "Processed successfully"
}
```

API information	
menu location	domestic stock > ELW > ELW condition search request(ka30005)
API name	ELW condition search request
API ID	ka30005
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/elw
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

Inquire about ELW condition search information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	isscomp_cd	Issuer code	String	Y	12	12-digit input (Total: 000000000000, Korea Investment & Securities: 000,,,3, Mirae Daewoo:000,,,5, Shinyoung:000,,,6, NK Investment & Securities:000,,,12, KB Securities: 000,,,17)
Body	bsis_aset_cd	Basic asset code	String	Y	12	12-digit input only when total (Total: 000000000000, KOSPI200:201, KOSDAQ150:150, Samjeong Electronics:005930, KT:030200,,)
Body	rght_tp	Rightscategory	String	Y	1	0:Total, 1:Call, 2:Put, 3:DC, 4:DP, 5:EX, 6:Early termination call, 7: Early termination put
Body	lpcd	LP code	String	Y	12	12-digit input only when total (Total: 000000000000, Korea Investment & Securities: 003, Mirae Daewoo: 005, Shinyoung: 006, NK Investment & Securities: 012, KB Securities: 017)
Body	sort_tp	Sortcategory	String	Y	1	0: No sorting, 1: Rise rate order, 2: Rise rate order, 3: Decline rate order, 4: Decline rate order, 5: by trading volume, 6: by trading amount, 7: by remaining days

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	elwcnd_qry	ELW condition search	LIST	N		
Body	- stk_cd	stock code	String	N	20	
Body	- isscomp_nm	Issuer name	String	N	20	
Body	- sqnc	Round	String	N	20	

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- base_aset_nm	Underlying asset name	String	N	20	
Body	- rght_tp	Rightscategory	String	N	20	
Body	- expr_dt	expiration date	String	N	20	YYYYMMDD
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pre_tp	changecategory	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- trde_qty_pre	trading volumechange	String	N	20	Unit: 1 week, number including sub-asking price
Body	- trde_prica	trading amount	String	N	20	Unit: million won
Body	- pred_trde_qty	previous daytrading volume	String	N	20	Unit: 1 week
Body	- sel_bid	ask price	String	N	20	Unit: Won, number included in asking price
Body	- buy_bid	bid price	String	N	20	Unit: Won, number included in asking price
Body	- prty	parity	String	N	20	Number formatted to two decimal places
Body	- gear_rt	gearing ratio	String	N	20	Units: %, percentage formatted to two decimal places.
Body	- pl_qutr_rt	profit/loss divergence rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- cfp	capital support point	String	N	20	
Body	- theory_pric	theorist	String	N	20	
Body	- innr_vltl	Implied Volatility	String	N	20	
Body	- delta	delta	String	N	20	
Body	- lvrg	leverage	String	N	20	
Body	- exec_pric	Exercise price	String	N	20	Unit: Won
Body	- cnvt_rt	conversion rate	String	N	20	Number formatted to four decimal places
Body	- lpposs_rt	LP holding ratio	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- pl_qutr_pt	profit/loss junction	String	N	20	
Body	- fin_trde_dt	Last trading date	String	N	20	YYYYMMDD
Body	- flo_dt	Listing date	String	N	20	YYYYMMDD
Body	- lpinitlast_suply_dt	LP first bell supply date	String	N	20	YYYYMMDD
Body	- stk_nm	stock name	String	N	40	
Body	- srvive_dys	Number of days remaining	String	N	20	
Body	- dispty_rt	Disparity rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- lpmmcm_nm	LP member company name	String	N	20	
Body	- lpmmcm_nm_1	LP member company name 1	String	N	20	
Body	- lpmmcm_nm_2	LP member company name 2	String	N	20	
Body	- xraymont_cntr_qty_arng_trde_tp	Xray moment execution volume summary Salescategory	String	N	20	
Body	- xraymont_cntr_qty_profa_100tp	Xray moment execution quantity evidence Gold100category	String	N	20	

Request Example


```
{
    "isscomp_cd": "000000000017",
    "bsis_aset_cd": "201",
    "rght_tp": "1",
    "lpcd": "000000000000",
    "sort_tp": "0"
}
```


Response Example


```
{
    "elwcnd_qry":
        [
            {
                "stk_cd":"57JBHH",
                "isscomp_nm":"키움증권",
                "sqnc":"K411",
                "base_aset_nm":"KOSPI200",
                "rght_tp":"콜",
                "expr_dt":"20241216",
                "cur_prc":"15",
                "pre_tp":"3",
                "pred_pre":"0",
                "flu_rt":"0.00",
                "trde_qty":"0",
                "trde_qty_pre":"0.00",
                "trde_prica":"0",
                "pred_trde_qty":"0",
                "sel_bid":"0",
                "buy_bid":"0",
                "prty":"90.10",
                "gear_rt":"2267.53",
                "pl_qutr_rt":"+11.03"
                "cfp":"",
                "theory_pric":"65637",
                "innr_vltl":"2015",
                "delta":"282426",
                "lvrg":"640.409428",
                "exec_pric":"377.50",
                "cnvt_rt":"100.0000",
                "lpposs_rt":"+99.90",
                "pl_qutr_pt":"+377.65",
                "fin_trde_dt":"20241212",
                "flo_dt":"20240320",
                "lpinitlast_suply_dt":"20241212",
                "stk_nm":"한국JBHHKOSPI200풋",
                "srvive_dys":"21",
                "dispty_rt":"--97.71",
                "lpmmcm_nm":"키움증권",
                "lpmmcm_nm_1":"0.00",
                "lpmmcm_nm_2":"",
                "xraymont_cntr_qty_arng_trde_tp":"",
                "xraymont_cntr_qty_profa_100tp":"",
            }
        ],
    "return_code":0,
    "return_msg":"정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > ELW > ELWchange raterankingrequest(ka30009)
API name	ELWchange raterankingrequest
API ID	ka30009
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/elw
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

Inquiry about ELW change rate ranking information.

Request						
category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	sort_tp	Sortcategory	String	Y	1	1:rise rate, 2:rise width, 3:decline rate, 4:decline width
Body	rght_tp	Rightscategory	String	Y	3	000: All, 001: Call, 002: Put, 003: DC, 004: DP, 006: Early termination call, 007:Early termination put
Body	trde_end_skip	Excluding transaction termination	String	Y	1	1: Excluding transaction termination, 0: Including transaction termination

Response						
category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	elwflu_rt_rank	ELWchange raterankingLIST		N		
Body	- rank	ranking	String	N	20	
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- sel_req	sellremaining quantity	String	N	20	Unit: 1 week

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- buy_req	buyremaining quantity	String	N	20	Unit: 1 week
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- trde_prica	trading amount	String	N	20	Unit: million won

Request Example

```
{
    "sort_tp": "1",
    "rght_tp": "000",
    "trde_end_skip": "0"
}
```

Response Example

```
{
    "elwflu_rt_rank": [
        {
            "rank": "1",
            "stk_cd": "57JBHH",
            "stk_nm": "한국JBHHKOSPI200풋",
            "cur_prc": "+30",
            "pre_sig": "2",
            "pred_pre": "+10",
            "flu_rt": "+50.00",
            "sel_req": "0",
            "buy_req": "0",
            "trde_qty": "30",
            "trde_prica": "0"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > ELW > ELWremaining quantityrankingrequest(ka30010)
API name	ELWremaining quantityrankingrequest
API ID	ka30010
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/elw
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	
Inquire about ELW remaining quantity ranking information.	

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	sort_tp	Sortcategory	String	Y	1	1: net buyremaining quantitytop, 2: net sell remaining quantitytop
Body	rght_tp	Rightscategory	String	Y	3	000: Total, 001: Call, 002: Put, 003: DC, 004: DP, 006: Early termination call, 007: Early termination put
Body	trde_end_skip	Excluding transaction termination	String	Y	1	1: Excluding transaction termination, 0: Including transaction termination

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	elwreq_rank	ELWremaining quantityranking	LIST	N		
Body	- stk_cd	stock code	String	N	20	
Body	- rank	ranking	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- sel_req	sellremaining quantity	String	N	20	Unit: 1 week
Body	- buy_req	buyremaining quantity	String	N	20	Unit: 1 week
Body	- netprps_req	Net buyremaining quantity	String	N	20	Unit: 1 week
Body	- trde_prica	trading amount	String	N	20	Unit: million won

Request Example

```
{
    "sort_tp": "1",
    "rght_tp": "000",
    "trde_end_skip": "0"
}
```

Response Example

```
{
    "elwreq_rank": [
        {
            "stk_cd": "57JBHH",
            "rank": "1",
            "stk_nm": "한국JBHHKOSPI200풋",
            "cur_prc": "170",
            "pre_sig": "3",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "trde_qty": "0",
            "sel_req": "0",
            "buy_req": "20",
            "netprps_req": "20",
            "trde_prica": "0"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > ELW > ELW proximity rate request(ka30011)
API name	ELW proximity rate request
API ID	ka30011

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/elw
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about ELW proximity rate information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	6	

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	elwalacc_rt	ELW closeness rate	LIST	N		
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- acc_trde_qty	cumulative volume	String	N	20	Unit: 1 week
Body	- alacc_rt	proximity rate	String	N	20	Units: %, percentage formatted to two decimal places.

Request Example

```
{
    "stk_cd": "57JBHH"
```

Request Example

```
}
```

Response Example


```
{
    "elwalacc_rt": [
        {
            "stk_cd": "201",
            "stk_nm": "KOSPI200",
            "cur_prc": "+431.78",
            "pre_sig": "2",
            "pred_pre": "+0.03",
            "flu_rt": "+0.01",
            "acc_trde_qty": "31",
            "alacc_rt": "0.00"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > ELW > ELWstock details request(ka30012)
API name	ELWstockDetailed information request
API ID	ka30012

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/elw
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquiry for ELWstock details.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	6	

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	aset_cd	asset code	String	N	20	
Body	cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	lpmmcm_nm	LP member company name	String	N	20	
Body	lpmmcm_nm_1	LP member company name 1	String	N	20	
Body	lpmmcm_nm_2	LP member company name 2	String	N	20	
Body	elwrght_cntn	ELW rights details	String	N	20	
Body	elwexpr_evlt_pric	ELW maturity valuation price	String	N	20	
Body	elwtheory_pric	ELW theorist	String	N	20	Provided as 100 times the decimal point removed

Response						
category	Element	Korean name	Type	Required	Length	Description
						Example) The value "4234322" means 42,344.22.
Body	dispty_rt	Disparity rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	elwinnr_vltl	ELW Implied Volatility	String	N	20	
Body	exp_rght_pric	expected rights	String	N	20	
Body	elwpl_qutr_rt	ELWprofit/loss quarterly rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	elwexec_pric	ELW event price	String	N	20	
Body	elwcnvt_rt	ELW conversion rate	String	N	20	Number formatted to four decimal places
Body	elwcmpn_rt	ELW compensation rate	String	N	20	Units: %, percentage formatted to two decimal places.
Body	elwpric_rising_part_rt	ELW price rise participation rate	String	N	20	Units: %, percentage formatted to two decimal places.
Body	elwrght_type	ELW Rights Types	String	N	20	
Body	elwsrvive_dys	ELW remaining days	String	N	20	
Body	stkcnt	listed shares	String	N	20	Unit: thousand won
Body	elwlpord_pos	ELWLPorder available	String	N	20	
Body	lpposs_rt	LP holding ratio	String	N	20	Units: %, percentage formatted to two decimal places.
Body	lprmnd_qty	LPholding quantity	String	N	20	Unit: 1 week
Body	elwspread	ELW spread	String	N	20	Number formatted to two decimal places
Body	elwprty	ELWparity	String	N	20	Number formatted to two decimal places
Body	elwgear	ELW gearing	String	N	20	Number formatted to two decimal places
Body	elwflo_dt	ELW listing date	String	N	20	YYYYMMDD
Body	elwfin_trde_dt	ELW last trading date	String	N	20	YYYYMMDD
Body	expr_dt	expiration date	String	N	20	YYYYMMDD
Body	exec_dt	event date	String	N	20	YYYYMMDD
Body	lpsuply_end_dt	LP supply end date	String	N	20	YYYYMMDD
Body	elwpay_dt	ELW payment date	String	N	20	YYYYMMDD
Body	elwinvt_ix_comput	ELW investment index calculation	String	N		
Body	elwpay_agnt	ELW payment agent	String	N		
Body	elwappr_way	ELW payment method	String	N		
Body	elwrght_exec_way	How to exercise ELW rights	String	N		
Body	elwpblicte_orgn	ELW issuedinstitutional	String	N		
Body	dcsn_pay_amt	Defined payment amount	String	N		Number formatted to 3 decimal places
Body	kobarr	KO Barrier	String	N		
Body	iv	Ⅳ	String	N		Number formatted to 3 decimal places
Body	clsprd_end_elwocr	Boil termination ELW occurrence	String	N		
Body	bsis_aset_1	Underlying asset 1	String	N		
Body	bsis_aset_comp_rt_1	Basic asset composition ratio1	String	N		Number formatted to 3 decimal places
Body	bsis_aset_2	Underlying asset 2	String	N		
Body	bsis_aset_comp_rt_2	Basic asset composition ratio 2	String	N		Number formatted to 3 decimal places

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	bsis_aset_3	Underlying Asset 3	String	N		
Body	bsis_aset_comp_rt_3	Basic asset composition ratio3	String	N		Number formatted to 3 decimal places
Body	bsis_aset_4	Underlying Asset 4	String	N		
Body	bsis_aset_comp_rt_4	Basic asset composition ratio 4	String	N		Number formatted to 3 decimal places
Body	bsis_aset_5	Underlying Asset 5	String	N		
Body	bsis_aset_comp_rt_5	Basic asset composition ratio5	String	N		Number formatted to 3 decimal places
Body	fr_dt	Evaluation start date	String	N		
Body	to_dt	Evaluationend date	String	N		
Body	fr_tm	Evaluation start time	String	N		
Body	evlt_end_tm	Evaluation end time	String	N		
Body	evlt_pric	Evaluation price	String	N		
Body	evlt_fnsh_yn		String	N		
Body	all_hgst_pric	Allhighest price	String	N		
Body	all_lwst_pric	Alllowest price	String	N		
Body	imaf_hgst_pric	Immediately after the highest price	String	N		
Body	imaf_lwst_pric	Immediately after the lowest price	String	N		
Body	sndhalf_mrkt_hgst_pric	Second half high price	String	N		
Body	sndhalf_mrkt_lwst_pric	Second half lowest price	String	N		

Request Example

```
{
    "stk_cd": "57JBHH"
}
```

Response Example


```
{
    "aset_cd":"201",
    "cur_prc":"10",
    "pred_pre_sig":"3",
    "pred_pre":"0",
    "flu_rt":"0.00",
    "lpmmcm_nm":"",
    "lpmmcm_nm_1":"키움증권",
    "lpmmcm_nm_2":"",
    "elwrght_cntn":"만기평가가격이 행사가격 초과인 경우,
     1워런트당 (만기평가가격-행사가격)*전환비율",
    "elwexpr_evlt_pric":"최종거래일 종가",
    "elwtheory_pric":"27412",
    "dispty_rt":"--96.35",
    "elwinnr_vltl":"1901",
    "exp_rght_pric":"3179.00",
    "elwpl_qutr_rt":"--7.33",
    "elwexec_pric":"400.00",
    "elwcnvt_rt":"100.0000",
    "elwcmpn_rt":"0.00",
    "elwpric_rising_part_rt":"0.00",
    "elwrght_type":"CALL",
    "elwsrvive_dys":"15",
    "stkcnt":"8000",
    "elwlpord_pos":"가능",
    "lpposs_rt":"+95.20",
    "lprmnd_qty":"7615830",
    "elwspread":"15.00",
```

Response Example

"elwprty":"107.94", "elwgear":"4317.90", "elwflo_dt":"20240124", "elwfin_trde_dt":"20241212", "expr_dt":"20241216", "exec_dt":"20241216", "lpsuply_end_dt":"20241212", "elwpay_dt":"20241218", "elwinvt_ix_comput":"output stock", "elwpay_agnt":"Kookmin Bank Securities Town Branch", "elwappr_way":"Cash payment", "elwrght_exec_way":"European", "elwpblicte_orgn":"Kiwoom Securities Co., Ltd.", "dcsn_pay_amt":"0.000", "kobarr":"0", "iv":"0.00", "clsprd_end_elwocr":"", "bsis_aset_1":"KOSPI200", "bsis_aset_comp_rt_1":"0.00", "bsis_aset_2":"", "bsis_aset_comp_rt_2":"0.00", "bsis_aset_3":"", "bsis_aset_comp_rt_3":"0.00", "bsis_aset_4":"", "bsis_aset_comp_rt_4":"0.00", "bsis_aset_5":"", "bsis_aset_comp_rt_5":"0.00", "fr_dt":"", "to_dt":"", "fr_tm":"", "evlt_end_tm":"", "evlt_pric":"", "evlt_fnsh_yn":"", "all_hgst_pric":"0.00", "all_lwst_pric":"0.00", "imaf_hgst_pric":"0.00", "imaf_lwst_pric":"0.00", "sndhalf_mrkt_hgst_pric":"0.00", "sndhalf_mrkt_lwst_pric":"0.00", "return_code":0, "return_msg":"Processed normally" }

API information	
menu location	domestic stock > ETF > ETF return request(ka40001)
API name	ETF return request
API ID	ka40001

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/etf
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquiry for ETF return information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	6	
Body	etfobjt_idex_cd	ETF target index code	String	Y	3	
Body	dt	period	String	Y	1	0:1 week, 1:1 month, 2:6 months, 3:1 year

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	etfprft_rt_lst	ETF return rate	LIST	N		
Body	- etfprft_rt	ETFreturn rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- cntr_prft_rt	executionreturn rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- for_netprps_qty	Foreign net purchase quantity	String	N	20	
Body	- orgn_netprps_qty	institutional net buy quantity	String	N	20	

Request Example

```
{
    "stk_cd": "069500",
    "etfobjt_idex_cd": "207",
    "dt": "3"
}
```

Response Example


```
{
    "etfprft_rt_lst": [
        {
            "etfprft_rt": "-1.33",
            "cntr_prft_rt": "-1.75",
            "for_netprps_qty": "0",
            "orgn_netprps_qty": ""
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > ETF > ETFstock information request(ka40002)
API name	ETFstock information request
API ID	ka40002

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/etf
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquiry for ETFstock information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	6	

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	stk_nm	stock name	String	N	40	
Body	etfobjt_idex_nm	ETF Target Index Name	String	N	20	
Body	wonju_pric	Wonju price	String	N	20	
Body	etftxon_type	ETF taxation type	String	N	20	
Body	etntxon_type	ETN tax type	String	N	20	

Request Example

```
{
    "stk_cd": "069500"
}
```

Response Example

```
{
    "stk_nm": "KODEX 200",
    "etfobjt_idex_nm": "",
    "wonju_pric": "10",
```

Response Example

"etftxon_type": "Holding period taxation",
"etntxon_type": "Holding period taxation",
"return_code": 0,
"return_msg": "Processed successfully"
}

API information	
menu location	domestic stock > ETF > ETF daily trend request(ka40003)
API name	ETF daily trend request
API ID	ka40003

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/etf
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about ETF daily trend information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	6	

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	etfdaly_trnsn	ETF daily trend	LIST	N		
Body	- cntr_dt	executiondate	String	N	20	YYYYMMDD
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- pre_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- nav	NAV	String	N	20	Number formatted to two decimal places, including sign
Body	- acc_trde_prica	cumulative trading amount	String	N	20	Unit: 1 week
Body	- navidex_dispty_rt	NAV/exponential divergence ratio	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- navetfdispty_rt	NAV/ETF divergence rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- trace_eor_rt	Tracking error rate	String	N	20	Provided as 100 times the decimal point removed Example) The value ?2658? means 26.58.
Body	- trace_cur_prc	Trackingcurrent price	String	N	20	Provided as 100 times the decimal point removed Example) The value ?2658? means 26.58.
Body	- trace_pred_pre	Trackingchange from previous day	String	N	20	Provided as 100 times the decimal point removed Example) The value ?2658? means 26.58.
Body	- trace_pre_sig	trackingchange sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline

Request Example


```
{
    "stk_cd": "069500"
}
```


Response Example


```
{
    "etfdaly_trnsn": [
        {
            "cntr_dt": "20241125",
            "cur_prc": "100535",
            "pre_sig": "0",
            "pred_pre": "0",
            "pre_rt": "0.00",
            "trde_qty": "0",
            "nav": "0.00",
            "acc_trde_prica": "0",
            "navidex_dispty_rt": "0.00",
            "navetfdispty_rt": "0.00",
            "trace_eor_rt": "0",
            "trace_cur_prc": "0",
            "trace_pred_pre": "0",
            "trace_pre_sig": "3"
        },
        {
            "cntr_dt": "20241122",
            "cur_prc": "100535",
            "pre_sig": "0",
            "pred_pre": "0",
            "pre_rt": "0.00",
            "trde_qty": "0",
            "nav": "+100584.57",
            "acc_trde_prica": "0",
            "navidex_dispty_rt": "0.00",
            "navetfdispty_rt": "-0.05",
            "trace_eor_rt": "0",
            "trace_cur_prc": "0",
            "trace_pred_pre": "0",
            "trace_pre_sig": "3"
        },
        {
            "cntr_dt": "20241121",
            "cur_prc": "100535",
            "pre_sig": "0",
            "pred_pre": "0",
            "pre_rt": "0.00",
            "trde_qty": "0",
            "nav": "+100563.36",
            "acc_trde_prica": "0",
            "navidex_dispty_rt": "0.00",
            "navetfdispty_rt": "-0.03",
            "trace_eor_rt": "0",
            "trace_cur_prc": "0",
            "trace_pred_pre": "0",
            "trace_pre_sig": "3"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
```

Response Example
}

API information	
menu location	domestic stock > ETF > ETF full price request(ka40004)
API name	ETF full price request
API ID	ka40004
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/etf
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

Inquiry for full ETF price information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	txon_type	Tax type	String	Y	1	0: All, 1: Tax exemption, 2: Holding period taxation, 3: Company type, 4: Foreign, 5: Tax-exempt overseas (period tariff)
Body	navpre	NAVchange	String	Y	1	0:all, 1:NAV > previous dayclosing price, 2:NAV < previous dayclosing price
Body	mngmcomp	operator	String	Y	4	0000:All, 3020:KODEX (Samsung), 3027:KOSEF (Kiwoom), 3191:TIGER (Mirae Asset), 3228:KINDEX (Korea Investment), 3023:KStar (KB), 3022:Arirang (Hanwha), 9999:Gitown Warriors
Body	txon_yn	Taxation	String	Y	1	0: Total, 1: Tax, 2: Non-tax
Body	trace_idex	tracking index	String	Y	1	0:all
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT, 3:Integrated

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	etfall_mrpr	ETF overall price	LIST	N		
Body	- stk_cd	stock code	String	N	20	
Body	- stk_cls	stock classification	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- close_pric	closing price	String	N	20	Unit: Won, number included in asking price

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- pre_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- nav	NAV	String	N	20	Number formatted to two decimal places, including sign
Body	- trace_eor_rt	Tracking error rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- txbs	Taxation standards	String	N	20	
Body	- dvid_bf_base	Before dividend	String	N	20	
Body	- pred_dvida	previous daydividend	String	N	20	
Body	- trace_idex_nm	Tracking index name	String	N	20	
Body	- drng	drainage	String	N	20	
Body	- trace_idex_cd	Tracking index code	String	N	20	
Body	- trace_idex	tracking index	String	N	20	
Body	- trace_flu_rt	Trackingchange rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign

Request Example


```
{
    "txon_type": "0",
    "navpre": "0",
    "mngmcomp": "0000",
    "txon_yn": "0",
    "trace_idex": "0",
    "stex_tp": "1"
}
```


Response Example


```
{
    "etfall_mrpr": [
        {
            "stk_cd": "069500",
            "stk_cls": "19",
            "stk_nm": "KODEX 200",
            "close_pric": "24200",
            "pre_sig": "3",
            "pred_pre": "0",
            "pre_rt": "0.00",
            "trde_qty": "0",
            "nav": "25137.83",
            "trace_eor_rt": "0.00",
            "txbs": "",
            "dvid_bf_base": "",
            "pred_dvida": "",
            "trace_idex_nm": "KOSPI100",
            "drng": "",
            "trace_idex_cd": "",
            "trace_idex": "24200",
            "trace_flu_rt": "0.00"
        },
        {
            "stk_cd": "069500",
            "stk_cls": "19",
            "stk_nm": "KODEX 200",
            "close_pric": "33120",
            "pre_sig": "3",
            "pred_pre": "0",
            "pre_rt": "0.00",
            "trde_qty": "0",
            "nav": "33351.27",
            "trace_eor_rt": "0.00",
            "txbs": "",
```

Response Example

"dvid_bf_base": "", "pred_dvida": "", "trace_idex_nm": "KOSPI200", "drng": "", "trace_idex_cd": "", "trace_idex": "33120", "trace_flu_rt": "0.00" }, { "stk_cd": "069660", "stk_cls": "19", "stk_nm": "KOSEF 200", "close_pric": "32090", "pre_sig": "3", "pred_pre": "0", "pre_rt": "0.00", "trde_qty": "0", "nav": "33316.97", "trace_eor_rt": "0.00", "txbs": "", "dvid_bf_base": "", "pred_dvida": "", "trace_idex_nm": "KOSPI200", "drng": "", "trace_idex_cd": "", "trace_idex": "32090", "trace_flu_rt": "0.00" }], "return_code": 0, "return_msg": "Processed successfully" }

API information	
menu location	domestic stock > ETF > ETFtime trend request(ka40006)
API name	ETFtime trend request
API ID	ka40006

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/etf
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about trend information by ETFtime zone.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	6	

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	stk_nm	stock name	String	N	40	
Body	etfobjt_idex_nm	ETF Target Index Name	String	N	20	
Body	wonju_pric	Wonju price	String	N	20	
Body	etftxon_type	ETF taxation type	String	N	20	
Body	etntxon_type	ETN tax type	String	N	20	
Body	etftisl_trnsn	ETFtime trend by group	LIST	N		
Body	- tm	time	String	N	20	HHmmss
Body	- close_pric	closing price	String	N	20	Unit: Won, number included in asking price
Body	- pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- nav	NAV	String	N	20	Number formatted to two decimal places, including sign
Body	- trde_prica	trading amount	String	N	20	Unit: million won
Body	- navidex	NAV index	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- navetf	Disparity rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- trace	Tracking error rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- trace_idex	tracking index	String	N	20	Provided as 100 times the decimal point removed Example) The value ?2658? means 26.58.
Body	- trace_idex_pred_pre	Tracking index change from previous day	String	N	20	Provided as 100 times the decimal point removed Example) The value ?2658? means 26.58.
Body	- trace_idex_pred_pre_sig	Tracking index change from previous day ho	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline

Request Example

```
{
    "stk_cd": "069500"
}
```

Response Example

```
{
    "stk_nm": "KODEX 200",
    "etfobjt_idex_nm": "KOSPI200",
    "wonju_pric": "-10",
    "etftxon_type": "보유기간과세",
    "etntxon_type": "보유기간과세",
    "etftisl_trnsn": [
        {
            "tm": "132211",
            "close_pric": "+4900",
            "pre_sig": "2",
            "pred_pre": "+450",
            "flu_rt": "+10.11",
            "trde_qty": "1",
            "nav": "-4548.33",
            "trde_prica": "0",
            "navidex": "-72.38",
            "navetf": "+7.18",
            "trace": "0.00",
            "trace_idex": "+164680",
            "trace_idex_pred_pre": "+123",
            "trace_idex_pred_pre_sig": "2"
        },
        {
            "tm": "132210",
            "close_pric": "+4900",
            "pre_sig": "2",
            "pred_pre": "+450",
            "flu_rt": "+10.11",
            "trde_qty": "1",
            "nav": "-4548.33",
            "trde_prica": "0",
            "navidex": "-72.38",
            "navetf": "+7.18",
            "trace": "0.00",
            "trace_idex": "+164680",
            "trace_idex_pred_pre": "+123",
            "trace_idex_pred_pre_sig": "2"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > ETF > ETFtimeexecutionrequest(ka40007)
API name	ETFtime execution request
API ID	ka40007

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/etf
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about execution information by ETFtime zone.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	6	

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	stk_cls	stock classification	String	N	20	
Body	stk_nm	stock name	String	N	40	
Body	etfobjt_idex_nm	ETF Target Index Name	String	N	20	
Body	etfobjt_idex_cd	ETF target index code	String	N	20	
Body	objt_idex_pre_rt	Target index change rate	String	N	20	Number formatted to two decimal places
Body	wonju_pric	Wonju price	String	N	20	
Body	etftisl_cntr_array	ETFtime execution times heat	LIST	N		
Body	- cntr_tm	execution time	String	N	20	HHmmss
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week, number including sub-asking price
Body	- stex_tp	Exchange category	String	N	20	KRX, NXT, integrated

Request Example

```
{
    "stk_cd": "069500"
}
```

Response Example

```
{
    "stk_cls": "20",
    "stk_nm": "KODEX 200",
    "etfobjt_idex_nm": "KOSPI200",
    "etfobjt_idex_cd": "207",
    "objt_idex_pre_rt": "10.00",
    "wonju_pric": "-10",
    "etftisl_cntr_array": [
        {
            "cntr_tm": "130747",
            "cur_prc": "+4900",
            "pre_sig": "2",
            "pred_pre": "+450",
            "trde_qty": "1",
            "stex_tp": "KRX"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > ETF > ETFdateexecutionrequest(ka40008)
API name	executionrequest by ETFdate
API ID	ka40008

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/etf
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about execution information by ETFdate.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	6	

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	cntr_tm	execution time	String	N	20	HHmmss
Body	cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	trde_qty	trading volume	String	N	20	Unit: 1 week, number including sub-asking price
Body	etfnetprps_qty_array	ETF net buy quantity array	LIST	N		
Body	- dt	date	String	N	20	YYYYMMDD
Body	- cur_prc_n	current pricen	String	N	20	Unit: Won, number included in asking price
Body	- pre_sig_n	change signn	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre_n	change from previous dayn	String	N	20	Unit: Won, number included in asking price
Body	- acc_trde_qty	cumulative volume	String	N	20	Unit: 1 week

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- for_netprps_qty	Foreign net purchase quantity	String	N	20	Unit: 1 week, number including sub-asking price
Body	- orgn_netprps_qty	institutional net buy quantity	String	N	20	Unit: 1 week, number including sub-asking price

Request Example

```
{
    "stk_cd": "069500"
}
```

Response Example


```
{
    "cntr_tm": "130747",
    "cur_prc": "+4900",
    "pre_sig": "2",
    "pred_pre": "+450",
    "trde_qty": "1",
    "etfnetprps_qty_array": [
        {
            "dt": "20241125",
            "cur_prc_n": "+4900",
            "pre_sig_n": "2",
            "pred_pre_n": "+450",
            "acc_trde_qty": "1",
            "for_netprps_qty": "0",
            "orgn_netprps_qty": "0"
        },
        {
            "dt": "20241122",
            "cur_prc_n": "-4450",
            "pre_sig_n": "5",
            "pred_pre_n": "-60",
            "acc_trde_qty": "46",
            "for_netprps_qty": "--10558895",
            "orgn_netprps_qty": "0"
        },
        {
            "dt": "20241121",
            "cur_prc_n": "4510",
            "pre_sig_n": "3",
            "pred_pre_n": "0",
            "acc_trde_qty": "0",
            "for_netprps_qty": "--8894146",
            "orgn_netprps_qty": "0"
        },
        {
            "dt": "20241120",
            "cur_prc_n": "-4510",
            "pre_sig_n": "5",
            "pred_pre_n": "-160",
            "acc_trde_qty": "0",
            "for_netprps_qty": "--3073507",
            "orgn_netprps_qty": "0"
        },
        {
            "dt": "20241119",
            "cur_prc_n": "+4670",
            "pre_sig_n": "2",
            "pred_pre_n": "+160",
            "acc_trde_qty": "94",
            "for_netprps_qty": "--2902200",
            "orgn_netprps_qty": "0"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > ETF > NAV status by ETFtime (ka40009)
API name	ETFtime NAV status by segment
API ID	ka40009

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/etf
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquiry for NAV status information for each ETFtime unit.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	6	

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	etfnavarray	ETFNAV Array	LIST	N		
Body	- nav	NAV	String	N	20	
Body	- navpred_pre	NAVchange from previous day	String	N	20	
Body	- navflu_rt	NAVchange rate	String	N	20	
Body	- trace_eor_rt	Tracking error rate	String	N	20	
Body	- dispty_rt	Disparity rate	String	N	20	
Body	- stkcnt	number of shares	String	N	20	
Body	- base_pric	base price	String	N	20	
Body	- for_rmnd_qty	Foreign holding quantity	String	N	20	
Body	- repl_pric	Daeyongga	String	N	20	
Body	- conv_pric	Converted price	String	N	20	

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- drstk	DR/week	String	N	20	
Body	- wonju_pric	Wonju price	String	N	20	

Request Example

```
{
    "stk_cd": "069500"
}
```

Response Example


```
{
    "etfnavarray": [
        {
            "nav": "",
            "navpred_pre": "",
            "navflu_rt": "",
            "trace_eor_rt": "",
            "dispty_rt": "",
            "stkcnt": "133100",
            "base_pric": "4450",
            "for_rmnd_qty": "",
            "repl_pric": "",
            "conv_pric": "",
            "drstk": "",
            "wonju_pric": ""
        },
        {
            "nav": "",
            "navpred_pre": "",
            "navflu_rt": "",
            "trace_eor_rt": "",
            "dispty_rt": "",
            "stkcnt": "133100",
            "base_pric": "4510",
            "for_rmnd_qty": "",
            "repl_pric": "",
            "conv_pric": "",
            "drstk": "",
            "wonju_pric": ""
        },
        {
            "nav": "",
            "navpred_pre": "",
            "navflu_rt": "",
            "trace_eor_rt": "",
            "dispty_rt": "",
            "stkcnt": "133100",
            "base_pric": "4510",
            "for_rmnd_qty": "",
            "repl_pric": "",
            "conv_pric": "",
            "drstk": "",
            "wonju_pric": ""
        },
        {
            "nav": "",
            "navpred_pre": "",
            "navflu_rt": "",
            "trace_eor_rt": "",
            "dispty_rt": "",
            "stkcnt": "133100",
            "base_pric": "4670",
            "for_rmnd_qty": "",
            "repl_pric": "",
            "conv_pric": "",
            "drstk": "",
            "wonju_pric": ""
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > ETF > ETFtime supply and demand status by unit (ka40010)
API name	ETFtime supply and demand status by unit
API ID	ka40010

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/etf
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about supply and demand status information for each ETFtime unit.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	6	

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	etftisl_trnsn	ETFtime trend by group	LIST	N		
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- for_netprps	foreign purchase	String	N	20	Unit: 1 week, number including sub-asking price

Request Example

```
{
    "stk_cd": "069500"
}
```

Response Example

```
{
    "etftisl_trnsn": [
```

Response Example


```
        {
            "cur_prc": "4450",
            "pre_sig": "3",
            "pred_pre": "0",
            "trde_qty": "0",
            "for_netprps": "0"
        },
        {
            "cur_prc": "-4450",
            "pre_sig": "5",
            "pred_pre": "-60",
            "trde_qty": "46",
            "for_netprps": "--10558895"
        },
        {
            "cur_prc": "4510",
            "pre_sig": "3",
            "pred_pre": "0",
            "trde_qty": "0",
            "for_netprps": "--8894146"
        },
        {
            "cur_prc": "-4510",
            "pre_sig": "5",
            "pred_pre": "-160",
            "trde_qty": "0",
            "for_netprps": "--3073507"
        },
        {
            "cur_prc": "+4670",
            "pre_sig": "2",
            "pred_pre": "+160",
            "trde_qty": "94",
            "for_netprps": "--2902200"
        },
        {
            "cur_prc": "-4510",
            "pre_sig": "5",
            "pred_pre": "-275",
            "trde_qty": "0",
            "for_netprps": "--1249609"
        },
        {
            "cur_prc": "-4510",
            "pre_sig": "5",
            "pred_pre": "-315",
            "trde_qty": "0",
            "for_netprps": "--2634816"
        },
        {
            "cur_prc": "-4510",
            "pre_sig": "5",
            "pred_pre": "-285",
            "trde_qty": "0",
            "for_netprps": "--2365477"
        },
        {
            "cur_prc": "-4450",
            "pre_sig": "5",
            "pred_pre": "-225",
            "trde_qty": "6",
            "for_netprps": "--571909"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > market price > gold spot execution trend (ka50010)
API name	Gold spot execution trend
API ID	ka50010

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/mrkcond
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquiry for gold spot execution trend information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	20	M04020000 gold 99.99_1kg, M04020100 mini gold 99.99_100g

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	gold_cntr	Gold spot execution trend	LIST	N		
Body	- cntr_pric	execution	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre	previous day change	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- trde_qty	Cumulative trading volume	String	N	20	Unit: 1 week
Body	- acc_trde_prica	Cumulative trading amount	String	N	20	Unit: Won
Body	- cntr_trde_qty	trading volume(execution volume)	String	N	20	Unit: 1 week
Body	- tm	execution time	String	N	20	HHmmss
Body	- pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pri_sel_bid_unit	ask price	String	N	20	Unit: Won, number included in asking price
Body	- pri_buy_bid_unit	bid price	String	N	20	Unit: Won, number included in asking price

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- trde_pre	previous day trading volume change ratio	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- trde_tern_rt	previous day trading volume change Instantaneous trading volume ratio	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- cntr_str	execution intensity	String	N	20	Units: %, percentage formatted to two decimal places.

Request Example

```
{
    "stk_cd": "M04020000"
}
```

Response Example

```
{
    "gold_cntr": [
        {
            "cntr_pric": "+152300",
            "pred_pre": "+620",
            "flu_rt": "+0.41",
            "trde_qty": "1385",
            "acc_trde_prica": "210926180",
            "cntr_trde_qty": "-10",
            "tm": "090106",
            "pre_sig": "2",
            "pri_sel_bid_unit": "+152400",
            "pri_buy_bid_unit": "+152300",
            "trde_pre": "+0.45",
            "trde_tern_rt": "0.00",
            "cntr_str": "138.06"
        },
        {
            "cntr_pric": "+152400",
            "pred_pre": "+720",
            "flu_rt": "+0.47",
            "trde_qty": "1375",
            "acc_trde_prica": "209403180",
            "cntr_trde_qty": "+9",
            "tm": "090100",
            "pre_sig": "2",
            "pri_sel_bid_unit": "+152400",
            "pri_buy_bid_unit": "+152300",
            "trde_pre": "+0.45",
            "trde_tern_rt": "0.00",
            "cntr_str": "141.18"
        },
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > market price > gold spot daily trend (ka50012)
API name	Spot gold daily trend
API ID	ka50012
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/mrkcond
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

Inquiry for daily gold spot trend information.

Request						
category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	20	M04020000 gold 99.99_1kg, M04020100 mini gold 99.99_100g
Body	base_dt	Based on date	String	Y	8	YYYYMMDD

Response						
category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	gold_daly_trnsn	Spot gold daily trend	LIST	N		
Body	- cur_prc	closing price	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre	previous day change	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- trde_qty	Cumulative trading volume	String	N	20	Unit: 1000 shares
Body	- acc_trde_prica		String	N	20	Unit: million won
Body	- open_pric	opening price	String	N	20	Unit: Won, number included in asking price
Body	- high_pric	high price	String	N	20	Unit: Won, number included in asking price
Body	- low_pric	low price	String	N	20	Unit: Won, number included in asking price
Body	- dt	date	String	N	20	YYYYMMDD

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- orgn_netprps	institutional net buy quantity	String	N	20	Unit: 1000 shares
Body	- for_netprps		String	N	20	Unit: 1000 shares
Body	- ind_netprps	net trading volume (individual)	String	N	20	Unit: 1000 shares

Request Example

```
{
    "stk_cd": "M04020000",
    "base_dt": "20250820"
}
```

Response Example


```
{
    "gold_daly_trnsn": [
        {
            "cur_prc": "+151680",
            "pred_pre": "+1280",
            "flu_rt": "+0.85",
            "trde_qty": "304439",
            "acc_trde_prica": "45980",
            "open_pric": "150400",
            "high_pric": "+151680",
            "low_pric": "-150250",
            "dt": "20250826",
            "pre_sig": "2",
            "orgn_netprps": "112",
            "for_netprps": "-1",
            "ind_netprps": "-51"
        },
        {
            "cur_prc": "+150400",
            "pred_pre": "+1010",
            "flu_rt": "+0.68",
            "trde_qty": "257827",
            "acc_trde_prica": "38741",
            "open_pric": "+150890",
            "high_pric": "+150890",
            "low_pric": "+150100",
            "dt": "20250825",
            "pre_sig": "2",
            "orgn_netprps": "88",
            "for_netprps": "0",
            "ind_netprps": "30"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > chart > gold spot tick chart inquiryrequest(ka50079)
API name	gold spot tick chart inquiryrequest
API ID	ka50079

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/chart
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquiry for gold spot tick chart information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	20	M04020000 gold 99.99_1kg, M04020100 mini gold 99.99_100g
Body	tic_scope	tick range	String	Y	2	1:1tick, 3:3tick, 5:5tick, 10:10tick, 30:30tick
Body	upd_stkpc_tp	revised stock price category	String	Y	1	0 or 1

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	gds_tic_chart_qry	Gold spot tick chart inquiry	LIST	N		
Body	- cur_prc	current price	String	N	20	Unit: Won
Body	- pred_pre	change from previous day	String	N	20	Unit: Won
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- open_pric	opening price	String	N	20	Unit: Won
Body	- high_pric	high price	String	N	20	Unit: Won
Body	- low_pric	low price	String	N		Unit: Won
Body	- cntr_tm	execution time	String	N	20	YYYYMMDDHHmmss
Body	- dt	date	String	N	20	YYYYMMDDHHmmss

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline

Request Example


```
{
    "stk_cd": "M04020000",
    "tic_scope": "",
    "upd_stkpc_tp": "1"
}
```


Response Example


```
{
    "gds_tic_chart_qry": [
        {
            "cur_prc": "152390",
            "pred_pre": "710",
            "trde_qty": "4",
            "open_pric": "152390",
            "high_pric": "152390",
            "low_pric": "152390",
            "cntr_tm": "20250827090215",
            "dt": "20250827090215",
            "pred_pre_sig": "2",
        },
        {
            "cur_prc": "152390",
            "pred_pre": "710",
            "trde_qty": "5",
            "open_pric": "152390",
            "high_pric": "152390",
            "low_pric": "152390",
            "cntr_tm": "20250827090215",
            "dt": "20250827090215",
            "pred_pre_sig": "2",
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > chart > gold spotminute candle chartinquiryrequest(ka50080)
API name	Spot goldminute candlechartinquiryrequest
API ID	ka50080
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/chart
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

Inquiry for spot gold minute candle chart information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	20	M04020000 gold 99.99_1kg, M04020100 mini gold 99.99_100g
Body	tic_scope	tick range	String	Y	3	1:1 min, 3:3 min, 5:5 min, 10:10 min, 15:15 min, 30:30 min, 45:45 min, 60:60 minutes
Body	upd_stkpc_tp	revised stock price category	String	N	1	0 or 1

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	gds_min_chart_qry		LIST	N		
Body	- cur_prc	current price	String	N	20	Unit: Won
Body	- pred_pre	change from previous day	String	N	20	Unit: Won
Body	- acc_trde_qty	cumulative volume	String	N	20	Unit: 1 week
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- open_pric	opening price	String	N	20	Unit: Won
Body	- high_pric	high price	String	N	20	Unit: Won
Body	- low_pric	low price	String	N	20	Unit: Won
Body	- cntr_tm	execution time	String	N	20	YYYYMMDDHHmmss

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- dt	date	String	N	20	YYYYMMDDHHmmss
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline

Request Example

```
{
    "stk_cd": "M04020000",
    "tic_scope": "",
    "upd_stkpc_tp": "1"
}
```

Response Example

```
{
    "gds_min_chart_qry": [
        {
            "cur_prc": "142170",
            "pred_pre": "230",
            "acc_trde_qty": "98963",
            "trde_qty": "76",
            "open_pric": "+142180",
            "high_pric": "+142180",
            "low_pric": "142170",
            "cntr_tm": "20250408132100",
            "dt": "20250408132100",
            "pred_pre_sig": ""
        },
        {
            "cur_prc": "142170",
            "pred_pre": "230",
            "acc_trde_qty": "98887",
            "trde_qty": "104",
            "open_pric": "+142180",
            "high_pric": "+142180",
            "low_pric": "142170",
            "cntr_tm": "20250408132000",
            "dt": "20250408132000",
            "pred_pre_sig": ""
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > chart > gold spot daily candle chart inquiryrequest(ka50081)
API name	Spot golddaily candlechartinquiryrequest
API ID	ka50081

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/chart
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquiry for gold spot daily candle chart information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	20	M04020000 gold 99.99_1kg, M04020100 mini gold 99.99_100g
Body	base_dt	Based on date	String	Y	8	YYYYMMDD
Body	upd_stkpc_tp	revised stock price category	String	Y	1	0 or 1

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	gds_day_chart_qry		LIST	N		
Body	- cur_prc	current price	String	N	20	Unit: Won
Body	- acc_trde_qty	Cumulative trading volume	String	N	20	Unit: 1 week
Body	- acc_trde_prica	Cumulative trading amount	String	N	20	Unit: million won
Body	- open_pric	opening price	String	N	20	Unit: Won
Body	- high_pric	high price	String	N	20	Unit: Won
Body	- low_pric	low price	String	N	20	Unit: Won
Body	- dt	date	String	N	20	YYYYMMDD
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline

Request Example


```
{
    "stk_cd": "M04020000",
    "base_dt": "20250826",
    "upd_stkpc_tp": "1"
}
```


Response Example


```
{
    "gds_day_chart_qry": [
        {
            "cur_prc": "152400",
            "acc_trde_qty": "3739",
            "acc_trde_prica": "570",
            "open_pric": "152200",
            "high_pric": "152470",
            "low_pric": "152200",
            "dt": "20250827",
            "pred_pre_sig": "2",
        },
        {
            "cur_prc": "151680",
            "acc_trde_qty": "304439",
            "acc_trde_prica": "45980",
            "open_pric": "150400",
            "high_pric": "151680",
            "low_pric": "150250",
            "dt": "20250826",
            "pred_pre_sig": "2",
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > chart > gold spot weekly candle chart inquiryrequest(ka50082)
API name	Spot goldweekly candle chartinquiryrequest
API ID	ka50082

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/chart
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquiry for spot gold weekly candle chart information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	20	M04020000 gold 99.99_1kg, M04020100 mini gold 99.99_100g
Body	base_dt	Based on date	String	Y	8	YYYYMMDD
Body	upd_stkpc_tp	revised stock price category	String	Y	1	0 or 1

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	gds_week_chart_qry		LIST	N		
Body	- cur_prc	current price	String	N	20	Unit: Won
Body	- acc_trde_qty	Cumulative trading volume	String	N	20	Unit: 1 week
Body	- acc_trde_prica	Cumulative trading amount	String	N	20	Unit: million won
Body	- open_pric	opening price	String	N	20	Unit: Won
Body	- high_pric	high price	String	N	20	Unit: Won
Body	- low_pric	low price	String	N	20	Unit: Won
Body	- dt	date	String	N	20	YYYYMMDDHHmmss

Request Example

Request Example


```
{
    "stk_cd": "M04020000",
    "base_dt": "20250826",
    "upd_stkpc_tp": "1"
}
```


Response Example


```
{
    "gds_week_chart_qry": [
        {
            "cur_prc": "152430",
            "acc_trde_qty": "567619",
            "acc_trde_prica": "8553629",
            "open_pric": "150890",
            "high_pric": "152470",
            "low_pric": "150100",
            "dt": "20250825000000",
        },
        {
            "cur_prc": "149390",
            "acc_trde_qty": "1738711",
            "acc_trde_prica": "2604597",
            "open_pric": "149800",
            "high_pric": "150700",
            "low_pric": "149030",
            "dt": "20250818000000",
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > chart > gold spot monthly candle chart inquiryrequest(ka50083)
API name	Spot goldmonthly candlechartinquiryrequest
API ID	ka50083

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/chart
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquiry for gold spot monthly candle chart information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	20	M04020000 gold 99.99_1kg, M04020100 mini gold 99.99_100g
Body	base_dt	Based on date	String	Y	8	YYYYMMDD
Body	upd_stkpc_tp	revised stock price category	String	Y	1	0 or 1

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	gds_month_chart_qry	Gold spot daily candle chart inquiry	LIST	N		
Body	- cur_prc	current price	String	N	20	Unit: Won
Body	- acc_trde_qty	Cumulative trading volume	String	N	20	Unit: 1 week
Body	- acc_trde_prica	Cumulative trading amount	String	N	20	Unit: Won
Body	- open_pric	opening price	String	N	20	Unit: Won
Body	- high_pric	high price	String	N	20	Unit: Won
Body	- low_pric	low price	String	N	20	Unit: Won
Body	- dt	date	String	N	20	YYYYMMDDHHmmss

Request Example

Request Example


```
{
    "stk_cd": "M04020000",
    "base_dt": "20250826",
    "upd_stkpc_tp": "1"
}
```


Response Example


```
{
    "gds_month_chart_qry": [
        {
            "cur_prc": "152430",
            "acc_trde_qty": "5269714",
            "acc_trde_prica": "793461419830",
            "open_pric": "150000",
            "high_pric": "153240",
            "low_pric": "149000",
            "dt": "20250804000000",
        },
        {
            "cur_prc": "145190",
            "acc_trde_qty": "3707641",
            "acc_trde_prica": "545938604940",
            "open_pric": "149340",
            "high_pric": "153730",
            "low_pric": "141600",
            "dt": "20250502000000",
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > market price > gold spot forecast execution(ka50087)
API name	Gold spot forecast execution
API ID	ka50087

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/mrkcond
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about gold spot expected execution information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	20	M04020000 gold 99.99_1kg, M04020100 mini gold 99.99_100g

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	gold_expt_exec	Gold spot forecast execution	LIST	N		
Body	- exp_cntr_pric	Expected execution	String	N	20	Unit: Won, number included in asking price
Body	- exp_pred_pre	Expected execution change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- exp_flu_rt	Expected execution rate changes	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- exp_acc_trde_qty		String	N	20	
Body	- exp_cntr_trde_qty	Expected execution quantity	String	N	20	
Body	- exp_tm	Expected execution time	String	N	20	HHmmss
Body	- exp_pre_sig	Expected execution change sign	String	N	20	
Body	- stex_tp	Exchange category	String	N		

Request Example

Request Example


```
{
    "stk_cd": "M04020000"
}
```


Response Example


```
{
    "gold_expt_exec": [
        {
            "exp_cntr_pric": "+152200",
            "exp_pred_pre": "+520",
            "exp_flu_rt": "++0.34",
            "exp_acc_trde_qty": "309",
            "exp_cntr_trde_qty": "+100",
            "exp_tm": "085957",
            "exp_pre_sig": "2",
            "stex_tp": "KRX"
        },
        {
            "exp_cntr_pric": "+152200",
            "exp_pred_pre": "+520",
            "exp_flu_rt": "++0.34",
            "exp_acc_trde_qty": "209",
            "exp_cntr_trde_qty": "+-121",
            "exp_tm": "085957",
            "exp_pre_sig": "2",
            "stex_tp": "KRX"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > chart > gold spot todaytick chart inquiryrequest(ka50091)
API name	spot gold todaytick chart inquiryrequest
API ID	ka50091
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/chart
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	
We are only inquiring about gold spot tick chart information today.	

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	20	M04020000 gold 99.99_1kg, M04020100 mini gold 99.99_100g
Body	tic_scope	tick range	String	Y	2	1:1tick, 3:3tick, 5:5tick, 10:10tick, 30:30tick

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	gds_tic_chart_qry		LIST	N		
Body	- cntr_pric	execution	String	N	20	Unit: Won
Body	- pred_pre	previous day change(won)	String	N	20	Unit: Won
Body	- trde_qty	trading volume(execution volume)	String	N	20	Unit: 1 week
Body	- open_pric	opening price	String	N	20	Unit: Won
Body	- high_pric	high price	String	N	20	Unit: Won
Body	- low_pric	low price	String	N	20	Unit: Won
Body	- cntr_tm	execution time	String	N	20	YYYYMMDDHHmmss
Body	- dt	date	String	N	20	YYYYMMDDHHmmss
Body	- pred_pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline

Request Example


```
{
    "stk_cd": "M04020000",
    "tic_scope": "1"
}
```


Response Example


```
{
    "gds_tic_chart_qry": [
        {
            "cntr_pric": "152460",
            "pred_pre": "780",
            "trde_qty": "5",
            "open_pric": "152460",
            "high_pric": "152460",
            "low_pric": "152460",
            "cntr_tm": "20250827090734",
            "dt": "20250827090734",
            "pred_pre_sig": "2",
        },
        {
            "cntr_pric": "152470",
            "pred_pre": "790",
            "trde_qty": "1",
            "open_pric": "152470",
            "high_pric": "152470",
            "low_pric": "152470",
            "cntr_tm": "20250827090732",
            "dt": "20250827090732",
            "pred_pre_sig": "2",
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > chart > gold spottodayminute candle chartinquiryrequest(ka50092)
API name	spot goldtodayminute candlechartinquiryrequest
API ID	ka50092
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/chart
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

We are only inquiring about gold spot minute candle chart information today.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	20	M04020000 gold 99.99_1kg, M04020100 mini gold 99.99_100g
Body	tic_scope	tick range	String	Y	2	1:1 min, 3:3 min, 5:5 min, 10:10 min, 15:15 min, 30:30 min, 45:45 min, 60:60 minutes

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	gds_min_chart_qry		LIST	N		
Body	- cntr_pric	execution	String	N	20	Unit: Won
Body	- pred_pre	previous day change(won)	String	N	20	Unit: Won
Body	- acc_trde_qty	Cumulative trading volume	String	N	20	Unit: 1 week
Body	- acc_trde_prica	Cumulative trading amount	String	N	20	Unit: million won
Body	- trde_qty	trading volume(execution volume)	String	N	20	Unit: 1 week
Body	- open_pric	opening price	String	N	20	Unit: Won
Body	- high_pric	high price	String	N	20	Unit: Won
Body	- low_pric	low price	String	N	20	Unit: Won
Body	- cntr_tm	execution time	String	N	20	YYYYMMDDHHmmss

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- dt	date	String	N	20	YYYYMMDDHHmmss
Body	- pred_pre_sig	change sign	String	N	20	

Request Example


```
{
    "stk_cd": "M04020000",
    "tic_scope": "1"
}
```


Response Example


```
{
    "gds_min_chart_qry": [
        {
            "cntr_pric": "+152480",
            "pred_pre": "+800",
            "acc_trde_qty": "10289",
            "acc_trde_prica": "",
            "trde_qty": "663",
            "open_pric": "+152470",
            "high_pric": "+152490",
            "low_pric": "+152470",
            "cntr_tm": "20250827090800",
            "dt": "20250827090800",
            "pred_pre_sig": "2"
        },
        {
            "cntr_pric": "+152470",
            "pred_pre": "+790",
            "acc_trde_qty": "9626",
            "acc_trde_prica": "",
            "trde_qty": "2547",
            "open_pric": "+152450",
            "high_pric": "+152480",
            "low_pric": "+152450",
            "cntr_tm": "20250827090700",
            "dt": "20250827090700",
            "pred_pre_sig": "2"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > market price > gold spot price information (ka50100)
API name	Gold spot price information
API ID	ka50100
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/mrkcond
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	
Inquiry for gold spot price information.	

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	20	M04020000: Gold 99.99_1kg, M04020100: Mini Gold 99.99_100g

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	pred_pre_sig	change sign	String	N	20	
Body	pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	trde_qty	trading volume	String	N	20	Unit: 1 week
Body	open_pric	opening price	String	N	20	Unit: Won, number included in asking price
Body	high_pric	high price	String	N	20	Unit: Won, number included in asking price
Body	low_pric	low price	String	N	20	Unit: Won, number included in asking price
Body	pred_rt	previous dayrain	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	upl_pric	upper limit price	String	N	20	Unit: Won, number included in asking price
Body	lst_pric	lower limit price	String	N	20	Unit: Won, number included in asking price
Body	pred_close_pric	previous dayclosing price	String	N	20	Unit: Won

Request Example


```
{
    "stk_cd": "M04020000"
}
```


Response Example


```
{
    "pred_pre_sig": "2",
    "pred_pre": "+870",
    "flu_rt": "+0.57",
    "trde_qty": "16326",
    "open_pric": "+152200",
    "high_pric": "+152560",
    "low_pric": "+152200",
    "pred_rt": "-5.36",
    "upl_pric": "+166840",
    "lst_pric": "-136520",
    "pred_close_pric": "151680",
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > market price > spot gold asking price(ka50101)
API name	spot gold asking price
API ID	ka50101

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/mrkcond
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquiry about gold spot asking price information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	20	M04020000 gold 99.99_1kg, M04020100 mini gold 99.99_100g
Body	tic_scope	tick range	String	Y	2	1:1tick, 3:3tick, 5:5tick, 10:10tick, 30:30tick

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	gold_bid	spot gold asking price	LIST	N		
Body	- cntr_pric	execution	String	N	20	Unit: Won, number included in asking price
Body	- pred_pre	previous day change(won)	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- trde_qty	Cumulative trading volume	String	N	20	Unit: 1 week
Body	- acc_trde_prica	Cumulative trading amount	String	N	20	Unit: million won
Body	- cntr_trde_qty	trading volume(execution volume)	String	N	20	Unit: 1 week
Body	- tm	execution time	String	N	20	HHmmss
Body	- pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pri_sel_bid_unit	ask price	String	N	20	Unit: Won, number included in asking price

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- pri_buy_bid_unit	bid price	String	N	20	Unit: Won, number included in asking price
Body	- trde_pre	previous day trading volume change ratio	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- trde_tern_rt	previous day trading volume change Instantaneous trading volume ratio	String	N		Units: %, percentage formatted to 2 decimal places with sign
Body	- cntr_str	execution intensity	String	N	20	Units: %, percentage formatted to two decimal places.
Body	- lpmmcm_nm_1	K.O approach	String	N	20	
Body	- stex_tp	Exchange category	String	N	20	

Request Example

```
{
    "stk_cd": "M04020000",
    "tic_scope": "1"
}
```

Response Example


```
{
    "gold_bid": [
        {
            "cntr_pric": "+152560",
            "pred_pre": "+880",
            "flu_rt": "+0.58",
            "trde_qty": "16454",
            "acc_trde_prica": "",
            "cntr_trde_qty": "124",
            "tm": "090900",
            "pre_sig": "2",
            "pri_sel_bid_unit": "",
            "pri_buy_bid_unit": "",
            "trde_pre": "+5.40",
            "trde_tern_rt": "+0.04",
            "cntr_str": "",
            "lpmmcm_nm_1": "",
            "stex_tp": ""
        },
        {
            "cntr_pric": "+152550",
            "pred_pre": "+870",
            "flu_rt": "+0.57",
            "trde_qty": "16330",
            "acc_trde_prica": "",
            "cntr_trde_qty": "6704",
            "tm": "090800",
            "pre_sig": "2",
            "pri_sel_bid_unit": "",
            "pri_buy_bid_unit": "",
            "trde_pre": "+5.36",
            "trde_tern_rt": "+2.20",
            "cntr_str": "",
            "lpmmcm_nm_1": "",
            "stex_tp": ""
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > institutional/foreign investor > Gold spot investor status (ka52301)
API name	Current status of gold spot investors
API ID	ka52301

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/frgnistt
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about gold spot trading trend information for each investor.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	inve_trad_stat		LIST	N		
Body	- all_dfrt_trst_sell_qty	sell by investor Quantity (thousands)	String	N	20	Unit: 1000 shares
Body	- sell_qty_irds	Sell quantity by investor Increase/decrease (thousands)	String	N	20	Unit: 1000 shares
Body	- all_dfrt_trst_sell_amt	sell by investor Amount (hundreds of millions)	String	N	20	Unit: KRW 100 million
Body	- sell_amt_irds	Sell amount by investor Increase/decrease (hundreds)	String	N	20	Unit: KRW 100 million
Body	- all_dfrt_trst_buy_qty	buy by investor Quantity (thousands)	String	N	20	Unit: 1000 shares
Body	- buy_qty_irds	Purchase quantity by investor Increase/decrease (thousands)	String	N	20	Unit: 1000 shares
Body	- all_dfrt_trst_buy_amt	buy by investor Amount (hundreds of millions)	String	N	20	Unit: KRW 100 million
Body	- buy_amt_irds	Purchase amount by investor	String	N	20	Unit: KRW 100 million

Response						
category	Element	Korean name	Type	Required	Length	Description
		Increase/decrease (hundreds)				
Body	- all_dfrt_trst_netprps_qty	Net purchase by investor Quantity (thousands)	String	N	20	Unit: 1000 shares
Body	- netprps_qty_irds	Net purchase by investor Quantity increase (thousands)	String	N	20	Unit: 1000 shares
Body	- all_dfrt_trst_netprps_amt	Net purchase by investor Amount (hundreds of millions)	String	N	20	Unit: KRW 100 million
Body	- netprps_amt_irds	Net purchase by investor Amount increase/decrease (hundreds of millions)	String	N	20	Unit: KRW 100 million
Body	- sell_uv	Sell ??price by investor	String	N	20	
Body	- buy_uv	Purchase price by investor	String	N	20	
Body	- stk_nm	Investor category name	String	N	20	
Body	- acc_netprps_amt		String	N	20	Unit: KRW 100 million
Body	- acc_netprps_qty		String	N	20	Unit: 1000 shares
Body	- stk_cd	investor code	String	N	20	

Request Example

```
{}
```

Response Example


```
{
    "inve_trad_stat": [
        {
            "all_dfrt_trst_sell_qty": "14",
            "sell_qty_irds": "7",
            "all_dfrt_trst_sell_amt": "22",
            "sell_amt_irds": "11",
            "all_dfrt_trst_buy_qty": "6",
            "buy_qty_irds": "1",
            "all_dfrt_trst_buy_amt": "9",
            "buy_amt_irds": "1",
            "all_dfrt_trst_netprps_qty": "-8",
            "netprps_qty_irds": "-6",
            "all_dfrt_trst_netprps_amt": "-12",
            "netprps_amt_irds": "-10",
            "sell_uv": "307",
            "buy_uv": "311",
            "stk_nm": "개인",
            "acc_netprps_amt": "-12",
            "acc_netprps_qty": "-8",
            "stk_cd": "T94008"
        },
        {
            "all_dfrt_trst_sell_qty": "0",
            "sell_qty_irds": "0",
            "all_dfrt_trst_sell_amt": "0",
            "sell_amt_irds": "0",
            "all_dfrt_trst_buy_qty": "0",
            "buy_qty_irds": "0",
            "all_dfrt_trst_buy_amt": "0",
            "buy_amt_irds": "0",
            "all_dfrt_trst_netprps_qty": "0",
            "netprps_qty_irds": "0",
            "all_dfrt_trst_netprps_amt": "0",
            "netprps_amt_irds": "0",
            "sell_uv": "0",
            "buy_uv": "0",
            "stk_nm": "외국인",
            "acc_netprps_amt": "0",
            "acc_netprps_qty": "0",
            "stk_cd": "T94009"
        },
        {
```

Response Example


```
"all_dfrt_trst_sell_qty": "0",
            "sell_qty_irds": "0",
            "all_dfrt_trst_sell_amt": "0",
            "sell_amt_irds": "0",
            "all_dfrt_trst_buy_qty": "10",
            "buy_qty_irds": "9",
            "all_dfrt_trst_buy_amt": "16",
            "buy_amt_irds": "13",
            "chg_qty": "10",
            "mont_trde_qty": "9",
            "all_dfrt_trst_netprps_amt": "15",
            "netprps_amt_irds": "12",
            "sell_uv": "0",
            "buy_uv": "314",
            "stk_nm": "institutional system",
            "acc_netprps_amt": "15",
            "acc_netprps_qty": "10",
            "stk_cd": "T94014"
        }
    ],
    "return_code": 0,
    "return_msg": "Processed successfully"
}
```

API information	
menu location	domestic stock > theme > request by theme group (ka90001)
API name	Request by theme group
API ID	ka90001
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/thme
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

Inquire about information by theme group.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	qry_tp	Searchcategory	String	Y	1	0: Full search, 1: Theme search, 2: Stock search
Body	stk_cd	stock code	String	N	6	The stock code you want to search for
Body	date_tp	datecategory	String	Y	2	n days ago (1 to 99 days date input)
Body	thema_nm	Theme name	String	N	50	Theme name you want to search for
Body	flu_pl_amt_tp	Fluctuating profit category	String	Y	1	1:topperiodreturn rate, 2:subperiodreturn rate, 3:topchange rate, 4: Subchange rate
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT 3.Integration

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	thema_grp	By theme group	LIST	N		
Body	- thema_grp_cd	Theme group code	String	N	20	
Body	- thema_nm	Theme name	String	N	20	
Body	- stk_num	number of stocks	String	N	20	
Body	- flu_sig	rise and fall symbol	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- rising_stk_num	risestock number	String	N	20	
Body	- fall_stk_num	number of declinestocks	String	N	20	
Body	- dt_prft_rt	periodreturn rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- main_stk	main stock	String	N	20	

Request Example

```
{
    "qry_tp": "0",
    "stk_cd": "",
    "date_tp": "10",
    "thema_nm": "",
    "flu_pl_amt_tp": "1",
    "stex_tp": "1"
}
```

Response Example

```
{
    "thema_grp": [
        {
            "thema_grp_cd": "319",
            "thema_nm": "건강식품",
            "stk_num": "5",
            "flu_sig": "2",
            "flu_rt": "+0.02",
            "rising_stk_num": "1",
            "fall_stk_num": "0",
            "dt_prft_rt": "+157.80",
            "main_stk": "삼성전자"
        },
        {
            "thema_grp_cd": "452",
            "thema_nm": "SNS(Social Network Service)",
            "stk_num": "3",
            "flu_sig": "5",
            "flu_rt": "-0.09",
            "rising_stk_num": "0",
            "fall_stk_num": "1",
            "dt_prft_rt": "+67.60",
            "main_stk": "삼성전자"
        },
        {
            "thema_grp_cd": "553",
            "thema_nm": "반도체_후공정장비",
            "stk_num": "5",
            "flu_sig": "5",
            "flu_rt": "-0.27",
            "rising_stk_num": "0",
            "fall_stk_num": "1",
            "dt_prft_rt": "+56.88",
            "main_stk": "삼성전자"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > theme > theme composition stockrequest(ka90002)
API name	theme composition stockrequest
API ID	ka90002

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/thme
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about theme configuration stock information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	date_tp	datecategory	String	N	1	Date input from 1 to 99 days
Body	thema_grp_cd	Theme group code	String	Y	6	Theme group code number
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT 3.Integration

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	dt_prft_rt	periodreturn rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	thema_comp_stk	Theme composition stock	LIST	N		
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- flu_sig	rise and fall symbol	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- acc_trde_qty	cumulative volume	String	N	20	Unit: 1 week
Body	- sel_bid	ask price	String	N	20	Unit: Won, number included in asking price
Body	- sel_req	sellremaining quantity	String	N	20	Unit: 1 week
Body	- buy_bid	bid price	String	N	20	Unit: Won, number included in asking price
Body	- buy_req	buyremaining quantity	String	N	20	Unit: 1 week
Body	- dt_prft_rt_n	periodreturn raten	String	N	20	Units: %, percentage formatted to 2 decimal places with sign

Request Example

```
{
    "date_tp": "2",
    "thema_grp_cd": "100",
    "stex_tp": "1"
}
```

Response Example

```
{
    "flu_rt": "0.00",
    "dt_prft_rt": "0.00",
    "thema_comp_stk": [
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "57800",
            "flu_sig": "3",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "acc_trde_qty": "0",
            "sel_bid": "0",
            "sel_req": "0",
            "buy_bid": "0",
            "buy_req": "0",
            "dt_prft_rt_n": "0.00"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "36700",
            "flu_sig": "3",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "acc_trde_qty": "0",
            "sel_bid": "0",
            "sel_req": "0",
            "buy_bid": "0",
            "buy_req": "0",
            "dt_prft_rt_n": "0.00"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "17380",
            "flu_sig": "3",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "acc_trde_qty": "0",
            "sel_bid": "0",
            "sel_req": "0",
            "buy_bid": "0",
            "buy_req": "0",
            "dt_prft_rt_n": "0.00"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "1410",
            "flu_sig": "3",
            "pred_pre": "0",
            "flu_rt": "0.00",
```

Response Example


```
"acc_trde_qty": "0",
            "sel_bid": "0",
            "sel_req": "0",
            "buy_bid": "1410",
            "buy_req": "1000",
            "dt_prft_rt_n": "0.00"
        }
    ],
    "return_code": 0,
    "return_msg": "Processed successfully"
}
```

API information	
menu location	domestic stock > stock information > program order buytop50request(ka90003)
API name	Program orderbuytop50request
API ID	ka90003
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/stkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

Inquire about program buy 50 stock information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	trde_upper_tp	Salestopcategory	String	Y	1	1: Net selltop, 2: Net buy top
Body	amt_qty_tp	AmountQuantitycategory	String	Y	2	1:Amount, 2:Quantity
Body	mrkt_tp	marketcategory	String	Y	10	P00101: KOSPI, P10102: KOSDAQ
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT 3.Integration

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	prm_netprps_upper_50	Program orderbuytop 50	LIST	N		
Body	- rank	ranking	String	N	20	
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- flu_sig	rise and fall symbol	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- acc_trde_qty	cumulative volume	String	N	20	Unit: 1 week
Body	- prm_sell_amt	Program sell amount	String	N	20	Unit: million won
Body	- prm_buy_amt	Program buy amount	String	N	20	Unit: million won
Body	- prm_netprps_amt	Program net purchase amount	String	N	20	Unit: million won

Request Example


```
{
    "trde_upper_tp": "1",
    "amt_qty_tp": "1",
    "mrkt_tp": "P00101",
    "stex_tp": "1"
}
```


Response Example


```
{
    "prm_trde_trnsn": [
        {
            "cntr_tm": "170500",
            "dfrt_trde_sel": "0",
            "dfrt_trde_buy": "0",
            "dfrt_trde_netprps": "0",
            "ndiffpro_trde_sel": "1",
            "ndiffpro_trde_buy": "17",
            "ndiffpro_trde_netprps": "+17",
            "dfrt_trde_sell_qty": "0",
            "dfrt_trde_buy_qty": "0",
            "dfrt_trde_netprps_qty": "0",
            "ndiffpro_trde_sell_qty": "0",
            "ndiffpro_trde_buy_qty": "0",
            "ndiffpro_trde_netprps_qty": "+0",
            "all_sel": "1",
            "all_buy": "17",
            "all_netprps": "+17",
            "kospi200": "+47839",
            "basis": "-146.59"
        },
        {
            "cntr_tm": "170400",
            "dfrt_trde_sel": "0",
            "dfrt_trde_buy": "0",
            "dfrt_trde_netprps": "0",
            "ndiffpro_trde_sel": "1",
            "ndiffpro_trde_buy": "17",
            "ndiffpro_trde_netprps": "+17",
            "dfrt_trde_sell_qty": "0",
            "dfrt_trde_buy_qty": "0",
            "dfrt_trde_netprps_qty": "0",
            "ndiffpro_trde_sell_qty": "0",
            "ndiffpro_trde_buy_qty": "0",
            "ndiffpro_trde_netprps_qty": "+0",
            "all_sel": "1",
            "all_buy": "17",
            "all_netprps": "+17",
            "kospi200": "+47839",
            "basis": "-146.59"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > stock information > program trading status request by stock (ka90004)
API name	Program trading status request by stock
API ID	ka90004

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/stkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about program sales status information by stock.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	dt	date	String	Y	8	YYYYMMDD
Body	mrkt_tp	marketcategory	String	Y	10	P00101: KOSPI, P10102: KOSDAQ
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT 3.Integration

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	tot_1	buyexecuted quantityTotal	String	N	20	Unit: 1000 shares, total purchased and executed quantity
Body	tot_2	Total buyexecution amount	String	N	20	Unit: million won, total purchase execution amount
Body	tot_3	sellexecuted quantityTotal	String	N	20	Unit: 1000 shares, sellexecuted quantity total
Body	tot_4	sellexecution amount total	String	N	20	Unit: million won, total sellexecution amount
Body	tot_5	Net purchase amount total	String	N	20	Unit: million won, total net purchase amount
Body	tot_6	Total 6	String	N	20	
Body	stk_prm_trde_prst	program trading by stock Status	LIST	N		
Body	- stk_cd	stock code	String	N	20	
Body	- stk_nm	stock name	String	N	40	

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- flu_sig	rise and fall symbol	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- buy_cntr_qty	buyexecuted quantity	String	N	20	Unit: 1000 shares
Body	- buy_cntr_amt	buyexecution amount	String	N	20	Unit: million won
Body	- sel_cntr_qty	sellexecuted quantity	String	N	20	Unit: 1000 shares
Body	- sel_cntr_amt	sellexecutionamount	String	N	20	Unit: million won
Body	- netprps_prica	Net purchase amount	String	N	20	Unit: million won
Body	- all_trde_rt	Total transaction ratio	String	N	20	Units: %, percentage formatted to 2 decimal places with sign

Request Example

```
{
    "dt": "20241125",
    "mrkt_tp": "P00101",
    "stex_tp": "1"
}
```

Response Example

```
{
    "tot_1": "0",
    "tot_2": "2",
    "tot_3": "0",
    "tot_4": "2",
    "tot_5": "0",
    "tot_6": "",
    "stk_prm_trde_prst": [
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "-75000",
            "flu_sig": "5",
            "pred_pre": "-2800",
            "buy_cntr_qty": "0",
            "buy_cntr_amt": "0",
            "sel_cntr_qty": "0",
            "sel_cntr_amt": "0",
            "netprps_prica": "0",
            "all_trde_rt": "+0.00"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "+130000",
            "flu_sig": "2",
            "pred_pre": "+6800",
            "buy_cntr_qty": "0",
            "buy_cntr_amt": "0",
            "sel_cntr_qty": "0",
            "sel_cntr_amt": "0",
            "netprps_prica": "0",
            "all_trde_rt": "+0.00"
        },
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "360000",
            "flu_sig": "3",
            "pred_pre": "0",
            "buy_cntr_qty": "0",
            "buy_cntr_amt": "0",
            "sel_cntr_qty": "0",
            "sel_cntr_amt": "0",
            "netprps_prica": "0",
            "all_trde_rt": "+0.00"
        },
```

Response Example


```
        {
            "stk_cd": "005930",
            "stk_nm": "삼성전자",
            "cur_prc": "1000000",
            "flu_sig": "3",
            "pred_pre": "0",
            "buy_cntr_qty": "0",
            "buy_cntr_amt": "0",
            "sel_cntr_qty": "0",
            "sel_cntr_amt": "0",
            "netprps_prica": "0",
            "all_trde_rt": "+0.00"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > market price > program trading trend request by time (ka90005)
API name	program trading trend by request time
API ID	ka90005

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/mrkcond
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about program trading trend information by time zone.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	date	date	String	Y	8	YYYYMMDD
Body	amt_qty_tp	AmountQuantitycategory	String	Y	1	1: Amount (million won), 2: Quantity (thousand shares)
Body	mrkt_tp	marketcategory	String	Y	10	KOSPI - If the exchange category value is 1: P00101, if it is 2: P001_NX01, In case of 3 days: P001_AL01 KOSDAQ - If the exchange category value is 1: P10102, if it is 2: P101_NX02, In case of 3 days: P101_AL02
Body	min_tic_tp	minutestickcategory	String	Y	1	0:tick, 1:minute
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT 3.Integration

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	prm_trde_trnsn	program trading trend	LIST	N		
Body	- cntr_tm	execution time	String	N	20	HHmmss
Body	- dfrt_trde_sel	arbitrage sell	String	N	20	Unit: million won
Body	- dfrt_trde_buy	arbitragebuy	String	N	20	Unit: million won
Body	- dfrt_trde_netprps	arbitrage net buy	String	N	20	Unit: million won, number including sub-asking price
Body	- ndiffpro_trde_sel	Non-arbitrage sell	String	N	20	Unit: million won

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- ndiffpro_trde_buy	Non-arbitragebuy	String	N	20	Unit: million won
Body	- ndiffpro_trde_netprps	Non-arbitrage net buy	String	N	20	Unit: million won, number including sub-asking price
Body	- dfrt_trde_sell_qty	Arbitrage sell quantity	String	N	20	Unit: 1000 shares
Body	- dfrt_trde_buy_qty	Arbitrage buy quantity	String	N	20	Unit: 1000 shares
Body	- dfrt_trde_netprps_qty	Arbitrage net buy quantity	String	N	20	Unit: 1000 shares, number including asking price
Body	- ndiffpro_trde_sell_qty	Non-arbitrage sell quantity	String	N	20	Unit: 1000 shares
Body	- ndiffpro_trde_buy_qty	Non-arbitrage buy quantity	String	N	20	Unit: 1000 shares
Body	- ndiffpro_trde_netprps_qty	Non-arbitrage net purchases quantity	String	N	20	Unit: 1000 shares, number including asking price
Body	- all_sel	All sell	String	N	20	Unit: million won
Body	- all_buy	Allbuy	String	N	20	Unit: million won
Body	- all_netprps	Total buy	String	N	20	Unit: million won, number including sub-asking price
Body	- kospi200	KOSPI200	String	N	20	Numbers included in asking price
Body	- basis	BASIS	String	N	20	Number formatted to two decimal places

Request Example


```
{
    "date": "20241101",
    "amt_qty_tp": "1",
    "mrkt_tp": "P00101",
    "min_tic_tp": "1",
    "stex_tp": "1"
}
```


Response Example


```
{
    "prm_trde_trnsn": [
        {
            "cntr_tm": "170500",
            "dfrt_trde_sel": "0",
            "dfrt_trde_buy": "0",
            "dfrt_trde_netprps": "0",
            "ndiffpro_trde_sel": "1",
            "ndiffpro_trde_buy": "17",
            "ndiffpro_trde_netprps": "+17",
            "dfrt_trde_sell_qty": "0",
            "dfrt_trde_buy_qty": "0",
            "dfrt_trde_netprps_qty": "0",
            "ndiffpro_trde_sell_qty": "0",
            "ndiffpro_trde_buy_qty": "0",
            "ndiffpro_trde_netprps_qty": "+0",
            "all_sel": "1",
            "all_buy": "17",
            "all_netprps": "+17",
            "kospi200": "+47839",
            "basis": "-146.59"
        },
        {
            "cntr_tm": "170400",
            "dfrt_trde_sel": "0",
            "dfrt_trde_buy": "0",
            "dfrt_trde_netprps": "0",
            "ndiffpro_trde_sel": "1",
            "ndiffpro_trde_buy": "17",
            "ndiffpro_trde_netprps": "+17",
            "dfrt_trde_sell_qty": "0",
            "dfrt_trde_buy_qty": "0",
```

Response Example


```
"dfrt_trde_netprps_qty": "0",
            "ndiffpro_trde_sell_qty": "0",
            "ndiffpro_trde_buy_qty": "0",
            "ndiffpro_trde_netprps_qty": "+0",
            "all_sel": "1",
            "all_buy": "17",
            "all_netprps": "+17",
            "kospi200": "+47839",
            "basis": "-146.59"
        }
    ],
    "return_code": 0,
    "return_msg": "Processed successfully"
}
```

API information	
menu location	domestic stock > market price > program trading profit balance trend request(ka90006)
API name	program trading margin balance trend request
API ID	ka90006

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/mrkcond
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquiry for program trading profit balance trend information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	date	date	String	Y	8	YYYYMMDD
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT 3.Integration

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	prm_trde_dfrt_remn_trnsn	program trading profit cup Gochui	LIST	N		
Body	- dt	date	String	N	20	YYYYMMDD
Body	- buy_dfrt_trde_qty	buy arbitrage quantity	String	N	20	Unit: 1000 shares
Body	- buy_dfrt_trde_amt	buy arbitrage amount	String	N	20	Unit: million won
Body	- buy_dfrt_trde_irds_amt	buy arbitrage increase/decrease amount	String	N	20	Unit: million won, number including sub-asking price
Body	- sel_dfrt_trde_qty	sell arbitrage quantity	String	N	20	Unit: 1000 shares
Body	- sel_dfrt_trde_amt	sell arbitrage amount	String	N	20	Unit: million won
Body	- sel_dfrt_trde_irds_amt	Sell ??arbitrage increase/decrease amount	String	N	20	Unit: million won, number including sub-asking price

Request Example

Request Example


```
{
    "date": "20241125",
    "stex_tp": "1"
}
```


Response Example


```
{
    "prm_trde_dfrt_remn_trnsn": [
        {
            "dt": "20241125",
            "buy_dfrt_trde_qty": "0",
            "buy_dfrt_trde_amt": "0",
            "buy_dfrt_trde_irds_amt": "0",
            "sel_dfrt_trde_qty": "0",
            "sel_dfrt_trde_amt": "0",
            "sel_dfrt_trde_irds_amt": "0"
        },
        {
            "dt": "20241122",
            "buy_dfrt_trde_qty": "0",
            "buy_dfrt_trde_amt": "0",
            "buy_dfrt_trde_irds_amt": "-25",
            "sel_dfrt_trde_qty": "0",
            "sel_dfrt_trde_amt": "0",
            "sel_dfrt_trde_irds_amt": "0"
        },
        {
            "dt": "20241121",
            "buy_dfrt_trde_qty": "0",
            "buy_dfrt_trde_amt": "25",
            "buy_dfrt_trde_irds_amt": "25",
            "sel_dfrt_trde_qty": "0",
            "sel_dfrt_trde_amt": "0",
            "sel_dfrt_trde_irds_amt": "0"
        },
        {
            "dt": "20241120",
            "buy_dfrt_trde_qty": "0",
            "buy_dfrt_trde_amt": "0",
            "buy_dfrt_trde_irds_amt": "-48",
            "sel_dfrt_trde_qty": "0",
            "sel_dfrt_trde_amt": "0",
            "sel_dfrt_trde_irds_amt": "0"
        },
        {
            "dt": "20241119",
            "buy_dfrt_trde_qty": "0",
            "buy_dfrt_trde_amt": "48",
            "buy_dfrt_trde_irds_amt": "43",
            "sel_dfrt_trde_qty": "0",
            "sel_dfrt_trde_amt": "0",
            "sel_dfrt_trde_irds_amt": "0"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > market price > program trading cumulative trend request(ka90007)
API name	program trading cumulative trend request
API ID	ka90007
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/mrkcond
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	
Inquiry for program sales cumulative trend information.	

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	date	date	String	Y	8	YYYYMMDD (only data for 1 year as of the end date can be inquiry)
Body	amt_qty_tp	AmountQuantitycategory	String	Y	1	1:Amount, 2:Quantity
Body	mrkt_tp	marketcategory	String	Y	5	0: KOSPI, 1: KOSDAQ
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT, 3:Integrated

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	prm_trde_acc_trnsn	program trading cumulative tracking This	LIST	N		
Body	- dt	date	String	N	20	YYYYMMDD
Body	- kospi200	KOSPI200	String	N	20	Numbers included in asking price
Body	- basis	BASIS	String	N	20	Number formatted to two decimal places
Body	- dfrt_trde_tdy	arbitrage today	String	N	20	Unit: million won or 1000 shares, number including sub-asking price
Body	- dfrt_trde_acc	Accumulated arbitrage	String	N	20	Unit: million won or 1000 shares, number including sub-asking price
Body	- ndiffpro_trde_tdy	Non-arbitrage today	String	N	20	Unit: million won or 1000 shares, number including sub-asking price
Body	- ndiffpro_trde_acc		String	N	20	Unit: million won or 1000 shares, number including sub-asking price

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- all_tdy	Alltoday	String	N	20	Unit: million won or 1000 shares, number including sub-asking price
Body	- all_acc	total accumulation	String	N	20	Unit: million won or 1000 shares, number including sub-asking price

Request Example

```
{
    "date": "20240525",
    "amt_qty_tp": "1",
    "mrkt_tp": "0",
    "stex_tp": "3"
}
```

Response Example

```
{
    "prm_trde_acc_trnsn": [
        {
            "dt": "20241125",
            "kospi200": "0.00",
            "basis": "0.00",
            "dfrt_trde_tdy": "0",
            "dfrt_trde_acc": "+353665",
            "ndiffpro_trde_tdy": "0",
            "ndiffpro_trde_acc": "+671219",
            "all_tdy": "0",
            "all_acc": "+1024884"
        },
        {
            "dt": "20241122",
            "kospi200": "+341.13",
            "basis": "-8.48",
            "dfrt_trde_tdy": "+8444",
            "dfrt_trde_acc": "+353665",
            "ndiffpro_trde_tdy": "+36403",
            "ndiffpro_trde_acc": "+671219",
            "all_tdy": "+44846",
            "all_acc": "+1024884"
        },
        {
            "dt": "20241121",
            "kospi200": "+364.03",
            "basis": "-33.68",
            "dfrt_trde_tdy": "+17443",
            "dfrt_trde_acc": "+345221",
            "ndiffpro_trde_tdy": "+46164",
            "ndiffpro_trde_acc": "+634816",
            "all_tdy": "+63607",
            "all_acc": "+980038"
        },
        {
            "dt": "20241120",
            "kospi200": "+361.00",
            "basis": "-31.00",
            "dfrt_trde_tdy": "+10734",
            "dfrt_trde_acc": "+327778",
            "ndiffpro_trde_tdy": "+35664",
            "ndiffpro_trde_acc": "+588652",
            "all_tdy": "+46399",
            "all_acc": "+916431"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > market price > program trading trend by stocktime request(ka90008)
API name	Program trading trend request by stocktime
API ID	ka90008
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/mrkcond
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

Inquire about program trading trend information by stock time.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	amt_qty_tp	AmountQuantitycategory	String	Y	1	1:Amount, 2:Quantity
Body	stk_cd	stock code	String	Y	6	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	date	date	String	Y	8	YYYYMMDD

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	stk_tm_prm_trde_trnsn	program by stocktime Sales trend	LIST	N		
Body	- tm	time	String	N	20	HHmmss
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- prm_sell_amt	Program sell amount	String	N	20	Unit: million won

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- prm_buy_amt	Program buy amount	String	N	20	Unit: million won
Body	- prm_netprps_amt	Program net purchase amount	String	N	20	Unit: million won, number including sub-asking price
Body	- prm_netprps_amt_irds	Program net purchase amount increase/decrease	String	N	20	Unit: million won, number including sub-asking price
Body	- prm_sell_qty	Program sell quantity	String	N	20	Unit: 1 week
Body	- prm_buy_qty	Programbuy Quantity	String	N	20	Unit: 1 week
Body	- prm_netprps_qty	Program net purchase quantity	String	N	20	Unit: 1 week, number including sub-asking price
Body	- prm_netprps_qty_irds	Program net purchase quantity increase/decrease	String	N	20	Unit: 1 week, number including sub-asking price
Body	- base_pric_tm	base pricetime	String	N	20	HHmmss
Body	- dbrt_trde_rpy_sum		String	N	20	
Body	- remn_rcvord_sum	balance order acquisition	String	N	20	
Body	- stex_tp	Exchange category	String	N	20	KRX, NXT, integrated

Request Example


```
{
    "amt_qty_tp": "1",
    "stk_cd": "005930",
    "date": "20241125"
}
```


Response Example


```
{
    "stk_tm_prm_trde_trnsn": [
        {
            "tm": "153029",
            "cur_prc": "+245500",
            "pre_sig": "2",
            "pred_pre": "+40000",
            "flu_rt": "+19.46",
            "trde_qty": "104006",
            "prm_sell_amt": "14245",
            "prm_buy_amt": "10773",
            "prm_netprps_amt": "--3472",
            "prm_netprps_amt_irds": "+771",
            "prm_sell_qty": "58173",
            "prm_buy_qty": "43933",
            "prm_netprps_qty": "--14240",
            "prm_netprps_qty_irds": "+3142",
            "base_pric_tm": "",
            "dbrt_trde_rpy_sum": "",
            "remn_rcvord_sum": "",
            "stex_tp": "KRX"
        },
        {
            "tm": "153001",
            "cur_prc": "+245500",
            "pre_sig": "2",
            "pred_pre": "+40000",
            "flu_rt": "+19.46",
            "trde_qty": "94024",
            "prm_sell_amt": "12596",
            "prm_buy_amt": "8353",
            "prm_netprps_amt": "--4243",
            "prm_netprps_amt_irds": "0",
            "prm_sell_qty": "51455",
            "prm_buy_qty": "34073",
            "prm_netprps_qty": "--17382",
            "prm_netprps_qty_irds": "0",
            "base_pric_tm": "",
            "dbrt_trde_rpy_sum": "",
            "remn_rcvord_sum": "",
            "stex_tp": "KRX"
```

Response Example


```
}
    ],
    "return_code": 0,
    "return_msg": "Processed successfully"
}
```

API information	
menu location	domestic stock > ranking information > foreign investorinstitutional saletoprequest(ka90009)
API name	foreign investorinstitutionaltradingtoprequest
API ID	ka90009
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/rkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

English 4 [0785] The contents of the foreign investor institutional sale screen are provided through API.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	mrkt_tp	marketcategory	String	Y	3	000:All, 001:KOSPI, 101:KOSDAQ
Body	amt_qty_tp	AmountQuantitycategory	String	Y	1	1:Amount (10 million), 2:Quantity (1000)
Body	qry_dt_tp	inquirydatecategory	String	Y	1	0: does not include inquiry date, 1: includes inquiry date
Body	date	date	String	N	8	YYYYMMDD (4-digit year, 2-digit month, 2-digit day format)
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT, 3:Integrated

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	frgnr_orgn_trde_upper	foreign investorinstitutionaltradingtop	LIST	N		
Body	- for_netslmt_stk_cd	foreign sellstock code	String	N	20	
Body	- for_netslmt_stk_nm	foreign sellstock name	String	N	20	
Body	- for_netslmt_amt	External net sell amount	String	N	20	Unit: KRW 100 million, number including sub-asking price
Body	- for_netslmt_qty	External net sell quantity	String	N	20	Unit: 10,000 shares (10,000 shares), number including sub-asking price
Body	- for_netprps_stk_cd	foreign buystock code	String	N	20	

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- for_netprps_stk_nm	foreign buystock name	String	N	20	
Body	- for_netprps_amt	Foreign net purchase amount	String	N	20	Unit: KRW 100 million, number including sub-asking price
Body	- for_netprps_qty	Foreign net purchase quantity	String	N	20	Unit: 10,000 shares (10,000 shares), number including sub-asking price
Body	- orgn_netslmt_stk_cd	institutional order sellstock code	String	N	20	
Body	- orgn_netslmt_stk_nm	institutional order sellstock name	String	N	20	
Body	- orgn_netslmt_amt	institutional net sell amount	String	N	20	Unit: KRW 100 million, number including sub-asking price
Body	- orgn_netslmt_qty	institutional net sell quantity	String	N	20	Unit: 10,000 shares (10,000 shares), number including sub-asking price
Body	- orgn_netprps_stk_cd	institutional buystock code	String	N	20	
Body	- orgn_netprps_stk_nm	institutional buystock name	String	N	20	
Body	- orgn_netprps_amt	Institutional net purchase amount	String	N	20	Unit: KRW 100 million, number including sub-asking price
Body	- orgn_netprps_qty	institutional net buy quantity	String	N	20	Unit: 10,000 shares (10,000 shares), number including sub-asking price

Request Example

```
{
    "mrkt_tp": "000",
    "amt_qty_tp": "1",
    "qry_dt_tp": "1",
    "date": "20241101",
    "stex_tp": "1"
}
```

Response Example


```
{
    "frgnr_orgn_trde_upper": [
        {
            "for_netslmt_stk_cd": "069500",
            "for_netslmt_stk_nm": "KODEX 200",
            "for_netslmt_amt": "-130811",
            "for_netslmt_qty": "-50312",
            "for_netprps_stk_cd": "069500",
            "for_netprps_stk_nm": "KODEX 200",
            "for_netprps_amt": "-130811",
            "for_netprps_qty": "-50312",
            "orgn_netslmt_stk_cd": "069500",
            "orgn_netslmt_stk_nm": "KODEX 200",
            "orgn_netslmt_amt": "-130811",
            "orgn_netslmt_qty": "-50312",
            "orgn_netprps_stk_cd": "069500",
            "orgn_netprps_stk_nm": "KODEX 200",
            "orgn_netprps_amt": "-130811",
            "orgn_netprps_qty": "-50312"
        },
        {
            "for_netslmt_stk_cd": "069500",
            "for_netslmt_stk_nm": "KODEX 200",
            "for_netslmt_amt": "-130811",
            "for_netslmt_qty": "-50312",
            "for_netprps_stk_cd": "069500",
            "for_netprps_stk_nm": "KODEX 200",
            "for_netprps_amt": "-130811",
            "for_netprps_qty": "-50312",
            "orgn_netslmt_stk_cd": "069500",
            "orgn_netslmt_stk_nm": "KODEX 200",
            "orgn_netslmt_amt": "-130811",
            "orgn_netslmt_qty": "-50312",
            "orgn_netprps_stk_cd": "069500",
            "orgn_netprps_stk_nm": "KODEX 200",
            "orgn_netprps_amt": "-130811",
            "orgn_netprps_qty": "-50312"
```

Response Example


```
}
    ],
    "return_code": 0,
    "return_msg": "Processed successfully"
}
```

API information	
menu location	domestic stock > market price > program trading trend request date (ka90010)
API name	program trading trend by request date
API ID	ka90010

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/mrkcond
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

We inquire about program trading trend information by date.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	date	date	String	Y	8	YYYYMMDD
Body	amt_qty_tp	AmountQuantitycategory	String	Y	1	1: Amount (million won), 2: Quantity (thousand shares)
Body	mrkt_tp	marketcategory	String	Y	10	KOSPI - If the exchange category value is 1: P00101, if it is 2: P001_NX01, In case of 3 days: P001_AL01 KOSDAQ - If the exchange category value is 1: P10102, if it is 2: P101_NX02, In case of 3 days: P001_AL02
Body	min_tic_tp	minutestickcategory	String	Y	1	0:tick, 1:minute
Body	stex_tp	Exchange category	String	Y	1	1:KRX, 2:NXT 3.Integration

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	prm_trde_trnsn	program trading trend	LIST	N		
Body	- cntr_tm	execution time	String	N	20	YYYYMMDDHHmmss
Body	- dfrt_trde_sel	arbitrage sell	String	N	20	Unit: million won
Body	- dfrt_trde_buy	arbitragebuy	String	N	20	Unit: million won
Body	- dfrt_trde_netprps	arbitrage net buy	String	N	20	Unit: million won, number including sub-asking price
Body	- ndiffpro_trde_sel	Non-arbitrage sell	String	N	20	Unit: million won

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- ndiffpro_trde_buy	Non-arbitragebuy	String	N	20	Unit: million won
Body	- ndiffpro_trde_netprps	Non-arbitrage net buy	String	N	20	Unit: million won, number including sub-asking price
Body	- dfrt_trde_sell_qty	Arbitrage sell quantity	String	N	20	Unit: 1000 shares
Body	- dfrt_trde_buy_qty	Arbitrage buy quantity	String	N	20	Unit: 1000 shares
Body	- dfrt_trde_netprps_qty	Arbitrage net buy quantity	String	N	20	Unit: 1000 shares, number including asking price
Body	- ndiffpro_trde_sell_qty	Non-arbitrage sell quantity	String	N	20	Unit: 1000 shares
Body	- ndiffpro_trde_buy_qty	Non-arbitrage buy quantity	String	N	20	Unit: 1000 shares
Body	- ndiffpro_trde_netprps_qty	Non-arbitrage net purchases quantity	String	N	20	Unit: 1000 shares, number including asking price
Body	- all_sel	All sell	String	N	20	Unit: million won
Body	- all_buy	Allbuy	String	N	20	Unit: million won
Body	- all_netprps	Total buy	String	N	20	Unit: million won, number including sub-asking price
Body	- kospi200	KOSPI200	String	N	20	Number formatted to two decimal places, including sign
Body	- basis	BASIS	String	N	20	Number formatted to two decimal places

Request Example


```
{
    "date": "20241125",
    "amt_qty_tp": "1",
    "mrkt_tp": "P00101",
    "min_tic_tp": "0",
    "stex_tp": "1"
}
```


Response Example


```
{
    "prm_trde_trnsn": [
        {
            "cntr_tm": "20241125000000",
            "dfrt_trde_sel": "0",
            "dfrt_trde_buy": "0",
            "dfrt_trde_netprps": "0",
            "ndiffpro_trde_sel": "0",
            "ndiffpro_trde_buy": "0",
            "ndiffpro_trde_netprps": "0",
            "dfrt_trde_sell_qty": "0",
            "dfrt_trde_buy_qty": "0",
            "dfrt_trde_netprps_qty": "0",
            "ndiffpro_trde_sell_qty": "0",
            "ndiffpro_trde_buy_qty": "0",
            "ndiffpro_trde_netprps_qty": "0",
            "all_sel": "0",
            "all_buy": "0",
            "all_netprps": "0",
            "kospi200": "0.00",
            "basis": ""
        },
        {
            "cntr_tm": "20241122000000",
            "dfrt_trde_sel": "0",
            "dfrt_trde_buy": "0",
            "dfrt_trde_netprps": "-0",
            "ndiffpro_trde_sel": "96",
            "ndiffpro_trde_buy": "608",
            "ndiffpro_trde_netprps": "+512",
            "dfrt_trde_sell_qty": "0",
            "dfrt_trde_buy_qty": "0",
```

Response Example


```
"dfrt_trde_netprps_qty": "-0",
            "ndiffpro_trde_sell_qty": "1",
            "ndiffpro_trde_buy_qty": "7",
            "ndiffpro_trde_netprps_qty": "+6",
            "all_sel": "96",
            "all_buy": "608",
            "all_netprps": "512",
            "kospi200": "+341.13",
            "basis": "-8.48"
        }
    ],
    "return_code": 0,
    "return_msg": "Processed successfully"
}
```

API information	
menu location	domestic stock > loan transaction > loan transaction details request(ka90012)
API name	Request for loan transaction details
API ID	ka90012

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/slb
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about loan transaction history information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	dt	date	String	Y	8	YYYYMMDD
Body	mrkt_tp	marketcategory	String	Y	3	001:KOSPI, 101:KOSDAQ

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	dbrt_trde_prps	Loan transaction details	LIST	N		
Body	- stk_nm	stock name	String	N	40	
Body	- stk_cd	stock code	String	N	20	
Body	- dbrt_trde_cntrcnt		String	N	20	Unit: 1 week
Body	- dbrt_trde_rpy		String	N	20	Unit: 1 week
Body	- rmnd	balance number of weeks	String	N	20	Unit: 1 week
Body	- remn_amt	balance amount	String	N	20	Unit: million won

Request Example

```
{
    "dt": "20241101",
    "mrkt_tp": "101"
}
```

Response Example


```
{
    "dbrt_trde_prps": [
        {
            "stk_nm": "삼성전자",
            "stk_cd": "005930",
            "dbrt_trde_cntrcnt": "20262",
            "dbrt_trde_rpy": "3493",
            "rmnd": "12812813",
            "remn_amt": "1026306"
        },
        {
            "stk_nm": "삼성전자",
            "stk_cd": "005930",
            "dbrt_trde_cntrcnt": "336116",
            "dbrt_trde_rpy": "145001",
            "rmnd": "9689378",
            "remn_amt": "1644287"
        },
        {
            "stk_nm": "삼성전자",
            "stk_cd": "005930",
            "dbrt_trde_cntrcnt": "55055",
            "dbrt_trde_rpy": "68866",
            "rmnd": "9341419",
            "remn_amt": "595983"
        },
        {
            "stk_nm": "삼성전자",
            "stk_cd": "005930",
            "dbrt_trde_cntrcnt": "6704",
            "dbrt_trde_rpy": "16000",
            "rmnd": "7167500",
            "remn_amt": "25803"
        },
        {
            "stk_nm": "삼성전자",
            "stk_cd": "005930",
            "dbrt_trde_cntrcnt": "0",
            "dbrt_trde_rpy": "6500",
            "rmnd": "6730107",
            "remn_amt": "13595"
        },
        {
            "stk_nm": "삼성전자",
            "stk_cd": "005930",
            "dbrt_trde_cntrcnt": "13550",
            "dbrt_trde_rpy": "1198",
            "rmnd": "5584633",
            "remn_amt": "27784"
        },
        {
            "stk_nm": "삼성전자",
            "stk_cd": "005930",
            "dbrt_trde_cntrcnt": "5000",
            "dbrt_trde_rpy": "0",
            "rmnd": "5568717",
            "remn_amt": "6755"
        }
    ],
    "return_code": 0,
    "return_msg": "정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > market price > stock daily program trading trend request(ka90013)
API name	stock daily program trading trend request
API ID	ka90013
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/mrkcond
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

Inquire about stock daily program trading trend information.

Request						
category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	amt_qty_tp	AmountQuantitycategory	String	N	1	1:Amount, 2:Quantity
Body	stk_cd	stock code	String	Y	20	Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	date	date	String	N	8	YYYYMMDD

Response						
category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	stk_daly_prm_trde_trnsn	stock daily program sale machui	LIST	N		
Body	- dt	date	String	N	20	YYYYMMDD
Body	- cur_prc	current price	String	N	20	Unit: Won, number included in asking price
Body	- pre_sig	change sign	String	N	20	1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- pred_pre	change from previous day	String	N	20	Unit: Won, number included in asking price
Body	- flu_rt	change rate	String	N	20	Units: %, percentage formatted to 2 decimal places with sign
Body	- trde_qty	trading volume	String	N	20	Unit: 1 week
Body	- prm_sell_amt	Program sell amount	String	N	20	Unit: million won

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- prm_buy_amt	Program buy amount	String	N	20	Unit: million won
Body	- prm_netprps_amt	Program net purchase amount	String	N	20	Unit: million won, number including sub-asking price
Body	- prm_netprps_amt_irds	Program net purchase amount increase/decrease	String	N	20	Unit: million won, number including sub-asking price
Body	- prm_sell_qty	Program sell quantity	String	N	20	Unit: 1 week
Body	- prm_buy_qty	Programbuy Quantity	String	N	20	Unit: 1 week
Body	- prm_netprps_qty	Program net purchase quantity	String	N	20	Unit: 1 week, number including sub-asking price
Body	- prm_netprps_qty_irds	Program net purchase quantity increase/decrease	String	N	20	Unit: 1 week, number including sub-asking price
Body	- base_pric_tm	base pricetime	String	N	20	HHmmss
Body	- dbrt_trde_rpy_sum		String	N	20	
Body	- remn_rcvord_sum	balance order acquisition	String	N	20	
Body	- stex_tp	Exchange category	String	N	20	KRX, NXT, integrated

Request Example


```
{
    "amt_qty_tp": "",
    "stk_cd": "005930",
    "date": ""
}
```


Response Example


```
{
    "stk_daly_prm_trde_trnsn": [
        {
            "dt": "20241125",
            "cur_prc": "+267000",
            "pre_sig": "2",
            "pred_pre": "+60000",
            "flu_rt": "+28.99",
            "trde_qty": "3",
            "prm_sell_amt": "0",
            "prm_buy_amt": "0",
            "prm_netprps_amt": "0",
            "prm_netprps_amt_irds": "0",
            "prm_sell_qty": "0",
            "prm_buy_qty": "0",
            "prm_netprps_qty": "0",
            "prm_netprps_qty_irds": "0",
            "base_pric_tm": "",
            "dbrt_trde_rpy_sum": "",
            "remn_rcvord_sum": "",
            "stex_tp": "통합"
        },
        {
            "dt": "20241122",
            "cur_prc": "0",
            "pre_sig": "0",
            "pred_pre": "0",
            "flu_rt": "0.00",
            "trde_qty": "0",
            "prm_sell_amt": "0",
            "prm_buy_amt": "0",
            "prm_netprps_amt": "0",
            "prm_netprps_amt_irds": "--6",
            "prm_sell_qty": "0",
            "prm_buy_qty": "0",
            "prm_netprps_qty": "0",
            "prm_netprps_qty_irds": "--19",
            "base_pric_tm": "",
            "dbrt_trde_rpy_sum": "",
            "remn_rcvord_sum": "",
            "stex_tp": "KRX"
```

Response Example


```
}
    ],
    "return_code": 0,
    "return_msg": "Processed successfully"
}
```

API information	
menu location	domestic stock > account > deposit detailed status request(kt00001)
API name	deposit detailed status request
API ID	kt00001

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/acnt
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquiry for detailed deposit status information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	qry_tp	inquirycategory	String	Y	1	3: Estimated inquiry, 2: General inquiry

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	entr	deposit	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	profa_ch	stock margin cash	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	bncr_profa_ch	Beneficiary certificate margin cash	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	nxdy_bncr_sell_exct	Next day profit securities sell Buy money	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	fc_stk_krw_repl_set_amt	Overseas stock Won substitution theory fine gold	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	crd_grnta_ch	Credit deposit cash	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	crd_grnt_ch	Credit collateral cash	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	add_grnt_ch	Additional collateral cash	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	etc_profa	Othermargin	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	uncl_stk_amt	uncollected deposit	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	shrts_prica	Ball sell price	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	crd_set_grnta		String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	chck_ina_amt	Check deposit amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	etc_chck_ina_amt	Other check deposit amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	crd_grnt_ruse	Reuse of credit collateral	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	knx_asset_evltv	KONEX basic deposit	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	elwdpst_evlta	ELW deposit evaluation amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	crd_ls_rght_frcs_amt	Credit loan rights deposit liquid	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	lvlh_join_amt		String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	lvlh_trns_alowa		String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	repl_amt	substitute money valuation amount (total)	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	remn_repl_evlta	balancevaluevaluevalueamount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	trst_remn_repl_evlta	Consignment substitute balance evaluation fee liquid	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	bncr_remn_repl_evlta	Beneficiary certificate substitute valuation amount liquid	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	profa_repl	Substitute for consignment margin	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	crd_grnta_repl	Substitute for credit deposit	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	crd_grnt_repl	Substitute for credit collateral	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	add_grnt_repl	Substitute for additional collateral	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	rght_repl_amt	Rights substitute fee	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	pymn_alow_amt	withdrawable amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	wrap_pymn_alow_amt	Wrapwithdrawable amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	ord_alow_amt	available order amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	bncr_buy_alowa	Beneficiary certificate purchase amount liquid	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	20stk_ord_alow_amt	20% stockorder deposit liquid	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	30stk_ord_alow_amt	30% stockorder deposit liquid	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	40stk_ord_alow_amt	40% stockorder deposit liquid	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	100stk_ord_alow_amt	100% stock order available liquid	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	ch_uncla	Cash receivables	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	ch_uncla_dlfe	Cash receivable late payment fee	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	ch_uncla_tot	Total cash receivables	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	crd_int_npay	Non-payment of credit interest	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	int_npay_amt_dlfe	Late payment of credit interest	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	int_npay_amt_tot	Total unpaid credit interest	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	etc_loana	Other rental fees	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	etc_loana_dlfe	Other rental fees	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	etc_loan_tot	Total other loans	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	nrpy_loan	Outstanding loan funds	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	loan_sum	Total loan amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	ls_sum	Total loan amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	crd_grnt_rt	Credit coverage ratio	String	N	15	Units: %, percentage formatted to two decimal places.
Body	mdstrm_usfe	Intermediate use fee	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	min_ord_alow_yn	Minimum available order amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	loan_remn_evlt_amt	Total loan valuation amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	dpst_grntl_remn	deposit collateral loan balance	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	sell_grntl_remn	sell collateral loan balance	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	d1_entra	d+1 estimated deposit	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	d1_slby_exct_amt	d+1sellbuy settlement amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	d1_buy_exct_amt	d+1buy settlement fee	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	d1_out_rep_mor	d+1 outstanding repayment fee	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	d1_sel_exct_amt	d+1sell settlement fee	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	d1_pymn_alow_amt	d+1withdrawable amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	d2_entra	d+2estimated deposit	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	d2_slby_exct_amt	d+2sellbuy settlement fee	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	d2_buy_exct_amt	d+2buy settlement fee	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	d2_out_rep_mor	d+2 outstanding repayment fee	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	d2_sel_exct_amt	d+2sell settlement fee	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	d2_pymn_alow_amt	d+2withdrawable amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	50stk_ord_alow_amt	50%stockorder possible liquid	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	60stk_ord_alow_amt	60%stockorder possible liquid	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	stk_entr_prst	Deposit by stock	LIST	N		
Body	- crnc_cd	currency code	String	N	3	3 digit currency code
Body	- fx_entr	foreign currency deposit	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	- fc_krw_repl_evlta	Won substitute evaluation fee	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	- fc_trst_profa	overseas stockmargin	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	- pymn_alow_amt_entr	withdrawable amount(deposit)	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	- pymn_alow_amt	withdrawable amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	- ord_alow_amt_entr	available order amount(deposit)	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- fc_uncla	Foreign currency receivable (total)	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	- fc_ch_uncla	Foreign currency cash receivables	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	- dly_amt	late fees	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	- d1_fx_entr	d+1 foreign currency deposit	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	- d2_fx_entr	d+2foreign currency deposit	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	- d3_fx_entr	d+3foreign currency deposit	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	- d4_fx_entr	d+4foreign currency deposit	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left

Request Example


```
{
    "qry_tp": "3"
}
```


Response Example


```
{
    "entr": "000000000017534",
    "profa_ch": "000000000032193",
    "bncr_profa_ch": "000000000000000",
    "nxdy_bncr_sell_exct": "000000000000000",
    "fc_stk_krw_repl_set_amt": "000000000000000",
    "crd_grnta_ch": "000000000000000",
    "crd_grnt_ch": "000000000000000",
    "add_grnt_ch": "000000000000000",
    "etc_profa": "000000000000000",
    "uncl_stk_amt": "000000000000000",
    "shrts_prica": "000000000000000",
    "crd_set_grnta": "000000000000000",
    "chck_ina_amt": "000000000000000",
    "etc_chck_ina_amt": "000000000000000",
    "crd_grnt_ruse": "000000000000000",
    "knx_asset_evltv": "000000000000000",
    "elwdpst_evlta": "000000000031269",
    "crd_ls_rght_frcs_amt": "000000000000000",
    "lvlh_join_amt": "000000000000000",
    "lvlh_trns_alowa": "000000000000000",
    "repl_amt": "000000003915500",
    "remn_repl_evlta": "000000003915500",
    "trst_remn_repl_evlta": "000000000000000",
    "bncr_remn_repl_evlta": "000000000000000",
    "profa_repl": "000000000000000",
    "crd_grnta_repl": "000000000000000",
    "crd_grnt_repl": "000000000000000",
    "add_grnt_repl": "000000000000000",
    "rght_repl_amt": "000000000000000",
    "pymn_alow_amt": "000000000085341",
    "wrap_pymn_alow_amt": "000000000000000",
    "ord_alow_amt": "000000000085341",
    "bncr_buy_alowa": "000000000085341",
    "20stk_ord_alow_amt": "000000000012550",
    "30stk_ord_alow_amt": "000000000012550",
    "40stk_ord_alow_amt": "000000000012550",
    "100stk_ord_alow_amt": "000000000012550",
    "ch_uncla": "000000000000000",
    "ch_uncla_dlfe": "000000000000000",
    "ch_uncla_tot": "000000000000000",
    "crd_int_npay": "000000000000000",
    "int_npay_amt_dlfe": "000000000000000",
    "int_npay_amt_tot": "000000000000000",
    "etc_loana": "000000000000000",
    "etc_loana_dlfe": "000000000000000",
    "etc_loan_tot": "000000000000000",
    "nrpy_loan": "000000000000000",
    "loan_sum": "000000000000000",
    "ls_sum": "000000000000000",
    "crd_grnt_rt": "0.00",
    "mdstrm_usfe": "000000000388388",
    "min_ord_alow_yn": "000000000000000",
```

Response Example


```
"loan_remn_evlt_amt": "000000000000000",
    "dpst_grntl_remn": "000000000000000",
    "sell_grntl_remn": "000000000000000",
    "d1_entra": "000000000017450",
    "d1_slby_exct_amt": "-00000000000084",
    "d1_buy_exct_amt": "000000000048240",
    "d1_out_rep_mor": "000000000000000",
    "d1_sel_exct_amt": "000000000048156",
    "d1_pymn_alow_amt": "000000000012550",
    "d2_entra": "000000000012550",
    "d2_slby_exct_amt": "-00000000004900",
    "d2_buy_exct_amt": "000000000004900",
    "d2_out_rep_mor": "000000000000000",
    "d2_sel_exct_amt": "000000000000000",
    "d2_pymn_alow_amt": "000000000012550",
    "50stk_ord_alow_amt": "000000000012550",
    "60stk_ord_alow_amt": "000000000012550",
    "stk_entr_prst": [],
    "return_code": 0,
    "return_msg": "inquiry completed."
}
```

API information	
menu location	domestic stock > account > daily estimated deposited asset status request (kt00002)
API name	Daily estimated deposited asset status request
API ID	kt00002

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/acnt
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Set a period to inquire about daily estimated deposited asset status information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	start_dt	Startinquiryperiod	String	Y	8	YYYYMMDD
Body	end_dt	Endinquiryperiod	String	Y	8	YYYYMMDD

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	daly_prsm_dpst_aset_amt_prst	Daily estimated deposited assets Hwang	LIST	N		
Body	- dt	date	String	N	8	YYYYMMDD
Body	- entr	deposit	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	- grnt_use_amt	mortgage loan	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	- crd_loan	credit loan	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	- ls_grnt	Loan collateral	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	- repl_amt	substitute money	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	- prsm_dpst_aset_amt	Estimated deposited assets	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	- prsm_dpst_aset_amt_bncr_skip	Estimated Deposited Asset Profit Certificate Excluding volume	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left

Request Example


```
{
    "start_dt": "20241111",
    "end_dt": "20241125"
}
```


Response Example


```
{
    "daly_prsm_dpst_aset_amt_prst": [
        {
            "dt": "20241111",
            "entr": "000000100000",
            "grnt_use_amt": "000000000000",
            "crd_loan": "000000000000",
            "ls_grnt": "000000000000",
            "repl_amt": "000000000000",
            "prsm_dpst_aset_amt": "000000000000",
            "prsm_dpst_aset_amt_bncr_skip": "000000000000"
        },
        {
            "dt": "20241112",
            "entr": "000000100000",
            "grnt_use_amt": "000000000000",
            "crd_loan": "000000000000",
            "ls_grnt": "000000000000",
            "repl_amt": "000000000000",
            "prsm_dpst_aset_amt": "000000000000",
            "prsm_dpst_aset_amt_bncr_skip": "000000000000"
        },
        {
            "dt": "20241113",
            "entr": "000000100000",
            "grnt_use_amt": "000000000000",
            "crd_loan": "000000000000",
            "ls_grnt": "000000000000",
            "repl_amt": "000000000000",
            "prsm_dpst_aset_amt": "000000000000",
            "prsm_dpst_aset_amt_bncr_skip": "000000000000"
        },
        {
            "dt": "20241114",
            "entr": "000000999748",
            "grnt_use_amt": "000000000000",
            "crd_loan": "000000000000",
            "ls_grnt": "000000000000",
            "repl_amt": "000000000165",
            "prsm_dpst_aset_amt": "000000000000",
            "prsm_dpst_aset_amt_bncr_skip": "000000000000"
        }
    ],
    "return_code": 0,
    "return_msg": "일자별 계좌별 추정예탁자산 내역이 조회 되었습니다."
}
```

API information	
menu location	domestic stock > account > estimated assets inquiryrequest(kt00003)
API name	Estimated assets inquiry request
API ID	kt00003

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/acnt
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about estimated deposited assets.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	qry_tp	Delistinginquirycategory	String	Y	1	0: All, 1: Excluding delisted stocks

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	prsm_dpst_aset_amt	Estimated deposited assets	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left

Request Example

```
{
    "qry_tp": "0"
}
```

Response Example

```
{
    "prsm_dpst_aset_amt": "00000530218",
    "return_code": 0,
    "return_msg": "조회가 완료되었습니다.."
}
```

API information	
menu location	domestic stock > account > account evaluation status request(kt00004)
API name	account evaluation status request
API ID	kt00004
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/acnt
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	
Inquire about account evaluation status information.	

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	qry_tp	Delistinginquirycategory	String	Y	1	0: All, 1: Excluding delisted stocks
Body	dmst_stex_tp	Domestic exchange category	String	Y	6	KRX: Korea Exchange, NXT: Next Trade

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	acnt_nm	account name	String	N	30	
Body	brch_nm	Branch name	String	N	30	
Body	entr	deposit	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	d2_entra	D+2 estimated deposit	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	tot_est_amt		String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	aset_evlt_amt	Deposited asset valuation	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	tot_pur_amt	Total purchase amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	prsm_dpst_aset_amt	Estimated deposited assets	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	tot_grnt_sella	sell collateral loan	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	tdy_lspft_amt	todayinvestment principal	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	invt_bsamt		String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	lspft_amt	Cumulative investment principal	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	tdy_lspft	todayinvestmentprofit/loss	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	lspft2		String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	lspft	Cumulative investment profit/loss	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	tdy_lspft_rt	todayprofit/loss rate	String	N	12	Units: %, percentage formatted to two decimal places.
Body	lspft_ratio	Current month profit/loss rate	String	N	12	Units: %, percentage formatted to two decimal places.
Body	lspft_rt	Cumulative profit/loss rate	String	N	12	Units: %, percentage formatted to two decimal places.
Body	stk_acnt_evlt_prst		LIST	N		
Body	- stk_cd	stock code	String	N	12	1-digit prefix + 6-digit stock code, prefix (A: Stock / J: ELW / Q: ETN)
Body	- stk_nm	stock name	String	N	30	
Body	- rmnd_qty	holding quantity	String	N	12	Unit: 1 week, 12-digit number including sign with 0-padding on the left
Body	- avg_prc	average unit price	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	- cur_prc	current price	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	- evlt_amt	valuation amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	- pl_amt	profit/loss amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	- pl_rt	profit/loss rate	String	N	12	Units: %, percentage formatted to 4 decimal places.
Body	- loan_dt	loan date	String	N	10	YYYYMMDD
Body	- pur_amt	purchase amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	- setl_remn	payment balance	String	N	12	Unit: 1 week, 12-digit number including sign with 0-padding on the left
Body	- pred_buyq	previous daybuy quantity	String	N	12	Unit: 1 week, 12-digit number including sign with 0-padding on the left
Body	- pred_sellq	previous daysellquantity	String	N	12	Unit: 1 week, 12-digit number including sign with 0-padding on the left
Body	- tdy_buyq	Today's purchase quantity	String	N	12	Unit: 1 week, 12-digit number including sign with 0-padding on the left
Body	- tdy_sellq	Today's sell quantity	String	N	12	Unit: 1 week, 12-digit number including sign with 0-padding on the left

Request Example

```
{
    "qry_tp": "0",
    "dmst_stex_tp": "KRX"
}
```

Response Example

```
{
    "acnt_nm": "김키움",
    "brch_nm": "키움은행",
    "entr": "000000017534",
    "d2_entra": "000000012550",
    "tot_est_amt": "000000000342",
    "aset_evlt_amt": "000000761950",
    "tot_pur_amt": "000000002786",
    "prsm_dpst_aset_amt": "000000749792",
    "tot_grnt_sella": "000000000000",
    "tdy_lspft_amt": "000000000000",
    "invt_bsamt": "000000000000",
    "lspft_amt": "000000000000",
    "tdy_lspft": "000000000000",
    "lspft2": "000000000000",
    "lspft": "000000000000",
```

Response Example


```
"tdy_lspft_rt": "0.00",
    "lspft_ratio": "0.00",
    "lspft_rt": "0.00",
    "stk_acnt_evlt_prst": [
        {
            "stk_cd": "A005930",
            "stk_nm": "Samsung Electronics",
            "rmnd_qty": "000000000003",
            "avg_prc": "000000124500",
            "cur_prc": "000000070000",
            "evlt_amt": "000000209542",
            "pl_amt": "-00000163958",
            "pl_rt": "-43.8977",
            "loan_dt": "",
            "pur_amt": "000000373500",
            "setl_remn": "000000000003",
            "pred_buyq": "000000000000",
            "pred_sellq": "000000000000",
            "tdy_buyq": "000000000000",
            "tdy_sellq": "000000000000"
        }
    ],
    "return_code": 0,
    "return_msg": "inquiry completed."
}
```

API information	
menu location	domestic stock > account > executionbalancerequest(kt00005)
API name	executionbalancerequest
API ID	kt00005

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/acnt
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about execution balance information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	dmst_stex_tp	Domestic exchange category	String	Y	6	KRX: Korea Exchange, NXT: Next Trade

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	entr	deposit	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	entr_d1	depositD+1	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	entr_d2	depositD+2	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	pymn_alow_amt	withdrawable amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	uncl_stk_amt	uncollected deposit	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	repl_amt	substitute money	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	rght_repl_amt	Rights substitute fee	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	ord_alowa	Cash available for order	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	ch_uncla	Cash receivables	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	crd_int_npay_gold	Credit interest unpaid amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	etc_loana	Other rental fees	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	nrpy_loan	Outstanding loan funds	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	profa_ch	margincash	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	repl_profa	substitute for margin	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	stk_buy_tot_amt	Total stock purchase	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	evlt_amt_tot	Total valuation amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	tot_pl_tot	Total profit/loss total	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	tot_pl_rt	Total profit/loss rate	String	N	12	Units: %, percentage formatted to 4 decimal places.
Body	tot_re_buy_alowa	Governor purchase amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	20ord_alow_amt	20%available order amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	30ord_alow_amt	30%available order amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	40ord_alow_amt	40%available order amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	50ord_alow_amt	50%available order amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	60ord_alow_amt	60%available order amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	100ord_alow_amt	100%available order amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	crd_loan_tot	Total credit loan	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	crd_loan_ls_tot	Total credit loan loans	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	crd_grnt_rt	Credit coverage ratio	String	N	12	Units: %, percentage formatted to two decimal places.
Body	dpst_grnt_use_amt_amt	Deposit collateral loan amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	grnt_loan_amt	Sell ??collateral loan amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	stk_cntr_remn	executionbalance by stock	LIST	N		
Body	- crd_tp	creditcategory	String	N	2	
Body	- loan_dt	loan date	String	N	8	YYYMMDD
Body	- expr_dt	expiration date	String	N	8	YYYMMDD
Body	- stk_cd	stock number	String	N	12	1-digit prefix + 6-digit stock code, prefix (A: Stock / J: ELW / Q: ETN)
Body	- stk_nm	stock name	String	N	30	
Body	- setl_remn	payment balance	String	N	12	Unit: 1 week, 12-digit number including sign with 0-padding on the left
Body	- cur_qty	current balance	String	N	12	Unit: 1 week, 12-digit number including sign with 0-padding on the left
Body	- cur_prc	current price	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	- buy_uv	purchase unit price	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	- pur_amt	purchase amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	- evlt_amt	valuation amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	- evltv_prft	valuation profit/loss	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	- pl_rt	profit/loss rate	String	N	12	Units: %, percentage formatted to 4 decimal places.

Request Example

```
{
    "dmst_stex_tp": "KRX"
}
```

Response Example


```
{
    "entr": "000000017534",
    "entr_d1": "000000017450",
    "entr_d2": "000000012550",
    "pymn_alow_amt": "000000085341",
    "uncl_stk_amt": "000000000000",
    "repl_amt": "000003915500",
    "rght_repl_amt": "000000000000",
    "ord_alowa": "000000085341",
    "ch_uncla": "000000000000",
    "crd_int_npay_gold": "000000000000",
    "etc_loana": "000000000000",
    "nrpy_loan": "000000000000",
    "profa_ch": "000000032193",
    "repl_profa": "000000000000",
    "stk_buy_tot_amt": "000006122786",
    "evlt_amt_tot": "000006236342",
    "tot_pl_tot": "000000113556",
    "tot_pl_rt": "1.8546",
    "tot_re_buy_alowa": "000000135970",
    "20ord_alow_amt": "000000012550",
    "30ord_alow_amt": "000000012550",
    "40ord_alow_amt": "000000012550",
    "50ord_alow_amt": "000000012550",
    "60ord_alow_amt": "000000012550",
    "100ord_alow_amt": "000000012550",
    "crd_loan_tot": "000000000000",
    "crd_loan_ls_tot": "000000000000",
    "crd_grnt_rt": "0.00",
    "dpst_grnt_use_amt_amt": "000000000000",
    "grnt_loan_amt": "000000000000",
    "stk_cntr_remn": [
        {
            "crd_tp": "00",
            "loan_dt": "",
            "expr_dt": "",
            "stk_cd": "A005930",
            "stk_nm": "삼성전자",
            "setl_remn": "000000000003",
            "cur_qty": "000000000003",
            "cur_prc": "000000070000",
            "buy_uv": "000000124500",
            "pur_amt": "000000373500",
            "evlt_amt": "000000209542",
            "evltv_prft": "-00000163958",
            "pl_rt": "-43.8977"
        }
    ],
    "return_code": 0,
    "return_msg": "조회가 완료되었습니다."
}
```

API information	
menu location	domestic stock > account > order execution details request by account (kt00007)
API name	Detailed order execution details request by account
API ID	kt00007

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/acnt
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about order execution details for each account.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	ord_dt	orderdate	String	N	8	YYYYMMDD
Body	qry_tp	inquirycategory	String	Y	1	1:order order, 2:reverse order, 3:unexecuted, 4:execution history only
Body	stk_bond_tp	Stock bondcategory	String	Y	1	0:all, 1:stock, 2:bond
Body	sell_tp	sellcategory	String	Y	1	0:all, 1:sell, 2:buy
Body	stk_cd	stock code	String	N	12	All stock inquiries are set to empty (")
Body	fr_ord_no	Start order number	String	N	7	When entering the starting order number, previous orders will not be inquiry, all Inquiry is set to an empty value (")
Body	dmst_stex_tp	Domestic exchange category	String	Y	6	%: (all), KRX: Korea Exchange, NXT: Next Trade, SOR: Choi Seon order execution

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	acnt_ord_cntr_prps_dtl	Order execution details by account Details	LIST	N		
Body	- ord_no	order number	String	N	7	7-digit unique order number
Body	- stk_cd	stock number	String	N	12	1-digit prefix + 6-digit stock code, prefix (A: Stock / J: ELW / Q: ETN)

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- trde_tp	Salescategory	String	N	20	
Body	- crd_tp	creditcategory	String	N	20	
Body	- ord_qty	order quantity	String	N	10	Unit: 1 week, 10-digit number including sign with 0-padding on the left
Body	- ord_uv	order price	String	N	10	Unit: circle, 10-digit number including sign with 0-padding on the left
Body	- cnfm_qty	Confirmed quantity	String	N	10	Unit: 1 week, 10-digit number including sign with 0-padding on the left
Body	- acpt_tp	Reception category	String	N	20	
Body	- rsrv_tp	Opposite or not	String	N	20	
Body	- ord_tm	ordertime	String	N	8	HH:mm:ss
Body	- ori_ord	original order	String	N	7	
Body	- stk_nm	stock name	String	N	40	
Body	- io_tp_nm	order classification	String	N	20	
Body	- loan_dt	loan date	String	N	8	YYYYMMDD
Body	- cntr_qty	executed quantity	String	N	10	Unit: 1 week, 10-digit number including sign with 0-padding on the left
Body	- cntr_uv	execution unit price	String	N	10	Unit: circle, 10-digit number including sign with 0-padding on the left
Body	- ord_remnq	orderremaining quantity	String	N	10	Unit: 1 week, 10-digit number including sign with 0-padding on the left
Body	- comm_ord_tp	Communicationcategory	String	N	20	
Body	- mdfy_cncl	modifycancel	String	N	20	
Body	- cnfm_tm	confirmation time	String	N	8	HH:mm:ss
Body	- dmst_stex_tp	Domestic exchange category	String	N	8	
Body	- cond_uv	stop	String	N	10	Unit: circle, 10-digit number including sign with 0-padding on the left

Request Example


```
{
    "ord_dt": "",
    "qry_tp": "1",
    "stk_bond_tp": "0",
    "sell_tp": "0",
    "stk_cd": "005930",
    "fr_ord_no": "",
    "dmst_stex_tp": "%"
}
```


Response Example


```
{
    "acnt_ord_cntr_prps_dtl": [
        {
            "ord_no": "0000050",
            "stk_cd": "A069500",
            "trde_tp": "시장가",
            "crd_tp": "보통매매",
            "ord_qty": "0000000001",
            "ord_uv": "0000000000",
            "cnfm_qty": "0000000000",
            "acpt_tp": "접수",
            "rsrv_tp": "",
            "ord_tm": "13:05:43",
            "ori_ord": "0000000",
            "stk_nm": "KODEX 200",
            "io_tp_nm": "현금매수",
            "loan_dt": "",
            "cntr_qty": "0000000001",
            "cntr_uv": "0000004900",
            "ord_remnq": "0000000000",
```

Response Example


```
"comm_ord_tp": "Hero 4",
            "mdfy_cncl": "",
            "cnfm_tm": "",
            "dmst_stex_tp": "KRX",
            "cond_uv": "0000000000"
        }
    ],
    "return_code": 0,
    "return_msg": "inquiry completed"
}
```

API information	
menu location	domestic stock > account > account-specific next-day payment schedule request (kt00008)
API name	Next-day payment schedule request for each account
API ID	kt00008

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/acnt
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about next-day payment details for each account.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	strt_dcd_seq	Starting payment number	String	N	7	

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	trde_dt	sale date	String	N	8	YYYYMMDD
Body	setl_dt	payment date	String	N	8	YYYYMMDD
Body	sell_amt_sum	sell settlement sum	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	buy_amt_sum	buy settlement sum	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	acnt_nxdy_setl_frcs_prps_array	Payment scheduled for next day by account History arrangement	LIST	N		
Body	- seq	serial number	String	N	7	7 digit number
Body	- stk_cd	stock number	String	N	12	1-digit prefix + 6-digit stock code, prefix (A: Stock / J: ELW / Q: ETN)
Body	- loan_dt	loan date	String	N	8	
Body	- qty	quantity	String	N	12	Unit: 1 week, 12-digit number including sign with 0-padding on the left
Body	- engg_amt	Contracted amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- cmsn	charge	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	- incm_tax	income tax	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	- rstx	Special agricultural tax	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	- stk_nm	stock name	String	N	40	
Body	- sell_tp	sellcategory	String	N	10	
Body	- unp	unit price	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	- exct_amt	Settlement amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	- trde_tax	transaction tax	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	- resi_tax	resident tax	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	- crd_tp	creditcategory	String	N	20	

Request Example

```
{
    "strt_dcd_seq": ""
}
```

Response Example

```
{
    "trde_dt": "20241122",
    "setl_dt": "20241126",
    "sell_amt_sum": "000000048156",
    "buy_amt_sum": "000000048240",
    "acnt_nxdy_setl_frcs_prps_array": [
        {
            "seq": "0010006",
            "stk_cd": "A005930",
            "loan_dt": "",
            "qty": "000000000001",
            "engg_amt": "000000016080",
            "cmsn": "000000000000",
            "incm_tax": "000000000000",
            "rstx": "000000000000",
            "stk_nm": "삼성전자",
            "sell_tp": "매도",
            "unp": "000000016080",
            "exct_amt": "000000016052",
            "trde_tax": "000000000028",
            "resi_tax": "000000000000",
            "crd_tp": "현금매도 K"
        },
        {
            "seq": "0010007",
            "stk_cd": "A005930",
            "loan_dt": "",
            "qty": "000000000002",
            "engg_amt": "000000032160",
            "cmsn": "000000000000",
            "incm_tax": "000000000000",
            "rstx": "000000000000",
            "stk_nm": "삼성전자",
            "sell_tp": "매도",
            "unp": "000000016080",
            "exct_amt": "000000032104",
            "trde_tax": "000000000056",
            "resi_tax": "000000000000",
            "crd_tp": "프로그램매도 K"
        }
    ],
    "return_code": 0,
    "return_msg": "조회가 완료되었습니다"
}
```

API information	
menu location	domestic stock > account > order execution status request by account (kt00009)
API name	Order execution status request by account
API ID	kt00009

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/acnt
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about order execution status information for each account.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	ord_dt	orderdate	String	N	8	YYYYMMDD
Body	stk_bond_tp	Stock bondcategory	String	Y	1	0:all, 1:stock, 2:bond
Body	mrkt_tp	marketcategory	String	Y	1	0:All, 1:KOSPI, 2:KOSDAQ, 3:OTCBB, 4:ECN
Body	sell_tp	sellcategory	String	Y	1	0:all, 1:sell, 2:buy
Body	qry_tp	inquirycategory	String	Y	1	0:all, 1:execution
Body	stk_cd	stock code	String	N	12	Stock code for professional inquiry
Body	fr_ord_no	Start order number	String	N	7	Previous orders of the starting order number will not be inquiry and will not be included in the contracted amount. Not included
Body	dmst_stex_tp	Domestic exchange category	String	Y	6	%: (all), KRX: Korea Exchange, NXT: Next Trade, SOR: Choi Seon order execution

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	sell_grntl_engg_amt	Sell ??contract amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	buy_engg_amt	Buy contract amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	engg_amt	Contracted amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	acnt_ord_cntr_prst_array	Order execution status by account arrangement	LIST	N		
Body	- stk_bond_tp	Stock bondcategory	String	N	1	
Body	- ord_no	order number	String	N	7	7-digit unique order number
Body	- stk_cd	stock number	String	N	12	1-digit prefix + 6-digit stock code, prefix (A: Stock / J: ELW / Q: ETN)
Body	- trde_tp	Salescategory	String	N	15	
Body	- io_tp_nm	order typecategory	String	N	20	
Body	- ord_qty	order quantity	String	N	10	Unit: 1 week, 10-digit number including sign with 0-padding on the left
Body	- ord_uv	order price	String	N	10	Unit: circle, 10-digit number including sign with 0-padding on the left
Body	- cnfm_qty	Confirmed quantity	String	N	10	Unit: 1 week, 10-digit number including sign with 0-padding on the left
Body	- rsrv_oppo	Reservation/Opposition	String	N	4	
Body	- cntr_no	execution number	String	N	7	7-digit execution number
Body	- acpt_tp	Reception category	String	N	8	
Body	- orig_ord_no	original order number	String	N	7	If there is no original order, output as '0000000'
Body	- stk_nm	stock name	String	N	20	
Body	- setl_tp	Payment category	String	N	8	
Body	- crd_deal_tp	Credit transaction category	String	N	20	
Body	- cntr_qty	executed quantity	String	N	10	Unit: 1 week, 10-digit number including sign with 0-padding on the left
Body	- cntr_uv	execution unit price	String	N	10	Unit: circle, 10-digit number including sign with 0-padding on the left
Body	- comm_ord_tp	Communicationcategory	String	N	8	
Body	- mdfy_cncl_tp	modify/cancelcategory	String	N	12	
Body	- cntr_tm	execution time	String	N	8	HH:mm:ss
Body	- dmst_stex_tp	Domestic exchange category	String	N	6	
Body	- cond_uv	stop	String	N	10	Unit: circle, 10-digit number including sign with 0-padding on the left

Request Example

```
{
    "ord_dt": "",
    "stk_bond_tp": "0",
    "mrkt_tp": "0",
    "sell_tp": "0",
    "qry_tp": "0",
    "stk_cd": "",
    "fr_ord_no": "",
    "dmst_stex_tp": "KRX"
}
```

Response Example

```
{
    "sell_grntl_engg_amt": "000000000000",
    "buy_engg_amt": "000000004900",
    "engg_amt": "000000004900",
    "acnt_ord_cntr_prst_array": [
        {
            "stk_bond_tp": "1",
            "ord_no": "0000050",
            "stk_cd": "A069500",
            "trde_tp": "시장가",
            "io_tp_nm": "현금매수",
```

Response Example


```
"ord_qty": "0000000001",
            "ord_uv": "0000000000",
            "cnfm_qty": "0000000000",
            "rsrv_oppo": "",
            "cntr_no": "0000001",
            "acpt_tp": "Accept",
            "orig_ord_no": "0000000",
            "stk_nm": "KODEX 200",
            "setl_tp": "3-day payment",
            "crd_deal_tp": "Normal deal",
            "cntr_qty": "0000000001",
            "cntr_uv": "0000004900",
            "comm_ord_tp": "Hero 4",
            "mdfy_cncl_tp": "",
            "cntr_tm": "13:07:47",
            "dmst_stex_tp": "KRX",
            "cond_uv": "0000000000"
        }
    ],
    "return_code": 0,
    "return_msg": "inquiry completed"
}
```

API information	
menu location	domestic stock > account > order withdrawal amount request(kt00010)
API name	order withdrawal amount request
API ID	kt00010

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/acnt
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about information on the amount available for order withdrawal.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	io_amt	Deposit/withdrawal amount	String	N	12	Unit: Won
Body	stk_cd	stock number	String	Y	12	stock code input
Body	trde_tp	Salescategory	String	Y	1	1:sell, 2:buy
Body	trde_qty	Quantity of each purchase	String	N	10	Unit: 1 week
Body	uv	buy price	String	Y	10	Unit: Won
Body	exp_buy_unp	Expected purchase price	String	N	10	Unit: Won

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	profa_20ord_alow_amt	margin20%order possible amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	profa_20ord_alowq	margin20%order possible quantity	String	N	10	Unit: 1 week, 10-digit number including sign with 0-padding on the left
Body	profa_30ord_alow_amt	margin30%order possible amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	profa_30ord_alowq	margin30%order possible quantity	String	N	10	Unit: 1 week, 10-digit number including sign with 0-padding on the left

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	profa_40ord_alow_amt	margin40%order possible amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	profa_40ord_alowq	margin40%order possible quantity	String	N	10	Unit: 1 week, 10-digit number including sign with 0-padding on the left
Body	profa_50ord_alow_amt	margin50%order possible amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	profa_50ord_alowq	margin50%order possible quantity	String	N	10	Unit: 1 week, 10-digit number including sign with 0-padding on the left
Body	profa_60ord_alow_amt	margin60%order possible amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	profa_60ord_alowq	margin60%order possible quantity	String	N	10	Unit: 1 week, 10-digit number including sign with 0-padding on the left
Body	profa_rdex_60ord_alow_amt	Margin reduction 60%order Possible amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	profa_rdex_60ord_alowq	Margin reduction 60%order Possible number	String	N	10	Unit: 1 week, 10-digit number including sign with 0-padding on the left
Body	profa_100ord_alow_amt	margin100%order possible amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	profa_100ord_alowq	margin100%order possible quantity	String	N	10	Unit: 1 week, 10-digit number including sign with 0-padding on the left
Body	pred_reu_alowa	previous day reusable amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	tdy_reu_alowa	Amount that can be reused today	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	entr	deposit	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	repl_amt	substitute money	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	uncla	Accounts receivable	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	ord_pos_repl	Order available instead	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	ord_alowa	Cash available for order	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	wthd_alowa	Withdrawable amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	nxdy_wthd_alowa		String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	pur_amt	purchase amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	cmsn	charge	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	pur_exct_amt	Purchase settlement fee	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	d2entra	D2 estimate deposit	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	profa_rdex_aplc_tp		String	N	1	0:General, 1:60% discount

Request Example


```
{
    "io_amt": "",
    "stk_cd": "005930",
    "trde_tp": "2",
    "trde_qty": "",
    "uv": "267000",
    "exp_buy_unp": ""
}
```


Response Example


```
{
    "profa_20ord_alow_amt": "000000012550",
    "profa_20ord_alowq": "0000000000",
```

Response Example

"profa_30ord_alow_amt": "000000012550", "profa_30ord_alowq": "0000000000", "profa_40ord_alow_amt": "000000012550", "profa_40ord_alowq": "0000000000", "profa_50ord_alow_amt": "000000012550", "profa_50ord_alowq": "0000000000", "profa_60ord_alow_amt": "000000012550", "profa_60ord_alowq": "0000000000", "profa_rdex_60ord_alow_amt": "000000012550", "profa_rdex_60ord_alowq": "0000000000", "profa_100ord_alow_amt": "000000012550", "profa_100ord_alowq": "0000000000", "pred_reu_alowa": "000000027194", "tdy_reu_alowa": "000000000000", "entr": "000000017534", "repl_amt": "000003915500", "uncla": "000000000000", "ord_pos_repl": "000003915500", "ord_alowa": "000000085341", "wthd_alowa": "000000085341", "nxdy_wthd_alowa": "000000012550", "pur_amt": "000000000000", "cmsn": "000000000000", "pur_exct_amt": "000000000000", "d2entra": "000000012550", "profa_rdex_aplc_tp": "0", "return_code": 0, "return_msg": "order/withdrawable amount simulation inquiry completed." }

API information	
menu location	domestic stock > account > order available quantity by margin rateinquiryrequest(kt00011)
API name	Quantity available for order by margin rateinquiryrequest
API ID	kt00011

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/acnt
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about orderable amount and quantity information by margin rate.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock number	String	Y	12	stock code input
Body	uv	buy price	String	N	10	Unit: Won

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	stk_profa_rt	stockmargin rate	String	N	15	Percentage value with %
Body	profa_rt	account margin rate	String	N	15	Percentage value with %
Body	aplc_rt	Applicable margin rate	String	N	15	Percentage value with %
Body	profa_20ord_alow_amt	margin20%order possible amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	profa_20ord_alowq	margin20%order possible quantity	String	N	12	Unit: 1 week, 12-digit number including sign with 0-padding on the left
Body	profa_20pred_reu_amt	margin20%previous dayJaesa amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	profa_20tdy_reu_amt	margin20%Today?s Jaesa amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	profa_30ord_alow_amt	margin30%order possible amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	profa_30ord_alowq	margin30%order possible quantity	String	N	12	Unit: 1 week, 12-digit number including sign with 0-padding on the left
Body	profa_30pred_reu_amt	margin30%previous dayJaesa amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	profa_30tdy_reu_amt	margin30%Today?s Jaesa amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	profa_40ord_alow_amt	margin40%order possible amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	profa_40ord_alowq	margin40%order possible quantity	String	N	12	Unit: 1 week, 12-digit number including sign with 0-padding on the left
Body	profa_40pred_reu_amt	margin40previous day reuse amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	profa_40tdy_reu_amt	margin40%Today?s Jaesa amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	profa_50ord_alow_amt	margin50%order possible amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	profa_50ord_alowq	margin50%order possible quantity	String	N	12	Unit: 1 week, 12-digit number including sign with 0-padding on the left
Body	profa_50pred_reu_amt	margin50%previous dayJaesa amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	profa_50tdy_reu_amt	margin50% today amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	profa_60ord_alow_amt	margin60%order possible amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	profa_60ord_alowq	margin60%order possible quantity	String	N	12	Unit: 1 week, 12-digit number including sign with 0-padding on the left
Body	profa_60pred_reu_amt	margin60%previous dayJaesa amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	profa_60tdy_reu_amt	margin60%Today?s Jaesa amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	profa_100ord_alow_amt	margin100%order possible amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	profa_100ord_alowq	margin100%order possible quantity	String	N	12	Unit: 1 week, 12-digit number including sign with 0-padding on the left
Body	profa_100pred_reu_amt	margin100%previous day amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	profa_100tdy_reu_amt	margin100% Today?s Jaesa amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	min_ord_alow_amt	Unacceptable order possible deposit liquid	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	min_ord_alowq	Number of orders available that cannot be received quantity	String	N	12	Unit: 1 week, 12-digit number including sign with 0-padding on the left
Body	min_pred_reu_amt	Not possible Previous day Reuse amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	min_tdy_reu_amt	Unacceptable, reuse amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	entr	deposit	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	repl_amt	substitute money	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	uncla	Accounts receivable	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	ord_pos_repl	Order available instead	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	ord_alowa	Cash available for order	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left

Request Example


```
{
    "stk_cd": "005930",
    "uv": ""
}
```


Response Example


```
{
    "stk_profa_rt": "20%",
    "profa_rt": "100%",
    "aplc_rt": "100%",
    "profa_20ord_alow_amt": "",
    "profa_20ord_alowq": "",
    "profa_20pred_reu_amt": "",
    "profa_20tdy_reu_amt": "",
    "profa_30ord_alow_amt": "",
    "profa_30ord_alowq": "",
    "profa_30pred_reu_amt": "",
    "profa_30tdy_reu_amt": "",
    "profa_40ord_alow_amt": "",
    "profa_40ord_alowq": "",
    "profa_40pred_reu_amt": "",
    "profa_40tdy_reu_amt": "",
    "profa_50ord_alow_amt": "",
    "profa_50ord_alowq": "",
    "profa_50pred_reu_amt": "",
    "profa_50tdy_reu_amt": "",
    "profa_60ord_alow_amt": "",
    "profa_60ord_alowq": "",
    "profa_60pred_reu_amt": "",
    "profa_60tdy_reu_amt": "",
    "profa_100ord_alow_amt": "",
    "profa_100ord_alowq": "",
    "profa_100pred_reu_amt": "",
    "profa_100tdy_reu_amt": "",
    "min_ord_alow_amt": "000000063380",
    "min_ord_alowq": "000000000000",
    "min_pred_reu_amt": "000000027194",
    "min_tdy_reu_amt": "000000000000",
    "entr": "000000017534",
    "repl_amt": "000003915500",
    "uncla": "000000000000",
    "ord_pos_repl": "000003915500",
    "ord_alowa": "000000085341",
    "return_code": 0,
    "return_msg": "자료를 조회하였습니다."
}
```

API information	
menu location	domestic stock > account > orderable quantity by credit deposit rateinquiryrequest(kt00012)
API name	Quantity available for order by credit deposit rateinquiryrequest
API ID	kt00012
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/acnt
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	
Inquire about orderable amount and quantity information by credit deposit rate.	

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock number	String	Y	12	stock code input
Body	uv	buy price	String	N	10	Unit: Won

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	stk_assr_rt	stock deposit rate	String	N	1	
Body	stk_assr_rt_nm	stock deposit rate name	String	N	4	
Body	assr_30ord_alow_amt	Deposit 30% order possible amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	assr_30ord_alowq	Deposit 30% order possible quantity	String	N	12	Unit: 1 week, 12-digit number including sign with 0-padding on the left
Body	assr_30pred_reu_amt	Deposit 30%previous day resale amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	assr_30tdy_reu_amt	Deposit 30% available today amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	assr_40ord_alow_amt	40% deposit available for ordering amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	assr_40ord_alowq	40% deposit available for ordering	String	N	12	Unit: 1 week, 12-digit number including sign with 0-padding on the left

Response						
category	Element	Korean name	Type	Required	Length	Description
		quantity				
Body	assr_40pred_reu_amt	Deposit 40%previous day resale amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	assr_40tdy_reu_amt	Deposit 40% available today amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	assr_50ord_alow_amt	50% deposit available for ordering amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	assr_50ord_alowq	50% deposit available for ordering quantity	String	N	12	Unit: 1 week, 12-digit number including sign with 0-padding on the left
Body	assr_50pred_reu_amt	Deposit 50%previous day resale amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	assr_50tdy_reu_amt	Deposit 50% available today amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	assr_60ord_alow_amt	Deposit 60% order possible amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	assr_60ord_alowq	Deposit 60% order possible quantity	String	N	12	Unit: 1 week, 12-digit number including sign with 0-padding on the left
Body	assr_60pred_reu_amt	Deposit 60%previous day resale amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	assr_60tdy_reu_amt	60% deposit, buy today amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	entr	deposit	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	repl_amt	substitute money	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	uncla	Accounts receivable	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	ord_pos_repl	Order available instead	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	ord_alowa	Cash available for order	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	out_alowa	Possible receivable amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	out_pos_qty	Quantity available for receivable	String	N	12	Unit: 1 week, 12-digit number including sign with 0-padding on the left
Body	min_amt	Amount not receivable	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	min_qty	Unacceptable quantity	String	N	12	Unit: 1 week, 12-digit number including sign with 0-padding on the left

Request Example


```
{
    "stk_cd": "005930",
    "uv": ""
}
```


Response Example


```
{
    "stk_assr_rt": "B",
    "stk_assr_rt_nm": "45%",
    "assr_30ord_alow_amt": "003312045139",
    "assr_30ord_alowq": "000000000000",
    "assr_30pred_reu_amt": "000000000000",
    "assr_30tdy_reu_amt": "000000048994",
    "assr_40ord_alow_amt": "002208030092",
    "assr_40ord_alowq": "000000000000",
    "assr_40pred_reu_amt": "000000000000",
    "assr_40tdy_reu_amt": "000000048994",
    "assr_50ord_alow_amt": "001987227084",
    "assr_50ord_alowq": "000000000000",
    "assr_50pred_reu_amt": "000000000000",
    "assr_50tdy_reu_amt": "000000048994",
```

Response Example


```
"assr_60ord_alow_amt": "001656022569",
  "assr_60ord_alowq": "000000000000",
  "assr_60pred_reu_amt": "000000000000",
  "assr_60tdy_reu_amt": "000000048994",
  "entr": "000994946131",
  "repl_amt": "000001643660",
  "uncla": "000000000000",
  "ord_pos_repl": "000002420949",
  "ord_alowa": "000993564548",
  "out_alowa": "002208030092",
  "out_pos_qty": "000000000000",
  "min_amt": "002207294240",
  "min_qty": "000000000000",
  "return_code": 0,
  "return_msg": "Inquiry on orderable quantity by credit deposit rate (normal limit)"
}
```

API information	
menu location	domestic stock > account > margin details inquiry request(kt00013)
API name	marginDetailsinquiryrequest
API ID	kt00013

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/acnt
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquiry about margin details of current token account.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	tdy_reu_objt_amt	Amount eligible for reuse today	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	tdy_reu_use_amt	Today's reuse amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	tdy_reu_alowa	Amount that can be reused today	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	tdy_reu_lmtt_amt	Today's reuse limit amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	tdy_reu_alowa_fin	Amount that can be reused today final	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	pred_reu_objt_amt		String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	pred_reu_use_amt	previous day reused amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	pred_reu_alowa	previous day reusable amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	pred_reu_lmtt_amt	previous day reuse limit amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	pred_reu_alowa_fin	previous day reusable amount final	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	ch_amt	Cash amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	ch_profa	cash margin	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	use_pos_ch	Available cash	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	ch_use_lmtt_amt	Cash usage limit amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	use_pos_ch_fin	Available cash final	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	repl_amt_amt	Substitute amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	repl_profa	Daeyongmargin	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	use_pos_repl	Available substitute	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	repl_use_lmtt_amt		String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	use_pos_repl_fin	Available substitute final	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	crd_grnta_ch	Credit deposit cash	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	crd_grnta_repl	Substitute for credit deposit	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	crd_grnt_ch	Credit collateral cash	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	crd_grnt_repl	Substitute for credit collateral	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	uncla	Accounts receivable	String	N	12	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	ls_grnt_reu_gold	Loan collateral reuse amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	20ord_alow_amt	20%available order amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	30ord_alow_amt	30%available order amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	40ord_alow_amt	40%available order amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	50ord_alow_amt	50%available order amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	60ord_alow_amt	60%available order amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	100ord_alow_amt	100%available order amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	tdy_crd_rpya_loss_amt	Today's credit repayment loss liquid	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	pred_crd_rpya_loss_amt	previous daycredit repayment loss liquid	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	tdy_ls_rpya_loss_repl_profa	Today's loan repayment loss margin	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	pred_ls_rpya_loss_repl_profa	previous dayLoan repayment loss margin	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	evlt_repl_amt_spg_use_skip	Evaluation substitute fee (use in kind) excluded)	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	evlt_repl_rt	Evaluation substitution ratio	String	N	15	Unit: %, percentage formatted to 7 decimal places.
Body	crd_repl_profa	Credit substitute margin	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	ch_ord_repl_profa	margin for cash order	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	crd_ord_repl_profa	Margin for credit order	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	crd_repl_conv_gold		String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	repl_alowa	Substitutable amount (cash system) one)	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	repl_alowa_2	Substitute amount 2 (credit limit)	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	ch_repl_lck_gold	Cash Substitute Shortage	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	crd_repl_lck_gold	Credit substitute deficiency	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	ch_ord_alow_repla	Substitute for cash order possible	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	crd_ord_alow_repla		String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	d2vexct_entr	D2 home calculation deposit	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	d2ch_ord_alow_amt	D2Cashavailable order amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left

Request Example

```
{}
```

Response Example


```
{
    "tdy_reu_objt_amt": "000000000000000",
    "tdy_reu_use_amt": "000000000000000",
    "tdy_reu_alowa": "000000000000000",
    "tdy_reu_lmtt_amt": "000000000000000",
    "tdy_reu_alowa_fin": "000000000000000",
    "pred_reu_objt_amt": "000000000048141",
    "pred_reu_use_amt": "000000000020947",
    "pred_reu_alowa": "000000000027194",
    "pred_reu_lmtt_amt": "000000000000000",
    "pred_reu_alowa_fin": "000000000027194",
    "ch_amt": "000000000017534",
    "ch_profa": "000000000032193",
    "use_pos_ch": "000000000085341",
    "ch_use_lmtt_amt": "000000000000000",
    "use_pos_ch_fin": "000000000085341",
    "repl_amt_amt": "000000003915500",
    "repl_profa": "000000000000000",
    "use_pos_repl": "000000003915500",
    "repl_use_lmtt_amt": "000000000000000",
    "use_pos_repl_fin": "000000003915500",
    "crd_grnta_ch": "000000000000000",
    "crd_grnta_repl": "000000000000000",
    "crd_grnt_ch": "000000000000000",
    "crd_grnt_repl": "000000000000000",
    "uncla": "000000000000",
    "ls_grnt_reu_gold": "000000000000000",
    "20ord_alow_amt": "000000000012550",
    "30ord_alow_amt": "000000000012550",
    "40ord_alow_amt": "000000000012550",
    "50ord_alow_amt": "000000000012550",
    "60ord_alow_amt": "000000000012550",
    "100ord_alow_amt": "000000000012550",
    "tdy_crd_rpya_loss_amt": "000000000000000",
    "pred_crd_rpya_loss_amt": "000000000000000",
    "tdy_ls_rpya_loss_repl_profa": "000000000000000",
    "pred_ls_rpya_loss_repl_profa": "000000000000000",
    "evlt_repl_amt_spg_use_skip": "000000006193400",
    "evlt_repl_rt": "0.6322053",
    "crd_repl_profa": "000000000000000",
    "ch_ord_repl_profa": "000000000000000",
    "crd_ord_repl_profa": "000000000000000",
    "crd_repl_conv_gold": "000000000000000",
    "repl_alowa": "000000003915500",
    "repl_alowa_2": "000000003915500",
    "ch_repl_lck_gold": "000000000000000",
    "crd_repl_lck_gold": "000000000000000",
    "ch_ord_alow_repla": "000000003915500",
    "crd_ord_alow_repla": "000000006193400",
    "d2vexct_entr": "000000000012550",
    "d2ch_ord_alow_amt": "000000000012550",
    "return_code": 0,
    "return_msg": "조회가 완료되었습니다."
}
```

API information	
menu location	domestic stock > account > comprehensive consignment transaction details request(kt00015)
API name	Comprehensive consignment transaction details request
API ID	kt00015

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/acnt
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about comprehensive consignment transaction history information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	strt_dt	start date	String	Y	8	YYYYMMDD
Body	end_dt	end date character	String	Y	8	YYYYMMDD
Body	tp	category	String	Y	1	0: Total, 1: Deposit/Withdrawal, 2: Deposit/Output, 3: Sale, 4: Buy, 5: Sell, 6: Deposit, 7: Withdrawal, A: Deposit collateral loan deposit, B: sell collateral loan deposit, C: cash repayment (loan, collateral) repayment), F: currency exchange, M: deposit/withdrawal + currency exchange, G: foreign currency buy, H: foreign currency sell, I: currency exchange Included deposit, J: Currency exchange settlement withdrawal
Body	stk_cd	stock code	String	N	12	stock code input
Body	crnc_cd	currency code	String	N	3	3 digit currency code
Body	gds_tp	Product category	String	Y	1	0:Total, 1:domestic stock, 2:Beneficiary certificates, 3:Overseas stock, 4:Financial products
Body	frgn_stex_code	Overseas exchange code	String	N	10	
Body	dmst_stex_tp	Domestic exchange category	String	Y	6	%: (Total), KRX: Korea Exchange, NXT: Next Trade

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	trst_ovrl_trde_prps_array	Comprehensive consignment transaction details heat	LIST	N		
Body	- trde_dt	transactiondate	String	N	8	YYYYMMDD

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- trde_no	transaction number	String	N	9	9-digit transaction number
Body	- rmrk_nm	Brief name	String	N	60	
Body	- crd_deal_tp_nm	Credit transaction category name	String	N	20	
Body	- exct_amt	Settlement amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	- loan_amt_rpya	loan repayment	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	- fc_trde_amt	Transaction amount (excluding)	String	N	15	
Body	- fc_exct_amt	Settlement amount (excluding)	String	N	15	
Body	- entra_remn	depositbalance	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	- crnc_cd	currency code	String	N	3	
Body	- trde_ocr_tp	Transaction type category	String	N	2	1: deposit/withdrawal, 2: fund, 3: ELS, 4: bond, 5: foreign bond, 6: foreign currency RP, 7:Bills issued in foreign currency
Body	- trde_kind_nm	Transaction type name	String	N	20	Korean name for transaction type category (trde_ocr_tp)
Body	- stk_nm	stock name	String	N	40	
Body	- trde_amt	Transaction amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	- trde_agri_tax		String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	- rpy_diffa	repayment difference	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	- fc_trde_tax	Transaction tax (other)	String	N	15	
Body	- dly_sum	delinquent sum	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	- fc_entra	foreign currency depositbalance	String	N	15	
Body	- mdia_tp_nm	Media category name	String	N	20	
Body	- io_tp	entry/exit category	String	N	1	
Body	- io_tp_nm	Enter/exit category name	String	N	10	
Body	- orig_deal_no	Original transaction number	String	N	9	If there is no original transaction, output as '000000000'
Body	- stk_cd	stock code	String	N	12	1-digit prefix + 6-digit stock code, prefix (A: Stock / J: ELW / Q: ETN)
Body	- trde_qty_jwa_cnt		String	N	30	
Body	- cmsn	charge	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	- int_ls_usfe	Interest/loan use	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	- fc_cmsn	Fee (excluding)	String	N	15	
Body	- fc_dly_sum	Delinquent sum (excluding)	String	N	15	
Body	- vlbl_nowrm	gold cup	String	N	30	
Body	- proc_tm	processing time	String	N	111	HH:mm:ss
Body	- isin_cd	ISIN code	String	N	12	
Body	- stex_cd	Exchange code	String	N	10	
Body	- stex_nm	Exchange name	String	N	20	
Body	- trde_unit	Transaction price/exchange rate	String	N	20	
Body	- incm_resi_tax	Income/Residence Tax	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	- loan_dt	loan date	String	N	8	YYYYMMDD

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- uncl_ocr	Outstanding amount (KRW/share)	String	N	30	
Body	- rpym_sum	Reimbursement sum	String	N	30	
Body	- cntr_dt	execution day	String	N	8	YYYYMMDD
Body	- rcpy_no	Cashier number	String	N	20	
Body	- prcsr	manager	String	N	20	
Body	- proc_brch	processing point	String	N	20	
Body	- trde_stle	Trading type	String	N	40	
Body	- txon_base_pric	tax base price	String	N	15	
Body	- tax_sum_cmsn	Tax fee sum	String	N	15	
Body	- frgn_pay_txam	Foreign tax paid (excluding)	String	N	15	
Body	- fc_uncl_ocr	Misu (etc.)	String	N	15	
Body	- rpym_sum_fr	Reimbursement sum (etc.)	String	N	30	
Body	- rcpmnyer	depositor	String	N	20	
Body	- trde_prtc_tp	Transaction history category	String	N	2	

Request Example


```
{
    "strt_dt": "20241121",
    "end_dt": "20241125",
    "tp": "0",
    "stk_cd": "",
    "crnc_cd": "",
    "gds_tp": "0",
    "frgn_stex_code": "",
    "dmst_stex_tp": "%"
}
```


Response Example


```
{
    "acnt_no": "6081-2***-11 [김키움]",
    "trst_ovrl_trde_prps_array": [
        {
            "trde_dt": "20241121",
            "trde_no": "000000001",
            "rmrk_nm": "장내매도",
            "crd_deal_tp_nm": "보통매매",
            "exct_amt": "000000000056798",
            "loan_amt_rpya": "000000000000000",
            "fc_trde_amt": "0.00",
            "fc_exct_amt": "0.00",
            "entra_remn": "000000994658290",
            "crnc_cd": "KRW",
            "trde_ocr_tp": "9",
            "trde_kind_nm": "매매",
            "stk_nm": "삼성전자",
            "trde_amt": "000000000056900",
            "trde_agri_tax": "000000000000102",
            "rpy_diffa": "000000000000000",
            "fc_trde_tax": "0.00",
            "dly_sum": "000000000000000",
            "fc_entra": "0.00",
            "mdia_tp_nm": "REST API",
            "io_tp": "1",
            "io_tp_nm": "매도",
            "orig_deal_no": "000000000",
            "stk_cd": "A005930",
            "trde_qty_jwa_cnt": "1",
            "cmsn": "000000000000000",
            "int_ls_usfe": "000000000000000",
            "fc_cmsn": "0.00",
```

Response Example

"fc_dly_sum": "0.00", "vlbl_nowrm": "21", "proc_tm": "08:12:35", "isin_cd": "KR7005930003", "stex_cd": "", "stex_nm": "", "trde_unit": "56,900", "incm_resi_tax": "000000000000000", "loan_dt": "", "uncl_ocr": "", "rpym_sum": "", "cntr_dt": "20241119", "rcpy_no": "", "prcsr": "DAILY", "proc_brch": "Kiwoom Bank", "trde_stle": "", "txon_base_pric": "0.00", "tax_sum_cmsn": "000000000000102", "frgn_pay_txam": "0.00", "fc_uncl_ocr": "0.00", "rpym_sum_fr": "", "rcpmnyer": "", "trde_prtc_tp": "11" }], "return_code": 0, "return_msg": "inquiry completed" }

API information	
menu location	domestic stock > account > daily account return rate detailed status request(kt00016)
API name	Daily account return rate detailed status request
API ID	kt00016
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/acnt
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

Inquire about daily account return rate details.

Request						
category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	fr_dt	Evaluationstart date	String	Y	8	YYYYMMDD
Body	to_dt	Evaluationend date	String	Y	8	YYYYMMDD

Response						
category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	mang_empno	Management employee number	String	N	8	
Body	mngr_nm	Administrator name	String	N	8	
Body	dept_nm	Administrator branch	String	N	30	
Body	entr_fr	deposit_seconds	String	N	30	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	entr_to	deposit_horse	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	scrt_evlt_amt_fr		String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	scrt_evlt_amt_to		String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	ls_grnt_fr	Lender's collateral_seconds	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	ls_grnt_to	Lender's collateral_horse	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	crd_loan_fr	Credit loan amount_seconds	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	crd_loan_to	credit loan_horse	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	ch_uncla_fr	Cash receivable_sec	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	ch_uncla_to	Cash receivable_word	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	krw_asgna_fr	Won substitute money_seconds	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	krw_asgna_to	Won substitute money_horse	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	ls_evlta_fr	Lender evaluation fee_seconds	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	ls_evlta_to	Lender evaluation fee_horse	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	rght_evlta_fr	Rights evaluation fee_seconds	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	rght_evlta_to	Rights evaluation fee_horse	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	loan_amt_fr	Loan amount_seconds	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	loan_amt_to	loan_horse	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	etc_loana_fr	Other rental fees_seconds	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	etc_loana_to	Other rental fees	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	crd_int_npay_gold_fr	Credit interest unpaid_seconds	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	crd_int_npay_gold_to	Credit interest unpaid_word	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	crd_int_fr	credit interest_sec	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	crd_int_to	credit interest	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	tot_amt_fr	Net Asset Amount_Seconds	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	tot_amt_to	Net asset amount_words	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	invt_bsamt		String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	evltv_prft	valuation profit/loss	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	prft_rt	return rate	String	N	12	Units: %, percentage formatted to two decimal places.
Body	tern_rt	turnover	String	N	12	Units: %, percentage formatted to two decimal places.
Body	termin_tot_trns	Total deposit within period	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	termin_tot_pymn	Total withdrawal within period	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	termin_tot_inq	Period My total stock	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	termin_tot_outq	Total shipment within period	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	futr_repl_sella	Gift substitute sell amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	trst_repl_sella		String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left

Request Example


```
{
    "fr_dt": "20241111",
    "to_dt": "20241125"
}
```


Response Example


```
{
    "mang_empno": "081",
    "mngr_nm": "키움은행",
    "dept_nm": "키움은행",
    "entr_fr": "000000000000",
    "entr_to": "000000017534",
```

Response Example

"scrt_evlt_amt_fr": "000000000000", "scrt_evlt_amt_to": "000000000000", "ls_grnt_fr": "000000000000", "ls_grnt_to": "000000000000", "crd_loan_fr": "000000000000", "crd_loan_to": "000000000000", "ch_uncla_fr": "000000000000", "ch_uncla_to": "000000000000", "krw_asgna_fr": "000000000000", "krw_asgna_to": "000000000000", "ls_evlta_fr": "000000000000", "ls_evlta_to": "000000000000", "rght_evlta_fr": "000000000000", "rght_evlta_to": "000000000000", "loan_amt_fr": "000000000000", "loan_amt_to": "000000000000", "etc_loana_fr": "000000000000", "etc_loana_to": "000000000000", "crd_int_npay_gold_fr": "000000000000", "crd_int_npay_gold_to": "000000000000", "crd_int_fr": "000000000000", "crd_int_to": "000000000000", "tot_amt_fr": "000000000000", "tot_amt_to": "000000017534", "invt_bsamt": "000000000000", "evltv_prft": "-00005482466", "prft_rt": "-0.91", "tern_rt": "0.84", "termin_tot_trns": "000000000000", "termin_tot_pymn": "000000000000", "termin_tot_inq": "000000000000", "termin_tot_outq": "000000000000", "futr_repl_sella": "000000000000", "trst_repl_sella": "000000000000", "return_code": 0, "return_msg": "inquiry completed." }

API information	
menu location	domestic stock > account > today status request by account(kt00017)
API name	Today status request by account
API ID	kt00017

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/acnt
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquiry about the current status information of the current token account.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	d2_entra	D+2 estimated deposit	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	crd_int_npay_gold	Credit interest unpaid amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	etc_loana	Other rental fees	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	gnrl_stk_evlt_amt_d2	General stock valuation amountD+ 2	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	dpst_grnt_use_amt_d2	Deposit collateral loan D+2	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	crd_stk_evlt_amt_d2	Deposit collateral stock valuation Liquid D+2	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	crd_loan_d2	Credit loan amount D+2	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	crd_loan_evlta_d2		String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	crd_ls_grnt_d2	Credit loan collateral D+2	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	crd_ls_evlta_d2		String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	ina_amt	Deposit amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	outa	Withdrawal amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	inq_amt	Receipt amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	outq_amt	Delivery amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	sell_amt	sell amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	buy_amt	buy amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	cmsn	charge	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	tax	duty	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	stk_pur_cptal_loan_amt	Stock purchase loan	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	rp_evlt_amt	RPvaluation amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	bd_evlt_amt	bondvaluation amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	elsevlt_amt	ELSvaluation amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	crd_int_amt	Credit interest amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	sel_prica_grnt_loan_int_amt_amt	Sell loan collateral amount of funds	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	dvida_amt	dividend amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left

Request Example

```
{}
```

Response Example


```
{
    "d2_entra": "000000012550",
    "crd_int_npay_gold": "000000000000",
    "etc_loana": "000000000000",
    "gnrl_stk_evlt_amt_d2": "000005724100",
    "dpst_grnt_use_amt_d2": "000000000000",
    "crd_stk_evlt_amt_d2": "000000000000",
    "crd_loan_d2": "000000000000",
    "crd_loan_evlta_d2": "000000000000",
    "crd_ls_grnt_d2": "000000000000",
    "crd_ls_evlta_d2": "000000000000",
    "ina_amt": "000000000000",
    "outa": "000000000000",
    "inq_amt": "000000000000",
    "outq_amt": "000000000000",
    "sell_amt": "000000000000",
    "buy_amt": "000000000000",
    "cmsn": "000000000000",
    "tax": "000000000000",
    "stk_pur_cptal_loan_amt": "000000000000",
    "rp_evlt_amt": "000000000000",
    "bd_evlt_amt": "000000000000",
    "elsevlt_amt": "000000000000",
    "crd_int_amt": "000000000000",
    "sel_prica_grnt_loan_int_amt_amt": "000000000000",
    "dvida_amt": "000000000000",
    "return_code": 0,
    "return_msg": "조회가 완료되었습니다.."
}
```

API information	
menu location	domestic stock > account > account evaluation balance details request(kt00018)
API name	account evaluation balance details request
API ID	kt00018
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/acnt
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	
Inquire about account evaluation balance details.	

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	qry_tp	inquirycategory	String	Y	1	1:sum, 2:individual
Body	dmst_stex_tp	Domestic exchange category	String	Y	6	KRX: Korea Exchange, NXT: Next Trade

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	tot_pur_amt	Total purchase amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	tot_evlt_amt	Total valuation amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	tot_evlt_pl	Total valuation profit/loss amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	tot_prft_rt	Total return rate(%)	String	N	12	Units: %, percentage formatted to two decimal places.
Body	prsm_dpst_aset_amt	Estimated deposited assets	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	tot_loan_amt	total loan amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	tot_crd_loan_amt	Total loan amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	tot_crd_ls_amt	Total loan amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	acnt_evlt_remn_indv_tot	account evaluation balance individual sum mountain	LIST	N		
Body	- stk_cd	stock number	String	N	12	1-digit prefix + 6-digit stock code, prefix (A: Stock / J: ELW /

Response						
category	Element	Korean name	Type	Required	Length	Description
						Q: ETN)
Body	- stk_nm	stock name	String	N	40	
Body	- evltv_prft	valuation profit/loss	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	- prft_rt	return rate(%)	String	N	12	Units: %, percentage formatted to two decimal places.
Body	- pur_pric	purchase price	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	- pred_close_pric	previous dayclosing price	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	- rmnd_qty	holding quantity	String	N	15	Unit: 1 week, 15-digit number including sign with 0-padding on the left
Body	- trde_able_qty	Quantity available for sale	String	N	15	Unit: 1 week, 15-digit number including sign with 0-padding on the left
Body	- cur_prc	current price	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	- pred_buyq	previous daybuy quantity	String	N	15	Unit: 1 week, 15-digit number including sign with 0-padding on the left
Body	- pred_sellq	previous daysellquantity	String	N	15	Unit: 1 week, 15-digit number including sign with 0-padding on the left
Body	- tdy_buyq	Today's purchase quantity	String	N	15	Unit: 1 week, 15-digit number including sign with 0-padding on the left
Body	- tdy_sellq	Today's sell quantity	String	N	15	Unit: 1 week, 15-digit number including sign with 0-padding on the left
Body	- pur_amt	purchase amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	- pur_cmsn	Purchase fee	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	- evlt_amt	valuation amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	- sell_cmsn	Evaluation fee	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	- tax	duty	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	- sum_cmsn	Fee sum	String	N	15	Purchase fee + Evaluation fee
Body	- poss_rt	Holdings ratio (%)	String	N	12	Units: %, percentage formatted to two decimal places.
Body	- crd_tp	creditcategory	String	N	2	
Body	- crd_tp_nm	Credit category name	String	N	4	
Body	- crd_loan_dt	loan date	String	N	8	YYYYMMDD

Request Example


```
{
    "qry_tp": "1",
    "dmst_stex_tp": "KRX"
}
```


Response Example


```
{
    "tot_pur_amt": "000000017598258",
    "tot_evlt_amt": "000000025789890",
    "tot_evlt_pl": "000000008138825",
    "tot_prft_rt": "46.25",
    "prsm_dpst_aset_amt": "000001012632507",
    "tot_loan_amt": "000000000000000",
    "tot_crd_loan_amt": "000000000000000",
    "tot_crd_ls_amt": "000000000000000",
    "acnt_evlt_remn_indv_tot": [
        {
            "stk_cd": "A005930",
            "stk_nm": "삼성전자",
            "evltv_prft": "-00000000196888",
            "prft_rt": "-52.71",
            "pur_pric": "000000000124500",
            "pred_close_pric": "000000045400",
            "rmnd_qty": "000000000000003",
            "trde_able_qty": "000000000000003",
```

Response Example

"cur_prc": "000000059000", "pred_buyq": "000000000000000", "pred_sellq": "000000000000000", "tdy_buyq": "000000000000000", "tdy_sellq": "000000000000000", "pur_amt": "000000000373500", "pur_cmsn": "000000000000050", "evlt_amt": "000000000177000", "sell_cmsn": "000000000000020", "tax": "000000000000318", "sum_cmsn": "000000000000070", "poss_rt": "2.12", "crd_tp": "00", "crd_tp_nm": "", "crd_loan_dt": "" }, { "stk_cd": "A005930", "stk_nm": "Samsung Electronics", "evltv_prft": "-00000000995004", "prft_rt": "-59.46", "pur_pric": "000000000209178", "pred_close_pric": "000000097600", "rmnd_qty": "000000000000008", "trde_able_qty": "000000000000008", "cur_prc": "000000085000", "pred_buyq": "000000000000000", "pred_sellq": "000000000000000", "tdy_buyq": "000000000000000", "tdy_sellq": "000000000000000", "pur_amt": "000000001673430", "pur_cmsn": "000000000000250", "evlt_amt": "000000000680000", "sell_cmsn": "000000000000100", "tax": "000000000001224", "sum_cmsn": "000000000000350", "poss_rt": "9.51", "crd_tp": "00", "crd_tp_nm": "", "crd_loan_dt": "" }], "return_code": 0, "return_msg": "inquiry completed" }

API information	
menu location	domestic stock > order > stock buyorder(kt10000)
API name	stock buyorder
API ID	kt10000
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/ordr
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	
Request a stock buy order.	

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	dmst_stex_tp	Domestic exchange category	String	Y	3	KRX,NXT,SOR
Body	stk_cd	stock code	String	Y	12	
Body	ord_qty	order quantity	String	Y	12	Unit: 1 week
Body	ord_uv	order price	String	N	12	Unit: Won
Body	trde_tp	Salescategory	String	Y	2	0: normal, 3: market price, 5: conditional limit price, 81: time after market close, etc., 61: long-term operation time, 62: single price other than time, 6: best limit price, 7:top priority limit price, 10:normal(IOC), 13:market price(IOC), 16: Choi Yuri (IOC), 20: Average (FOK), 23: market price (FOK), 26: Choi Yu-ri (FOK), 28: Stop limit price, 29: Mid price, 30: Mid price (IOC), 31: Mid price (FOK)
Body	cond_uv	Conditional unit price	String	N	12	Unit: Won

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	ord_no	order number	String	N	7	7-digit order number
Body	dmst_stex_tp	Domestic exchange category	String	N	6	KRX, NXT, SOR

Request Example

```
{
```

Request Example

```
    "dmst_stex_tp": "KRX",
    "stk_cd": "005930",
    "ord_qty": "1",
    "ord_uv": "",
    "trde_tp": "3",
    "cond_uv": ""
}
```

Response Example

```
{
    "ord_no" : "00024"
    "return_code":0,
    "return_msg":"정상적으로 처리되었습니다"
}
```

API information	
menu location	domestic stock > order > stock sellorder(kt10001)
API name	stock sellorder
API ID	kt10001

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/ordr
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Request a stock sell order.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	dmst_stex_tp	Domestic exchange category	String	Y	3	KRX,NXT,SOR
Body	stk_cd	stock code	String	Y	12	
Body	ord_qty	order quantity	String	Y	12	Unit: 1 week
Body	ord_uv	order price	String	N	12	Unit: Won
Body	trde_tp	Salescategory	String	Y	2	0: normal, 3: market price, 5: conditional limit price, 81: time after market close, etc., 61: long-term operation time, 62: single price other than time, 6: best limit price, 7:top priority limit price, 10:normal(IOC), 13:market price(IOC), 16: Choi Yuri (IOC), 20: Average (FOK), 23: market price (FOK), 26: Choi Yu-ri (FOK), 28: Stop limit price, 29: Mid price, 30: Mid price (IOC), 31: Mid price (FOK)
Body	cond_uv	Conditional unit price	String	N	12	Unit: Won

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	ord_no	order number	String	N	7	7-digit order number
Body	dmst_stex_tp	Domestic exchange category	String	N	6	KRX, NXT, SOR

Request Example

```
{
```

Request Example


```
    "dmst_stex_tp": "KRX",
    "stk_cd": "005930",
    "ord_qty": "1",
    "ord_uv": "",
    "trde_tp": "3",
    "cond_uv": ""
}
```


Response Example


```
{
    "ord_no": "0000138",
    "dmst_stex_tp": "KRX",
    "return_code": 0,
    "return_msg": "매도주문이 완료되었습니다."
}
```

API information	
menu location	domestic stock > order > stock modifyorder(kt10002)
API name	stock modifyorder
API ID	kt10002

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/ordr
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Request a stock modify order.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	dmst_stex_tp	Domestic exchange category	String	Y	3	KRX,NXT,SOR
Body	orig_ord_no	original order number	String	Y	7	7-digit order number received as a result of the buy/sell order request response
Body	stk_cd	stock code	String	Y	12	
Body	mdfy_qty	modifyQuantity	String	Y	12	Unit: 1 week, when inputting ?0?, all remaining quantity is modified
Body	mdfy_uv	modify unit price	String	Y	12	Unit: Won
Body	mdfy_cond_uv	modify condition unit price	String	N	12	Unit: Won

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	ord_no	order number	String	N	7	new order number
Body	base_orig_ord_no	Every order number	String	N	7	Won order number
Body	mdfy_qty	modifyQuantity	String	N	12	Unit: 1 week, 12-digit number including sign with 0-padding on the left
Body	dmst_stex_tp	Domestic exchange category	String	N	6	KRX, NXT, SOR

Request Example

```
{
    "dmst_stex_tp": "KRX",
```

Request Example

```
    "orig_ord_no": "0000139",
    "stk_cd": "005930",
    "mdfy_qty": "1",
    "mdfy_uv": "199700",
    "mdfy_cond_uv": ""
}
```

Response Example

```
{
    "ord_no": "0000140",
    "base_orig_ord_no": "0000139",
    "mdfy_qty": "000000000001",
    "dmst_stex_tp": "KRX",
    "return_code": 0,
    "return_msg": "매수정정 주문입력이 완료되었습니다"
}
```

API information	
menu location	domestic stock > order > stock cancelorder(kt10003)
API name	stock cancelorder
API ID	kt10003

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/ordr
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Request to cancel stock order.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	dmst_stex_tp	Domestic exchange category	String	Y	3	KRX,NXT,SOR
Body	orig_ord_no	original order number	String	Y	7	7-digit order number received as a result of the buy/sell order request response
Body	stk_cd	stock code	String	Y	12	
Body	cncl_qty	cancelQuantity	String	Y	12	Unit: 1 week, when ?0? is input, all remaining quantity is cancelled.

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	ord_no	order number	String	N	7	new order number
Body	base_orig_ord_no	Every order number	String	N	7	Won order number
Body	cncl_qty	cancelQuantity	String	N	12	Unit: 1 week, 12-digit number including sign with 0-padding on the left

Request Example

```
{
    "dmst_stex_tp": "KRX",
    "orig_ord_no": "0000140",
    "stk_cd": "005930",
    "cncl_qty": "1"
}
```

Response Example

Response Example


```
{
    "ord_no": "0000141",
    "base_orig_ord_no": "0000139",
    "cncl_qty": "000000000001",
    "return_code": 0,
    "return_msg": "매수취소 주문입력이 완료되었습니다"
}
```

API information	
menu location	domestic stock > credit order > credit buyorder(kt10006)
API name	credit buyorder
API ID	kt10006

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/crdordr
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Request a credit buy order.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	dmst_stex_tp	Domestic exchange category	String	Y	3	KRX,NXT,SOR
Body	stk_cd	stock code	String	Y	12	
Body	ord_qty	order quantity	String	Y	12	Unit: 1 week
Body	ord_uv	order price	String	N	12	Unit: Won
Body	trde_tp	Salescategory	String	Y	2	0: normal, 3: market price, 5: conditional limit price, 81: time after market close, etc., 61: long-term operation time, 62: single price other than time, 6: best limit price, 7:top priority limit price, 10:normal(IOC), 13:market price(IOC), 16: Choi Yuri (IOC), 20: Average (FOK), 23: market price (FOK), 26: Choi Yu-ri (FOK), 28: Stop limit price, 29: Mid price, 30: Mid price (IOC), 31: Mid price (FOK)
Body	cond_uv	Conditional unit price	String	N	12	Unit: Won

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	ord_no	order number	String	N	7	7-digit order number
Body	dmst_stex_tp	Domestic exchange category	String	N	6	KRX, NXT, SOR

Request Example

```
{
```

Request Example


```
    "dmst_stex_tp": "KRX",
    "stk_cd": "005930",
    "ord_qty": "1",
    "ord_uv": "2580",
    "trde_tp": "0",
    "cond_uv": ""
}
```


Response Example


```
{
    "ord_no": "0001615",
    "dmst_stex_tp": "KRX",
    "return_code": 0,
    "return_msg": "신용 매수주문이 완료되었습니다."
}
```

API information	
menu location	domestic stock > credit order > credit sellorder(kt10007)
API name	credit sellorder
API ID	kt10007
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/crdordr
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	
Request a credit sell order.	

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	dmst_stex_tp	Domestic exchange category	String	Y	3	KRX,NXT,SOR
Body	stk_cd	stock code	String	Y	12	
Body	ord_qty	order quantity	String	Y	12	Unit: 1 week
Body	ord_uv	order price	String	N	12	Unit: Won
Body	trde_tp	Salescategory	String	Y	2	0: normal, 3: market price, 5: conditional limit price, 81: time after market close, etc., 61: long-term operation time, 62: single price other than time, 6: best limit price, 7:top priority limit price, 10:normal(IOC), 13:market price(IOC), 16: Choi Yuri (IOC), 20: Average (FOK), 23: market price (FOK), 26: Choi Yu-ri (FOK), 28: Stop limit price, 29: Mid price, 30: Mid price (IOC), 31: Mid price (FOK)
Body	crd_deal_tp	Credit transaction category	String	Y	2	33:Loan, 99:Financial merger
Body	crd_loan_dt	loan date	String	N	8	YYYYMMDD (required in case of loan)
Body	cond_uv	Conditional unit price	String	N	12	Unit: Won

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	ord_no	order number	String	N	7	7-digit order number
Body	dmst_stex_tp	Domestic exchange category	String	N	6	KRX, NXT, SOR

Request Example


```
{
    "dmst_stex_tp": "KRX",
    "stk_cd": "005930",
    "ord_qty": "3",
    "ord_uv": "6450",
    "trde_tp": "0",
    "crd_deal_tp": "99",
    "crd_loan_dt": "",
    "cond_uv": ""
}
```


Response Example


```
{
    "ord_no": "0001614",
    "dmst_stex_tp": "KRX",
    "return_code": 0,
    "return_msg": "신용 매도주문이 완료되었습니다."
}
```

API information	
menu location	domestic stock > credit order > credit modifyorder(kt10008)
API name	credit modifyorder
API ID	kt10008

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/crdordr
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Request a credit modify order.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	dmst_stex_tp	Domestic exchange category	String	Y	3	KRX,NXT,SOR
Body	orig_ord_no	original order number	String	Y	7	7-digit order number received as a result of the buy/sell order request response
Body	stk_cd	stock code	String	Y	12	
Body	mdfy_qty	modifyQuantity	String	Y	12	Unit: 1 week, when inputting ?0?, all remaining quantity is modified
Body	mdfy_uv	modify unit price	String	Y	12	Unit: Won
Body	mdfy_cond_uv	modify condition unit price	String	N	12	Unit: Won

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	ord_no	order number	String	N	7	new order number
Body	base_orig_ord_no	Every order number	String	N	7	Won order number
Body	mdfy_qty	modifyQuantity	String	N	12	Unit: 1 week, 12-digit number including sign with 0-padding on the left
Body	dmst_stex_tp	Domestic exchange category	String	N	6	KRX, NXT, SOR

Request Example

```
{
    "dmst_stex_tp": "KRX",
```

Request Example

```
    "orig_ord_no": "0000455",
    "stk_cd": "005930",
    "mdfy_qty": "1",
    "mdfy_uv": "2590",
    "mdfy_cond_uv": ""
}
```

Response Example

```
{
    "ord_no": "0000509",
    "base_orig_ord_no": "0000454",
    "mdfy_qty": "000000000001",
    "dmst_stex_tp": "KRX",
    "return_code": 0,
    "return_msg": "매수정정 주문입력이 완료되었습니다"
}
```

API information	
menu location	domestic stock > credit order > credit cancelorder(kt10009)
API name	credit cancelorder
API ID	kt10009

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/crdordr
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Request a credit cancel order.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	dmst_stex_tp	Domestic exchange category	String	Y	3	KRX,NXT,SOR
Body	orig_ord_no	original order number	String	Y	7	7-digit order number received as a result of the buy/sell order request response
Body	stk_cd	stock code	String	Y	12	
Body	cncl_qty	cancelQuantity	String	Y	12	Unit: 1 week, when ?0? is input, all remaining quantity is cancelled.

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	ord_no	order number	String	N	7	new order number
Body	base_orig_ord_no	Every order number	String	N	7	Won order number
Body	cncl_qty	cancelQuantity	String	N	12	Unit: 1 week, 12-digit number including sign with 0-padding on the left

Request Example

```
{
    "dmst_stex_tp": "KRX",
    "orig_ord_no": "0001615",
    "stk_cd": "005930",
    "cncl_qty": "1"
}
```

Response Example

Response Example


```
{
    "ord_no": "0001695",
    "base_orig_ord_no": "0001614",
    "cncl_qty": "000000000001",
    "return_code": 0,
    "return_msg": "매도취소 주문입력이 완료되었습니다."
}
```

API information	
menu location	domestic stock > stock information > credit loan available stockrequest(kt20016)
API name	Credit loan available stockrequest
API ID	kt20016
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/stkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	
Inquire about stock information available for credit financing.	

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	crd_stk_grde_tp	credit stock rating category	String	N	1	%:Total, A:Group A, B:Group B, C:C group, D:D group, E:E group
Body	mrkt_deal_tp	Market transaction category	String	Y	1	%:Total, 1:KOSPI, 0:KOSDAQ
Body	stk_cd	stock code	String	N	12	stock code input

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	crd_loan_able	Credit loan availability	String	N	40	
Body	crd_loan_pos_stk	Credit loan available stock	LIST	N		
Body	- stk_cd	stock code	String	N	12	
Body	- stk_nm	stock name	String	N	40	
Body	- crd_assr_rt	Credit deposit rate	String	N	4	Percentage with %
Body	- repl_pric	Daeyongga	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	- pred_close_pric	previous dayclosing price	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	- crd_limit_over_yn	Whether credit limit is exceeded	String	N	1	Y, N
Body	- crd_limit_over_txt	Credit limit exceeded	String	N	40	N: Blank, Y: Exceeded company limit

Request Example


```
{
    "crd_stk_grde_tp": "A",
    "mrkt_deal_tp": "%",
    "stk_cd": "039490"
}
```


Response Example


```
{
    "crd_loan_able": "",
    "crd_loan_pos_stk": [
        {
            "stk_cd": "A039490",
            "stk_nm": "키움증권",
            "crd_assr_rt": "45%",
            "repl_pric": "000000087390",
            "pred_close_pric": "000000117500",
            "crd_limit_over_yn": "N",
            "crd_limit_over_txt": ""
        },
        {
            "stk_cd": "A039490",
            "stk_nm": "키움증권",
            "crd_assr_rt": "45%",
            "repl_pric": "000000069420",
            "pred_close_pric": "000000105400",
            "crd_limit_over_yn": "N",
            "crd_limit_over_txt": ""
        },
    ],
    "return_code": 0,
    "return_msg": "조회가 완료 되었습니다. 연속자료가 존재합니다."
}
```

API information	
menu location	domestic stock > stock information > credit loan availability inquiry (kt20017)
API name	Credit loan availability inquiry
API ID	kt20017

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/stkinfo
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about credit loan availability using the stock code.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	12	stock code input

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	crd_alow_yn	Credit availability	String	N	40	

Request Example

```
{
    "stk_cd": "039490"
}
```

Response Example

```
{
    "crd_alow_yn": "< A군 신용융자 가능 >",
    "return_code": 0,
    "return_msg": "조회가 완료 되었습니다."
}
```

API information	
menu location	domestic stock > order > gold spot buyorder(kt50000)
API name	spot gold buyorder
API ID	kt50000

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/ordr
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Request a gold spot buy order.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	12	M04020000 gold 99.99_1kg, M04020100 mini gold 99.99_100g
Body	ord_qty	order quantity	String	Y	12	Unit: 1 week
Body	ord_uv	order price	String	N	12	Unit: Won
Body	trde_tp	Salescategory	String	Y	2	00: Normal, 10: Normal (IOC), 20: Normal (FOK)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	ord_no	order number	String	N	7	7-digit order number

Request Example

```
{
    "stk_cd": "M04020000",
    "ord_qty": "1",
    "ord_uv": "160000",
    "trde_tp": "00"
}
```

Response Example

```
{
    "ord_no": "0000010",
    "return_code": 0,
```

Response Example
"return_msg": "buyorder has been completed." }

API information	
menu location	domestic stock > order > gold spot sellorder(kt50001)
API name	spot gold sellorder
API ID	kt50001

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/ordr
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Request for spot gold sell order.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	12	M04020000 gold 99.99_1kg, M04020100 mini gold 99.99_100g
Body	ord_qty	order quantity	String	Y	12	Unit: 1 week
Body	ord_uv	order price	String	N	12	Unit: Won
Body	trde_tp	Salescategory	String	Y	2	00: Normal, 10: Normal (IOC), 20: Normal (FOK)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	ord_no	order number	String	N	7	7-digit order number

Request Example

```
{
    "stk_cd": "M04020000",
    "ord_qty": "1",
    "ord_uv": "160000",
    "trde_tp": "00"
}
```

Response Example

```
{
    "ord_no": "0000016",
    "return_code": 0,
```

Response Example

"return_msg": "sellorder completed."
}

API information	
menu location	domestic stock > order > gold spot modifyorder(kt50002)
API name	spot gold modifyorder
API ID	kt50002

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/ordr
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Request a gold spot modify order.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	stk_cd	stock code	String	Y	12	M04020000 gold 99.99_1kg, M04020100 mini gold 99.99_100g
Body	orig_ord_no	original order number	String	Y	7	
Body	mdfy_qty	modifyQuantity	String	Y	12	Unit: 1 week, when inputting ?0?, all remaining quantity is modified
Body	mdfy_uv	modify unit price	String	Y	12	Unit: Won

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	ord_no	order number	String	N	7	new order number
Body	base_orig_ord_no	Every order number	String	N	7	Won order number
Body	mdfy_qty	modifyQuantity	String	N	12	Unit: 1 week, 12-digit number including sign with 0-padding on the left

Request Example

```
{
    "stk_cd": "M04020000",
    "orig_ord_no": "0000012",
    "mdfy_qty": "1",
    "mdfy_uv": "150000"
}
```

Response Example

Response Example


```
{
    "ord_no": "0000013",
    "base_orig_ord_no": "0000012",
    "mdfy_qty": "000000000001",
    "return_code": 0,
    "return_msg": "매수정정 주문입력이 완료되었습니다"
}
```

API information	
menu location	domestic stock > order > gold spot cancelorder(kt50003)
API name	spot gold cancelorder
API ID	kt50003

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/ordr
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Request a cancellation order for spot gold.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	orig_ord_no	original order number	String	Y	7	7-digit order number received as a result of the buy/sell order request response
Body	stk_cd	stock code	String	Y	12	M04020000 gold 99.99_1kg, M04020100 mini gold 99.99_100g
Body	cncl_qty	cancelQuantity	String	Y	12	Unit: 1 week, when ?0? is input, all remaining quantity is cancelled.

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	ord_no	order number	String	N	7	new order number
Body	base_orig_ord_no	Every order number	String	N	7	Won order number
Body	cncl_qty	cancelQuantity	String	N	12	Unit: 1 week, 12-digit number including sign with 0-padding on the left

Request Example

```
{
    "orig_ord_no": "0000014",
    "stk_cd": "M04020000",
    "cncl_qty": "1"
}
```

Response Example

```
{
    "ord_no": "0000015",
```

Response Example

"base_orig_ord_no": "0000014",
"cncl_qty": "000000000001",
"return_code": 0,
"return_msg": "buycancelorderinput completed"
}

API information	
menu location	domestic stock > account > gold spot balance check (kt50020)
API name	Check gold spot balance
API ID	kt50020

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/acnt
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

We are currently inquiring about the balance information of the gold spot token account.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	tot_entr	deposit	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	net_entr	estimated deposit	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	tot_est_amt	balance evaluation amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	net_amt	Deposited asset valuation	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	tot_book_amt2	Total purchase amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	tot_dep_amt	Estimated deposited assets	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	paym_alowa	withdrawable amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	pl_amt	Realizationprofit/loss	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	gold_acnt_evlt_prst		LIST	N		
Body	- stk_cd	stock code	String	N	30	gold stock cord
Body	- stk_nm	stock name	String	N	12	gold stock code description
Body	- real_qty	holding quantity	String	N	12	Unit: 1 week, 12-digit number including sign with 0-padding on the left

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- avg_prc	average unit price	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	- cur_prc	current price	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	- est_amt	valuation amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	- est_lspft	profit/loss amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	- est_ratio	profit/loss rate	String	N	12	Units: %, percentage formatted to 4 decimal places.
Body	- cmsn	charge	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	- vlad_tax	value added tax	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	- book_amt2	purchase amount	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	- pl_prch_prc	profit/loss quarterly purchase price	String	N	12	Unit: circle, 12-digit number including sign with 0-padding on the left
Body	- qty	payment balance	String	N	12	Unit: 1 week, 12-digit number including sign with 0-padding on the left
Body	- buy_qty	buyquantity	String	N	12	Unit: 1 week, 12-digit number including sign with 0-padding on the left
Body	- sell_qty	sellquantity	String	N	12	Unit: 1 week, 12-digit number including sign with 0-padding on the left
Body	- able_qty	Available quantity	String	N	12	Unit: 1 week, 12-digit number including sign with 0-padding on the left

Request Example

```
{}
```

Response Example


```
{
    "tot_entr": "000098740486",
    "net_entr": "000098740486",
    "tot_est_amt": "000001207273",
    "net_amt": "000099955866",
    "tot_book_amt2": "000001254780",
    "tot_dep_amt": "000099951884",
    "paym_alowa": "000098740486",
    "pl_amt": "000000000000",
    "gold_acnt_evlt_prst": [
        {
            "stk_cd": "M04020000",
            "stk_nm": "금 99.99_1Kg",
            "real_qty": "000000000002",
            "avg_prc": "000000152385",
            "cur_prc": "000000151780",
            "est_amt": "000000301569",
            "est_lspft": "-00000003201",
            "est_ratio": "-1.0503",
            "cmsn": "000000001810",
            "vlad_tax": "000000000181",
            "book_amt2": "000000304770",
            "pl_prch_prc": "153380.50",
            "qty": "000000000002",
            "buy_qty": "000000000000",
            "sell_qty": "000000000000",
            "able_qty": "000000000002"
        },
        {
            "stk_cd": "M04020100",
            "stk_nm": "미니금 99.99_100g",
            "real_qty": "000000000006",
            "avg_prc": "000000158335",
            "cur_prc": "000000151970",
            "est_amt": "000000905704",
            "est_lspft": "-00000044306",
            "est_ratio": "-4.6637",
            "cmsn": "000000005560",
            "vlad_tax": "000000000556",
            "book_amt2": "000000950010",
            "pl_prch_prc": "159354.33",
            "qty": "000000000006",
            "buy_qty": "000000000000",
```

Response Example

"sell_qty": "000000000000",
"able_qty": "000000000006"
}
],
"return_code": 0,
"return_msg": "inquiry completed."
}

API information	
menu location	domestic stock > account > gold spot deposit(kt50021)
API name	gold spot deposit
API ID	kt50021

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/acnt
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

We are currently inquiring about the deposit information of the gold spot token account.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	entra	deposit	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	profa_ch	margincash	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	chck_ina_amt	Check deposit amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	etc_loan	Other rental fees	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	etc_loan_dlfe	Other rental fees	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	etc_loan_tot	Total other loans	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	prsm_entra	estimated deposit	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	buy_exct_amt	buy settlement amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	sell_exct_amt	sell settlement amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	sell_buy_exct_amt	sellbuy settlement fee	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	dly_amt	Outstanding repayment fee	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	prsm_pymn_alow_amt	Estimated withdrawable amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	pymn_alow_amt	withdrawable amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	ord_alow_amt	available order amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left

Request Example

```
{}
```

Response Example


```
{
    "entra": "000000098740486",
    "profa_ch": "000000000000000",
    "chck_ina_amt": "000000000000000",
    "etc_loan": "000000000000000",
    "etc_loan_dlfe": "000000000000000",
    "etc_loan_tot": "000000000000000",
    "prsm_entra": "000000098740486",
    "buy_exct_amt": "000000000000000",
    "sell_exct_amt": "000000000000000",
    "sell_buy_exct_amt": "000000000000000",
    "dly_amt": "000000000000000",
    "prsm_pymn_alow_amt": "000000098740486",
    "pymn_alow_amt": "000000098740486",
    "ord_alow_amt": "000000098740486",
    "return_code": 0,
    "return_msg": "조회가 완료되었습니다."
}
```

API information	
menu location	domestic stock > account > gold spot orderexecutionfull inquiry(kt50030)
API name	Gold spot orderexecutionFull inquiry
API ID	kt50030
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/acnt
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	
Inquire about the entire execution/unexecuted history of spot gold orders.	

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	ord_dt	orderdate	String	Y	8	YYYYMMDD
Body	qry_tp	inquirycategory	String	N	1	1: in order, 2: in reverse order
Body	mrkt_deal_tp	marketcategory	String	Y	1	5:KRX gold spot, fixed at 5 value
Body	stk_bond_tp	Stock bondcategory	String	Y	1	0:all, 1:stock, 2:bond
Body	slby_tp	sellcategory	String	Y	1	0:all, 1:sell, 2:buy
Body	stk_cd	stock code	String	N	12	M04020000: Gold 99.99_1kg, M04020100: Mini Gold 99.99_100g, All inquiries are set to an empty value (")
Body	fr_ord_no	Start order number	String	N	7	When entering the starting order number, previous orders will not be inquiry, all Inquiry is set to an empty value (")
Body	dmst_stex_tp	Domestic exchange category	String	N	6	%:(Total), KRX, NXT, SOR

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	acnt_ord_cntr_prst	Order execution status by account	LIST	N		
Body	- stk_bond_tp	Stock bondcategory	String	N	1	
Body	- ord_no	order number	String	N	7	7 digit order number

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- stk_cd	Product code	String	N	12	Gold stock code 9 digits
Body	- trde_tp	Salescategory	String	N	12	
Body	- io_tp_nm	order typecategory	String	N	20	
Body	- ord_qty	order quantity	String	N	10	Unit: 1 week, 10-digit number including sign with 0-padding on the left
Body	- ord_uv	order price	String	N	10	Unit: circle, 10-digit number including sign with 0-padding on the left
Body	- cnfm_qty	Confirmed quantity	String	N	10	Unit: 1 week, 10-digit number including sign with 0-padding on the left
Body	- data_send_end_tp	Reception category	String	N	12	
Body	- mrkt_deal_tp	marketcategory	String	N	1	
Body	- rsrv_tp	Reservation/opposition	String	N	4	
Body	- orig_ord_no	original order number	String	N	7	If there is no original order, output as '0000000'
Body	- stk_nm	stock name	String	N	40	
Body	- dcd_tp_nm	Payment category	String	N	4	
Body	- crd_deal_tp	Credit transaction category	String	N	20	
Body	- cntr_qty	executed quantity	String	N	10	Unit: 1 week, 10-digit number including sign with 0-padding on the left
Body	- cntr_uv	execution unit price	String	N	10	Unit: circle, 10-digit number including sign with 0-padding on the left
Body	- ord_remnq	unexecuted quantity	String	N	10	Unit: 1 week, 10-digit number including sign with 0-padding on the left
Body	- comm_ord_tp	Communicationcategory	String	N	10	
Body	- mdfy_cncl_tp	modifycancelcategory	String	N	20	
Body	- dmst_stex_tp	Domestic exchange category	String	N	6	
Body	- cond_uv	stop	String	N	10	Unit: circle, 10-digit number including sign with 0-padding on the left

Request Example


```
{
    "ord_dt": "20250821",
    "qry_tp": "1",
    "mrkt_deal_tp": "1",
    "stk_bond_tp": "0",
    "slby_tp": "0",
    "stk_cd": "M04020000",
    "fr_ord_no": "",
    "dmst_stex_tp": "KRX"
}
```


Response Example


```
{
    "acnt_ord_cntr_prst": [
        {
            "stk_bond_tp": "1",
            "ord_no": "0000010",
            "stk_cd": "M04020000",
            "trde_tp": "지정가",
            "io_tp_nm": "매수",
            "ord_qty": "0000000001",
            "ord_uv": "0000140000",
            "cnfm_qty": "0000000000",
            "data_send_end_tp": "접수",
            "mrkt_deal_tp": "5",
            "rsrv_tp": "",
            "orig_ord_no": "0000000",
            "stk_nm": "금 99.99_1Kg",
            "dcd_tp_nm": "당일",
            "crd_deal_tp": "",
            "cntr_qty": "0000000000",
```

Response Example

"cntr_uv": "0000000000", "ord_remnq": "", "comm_ord_tp": "REST API", "mdfy_cncl_tp": "", "dmst_stex_tp": "KRX", "cond_uv": "0000000000" }, { "stk_bond_tp": "1", "ord_no": "0000011", "stk_cd": "M04020000", "trde_tp": "limit price", "io_tp_nm": "buy", "ord_qty": "0000000001", "ord_uv": "0000140000", "cnfm_qty": "0000000000", "data_send_end_tp": "Send", "mrkt_deal_tp": "5", "rsrv_tp": "", "orig_ord_no": "0000000", "stk_nm": "Gold 99.99_1Kg", "dcd_tp_nm": "today", "crd_deal_tp": "", "cntr_qty": "0000000000", "cntr_uv": "0000000000", "ord_remnq": "", "comm_ord_tp": "REST API", "mdfy_cncl_tp": "", "dmst_stex_tp": "KRX", "cond_uv": "0000000000" },], "return_code": 0, "return_msg": "inquiry completed" }

API information	
menu location	domestic stock > account > gold spot orderexecutioninquiry(kt50031)
API name	spot gold orderexecutioninquiry
API ID	kt50031

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/acnt
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Inquire about the execution details of spot gold orders.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	ord_dt	orderdate	String	N	8	YYYYMMDD
Body	qry_tp	inquirycategory	String	Y	1	1:order order, 2:reverse order, 3:unexecuted, 4:execution history only
Body	stk_bond_tp	Stock bondcategory	String	Y	1	0:all, 1:stock, 2:bond
Body	sell_tp	sellcategory	String	Y	1	0:all, 1:sell, 2:buy
Body	stk_cd	stock code	String	N	12	M04020000: Gold 99.99_1kg, M04020100: Mini Gold 99.99_100g, All inquiries are set to an empty value ('')
Body	fr_ord_no	Start order number	String	N	7	When entering the starting order number, previous orders will not be inquiry, all Inquiry is set to an empty value ('')
Body	dmst_stex_tp	Domestic exchange category	String	Y	6	%: (all), KRX: Korea Exchange, NXT: Next Trade, SOR: Choi Seon order execution

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	acnt_ord_cntr_prps_dtl	Order execution details by account Details	LIST	N		
Body	- ord_no	order number	String	N	7	7 digit order number
Body	- stk_cd	stock number	String	N	12	Gold stock code 9 digits

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- trde_tp	Salescategory	String	N	20	
Body	- crd_tp	creditcategory	String	N	20	
Body	- ord_qty	order quantity	String	N	10	Unit: 1 week, 10-digit number including sign with 0-padding on the left
Body	- ord_uv	order price	String	N	10	Unit: circle, 10-digit number including sign with 0-padding on the left
Body	- cnfm_qty	Confirmed quantity	String	N	10	Unit: 1 week, 10-digit number including sign with 0-padding on the left
Body	- acpt_tp	Reception category	String	N	20	
Body	- rsrv_tp	Opposite or not	String	N	20	
Body	- ord_tm	ordertime	String	N	8	HH:mm:ss
Body	- ori_ord	original order	String	N	7	If there is no original order, output as '0000000'
Body	- stk_nm	stock name	String	N	40	
Body	- io_tp_nm	order classification	String	N	20	
Body	- loan_dt	loan date	String	N	8	YYYYMMDD
Body	- cntr_qty	executed quantity	String	N	10	Unit: 1 week, 10-digit number including sign with 0-padding on the left
Body	- cntr_uv	execution unit price	String	N	10	Unit: circle, 10-digit number including sign with 0-padding on the left
Body	- ord_remnq	orderremaining quantity	String	N	10	Unit: 1 week, 10-digit number including sign with 0-padding on the left
Body	- comm_ord_tp	Communicationcategory	String	N	20	
Body	- mdfy_cncl	modifycancel	String	N	20	
Body	- cnfm_tm	confirmation time	String	N	8	HH:mm:ss
Body	- dmst_stex_tp	Domestic exchange category	String	N	8	
Body	- cond_uv	stop	String	N	10	Unit: circle, 10-digit number including sign with 0-padding on the left

Request Example


```
{
    "ord_dt": "20250821",
    "qry_tp": "1",
    "stk_bond_tp": "0",
    "sell_tp": "0",
    "stk_cd": "M04020000",
    "fr_ord_no": "",
    "dmst_stex_tp": "%"
}
```


Response Example


```
{
    "acnt_ord_cntr_prps_dtl": [
        {
            "ord_no": "0000010",
            "stk_cd": "M04020000",
            "trde_tp": "지정가",
            "crd_tp": "보통매매",
            "ord_qty": "0000000001",
            "ord_uv": "0000140000",
            "cnfm_qty": "0000000000",
            "acpt_tp": "접수",
            "rsrv_tp": "",
            "ord_tm": "13:20:37",
            "ori_ord": "0000000",
            "stk_nm": "금 99.99_1Kg",
            "io_tp_nm": "매수",
            "loan_dt": "",
            "cntr_qty": "0000000000",
            "cntr_uv": "0000000000",
            "ord_remnq": "0000000000",
```

Response Example


```
"comm_ord_tp": "REST API",
            "mdfy_cncl": "",
            "cnfm_tm": "",
            "dmst_stex_tp": "KRX",
            "cond_uv": "0000000000"
        },
        {
            "ord_no": "0000011",
            "stk_cd": "M04020000",
            "trde_tp": "limit price",
            "crd_tp": "normal sale",
            "ord_qty": "0000000001",
            "ord_uv": "0000140000",
            "cnfm_qty": "0000000000",
            "acpt_tp": "Accept",
            "rsrv_tp": "",
            "ord_tm": "13:20:39",
            "ori_ord": "0000000",
            "stk_nm": "Gold 99.99_1Kg",
            "io_tp_nm": "buy",
            "loan_dt": "",
            "cntr_qty": "0000000000",
            "cntr_uv": "0000000000",
            "ord_remnq": "0000000001",
            "comm_ord_tp": "REST API",
            "mdfy_cncl": "",
            "cnfm_tm": "",
            "dmst_stex_tp": "KRX",
            "cond_uv": "0000000000"
        },
    ],
    "return_code": 0,
    "return_msg": "inquiry completed"
}
```

API information	
menu location	domestic stock > account > gold spot transaction details inquiry(kt50032)
API name	Gold spot transaction details inquiry
API ID	kt50032

basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/acnt
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

For transactions with the same account number/account serial number/branch code/stock code/sell buycategory/media value for each date, fees and value-added tax are added together. Additionally, each sum is Only the last transaction details are displayed.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	strt_dt	start date	String	N	8	YYYYMMDD
Body	end_dt	end date character	String	N	8	YYYYMMDD
Body	tp	category	String	N	1	0: Total, 1: Deposit/Withdrawal, 2: Release, 3: Sale, 4: Buy, 5: Sell, 6: Deposit, 7: Withdrawal
Body	stk_cd	stock code	String	N	12	M04020000: Gold 99.99_1kg, M04020100: Mini Gold 99.99_100g, All inquiries are set to an empty value ('')

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	acnt_print	account number	String	N	62	For printing account number
Body	gold_trde_hist	Gold spot transaction details	LIST	N		
Body	- deal_dt	transactiondate	String	N	8	YYYYMMDD
Body	- deal_no	transaction number	String	N	9	9-digit transaction number
Body	- rmrk_nm	Brief name	String	N	60	
Body	- deal_qty	Transaction Quantity	String	N	15	Unit: 1 week, 15-digit number including sign with 0-padding on the left
Body	- gold_spot_vat	Gold spot value added tax	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- exct_amt	Settlement amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	- dly_sum	delinquent sum	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	- entra_remn	depositbalance	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	- mdia_nm	Meche category name	String	N	20	
Body	- orig_deal_no	Original transaction number	String	N	7	If there is no original order, output as '0000000'
Body	- stk_nm	stock name	String	N	40	
Body	- uv_exrt	Transaction price	String	N	15	
Body	- cmsn	charge	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	- uncl_ocr	Received (KRW/g)	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	- rpym_sum	Reimbursement sum	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	- spot_remn	spot balance	String	N	15	Unit: 1 week, 15-digit number including sign with 0-padding on the left
Body	- proc_time	processing time	String	N	8	HH:mm:ss
Body	- rcpy_no	Cashier number	String	N	9	9 digit cashier number
Body	- stk_cd	stock code	String	N	12	gold stock cord
Body	- deal_amt	Transaction amount	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	- tax_tot_amt	Income/Residence Tax	String	N	15	Unit: circle, 15-digit number including sign with 0-padding on the left
Body	- cntr_dt	execution day	String	N	8	YYYYMMDD
Body	- proc_brch_nm	processing point	String	N	20	
Body	- prcsr	manager	String	N	20	

Request Example


```
{
    "strt_dt": "20250819",
    "end_dt": "20250820",
    "tp": "0",
    "stk_cd": ""
}
```


Response Example


```
{
    "acnt_print": "****-****-** [***]",
    "gold_trde_hist": [
        {
            "deal_dt": "20250905",
            "deal_no": "000000001",
            "rmrk_nm": "금현물매수",
            "deal_qty": "000000000000008",
            "gold_spot_vat": "000000000000382",
            "exct_amt": "000000001278522",
            "dly_sum": "000000000000000",
            "entra_remn": "000000097004944",
            "mdia_nm": "REST API",
            "orig_deal_no": "000000000",
            "stk_nm": "금99.99_1Kg",
            "uv_exrt": "159290.00",
            "cmsn": "000000000003820",
            "uncl_ocr": "000000000000000",
            "rpym_sum": "000000000000000",
            "spot_remn": "000000000000012",
            "proc_time": "17:40:04",
            "rcpy_no": "000000000",
            "stk_cd": "M04020000",
            "deal_amt": "000000001274320",
            "tax_tot_amt": "000000000000000",
```

Response Example

"cntr_dt": "20250905", "proc_brch_nm": "Online Branch 13", "prcsr": "DAILY" }, { "deal_dt": "20250908", "deal_no": "000000001", "rmrk_nm": "Spot gold sell", "deal_qty": "000000000000003", "gold_spot_vat": "000000000000000", "exct_amt": "000000000000000", "dly_sum": "000000000000000", "entra_remn": "000000097004944", "mdia_nm": "REST API", "orig_deal_no": "000000000", "stk_nm": "Gold 99.99_1Kg", "uv_exrt": "161700.00", "cmsn": "000000000000000", "uncl_ocr": "000000000000000", "rpym_sum": "000000000000000", "spot_remn": "000000000000009", "proc_time": "17:40:05", "rcpy_no": "000000000", "stk_cd": "M04020000", "deal_amt": "000000000485100", "tax_tot_amt": "000000000000000", "cntr_dt": "20250908", "proc_brch_nm": "Online Branch 13", "prcsr": "DAILY" },], "return_code": 0, "return_msg": "inquiry completed" }

API information	
menu location	domestic stock > account > gold spot unexecutedinquiry(kt50075)
API name	gold spot unexecutedinquiry
API ID	kt50075
basic information	
Method	POST
production domain	https://api.kiwoom.com
mock trading domain	https://mockapi.kiwoom.com (KRX only supported)
URL	/api/dostk/acnt
Format	JSON
Content-Type	application/json;charset=UTF-8
overview	

Inquire about unexecuted details of spot gold orders.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	ord_dt	orderdate	String	Y	8	YYYYMMDD
Body	qry_tp	inquirycategory	String	N	1	1: in order, 2: in reverse order
Body	mrkt_deal_tp	marketcategory	String	Y	1	5:KRW gold spot, fixed at 5 value
Body	stk_bond_tp	Stock bondcategory	String	Y	1	0:all, 1:stock, 2:bond
Body	sell_tp	sellcategory	String	Y	1	0:all, 1:sell, 2:buy
Body	stk_cd	stock code	String	N	12	M04020000: Gold 99.99_1kg, M04020100: Mini Gold 99.99_100g, All inquiries are set to an empty value (")
Body	fr_ord_no	Start order number	String	N	7	When entering the starting order number, previous orders will not be inquiry, all Inquiry is set to an empty value (")
Body	dmst_stex_tp	Domestic exchange category	String	N	6	%:(Total), KRX, NXT, SOR

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	acnt_ord_oso_prst	Orderunexecuted by account Hwang	LIST	N		
Body	- stk_bond_tp	Stock bondcategory	String	N	1	
Body	- ord_no	order number	String	N	7	7 digit order number

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- stk_cd	Product code	String	N	12	Gold stock code 9 digits
Body	- trde_tp	Salescategory	String	N	12	
Body	- io_tp_nm	order typecategory	String	N	20	
Body	- ord_qty	order quantity	String	N	10	Unit: 1 week, 10-digit number including sign with 0-padding on the left
Body	- ord_uv	order price	String	N	10	Unit: 1 week, 10-digit number including sign with 0-padding on the left
Body	- cnfm_qty	Confirmed quantity	String	N	10	Unit: 1 week, 10-digit number including sign with 0-padding on the left
Body	- data_send_end_tp	Reception category	String	N	12	
Body	- mrkt_deal_tp	marketcategory	String	N	1	
Body	- rsrv_tp	Reservation/opposition	String	N	4	
Body	- orig_ord_no	original order number	String	N	7	If there is no original order, output as '0000000'
Body	- stk_nm	stock name	String	N	40	
Body	- dcd_tp_nm	Payment category	String	N	4	
Body	- crd_deal_tp	Credit transaction category	String	N	20	
Body	- cntr_qty	executed quantity	String	N	10	Unit: 1 week, 10-digit number including sign with 0-padding on the left
Body	- cntr_uv	execution unit price	String	N	10	Unit: circle, 10-digit number including sign with 0-padding on the left
Body	- ord_remnq	unexecuted quantity	String	N	10	Unit: 1 week, 10-digit number including sign with 0-padding on the left
Body	- comm_ord_tp	Communicationcategory	String	N	10	
Body	- mdfy_cncl_tp	modifycancelcategory	String	N	20	
Body	- dmst_stex_tp	Domestic exchange category	String	N	6	
Body	- cond_uv	stop	String	N	10	Unit: circle, 10-digit number including sign with 0-padding on the left

Request Example


```
{
    "ord_dt": "20250821",
    "qry_tp": "1",
    "mrkt_deal_tp": "1",
    "stk_bond_tp": "0",
    "sell_tp": "0",
    "stk_cd": "M04020000",
    "fr_ord_no": "",
    "dmst_stex_tp": "KRX"
}
```


Response Example


```
{
    "acnt_ord_oso_prst": [
        {
            "stk_bond_tp": "1",
            "ord_no": "0000016",
            "stk_cd": "M04020000",
            "trde_tp": "지정가",
            "io_tp_nm": "매수",
            "ord_qty": "0000000001",
            "ord_uv": "0000140000",
            "cnfm_qty": "0000000000",
            "data_send_end_tp": "접수",
            "mrkt_deal_tp": "5",
            "rsrv_tp": "",
            "orig_ord_no": "0000000",
            "stk_nm": "금 99.99_1Kg",
            "dcd_tp_nm": "당일",
            "crd_deal_tp": "",
            "cntr_qty": "0000000000",
```

Response Example

"cntr_uv": "0000000000", "ord_remnq": "0000000001", "comm_ord_tp": "REST API", "mdfy_cncl_tp": "", "dmst_stex_tp": "KRX", "cond_uv": "0000000000" }, { "stk_bond_tp": "1", "ord_no": "0000015", "stk_cd": "M04020000", "trde_tp": "limit price", "io_tp_nm": "buy", "ord_qty": "0000000001", "ord_uv": "0000140000", "cnfm_qty": "0000000000", "data_send_end_tp": "Send", "mrkt_deal_tp": "5", "rsrv_tp": "", "orig_ord_no": "0000000", "stk_nm": "Gold 99.99_1Kg", "dcd_tp_nm": "today", "crd_deal_tp": "", "cntr_qty": "0000000000", "cntr_uv": "0000000000", "ord_remnq": "0000000001", "comm_ord_tp": "REST API", "mdfy_cncl_tp": "", "dmst_stex_tp": "KRX", "cond_uv": "0000000000" },], "return_code": 0, "return_msg": "inquiry completed" }

API information	
menu location	domestic stock > real-time price > orderexecution(00)
API name	orderexecution
API ID	00

basic information	
Method	POST
production domain	wss://api.kiwoom.com:10000
mock trading domain	wss://mockapi.kiwoom.com:10000 (KRX only supported)
URL	/api/dostk/websocket
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

In real-time field 00 (order execution), regardless of stock code (item) registration, data is generated when a transaction such as order reception, execution, modification, cancellation, etc. occurs in an account that has issued an ACCESS TOKEN.
Received.
If you would like to see the execution history of the stock regardless of ACCESS TOKEN issuance, please use 0B.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	trnm	Service name	String	Y	10	REG: Registration, REMOVE: Cancellation
Body	grp_no	group number	String	Y	4	
Body	refresh	Whether existing registration is maintained	String	Y	1	Upon registration (REG) 0: Do not maintain existing 1: Maintain existing (Default) If it is 0, the previously registered item/type is cancelled. If it is 1, the previously registered item/type is cancelled. Maintain item/type No value required for REMOVE
Body	data	Real-time registration list	LIST			
Body	- item	Real-time registration elements	String	N	100	
Body	- type	real time field	String	Y	2	TR name(0A,0B....)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	return_code	Result code	String	N		Code for communication result (Value transmitted only when registering or canceling request 0: Normal, 1: Error, data real time

Response						
category	Element	Korean name	Type	Required	Length	Description
						Not sent when received)
Body	return_msg	Result message	String	N		Message about communication result
Body	trnm	Service name	String	N		
Body	data	Real-time registration list	LIST	N		
Body	- type	realtimefield	String	N		TR name(0A,0B....)
Body	- name	Real-time field name	String	N		
Body	- item	Real-time registration elements	String	N		stock code
Body	- values	Real-time value list	LIST	N		
Body	- - 9201	account number	String	N		10-digit unique account number
Body	- - 9203	order number	String	N		7 digit order number
Body	- - 9205	Administrator's number	String	N		
Body	- - 9001	stock code,sector code	String	N		
Body	- - 912	order task classification	String	N		
Body	- - 913	order status	String	N		Reception, execution, confirmation, cancel, rejection
Body	- - 302	stock name	String	N		
Body	- - 900	order quantity	String	N		Unit: 1 week
Body	- - 901	order price	String	N		Unit: Won
Body	- - 902	unexecuted quantity	String	N		Unit: 1 week
Body	- - 903	Cumulative execution amount	String	N		Unit: Won
Body	- - 904	original order number	String	N		If there is no original order, output as '0000000'
Body	- - 905	order classification	String	N		"+/-", sell, buy, sellmodify, buymodify, buycancel, sellcancel ? In Heroic Gate 4, if it is marked in red, + is written in blue. If marked, - is written in front.
Body	- - 906	Salescategory	String	N		Normal, market price, conditional limit price, best limit price, top priority limit price, Normal(IOC), market price(IOC), Yuri Choi(IOC), normal(FOK), market price(FOK), Choi Yuri(FOK), Storm limit price, mid price, mid price(IOC), Mid-price (FOK), pre-market, after-market, bulk outside of time, Out-of-time basket, out-of-time stock shares, out-of-time single price
Body	- - 907	sellcategory	String	N		1:sell, 2:buy
Body	- - 908	order/execution time	String	N		HHmmss
Body	- - 909	execution number	String	N		
Body	- - 910	execution	String	N		
Body	- - 911	execution amount	String	N		
Body	- - 10	current price	String	N		Unit: Won, number included in asking price
Body	- - 27	(top priority)ask price	String	N		Unit: Won, number included in asking price
Body	- - 28	(Highest priority) bid price	String	N		Unit: Won, number included in asking price
Body	- - 914	Unit execution	String	N		
Body	- - 915	Unit execution amount	String	N		
Body	- - 938	Today's purchase completion	String	N		

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- - 939	today sales tax	String	N		
Body	- - 919	Reason for rejection	String	N		
Body	- - 920	screen number	String	N		HTS screen number
Body	- - 921	terminal number	String	N		
Body	- - 922	creditcategory	String	N		For real-time execution
Body	- - 923	loan date	String	N		For real-time execution
Body	- - 10010		String	N		
Body	- - 2134	Exchange category	String	N		0:Integrated,1:KRX,2:NXT
Body	- - 2135	Exchange category name	String	N		Integrated, KRX, NXT
Body	- - 2136	SOR?	String	N		Y,N

Request Example

```
{
    "trnm": "REG",
    "grp_no": "1",
    "refresh": "1",
    "data": [
        {
            "item": [
                ""
            ],
            "type": [
                "00"
            ]
        }
    ]
}
```

Response Example

```
#request
{
   'trnm': 'REG',
   'return_code': 0,
   'return_msg': ''
}
#Real-time reception
{
   'data':[
      {
         'values': {
            '9201':'1111111111',
            '9203':'0000018',
            '9205':'',
            '9001':'005930',
            '912':'JJ',
            '913':'Reception',
            '302':'Samsung Electronics',
            '900':'1',
            '901':'0',
            '902':'1',
            '903':'0',
            '904':'0000000',
            '905':'+buy',
            '906':'market price',
            '907':'2',
            '908':'094022',
            '909':'',
            '910':'',
            '911':'',
            '10':'+60700',
            '27':'+60700',
            '28':'-60000',
            '914':'',
```

Response Example


```
'915':'',
                '938':'0',
                '939':'0',
                '919':'0',
                '920':'',
                '921':'0701002',
                '922':'00',
                '923':'00000000',
                '10010':'',
                '2134':'1',
                '2135':'KRX',
                '2136':'Y'
            },
            'type':'00',
            'name':'orderexecution',
            'item':'005930'
        }
    ],
    'trnm': 'REAL'
}
```

API information	
menu location	domestic stock > real-time price > balance(04)
API name	balance
API ID	04

basic information	
Method	POST
production domain	wss://api.kiwoom.com:10000
mock trading domain	wss://mockapi.kiwoom.com:10000 (KRX only supported)
URL	/api/dostk/websocket
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

In real-time field 04 (balance), data is received when order execution occurs in an account that has issued an ACCESS TOKEN, regardless of stock code (item) registration.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	trnm	Service name	String	Y	10	REG: Registration, REMOVE: Cancellation
Body	grp_no	group number	String	Y	4	
Body	refresh	Whether existing registration is maintained	String	Y	1	Upon registration (REG) 0: Do not maintain existing 1: Maintain existing (Default) If it is 0, the previously registered item/type is cancelled. If it is 1, the previously registered item/type is cancelled. Maintain item/type No value required for REMOVE
Body	data	Real-time registration list	LIST			
Body	- item	Real-time registration elements	String	N	104	
Body	- type	real time field	String	Y	2	TR name(0A,0B....)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	return_code	Result code	String	N		Code for communication result (Value transmitted only when registering or canceling request 0: Normal, 1: Error, data real time Not sent when received)
Body	return_msg	Result message	String	N		Message about communication result

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	trnm	Service name	String	N		
Body	data	Real-time registration list	LIST	N		
Body	- type	realtimefield	String	N		TR name(0A,0B....)
Body	- name	Real-time field name	String	N		
Body	- item	Real-time registration elements	String	N		stock code
Body	- values	Real-time value list	LIST	N		
Body	- - 9201	account number	String	N		10-digit unique account number
Body	- - 9001	stock code,sector code	String	N		
Body	- - 917	creditcategory	String	N		
Body	- - 916	loan date	String	N		YYYYMMDD
Body	- - 302	stock name	String	N		
Body	- - 10	current price	String	N		Unit: Won, number included in asking price
Body	- - 930	holding quantity	String	N		Unit: 1 week
Body	- - 931	purchase unit price	String	N		Unit: Won
Body	- - 932		String	N		Unit: Won
Body	- - 933	Orderable quantity	String	N		Unit: 1 week
Body	- - 945	Today?s net buy volume	String	N		Unit: 1 week
Body	- - 946	sell/buycategory	String	N		contract, state
Body	- - 950	todayTotal sellprofit/loss	String	N		
Body	- - 951	Extra Item	String	N		
Body	- - 27	(top priority)ask price	String	N		Unit: Won, number included in asking price
Body	- - 28	(Highest priority) bid price	String	N		Unit: Won, number included in asking price
Body	- - 307	base price	String	N		Unit: Won
Body	- - 8019	profit/loss rate (realized profit/loss)	String	N		Units: %, percentage formatted to 2 decimal places with sign
Body	- - 957	credit amount	String	N		
Body	- - 958	credit interest	String	N		
Body	- - 918	expiration date	String	N		YYYYMMDD
Body	- - 990	Today's profit/loss (oil price)	String	N		
Body	- - 991	Today's realized profit/loss rate (oil price)	String	N		
Body	- - 992	todayrealizedprofit/loss(credit)	String	N		
Body	- - 993	Today's realized profit/loss rate (credit)	String	N		
Body	- - 959	Collateral loan quantity	String	N		
Body	- - 924	Extra Item	String	N		

Request Example

```
{
    "trnm": "REG",
    "grp_no": "1",
```

Request Example

```
    "refresh": "1",
    "data": [
        {
            "item": [
                ""
            ],
            "type": [
                "04"
            ]
        }
    ]
}
```

Response Example

```
#request
{
  'trnm': 'REG',
  'return_code': 0,
  'return_msg': ''
}
#Real-time reception
{
  'data': [
    {
      'values': {
        '9201': '1111111111',
        '9001': '005930',
        '917': '00',
        '916': '00000000',
        '302': 'Samsung Electronics',
        '10': '-60150',
        '930': '102',
        '931': '154116',
        '932': '15719834',
        '933': '102',
        '945': '4',
        '946': '2',
        '950': '0',
        '951': '0',
        '27': '-60200',
        '28': '-60100',
        '307': '60300',
        '8019': '0.00',
        '957': '0',
        '958': '0',
        '918': '00000000',
        '990': '0',
        '991': '0.00',
        '992': '0',
        '993': '0.00',
        '959': '0',
        '924': '0'
      },
      'type': '04',
      'name': 'Spot balance',
      'item': '005930'
    }
  ],
  'trnm': 'REAL'
}
```

API information	
menu location	domestic stock > Real-time price > Stock momentum (0A)
API name	stock momentum
API ID	0A

basic information	
Method	POST
production domain	wss://api.kiwoom.com:10000
mock trading domain	wss://mockapi.kiwoom.com:10000 (KRX only supported)
URL	/api/dostk/websocket
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

This is real-time data that occurs when a specific stock is in momentum, and occurs when stock closing price data is corrected in bulk transactions or exchanges where the current price changes without execution in the market.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	trnm	Service name	String	Y	10	REG: Registration, REMOVE: Cancellation
Body	grp_no	group number	String	Y	4	
Body	refresh	Whether existing registration is maintained	String	Y	1	Upon registration (REG) 0: Do not maintain existing 1: Maintain existing (Default) If it is 0, the previously registered item/type is cancelled. If it is 1, the previously registered item/type is cancelled. Maintain item/type No value required for REMOVE
Body	data	Real-time registration list	LIST			
Body	- item	Real-time registration elements	String	N	100	Stock code, sector code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	- type	real time field	String	Y	2	TR name(0A,0B....)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	return_code	Result code	String	N		Code for communication result (Value transmitted only when registering or canceling request 0: Normal, 1: Error, data real time Not sent when received)

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	return_msg	Result message	String	N		Message about communication results (value transmitted only upon registration or cancellation, data Not transmitted when receiving in real time)
Body	trnm	Service name	String	N		
Body	data	Real-time registration list	LIST	N		
Body	- type	realtimefield	String	N		TR name(0A,0B....)
Body	- name	Real-time field name	String	N		
Body	- item	Real-time registration elements	String	N		stock code
Body	- values	Real-time value list	LIST	N		
Body	- - 10	current price	String	N		Unit: Won, number included in asking price
Body	- - 11	change from previous day	String	N		Unit: Won, number included in asking price
Body	- - 12	change rate	String	N		Units: %, percentage formatted to 2 decimal places with sign
Body	- - 27	(top priority)ask price	String	N		Unit: Won, number included in asking price
Body	- - 28	(Highest priority) bid price	String	N		Unit: Won, number included in asking price
Body	- - 13	cumulative volume	String	N		Unit: 1 week
Body	- - 14	cumulative trading amount	String	N		Unit: million won
Body	- - 16	opening price	String	N		Unit: Won, number included in asking price
Body	- - 17	high price	String	N		Unit: Won, number included in asking price
Body	- - 18	low price	String	N		Unit: Won, number included in asking price
Body	- - 25	change sign	String	N		1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- - 26	previous daytrading volumechange (contract ,Note)	String	N		Unit: 1 week, number including sub-asking price
Body	- - 29	increase/decrease trading amount	String	N		Unit: Won, number included in asking price
Body	- - 30	previous daytrading volumechange(ratio)	String	N		Units: %, percentage formatted to 2 decimal places with sign
Body	- - 31	transaction turnover rate	String	N		Units: %, percentage formatted to two decimal places.
Body	- - 32	transaction cost	String	N		
Body	- - 311	market capitalization (billion)	String	N		Unit: KRW 100 million
Body	- - 567	upper limit price occurrence time	String	N		HHmmss
Body	- - 568	lower limit price occurrence time	String	N		HHmmss

Request Example

```
{
    "trnm": "REG",
    "grp_no": "1",
    "refresh": "1",
    "data": [
        {
            "item": [
                "005930"
            ],
            "type": [
                "0A"
            ]
        }
    ]
}
```

Response Example

Response Example

```
#request
{
    'trnm': 'REG',
    'return_code': 0,
    'return_msg': ''
}
#Real-time reception
{
    'data': [
        {
            'values': {
                '10': '+86800',
                '11': '+19500',
                '12': '+28.97',
                '27': '+85200',
                '28': '+85100',
                '13': '367090',
                '14': '31642',
                '16': '+87400',
                '17': '+87400',
                '18': '67300',
                '25': '2',
                '26': '+131995',
                '29': '+15843118000',
                '30': '+156.15',
                '31': '0.01',
                '32': '157',
                '311': '5181771',
                '567': '154912',
                '568': '000000'
            },
            'type': '0A',
            'name': 'Stock momentum',
            'item': '005930'
        }
    ],
    'trnm': 'REAL'
}
```

API information	
menu location	domestic stock > Real-time price > Stock execution(0B)
API name	stockexecution
API ID	0B

basic information	
Method	POST
production domain	wss://api.kiwoom.com:10000
mock trading domain	wss://mockapi.kiwoom.com:10000 (KRX only supported)
URL	/api/dostk/websocket
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Receive stock execution information by stock.
? Please set the stock code for the item.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	trnm	Service name	String	Y	10	REG: Registration, REMOVE: Cancellation
Body	grp_no	group number	String	Y	4	
Body	refresh	Whether existing registration is maintained	String	Y	1	Upon registration (REG) 0: Do not maintain existing 1: Maintain existing (Default) If it is 0, the previously registered item/type is cancelled. If it is 1, the previously registered item/type is cancelled. Maintain item/type No value required for REMOVE
Body	data	Real-time registration list	LIST			
Body	- item	Real-time registration elements	String	N	100	Stock code, sector code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	- type	real time field	String	Y	2	TR name(0A,0B....)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	return_code	Result code	String	N		Code for communication result (Value transmitted only when registering or canceling request 0: Normal, 1: Error, data real time Not sent when received)
Body	return_msg	Result message	String	N		Message about communication result

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	trnm	Service name	String	N		
Body	data	Real-time registration list	LIST	N		
Body	- type	realtimefield	String	N		TR name(0B,0B....)
Body	- name	Real-time field name	String	N		
Body	- item	Real-time registration elements	String	N		stock code
Body	- values	Real-time value list	LIST	N		
Body	- - 20	execution time	String	N		HHmmss
Body	- - 10	current price	String	N		Unit: Won, number included in asking price
Body	- - 11	change from previous day	String	N		Unit: Won, number included in asking price
Body	- - 12	change rate	String	N		Units: %, percentage formatted to 2 decimal places with sign
Body	- - 27	(top priority)ask price	String	N		Unit: Won, number included in asking price
Body	- - 28	(Highest priority) bid price	String	N		Unit: Won, number included in asking price
Body	- - 15	trading volume	String	N		+ is buyexecution, - is sellexecution
Body	- - 13	cumulative volume	String	N		Unit: 1 week
Body	- - 14	cumulative trading amount	String	N		Unit: million won
Body	- - 16	opening price	String	N		Unit: Won, number included in asking price
Body	- - 17	high price	String	N		Unit: Won, number included in asking price
Body	- - 18	low price	String	N		Unit: Won, number included in asking price
Body	- - 25	change sign	String	N		1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- - 26	previous daytrading volumechange (contract ,Note)	String	N		Unit: 1 week, number including sub-asking price
Body	- - 29	increase/decrease trading amount	String	N		Unit: Won, number included in asking price
Body	- - 30	previous daytrading volumechange(ratio)	String	N		Units: %, percentage formatted to 2 decimal places with sign
Body	- - 31	transaction turnover rate	String	N		Units: %, percentage formatted to two decimal places.
Body	- - 32	transaction cost	String	N		
Body	- - 228	execution intensity	String	N		Units: %, percentage formatted to two decimal places.
Body	- - 311	market capitalization (billion)	String	N		
Body	- - 290	Jangcategory	String	N		1: Other than pre-load time, 2: Intraday, 3: Other than post-load time
Body	- - 691	K.O approach	String	N		
Body	- - 567	upper limit price occurrence time	String	N		HHmmss
Body	- - 568	lower limit price occurrence time	String	N		HHmmss
Body	- - 851	previous day same time trading volume ratio	String	N		
Body	- - 1890	opening pricetime	String	N		
Body	- - 1891	high pricetime	String	N		
Body	- - 1892	low pricetime	String	N		
Body	- - 1030	quantity of sellexecution	String	N		

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- - 1031	buyexecution amount	String	N		
Body	- - 1032	buy rate	String	N		
Body	- - 1071	number of sellexecutions	String	N		
Body	- - 1072	Number of buyexecutions	String	N		
Body	- - 1313	Instant trading amount	String	N		
Body	- - 1315	Sellexecution amount_single item	String	N		
Body	- - 1316	buyexecution amount_single item	String	N		
Body	- - 1314	Net buyexecution volume	String	N		
Body	- - 1497	CFDmargin	String	N		
Body	- - 1498	maintenance margin	String	N		
Body	- - 620		String	N		
Body	- - 732	CFD trading costs	String	N		
Body	- - 852	Lending transaction cost	String	N		
Body	- - 9081	Exchange category	String	N		

Request Example

```
{
    "trnm": "REG",
    "grp_no": "1",
    "refresh": "1",
    "data": [
        {
            "item": [
                "005930"
            ],
            "type": [
                "0B"
            ]
        }
    ]
}
```

Response Example

```
#request
{
   'trnm': 'REG',
   'return_code': 0,
   'return_msg': ''
}
#Real-time reception
{
   'trnm': 'REAL',
   'data': [
      {
         'type': '0B',
         'name': 'stockexecution',
         'item': '005930',
         'values': {
            '20': '165208',
            '10': '-20800',
            '11': '-50',
            '12': '-0.24',
            '27': '-20800',
            '28': '-20700',
            '15': '+82',
            '13': '30379732',
            '14': '632640',
            '16': '20850',
            '17': '+21150',
```

Response Example


```
                '18': '-20450',
                '25': '5',
                '26': '-1057122',
                '29': '-22041267850',
                '30': '-96.64',
                '31': '36.67',
                '32': '44',
                '228': '98.92',
                '311': '17230',
                '290': '2',
                '691': '0',
                '567': '000000',
                '568': '000000',
                '851': '',
                '1890': '',
                '1891': '',
                '1892': '',
                '1030': '',
                '1031': '',
                '1032': '',
                '1071': '',
                '1072': '',
                '1313': '',
                '1315': '',
                '1316': '',
                '1314': '',
                '1497': '',
                '1498': '',
                '620': '',
                '732': '',
                '852': '',
                '9081': '1'
            }
        }
    ]
}
```

API information	
menu location	domestic stock > real-time price > stock preferential asking price(0C)
API name	stock preferential asking price
API ID	0C

basic information	
Method	POST
production domain	wss://api.kiwoom.com:10000
mock trading domain	wss://mockapi.kiwoom.com:10000 (KRX only supported)
URL	/api/dostk/websocket
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Receive top priority asking price information for stocks.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	trnm	Service name	String	Y	10	REG: Registration, REMOVE: Cancellation
Body	grp_no	group number	String	Y	4	
Body	refresh	Whether existing registration is maintained	String	Y	1	Upon registration (REG) 0: Do not maintain existing 1: Maintain existing (Default) If it is 0, the previously registered item/type is cancelled. If it is 1, the previously registered item/type is cancelled. Maintain item/type No value required for REMOVE
Body	data	Real-time registration list	LIST			
Body	- item	Real-time registration elements	String	N	100	Stock code, sector code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	- type	real time field	String	Y	2	TR name(0A,0B....)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	return_code	Result code	String	N		Code for communication result (Value transmitted only when registering or canceling request 0: Normal, 1: Error, data real time Not sent when received)
Body	return_msg	Result message	String	N		Message about communication result
Body	trnm	Service name	String	N		

Response						
category	Element	Korean name	Type	Require d	Length	Description
Body	data	Real-time registration list	LIST	N		
Body	- type	realtimefield	String	N		TR name(0A,0B....)
Body	- name	Real-time field name	String	N		
Body	- item	Real-time registration elements	String	N		stock code
Body	- values	Real-time value list	LIST	N		
Body	- - 27	(top priority)ask price	String	N		Unit: Won, number included in asking price
Body	- - 28	(Highest priority) bid price	String	N		Unit: Won, number included in asking price

Request Example

```
{
    "trnm": "REG",
    "grp_no": "1",
    "refresh": "1",
    "data": [
        {
            "item": [
                "005930"
            ],
            "type": [
                "0C"
            ]
        }
    ]
}
```

Response Example

```
#request
{
   'trnm': 'REG',
   'return_code': 0,
   'return_msg': ''
}
#Real-time reception
{
   'trnm': 'REAL',
   'data': [
      {
         'type': '0C',
         'name': 'Stock preferred asking price',
         'item': '005930',
         'values': {
            '27': '-20800',
            '28': '-20700'
         }
      }
   ]
}
```

API information	
menu location	domestic stock > real-time price > stock asking priceremaining quantity(0D)
API name	stock asking priceremaining quantity
API ID	0D

basic information	
Method	POST
production domain	wss://api.kiwoom.com:10000
mock trading domain	wss://mockapi.kiwoom.com:10000 (KRX only supported)
URL	/api/dostk/websocket
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Receives stock asking price remaining quantity information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	trnm	Service name	String	Y	10	REG: Registration, REMOVE: Cancellation
Body	grp_no	group number	String	Y	4	
Body	refresh	Whether existing registration is maintained	String	Y	1	Upon registration (REG) 0: Do not maintain existing 1: Maintain existing (Default) If it is 0, the previously registered item/type is cancelled. If it is 1, the previously registered item/type is cancelled. Maintain item/type No value required for REMOVE
Body	data	Real-time registration list	LIST			
Body	- item	Real-time registration elements	String	N	100	Stock code, sector code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	- type	real time field	String	Y	2	TR name(0A,0B....)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	return_code	Result code	String	N		Code for communication result (Value transmitted only when registering or canceling request 0: Normal, 1: Error, data real time Not sent when received)
Body	return_msg	Result message	String	N		Message about communication result
Body	trnm	Service name	String	N		

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	data	Real-time registration list	LIST	N		
Body	- type	realtimefield	String	N		TR name(0A,0B....)
Body	- name	Real-time field name	String	N		
Body	- item	Real-time registration elements	String	N		stock code
Body	- values	Real-time value list	LIST	N		
Body	- - 21	asking pricetime	String	N		HHmmss
Body	- - 41	ask price1	String	N		Unit: Won, number included in asking price
Body	- - 61	ask pricequantity1	String	N		Unit: 1 week
Body	- - 81	ask price just before change1	String	N		
Body	- - 51	bid price1	String	N		Unit: Won, number included in asking price
Body	- - 71	bid pricequantity1	String	N		Unit: 1 week
Body	- - 91	bid price just before change1	String	N		
Body	- - 42	ask price2	String	N		Unit: Won, number included in asking price
Body	- - 62	ask pricequantity 2	String	N		Unit: 1 week
Body	- - 82	ask price just before change2	String	N		
Body	- - 52	bid price2	String	N		Unit: Won, number included in asking price
Body	- - 72	bid pricequantity 2	String	N		Unit: 1 week
Body	- - 92	bid price just before change2	String	N		
Body	- - 43	ask price3	String	N		Unit: Won, number included in asking price
Body	- - 63	ask pricequantity 3	String	N		Unit: 1 week
Body	- - 83	ask price just before change3	String	N		
Body	- - 53	bid price3	String	N		Unit: Won, number included in asking price
Body	- - 73	bid pricequantity3	String	N		Unit: 1 week
Body	- - 93	bid price just before change3	String	N		
Body	- - 44	ask price4	String	N		Unit: Won, number included in asking price
Body	- - 64	ask pricequantity 4	String	N		Unit: 1 week
Body	- - 84	ask price just before change4	String	N		
Body	- - 54	bid price4	String	N		Unit: Won, number included in asking price
Body	- - 74	bid pricequantity 4	String	N		Unit: 1 week
Body	- - 94	bid price just before change4	String	N		
Body	- - 45	ask price5	String	N		Unit: Won, number included in asking price
Body	- - 65	ask pricequantity5	String	N		Unit: 1 week
Body	- - 85	ask price just before change5	String	N		
Body	- - 55	bid price5	String	N		Unit: Won, number included in asking price
Body	- - 75	bid pricequantity5	String	N		Unit: 1 week
Body	- - 95	bid price just before change5	String	N		
Body	- - 46	ask price6	String	N		Unit: Won, number included in asking price

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- - 66	ask pricequantity6	String	N		Unit: 1 week
Body	- - 86	ask price just before change6	String	N		
Body	- - 56	bid price6	String	N		Unit: Won, number included in asking price
Body	- - 76	bid pricequantity6	String	N		Unit: 1 week
Body	- - 96	bid price just before change6	String	N		
Body	- - 47	ask price7	String	N		Unit: Won, number included in asking price
Body	- - 67	ask pricequantity7	String	N		Unit: 1 week
Body	- - 87	ask price just before change7	String	N		
Body	- - 57	bid price7	String	N		Unit: Won, number included in asking price
Body	- - 77	bid pricequantity7	String	N		Unit: 1 week
Body	- - 97	bid price just before change7	String	N		
Body	- - 48	ask price8	String	N		Unit: Won, number included in asking price
Body	- - 68	ask pricequantity8	String	N		Unit: 1 week
Body	- - 88	ask price just before change8	String	N		
Body	- - 58	bid price8	String	N		Unit: Won, number included in asking price
Body	- - 78	bid pricequantity8	String	N		Unit: 1 week
Body	- - 98	bid price just before change8	String	N		
Body	- - 49	ask price9	String	N		Unit: Won, number included in asking price
Body	- - 69	ask pricequantity9	String	N		Unit: 1 week
Body	- - 89	ask price just before change9	String	N		
Body	- - 59	bid price9	String	N		Unit: Won, number included in asking price
Body	- - 79	bid pricequantity9	String	N		Unit: 1 week
Body	- - 99	bid price just before change9	String	N		
Body	- - 50	ask price10	String	N		Unit: Won, number included in asking price
Body	- - 70	ask pricequantity10	String	N		Unit: 1 week
Body	- - 60	bid price10	String	N		Unit: Won, number included in asking price
Body	- - 90	ask price just before change10	String	N		
Body	- - 80	bid pricequantity10	String	N		Unit: 1 week
Body	- - 100	bid price just before change10	String	N		
Body	- - 121	ask pricetotalremaining quantity	String	N		Unit: 1 week
Body	- - 122	ask pricetotalremaining quantityjust before change	String	N		
Body	- - 125	bid pricetotalremaining quantity	String	N		Unit: 1 week
Body	- - 126	bid pricetotalremaining quantityjust before change	String	N		
Body	- - 23	Expected execution	String	N		Unit: Won
Body	- - 24	Expected executed quantity	String	N		Unit: 1 week
Body	- - 128	Net buyremaining quantity	String	N		Unit: 1 week, number including sub-asking price

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- - 129	buy rate	String	N		Units: %, percentage formatted to two decimal places.
Body	- - 138	net sellremaining quantity	String	N		Unit: 1 week, number including sub-asking price
Body	- - 139	sell rate	String	N		Units: %, percentage formatted to two decimal places.
Body	- - 200	Expected execution priceprevious dayclosing price change	String	N		
Body	- - 201	Expected execution priceprevious dayclosing price changechange rate	String	N		
Body	- - 238	Expected execution priceprevious dayclosing price change sign	String	N		
Body	- - 291	Expected execution	String	N		A value that is only valid during the expected execution time.
Body	- - 292	Expected execution amount	String	N		
Body	- - 293	Expected execution changes from previous day symbol	String	N		
Body	- - 294		String	N		
Body	- - 295	Expected execution changes from previous day change rate	String	N		
Body	- - 621	LPask pricequantity1	String	N		
Body	- - 631	LPbid priceQuantity1	String	N		
Body	- - 622	LPask pricequantity 2	String	N		
Body	- - 632	LPbid priceQuantity 2	String	N		
Body	- - 623	LPask pricequantity3	String	N		
Body	- - 633	LPbid priceQuantity3	String	N		
Body	- - 624	LPask priceQuantity 4	String	N		
Body	- - 634	LPbid priceQuantity 4	String	N		
Body	- - 625	LPask pricequantity5	String	N		
Body	- - 635	LPbid priceQuantity 5	String	N		
Body	- - 626	LPask pricequantity6	String	N		
Body	- - 636	LPbid priceQuantity 6	String	N		
Body	- - 627	LPask pricequantity7	String	N		
Body	- - 637	LPbid pricequantity7	String	N		
Body	- - 628	LPask pricequantity8	String	N		
Body	- - 638	LPbid priceQuantity8	String	N		
Body	- - 629	LPask pricequantity9	String	N		
Body	- - 639	LPbid pricequantity9	String	N		
Body	- - 630	LPask pricequantity10	String	N		
Body	- - 640	LPbid priceQuantity10	String	N		
Body	- - 13	cumulative volume	String	N		
Body	- - 299	previous daytrading volumechange expected execution rate	String	N		
Body	- - 215	Jang Unyoungcategory	String	N		

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- - 216	ticker by investor	String	N		
Body	- - 6044	KRX ask priceremaining quantity1	String	N		
Body	- - 6045	KRX ask priceremaining quantity2	String	N		
Body	- - 6046	KRX ask priceremaining quantity3	String	N		
Body	- - 6047	KRX ask priceremaining quantity4	String	N		
Body	- - 6048	KRX ask priceremaining quantity5	String	N		
Body	- - 6049	KRX ask priceremaining quantity6	String	N		
Body	- - 6050	KRX ask priceremaining quantity7	String	N		
Body	- - 6051	KRX ask priceremaining quantity8	String	N		
Body	- - 6052	KRX ask priceremaining quantity9	String	N		
Body	- - 6053		String	N		
Body	- - 6054	KRX bid priceremaining quantity1	String	N		
Body	- - 6055	KRX bid priceremaining quantity2	String	N		
Body	- - 6056	KRX bid priceremaining quantity3	String	N		
Body	- - 6057	KRX bid priceremaining quantity4	String	N		
Body	- - 6058	KRX bid priceremaining quantity5	String	N		
Body	- - 6059	KRX bid priceremaining quantity6	String	N		
Body	- - 6060	KRX bid priceremaining quantity7	String	N		
Body	- - 6061	KRX bid priceremaining quantity8	String	N		
Body	- - 6062	KRX bid priceremaining quantity9	String	N		
Body	- - 6063		String	N		
Body	- - 6064		String	N		
Body	- - 6065		String	N		
Body	- - 6066	NXT ask priceremaining quantity1	String	N		
Body	- - 6067	NXT ask priceremaining quantity2	String	N		
Body	- - 6068	NXT ask priceremaining quantity3	String	N		
Body	- - 6069	NXT ask priceremaining quantity4	String	N		
Body	- - 6070	NXT ask priceremaining quantity5	String	N		
Body	- - 6071	NXT ask priceremaining quantity6	String	N		
Body	- - 6072	NXT ask priceremaining quantity7	String	N		
Body	- - 6073	NXT ask priceremaining quantity8	String	N		
Body	- - 6074	NXT ask priceremaining quantity9	String	N		
Body	- - 6075		String	N		
Body	- - 6076	NXT bid priceremaining quantity1	String	N		
Body	- - 6077	NXT bid priceremaining quantity2	String	N		
Body	- - 6078	NXT bid priceremaining quantity3	String	N		
Body	- - 6079	NXT bid priceremaining quantity4	String	N		

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- - 6080	NXT bid priceremaining quantity5	String	N		
Body	- - 6081	NXT bid priceremaining quantity6	String	N		
Body	- - 6082	NXT bid priceremaining quantity7	String	N		
Body	- - 6083	NXT bid priceremaining quantity8	String	N		
Body	- - 6084	NXT bid priceremaining quantity9	String	N		
Body	- - 6085		String	N		
Body	- - 6086		String	N		
Body	- - 6087		String	N		
Body	- - 6100	KRX mid-price sell Total remaining quantity increase/decrease	String	N		
Body	- - 6101	KRX mid-price sell Total remaining quantity	String	N		
Body	- - 6102	KRX mid price	String	N		
Body	- - 6103	KRX mid price buy Total remaining quantity	String	N		
Body	- - 6104	KRX mid price buy Total remaining quantity increase/decrease	String	N		
Body	- - 6105	NXTmid price sell Total remaining quantity increase/decrease	String	N		
Body	- - 6106	NXTmid price sell Total remaining quantity	String	N		
Body	- - 6107	NXT mid price	String	N		
Body	- - 6108	NXTmid price buy Total remaining quantity	String	N		
Body	- - 6109	NXTmid price buy Total remaining quantity increase/decrease	String	N		
Body	- - 6110	KRX mid-price change	String	N		base pricechange
Body	- - 6111	KRX mid-price change symbol	String	N		base pricechange
Body	- - 6112	KRX mid-price changeup and down Yul	String	N		base pricechange
Body	- - 6113	NXT mid-price change	String	N		base pricechange
Body	- - 6114	NXT mid-pricechange symbol	String	N		base pricechange
Body	- - 6115	NXT mid-price changeup and down Yul	String	N		base pricechange

Request Example

```
{
    "trnm": "REG",
    "grp_no": "1",
    "refresh": "1",
    "data": [
        {
            "item": [
                "005930"
            ],
            "type": [
                "0D"
            ]
        }
    ]
```

Request Example

```
}
```

Response Example

```
#request
{
   'trnm': 'REG',
   'return_code': 0,
   'return_msg': ''
}
#Real-time reception
{
   'trnm': 'REAL',
   'data': [
      {
         'type': '0D',
         'name': 'stock asking priceremaining quantity',
         'item': '005930',
         'values': {
            '21': '165207',
            '41': '-20800',
            '61': '82',
            '81': '0',
            '51': '-20700',
            '71': '23847',
            '91': '0',
            '42': '+20900',
            '62': '393',
            '82': '0',
            '52': '-20650',
            '72': '834748',
            '92': '0',
            '43': '+21000',
            '63': '674739',
            '83': '0',
            '53': '-20600',
            '73': '2145799',
            '93': '0',
            '44': '+21050',
            '64': '2055055',
            '84': '0',
            '54': '-20550',
            '74': '2134689',
            '94': '0',
            '45': '+21100',
            '65': '1998461',
            '85': '0',
            '55': '-20500',
            '75': '1982298',
            '95': '0',
            '46': '+21150',
            '66': '1932347',
            '86': '0',
            '56': '-20450',
            '76': '1853788',
            '96': '0',
            '47': '+21200',
            '67': '1723333',
            '87': '0',
            '57': '-20400',
            '77': '1687992',
            '97': '0',
            '48': '+21250',
            '68': '1621835',
            '88': '0',
            '58': '-20350',
            '78': '1467869',
            '98': '0',
            '49': '+21300',
            '69': '1373291',
            '89': '0',
            '59': '-20300',
            '79': '1259995',
            '99': '0',
            '50': '+21350',
            '70': '1242991',
            '90': '0',
            '60': '-20250',
```

Response Example

'80': '1062405',
'100': '0',
'121': '12622527',
'122': '-1036021',
'125': '14453430',
'126': '+1062126',
'23': '20850',
'24': '332941',
'128': '+1830903',
'129': '114.51',
'138': '-1830903',
'139': '87.33',
'200': '0',
'201': '0.00',
'238': '3',
'291': '0',
'292': '0',
'293': '3',
'294': '0',
'295': '0.00',
'621': '0',
'631': '0',
'622': '0',
'632': '0',
'623': '0',
'633': '0',
'624': '0',
'634': '0',
'625': '0',
'635': '0',
'626': '0',
'636': '0',
'627': '0',
'637': '0',
'628': '0',
'638': '0',
'629': '0',
'639': '0',
'630': '0',
'640': '0',
'13': '30379650',
'299': '-1.06',
'215': '',
'216': '',
'6044':'0',
'6045':'0',
'6046':'0',
'6047':'0',
'6048':'0',
'6049':'0',
'6050':'0',
'6051':'0',
'6052':'0',
'6053':'0',
'6054':'0',
'6055':'0',
'6056':'0',
'6057':'0',
'6058':'0',
'6059':'0',
'6060':'0',
'6061':'0',
'6062':'0',
'6063':'0',
'6064':'0',
'6065':'0',
'6066':'0',
'6067':'0',
'6068':'0',
'6069':'0',
'6070':'0',
'6071':'0',
'6072':'0',
'6073':'0',
'6074':'0',
'6075':'0',
'6076':'0',
'6077':'0',
'6078':'0',

Response Example


```
                '6079':'0',
                '6080':'0',
                '6081':'0',
                '6082':'0',
                '6083':'0',
                '6084':'0',
                '6085':'0',
                '6086':'0',
                '6087':'0',
                '6100':'0',
                '6101':'0',
                '6102':'0',
                '6103':'0',
                '6104':'0',
                '6105':'0',
                '6106':'0',
                '6107':'0',
                '6108':'0',
                '6109':'0',
                '6110':'0',
                '6111':'0',
                '6112':'0',
                '6113':'0',
                '6114':'0',
                '6115':'0'
            }
        }
    ]
}
```

API information	
menu location	domestic stock > real-time price > stock asking price(0E)
API name	stock time and asking price
API ID	0E

basic information	
Method	POST
production domain	wss://api.kiwoom.com:10000
mock trading domain	wss://mockapi.kiwoom.com:10000 (KRX only supported)
URL	/api/dostk/websocket
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Receive asking price information in addition to stock time.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	trnm	Service name	String	Y	10	REG: Registration, REMOVE: Cancellation
Body	grp_no	group number	String	Y	4	
Body	refresh	Whether existing registration is maintained	String	Y	1	Upon registration (REG) 0: Do not maintain existing 1: Maintain existing (Default) If it is 0, the previously registered item/type is cancelled. If it is 1, the previously registered item/type is cancelled. Maintain item/type No value required for REMOVE
Body	data	Real-time registration list	LIST			
Body	- item	Real-time registration elements	String	N	100	Stock code, sector code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	- type	real time field	String	Y	2	TR name(0A,0B....)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	return_code	Result code	String	N		Code for communication result (Value transmitted only when registering or canceling request 0: Normal, 1: Error, data real time Not sent when received)
Body	return_msg	Result message	String	N		Message about communication result
Body	trnm	Service name	String	N		

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	data	Real-time registration list	LIST	N		
Body	- type	realtimefield	String	N		TR name(0A,0B....)
Body	- name	Real-time field name	String	N		
Body	- item	Real-time registration elements	String	N		Stock code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	- values	Real-time value list	LIST	N		
Body	- - 21	asking pricetime	String	N		HHmmss
Body	- - 131	time and ask price total cup quantity	String	N		Unit: 1 week
Body	- - 132	time and ask price total cup change	String	N		Unit: 1 week, number including sub-asking price
Body	- - 135	Total bid price outside of time quantity	String	N		Unit: 1 week
Body	- - 136	Total bid price outside of time change	String	N		Unit: 1 week, number including sub-asking price

Request Example

```
{
    "trnm": "REG",
    "grp_no": "1",
    "refresh": "1",
    "data": [
        {
            "item": [
                "005930"
            ],
            "type": [
                "0E"
            ]
        }
    ]
}
```

Response Example

```
#request
{
  'trnm': 'REG',
  'return_code': 0,
  'return_msg': ''
}
#Real-time reception
{
  'trnm': 'REAL',
  'data': [
    {
      'type': '0E',
      'name': 'stock time and asking price',
      'item': '005930',
      'values': {
        '21': '165208',
        '131': '43955',
        '132': '+156',
        '135': '0',
        '136': '0'
      }
    }
  ]
}
```

API information	
menu location	domestic stock > real-time price > stock today trading center (0F)
API name	stock today trader
API ID	0F

basic information	
Method	POST
production domain	wss://api.kiwoom.com:10000
mock trading domain	wss://mockapi.kiwoom.com:10000 (KRX only supported)
URL	/api/dostk/websocket
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Receive stock today trader information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	trnm	Service name	String	Y	10	REG: Registration, REMOVE: Cancellation
Body	grp_no	group number	String	Y	4	
Body	refresh	Whether existing registration is maintained	String	Y	1	Upon registration (REG) 0: Do not maintain existing 1: Maintain existing (Default) If it is 0, the previously registered item/type is cancelled. If it is 1, the previously registered item/type is cancelled. Maintain item/type No value required for REMOVE
Body	data	Real-time registration list	LIST			
Body	- item	Real-time registration elements	String	N	100	Stock code, sector code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	- type	real time field	String	Y	2	TR name(0A,0B....)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	return_code	Result code	String	N		Code for communication result (Value transmitted only when registering or canceling request 0: Normal, 1: Error, data real time Not sent when received)
Body	return_msg	Result message	String	N		Message about communication result
Body	trnm	Service name	String	N		

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	data	Real-time registration list	LIST	N		
Body	- type	realtimefield	String	N		TR name(0A,0B....)
Body	- name	Real-time field name	String	N		
Body	- item	Real-time registration elements	String	N		stock code
Body	- values	Real-time value list	LIST	N		
Body	- - 141	sell trader1	String	N		
Body	- - 161	sellTraderQuantity1	String	N		Unit: 1 week
Body	- - 166		String	N		Unit: 1 week, number including sub-asking price
Body	- - 146	sell trader code 1	String	N		
Body	- - 271	sell trader color 1	String	N		
Body	- - 151	BuyDealer 1	String	N		
Body	- - 171	buyTraderQuantity1	String	N		Unit: 1 week
Body	- - 176		String	N		Unit: 1 week, number including sub-asking price
Body	- - 156	buy trader code 1	String	N		
Body	- - 281	buy trader color 1	String	N		
Body	- - 142	sell trader 2	String	N		
Body	- - 162	sellTrader Quantity 2	String	N		Unit: 1 week
Body	- - 167		String	N		Unit: 1 week, number including sub-asking price
Body	- - 147	sell trader code 2	String	N		
Body	- - 272	sell trader color 2	String	N		
Body	- - 152	BuyDealer 2	String	N		
Body	- - 172	buyTrader Quantity 2	String	N		Unit: 1 week
Body	- - 177		String	N		Unit: 1 week, number including sub-asking price
Body	- - 157	buy trader code 2	String	N		
Body	- - 282	buy trader color 2	String	N		
Body	- - 143	sell trader 3	String	N		
Body	- - 163	sellTraderQuantity3	String	N		Unit: 1 week
Body	- - 168		String	N		Unit: 1 week, number including sub-asking price
Body	- - 148	sell trader code 3	String	N		
Body	- - 273	sell trader color 3	String	N		
Body	- - 153	BuyDealer 3	String	N		
Body	- - 173	buyTrader Quantity 3	String	N		Unit: 1 week
Body	- - 178		String	N		Unit: 1 week, number including sub-asking price
Body	- - 158	buy trader code 3	String	N		
Body	- - 283	buy trader color 3	String	N		
Body	- - 144	sell trader 4	String	N		
Body	- - 164	sellTrader Quantity 4	String	N		Unit: 1 week

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- - 169		String	N		Unit: 1 week, number including sub-asking price
Body	- - 149	sell trader code 4	String	N		
Body	- - 274	sell trader color 4	String	N		
Body	- - 154	BuyDealer 4	String	N		
Body	- - 174	buyTrader Quantity 4	String	N		Unit: 1 week
Body	- - 179		String	N		Unit: 1 week, number including sub-asking price
Body	- - 159	buy trader code 4	String	N		
Body	- - 284	buy trader color 4	String	N		
Body	- - 145	sell trader 5	String	N		
Body	- - 165	sellTraderQuantity5	String	N		Unit: 1 week
Body	- - 170		String	N		Unit: 1 week, number including sub-asking price
Body	- - 150	sell trader code 5	String	N		
Body	- - 275	sell trader color 5	String	N		
Body	- - 155	BuyDealer 5	String	N		
Body	- - 175	BuyTraderQuantity5	String	N		Unit: 1 week
Body	- - 180		String	N		Unit: 1 week, number including sub-asking price
Body	- - 160	buy trader code 5	String	N		
Body	- - 285	buy trader color 5	String	N		
Body	- - 261	Estimates of foreign sales	String	N		
Body	- - 262	Foreign sales estimate merger Dong	String	N		
Body	- - 263	Foreign purchase estimate	String	N		
Body	- - 264	Foreign purchase estimate joint venture Dong	String	N		
Body	- - 267	Foreign purchase estimate sum	String	N		
Body	- - 268	Changes in foreign purchases	String	N		
Body	- - 337	Exchange category	String	N		

Request Example

```
{
    "trnm": "REG",
    "grp_no": "1",
    "refresh": "1",
    "data": [
        {
            "item": [
                "005930"
            ],
            "type": [
                "0F"
            ]
        }
    ]
}
```

Response Example

#request
{

Response Example

```
#Real-time reception
{
    'trnm': 'REAL',
    'data': [
        {
            'type': '0F',
            'name': 'Stock today trader',
            'item': '005930',
            'values': {
                '141': '',
                '161': '9350409',
                '166': '+8593585',
                '146': '993',
                '271': '!!!!',
                '151': '',
                '171': '9321128',
                '176': '+8557163',
                '156': '993',
                '281': '!!!!',
                '142': '',
                '162': '9341349',
                '167': '-9060',
                '147': '994',
                '272': '!!!!',
                '152': '',
                '172': '9315193',
                '177': '-5935',
                '157': '991',
                '282': '!!!!',
                '143': '',
                '163': '9305540',
                '168': '-35809',
                '148': '991',
                '273': '!!!!',
                '153': '',
                '173': '9301275',
                '178': '-13918',
                '158': '994',
                '283': '!!!!',
                '144': '',
                '164': '757643',
                '169': '-8547897',
                '149': '992',
                '274': '!!!!',
                '154': '',
                '174': '763965',
                '179': '-8537310',
                '159': '992',
                '284': '!!!!',
                '145': 'Mirae Asset',
                '165': '100',
                '170': '0',
                '150': '005',
                '275': '!!!!',
                '155': 'Mirae Asset',
                '175': '50100',
                '180': '0',
                '160': '005',
                '285': '!!!!',
                '261': '0',
                '262': '0',
                '263': '0',
                '264': '0',
                '267': '0',
                '268': '0',
                '337': '2'
            }
        }
    ]
}
```

API information	
menu location	domestic stock > Real-time price > ETF NAV(0G)
API name	ETF NAV
API ID	0G

basic information	
Method	POST
production domain	wss://api.kiwoom.com:10000
mock trading domain	wss://mockapi.kiwoom.com:10000 (KRX only supported)
URL	/api/dostk/websocket
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Receive ETF NAV information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	trnm	Service name	String	Y	10	REG: Registration, REMOVE: Cancellation
Body	grp_no	group number	String	Y	4	
Body	refresh	Whether existing registration is maintained	String	Y	1	Upon registration (REG) 0: Do not maintain existing 1: Maintain existing (Default) If it is 0, the previously registered item/type is cancelled. If it is 1, the previously registered item/type is cancelled. Maintain item/type No value required for REMOVE
Body	data	Real-time registration list	LIST			
Body	- item	Real-time registration elements	String	N	100	Stock code, sector code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	- type	real time field	String	Y	2	TR name(0A,0B....)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	return_code	Result code	String	N		Code for communication result (Value transmitted only when registering or canceling request 0: Normal, 1: Error, data real time Not sent when received)
Body	return_msg	Result message	String	N		Message about communication result
Body	trnm	Service name	String	N		

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	data	Real-time registration list	LIST	N		
Body	- type	realtimefield	String	N		TR name(0A,0B....)
Body	- name	Real-time field name	String	N		
Body	- item	Real-time registration elements	String	N		stock code
Body	- values	Real-time value list	LIST	N		
Body	- - 36	NAV	String	N		Number formatted to two decimal places, including sign
Body	- - 37	NAVchange from previous day	String	N		Number formatted to two decimal places, including sign
Body	- - 38	NAVchange rate	String	N		Units: %, percentage formatted to 2 decimal places with sign
Body	- - 39	Tracking error rate	String	N		Units: %, percentage formatted to two decimal places.
Body	- - 20	execution time	String	N		HHmmss
Body	- - 10	current price	String	N		Unit: Won, number included in asking price
Body	- - 11	change from previous day	String	N		Unit: Won, number included in asking price
Body	- - 12	change rate	String	N		Units: %, percentage formatted to 2 decimal places with sign
Body	- - 13	cumulative volume	String	N		Unit: 1 week
Body	- - 25	change sign	String	N		1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- - 667	ELW gearing ratio	String	N		
Body	- - 668	ELWprofit/loss quarterly rate	String	N		
Body	- - 669	ELW Capital Support Branch	String	N		
Body	- - 265	NAV/exponential divergence ratio	String	N		
Body	- - 266	NAV/ETF divergence rate	String	N		

Request Example

```
{
    "trnm": "REG",
    "grp_no": "1",
    "refresh": "1",
    "data": [
        {
            "item": [
                "069500"
            ],
            "type": [
                "0G"
            ]
        }
    ]
}
```

Response Example

```
#request
{
   'trnm': 'REG',
   'return_code': 0,
   'return_msg': ''
}
#Real-time reception
{
   'data': [
      {
         'values': {
            '36': '+7488.27',
            '37': '+9.57',
```

Response Example


```
                '38': '+0.13',
                '39': '1.82',
                '20': '105732',
                '10': '+7485',
                '11': '+45',
                '12': '+0.60',
                '13': '16874',
                '25': '2',
                '265': '+10.04',
                '266': '-0.04'
            },
            'type': '0G',
            'name': 'ETF NAV',
            'item': '069500'
        }
    ],
    'trnm': 'REAL'
}
```

API information	
menu location	domestic stock > Real-time price > Stock forecast execution(0H)
API name	stock forecast execution
API ID	0H

basic information	
Method	POST
production domain	wss://api.kiwoom.com:10000
mock trading domain	wss://mockapi.kiwoom.com:10000 (KRX only supported)
URL	/api/dostk/websocket
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Receive expected stock execution information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	trnm	Service name	String	Y	10	REG: Registration, REMOVE: Cancellation
Body	grp_no	group number	String	Y	4	
Body	refresh	Whether existing registration is maintained	String	Y	1	Upon registration (REG) 0: Do not maintain existing 1: Maintain existing (Default) If it is 0, the previously registered item/type is cancelled. If it is 1, the previously registered item/type is cancelled. Maintain item/type No value required for REMOVE
Body	data	Real-time registration list	LIST			
Body	- item	Real-time registration elements	String	N	100	Stock code, sector code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	- type	real time field	String	Y	2	TR name(0A,0B....)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	return_code	Result code	String	N		Code for communication result (Value transmitted only when registering or canceling request 0: Normal, 1: Error, data real time Not sent when received)
Body	return_msg	Result message	String	N		Message about communication result
Body	trnm	Service name	String	N		

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	data	Real-time registration list	LIST	N		
Body	- type	realtimefield	String	N		TR name(0A,0B....)
Body	- name	Real-time field name	String	N		
Body	- item	Real-time registration elements	String	N		stock code
Body	- values	Real-time value list	LIST	N		
Body	- - 20	execution time	String	N		HHmmss
Body	- - 10	current price	String	N		Unit: Won, number included in asking price
Body	- - 11	change from previous day	String	N		Unit: Won, number included in asking price
Body	- - 12	change rate	String	N		Units: %, percentage formatted to 2 decimal places with sign
Body	- - 15	trading volume	String	N		+ is buyexecution, - is sellexecution
Body	- - 13	cumulative volume	String	N		Unit: 1 week
Body	- - 25	change sign	String	N		1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline

Request Example

```
{
    "trnm": "REG",
    "grp_no": "1",
    "refresh": "1",
    "data": [
        {
            "item": [
                "005930"
            ],
            "type": [
                "0H"
            ]
        }
    ]
}
```

Response Example

```
#request
{
   'trnm': 'REG',
   'return_code': 0,
   'return_msg': ''
}
#Real-time reception
{
   'data': [
      {
         'values': {
            '20': '110206',
            '10': '+60500',
            '11': '+200',
            '12': '+0.33',
            '15': '-7805',
            '13': '768293',
            '25': '2'
         },
         'type': '0H',
         'name': 'stock forecast execution',
         'item': '005930'
      }
   ],
   'trnm': 'REAL'
}
```

API information	
menu location	domestic stock > Real-time price > International gold conversion price (0I)
API name	International gold conversion price
API ID	0I

basic information	
Method	POST
production domain	wss://api.kiwoom.com:10000
mock trading domain	wss://mockapi.kiwoom.com:10000 (KRX only supported)
URL	/api/dostk/websocket
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Receive international gold conversion price information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	trnm	Service name	String	Y	10	REG: Registration, REMOVE: Cancellation
Body	grp_no	group number	String	Y	4	
Body	refresh	Whether existing registration is maintained	String	Y	1	Upon registration (REG) 0: Do not maintain existing 1: Maintain existing (Default) If it is 0, the previously registered item/type is cancelled. If it is 1, the previously registered item/type is cancelled. Maintain item/type No value required for REMOVE
Body	data	Real-time registration list	LIST	N		
Body	- item	Real-time registration elements	String	N	100	MGD: won/g, MGU: $/ounce, 2 decimal places
Body	- type	real time field	String	Y	2	TR name(0A,0B....)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	return_msg	Result message	String	N		Message about communication result
Body	trnm	Service name	String	N		
Body	data	Real-time registration list	LIST	N		
Body	- type	realtimefield	String	N		TR name(0B,0B....)

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	- name	Real-time field name	String	N		
Body	- item	Real-time registration elements	String	N		stock code
Body	- values	Real-time value list	LIST	N		
Body	- - 10	current price	String	N		Unit: Won, number included in asking price
Body	- - 25	change sign	String	N		1:upper limit, 2:rise, 3:none, 4:lower limit, 5:decline
Body	- - 11	change from previous day	String	N		Unit: Won, number included in asking price
Body	- - 12	change rate	String	N		Units: %, percentage formatted to 2 decimal places with sign

Request Example

```
{
    "trnm": "REG",
    "grp_no": "1",
    "refresh": "1",
    "data": [
        {
            "item": [
                "MGD"
            ],
            "type": [
                "0I"
            ]
        }
    ]
}
```

Response Example

```
#request
{
  'trnm': 'REG',
  'return_code': 0,
  'return_msg': ''
}
#Real-time reception
{
  'data': [
    {
      'values': {
        '10': '-337782',
        '25': '5',
        '11': '-1674',
        '12': '-0.49'
      },
      'type': '0I',
      'name': 'International gold conversion price',
      'item': 'MGU'
    }
  ],
  'trnm': 'REAL'
}
```

API information	
menu location	domestic stock > real-time price > sector index (0J)
API name	sector index
API ID	0J

basic information	
Method	POST
production domain	wss://api.kiwoom.com:10000
mock trading domain	wss://mockapi.kiwoom.com:10000 (KRX only supported)
URL	/api/dostk/websocket
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Receive sector index information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	trnm	Service name	String	Y	10	REG: Registration, REMOVE: Cancellation
Body	grp_no	group number	String	Y	4	
Body	refresh	Whether existing registration is maintained	String	Y	1	Upon registration (REG) 0: Do not maintain existing 1: Maintain existing (Default) If it is 0, the previously registered item/type is cancelled. If it is 1, the previously registered item/type is cancelled. Maintain item/type No value required for REMOVE
Body	data	Real-time registration list	LIST			
Body	- item	Real-time registration elements	String	N	100	Stock code, sector code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	- type	real time field	String	Y	2	TR name(0A,0B....)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	return_code	Result code	String	N		Code for communication result (Value transmitted only when registering or canceling request 0: Normal, 1: Error, data real time Not sent when received)
Body	return_msg	Result message	String	N		Message about communication result
Body	trnm	Service name	String	N		

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	data	Real-time registration list	LIST	N		
Body	- type	realtimefield	String	N		TR name(0A,0B....)
Body	- name	Real-time field name	String	N		
Body	- item	Real-time registration elements	String	N		stock code
Body	- values	Real-time value list	LIST	N		
Body	- - 20	execution time	String	N		HHmmss
Body	- - 10	current price	String	N		Unit: Won, number included in asking price
Body	- - 11	change from previous day	String	N		Unit: Won, number included in asking price
Body	- - 12	change rate	String	N		Units: %, percentage formatted to 2 decimal places with sign
Body	- - 15	trading volume	String	N		+ is buyexecution, - is sellexecution
Body	- - 13	cumulative volume	String	N		Unit: 1 week
Body	- - 14	cumulative trading amount	String	N		Unit: million won
Body	- - 16	opening price	String	N		Unit: Won, number included in asking price
Body	- - 17	high price	String	N		Unit: Won, number included in asking price
Body	- - 18	low price	String	N		Unit: Won, number included in asking price
Body	- - 25	change sign	String	N		1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- - 26		String	N		contract, state

Request Example

```
{
    "trnm": "REG",
    "grp_no": "1",
    "refresh": "1",
    "data": [
        {
            "item": [
                "001"
            ],
            "type": [
                "0J"
            ]
        }
    ]
}
```

Response Example

```
#request
{
   'trnm': 'REG',
   'return_code': 0,
   'return_msg': ''
}
#Real-time reception
{
   'data': [
      {
         'values': {
            '20': '110430',
            '10': '-1762.61',
            '11': '-189.51',
            '12': '-9.71',
            '15': '2800',
            '13': '725277',
            '14': '60711859',
            '16': '-1949.04',
```

Response Example


```
'17': '+1961.28',
                '18': '-1756.13',
                '25': '5',
                '26': '-1482363'
            },
            'type': '0J',
            'name': 'sector index',
            'item': '001'
        }
    ],
    'trnm': 'REAL'
}
```

API information	
menu location	domestic stock > real-time price > sector fluctuations (0U)
API name	sector fluctuations
API ID	0U

basic information	
Method	POST
production domain	wss://api.kiwoom.com:10000
mock trading domain	wss://mockapi.kiwoom.com:10000 (KRX only supported)
URL	/api/dostk/websocket
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Receive sector fluctuation information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	trnm	Service name	String	Y	10	REG: Registration, REMOVE: Cancellation
Body	grp_no	group number	String	Y	4	
Body	refresh	Whether existing registration is maintained	String	Y	1	Upon registration (REG) 0: Do not maintain existing 1: Maintain existing (Default) If it is 0, the previously registered item/type is cancelled. If it is 1, the previously registered item/type is cancelled. Maintain item/type No value required for REMOVE
Body	data	Real-time registration list	LIST			
Body	- item	Real-time registration elements	String	N	100	Stock code, sector code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	- type	real time field	String	Y	2	TR name(0A,0B....)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	return_code	Result code	String	N		Code for communication result (Value transmitted only when registering or canceling request 0: Normal, 1: Error, data real time Not sent when received)
Body	return_msg	Result message	String	N		Message about communication result
Body	trnm	Service name	String	N		

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	data	Real-time registration list	LIST	N		
Body	- type	realtimefield	String	N		TR name(0A,0B....)
Body	- name	Real-time field name	String	N		
Body	- item	Real-time registration elements	String	N		stock code
Body	- values	Real-time value list	LIST	N		
Body	- - 20	execution time	String	N		HHmmss
Body	- - 252	risestock number	String	N		
Body	- - 251	Upper limit stock number	String	N		
Body	- - 253	unchanged stock count	String	N		
Body	- - 255	number of declinestocks	String	N		
Body	- - 254	Lower limit stock number	String	N		
Body	- - 13	cumulative volume	String	N		Unit: 1 week
Body	- - 14	cumulative trading amount	String	N		Unit: million won
Body	- - 10	current price	String	N		Unit: Won, number included in asking price
Body	- - 11	change from previous day	String	N		Unit: Won, number included in asking price
Body	- - 12	change rate	String	N		Units: %, percentage formatted to 2 decimal places with sign
Body	- - 256		String	N		contract, state
Body	- - 257	Transaction formation rate	String	N		Units: %, percentage formatted to two decimal places.
Body	- - 25	change sign	String	N		1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline

Request Example

```
{
    "trnm": "REG",
    "grp_no": "1",
    "refresh": "1",
    "data": [
        {
            "item": [
                "001"
            ],
            "type": [
                "0U"
            ]
        }
    ]
}
```

Response Example

```
#request
{
   'trnm': 'REG',
   'return_code': 0,
   'return_msg': ''
}
#Real-time reception
{
   'data': [
      {
         'values': {
            '20': '110710',
            '252': '46',
            '251': '1',
            '253': '166',
```

Response Example


```
'255': '204',
                '254': '16',
                '13': '741784',
                '14': '62093941',
                '10': '-1757.42',
                '11': '-194.70',
                '12': '-9.97',
                '256': '416',
                '257': '43.20',
                '25': '5'
            },
            'type': '0U',
            'name': 'sector fluctuation',
            'item': '001'
        }
    ],
    'trnm': 'REAL'
}
```

API information	
menu location	domestic stock > real-time price > stock information (0g)
API name	stock information
API ID	0g

basic information	
Method	POST
production domain	wss://api.kiwoom.com:10000
mock trading domain	wss://mockapi.kiwoom.com:10000 (KRX only supported)
URL	/api/dostk/websocket
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Real-time type that occurs when there is market action such as arbitrary extension, management stock change, VI activation, early termination, etc.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	trnm	Service name	String	Y	10	REG: Registration, REMOVE: Cancellation
Body	grp_no	group number	String	Y	4	
Body	refresh	Whether existing registration is maintained	String	Y	1	Upon registration (REG) 0: Do not maintain existing 1: Maintain existing (Default) If it is 0, the previously registered item/type is cancelled. If it is 1, the previously registered item/type is cancelled. Maintain item/type No value required for REMOVE
Body	data	Real-time registration list	LIST			
Body	- item	Real-time registration elements	String	N	100	Stock code, sector code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	- type	real time field	String	Y	2	TR name(0A,0B....)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	return_code	Result code	String	N		Code for communication result (Value transmitted only when registering or canceling request 0: Normal, 1: Error, data real time Not sent when received)
Body	return_msg	Result message	String	N		Message about communication result
Body	trnm	Service name	String	N		

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	data	Real-time registration list	LIST	N		
Body	- type	realtimefield	String	N		TR name(0A,0B....)
Body	- name	Real-time field name	String	N		
Body	- item	Real-time registration elements	String	N		stock code
Body	- values	Real-time value list	LIST	N		
Body	- - 297	Arbitrary extension	String	N		
Body	- - 592	Random extension of load	String	N		
Body	- - 593	Janghu Arbitrary Extension	String	N		
Body	- - 305	upper limit price	String	N		Unit: Won, number included in asking price
Body	- - 306	lower limit price	String	N		Unit: Won, number included in asking price
Body	- - 307	base price	String	N		Unit: Won
Body	- - 689	Early termination ELW occurs	String	N		
Body	- - 594	currency unit	String	N		
Body	- - 382	Margin rate display	String	N		
Body	- - 370	stock information	String	N		

Request Example

```
{
    "trnm": "REG",
    "grp_no": "1",
    "refresh": "1",
    "data": [
        {
            "item": [
                "005930"
            ],
            "type": [
                "0g"
            ]
        }
    ]
}
```

Response Example

```
#request
{
   'trnm': 'REG',
   'return_code': 0,
   'return_msg': ''
}
#Real-time reception
{
   'data': [
      {
         'values': {
            '297': 'Sympathetic VI',
            '592': ' ',
            '593': ' ',
            '305': '+78300',
            '306': '-42300',
            '307': '60300',
            '689': '',
            '594': '',
            '382': '',
            '370': ''
         },
         'type': '0g',
```

Response Example

```
'name': 'Stock information',
            'item': '005930'
        }
    ],
    'trnm': 'REAL'
}
```

API information	
menu location	domestic stock > Real-time price > ELW theorist (0m)
API name	ELW theorist
API ID	0m

basic information	
Method	POST
production domain	wss://api.kiwoom.com:10000
mock trading domain	wss://mockapi.kiwoom.com:10000 (KRX only supported)
URL	/api/dostk/websocket
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Receive information from ELW Theoreticians.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	trnm	Service name	String	Y	10	REG: Registration, REMOVE: Cancellation
Body	grp_no	group number	String	Y	4	
Body	refresh	Whether existing registration is maintained	String	Y	1	Upon registration (REG) 0: Do not maintain existing 1: Maintain existing (Default) If it is 0, the previously registered item/type is cancelled. If it is 1, the previously registered item/type is cancelled. Maintain item/type No value required for REMOVE
Body	data	Real-time registration list	LIST			
Body	- item	Real-time registration elements	String	N	100	Stock code, sector code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	- type	real time field	String	Y	2	TR name(0A,0B....)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	return_code	Result code	String	N		Code for communication result (Value transmitted only when registering or canceling request 0: Normal, 1: Error, data real time Not sent when received)
Body	return_msg	Result message	String	N		Message about communication result
Body	trnm	Service name	String	N		

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	data	Real-time registration list	LIST	N		
Body	- type	realtimefield	String	N		TR name(0A,0B....)
Body	- name	Real-time field name	String	N		
Body	- item	Real-time registration elements	String	N		stock code
Body	- values	Real-time value list	LIST	N		
Body	- - 20	execution time	String	N		HHmmss
Body	- - 10	current price	String	N		Unit: Won, number included in asking price
Body	- - 670	ELW theorist	String	N		
Body	- - 671	ELW Implied Volatility	String	N		
Body	- - 672	ELW Delta	String	N		
Body	- - 673	ELW Gamma	String	N		
Body	- - 674	ELWTheta	String	N		
Body	- - 675	ELW Vega	String	N		
Body	- - 676	to ELW	String	N		
Body	- - 706	LPasking price implied volatility	String	N		

Request Example

```
{
    "trnm": "REG",
    "grp_no": "1",
    "refresh": "1",
    "data": [
        {
            "item": [
                "57JBHH"
            ],
            "type": [
                "0m"
            ]
        }
    ]
}
```

Response Example

```
#request
{
   'trnm': 'REG',
   'return_code': 0,
   'return_msg': ''
}
#Real-time reception
{
   'data': [
      {
         'values': {
            '20': '140000',
            '10': '450',
            '670': '0',
            '671': '0.00',
            '672': '0',
            '673': '0',
            '674': '0.000000',
            '675': '0.000000',
            '676': '0.000000',
            '706': '0.00'
         },
         'type': '0m',
```

Response Example
'name': 'ELW theorist', 'item': '57JBHH' }], 'trnm': 'REAL' }

API information	
menu location	domestic stock > real-time price > market start time (0s)
API name	Market start time
API ID	0s

basic information	
Method	POST
production domain	wss://api.kiwoom.com:10000
mock trading domain	wss://mockapi.kiwoom.com:10000 (KRX only supported)
URL	/api/dostk/websocket
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Notification before the market starts, after the market closes, etc.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	trnm	Service name	String	Y	10	REG: Registration, REMOVE: Cancellation
Body	grp_no	group number	String	Y	4	
Body	refresh	Whether existing registration is maintained	String	Y	1	Upon registration (REG) 0: Do not maintain existing 1: Maintain existing (Default) If it is 0, the previously registered item/type is cancelled. If it is 1, the previously registered item/type is cancelled. Maintain item/type No value required for REMOVE
Body	data	Real-time registration list	LIST			
Body	- item	Real-time registration elements	String	N	100	Stock code, sector code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	- type	real time field	String	Y	2	TR name(0A,0B....)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	return_code	Result code	String	N		Code for communication result (Value transmitted only when registering or canceling request 0: Normal, 1: Error, data real time Not sent when received)
Body	return_msg	Result message	String	N		Message about communication result
Body	trnm	Service name	String	N		

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	data	Real-time registration list	LIST	N		
Body	- type	realtimefield	String	N		TR name(0A,0B....)
Body	- name	Real-time field name	String	N		
Body	- item	Real-time registration elements	String	N		stock code
Body	- values	Real-time value list	LIST	N		
Body	- - 215	Jang Unyoungcategory	String	N		0: Long-term operation notification (8:40~), 3: Long start (09:00), 2: Market closing notification (15:20~), 4: Market close (15:30), 8: Regular market close (after 15:30 when received on the exchange), 9: Close of all markets (after 18:00 when received by exchange), a: Closing price sales start outside of time (15:40), b: End of closing price sale outside of time (16:00), c: start of single price other than time (16:00), d: End of single price other than time (18:00), e: Simultaneous asking price ends before pre-market closing, f: futures/options market operation time notification (early opening products), o: Select long start, s: Simultaneous asking price starts before the close of the market, P: NXT premarket start notification, Q: Notice of end of NXT premarket, R: NXT main market start notification, S: NXT main market termination notice, T: Notification of NXT aftermarket single price start, U: NXT aftermarket start notification, V: NXT Aftermarket End Notice
Body	- - 20	execution time	String	N		HHmmss
Body	- - 214		String	N		HHmmss

Request Example

```
{
    "trnm": "REG",
    "grp_no": "1",
    "refresh": "1",
    "data": [
        {
            "item": [
                ""
            ],
            "type": [
                "0s"
            ]
        }
    ]
}
```

Response Example

```
#request
{
   'trnm': 'REG',
   'return_code': 0,
   'return_msg': ''
}
#Real-time reception
{
   'data':[
      {
         'values': {
            '215':'b',
            '20':'170000',
            '214':'000000'
         },
         'type':'0s',
         'name':'Jang start time',
         'item':''
```

Response Example

```
        }
    ],
    'trnm': 'REAL'
}
```

API information	
menu location	domestic stock > Real-time price > ELW indicator (0u)
API name	ELW indicator
API ID	0u

basic information	
Method	POST
production domain	wss://api.kiwoom.com:10000
mock trading domain	wss://mockapi.kiwoom.com:10000 (KRX only supported)
URL	/api/dostk/websocket
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	trnm	Service name	String	Y	10	REG: Registration, REMOVE: Cancellation
Body	grp_no	group number	String	Y	4	
Body	refresh	Whether existing registration is maintained	String	Y	1	Upon registration (REG) 0: Do not maintain existing 1: Maintain existing (Default) If it is 0, the previously registered item/type is cancelled. If it is 1, the previously registered item/type is cancelled. Maintain item/type No value required for REMOVE
Body	data	Real-time registration list	LIST			
Body	- item	Real-time registration elements	String	N	100	Stock code, sector code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	- type	real time field	String	Y	2	TR name(0A,0B....)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	return_code	Result code	String	N		Code for communication result (Value transmitted only when registering or canceling request 0: Normal, 1: Error, data real time Not sent when received)
Body	return_msg	Result message	String	N		Message about communication result
Body	trnm	Service name	String	N		

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	data	Real-time registration list	LIST	N		
Body	- type	realtimefield	String	N		TR name(0A,0B....)
Body	- name	Real-time field name	String	N		
Body	- item	Real-time registration elements	String	N		stock code
Body	- values	Real-time value list	LIST	N		
Body	- - 20	execution time	String	N		HHmmss
Body	- - 666	ELWparity	String	N		
Body	- - 1211	ELW Premium	String	N		
Body	- - 667	ELW gearing ratio	String	N		
Body	- - 668	ELWprofit/loss quarterly rate	String	N		
Body	- - 669	ELW Capital Support Branch	String	N		

Request Example

```
{
    "trnm": "REG",
    "grp_no": "1",
    "refresh": "1",
    "data": [
        {
            "item": [
                "57JBHH"
            ],
            "type": [
                "0u"
            ]
        }
    ]
}
```

Response Example

```
#request
{
   'trnm': 'REG',
   'return_code': 0,
   'return_msg': ''
}
#Real-time reception
{
   'data': [
      {
         'values': {
            '20': '111847',
            '666': '69.13',
            '1211': '0',
            '667': '1037.04',
            '668': '+44.73',
            '669': '+44.78'
         },
         'type': '0u',
         'name': 'ELW indicator',
         'item': '57JBHH'
      }
   ],
   'trnm': 'REAL'
}
```

API information	
menu location	domestic stock > real-time price > stockprogram trading(0w)
API name	stockprogram trading
API ID	0w

basic information	
Method	POST
production domain	wss://api.kiwoom.com:10000
mock trading domain	wss://mockapi.kiwoom.com:10000 (KRX only supported)
URL	/api/dostk/websocket
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Receive program trading information by stock.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	trnm	Service name	String	Y	10	REG: Registration, REMOVE: Cancellation
Body	grp_no	group number	String	Y	4	
Body	refresh	Whether existing registration is maintained	String	Y	1	Upon registration (REG) 0: Do not maintain existing 1: Maintain existing (Default) If it is 0, the previously registered item/type is cancelled. If it is 1, the previously registered item/type is cancelled. Maintain item/type No value required for REMOVE
Body	data	Real-time registration list	LIST			
Body	- item	Real-time registration elements	String	N	100	Stock code, sector code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	- type	real time field	String	Y	2	TR name(0A,0B....)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	return_code	Result code	String	N		Code for communication result (Value transmitted only when registering or canceling request 0: Normal, 1: Error, data real time Not sent when received)
Body	return_msg	Result message	String	N		Message about communication result
Body	trnm	Service name	String	N		

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	data	Real-time registration list	LIST	N		
Body	- type	realtimefield	String	N		TR name(0A,0B....)
Body	- name	Real-time field name	String	N		
Body	- item	Real-time registration elements	String	N		stock code
Body	- values	Real-time value list	LIST	N		
Body	- - 20	execution time	String	N		HHmmss
Body	- - 10	current price	String	N		Unit: Won, number included in asking price
Body	- - 25	change sign	String	N		1: upper limit price, 2:rise, 3:unchanged, 4:lower limit price, 5:decline
Body	- - 11	change from previous day	String	N		Unit: Won, number included in asking price
Body	- - 12	change rate	String	N		Units: %, percentage formatted to 2 decimal places with sign
Body	- - 13	cumulative volume	String	N		Unit: 1 week
Body	- - 202	sellquantity	String	N		Unit: 1 week
Body	- - 204	sell amount	String	N		Unit: Won
Body	- - 206	buyquantity	String	N		Unit: 1 week
Body	- - 208	buy amount	String	N		
Body	- - 210	Net buy quantity	String	N		
Body	- - 211		String	N		contract, state
Body	- - 212	Net purchase amount	String	N		
Body	- - 213		String	N		
Body	- - 214		String	N		
Body	- - 215	Jang Unyoungcategory	String	N		
Body	- - 216	ticker by investor	String	N		

Request Example

```
{
    "trnm": "REG",
    "grp_no": "1",
    "refresh": "1",
    "data": [
        {
            "item": [
                "005930"
            ],
            "type": [
                "0w"
            ]
        }
    ]
}
```

Response Example

```
#request
{
   'trnm': 'REG',
   'return_code': 0,
   'return_msg': ''
}
#Real-time reception
{
   'data': [
```

Response Example

```
        {
            'values': {
                '20': '113442',
                '10': '-60200',
                '25': '5',
                '11': '-100',
                '12': '-0.17',
                '13': '128152628',
                '202': '0',
                '204': '0',
                '206': '8043',
                '208': '483',
                '210': '8043',
                '212': '483',
                '213': '0',
                '211': '0'
            },
            'type': '0w',
            'name': '종목별프로그램매매',
            'item': '005930'
        }
    ],
    'trnm': 'REAL'
}
```

API information	
menu location	domestic stock > Real-time price > VI activation/release (1h)
API name	Activate/disable VI
API ID	1h

basic information	
Method	POST
production domain	wss://api.kiwoom.com:10000
mock trading domain	wss://mockapi.kiwoom.com:10000 (KRX only supported)
URL	/api/dostk/websocket
Format	JSON
Content-Type	application/json;charset=UTF-8

overview

Receives VI activation and deactivation information.

Request

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	authorization	access token	String	Y	1000	When specifying a token, call it with token type ("Bearer") Example) Bearer Egicyx...
Header	cont-yn	continuous inquiry	String	N	1	If the continuous inquiry value of the response header is Y, the following data Setting cont-yn value of response header when requesting
Header	next-key	continuous inquiry key	String	N	50	If the continuous inquiry value of the response header is Y, the following data Setting next-key value of response header when requesting
Body	trnm	Service name	String	Y	10	REG: Registration, REMOVE: Cancellation
Body	grp_no	group number	String	Y	4	
Body	refresh	Whether existing registration is maintained	String	Y	1	Upon registration (REG) 0: Do not maintain existing 1: Maintain existing (Default) If it is 0, the previously registered item/type is cancelled. If it is 1, the previously registered item/type is cancelled. Maintain item/type No value required for REMOVE
Body	data	Real-time registration list	LIST			
Body	- item	Real-time registration elements	String	N	100	Stock code, sector code by exchange (KRX:039490,NXT:039490_NX,SOR:039490_AL)
Body	- type	real time field	String	Y	2	TR name(0A,0B....)

Response

category	Element	Korean name	Type	Required	Length	Description
Header	api-id	TR name	String	Y	10	7-digit TR code, ex) ka00001
Header	cont-yn	continuous inquiry	String	N	1	If there is next data, Y value pass
Header	next-key	continuous inquiry key	String	N	50	If there is next data, the next key value is passed
Body	return_code	Result code	String	N		Code for communication result (Value transmitted only when registering or canceling request 0: Normal, 1: Error, data real time Not sent when received)
Body	return_msg	Result message	String	N		Message about communication result
Body	trnm	Service name	String	N		

Response						
category	Element	Korean name	Type	Required	Length	Description
Body	data	Real-time registration list	LIST	N		
Body	- type	realtimefield	String	N		TR name(0A,0B....)
Body	- name	Real-time field name	String	N		
Body	- item	Real-time registration elements	String	N		stock code
Body	- values	Real-time value list	LIST	N		
Body	- - 9001	stock code	String	N		
Body	- - 302	stock name	String	N		
Body	- - 13	cumulative volume	String	N		Unit: 1 week
Body	- - 14	cumulative trading amount	String	N		Unit: million won
Body	- - 9068	VI activation category	String	N		
Body	- - 9008	KOSPI, KOSDAQ, all category	String	N		
Body	- - 9075	Loading category	String	N		
Body	- - 1221	VI activation price	String	N		Unit: Won
Body	- - 1223	Trading execution processing time	String	N		HHmmss
Body	- - 1224	VI release time	String	N		HHmmss
Body	- - 1225	VI application category	String	N		Static/Dynamic/Dynamic+Static
Body	- - 1236	base price static	String	N		contract, state
Body	- - 1237	base price dynamic	String	N		
Body	- - 1238	Disparity rate static	String	N		
Body	- - 1239	Disparity rate dynamic	String	N		
Body	- - 1489	VI activation price change rate	String	N		
Body	- - 1490	Number of VI activations	String	N		
Body	- - 9069	Activation direction category	String	N		
Body	- - 1279	Extra Item	String	N		

Request Example

```
{
    "trnm": "REG",
    "grp_no": "1",
    "refresh": "1",
    "data": [
        {
            "item": [
                ""
            ],
            "type": [
                "1h"
            ]
        }
    ]
}
```

Response Example

```
#request
{
  'trnm': 'REG',
  'return_code': 0,
  'return_msg': ''
```

Response Example

```
#Real-time reception
{
   'data': [
      {
         'values': {
            '9001':'005930',
            '302':'Samsung Electronics',
            '13':'1077818',
            '14':'4201',
            '9068':'1',
            '9008':'101',
            '9075':'1',
            '1221':'4125',
            '1223':'111454',
            '1224':'111703',
            '1225':'static',
            '1236':'3750',
            '1237':'0',
            '1238':'+10.00',
            '1239':'0.00',
            '1489':'+10.00',
            '1490':'1',
            '9069':'1',
            '1279':'+static'
         },
         'type':'1h',
         'name':'VI Activate/Disable',
         'item':'005930'
      }
   ],
   'trnm':'REAL'
}
```

No,	error code	Error message
1	1501	API ID is null or has no value
2	1504	This URI is not a supported API ID. API ID={?}, URI={?}
3	1505	That API ID does not exist. API ID={?}
4	1511	No value exists in required input value. requiredinput parameter={?}
5	1512	Http header has no value set or cannot be read
6	1513	The authorization field must be set in the HTTP Header
7	1514	The format of the authorization field of the Http Header received as input is incorrect.
8	1515	Grant Type in the authorization field of Http Header is not in a predefined format.
9	1516	Token is not defined in the authorization field of Http Header
10	1517	The input value format is incorrect. Parameter={?} Failure Reason= {?}
11	1687	A recursive call occurs, limiting the API call, API ID={?}
12	1700	The number of permitted requests has been exceeded. API ID={?}
13	1901	Market code value does not exist. stock code={?}
14	1902	There is no stock information. Please check the entered stock code value. stock code={?}
15	1903	There is no stock information. Please check the entered stock code and exchange category values. Exchange category={?}, stock code={?}
16	1999	An unexpected error occurred. Reason for failure={?}
17	8001	App Key and Secret Key verification failed
18	8002	App Key and Secret Key verification failed. Reason for failure={?}
19	8003	Failed to inquiry Access Token. Reason for failure={?}
20	8005	Token is invalid
21	8006	Failed to create Access Token. Reason for failure={?}
22	8009	Failed to issue Access Token. Reason for failure={?}
23	8010	The IP that received the token issuance and the IP that requested the service are not the same.
24	8011	Failed to issue Access Token. grant_type was not entered in the input value.
25	8012	Failed to issue Access Token. The value of grant_type does not match
26	8015	Failed to revocation Access Token. Reason for failure={?}
27	8016	Failed to revocation Access Token. Token was not entered in the input value.
28	8020	appkey or secretkey was not entered as an input parameter.
29	8030	Appkey cannot be used because the investment category (actual/simulated) is different.
30	8031	The token cannot be used because the investment category (actual/simulated) is different.
31	8040	Terminal authentication failed
32	8050	Designated terminal authentication failed
33	8103	Token authentication or terminal authentication failed. Reason for failure={?}
34	8104	This API is not supported in mock investment.