

	BE BEAUTING DONCEST (PULL STATIONS, DUT) OR ELEVATOR F. GOMINGLER ON THE COMMINGLER ASSTATION AS SIGNOW A 152mm	INCIDENTIFICATION FOR PROOM 1E02	E. Copp of Sassifier F	ı
	TO MUNICIPAL DENCES (TO MUNICIPAL DENCES (COMM. ROOM 1821		COMM. ROOM 2B12
NSTAL 1 \$10 GRD IN ACOUNTING TO RECURRED COMPULTINGS	ON WILL AT RECEPTION WORK STATION OF CHICAUTS OF CHICAUT	MAIN ENTRANCE/ LOBBY - ROOMS 1AC2 & 1DC1	DOC CONTROL PARELS BY DYSSIN 15 BY DYSSIN 15	MECH. ROOM 2005
ROUNED NO CHIEF N COMM. ROOM	F F F FCT BALLING BATTEREES TO NOTIONAL EDIVESS TO HITMANN EDIVESS TO HITMANN EDIVESS TO HITMANN EDIVESS THE F F FCT BALLING BALLING BALLING BATTEREES TO HITMANN EDIVESS THE F F FCT BALLING BALLING BATTEREES TO HITMANN EDIVESS TO H	COMM. ROOM 1013	T T T T T T T T T T	ROOF
71	FIRST FLOOR		FA CHAMA COMMANDAM ROOM	

ELEVATOR WARNING -

FIRE ALARM SYSTEM

- SMOKE DETECTION, 4 WIRE NON-MODESSABLE THE, CRUING MOUNTED.
 WHICH FLOW SWITCH ON STRUNKER STITCH, INSTALLED BY SPRINKER THAVE,
 CONNECTED BY ELECTRICAL.
- TAMPER SWITCH ON SPRINKER SYSTEM, INSTALLED BY SPRINKER TRACE, CONNECTED BY ELECTRICAL.
- BELL, WALL MOUNTED, LP-90dBA, NP-98dBA, HP-99dBA OVTPUT LEVEL POST HUICATOR VALVE SWITCH ON SPRINKLER SYSTEM, INSTALLED BY SPRINKLER TRADE, INSTALLED BY ELECTRICAL TRADE.

- REMOTE ANNIHOMOR, WILL MOUNTED.

 FIRE ALVAN CONTROL PANEL (FACP), WILL MOUNTED.

 ADDRESSABLE MONTRON HITERACE MODULE, ZONE, MAPTI STALE AS SPECIFED.

 ADDRESSABLE SHAML MITERACE MODULE, MOTHOLITION CIRCUIT STALE AS SPECIFED.

 ADDRESSABLE CONTROL MITERACE MODULE, MOTHOLITION CIRCUIT STALE AS SPECIFED.
- branch circuit in conduit, number of conductors as required by system manufacturen. Tedanya. Cabnet, Szz as snown or Josana x Josana x 152ma annada, With Higed Cape, Wood Bacasand and Tedanya. Strips. Kotification appliance credit extender, Wall Mounted.

- FIT | FREATH AND STEIN CORED TRANSMITTER.

 WE'FA ANDIO TYPE WATER BOX MITCHINA


 -- FAT | MASTER BOX MITCHINA CARE IN 21mm CONDUIT.

 ANTERNAL COAK GROUNDUM BLOCK. 1 #BOROLUNG-16mmC. TO NEJAREST BUILDING STRIKE GROUND.


 SEFAZ SURFESS, LUMY MOLTAGE, WILL MOUNT OF MOUNTED. UNTILD FOR NESTRILATION IN CONTROL EQUIPMENT.

 E. (B) HEAT DETECTIOR, BLENKING POWER SHUTDOWN, CELLING MOUNTED.


 FATER SHUTDOWN RELAY, WILL MOUNTED.







FIRE ALARM SYSTEM -FIRST FLOOR COMPOSITE PLAN



FIRE ALARM SYSTEM -SECOND FLOOR COMPOSITE PLAN