NP I Community Health Nursing - Review Notes (SAMPLE)

Primary Health Care

Primary Health Care was declared at the Alma-Ata conference in 1978 and adopted in the Philippines through Letter of Instruction 949 in 1979.

The levels of prevention guide community health nursing. Primary prevention covers health promotion and specific protection such as immunization. Secondary prevention covers early diagnosis and prompt treatment, such as screening. Tertiary prevention covers rehabilitation and limiting disability.

NP I Community Health Nursing - Review Notes (SAMPLE)

Family Health Nursing

In the first-level assessment, family health problems are classified as wellness states, health threats, health deficits, and stress points or foreseeable crises.

Health threats are conditions conducive to disease, accident, or failure to realize health potential, such as smoking or poor environmental sanitation. Health deficits are instances of failure in health maintenance, such as illness or disability.

Bag technique: perform hand hygiene before and after client care, and place the bag on a clean surface lined with paper.

NP I Community Health Nursing - Review Notes (SAMPLE)

Vital Statistics

The infant mortality rate is the number of deaths among infants under 1 year of age divided by the number of live births in the same year, multiplied by 1,000.

The crude birth rate is the number of live births divided by the midyear population, multiplied by 1,000. The maternal mortality ratio uses 100,000 live births as its base.

NP I Community Health Nursing - Review Notes (SAMPLE)

Dengue Prevention

Dengue is transmitted by the day-biting Aedes aegypti mosquito. The DOH 4S strategy is: Search and destroy mosquito breeding places, Secure self-protection, Seek early consultation, and Support fogging or spraying only in hotspot areas.

For the tourniquet test, the cuff is inflated midway between systolic and diastolic pressure for 5 minutes; 20 or more petechiae per square inch is positive.

NP I Community Health Nursing - Review Notes (SAMPLE)

Disaster Nursing

In START triage, a red tag means immediate care for life-threatening but treatable injuries. A yellow tag means delayed care. A green tag is for the walking wounded with minor injuries. A black tag is for the dead or expectant.