



































SHEET INDEX

60 kW AC-DC (lower) - 1 of 3

AC-SENSING - 10 sections

VIENNA-PFC - 6 sections

AUX-POWER - 4 sections

CONTROL - 4 sections

DC-LINK - 4 sections

INPUT-EMI - 4 sections

rev D.3 - 32 sections - 370 components

NET NAMING




























internal junctions are named for what they join

U<ref> <PIN> node at that IC pin e.g. UIVOA VINP

R<stem> M midpoint of a series pair e.g. RBALTA M

R<stem> <nm> tap between R<stem>n/m e.g. RV1D 01

- all others are explicit design nets



NET NAMING
internal junctions are named for what they join
U<ref>_<PIN> node at that IC pin e.g. UIVOA_VINP
R<stem>_M midpoint of a series pair e.g. RBALTA_M
R<stem>_<nm> tap between R<stem>+n/m e.g. RV1D_01
all others are explicit design nets

SHEET INDEX
60 kW DC-DC (upper) - 2 of 3
LLC-LEGS - 7 sections
LLC-TANKS - 6 sections
OUTPUT-SENSING - 6 sections
BANKS-SP - 4 sections
CONTROL - 3 sections
COMMS-HMI - 2 sections
rev D.3 - 28 sections - 425 components

