




AC-SENSING / ISO-BIAS




AC-SENSING / SENSE-VAC1




AC-SENSING / SENSE-VAC2




AC-SENSING / SENSE-VAC3




AC-SENSING / SENSE-VBUS




AC-SENSING / SENSE-VIND




AC-SENSING / STAR




AC-SENSING / NTC




AC-SENSING / LINE-CTS-0




AUX-POWER / FLYBACK




AUX-POWER / INTERCONNECT




CONTROL / CARD-UP



AUX-POWER / FANS




AUX-POWER / RAILS




CONTROL / COL-DRIVER




CONTROL / GROUNDING




DC-LINK / DISCHARGE




DC-LINK / LINK-BANK-0




DC-LINK / BUS-STOP




DC-LINK / LINK-BANK-1




INPUT-EM / EMI-FILTER




INPUT-EM / AC-ENTRY




INPUT-EM / PRECHARGE




INPUT-EM / SURGE




VIENNA-PFC / PHASE-A0



VIENNA-PFC / PHASE-C0



VIENNA-PFC / PHASE-B0




SHEET INDEX

40 kW AC-DC (lower) - 1 of 3
AC-SENSING - 6 sections
AUX-POWER - 3 sections
CONTROL - 4 sections
DC-LINK - 4 sections
INPUT-EM - 4 sections
VIENNA-PFC - 3 sections
net D.3 - 3B sections - 287 components


NET NAMING

Internal part numbers are named for sheet D.3
Units: -offto made at that IC pin e.g. U10A, V10P
Polarity: - if independent of a series pin e.g. R10A, R10P
Polarity: - unless top between Poleside e.g. R10C, R10P
all others are implied design rules


CONTROL / SAFETY




CONTROL / MCU




CONTROL / BUCK-3V3




CONTROL / CARD-IF




CONTROL / ANALOG-MID



CONTROL / SWD-BOOT



CONTROL / FLT-GROUND



CONTROL / ROLE

