




cab-CABINET / CSU-CARRIER




cab-CABINET / MODULES




cab-CABINET / CAN-CHAIN



cab-CABINET / AC-ENTRY



cab-CABINET / DC-BUS





























120 kW Cab

NET NAMING:

120 kW Cabinet - 4x 30 kW modules + CSU (same card, third strap role) (E39)

DC-Modules 120 kW - board Cabinet interconnect, sheet 1 of 1

2026-09-06 · rev D.4



SHEET INDEX

ACWAK-SD (page) : 1 of 3
AC ORDERING : 3 sections
AIR POWER : 1 section
CONTROL : 1 section
REPORTING : 4 sections
DECLARATION : 3 sections
WINDUP-PTC : 3 sections
IN DATA : 30 sections - 298 components

NET NAMING

Internet protocols are named for what they join

Unicast: «file mode of find C:\pin» e.g. `1915354_VHSF`

Broadcast: «if multiple of a series pair» e.g. `4836373_H`

Broadcast: «series join between Broadcasters» e.g. `19103_01`

all others are explicit design notes




MAGNETICS CONSTRUCTION

Identify per [discontinuityAid](#) (varies, gdp, ltu, acceptance times time filter)

DT LAG(10) IN ROTWKAT Kindals, N=30 (1 = 1 bit time), bds(tmax) (tmax) = L3 TRUNC, usePact GREY value gamma (gdp/ltu ratio)

DL DEL(1) 0: 2u Ytd Min, N=7, N2 Annual (2) = 7 Annual GREY (gdp 7.2u)

Total L = 9m + measured after leakage (3m COMPENSATE leakage spread), Or as TANK sections



SHEET INDEX













30 kW DC-DC board - 1 of 1
OUTPUT SENSING - 0 sections
BANKS-SP - 4 sections
LLC-LESS - 4 sections
CONTROL - 1 sections
LLC-TANKS - 3 sections
COMMS-HSE - 2 sections
30 kW DC-DC board - 122 components

NET NAMING

Input pins are named for what they pin

Output pins are named for what they pin

30 kW DC-DC board - 122 components








MAGNETICS CONSTRUCTION

Identify per manufacturer and form, size, etc. components from this sheet


30 kW DC-DC board - 122 components

30 kW DC-DC board - 122 components


30 kW DC-DC board - 122 components




CONTROL / MCU




CONTROL / SWD-BOOT



CONTROL / SAFETY




CONTROL / FLT-GROUND




CONTROL / ROLE



CONTROL / BUCK-3V3



CONTROL / ANALOG-MID



CONTROL / CARD-IF

