


























```
SEVEN INDEX
```

```
0-986 Apple Mac OS (Power) - 1 of 1
```

```
A
```

```
AC-BUSINESS - 8 sections
```

```
ADA-POWER - 5 sections
```

```
CONFIDEX - 4 sections
```

```
DCLINK - 4 sections
```

```
HQTY 68K - 4 sections
```

```
VENDOR-FPC - 2 sections
```

```
res 0.4 - 79 sections - 382 components
```

NET NAMING

Internal positions are named for what they join

Search „off“ this node at that IC join e.g. UNICL, UNP

Readers: M endpoint of a series part e.g. BRN12A, M

Readers: series top between Readers with e.g. RND1, B1

all others are explicit design rules

MAGNETICS CONSTRUCTION

identity for disaccharaglycosyl and (Suzuki, Negi, acceptance lines with them)

[1] LAG-026, 3a 179.26; aromatic (2,4,6,10,12,17), $\text{NaO}^+ \text{H}^+ 167.016 \rightarrow \text{L} 167.016$, $\text{m/e} 454.04$ (179.26, 3a 653.1)

888.898: $\text{CHCl}_3 + 12x \text{ C}_4\text{H}_7\text{N} + 3 \text{ star rings} + \text{CHCl}_3 + \text{HCl}$ benzene, CH_2O dimethyl dimethyl

Or at 7000: aromatic