



























SHEET INDEX

DC INPUT / DM-Y	1 of 4
DC INPUT / DM-L	1 of 4
PHASE-U / MODULE-U	1 of 4
PHASE-U / DRIVE-UL	1 of 4
PHASE-U / DRIVE-UH	1 of 4
PHASE-W / DRIVE-WL	1 of 4
PHASE-W / DRIVE-WH	1 of 4
PHASE-W / MODULE-W	1 of 4
HV SENSING / ABC-BUFFER	1 of 4
HV SENSING / RSD-BIAS	1 of 4
HV SENSING / SENSE-VOC	1 of 4
LV POWER / BOOST-10V	1 of 4
LV POWER / PROTE-H	1 of 4
LV POWER / PROTE-L	1 of 4
LV POWER / VCC-LDO	1 of 4
GATE POWER / FLX-HS	1 of 4
GATE POWER / FLX-LS	1 of 4





NET NAMING

























Net Name	Value	Unit
DC Input DM-Y	100V	V
DC Input DM-L	100V	V
Phase-U Module-U	100V	V
Phase-U Drive-UL	100V	V
Phase-U Drive-UH	100V	V
Phase-W Drive-WL	100V	V
Phase-W Drive-WH	100V	V
Phase-W Module-W	100V	V
HV Sensing ABC-Buffer	100V	V
HV Sensing RSD-Bias	100V	V
HV Sensing Sense-VOC	100V	V
LV Power Boost-10V	100V	V
LV Power Prote-H	100V	V
LV Power Prote-L	100V	V
LV Power VCC-LDO	100V	V
Gate Power FLX-HS	100V	V
Gate Power FLX-LS	100V	V

ASIL-S SAFETY CONCEPT - DC-LINK DISCHARGE VERIFICATION

1. Safety Concept ASIL-S (ASIL-S) - DC-LINK DISCHARGE VERIFICATION	1. Safety Concept ASIL-S (ASIL-S) - DC-LINK DISCHARGE VERIFICATION
2. Safety Concept ASIL-S (ASIL-S) - DC-LINK DISCHARGE VERIFICATION	2. Safety Concept ASIL-S (ASIL-S) - DC-LINK DISCHARGE VERIFICATION
3. Safety Concept ASIL-S (ASIL-S) - DC-LINK DISCHARGE VERIFICATION	3. Safety Concept ASIL-S (ASIL-S) - DC-LINK DISCHARGE VERIFICATION
4. Safety Concept ASIL-S (ASIL-S) - DC-LINK DISCHARGE VERIFICATION	4. Safety Concept ASIL-S (ASIL-S) - DC-LINK DISCHARGE VERIFICATION
5. Safety Concept ASIL-S (ASIL-S) - DC-LINK DISCHARGE VERIFICATION	5. Safety Concept ASIL-S (ASIL-S) - DC-LINK DISCHARGE VERIFICATION
6. Safety Concept ASIL-S (ASIL-S) - DC-LINK DISCHARGE VERIFICATION	6. Safety Concept ASIL-S (ASIL-S) - DC-LINK DISCHARGE VERIFICATION
7. Safety Concept ASIL-S (ASIL-S) - DC-LINK DISCHARGE VERIFICATION	7. Safety Concept ASIL-S (ASIL-S) - DC-LINK DISCHARGE VERIFICATION
8. Safety Concept ASIL-S (ASIL-S) - DC-LINK DISCHARGE VERIFICATION	8. Safety Concept ASIL-S (ASIL-S) - DC-LINK DISCHARGE VERIFICATION
9. Safety Concept ASIL-S (ASIL-S) - DC-LINK DISCHARGE VERIFICATION	9. Safety Concept ASIL-S (ASIL-S) - DC-LINK DISCHARGE VERIFICATION
10. Safety Concept ASIL-S (ASIL-S) - DC-LINK DISCHARGE VERIFICATION	10. Safety Concept ASIL-S (ASIL-S) - DC-LINK DISCHARGE VERIFICATION







SHEET INDEX

RES VMD pin Control card (LV) - 1 of 4
PHASE SENSE - 1 location
MOD/ATC - 1 location
SAFETY - 1 location
SBC - 1 location
TEMP - 1 location
COMBI - 1 location
CONTROL - 1 location
VOC-RECEIVE - 1 location
CAN/FD - 1 location
VEHICLE ID - 1 location

NET NAMING

RES VMD pin Control card (LV) - 1 of 4
PHASE SENSE - 1 location
MOD/ATC - 1 location
SAFETY - 1 location
SBC - 1 location
TEMP - 1 location
COMBI - 1 location
CONTROL - 1 location
VOC-RECEIVE - 1 location
CAN/FD - 1 location
VEHICLE ID - 1 location