


























[illegible]

























```

1  |
2  | NET SMITH
3  |
4  |
5  | internal connections are named for what they join
6  |
7  |
8  | examples, offers name of IC join e.g. USPS1_RDP
9  |
10 |
11 | Robinson_R endpoint of a series join e.g. RRSA_R
12 |
13 |
14 | Robinson, series link between Robinsonic e.g. RPOD12
15 |
16 |
17 | all others are explicit designator
18 |
19 |
20 |
21 |
22 |
23 |
24 |
25 |
26 |
27 |
28 |
29 |
30 |
31 |
32 |
33 |
34 |
35 |
36 |
37 |
38 |
39 |
40 |
41 |
42 |
43 |
44 |
45 |
46 |
47 |
48 |
49 |
50 |
51 |
52 |
53 |
54 |
55 |
56 |
57 |
58 |
59 |
60 |
61 |
62 |
63 |
64 |
65 |
66 |
67 |
68 |
69 |
70 |
71 |
72 |
73 |
74 |
75 |
76 |
77 |
78 |
79 |
80 |
81 |
82 |
83 |
84 |
85 |
86 |
87 |
88 |
89 |
90 |
91 |
92 |
93 |
94 |
95 |
96 |
97 |
98 |
99 |
100|

```

[illegible]





SHEET INDEX

220 kW gk Control card (3V) - 4 of 4

PHASE-SENSE - 4 sections

RESOLVER: 4 sections

1

CCAMS - 2 sections

CENTRAL - 2 sections

100-440000-1 1000000

rev A.9 - 26 sections - 277 components

NET NAMING

✱ *Portano* < *Porto* tap between *Portano* < *Porto* e.g. *Portano* < *Porto*

all others are explicit design nets

1. *What is the purpose of this study?*