



























```


| SHEET INDEX |
| 200 VAC 60 Hz Power (20) | 1 of 2 |
|
|
| HIRSHMANN - 4 switches |
|
| LUPPBER - 4 switches |
|
| SC-8077 - 2 switches |
|
| PRAGE 0 - 2 switches |
|
| PRAGE 10 - 2 switches |
|
| PRAGE 30 - 2 switches |
|
| SAFE POWER - 2 switches |
|
| CONTROL-IP - 2 switches |
|
| SC-LINK - 2 switches |
|
| wa-A-11 - 20 switches / 100 components |


```























NET NAMING	
Internal junctions are named for what they join	
Don'ts: <code>WFFto</code> made at that IC pin e.g. <code>WFFC_WFFD</code>	all others are explicit design note
Bad: <code>SI</code> misapplied of a series pair e.g. <code>RELA_SI</code>	same name on another sheet a same net, joined <code>DEL2</code> at the
Bad: <code>series</code> tag between footprints e.g. <code>R500_U2</code>	named <code>connectors/links</code> per <code>INTERBOARD LINKS</code> , design basis

[illegible]







SHEET INDEX

220 kW pk Control card (LV) - 4 of 4
PHASE-SENSE - 4 sections
RESOLVER - 4 sections
SAFETY - 4 sections
SBC - 3 sections
TEMP - 3 sections
COMMS - 2 sections
CONTROL - 4 sections
OSCILLATOR - 2 sections
CARD-IP - 1 section
SAFETY / GATEIN - 1 section
VDD A-D - 16 sections - 168 connections

NOTES

1. All pin numbers are based on the LV pinout.
2. Pin numbers are based on the LV pinout.
3. Pin numbers are based on the LV pinout.
4. Pin numbers are based on the LV pinout.
5. Pin numbers are based on the LV pinout.
6. Pin numbers are based on the LV pinout.
7. Pin numbers are based on the LV pinout.
8. Pin numbers are based on the LV pinout.
9. Pin numbers are based on the LV pinout.
10. Pin numbers are based on the LV pinout.
11. Pin numbers are based on the LV pinout.
12. Pin numbers are based on the LV pinout.
13. Pin numbers are based on the LV pinout.
14. Pin numbers are based on the LV pinout.
15. Pin numbers are based on the LV pinout.
16. Pin numbers are based on the LV pinout.
17. Pin numbers are based on the LV pinout.
18. Pin numbers are based on the LV pinout.
19. Pin numbers are based on the LV pinout.
20. Pin numbers are based on the LV pinout.
21. Pin numbers are based on the LV pinout.
22. Pin numbers are based on the LV pinout.
23. Pin numbers are based on the LV pinout.
24. Pin numbers are based on the LV pinout.
25. Pin numbers are based on the LV pinout.
26. Pin numbers are based on the LV pinout.
27. Pin numbers are based on the LV pinout.
28. Pin numbers are based on the LV pinout.
29. Pin numbers are based on the LV pinout.
30. Pin numbers are based on the LV pinout.
31. Pin numbers are based on the LV pinout.
32. Pin numbers are based on the LV pinout.
33. Pin numbers are based on the LV pinout.
34. Pin numbers are based on the LV pinout.
35. Pin numbers are based on the LV pinout.
36. Pin numbers are based on the LV pinout.
37. Pin numbers are based on the LV pinout.
38. Pin numbers are based on the LV pinout.
39. Pin numbers are based on the LV pinout.
40. Pin numbers are based on the LV pinout.
41. Pin numbers are based on the LV pinout.
42. Pin numbers are based on the LV pinout.
43. Pin numbers are based on the LV pinout.
44. Pin numbers are based on the LV pinout.
45. Pin numbers are based on the LV pinout.
46. Pin numbers are based on the LV pinout.
47. Pin numbers are based on the LV pinout.
48. Pin numbers are based on the LV pinout.
49. Pin numbers are based on the LV pinout.
50. Pin numbers are based on the LV pinout.
51. Pin numbers are based on the LV pinout.
52. Pin numbers are based on the LV pinout.
53. Pin numbers are based on the LV pinout.
54. Pin numbers are based on the LV pinout.
55. Pin numbers are based on the LV pinout.
56. Pin numbers are based on the LV pinout.
57. Pin numbers are based on the LV pinout.
58. Pin numbers are based on the LV pinout.
59. Pin numbers are based on the LV pinout.
60. Pin numbers are based on the LV pinout.
61. Pin numbers are based on the LV pinout.
62. Pin numbers are based on the LV pinout.
63. Pin numbers are based on the LV pinout.
64. Pin numbers are based on the LV pinout.
65. Pin numbers are based on the LV pinout.
66. Pin numbers are based on the LV pinout.
67. Pin numbers are based on the LV pinout.
68. Pin numbers are based on the LV pinout.
69. Pin numbers are based on the LV pinout.
70. Pin numbers are based on the LV pinout.
71. Pin numbers are based on the LV pinout.
72. Pin numbers are based on the LV pinout.
73. Pin numbers are based on the LV pinout.
74. Pin numbers are based on the LV pinout.
75. Pin numbers are based on the LV pinout.
76. Pin numbers are based on the LV pinout.
77. Pin numbers are based on the LV pinout.
78. Pin numbers are based on the LV pinout.
79. Pin numbers are based on the LV pinout.
80. Pin numbers are based on the LV pinout.
81. Pin numbers are based on the LV pinout.
82. Pin numbers are based on the LV pinout.
83. Pin numbers are based on the LV pinout.
84. Pin numbers are based on the LV pinout.
85. Pin numbers are based on the LV pinout.
86. Pin numbers are based on the LV pinout.
87. Pin numbers are based on the LV pinout.
88. Pin numbers are based on the LV pinout.
89. Pin numbers are based on the LV pinout.
90. Pin numbers are based on the LV pinout.
91. Pin numbers are based on the LV pinout.
92. Pin numbers are based on the LV pinout.
93. Pin numbers are based on the LV pinout.
94. Pin numbers are based on the LV pinout.
95. Pin numbers are based on the LV pinout.
96. Pin numbers are based on the LV pinout.
97. Pin numbers are based on the LV pinout.
98. Pin numbers are based on the LV pinout.
99. Pin numbers are based on the LV pinout.
100. Pin numbers are based on the LV pinout.

