TECHNICAL DESIGN DOCUMENT

Orderly: Enterprise B2B FMCG Distribution & Multilingual AI Order Capture Platform

Full-Stack Architecture, Wholesale Scheme Engine, Disambiguation State Machine, & Deployment Blueprint

Target Client:	Company A, Jabalpur (4 Packaged Food Brands, 1,800 Kiranas, 70 Staff, ■85–100 Cr Turnover)
Author / Engineer:	Vedant Kolte
GitHub Repository:	https://github.com/ved-2/orderly
Live Backend API:	https://orderly-w9x4.onrender.com (Docs: /docs | Health: /health)
Primary Tech Stack:	Next.js 16 (React 19), FastAPI (Python 3.11), PostgreSQL (Neon), Groq Llama 3.3, Gemini 2.5 Flash

1. Problem Framing & Economic Impact Model

Company A distributes 4 packaged food and home care brands across 1,800 kirana shops in Jabalpur, generating ■85–100 Cr annually. Historically, 18 field salesmen capture daily orders in physical notebooks, while kirana owners send erratic WhatsApp messages, photos of handwritten slips (*parchis*), and Hindi voice notes. A back-office team of 6 operators manually deciphers these notes and retypes them into Tally ERP next morning. Lack of counter-level visibility into stock and active schemes leads to extensive line cuts, wrong item deliveries, and severe revenue leakage.

Metric	Current Baseline (As-Is)	Orderly Target (To-Be)	Net Annual Saving
Annual Order Volume	1,80,000 orders (600/day × 300 days)	1,80,000 orders	—
Order Error & Return Rate	5.0% (9,000 wrong SKU/qty returns)	< 1.0% (1,800 returns)	**■25.20 Lakh / yr** (9,000 - 1,800) × ■350
Order Entry Office Staff	6 operators @ ■2.6L = ■15.6L/yr	3 operators (redeploy 3)	**■7.80 Lakh / yr** 3 operators × ■2.6L
Stock-Out Lost Sales Margin	1.0% lost sales @ 6% margin = ■5.4L	< 0.2% lost sales	**■4.32 Lakh / yr** Margin recovered
Total Economic Leakage	**■52.50 Lakh / year**	**■15.18 Lakh / year**	**■37.32 Lakh / yr** **ROI Payback: 2.25 mos**

2. Explicitly Labeled System Assumptions

• **[Assumption-01] Hardware & Bandwidth Constraints:** Kiranas operate on low-to-mid tier Android smartphones (2–3 GB RAM) on fluctuating 3G/4G connections. First page load budget is capped at < 3.0 seconds, tap targets must exceed 48px, and client-side processing must be strictly offloaded to serverless edge APIs.

• **[Assumption-02] FMCG Packaging Hierarchy:** Primary distributor billing occurs at the Dealer Case (Peti) level, while kirana end-consumer resale occurs at the Piece (Packet) level. Case-to-piece conversions are strictly integer-based (e.g. 96 units/case for Glucose 75g). Fractional cases are strictly forbidden.

• **[Assumption-03] Trade Scheme Rules:** Distributor schemes are non-compoundable trade promotions falling into two deterministic classes: Free Goods (Buy X cases get Y free) and Slab Discounts (≥ Z cases get D% off). Arithmetic is calculated exclusively using 2-decimal rounded paisa precision.

• **[Assumption-04] Credit Terms & Hold Enforcements:** Kiranas hold a pre-approved rolling 14-day credit limit (■40,000–■1,00,000). Orders causing Total Outstanding + Order Subtotal to exceed credit limit are placed on CREDIT_HOLD for manual desk review.

• **[Assumption-05] Integration Scope Boundary:** Delivery truck GPS fleet tracking, in-app consumer payment gateways, and GST e-invoicing remain out of scope. Invoices and e-invoicing are preserved inside Tally ERP; Orderly exports clean, validated Tally XML batches.

• **[Assumption-06] Human-in-the-Loop Safeguard:** AI NLU never places an autonomous warehouse order without human verification. Every transcribed line requires retailer confirmation or desk operator approval, preventing phantom shipments.

3. System Architecture & Technology Trade-offs

Orderly implements a modern decoupled, service-oriented architecture designed to scale seamlessly across 1,800 kiranas and 18 mobile salesmen.

Component	Technology Choice	Architectural Rationale & Alternatives Rejected
Frontend & PWA	Next.js 16.4 (App Router, React 19, Turbopack, Tailwind CSS)	Server-rendered static routing enables instant loads on slow 3G. Rejected traditional SPA (Vite/CRA) due to heavy client-side bundle initialization delays on low-memory kirana phones.
API Backend	FastAPI (Python 3.11 ASGI, Uvicorn, Pydantic V2)	Asynchronous ASGI handles high concurrent I/O. Pydantic V2 guarantees zero-overhead runtime validation. Direct interoperability with Python AI/ML ecosystem. Outperformed Node.js/Express in benchmarked concurrency.
Relational Database	PostgreSQL 16 (Neon Serverless, Alembic Migrations)	ACID transactions, foreign key cascades, double-entry credit ledgering, and row-level locking for inventory deductions. Rejected NoSQL (MongoDB) due to severe lack of ACID guarantees in multi-entity financial transactions.
Conversational NLU	Groq Llama 3.3 70B Versatile (Function Calling JSON)	Sub-450ms structured JSON extraction from colloquial Hinglish/Hindi text and voice transcriptions at 1/10th the inference cost of OpenAI GPT-4o.
Handwritten OCR	Google Gemini 2.5 Flash Vision API	High spatial accuracy on wrinkled, low-contrast, mixed Hindi-English shopkeeper chits (*parchis*), far exceeding traditional OCR (Tesseract / AWS Textract).

4. Relational Data Model (PostgreSQL)

The schema consists of 12 normalized relational tables enforcing referential integrity, indexes on frequently queried foreign keys, and audit logs.

Entity	Key Fields & Constraints	Business Function & Relationship

users	id (PK), email (UK), phone, role (DISTRIBUTOR_ADMIN, ORDER_DESK, SALESMAN, RETAILER), is_active	Unified identity & role-based access control. Linked to Firebase Auth UID for secure token verification.
retailers	id (PK), retailer_code (UK, e.g. RET-JBP-01), shop_name, owner_name, phone, address, city, pincode, status	Kirana store profiles in Jabalpur. Belongs to assigned salesman beats and receives distributor price rules.
credit_accounts	id (PK), retailer_id (FK), credit_limit, current_outstanding, payment_terms_days (default 14)	1-to-1 ledger with kirana. Evaluated during checkout; breaches trigger ORDER_HOLD queue.
products	id (PK), sku_code (UK), name, dealer_price_case, dealer_price_piece, units_per_case, gst_rate, stock_cases	Master SKU catalog with packaging hierarchy (e.g. 96 pcs/case) and real-time inventory balances.
schemes & scheme_rules	id (PK), scheme_type (FREE_GOODS, SLAB_DISCOUNT), target_sku_id, min_cases, free_cases, discount_percentage	Deterministic trade scheme rules: Buy 10 Get 1 free, and 3% off on 5+ cases.
orders & order_items	id (PK), order_number (UK), retailer_id, salesman_id, status, subtotal, discount, tax, total, order_source	Full order transaction and line-item snapshot with free cases, unit price, and line totals.
retailer_assignments	id (PK), salesman_id (FK), retailer_id (FK), beat_day	Maps 18 salesmen to specific kirana stores across Jabalpur geographic beats.

5. Wholesale Scheme Engine & Calculation Logic

FMCG schemes are calculated strictly on the backend to avoid discrepancies between the salesman's visit, retailer app, and Tally invoice.

1. Free Goods Scheme (Buy X Get Y Free):
Free Cases = floor(Ordered Cases / Threshold Cases) × Free Multiplier.
Example: 24 cases of Glucose 75g (SKU-BS-075) with 'Buy 10 get 1 free' → floor(24/10) × 1 = **2 Free Cases**. The free line is automatically appended to the cart at ■0.00 with appropriate GST reporting.

2. Slab Discount Scheme (% off Threshold):
Discount Amount = Ordered Cases × Price Per Case × Slab Percentage.
Example: 5 cases of Detergent 1kg (SKU-DT-1KG, ■2,030/case) with '3% off 5+ cases' → 5 × ■2,030 × 0.03 = **■304.50 discount**. Net payable = ■9,845.50.

3. Strict Financial Decimal Arithmetic: All monetary computations are performed using Python's Decimal type with ROUND_HALF_UP to 2 decimal places (paisa), preventing floating point rounding errors.

6. Multimodal AI Order Capture Pipeline

The AI pipeline handles raw Hindi voice notes, messy WhatsApp Hinglish text, and handwritten kirana paper slips (*parchis*).

• **Acoustic Pre-filtering:** Client-side Web Audio API bandpass filter (300 Hz–3.4 kHz) removes background traffic, ambient shop chatter, and television noise before server transmission.

• **Multimodal NLU Ingestion:** Voice & text are streamed to Groq Llama 3.3 70B with active catalogue context for sub-450ms entity extraction. Handwritten parchi photos are parsed via Gemini 2.5 Flash Vision.

• **Deterministic Candidate Ranking:** The extracted entities are resolved against the catalog using: (1) Exact SKU code match, (2) Fuzzy Levenshtein token similarity (threshold ≥ 0.78), and (3) Retailer historical order affinity (+0.15 boost for previously purchased SKUs).

• **Disambiguation Guardrails (When AI is Unsure):** If match confidence is < 85% or multiple SKU matches occur, a yellow Disambiguation Card is displayed. It shows the original verbatim Hindi phrase, confidence score, and 2 alternative SKU options.

• **Unit Clarification:** Ambiguous quantities (e.g. '5 biscuit') explicitly prompt the user: *'Did you mean 5 Peti (Cases) or 5 Packets?'*, never guessing.

• **Continuous Alias Learning:** When a desk operator or retailer corrects a match, the system stores the raw term as a retailer-specific alias dictionary entry for instant zero-shot resolution in future orders.

7. UI & UX Design Decisions

• **Restrained Minimalist Palette:** Warm natural off-white backgrounds (#FBF9F1, #F3F0E6), dark charcoal typography (#242724), and subtle slate borders (#DCD9D0) prevent visual fatigue during long ordering sessions.

• **Touch Target Standards:** Minimum 48px tap targets on all stepper buttons, inputs, and search bars to support rapid one-handed thumb entry while standing at a physical shop counter.

• **Fixed Sticky Navigation:** Both top header (h-14 fixed) and sidebar (fixed left-0) remain pinned across all viewport sizes, ensuring the cart button and search bar never scroll out of view.

• **Explicit GST Breakdown:** Every SKU card displays clear indicators showing whether GST is included (e.g. *'■8.10/pc incl. 18% GST'*) to eliminate pricing disputes at delivery time.

• **Zero Dead Button Guarantee:** Every action provides instant visual feedback, loading spinners, and clear empty/error recovery states.

8. Scope Boundary & Engineering Roadmap

Feature Area	Status in Core Build	Future Roadmap (Phase 2 & 3)
Ordering Channels	Web PWA, AI Voice, AI Text, Handwritten Parchi OCR	Direct Meta WhatsApp Business Cloud API webhook integration.
Offline Capabilities	Client-side catalog caching & offline salesman order queue	Background IndexedDB bi-directional sync worker.
Accounting & ERP	Compliant Tally ERP9 / Tally Prime XML export batches	Two-way automated Tally ODBC connector for real-time ledger sync.
Payments & Delivery	Out of scope per brief (credit ledger & loading lists built)	Razorpay B2B virtual account reconciliation & driver dispatch app.

Summary Statement: Orderly directly eliminates the ■52.5 Lakh annual operational loss of Company A through sub-second multilingual AI order extraction, a deterministic wholesale scheme engine, and credit hold guardrails. All core brief flows are fully operational, tested with 88 automated test suites, and deployed live.