



## SKILL WEEK 4

P.Vedadri Naidu  
2520090060




The screenshot shows the MySQL Workbench interface. The title bar indicates 'Local instance MySQL80'. The menu bar includes File, Edit, View, Query, Database, Server, Tools, Scripting, and Help. The toolbar contains various icons for file operations, execution, and navigation. The main editor window, titled 'SKILL WEEK 4', contains the following SQL code:

```
1  -- 1. Database Creation
2  • CREATE DATABASE T_ARUN;
3  • USE T_ARUN;
4
5  -- 2. Table Creation
6  • CREATE TABLE Customer (
7      Customer_ID INT PRIMARY KEY,
8      Customer_Name VARCHAR(100) NOT NULL,
9      Phone VARCHAR(15),
10     Email VARCHAR(100),
11     City VARCHAR(50)
12 );
13
14 • CREATE TABLE Account (
15     Account_NO INT PRIMARY KEY,
16     Customer_ID INT,
17     Account_Type VARCHAR(20),
18     FOREIGN KEY (Customer_ID) REFERENCES Customer(Customer_ID)
19 );
```



The image shows the MySQL Workbench interface. At the top, there's a title bar with a home icon and the text "Local instance MySQL80". Below it is a menu bar with "File", "Edit", "View", "Query", "Database", "Server", "Tools", "Scripting", and "Help". A toolbar with various icons is below the menu bar. The main workspace has a tab labeled "SKILL WEEK 4". Below the tab is another toolbar with icons for file operations, a "Limit to 1000 rows" dropdown, and other utility icons. The SQL editor contains three queries. The first query (lines 7-12) defines a table with columns: Customer\_ID (INT PRIMARY KEY), Customer\_Name (VARCHAR(100) NOT NULL), Phone (VARCHAR(15)), Email (VARCHAR(100)), and City (VARCHAR(50)). The second query (lines 14-19) creates a table named "Account" with columns: Account\_NO (INT PRIMARY KEY), Customer\_ID (INT), Account\_Type (VARCHAR(20)), and a FOREIGN KEY (Customer\_ID) REFERENCES Customer(Customer\_ID). The third query (lines 21-25) creates a table named "Bank\_Transaction" with columns: Transaction\_ID (INT PRIMARY KEY AUTO\_INCREMENT), Account\_NO (INT), and a FOREIGN KEY (Account\_NO) REFERENCES Account(Account\_NO).

```
7      Customer_ID INT PRIMARY KEY,  
8      Customer_Name VARCHAR(100) NOT NULL,  
9      Phone VARCHAR(15),  
10     Email VARCHAR(100),  
11     City VARCHAR(50)  
12 );  
13  
14 • CREATE TABLE Account (  
15     Account_NO INT PRIMARY KEY,  
16     Customer_ID INT,  
17     Account_Type VARCHAR(20),  
18     FOREIGN KEY (Customer_ID) REFERENCES Customer(Customer_ID)  
19 );  
20  
21 • CREATE TABLE Bank_Transaction (  
22     Transaction_ID INT PRIMARY KEY AUTO_INCREMENT,  
23     Account_NO INT,  
24     FOREIGN KEY (Account_NO) REFERENCES Account(Account_NO)  
25 );
```



The screenshot shows the MySQL Workbench interface. The title bar indicates 'Local instance MySQL80'. The menu bar includes File, Edit, View, Query, Database, Server, Tools, Scripting, and Help. The toolbar contains various icons for file operations, database management, and execution. The active tab is 'SKILL WEEK 4'. The SQL editor displays a script with the following content:

```
22     Transaction_ID INT PRIMARY KEY AUTO_INCREMENT,
23     Account_NO INT,
24     FOREIGN KEY (Account_NO) REFERENCES Account(Account_NO)
25 );
26
27 -- 3. Fictional Data Insertion
28 • INSERT INTO Customer(Customer_ID, Customer_Name, Phone, Email, City) VALUES
29   (101, 'Ravi Kumar', '987654310', 'ravi@gmail.com', 'Hyd'),
30   (102, 'Priya Sharma', '9876543210', 'Priya@gmail.com', 'US');
31
32 • INSERT INTO Account(Account_NO, Customer_ID, Account_Type, Balance, Branch) VALUES
33   (10001, 101, 'Saving', 5000, 'Hyd'),
34   (10002, 102, 'Saving', 75000, 'US');
35
36 • INSERT INTO Loan(Loan_ID, Customer_ID, Loan_Type, Loan_Amount, Int_Rate) VALUES
37   (501, 101, 'Home Loan', 500000, 7.5);
38
39 -- 4. Creating View
40 • CREATE VIEW Customer_Basic_View AS
41   SELECT Customer_ID, Customer_Name, City
42   FROM Customer;
```

# MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

SKILL WEEK4 x

Limit to 1000 rows

```

40 • CREATE VIEW Customer_Basic_View AS
41 SELECT Customer_ID, Customer_Name, City
42 FROM Customer;
43
44 -- High Balance View
45 • CREATE VIEW High_Balance AS
46 SELECT Account_NO, Customer_ID, Balance
47 FROM Account
48 WHERE Balance > 60000;
49
50 -- Customer Account View
51 • CREATE VIEW Customer_ACT_View AS
52 SELECT
53     C.Customer_ID,
54     C.Customer_Name,
55     C.City,
56     A.Account_Type,
57     A.Balance
58 FROM Customer C
59 JOIN Account A
60 ON C.Customer_ID = A.Customer_ID;
    
```

Output

Action Output

| #   | Time     | Action                                                                                                   | Message           |
|-----|----------|----------------------------------------------------------------------------------------------------------|-------------------|
| ✓ 4 | 10:06:25 | CREATE DATABASE T_ARUN                                                                                   | 1 row(s) affected |
| ✓ 5 | 10:06:29 | USE T_ARUN                                                                                               | 0 row(s) affected |
| ✓ 6 | 10:06:35 | CREATE TABLE Customer ( Customer_ID INT PRIMARY KEY, Customer_Name VARCHAR(100) NOT NULL, Phone VARCH... | 0 row(s) affected |