



eScreen Connect

Web Services API Implementation Guide

Version 6.7

September 2023



Contents

About This Guide	4
Audience.....	4
API 4	
1 Scheduling Services	5
1.1 GetCollectionSites	5
1.1.1 GetCollectionSitesRequest.....	5
1.1.2 GetCollectionSiteResponse	6
1.2 RegisterScheduledEvent	7
1.2.1 RegisterScheduledEventRequest	7
1.2.2 RegisterScheduledEventResponse.....	14
1.3 GetScheduledEventDetail	14
1.3.1 ScheduledEventDetailRequest.....	14
1.3.2 ScheduledEventDetailResponse	16
1.4 UpdateScheduledEvent	19
1.4.1 UpdateScheduledEventRequest	19
1.4.2 UpdateScheduledEventResponse	25
1.5 CancelScheduledEvent Operation	26
1.5.1 CancelScheduledEventRequest.....	26
1.5.2 CancelScheduledEventResponse	26
2 Document Retrieval Service	27
2.1 DocumentRequestRequest	27
2.1.1 Document Identifier.....	28
2.1.2 Documents	29
2.2 DocumentRequestResponse	29
3 Appendixcert	31
3.1 Scheduling Service Common Request Parameters	31
3.1.1 PartnerInformation	31
3.1.2 ClientInformation.....	31
3.1.3 AccountDetails	32
3.2 Common Response Parameters	34
3.2.1 Error	34



Abbott

3.3	List of Scheduling Services Error Codes and Descriptions	34
3.3.1	Required Element Errors.....	34
3.3.2	Business Logic Errors.....	44
3.4	List of Document Retrieval Error Codes and Descriptions	45
3.5	Drug Tests and Occupational Health Services Values	48
3.6	Clinic Attribute Values	48
3.7	Reason for Test Values	50
3.8	DOT Regulations.....	50
3.9	Participant ID Type.....	51
3.10	Service Identifiers.....	51
4	Revision Log	52



About This Guide

The eScreen Connect lets you schedule drug tests and occupational health services, manage scheduled events using any client preferred user interface and retrieve documentation associated with those services.

client

The document describes the eScreen Connect Web Services APIs that enable you to interface with Alere eScreen Scheduling 2.0 business logic to search for collection sites, schedule drug tests and occupational health services, and request documentation.

Audience

This document is intended for eScreen integration partners who are developing a Web Services application to interface with the eScreen Connect. User should be familiar with developing applications using Web Services APIs as well as either developing in .Net.

API

The eScreen Connect Service SOAP API allows you to schedule drug tests and occupational health services, search for clinics, and manage scheduled events.

External Test link:

<https://test.escreen.com/EIS/EIS.svc>

The eScreen Connect Document Retrieval Service SOAP API allows you to retrieve a PDF of a requested document related to a scheduled event.

External Test link:

<https://test.escreen.com/eScreenDocumentRetrievalService/DocRetrievalService.svc>



eScreen Connect Method Definitions

1 Scheduling Services

1.1 GetCollectionSites

The GetCollectionSites operation retrieves active collection sites available for a specific service. All valid network types are returned in the collection site list for the given search type.

1.1.1 GetCollectionSitesRequest

When using GetCollectionSitesRequest, you must specify:

Top Level	Descriptiongetcollecxcxcxc	Required/Optional	Type
PartnerInformation	Common Request Variables; See table 3.1.1 in Appendix 3.1	Required	
ClientInformation	Common Request Variables; See table 3.1.2 in Appendix 3.1	Required	
LocationDetails	See table 1.1.1.1 below	Required	
ServiceIdentifiers	See table 1.1.1.2 below	Required	String
AssociatedOnly	Accounts can be set up with 'Default' associated clinics which are the preferred clinics of the Account; True/False; 1/0	Required	Boolean

Table 1.1.1.1. LocationDetails

Input	Description	Values	Required/Optional	Type
Address	Participant address		Optional	String
City	Participant city		Optional; Required if searching by city/state	String
State	Participant state/province		Optional; Required if searching by city/state	String
ZipCode	Participant zip code	Must be a valid five digit U.S. zip code	Optional; Required if searching by zip code	String
SearchRadius		1-60	Required; Maximum radius is 60 miles.	String
DistanceMeasureType		Miles = 1	Required	String

Table 1.1.1.2. ServiceIdentifiers

Input	Description	Required/Optional	Type
ServiceIdentifier	IDs associated with drug tests and occupational health services; Additional documentation will be provided based	Required	String

	on your organization's integration with eScreen; See Appendix 3.10		
--	--	--	--

1.1.2 GetCollectionSiteResponse

The GetCollectionSiteResponse provides a list of all collection sites that match the given criteria.

Top Level	Description	Included/Not Included	Type
CollectionSites	See table 1.1.2.1 below	Included	List
RequestID	Can be used for troubleshooting the scheduled event.	Included	GUID
IsValid	True/False	Included	Boolean
Errors	Error Description; See Table 3.2.1 and Appendix 3.3	Included if errors	Collection

Table 1.1.2.1. CollectionSite

Output	Description	Included/Not Included	Type
EscreenSiteId	eScreen unique clinic ID for the location. This value is used to schedule an event.	Included	Integer
SiteName	Clinic Name	Included	String
Address1	Clinic's Address	Included	String
Address2	Clinic's Address	Included if available	String
City	Clinic's city	Included	String
State	Clinic's State/Province	Included	String
ZipCode	Clinic's postal code	Included	String
PhoneNumber	Clinic's phone	Included	String
FaxNumber	Clinic's Fax	Included	String
Latitude	Latitude of clinic location	Included	Float
Longitude	Longitude of clinic location	Included	Float
Distance	Distance from the search criteria entered	Included	Float
DistanceMeasureType	Miles is returned for all United States clinics	Included	String
ElectronicPhysicalEnabled	Indicates if a clinic has the ability to perform electronic OHS services. Values True – Clinic has ability to perform electronic OHS services* False – Clinic performs paper OHS services	Included	Boolean
OccHealthNetwork	Indicates the network type for OHS services. Values ContractedInNetworkTier1 – bills in network tier 1 pricing for OHS services ContractedInNetworkTier2 – bills in network tier 2 pricing for OHS services ContractedOutofNetwork – bills out of network pricing for OHS services	Included	String



Output	Description	Included/Not Included	Type
Attributes	See table 1.1.2.2 below	Included	List

*Note: Clinics that have the ability to perform electronic OHS events can only complete events available in eScreen 123 electronically. This does not include all OHS services. These clinics will perform non electronic events on paper.

Table 1.1.2.2. Site Attribute

Output	Description	Included/Not Included	Type
AttributeName	Provides information about the clinic, including days/hours of operations, eCCF, and billing tier See Appendix 3.5	included	String
AttributeValue	Value of the attributes at the Clinic Site	included	String

1.2 RegisterScheduledEvent

The RegisterScheduledEvent operation lets you create an order/schedule an event. In order to register an event, you must know the clinic that the event will occur at. Clinics can be retrieved using GetCollectionSite.

1.2.1 RegisterScheduledEventRequest

When using RegisterScheduledEventRequest, you must specify:

Top Level	Description	Required/Optional	Type
PartnerInformation	Common Request Variables; See table 3.1.1 in Appendix 3.1	Required	
ClientInformation	Common Request Variables; See table 3.1.2 in Appendix 3.1	Required	
Participant	See table 1.2.1.1 below	Required	
ServicesToBePerformed	See table 1.2.1.2 below	Required	
CollectionSiteId	eScreen number for CollectionSiteID	Required	Integer
EventSettings	See table 1.2.1.4 below	Optional	
CustomFields	See table 1.2.1.5 below	Optional	
PassportNotification	See table 1.2.1.6 below	Optional	

Table 1.2.1.1. Participant

Input	Description	Required/ Optional	Values
FirstName	Participant's first name	Required	Varchar length 40
MiddleName	Participant's middle name	Optional	Varchar length 40
LastName	Participant's last name	Required	Varchar length 40
SSN	Participant's social security number	Optional; Can be required if account is configured for it.	Numeric 9 digits
DateOfBirth	Participant's Date of Birth	Optional*; Can be required if account is configured for it. *Note: Required for Blood Lab Component.	Date
DayPhone	Participant's DayPhoneNumber	Optional*; Can be required if account is configured for it. *Note: Required if you wish to send ePassport via text message.	Numeric 10 digits
EveningPhone	Participant's EveningPhoneNumber	Optional***; Can be required if account is configured for it.	Numeric 10 digits
Email	Participant's EmailAddress	Optional*; Can be required if account is configured for it. *Note: Required if you wish to send ePassport via email.	*Length 320
ExternalDonorId	This value will be reported back with the result and should be a unique id that represents the order in the partner system.	Recommended	Alpha and numeric 20 length
ParticipantId	This field can be used to populate other IDs for the participant including Driver's License or Employee ID	Optional; Can be required if account is configured for it.	Varchar length 20
ParticipantIdType	This field indicates the type of participant ID provided. See Appendix 3.9	Only required if the ParticipantID is populated.	String
ParticipantBarcode	Generated by partner	Optional	Varchar length 50
Address1	Participant's Address	Optional*; Required if City, State, or PostalCode is provided. *Note: Required for Blood Lab Component.	Varchar length 100
Address2	Participant's Address	Optional	Varchar length 100
City	Participant's City	Optional*; Required if Address1 State, or PostalCode is provided. *Note: Required for Blood Lab Component.	Varchar length 32
State	Participant's State	Optional*; Required if Address1, City, or PostalCode is provided. *Note: Required for Blood Lab Component.	Alpha length 2
PostalCode	Participant's Postal Code	Optional*; Required if Address1, City, or State is provided.	Numeric 5 digits



Input	Description	Required/ Optional	Values
		*Note: Required for Blood Lab Component.	
CostCenterJobCode	Job Code for the event	Only accepted if account is configured. Most partners will not use this field	Varchar length 50

*Please contact Integration Engineer with additional questions on email validation



Table 1.2.1.2. *ServicesToBePerformed*

Input	Description	Required/Optional	Values
Services	See table 1.2.1.3 below	Required	List
DrugReasonForTest	Drug Test reason for the test options	Required if Service ID passed	String
OtherReasonForTest	Describes the other reason for test if Other is selected as a reason for a drug test	Required if passing OTHER in for DrugReasonForTest otherwise must be empty	String
OccHealthReasonForService	Occupational Health Services reason for the service options	Required if Component ID passed	String

Table 1.2.1.3. *Services*

Input	Description	Required/Optional	Type
ServiceIdentifier	IDs associated with drug tests and occupational health services; Additional documentation will be provided based on your organization's integration with eScreen; See Appendix 3.10	Required	String
DotReguation	DOT agency; the acronym of the agency for testing; see Appendix 1.3	Optional; the system will use the default on the account if nothing is passed	String
CustomPanel	Panel ID for nDOT lab testing. This should only be passed if account has multiple panels. Contact Enterprise Integrations for more information if you need to use this value.	Optional	String

Table 1.2.1.4. *EventSetting*

Input	Description	Values	Required/Optional	Type
SettingName		Please see the table below	Please see the statements below	
SettingValue		Please see the table below	Please see the statements below	

If Scheduling Rule(s) have been configured in the eScreen system, then no Event Settings are required to be passed in the request unless there is a want to override the pre-set Scheduling Rule(s). Please contact your account manager or Enterprise Integrations with any questions about Scheduling Rule(s) that may be configured.

If Scheduling Rule(s) are not setup in the eScreen system, then (Expiration Date) OR (TimeType and NumberOfDays) is required to be passed in the request.

The Event Settings are:

Input	Description	Values	Required/Optional	Type
StartDate	Start date of scheduled event	N/A Default: Current Date/ Time	No; If not supplied, Start Date will be the moment the event is scheduled. Most partners do not specify a start date.	DateTime
ExpirationDate	Expiration date of scheduled event	N/A	Optional; Either [ExpirationDate] or [NumberOfDays] and [TimeType] is Required. If Expiration Date is provided, and the date is today's date, then Time MUST be provided at a point in the future	DateTime
NumberOfDays	Duration of the test	N/A	Optional; Either [ExpirationDate] or [NumberOfDays] and [TimeType] is Required.	Integer
TimeType	Indicate the time given in days or hours	BusinessDays = 1 ActualHours = 2 ActualDays = 3	Optional; Either [ExpirationDate] or [NumberOfDays] and [TimeType] is Required.	String
AllowSevenDays	An option to allow the completion of the service up to 7 days after the time has expired	True – Allows a grace period for participant to complete the event after expiration False – Sets a hard expiration that does not allow any events grace period. Default Value = FALSE	No	Boolean
NoExpirationOnPassport	An option to omit the expiration on the passport.	True/False Default Value = FALSE	No; Should only be used if participant should immediately proceed to collection site. This will not apply to most events.	Boolean
NotificationEmailAddresses	Email address(es) for where any notifications will be sent	Semicolon separated list of EmailAddresses	Optional; Required if any notification options are submitted On	String
SendEmailOnComplete	This will send an email notification when the participant arrives at the clinic**	True/False Default Value = FALSE	No	Boolean
SendEmailIfExpires	This will send an email notification when the event expires**	True/False Default Value = FALSE	No	Boolean



Input	Description	Values	Required/Optional	Type
SendEmail4HoursBeforeExpires	This will send an email notification 4 hours prior to the event expiring**	True/False Default Value = FALSE	No	Boolean
ContactFirstName	Alphanumeric, this prints on the passport as the person the participant should contact about the event.	N/A	No	String
ContactLastName	Alphanumeric, this prints on the passport as the person the participant should contact about the event.	N/A	No	String
ContactPhone	This prints on the passport as the person the participant should contact about the event.	N/A	No	String
ObservedCollectionRequested	Indicates if a collection should be observed. This does not apply to most partners.	True/False Default Value = FALSE	No; this does not apply to most events. This should be set to FALSE unless DOT regulations requires an observed collection.	Boolean
NotesForPassport	Any information provided will display in the notes section of the passport.	N/A	No	String

**Note: Email notifications for completed events will only be provided if the event is done electronically. This can cause expiration notifications to be sent event if an event was performed on paper. Please contact your account manager or Enterprise Integrations with any questions related to using these notifications.



Table 1.2.1.5. CustomFields

CustomFields do not apply to partners unless you have notified that you have accounts configured to use them. Please contact your Account Manager or Enterprise Integrations prior to using custom fields.

Input	Description	Required/Optional	Type
FieldName	Custom scheduling field for a specific account. The field name must be custom field number setup on the account. E.g. CustomField1 is a custom field setup on the account so the field name allowed is CustomField1	Optional; Required if checked as required for scheduling all services or by test type on ClientAccount; Client can have up to six custom fields	String
FieldValue	Custom scheduling field for a specific account. Values determined by the client. Value validated based on the custom field name in account setup	Optional; Required if checked as required for scheduling all services or by test type on ClientAccount; Client can have up to six custom fields	String

Users may create up to six (6) custom data entry fields, and designate one or all as a required field(s) for the Participant Information. Custom and required fields may be assigned for drug screening services, occupational health services or all services.

During Account Setup, custom fields may be created at the group, master and sub-account levels. These fields will be configured to use “walk the tree” logic.

Each custom field setup will have a unique label and set of values associated. When using a custom field in RegisterScheduledEventRequest, it will be submitted using the Field Name and Field Value elements:

Example:

```
<CustomFields>
  <CustomField>
    <FieldName>CustomField2</FieldName>
    <FieldValue>4</FieldValue>
  </CustomField>
  <CustomField>
    <FieldName>CustomField5</FieldName>
    <FieldValue>2</FieldValue>
  </CustomField>
</CustomFields>
```

Table 1.2.1.6. PassportNotification

Partners have the option to send an email or text message to the donor with the ePassport and instructions on how to complete their screening.

Input	Description	Values	Required/Optional	Type
Notification	Determines if either notification will be sent on behalf of partner.	Yes/No	Optional; Required if any type of notification will be sent	Boolean



Input	Description	Values	Required/Optional	Type
EmailNotification	Determines if notification will be sent via email. NOTE: Requires email address to be provided in Email node.	Yes/No	Optional; Required if the ePassport is to be sent via email.	Boolean
TextNotification	Determines if notification will be sent via text message. NOTE: Requires number to be provided in DayPhone node.	Yes/No	Optional; Required if the ePassport is to be sent via text message.	Boolean

1.2.2 RegisterScheduledEventResponse

The RegisterScheduledEventResponse contains our common set of response variables including operation-specific response variables:

Top Level	Description	Type
ScheduledEventAction	SubmissionError EventScheduled EventUpdated AppointmentRequested	String
RegistrationId	Generated by eScreen; unique number across all services; Can be used for any further calls regarding that scheduled event	String
RequestId	Can be used for troubleshooting the scheduled event.	GUID
IsValid	True/False	Boolean
Errors	Error Description; See Table 3.2.1 and Appendix 3.3	List

1.3 GetScheduledEventDetail

The GetScheduledEventDetail operation retrieves active scheduled events that match the provided information.

1.3.1 ScheduledEventDetailRequest

When using ScheduledEventDetailRequest, you must specify:

Top Level	Description	Required/Optional	Type
PartnerInformation	Common Request Variables; See table 3.1.1 Appendix 3.1	Required	
SiteInfo	See Table 1.3.1.1 below	Optional but Required for Clinics	
ScheduledEventIdentifier	See Table 1.3.1.2 below	Optional; either ScheduledEventIdentifier or ParticipantInformation must be provided	
ParticipantInformation	See Table 1.3.1.3 below	Optional; either ScheduledEventIdentifier or ParticipantInformation must be provided	
ClientLookupInformation	See table 1.3.1.4 below	Optional	

* If both barcode & participant information get sent, a partial match would mean – no match [active barcode, not a perfect mane match] – Less is more

Table 1.3.1.1. SiteInfo

Input	Description	Required/ Optional	Type
Siteld	Internal eScreen number identifying collection site.	Optional; either eScreenSiteld or PartnerlocationID must be provided	Integer
PartnerLocationId	Partner's unique identifier for the testing location.	Optional; either eScreenSiteld or PartnerlocationID must be provided	Integer

*One of these IDs must be submitted if a Clinic is requesting the detail of a scheduled event

Table 1.3.1.2. ScheduledEventIdentifier

Input	Description	Required/ Optional	Type
Barcode	Barcode from eScreen ePassport document	Optional; either BarcodeID or RegistrationID must be provided	String
RegistrationId	RegistrationID provided from eScreen at time of scheduling (this is a different value than the barcode on the ePassport document)	Optional; either BarcodeID or RegistrationID must be provided	String

Table 1.3.1.3. ParticipantInformation

Input	Description	Required/ Optional	Type
FirstName	Participant's first name	Required	Varchar length 40
MiddleName	Participant's middle name	Optional	Varchar length 40
LastName	Participant's last name	Required	Varchar length 40
SSN	Participant's social security number	Optional; either SSN, DateOfBirth, or EmailAddress must be provided	Numeric 9 digits
DateOfBirth	Participant's Date of Birth	Optional; either SSN, DateOfBirth, or EmailAddress must be provided	Date
DayPhone	Participant's DayPhoneNumber	Optional; Required if checked as required for scheduling all services or by test type on ClientAccount	Numeric 10 digits
EveningPhone	Participant's EveningPhoneNumber	Optional; Required if checked as required for scheduling all services or by test type on ClientAccount	Numeric 10 digits
Email	Participant's EmailAddress	Optional; either SSN, DateOfBirth, or EmailAddress must be provided; Required if checked as required for scheduling all services or by test type on ClientAccount	Length 320
ParticipantId	Participant's ID	Optional; Required if checked as required for scheduling all services or by test type on ClientAccount	Varchar length 20
PartnerBarcode	Generated in the partner system; Can be used for any further calls regarding that scheduled event	Optional	Varchar length 50
CostCenterJobCode		Optional; Required if checked as required for scheduling all services or by test type on ClientAccount	Varchar length 50

Table 1.3.1.4. ClientLookupInformation

Input	Description	Required/Optional	Type
ClientName		Optional	String
ClientAddress		Optional	String
ClientPhone		Optional	String

1.3.2 ScheduledEventDetailResponse

The ScheduledEventDetailResponse provides information on a matching active scheduled event.

Top Level	Description	Values	Included/Not Included	Type
MatchType	None = no match found Account = Account information only Event = scheduled event information returned	None Account Event	Included	String
ScheduledEventIdentifier	See table 1.3.2.1 below		Included if a matching scheduled event was found	
AccountInformation	See table 1.3.2.2 below		Included if any matching information was found	
ContractedServices	See table 1.3.2.3 below		Included if any matching information was found	
ParticipantInformation	See table 1.3.2.5 below		Included if a matching scheduled event was found	
ScheduledServices	See table 1.3.2.6 below		Included if a matching scheduled event was found	
EventDetails	See table 1.3.2.7 below		Included if a matching scheduled event was found	
RequestID	Can be used for troubleshooting the scheduled event.		Included if a matching scheduled event was found	GUID
IsValid	True/False		Included	Boolean
Errors	Error Description; See Table 3.2.1 and Appendix 3.3		Included if errors	List

Table 1.3.2.1. ScheduledEventIdentifier

Input	Description	Included/Not Included	Type
Barcode	Barcode from eScreen ePassport document	Optional; either BarcodeID or RegistrationID will be provided	String
RegistrationId	RegistrationID provided by eScreen at time of scheduling (this is a different value than the barcode on the ePassport document)	Optional; either BarcodeID or RegistrationID will be provided	String

Table 1.3.2.2. AccountInformation

Output	Description	Values	Included/Not Included	Type
ClientType	Type of account returned; Partner = Partner managed account	Partner eScreen	Included	String

Output	Description	Values	Included/Not Included	Type
	eScreen = eScreen managed account			
ClientAccount	ClientAccount as stored in eScreen system		Included	Integer
ClientSubAccount	ClientSubAccount as stored in eScreen system		Included	Integer
ElectronicClientId	Partner Customer ID as stored in Partner system and eScreen system; This is a unique number across all accounts		Included	String
PartnerAccountIdentifier1	Account identifier from the partner system. This should be an account identifier in the partner system.		Included for On Demand Client if available	String
PartnerAccountIdentifier2	Account identifier from the partner system, not normally used		Included for On Demand Client if available	String
PartnerAccountIdentifier3	Account identifier from the partner system, not normally used		Included for On Demand Client if available	String
AccountName			Included	String
Address1	Account Address		Included	String
Address2	Account Address		Included if available	String
City	Account City		Included	String
State	Account State/Province		Included	String
ZipCode	Account postal code		Included	String
Phone	Account phone		Included	String
ContractedServices	See Table 1.3.2.3 below		Included	List

Table 1.3.2.3. ContractedService

Output	Description	Values	Included/Not Included	Type
ServiceId	IDs associated with drug tests and occupational health services; Additional documentation will be provided based on your organization's integration with eScreen; See Appendix 3.10		Included	String
ServiceName			Included	String
RegulationType	Federal and non-Federal rules that states how to conduct testing and how to manage non-compliant employees	DOT NDOT	Included for Drug Tests only	String
IsElectronicEligible	Informs the clinic that eScreen will auto complete the service in the eScreen system	Default Value = FALSE	Included	Boolean
IntakeForms	See Table 1.3.2.4		Included if available	List



Table 1.3.2.4. IntakeForm

This will indicate if the Participant has any forms that could have been completed prior to arriving at the site. It also indicates if those forms have been completed.

Output	Description	Value	Included/Not Included	Type
FormType	Type of Form Required	Health History	Included	Integer
FormName	Name of Form Required	Electronic Health History	Included	String
Complete	True/False	Default Value = False	Only included if a required electronic form exists and if it is being included within the scheduled service response	Boolean
Required	True/False		Included	Boolean

Table 1.3.2.5. ParticipantInformation

Output	Description	Included/Not Included	Type
FirstName	Participant's First Name	Included	String
MiddleName	Participant's Middle Name	Included if available	String
LastName	Participant's Last Name	Included	String
SSN	Participant's Social Security Number	Included if available	String
DateOfBirth	Participant's Date of Birth	Included if available	String
DayPhone	Participant's Day Phone Number	Included if available	String
EveningPhone	Participant's Evening Phone Number	Included if available	String
Email	Participant's Email	Included if available	String
ParticipantId	Participant's Donor ID	Included if available	String
ParticipantIdType	See table 3.9 for parameters	Included if available	String
CostCenterJobCode	Participant's cost center/job code. Most events will not have this information.	Included if available	String

Table 1.3.2.6. ScheduledService

Output	Description	Value	Included/Not Included	Values
ServiceId	IDs associated with drug tests and occupational health services; Additional documentation will be provided based on your organization's integration with eScreen; See Appendix 3.10		Included	Integer
ServiceName			Included	String
RegulationType	Federal and non-Federal rules that states how to conduct testing and how to manage non-compliant employees	DOT NDOT	Included	String
ReasonForTest	Drug Test reasons for the test options		Included if Panel ID passed	String
OccHealthReason	Occupational Health Services reasons for the service options		Included if Component ID passed	String
IsElectronicEligible	Indicates if the service is available electronically in eScreen 123.	Default Value = FALSE	Included	Boolean

Output	Description	Value	Included/Not Included	Values
PanelId	Lab Panel for CCF		Included if a drug test is scheduled	Integer
LabId	Laboratory to test sample		Included if a drug test is scheduled	Integer
LabAccount	Lab Account number for CCF		Included if a drug test is scheduled	String
IntakeForms	See Table 1.3.2.4		Included if available	List
Status	Status to communicate where event is in the process	Scheduled Waiting InProgress Canceled Completed Expired	Included; client and employer will be able to pull back all statuses; clinics will only be able to pull back active	String

Table 1.3.2.7. EventDetails

Output	Description	Values	Included/Not Included	Type
ObservedCollectionRequested	Indicates if a urine collection must be completed with observation	True/False Default Value = FALSE	Included	Boolean
NotesForPassport	These were note provided by the customer when scheduling/ordering the event	N/A	Included if available	String

1.4 UpdateScheduledEvent

The UpdateScheduledEvent operation lets you update a scheduled event. Only events that have not expired or been completed can be updated.

1.4.1 UpdateScheduledEventRequest

When using UpdateScheduledEventRequest, you must specify:

Top Level	Description	Required/Optional	Type
PartnerInformation	Common Request Variables; See table 3.1.1 in Appendix 3.1	Required	
ClientInformation	Common Request Variables; See table 3.1.2 in Appendix 3.1	Required	
Participant	See table 1.4.1.1 below	Required	
ServicesToBePerformed	See table 1.4.1.2 below	Required	String
CollectionSiteId	eScreen number for CollectionSiteID	Required	Integer

Top Level	Description	Required/Optional	Type
EventSettings	See table 1.4.1.5 below	Optional	List
CustomFields	See table 1.4.1.6 below	Optional	List
RegistrationIdForUpdate	RegistrationID provided from eScreen at time of scheduling (this is a different value than the barcode on the ePassport document)	Required for Update	String

Table 1.4.1.1. Participant

Input	Description	Required/ Optional	Values
FirstName	Participant's first name	Required	String
MiddleName	Participant's middle name	Optional	String
LastName	Participant's last name	Required	String
SSN	Participant's social security number	Optional; Can be required if account is configured for it.	String
DateOfBirth	Participant's Date of Birth	Optional*; Can be required if account is configured for it. *Note: Required for Blood Lab Component.	String
DayPhone	Participant's DayPhoneNumber	Optional*; Can be required if account is configured for it. *Note: Required if you wish to send ePassport via text message.	String
EveningPhone	Participant's EveningPhoneNumber	Optional; Can be required if account is configured for it.	String
Email	Participant's EmailAddress	Optional*; Can be required if account is configured for it. *Note: Required if you wish to send ePassport via email.	String
ExternalDonorId	This value will be reported back with the result and should be a unique id that represents the order in the partner system.	Recommended	String
ParticipantId	This field can be used to populate other IDs for the participant including Driver's License or Employee ID	Optional; Can be required if account is configured for it.	String
ParticipantIdType	This field indicates the type of participant ID provided. See Appendix 3.9	Only required if the ParticipantID is populated.	String
ParticipantBarcode	Generated by partner	Optional	Varchar length 50
Address1	Participant's Address	Optional*; Required if City, State, or PostalCode is provided *Note: Required for Blood Lab Component.	String
Address2	Participant's Address	Optional	String
City	Participant's City	Optional*; Required if Address1 State, or PostalCode is provided *Note: Required for Blood Lab Component.	String
State	Participant's State	Optional*; Required if Address1, City, or PostalCode is provided *Note: Required for Blood Lab Component.	String
PostalCode	Participant's Postal Code	Optional*; Required if Address1, City, or State is provided	String



Input	Description	Required/ Optional	Values
		*Note: Required for Blood Lab Component.	
CostCenterJobCode	Job Code for the event	Only accepted if account is configured. Most partners will not use this field	String

Table 1.4.1.2. ServicesToBePerformed

Input	Description	Required/Optional	Type
Services	See Table 1.4.1.3 below	Required	List
DrugReasonForTest	Reason for Test options; See lookup table in Appendix	Required if Service ID passed	String
OccHealthReasonforService	Reason for occupational health services; See lookup table in Appendix	Required if Component ID passed	String

Table 1.4.1.3. CollectionSiteId

Input	Description	Required/Optional	Type
CollectionSiteId	eScreen number for CollectionSiteID	Required	Integer

Table 1.4.1.4. Service

Input	Description	Required/Optional	Type
ServiceIdentifier	IDs associated with drug tests and occupational health services; Additional documentation will be provided based on your organization's integration with eScreen; See Appendix 3.4	Required if updating or adding a drug test	Integer
DOTRegulation	DOT agency; the acronym of the agency for testing; See Appendix 1.3	Optional; the system will use the default on the account if nothing is passed	String
CustomPanel	Set up to test for specific drugs/analytes for when a specimen is sent to the lab; screening and confirmation cut-offs might be different depending on the lab	Optional	String

Table 1.4.1.5. EventSettings

Input	Description	Values	Required/Optional	Type
SettingName		Please see the table below	Please see the statements below	
SettingValue		Please see the table below	Please see the statements below	

If Scheduling Rule(s) have been configured in the eScreen system, then no Event Settings are required to be passed in the request unless there is a want to override the pre-set Scheduling Rule(s). Please contact your account manager or Enterprise Integrations with any questions about Scheduling Rule(s) that may be configured.



Abbott

If Scheduling Rule(s) are not setup in the eScreen system, then (Expiration Date) OR (TimeType and NumberOfDays) is required to be passed in the request.

The Event Settings are:

Input	Description	Values	Required/Optional	Type
StartDate	Start date of scheduled event	N/A Default: Current Date/Time	No; If not supplied, Start Date will be the moment the event is scheduled. Most partners do not specify a start date.	DateTime
ExpirationDate	Expiration date of scheduled event	N/A	Optional; Either [ExpirationDate] or [NumberOfDays] and [TimeType] is Required. If Expiration Date is provided, and the date is today's date, then Time MUST be provided at a point in the future	DateTime
NumberOfDays	Duration of the test	N/A	Optional; Either [ExpirationDate] or [NumberOfDays] and [TimeType] is Required.	Integer
TimeType	Indicate the time given in days or hours	BusinessDays = 1 ActualHours = 2 ActualDays = 3	Optional; Either [ExpirationDate] or [NumberOfDays] and [TimeType] is Required.	String
AllowSevenDays	An option to allow the completion of the service up to 7 days after the time has expired	True – Allows a grace period for participant to complete the event after expiration False – Sets a hard expiration that does not allow any events grace period. Default Value = FALSE	No	Boolean
NoExpirationOnPassport	An option to omit the expiration on the passport.	True/False Default Value = FALSE	No; Should only be used if participant should immediately proceed to collection site. This will not apply to most events.	Boolean
NotificationEmailAddresses	Email address(es) for where any notifications will be sent	Semicolon separated list of EmailAddresses	Optional; Required if any notification options are submitted On	String
SendEmailOnComplete	This will send an email notification when the participant arrives at the clinic**	True/False Default Value = FALSE	No	Boolean
SendEmailIfExpires	This will send an email notification when the event expires**	True/False Default Value = FALSE	No	Boolean
SendEmail4HoursBeforeExpires	This will send an email notification	True/False Default Value = FALSE	No	Boolean



Input	Description	Values	Required/Optional	Type
	4 hours prior to the event expiring**			
ContactFirstName	Alphanumeric, this prints on the passport as the person the participant should contact about the event.	N/A	No	String
ContactLastName	Alphanumeric, this prints on the passport as the person the participant should contact about the event.	N/A	No	String

**Note: Email notifications for completed events will only be provided if the event is done electronically. This can cause expiration notifications to be sent even if an event was performed on paper. Please contact your account manager or Enterprise Integrations with any questions related to using these notifications.

Table 1.4.1.6. CustomFields

CustomFields do not apply to partners unless you have notified that you have accounts configured to use them. Please contact your Account Manager or Enterprise Integrations prior to using custom fields.

Input	Description	Required/Optional	Type
Field Name	Custom scheduling field for a specific account. The field name must be custom field number setup on the account. E.g. CustomField1 is a custom field setup on the account so the field name allowed is CustomField1	Optional; Required if checked as required for scheduling all services or by test type on ClientAccount; Client can have up to six custom fields	String
Field Value	Custom scheduling field for a specific account. Values determined by the client. Value validated based on the custom field name in account setup	Optional; Required if checked as required for scheduling all services or by test type on ClientAccount; Client can have up to six custom fields	String

Users may create up to six (6) custom data entry fields, and designate one or all as a required field(s) for the Participant Information. Custom and required fields may be assigned for drug screening services, occupational health services or all services.



During Account Setup, custom fields may be created at the group, master and sub-account levels. These fields will be configured to use “walk the tree” logic.

Each custom field setup will have a unique label and set of values associated. When using a custom field in RegisterScheduledEventRequest, it will be submitted using the Field Name and Field Value elements:

Example:

```
<CustomFields>
  <CustomField>
    <FieldName>CustomField2</FieldName>
    <FieldValue>4</FieldValue>
  </CustomField>
  <CustomField>
    <FieldName>CustomField5</FieldName>
    <FieldValue>2</FieldValue>
  </CustomField>
</CustomFields>
```

1.4.2 UpdateScheduledEventResponse

The UpdateScheduledEventResponse contains our common set of response variables including operation-specific response variables:

Top Level	Description	Included/Not Included	Type
RegistrationId	Generated by eScreen; unique number across all services; Can be used for any further calls regarding that scheduled event	Included	String
RequestID	Can be used for troubleshooting the scheduled event.	Included	GUID
IsValid	True/False	Included	Bool
Errors	Error Description; See Table 3.2.1 and Appendix 3.3	Included if errors	List



1.5 CancelScheduledEvent Operation

The CancelScheduledEvent operation lets you cancel a scheduled event. Only events that are not expired or completed can be canceled.

1.5.1 CancelScheduledEventRequest

When using CancelScheduledEventRequest, you must specify:

Top Level	Description	Required/Optional	Type
PartnerInformation	Common Request Variables; See table 3.1.1 in Appendix 3.1	Required	
PartnerBarcode	Generated in the partner system; Can be used for any further calls regarding that scheduled event	Optional; Required if RegistrationId is not provided	String
RegistrationId	Generated by eScreen; unique number across all services; Can be used for any further calls regarding that scheduled event	Optional; Required if PartnerBarcode is not provided	String

1.5.2 CancelScheduledEventResponse

All responses contain our standard set of response variables including operation-specific response variables.

Top Level	Description	Included/Not Included	Type
RequestId	Can be used for troubleshooting the scheduled event.	Included	GUID
IsValid	True/False	Included	Boolean
Errors	Error Description; See Table 3.2.1 and Appendix 3.3	Included if errors	List



2 Document Retrieval Service

The Document Retrieval operation retrieves a file of the requested document.

2.1 DocumentRequestRequest

When using DocumentRequest, you must specify in the order shown below:

Order	Top Level	Description	Values	Required/Optional	Type
1	PartnerInformation	Common Request Variables; See table 3.1.1 in Appendix 3.1		Required	
2	Document Type	Document types available will depend on integration configuration	BreathAlcoholDocument = 0 ParticipantPassport = 1 ChainOfCustody = 2 ResultCertificate = 3 OccupationalHealthDocuments = 4	Required	String
3	DocumentIdentifier	eScreen ID associated with a document type; See table 2.1.1 below		Optional; only required for Chain of Custody, Result Certificate, Occupational Health Documents	
4	ClientID	User ID from remote system; must be unique per user		Optional	Integer
5	ClientAccount	ClientAccount as stored in eScreen system		Optional	Integer
6	ClientSubAccount	ClientSubAccount as stored in eScreen system		Optional	String
7	ElectronicClientID	Partner Customer ID as stored in Partner system and eScreen system; This must be a unique number across all accounts		Optional	String
8	DocumentIdentifierType		ChainOfCustodyNumber = 1 RegistrationId = 2 Barcode = 3 SpecimenId = 4 OccHealthId = 5 ExternalDonorId = 6	Required	String
9	Included Documents	List of specific documents available for specific document types; See table 2.1.2 below		Optional; only applicable for Chain of Custody, Occupational Health Documents	



The Document Retrieval Service is able to return an array of documents that are generated during the entire Scheduled Event lifecycle. The documents are organized into a Document Type based on the service scheduled and completed:

- BreathAlcoholDocument
- ParticipantPassport
- ChainOfCustody
- ResultCertificate
- OccupationalHealthDocuments

Each document type has multiple Document Identifiers that can be used to retrieve the document. A document identifier is a barcode or ID, and a document can have more than one based on the service scheduled. Table 2.1.1 shows the barcode/IDs related to document types.

2.1.1 Document Identifier

Input	Description	Required/Optional	Type
ChainOfCustodyNumber	Chain of Custody number	Required to retrieve the following: Chain of Custody Result Certificate	String
RegistrationId	Scheduling Registration ID	Required to retrieve the following: Breath Alcohol Document Participant Passport Chain of Custody Result Certificate Occupational Health Documents	Integer
Barcode	Scheduling Barcode	Required to retrieve the following: Breath Alcohol Document Participant Passport Chain of Custody Result Certificate Occupational Health Documents	String
SpecimenId	Unique ID for drug results	Required to retrieve the following: Breath Alcohol Document Chain of Custody Result Certificate	Integer
OccHealthId	Unique ID for Occupational Health Results	Required to retrieve the following: Result Certificate Occupational Health Documents	Integer
ExternalDonorId	Unique ID provided by the National Account/Partner in scheduling to identify a donor; must use ExternalDonorId = 6 as DocumentIdentifierType	Required to retrieve the following: Breath Alcohol Document Participant Passport Chain of Custody Result Certificate Occupational Health Documents	String
ElectronicDonorId *For Clinic use only	Unique ID provided by the Clinic to identify a donor in front office checkin; must use ExternalDonorId = 6 as DocumentIdentifierType	Required to retrieve the following: Breath Alcohol Document Participant Passport Chain of Custody Result Certificate Occupational Health Documents	Integer



Document Identifiers overlap document types so the Document Identifier Type must be passed to ensure the system knows which document is to be pulled and for whom. The document identifier type is the name of the barcode/ID:

DocumentIdentifierType

- ChainOfCustodyNumber = 1
- RegistrationId = 2
- Barcode = 3
- SpecimenId = 4
- OccHealthId = 5
- ExternalDonorId = 6 – Used with ExternalDonorId and ElectronicDonorId Document Identifiers

2.1.2 Documents

Input	Description	Values	Required/Optional	Type
ChainOfCustody	Specific copy or copies can be requested if an eScreen Electronic Chain of Custody	<u>Values for eDOT CCF</u> TestFacilityCopy = 1 MroCopy = 2 CollectorCopy = 3 EmployerCopy = 4 DonorCopy = 5 PublicBurdonStatement = 6	Required; one value is required to retrieve a copy	String
OccupationalHealthDocuments	Scheduling Barcode	DriverCard	Required; one value is required to retrieve a document; more OccHealth documents will be added	String

The Chain of Custody consists of more than one copy. Occupational Health Documents consist of more than one form. More than one document can be requested. The specific document(s) value(s) must be passed to retrieve the desired document(s) from the service.

Example:

```
<IncludedDocuments>  
  <Document>MroCopy</Document>  
  <Document>EmployerCopy</Document>  
  <Document>DriverCard</Document>  
</IncludedDocuments>
```

2.2 DocumentRequestResponse

All responses contain our standard set of response variables.

Top Level	Description	Included/Not Included	Type
IsValid	True/False	Included	Bool
Errors	Error Description; See Table 3.2.1 and Appendix 3.3	Included if errors	List
ImageType	Image of the document in the specified type	Included if available	Stream



Top Level	Description	Included/Not Included	Type
BarcodeAvailable	If the event was scheduled at a laboratory PSC, this will indicate if a PSC barcode is available	Values True/False	Bool
PSCBarcode	If a PSC barcode is available, the barcode will be provided		String
MobileURL	This is the URL to use for a mobile passport, URLs are valid for 30 days	Only Included if DocumentType = 1	String



3 Appendix

3.1 Scheduling Service Common Request Parameters

A set of common request parameters are required for each of the operations in the Scheduling Service.

Common Request Parameters usage must follow rules:

- You must specify a value for all required Common Request Parameters.
- All Common Request Parameters must be implemented in the order in which they appear in the Request Parameters section for each operation

3.1.1 PartnerInformation

Input	Description	Required/ Optional	Type
UserName	Username as supplied by eScreen	Required	String
Password	Password as supplied by eScreen	Required	String

3.1.2 ClientInformation

Input	Description	Values	Required/ Optional	Type
ClientIdentificationType	eScreen client type; The values that can be passed for each request type is listed. ElectronicClientID is the preferred ID for most partners.	GetCollectionSites ○ ClientAccountAndSubAccount ○ ElectronicClientID RegisterScheduledEvent ○ ClientAccountAndSubAccount ○ ElectronicClientID ○ ClientDetails UpdateScheduledEvent ○ ClientAccountAndSubAccount ○ ElectronicClientID ○ ClientDetails	Required; Type used based on method used	String
ClientAccount	ClientAccount as stored in eScreen system	eScreen provided Client Account	Required if corresponding Client Identification Type is submitted	String
ClientSubAccount	ClientSubAccount as stored in eScreen system	eScreen provided Client Sub Account	Required if corresponding Client Identification Type is submitted	String
ElectronicClientID	Partner Customer ID as stored in Partner system and eScreen system; This must be a unique number across all accounts		Required if corresponding Client Identification Type is submitted Recommended	String
AccountDetails	See Table 3.1.3 Only used for specific partners. Please contact		Required if Client Identification Type =	

Input	Description	Values	Required/ Optional	Type
	Enterprise Integrations prior to using AccountDetails.		ClientDetails; Account Details or MRO information must be passed	

3.1.3 AccountDetails

Input	Description	Required/Optional	Type
PartnerAccountIdentifier1	Account identifier from the partner system	Required; at least one is required all tests	String
PartnerAccountIdentifier2	Account identifier from the partner system	Optional	String
PartnerAccountIdentifier3	Account identifier from the partner system	Optional	String
LabAccountNumber	Client Lab Account Number from Partner	Optional; Required for lab based drug tests	String
AccountName	Client Account Name	Required	String
AccountAddress1	Client Account Address	Required	String
AccountAddress2	Client Account Address	Optional	String
AccountCity	Client Account city	Required	String
AccountState	Client Account State/Province	Required	String
AccountZip	Client Account postal code	Required: Must be a valid five digit U.S. zip code	String
AccountPhone	Client Account phone	Required	String
AccountFax	Client Account Fax	Optional	String
MroName		Recommended and Required for DOT tests	String
MroAddress1	MRO's Address	Recommended and Required for DOT tests; Required if MroCity, MroState, or MroZip provided	String
MroAddress2	MRO's Address	Recommended and Required for DOT tests	String
MroCity	MRO's city	Recommended and Required for DOT tests; Required if MroAddress1, MroState, or MroZip provided	String
MroState	MRO's State/Province	Recommended and Required for DOT tests; Required if MroAddress1, MroCity, or MroZip provided	String
MroZip	MRO's postal code	Recommended and Required for DOT tests; Required if MroAddress1, MroCity, or MroState provided; Must be a valid five digit U.S. zip code	String
MroPhone	MRO's phone	Recommended and Required for DOT tests	String
MroFax	MRO's Fax	Recommended and Required for DOT tests	String
DerName	DER Name	Recommended and Required for DOT tests	String
DerPhone	DER Phone	Recommended and Required for DOT tests	String
ManagedCollection	Identifies the responsible party for billing	Optional	String
SplitSpecimen	Indicates if urine collection is to be a split sample	Optional; default is false unless DOT regulations required an observed collection	Boolean



Abbott

Input	Description	Required/Optional	Type
eCCFEligible	Indicates if the event is eligible for electronic chain of custody	Optional; default is true unless otherwise stated	Boolean
FormType	Type of Form	Optional	String



3.2 Common Response Parameters

All responses contain our standard set of response variables:

Top Level	Description	Included/Not Included	Type
RequestID	An identified for the transaction; Can be used for troubleshooting the scheduled event.	Included	GUID
IsValid	True/False	Included	Bool
Errors	Error Code and Description; See table 3.2.1 and Appendix 3.3	Included if errors	Collection

3.2.1 Error

Output	Description	Included/Not Included	Type
ErrorCode	Code identifying the error	Included	Integer
ErrorDescription	Description of the error	Included	String

IsValid will return

- True if the request was successful
- False if not successful.
 - If IsValid is false, the Errors collection will contain a list of errors that were encountered.

3.3 List of Scheduling Services Error Codes and Descriptions

3.3.1 Required Element Errors

ClientInformationValidator

Error Code	Error Description	Type
016	"ClientIdentificationType: ClientAccountAndSubAccount was supplied in ClientInformation, but ClientAccount Is Null"	Client Information Validator
017	"ClientIdentificationType: ClientAccountAndSubAccount was supplied in ClientInformation, but ClientAccount is longer than 6 characters (<ClientAccount>)."	Client Information Validator
018	"ClientIdentificationType: ClientAccountAndSubAccount was supplied in ClientInformation, but ClientAccount is not an integer value."	Client Information Validator
019	"ClientIdentificationType: ClientAccountAndSubAccount was supplied in ClientInformation, but ClientSubAccount Is Null"	Client Information Validator
020	"ClientIdentificationType: ClientAccountAndSubAccount was supplied in ClientInformation, but ClientSubAccount is longer than 6 characters (<ClientSubAccount>)."	Client Information Validator
021	"ClientIdentificationType: ClientAccountAndSubAccount was supplied in ClientInformation, but ClientSubAccount is not an integer value."	Client Information Validator
022	"ClientIdentificationType: Client not found for ClientAccount: <ClientAccount>, ClientSubAccount <ClientSubAccount>."	Client Information Validator
023	"ClientIdentificationType: Client not found for ClientAccount: <ClientAccount>, ClientSubAccount <ClientSubAccount>."	Client Information Validator
024	"ClientIdentificationType: EscreenClientId was supplied in ClientInformation, but EscreenClientId Is Null"	Client Information Validator
025	"ClientIdentificationType: EscreenClientId was supplied in ClientInformation, but EscreenClientId is longer than 20 characters (<EscreenClientId>)."	Client Information Validator
026	"ClientIdentificationType: EscreenClientId was supplied in ClientInformation, but EscreenClientId is not an integer value."	Client Information Validator

Error Code	Error Description	Type
027	"ClientIdentificationType: Client not found for EscreenClientId: <EscreenClientId>."	Client Information Validator
028	"ClientIdentificationType: Client not found for EscreenClientId: <EscreenClientId>."	Client Information Validator
029	"ClientIdentificationType: ElectronicClientId was supplied in ClientInformation, but ElectronicClientId Is Null"	Client Information Validator
030	"ClientIdentificationType: ElectronicClientId was supplied in ClientInformation, but ElectronicClientId is longer than 200 characters or is invalid ({clientInfo.ElectronicClientId})."	Client Information Validator
031	"ClientIdentificationType: Client not found for ElectronicClientId: <ElectronicClientId>."	Client Information Validator
032	"ClientIdentificationType: Client not found for ElectronicClientId: <ElectronicClientId>."	Client Information Validator
033	"ClientIdentificationType: Client not found for ElectronicClientId: <ElectronicClientId>."	Client Information Validator
034	"ClientIdentificationType: ClientDetails - Client type is not valid for the GetCollectionSites action. Valid actions include RegisterScheduledEvent and UpdateScheduledEvent"	Client Information Validator
035	"ClientIdentificationType: Default ClientID improperly set up for Partner: <partnerID>. Please contact eScreen."	Client Information Validator
036	"ClientIdentificationType: ClientDetails was supplied in ClientInformation, but AccountDetails are Null."	Client Information Validator
037	"ClientIdentificationType: ClientDetails - AccountDetails must include at least one PartnerAccountIdentifier."	Client Information Validator
038	"ClientIdentificationType: ClientDetails was supplied in ClientInformation, but PartnerAccountIdentifier1 is longer than 32 characters or is invalid (<PartnerAccountIdentifier1>)."	Client Information Validator
039	"ClientIdentificationType: ClientDetails was supplied in ClientInformation, but PartnerAccountIdentifier2 is longer than 32 characters or is invalid (<PartnerAccountIdentifier2>)."	Client Information Validator
040	"ClientIdentificationType: ClientDetails was supplied in ClientInformation, but PartnerAccountIdentifier3 is longer than 32 characters or is invalid (<PartnerAccountIdentifier3>)."	Client Information Validator
041	"ClientIdentificationType: ClientDetails was supplied in ClientInformation, but AccountName was Null.");	Client Information Validator
042	"ClientIdentificationType: ClientDetails was supplied in ClientInformation, but AccountName is longer than 200 characters (<AccountName>).");	Client Information Validator
043	"ClientIdentificationType: ClientDetails was supplied in ClientInformation, but AccountAddress1 is Null.");	Client Information Validator
044	"ClientIdentificationType: ClientDetails was supplied in ClientInformation, but AccountAddress1 is longer than 100 characters (<AccountAddress1>)."	Client Information Validator
045	"ClientIdentificationType: ClientDetails was supplied in ClientInformation, but AccountAddress2 is longer than 100 characters (<AccountAddress2>)."	Client Information Validator
046	"ClientIdentificationType: ClientDetails was supplied in ClientInformation, but AccountCity is Null.");	Client Information Validator
047	"ClientIdentificationType: ClientDetails was supplied in ClientInformation, but AccountCity is longer than 32 characters (<AccountCity>).");	Client Information Validator
048	"ClientIdentificationType: ClientDetails was supplied in ClientInformation, but AccountState is Null.");	Client Information Validator
049	"ClientIdentificationType: ClientDetails was supplied in ClientInformation, but AccountState is longer than 2 characters (<AccountState>).");	Client Information Validator
050	"ClientIdentificationType: ClientDetails was supplied in ClientInformation, but AccountZip is Null.");	Client Information Validator
051	"ClientIdentificationType: ClientDetails was supplied in ClientInformation, but AccountZip is longer than 15 characters (<AccountZip>).");	Client Information Validator
052	"ClientIdentificationType: ClientDetails was supplied in ClientInformation, but AccountPhone is Null.");	Client Information Validator
053	"ClientIdentificationType: ClientDetails was supplied in ClientInformation, but AccountPhone is longer than 30 characters or is invalid (<AccountPhone>)."	Client Information Validator
054	"ClientIdentificationType: ClientDetails - AccountDetails must include urine test.");	Client Information Validator
055	"ClientIdentificationType: ClientDetails was supplied in ClientInformation, but LabAccountNumber is longer than 32 characters (<LabAccountNumber>)."	Client Information Validator

Error Code	Error Description	Type
056	"ClientIdentificationType: ClientDetails - AccountDetails must include MroName if services include DOT test.");	Client Information Validator
057	"ClientIdentificationType: ClientDetails was supplied in ClientInformation, but MroName is longer than 200 characters (<MroName>).");	Client Information Validator
058	"ClientIdentificationType: ClientDetails - AccountDetails must include MroAddress1 if services include DOT test.");	Client Information Validator
059	"ClientIdentificationType: ClientDetails was supplied in ClientInformation, but MroAddress1 is longer than 100 characters (<MroAddress1>).");	Client Information Validator
060	"ClientIdentificationType: ClientDetails - AccountDetails must include MroAddress2 if services include DOT test.");	Client Information Validator
061	"ClientIdentificationType: ClientDetails was supplied in ClientInformation, but MroAddress2 is longer than 100 characters (<MroAddress2>)."	Client Information Validator
062	"ClientIdentificationType: ClientDetails - AccountDetails must include MroCity if services include DOT test.");	Client Information Validator
063	"ClientIdentificationType: ClientDetails was supplied in ClientInformation, but MroCity is longer than 32 characters (<MroCity>).");	Client Information Validator
064	"ClientIdentificationType: ClientDetails - AccountDetails must include MroState if services include DOT test.");	Client Information Validator
065	"ClientIdentificationType: ClientDetails was supplied in ClientInformation, but MroState is longer than 2 characters (<MroState>).");	Client Information Validator
066	"ClientIdentificationType: ClientDetails - AccountDetails must include MroZip if services include DOT test.");	Client Information Validator
067	"ClientIdentificationType: ClientDetails was supplied in ClientInformation, but MroZip is longer than 15 characters (<MroZip>).");	Client Information Validator
068	"ClientIdentificationType: ClientDetails - AccountDetails must include MroPhone if services include DOT test.");	Client Information Validator
069	"ClientIdentificationType: ClientDetails was supplied in ClientInformation, but MroPhone is longer than 30 characters or is invalid (<MroPhone>)."	Client Information Validator
070	"ClientIdentificationType: ClientDetails - AccountDetails must include MroFax if services include DOT test.");	Client Information Validator
071	"ClientIdentificationType: ClientDetails was supplied in ClientInformation, but MroFax is longer than 30 characters or is invalid (<MroFax>).");	Client Information Validator
072	"ClientIdentificationType: ClientDetails - AccountDetails must include DerName if services include DOT test.");	Client Information Validator
073	"ClientIdentificationType: ClientDetails was supplied in ClientInformation, but DerName is longer than 200 characters or is invalid (<DerName>)."	Client Information Validator
074	"ClientIdentificationType: ClientDetails - AccountDetails must include DerPhone if services include DOT test.");	Client Information Validator
075	"ClientIdentificationType: ClientDetails was supplied in ClientInformation, but DerPhone is longer than 30 characters or is invalid (<DerPhone>)."	Client Information Validator
076	"ClientIdentificationType Value is Invalid or Null. Acceptable Values are EscreenClientId = 1, ClientAccountAndSubAccount = 2, ElectronicClientId = 3");	Client Information Validator
077	"ClientIdentificationType Value is Invalid or Null. Acceptable Values are EscreenClientId = 1, ClientAccountAndSubAccount = 2, ElectronicClientId = 3, ClientDetails = 4"	Client Information Validator

CustomFieldValidator

Error Code	Error Description	Type
078	"<CustomFieldName> is indicated but no value is provided."	Custom Field Validator
079	"<CustomFieldName> is required but was not provided."	Custom Field Validator
080	"Number of CustomFields sent are more than client has configured."	Custom Field Validator
081	"Invalid value (<CustomFieldValue>) sent in for <CustomFieldName>."	Custom Field Validator

EventSettingsValidator

Error Code	Error Description	Type
201	"StartDate indicated but a value was not provided."	Event Setting Validator
202	"StartDate provided (<SettingValue>) is not a valid date."	Event Setting Validator
204	"StartDate provided (<SettingValue>) is not a valid date."	Event Setting Validator
205	"ExpirationDate indicated but a value was not provided."	Event Setting Validator
206	"ExpirationDate provided (<SettingValue>) is not a valid date."	Event Setting Validator
207	"ExpirationDate provided (<SettingValue>) needs to be greater than today's date/time."	Event Setting Validator
208	"ExpirationDate provided (<SettingValue>) needs to be today's date or a future date."	Event Setting Validator
209	"When ExpirationDate provided (<SettingValue>) is today's date you must include time."	Event Setting Validator
210	"NumberOfDays indicated but a value was not provided."	Event Setting Validator
211	"NumberOfDays provided (<SettingValue>) is invalid."	Event Setting Validator
212	"NumberOfDays provided (<SettingValue>) is invalid."	Event Setting Validator
213	"TimeType indicated but a value was not provided."	Event Setting Validator
214	"TimeType provided (<SettingValue>) is invalid. Valid values are 1 = BusinessDays	Event Setting Validator
215	"TimeType provided (<SettingValue>) is invalid. Valid values are 1 = BusinessDays	Event Setting Validator
216	"AllowSevenDays indicated but a value was not provided."	Event Setting Validator
217	"AllowSevenDays (<SettingValue>) is invalid."	Event Setting Validator
218	"NoExpirationOnPassport indicated but a value was not provided."	Event Setting Validator
219	"NoExpirationOnPassport (<SettingValue>) is invalid."	Event Setting Validator
220	"FirstName/LastName provided (<SettingValue>) is invalid."	Event Setting Validator
221	"ContactPhone provided (<SettingValue>) is invalid."	Event Setting Validator
222	"ContactPhone provided (<SettingValue>) cannot be less than 10 characters."	Event Setting Validator
223	"ContactPhone provided (<SettingValue>) is invalid."	Event Setting Validator
224	"NotificationEmailAddresses indicated but a value was not provided."	Event Setting Validator
225	"An email address (<emailAddress>) is invalid."	Event Setting Validator
226	"<SettingName> value was not provided."	Event Setting Validator
227	"<SettingName> (<SettingValue>) is invalid."	Event Setting Validator
228	"<SettingName> indicated but a value was not provided."	Event Setting Validator
229	"ObservedCollectionRequested (<SettingValue>) is invalid."	Event Setting Validator



Error Code	Error Description	Type
230	"No scheduling rules found. Must provide ExpirationDate or NumberOfDays and TimeType."	Event Setting Validator
231	"A notification option is submitted (On) and no email addresses have been provided."	Event Setting Validator

ParticipantInformationValidator

Error Code	Error Description	Type
82	"ParticipantInformation is Required"	Participant Information Validator
83	"Participant CostCenterJobCode is Required due to Client Setup"	Participant Information Validator
84	"Participant DateOfBirth is Required due to Client Setup"	Participant Information Validator
85	"Participant DayPhone is Required due to Client Setup"	Participant Information Validator
86	"Participant ParticipantId is Required due to Client Setup"	Participant Information Validator
87	"Participant Email is Required due to Client Setup"	Participant Information Validator
88	"Participant EveningPhone is Required due to Client Setup"	Participant Information Validator
89	"Participant SSN is Required due to Client Setup"	Participant Information Validator
90	"FirstName is required"	Participant Information Validator
91	"LastName is required"	Participant Information Validator
92	"ParticipantIdType provided (<ParticipantIdType>) is not a valid ParticipantIdType."	Participant Information Validator
93	"ParticipantInformation ParticipantId is longer than 20 characters."	Participant Information Validator
94	"When providing ParticipantID or ParticipantIdType you must provide both ParticipantID and ParticipantIdType."	Participant Information Validator
95	"Address1, City, State, and PostalCode are required when providing participant address."	Participant Information Validator
96	"FirstName provided (<FirstName>) is not a valid first name."	Participant Information Validator
97	"MiddleName provided (<MiddleName>) is not a valid middle name."	Participant Information Validator



Error Code	Error Description	Type
98	"LastName provided (<LastName>) is not a valid last name."	Participant Information Validator
99	"SSN provided (<Ssn>) is not a valid social security number."	Participant Information Validator
100	"Email provided (<Email>) is not a valid Email address."	Participant Information Validator
101	"Email provided (<Email>) is longer than 150 characters."	Participant Information Validator
102	"DayPhone provided (<DayPhone>) is not a valid phone number."	Participant Information Validator
103	"EveningPhone provided (<EveningPhone>) is not a valid phone number."	Participant Information Validator
104	"DateOfBirth provided (<DateOfBirth>) is not a valid date."	Participant Information Validator
105	"Address1 provided (<Address1>) is not a valid address."	Participant Information Validator
106	"Address2 provided (<Address2>) is not a valid address."	Participant Information Validator
107	"City provided (<City>) is not a valid city."	Participant Information Validator
108	"State provided (<State>) is not a valid state."	Participant Information Validator
109	"PostalCode provided (<PostalCode>) is not a valid postal code."	Participant Information Validator
110	"ExternalDonorId provided (<ExternalDonorId>) is longer than 20 characters or is not valid."	Participant Information Validator
289	"Valid participant address is required when scheduling a blood service"	Participant Information Validator

ClientLookupInformationVaildator

Error Code	Error Description	Type
185	"ClientName is invalid or longer than 200 characters (<ClientName>) in ClientLookupInformation node."	Client Lookup Information Validator
186	"ClientAddress is invalid or longer than 100 characters (<ClientAddress>) in ClientLookupInformation node."	Client Lookup Information Validator
187	"ClientPhone is invalid in ClientLookupInformation node."	Client Lookup Information Validator

SiteInfoValidator



Error Code	Error Description	Type
135	"SiteId or PartnerLocationId is required	Site Info Validator
136	"PartnerLocationId provided (<PartnerLocationId>) is invalid."	Site Info Validator
137	"Associated SiteID not found for provided PartnerLocationID <PartnerLocationId>."	Site Info Validator
138	"SiteId in SiteInfo must be a valid Integer."	Site Info Validator
139	"Invalid Site provided in SiteInfo node."	Site Info Validator

LocationDetailsValidator

Error Code	Error Description	Type
188	"City and State or ZipCode is required	Location Detail Validator
189	"ZipCode is longer than 15 characters"	Location Detail Validator
190	"ZipCode provided (<ZipCode>) is not a valid zip code."	Location Detail Validator
191	"City and State are required	Location Detail Validator
192	"City is longer than 32 characters"	Location Detail Validator
193	"State is longer than 2 characters"	Location Detail Validator
194	"SearchRadius is required	Location Detail Validator
195	"DistanceMeasureType is required	Location Detail Validator
196	"Please enter a valid search radius. Miles: 1-60"	Location Detail Validator
197	"Please enter a valid search radius. Kilometers: 1-300"	Location Detail Validator

CancelScheduledEventValidator

Error Code	Error Description	Type
232	"RegistrationId is required, but is not provided."	Cancel Scheduled Event Validator

GetCollectionSitesRequestValidator

Error Code	Error Description	Type
233	"You must supply at least one ServiceIdentifier."	Get Collection Sites Request Validator
234	"You must supply at least one ServiceIdentifier."	Get Collection Sites Request Validator
235	"One or more ServiceIdentifiers are invalid."	Get Collection Sites Request Validator
236	"Invalid Client Setup - No Services Currently Configured."	Get Collection Sites Request Validator
237	"Invalid ServiceIdentifier In Request: <identifier>"	Get Collection Sites Request Validator
238	"Only One Urine Test Service Can Be Scheduled at a Time."	Get Collection Sites Request Validator
239	"DOT and non-DOT can't be scheduled together for the same event."	Get Collection Sites Request Validator

Error Code	Error Description	Type
240	"Service Currently Not Configured For Client: <ExternalServiceId>"	Get Collection Sites Request Validator
241	"Service Currently Not Configured For Client: <ExternalServiceId>"	Get Collection Sites Request Validator
242	"Service Currently Not Configured For Client: <ExternalServiceId>"	Get Collection Sites Request Validator
255	"DistanceMeasureType (<DistanceMeasureType>) provided is invalid."	Get Collection Sites Request Validator
256	"State provided (<State>) is invalid."	Get Collection Sites Request Validator
262	"SearchRadius must be a numeric value."	Get Collection Sites Request Validator
263	"Value for AssociatedOnly ({request.AssociatedOnly}) not provided or is invalid."	Get Collection Sites Request Validator
264	"CostCenterJobCode provided (<CostCenterJobCode>) is longer than 50 characters"	Get Collection Sites Request Validator
266	"City provided (<City>) is longer than 32 characters."	Get Collection Sites Request Validator

ServicesToScheduleValidator

Error Code	Error Description	Type
111	"At least one Service is Required."	Services to Schedule Validator
112	"Services are required to have a ServiceIdentifier."	Services to Schedule Validator
113	"ServiceIdentifier provided (<ServiceIdentifier>) is invalid."	Services to Schedule Validator
115	"DotRegulation provided (<DotRegulation>) is invalid."	Services to Schedule Validator
116	"OccHealthReasonForService is Invalid."	Services to Schedule Validator
117	"DrugReasonForTest provided (<DrugReasonForTest>) is Invalid."	Services to Schedule Validator
118	"DrugReasonForTest provided is OTHER , must provide OtherReasonForTest."	Services to Schedule Validator
119	"OtherReasonForTest provided (<OtherReasonForTest>) is longer than 20 characters."	Services to Schedule Validator
120	"OtherReasonForTest provided (<OtherReasonForTest>) contains non-alphanumeric characters."	Services to Schedule Validator
121	"OtherReasonForTest is provided but DrugReasonForTest is not OTHER."	Services to Schedule Validator
122	"Collection Site provided (<siteId>) doesn't have any active services."	Services to Schedule Validator
123	"Invalid Client Setup - No Services Currently Configured."	Services to Schedule Validator
124	"Invalid ServiceIdentifier in ServicesToSchedule - <ServiceIdentifier>"	Services to Schedule Validator
125	"Service Currently Not Configured For Partner - <ServiceIdentifier>"	Services to Schedule Validator
126	"Service Currently Not Supported By Selected Clinic - <ServiceIdentifier> - SiteID: <siteId>"	Services to Schedule Validator
127	"OccHealthReasonForService is required when an Occ Health service is provided."	Services to Schedule Validator
128	"DrugReasonForTest is required when a drug service is provided."	Services to Schedule Validator

Error Code	Error Description	Type
129	"DOTRegulation Is Invalid - <DotRegulation>"	Services to Schedule Validator
130	"Custom Panel was passed with an invalid service: Service <ExternalServiceId> is not eligible for custom panels."	Services to Schedule Validator
131	"Panel is Not Valid - <CustomPanel>"	Services to Schedule Validator
132	"Custom Panel <CustomPanel> is not configured for Service <ServiceIdentifier> per Client Setup."	Services to Schedule Validator
133	"Only One Urine Test Service Can Be Scheduled at a Time."	Services to Schedule Validator
134	"DOT and non-DOT can't be scheduled together for the same event."	Services to Schedule Validator

RegisterScheduledEventRequestValidator

Error Code	Error Description	Type
243	"Invalid Client - Partner Can Not Schedule Client Due to Partner Setup"	Register Scheduled Event Request Validator
244	"CollectionSiteID is required but is null."	Register Scheduled Event Request Validator
245	"CollectionSiteID (<collectionSiteId>) is an invalid collection site."	Register Scheduled Event Request Validator
246	"CustomPanel provided (<CustomPanel>) is more than 16 characters."	Register Scheduled Event Request Validator
257	"ClientIdentificationType: ClientDetails AccountPhone must be 10 characters."	Register Scheduled Event Request Validator
258	"ClientIdentificationType: ClientDetails AccountFax must be 10 characters."	Register Scheduled Event Request Validator
259	"ClientIdentificationType: ClientDetails MroPhone must be 10 characters."	Register Scheduled Event Request Validator
260	"ClientIdentificationType: ClientDetails MroFax must be 10 characters."	Register Scheduled Event Request Validator
261	"ClientIdentificationType: ClientDetails DerPhone must be 10 characters."	Register Scheduled Event Requestclient Validator
267	"CollectionSiteID (<collectionSiteId>) is not enabled for Scheduling."	Register Scheduled Event Request Validator
268	"CollectionSiteID (<collectionSiteId>) is not enabled for Scheduling."	Register Scheduled Event Request Validator
269	"CollectionSiteID is required but not provided."	Register Scheduled Event Request Validator
270	"FirstName/LastName provided (<SettingValue>) is longer than 40 characters."	Register Scheduled Event Request Validator
271	"FieldValue for <FieldName> is longer than 64 characters."	Register Scheduled Event Request Validator



Error Code	Error Description	Type
272	"Invalid CustomField name (<FieldName>) is provided."	Register Scheduled Event Request Validator
273	"Client is in a country that is not supported."	Register Scheduled Event Request Validator
274	"Client CustomField configured (<FieldName>) but is not provided."	Register Scheduled Event Request Validator

ScheduledEventDetailRequestValidator

Error Code	Error Description	Type
247	"Scheduled Event Identifier or PartnerInformation must be provided."	Scheduled Event Detail Request Validator

UpdateScheduledEventRequestValidator

Error Code	Error Description	Type
246	"CustomPanel provided (<CustomPanel>) is more than 16 characters."	Update Scheduled Event Request Validator
248	"The Registration ID (<RegistrationIdForUpdate>) is not valid to be updated by the provided Partner (<UserName>)."	Update Scheduled Event Request Validator
249	"Invalid Client - Partner Can Not Schedule Client Due to Partner Setup"	Update Scheduled Event Request Validator
250	"CollectionSiteID (<collectionSiteId>) is an invalid collection site."	Update Scheduled Event Request Validator
251	"CollectionSiteID (<collectionSiteId>) is an invalid collection site."	Update Scheduled Event Request Validator
252	"CollectionSiteID (<collectionSiteId>) is an invalid collection site."	Update Scheduled Event Request Validator
254	"Invalid RegistrationId (<RegistrationId>) has been provided."	Update Scheduled Event Request Validator
257	"ClientIdentificationType: ClientDetails AccountPhone must be 10 characters."	Update Scheduled Event Request Validator
258	"ClientIdentificationType: ClientDetails AccountFax must be 10 characters."	Update Scheduled Event Request Validator
259	"ClientIdentificationType: ClientDetails MroPhone must be 10 characters."	Update Scheduled Event Request Validator
260	"ClientIdentificationType: ClientDetails MroFax must be 10 characters."	Update Scheduled Event Request Validator
261	"ClientIdentificationType: ClientDetails DerPhone must be 10 characters."	Update Scheduled Event Request Validator

Error Code	Error Description	Type
267	"CollectionSiteID (<collectionSiteId>) is not enabled for Scheduling."	Update Scheduled Event Request Validator
268	"CollectionSiteID (<collectionSiteId>) is not enabled for Scheduling."	Update Scheduled Event Request Validator
269	"CollectionSiteID is required but not provided."	Register Scheduled Event Request Validator
271	"FieldValue for <FieldName> is longer than 64 characters."	Update Scheduled Event Request Validator
272	"Invalid CustomField name (<FieldName>) is provided."	Update Scheduled Event Request Validator
273	"Client is in a country that is not supported."	Update Scheduled Event Request Validator
274	"Client CustomField configured (<FieldName>) but is not provided."	Update Scheduled Event Request Validator

3.3.2 Business Logic Errors

CancelScheduledEventManager

Error Code	Error Description	Type
001	"The scheduled event was not found in the system."	Cancel Scheduled Event Manager
002	"Partner is not configured for client."	Cancel Scheduled Event Manager
003	"The scheduled event was not created by eScreen Connect so cannot be cancelled using eScreen Connect."	Cancel Scheduled Event Manager
004	"The scheduled event cannot be cancelled while at appointment requested status."	Cancel Scheduled Event Manager
005	"The scheduled event cannot be cancelled due to its status."	Cancel Scheduled Event Manager

GetCollectionSitesManager

Error Code	Error Description	Type
006	"Partner is not configured for client."	Get Collection Sites Manager
007	"No clinics found/Too many clinics returned. Please refine search and try again."	Get Collection Sites Manager

RegisterScheduledEventManager

Error Code	Error Description	Type
------------	-------------------	------



008	"Can Not Schedule due to Invalid Client Setup - This error has been logged to support for resolution."	Register Scheduled Event Manager
-----	--	----------------------------------

Scheduled Event Detail Manager

Error Code	Error Description	Type
009	"Invalid Partner Setup - Partner Type Not Configured for Service - Contact eScreen"	Scheduled Event Detail Manager
010	"Client account is not an active account."	Scheduled Event Detail Manager
011	"Partner is not configured for client."	Scheduled Event Detail Manager

Update Scheduled Event Manager

Error Code	Error Description	Type
012	"The scheduled event was not created by eScreen Connect so cannot be updated using eScreen Connect."	Update Scheduled Event Manager
013	"Client for UpdateScheduledEvent cannot change - Must be same client as the original Registered Event"	Update Scheduled Event Manager
014	"Event has been canceled"	Update Scheduled Event Manager
015	"Can Not Schedule due to Invalid Client Setup - This error has been logged to support for resolution."	Update Scheduled Event Manager

ServiceManager

Error Code	Error Description	Type
001	"Invalid Username and Password combination"	Service Manager
002	"User Could Not Be Authenticated with Given Credentials"	Service Manager
998	"No Valid Certificate Supplied"	Service Manager
999	"Internal System Error"	Service Manager

AuthenticationManager

Error Code	Error Description	Type
900	"No Claimset - Invalid Service Configuration - Missing Certificate"	Authentication Manager
901	"User Could Not Be Authenticated with Given Credentials"	Authentication Manager
902	"User Could Not Be Authenticated with Given Credentials"	Authentication Manager
903	----- Variable Message Provided -----	Authentication Manager
904	"Invalid or Missing Password Supplied"	Authentication Manager

3.4 List of Document Retrieval Error Codes and Descriptions



GeneralDocumentValidator

Error Code	Error Description	Type
200	Document ID Missing or Invalid	GeneralDocument Validator
201	Document ID is Invalid - Must be Integer	GeneralDocument Validator
203	[ClientId], [ClientAccount and ClientSubAccount], or [ElectronicClientId] are the only valid combinations for client identification.	GeneralDocument Validator
204	Client Is Not Valid for Partner, or does not exist.	GeneralDocument Validator
205	Invalid DocumentIdentifier : {value} is not a valid Integer Value	GeneralDocument Validator
206	Invalid DocumentIdentifier : {value} must be a value greater than 0	GeneralDocument Validator
207	Invalid Chain Of Custody Number: {value} must be have a length greater than 1 and less than 20.	GeneralDocument Validator
208	Invalid Chain Of Custody Number: {value} must be Alpha-Numeric, less than 20 characters in length, and can contain no white-space or punctuation.	GeneralDocument Validator
209	Invalid Barcode: {value} must be have a length greater than 1 and less than 20.	GeneralDocument Validator

OccHealthDocumentsValidator

Error Code	Error Description	Type
400	Occupational Health Document Images Could Not Be Retrieved: Images are either not currently available, or do not exist.	Occ Health Documents Validator
401	Invalid DocumentIdentifierType for OccupationalHealthDocuments Document Type. Accepted values include: RegistrationId, Barcode and OccHealthId	Occ Health Documents Validator
402	Only one value is accepted for IncludedDocuments for OccupationalHealthDocuments. Values Supplied={request.IncludedDocuments.Count}	Occ Health Documents Validator
403	DriverCard is the only accepted value for IncludedDocuments for OccupationalHealthDocuments. Value Supplied={Document}	Occ Health Documents Validator
404	Due to Client Configuration, Occupational Health Images are Not Available.	Occ Health Documents Validator

ResultCertValidator

Error Code	Error Description	Type
500	Result Certificate Image Could Not Be Retrieved: Image is either not currently available, or does not exist.	Result Cert Validator
501	Invalid DocumentIdentifierType for ResultCertificate Document Type. Accepted values include: ChainOfCustodyNumber, RegistrationId, Barcode, SpecimenId or OccHealthId	Result Cert Validator

ChainofCustodyValidator

Error Code	Error Description	Type
600	Chain of Custody Image Could Not Be Retrieved: Image is either not currently available, or does not exist.	Chain of Custody Validator
601	Invalid DocumentIdentifierType for Chain Of Custody Document Type. Accepted values include: ChainOfCustodyNumber, RegistrationId, Barcode and SpecimenId	Chain of Custody Validator
602	Too many documents in IncludedDocuments collection. Max Number is 7.	Chain of Custody Validator
603	Invalid document in IncludedDocuments collection: {doc}	Chain of Custody Validator



Error Code	Error Description	Type
604	Due to Client Configuration, Chain Of Custody Images are Not Available.	Chain of Custody Validator

BreathAlcoholTestValidator

Error Code	Error Description	Type
700	BAT Image Could Not Be Retrieved: Image is either not currently available, or does not exist.	Breath Alcohol Test Validator

PassportValidator

Error Code	Error Description	Type
800	Passport Image Could Not Be Retrieved: Invalid Certificate Configuration to ReportServer.	Passport Validator
801	Passport Image Could Not Be Retrieved: Document does not exist with given document identifier.	Passport Validator
802	Passport Image Could Not Be Retrieved: Image is either not currently available, or does not exist.	Passport Validator
803	Passport Document Identifier must be either an Integer Value or a valid Barcode.	Passport Validator

PartnerConfigurationValidator

Error Code	Error Description	Type
900	No Claimset - Invalid Service Configuration - Missing Certificate	Partner Configuration Validator
901	User Could Not Be Authenticated with Given Credentials	Partner Configuration Validator
902	User Could Not Be Authenticated with Given Credentials	Partner Configuration Validator
903	Invalid or Missing Password Supplied	Partner Configuration Validator
904	Document ID Missing or Invalid	Partner Configuration Validator
905	Document Requested Is Not Valid for Partner, or does not exist.	Partner Configuration Validator
906	Invalid User Name	Partner Configuration Validator
908	Document Type Is Not Valid for Partner	Partner Configuration Validator
954	Invalid Document Type Specified	Partner Configuration Validator
970	Partner is not currently configured for requested action. Please contact eScreen.	Partner Configuration Validator
988	Document Service is Currently Not Configured to Deliver Selected Document Type	Partner Configuration Validator
998	No Valid Certificate Supplied	Partner Configuration Validator



3.5 Drug Tests and Occupational Health Services Values

Alere eScreen Integrations Team will provide drug test IDs and occupational health service IDs that are appropriate to your integration in a separate document.

3.6 Clinic Attribute Values

The GetCollectionSitesResponse will return all valid clinic attributes in the collection site list for the given search type. Clinic attributes are based on the data available in the eScreen system.

Attributes Returned for All Clinics

Attribute	Description
After Hours Drug Screening	This indicates if the clinic has the capability of doing after hours drug screening. Values Yes / No
DOT Certified Physician	Indicates if the clinic has a DOT certified physician Vaues Yes / No
Handicap Access	Indicates if the clinic has handicap access available. Values Yes / No
Mobile Drug Collections	Indicates if the clinic can do mobile drug collections Values Yes / No
Observed Collections	Indicates if the clinic can perform observed collections Values Yes / No
On-site Collections	Indicates if the clinic can perform on-site collections Values Yes / No
Physicals Performed by MD/DO	Indicates if physicals are performed by MD/DO Values Yes / No
Physicals Performed by NP/PA	Indicates if physicals are performed by DO/NP Values Yes / No
Public Transportation	Indicates if the clinic is close to public transportation Values Yes / No

Walk In Drug Testing – No Appointment Required	Indicates that the clinic performs drug tests without an appointment Values Yes / No
Workers' Comp	Indicates if the clinic can offer workers' comp services Values Yes / No
Installed	The clinic has access to eScreen123 consisting of eCCF®, eCup®, eReader®, ePad® signature capture, and web-based results reporting. Values Yes = Installed No = Not Installed
eCCF Enabled	The clinic is able to electronically perform and process DOT and Non-DOT Chain of Custody forms for drug testing and physicals Values Yes = eCCF available (DOT only if lab allowed) No = Paper chains only
Billing Tier	Describes the network type of the collection site that performed the drug testing service (returned if drug test service selected)cli Values • Tier1 = Will bill In Network pricing for drug testing • Tier2 = Will bill In Network Tier 2 for drug testing • OON = Will bill Out of Network for drug testing • LabCorp PSC = Will bill LabCorp PSC pricing (only if configured) • Quest PSC = Will bill Quest PSC pricing (only if configured) • CL Install = Client Installed/Self Collect (only if configured)
Health eScreen Services	Indicates if the clinic can perform electronic Health eScreen Services Values Yes / No
Clinic Hours	The hours the clinic is open. Returns a text string including open and close times for each day of the week.
Top Drug Clinic	Indicates if the clinic is determined to be top for drug services based on an eScreen benchmark for quality Values Yes/No
Top OHS Clinic	Indicates if the clinic is determined to be top for occ health services based on an eScreen benchmark for quality Values Yes/No



3.7 Reason for Test Values

The RegisterScheduledEventRequest and UpdateScheduledEventRequest methods require the reason for test to generate a scheduled event. The ScheduledEventDetailResponse method presents the reason for test for each service on the scheduled event.

Value	Type
Diversion	Drug Test
Followup	Drug Test
Other	Drug Test
PeriodicMedical	Drug Test
PostAccident	Drug Test
PreEmp	Drug Test
Promotion	Drug Test
Random	Drug Test
ReasonableSuspicion	Drug Test
ReturnToDuty	Drug Test
Transfer	Drug Test
NewCertification	Occupational Health
Recertification	Occupational Health
FollowUp	Occupational Health
Other	Occupational Health
SiteAccess	Occupational Health
PreEmployment	Occupational Health
ReturnToDuty	Occupational Health
Surveillance	Occupational Health

3.8 DOT Regulations

The RegisterScheduledEventRequest and UpdateScheduledEventRequest methods enable the user to indicate the DOT Regulation for a DOT test.

Value	Descriptor
FAA	Federal Aviation Administration
FMCSA	Federal Motor Carrier Safety Administration
FRA	Federal Railroad Administration
FTA	Federal Transit Administration
HHS	Health and Human Services
NRC	Nuclear Regulatory Commission
PHMSA	Pipeline and Hazardous Materials Safety Administration
USCG	United States Coast Guard



3.9 Participant ID Type

The RegisterScheduledEventRequest and UpdateScheduledEventRequest methods enable the user to indicate the type of participant ID submitted with the scheduled event. The ScheduledEventDetailResponse method presents the participant ID type within the scheduled event detail.

PeoplePassePass	HealthId	Other
DriversLicense	MilitaryId	None
EmployerId	PassportId	

3.10 Service Identifiers

The service indicates the type of service that needs to be performed. In the table below are standard eScreen services. Please work with the Integration team to get a full list of services enabled on your account.

Value	Description
1	nDOT breath alcohol test
3	nDOT urine lab-based drug test
4	DOT urine lab-based drug test
5	DOT breath alcohol test
6	eCup instant test
17	Hair lab-based drug test
1001	nDOT physical
1002	DOT physical

*Note: Not all services are listed above. Please ensure you get with the integration team to confirm services that apply to your integration.

4 Revision Log

Value	Descriptor
3.0	Initial external published document
4.0	- Updated Medical Services to Occupational Health Services throughout the document - RegisterScheduledEventRequest>Participant table 1.2.1.1. - Updated participant's address to be required if Address1, City, State or PostalCode provided - RegisterScheduledEventRequest>EventSettings table 1.2.1.4. - Updated the ContactFirstName Description to alphanumeric - Update the ContactLastName Description to alphanumeric - ScheduledEventDetailResponse>ContractedService table 1.3.2.3. - Added 'for Drug Tests only' to Included/Not Included for Regulation Type - Updated the IsElectronicEligible description - UpdateScheduledEventRequest>Participant table 1.4.1.1. - Updated participant's address to be required if Address1, City, State or PostalCode provided - UpdateScheduledEventRequest>EventSettings table 1.4.1.5. - Updated Expiration Date to be Required - DocumentRetrievalService>DocumentRequestRequest table 2.1 - Updated Client ID to be Optional - Updated ClientAccount to be Optional - Updated ClientSubAccount to be Optional - Updated ElectronicClientID to be Optional - DocumentRetrievalService>DocumentRequestRequest>DocumentIdentifier table 2.1.1. - Added Breath Alcohol Document to RegistrationID - Added Breath Alcohol Document to Barcode - Added ExternalDonorID and ElectronicDonorID as document identifiers - Added DocumentIdentifierTypes - Added Values for eDOT CCF - Appendix>Scheduling Service Common Request Parameters>PartnerInformation table 3.1.1 - Updated Username and Password to Required - Appendix>Scheduling Service Common Request Parameters>AccountDetails table 3.1.3 - Updated MRO address to be required if MroAddress1, mroCity, MroState or MroPostalCode provided - Error codes added - Clinic Attribute Values updated - Reason for Test values added - Participant ID Type values updated
5.0	Added clinic attribute information to the specification

	• Included descriptions on clinic attributes in specification
6.0	• Update attribute information to always be provided • Updated descriptions for nodes to include business logic • Removed custom fields section and updated to request if needed • Indicated recommended fields to use for account information
6.1	• DocumentRetrievalService>DocumentRequestRequest table 2.1 ○ documentidentifertype to be required • DocumentRetrievalService>DocumentRequestRequest>DocumentIdentifier table 2.1.1. ○ Externaldonorid types as string • DocumentRetrievalService>DocumentRequestResponse table 2.2 ○ Added BarcodeAvailable ○ Added PSCBarcode ○ Added MobileURL
6.2	• Updated validation rules for participant nodes
6.3	• Added feature to send ePassport via email or text message ○ PassportNotification table 1.2.1.6
6.4	• Formatting/spelling corrections.
6.5	• 1.2.1 RegisterScheduledEventRequest ○ 1.2.1.1 Participant ▪ Added notes for participant fields (DateofBirth, Address1, City, State, PostalCode) that are required when scheduling Blood Lab Components. • 1.4.1 UpdateScheduledEventRequest ○ 1.4.1.1 Participant ▪ Added notes for participant fields (DateofBirth, Address1, City, State, PostalCode) that are required when scheduling Blood Lab Components. • 3.3.1 Required Element Errors ○ Updated ParticipantInformationValidator to include: ▪ 95 - "Address1, City, State, and PostalCode are required when providing participant address." ▪ 289 - "Valid participant address is required when scheduling a blood service"
6.6	• 3.6 Clinic Attribute Values ○ Added Top Drug Clinic and Top OHS Clinic that will return Yes/No for each clinic based on the designation set by eScreen
6.7	• 1.1.2 GetCollectionSitesResponse ○ 1.1.2.1 CollectionSite ▪ Added the new value of ContractedInNetworkTier2 to the OccHealthNetwork node ▪ Updated ContractedInNework to be ContractedInNetworkTier 1 in the OccHealthNetwork node

