



eScreen Document Retrieval

Web Services API Implementation Guide

Version 1.1

May 2018



Contents

About This Guide	3
Audience.....	3
API 3	
1 Document Retrieval Service	4
1.1 DocumentRequestRequest	4
1.1.1 Document Identifier	5
1.1.2 Documents	6
1.2 DocumentRequestResponse	6
2 Appendix.....	8
2.1 Request Parameters	8
2.1.1 PartnerInformation	8
2.1.2 ClientInformation	8
2.2 Response Parameters	8
2.2.1 Error	9
2.3 List of Error Codes and Descriptions	9
2.3.1 Required Element Errors	9
2.3.2 List of Document Retrieval Error Codes and Descriptions	10



About This Guide

The document describes the eScreen Document Retrieval Web Services APIs that enable you to interface with Alere eScreen Scheduling 2.0 business logic request documentation.

Audience

This document is intended for eScreen integration partners who are developing a Web Services application to interface with the eScreen Document Retrieval. Users should be familiar with developing applications using Web Services APIs as well as either developing in .Net.

API

The eScreen Document Retrieval Service SOAP API allows you to retrieve a PDF of a requested document related to a scheduled event.

External Test link:

<https://test.escreen.com/eScreenDocumentRetrievalService/DocRetrievalService.svc>

eScreen Document Retrieval Method Definitions

1 Document Retrieval Service

The Document Retrieval operation retrieves a file of the requested document.

1.1 DocumentRequestRequest

When using DocumentRequest, you must specify in the order shown below:

Order	Top Level	Description	Values	Required/Optional	Type
1	PartnerInformation	Common Request Variables; See table 2.1.1 in Appendix 2.1		Required	
2	Document Type	Document types available will depend on integration configuration	BreathAlcoholDocument = 0 ParticipantPassport = 1 ChainOfCustody = 2 ResultCertificate = 3 OccupationalHealthDocuments = 4	Required	String
3	DocumentIdentifier	eScreen ID associated with a document type; See table 1.1.1 below		Optional; only required for Chain of Custody, Result Certificate, Occupational Health Documents	
4	ClientID	User ID from remote system; must be unique per user		Optional	Integer
5	ClientAccount	ClientAccount as stored in eScreen system		Optional	Integer
6	ClientSubAccount	ClientSubAccount as stored in eScreen system		Optional	String
7	ElectronicClientID	Partner Customer ID as stored in Partner system and eScreen system; This must be a unique number across all accounts		Optional	String
8	DocumentIdentifierType		ChainOfCustodyNumber = 1 RegistrationId = 2 Barcode = 3 SpecimenId = 4 OccHealthId = 5 ExternalDonorId = 6	Required	String
9	Included Documents	List of specific documents available for specific document types; See table 1.1.2 below		Optional; only applicable for Chain of Custody, Occupational Health Documents	



The Document Retrieval Service is able to return an array of documents that are generated during the entire Scheduled Event lifecycle. The documents are organized into a Document Type based on the service scheduled and completed:

- BreathAlcoholDocument
- ParticipantPassport
- ChainOfCustody
- ResultCertificate
- OccupationalHealthDocuments

Each document type has multiple Document Identifiers that can be used to retrieve the document. A document identifier is a barcode or ID, and a document can have more than one based on the service scheduled. Table 2.1.1 shows the barcode/IDs related to document types.

1.1.1 Document Identifier

Input	Description	Required/Optional	Type
ChainOfCustodyNumber	Chain of Custody number	Required to retrieve the following: Chain of Custody Result Certificate	String
RegistrationId	Scheduling Registration ID	Required to retrieve the following: Breath Alcohol Document Participant Passport Chain of Custody Result Certificate Occupational Health Documents	Integer
Barcode	Scheduling Barcode	Required to retrieve the following: Breath Alcohol Document Participant Passport Chain of Custody Result Certificate Occupational Health Documents	String
SpecimenId	Unique ID for drug results	Required to retrieve the following: Breath Alcohol Document Chain of Custody Result Certificate	Integer
OccHealthId	Unique ID for Occupational Health Results	Required to retrieve the following: Result Certificate Occupational Health Documents	Integer
ExternalDonorId	Unique ID provided by the National Account/Partner in scheduling to identify a donor; must use ExternalDonorId = 6 as DocumentIdentifierType	Required to retrieve the following: Breath Alcohol Document Participant Passport Chain of Custody Result Certificate Occupational Health Documents	String
ElectronicDonorId *For Clinic use only	Unique ID provided by the Clinic to identify a donor in front office checkin; must use ExternalDonorId = 6 as DocumentIdentifierType	Required to retrieve the following: Breath Alcohol Document Participant Passport Chain of Custody Result Certificate Occupational Health Documents	Integer



Document Identifiers overlap document types so the Document Identifier Type must be passed to ensure the system knows which document is to be pulled and for whom. The document identifier type is the name of the barcode/ID:

DocumentIdentifierType

- ChainOfCustodyNumber = 1
- RegistrationId = 2
- Barcode = 3
- SpecimenId = 4
- OccHealthId = 5
- ExternalDonorId = 6 – Used with ExternalDonorId and ElectronicDonorId Document Identifiers

1.1.2 Documents

Input	Description	Values	Required/Optional	Type
ChainOfCustody	Specific copy or copies can be requested if an eScreen Electronic Chain of Custody	<u>Values for eDOT CCF</u> TestFacilityCopy = 1 MroCopy = 2 CollectorCopy = 3 EmployerCopy = 4 DonorCopy = 5 Instructions = 6 PublicBurdonStatement = 7	Required; one value is required to retrieve a copy	String
OccupationalHealthDocuments	Scheduling Barcode	DriverCard	Required; one value is required to retrieve a document; more OccHealth documents will be added	String

The Chain of Custody consists of more than one copy. Occupational Health Documents consist of more than one form. More than one document can be requested. The specific document(s) value(s) must be passed to retrieve the desired document(s) from the service.

Example:

```
<IncludedDocuments>
  <Document>CollectorCopy</Document>
  <Document>EmployerCopy</Document>
  <Document>DonorCopy</Document>
  <Document>MroCopy</Document>
  <Document>TestFacilityCopy</Document>
</IncludedDocuments>
```

1.2 DocumentRequestResponse

All responses contain our standard set of response variables.

Top Level	Description	Included/Not Included	Type
IsValid	True/False	Included	Bool



Abbott

Top Level	Description	Included/Not Included	Type
Errors	Error Description; See Table 3.2.1 and Appendix 3.3	Included if errors	List
ImageType	Image of the document in the specified type	Included if available	Stream
BarcodeAvailable	If the event was scheduled a a laboratory PSC, this will indicate if a PSC barcode is available	Values True/False	Bool
PSCBarcode	If a PSC barcode is available, the barcode will be provided		String
MobileURL	This is the URL to use for a mobile passport, URLs are valid for 30 days	Only Included if DocumentType = 1	String



2 Appendix

2.1 Request Parameters

Request Parameters usage must follow rules:

- You must specify a value for all required Request Parameters.
- All Request Parameters must be implemented in the order in which they appear in the Request Parameters section for each operation

2.1.1 PartnerInformation

Input	Description	Required/ Optional	Type
UserName	Username as supplied by eScreen	Required	String
Password	Password as supplied by eScreen	Required	String

2.1.2 ClientInformation

Input	Description	Values	Required/ Optional	Type
ClientIdentificationType	eScreen client type; The values that can be passed for each request type is listed. ElectronicClientID is the preferred ID for most partners.	○ ClientAccountAndSubAccount ○ ElectronicClientId	Required; Type used based on method used	String
ClientAccount	ClientAccount as stored in eScreen system	eScreen provided Client Account	Required if corresponding Client Identification Type is submitted	String
ClientSubAccount	ClientSubAccount as stored in eScreen system	eScreen provided Client Sub Account	Required if corresponding Client Identification Type is submitted	String
ElectronicClientId	Partner Customer ID as stored in Partner system and eScreen system; This must be a unique number across all accounts. Preferred option		Required if corresponding Client Identification Type is submitted Recommended	String

2.2 Response Parameters

All responses contain standard response variables:

Top Level	Description	Included/Not Included	Type
RequestID	An identified for the transaction; Can be used for troubleshooting the scheduled event.	Included	GUID
IsValid	True/False	Included	Bool
Errors	Error Code and Description; See table 2.2.1 and Appendix 2.3	Included if errors	Collection

2.2.1 Error

Output	Description	Included/Not Included	Type
ErrorCode	Code identifying the error	Included	Integer
ErrorDescription	Description of the error	Included	String

IsValid will return

- True if the request was successful
- False if not successful.
 - If IsValid is false, the Errors collection will contain a list of errors that were encountered.

2.3 List of Error Codes and Descriptions

2.3.1 Required Element Errors

ClientInformationValidator

Error Code	Error Description	Type
016	"ClientIdentificationType: ClientAccountAndSubAccount was supplied in ClientInformation, but ClientAccount Is Null"	Client Information Validator
017	"ClientIdentificationType: ClientAccountAndSubAccount was supplied in ClientInformation, but ClientAccount is longer than 6 characters (<ClientAccount>)."	Client Information Validator
018	"ClientIdentificationType: ClientAccountAndSubAccount was supplied in ClientInformation, but ClientAccount is not an integer value."	Client Information Validator
019	"ClientIdentificationType: ClientAccountAndSubAccount was supplied in ClientInformation, but ClientSubAccount Is Null"	Client Information Validator
020	"ClientIdentificationType: ClientAccountAndSubAccount was supplied in ClientInformation, but ClientSubAccount is longer than 6 characters (<ClientSubAccount>)."	Client Information Validator
021	"ClientIdentificationType: ClientAccountAndSubAccount was supplied in ClientInformation, but ClientSubAccount is not an integer value."	Client Information Validator
022	"ClientIdentificationType: Client not found for ClientAccount: <ClientAccount>, ClientSubAccount <ClientSubAccount>."	Client Information Validator
023	"ClientIdentificationType: Client not found for ClientAccount: <ClientAccount>, ClientSubAccount <ClientSubAccount>."	Client Information Validator
029	"ClientIdentificationType: ElectronicClientId was supplied in ClientInformation, but ElectronicClientId Is Null"	Client Information Validator
030	"ClientIdentificationType: ElectronicClientId was supplied in ClientInformation, but ElectronicClientId is longer than 200 characters or is invalid ({clientInfo.ElectronicClientId})."	Client Information Validator
031	"ClientIdentificationType: Client not found for ElectronicClientId: <ElectronicClientId>."	Client Information Validator
032	"ClientIdentificationType: Client not found for ElectronicClientId: <ElectronicClientId>."	Client Information Validator

Error Code	Error Description	Type
033	"ClientIdentificationType: Client not found for ElectronicClientId: <ElectronicClientId>."	Client Information Validator
035	"ClientIdentificationType: Default ClientID improperly set up for Partner: <partnerID>. Please contact eScreen."	Client Information Validator
036	"ClientIdentificationType: ClientDetails was supplied in ClientInformation, but AccountDetails are Null."	Client Information Validator
076	"ClientIdentificationType Value is Invalid or Null. Acceptable Values are EscreenClientId = 1, ClientAccountAndSubAccount = 2, ElectronicClientId = 3");	Client Information Validator

2.3.2 List of Document Retrieval Error Codes and Descriptions

GeneralDocumentValidator

Error Code	Error Description	Type
200	Document ID Missing or Invalid	GeneralDocument Validator
201	Document ID is Invalid - Must be Integer	GeneralDocument Validator
203	[ClientId], [ClientAccount and ClientSubAccount], or [ElectronicClientId] are the only valid combinations for client identification.	GeneralDocument Validator
204	Client Is Not Valid for Partner, or does not exist.	GeneralDocument Validator
205	Invalid DocumentIdentifier : {value} is not a valid Integer Value	GeneralDocument Validator
206	Invalid DocumentIdentifier : {value} must be a value greater than 0	GeneralDocument Validator
207	Invalid Chain Of Custody Number: {value} must be have a length greater than 1 and less than 20.	GeneralDocument Validator
208	Invalid Chain Of Custody Number: {value} must be Alpha-Numeric, less than 20 characters in length, and can contain no white-space or punctuation.	GeneralDocument Validator
209	Invalid Barcode: {value} must be have a length greater than 1 and less than 20.	GeneralDocument Validator

OccHealthDocumentsValidator

Error Code	Error Description	Type
400	Occupational Health Document Images Could Not Be Retrieved: Images are either not currently available, or do not exist.	Occ Health Documents Validator
401	Invalid DocumentIdentifierType for OccupationalHealthDocuments Document Type. Accepted values include: RegistrationId, Barcode and OccHealthId	Occ Health Documents Validator
402	Only one value is accepted for IncludedDocuments for OccupationalHealthDocuments. Values Supplied={request.IncludedDocuments.Count}	Occ Health Documents Validator
403	DriverCard is the only accepted value for IncludedDocuments for OccupationalHealthDocuments. Value Supplied={Document}	Occ Health Documents Validator
404	Due to Client Configuration, Occupational Health Images are Not Available.	Occ Health Documents Validator

ResultCertValidator

Error Code	Error Description	Type
500	Result Certificate Image Could Not Be Retrieved: Image is either not currently available, or does not exist.	Result Cert Validator

501	Invalid DocumentIdentifierType for ResultCertificate Document Type. Accepted values include: ChainOfCustodyNumber, RegistrationId, Barcode, SpecimenId or OccHealthId	Result Cert Validator
-----	---	-----------------------

ChainofCustodyValidator

Error Code	Error Description	Type
600	Chain of Custody Image Could Not Be Retrieved: Image is either not currently available, or does not exist.	Chain of Custody Validator
601	Invalid DocumentIdentifierType for Chain Of Custody Document Type. Accepted values include: ChainOfCustodyNumber, RegistrationId, Barcode and SpecimenId	Chain of Custody Validator
602	Too many documents in IncludedDocuments collection. Max Number is 7.	Chain of Custody Validator
603	Invalid document in IncludedDocuments collection: {doc}	Chain of Custody Validator
604	Due to Client Configuration, Chain Of Custody Images are Not Available.	Chain of Custody Validator

BreathAlcoholTestValidator

Error Code	Error Description	Type
700	BAT Image Could Not Be Retrieved: Image is either not currently available, or does not exist.	Breath Alcohol Test Validator

PassportValidator

Error Code	Error Description	Type
800	Passport Image Could Not Be Retrieved: Invalid Certificate Configuration to ReportServer.	Passport Validator
801	Passport Image Could Not Be Retrieved: Document does not exist with given document identifier.	Passport Validator
802	Passport Image Could Not Be Retrieved: Image is either not currently available, or does not exist.	Passport Validator
803	Passport Document Identifier must be either an Integer Value or a valid Barcode.	Passport Validator

PartnerConfigurationValidator

Error Code	Error Description	Type
900	No Claimset - Invalid Service Configuration - Missing Certificate	Partner Configuration Validator
901	User Could Not Be Authenticated with Given Credentials	Partner Configuration Validator
902	User Could Not Be Authenticated with Given Credentials	Partner Configuration Validator
903	Invalid or Missing Password Supplied	Partner Configuration Validator
904	Document ID Missing or Invalid	Partner Configuration Validator
905	Document Requested Is Not Valid for Partner, or does not exist.	Partner Configuration Validator
906	Invalid User Name	Partner Configuration Validator



Error Code	Error Description	Type
908	Document Type Is Not Valid for Partner	Partner Configuration Validator
954	Invalid Document Type Specified	Partner Configuration Validator
970	Partner is not currently configured for requested action. Please contact eScreen.	Partner Configuration Validator
988	Document Service is Currently Not Configured to Deliver Selected Document Type	Partner Configuration Validator
998	No Valid Certificate Supplied	Partner Configuration Validator

3 Revision Log

Value	Descriptor
1.0	Initial Version
1.1	- DocumentRetrievalService>DocumentRequestRequest table 1.1 - documentidentifertype to be required - DocumentRetrievalService>DocumentRequestRequest>DocumentIdentifier table 1.1.1. - Externaldonorid types as string - DocumentRetrievalService>DocumentRequestResponse table 1.2 - Added BarcodeAvailable - Added PSCBarcode - Added MobileURL
1.2	Updated <IncludedDocuments> example