

Name: Vedant Sandip Dudhale

MIS: 112103041

```
vedant_2720@vedant-IdeaPad-5:~$ sudo passwd vedang
New password:
BAD PASSWORD: The password is shorter than 8 characters
Retype new password:
passwd: password updated successfully
```

```
vedant_2720@vedant-IdeaPad-5:~/Desktop/40 commands/head/ping$ sudo useradd vedang
[sudo] password for vedant_2720:
vedant_2720@vedant-IdeaPad-5:~/Desktop/40 commands/head/ping$
```

```
vedant_2720@vedant-IdeaPad-5:~/Desktop/40 commands/head/ping$ top
```

```
top - 00:48:49 up 1:59, 1 user, load average: 0.02, 0.15, 0.20
Tasks: 288 total, 1 running, 287 sleeping, 0 stopped, 0 zombie
%Cpu(s): 0.5 us, 0.4 sy, 0.0 ni, 99.2 id, 0.0 wa, 0.0 hi, 0.0 si, 0.0 st
MiB Mem: 15785.3 total, 8132.4 free, 2637.7 used, 5015.1 buff/cache
MiB Swap: 0.0 total, 0.0 free, 0.0 used. 11911.5 avail Mem
```

PID	USER	PR	NI	VIRT	RES	SHR	S	%CPU	%MEM	TIME+	COMMAND
1770	vedant_+	20	0	6945032	312112	147604	S	3.3	1.9	2:57.29	gnome-shell
231	root	-51	0	0	0	0	S	1.3	0.0	0:30.03	irq/146-MSFT000
40806	vedant_+	20	0	563820	54284	41428	S	1.3	0.3	0:05.30	gnome-terminal-
508	systemd+	20	0	14824	6076	5280	S	0.3	0.0	0:07.51	systemd-oomd
41859	vedant_+	20	0	2516220	155944	90364	S	0.3	1.0	0:05.16	Isolated Web Co
1	root	20	0	168160	13484	8296	S	0.0	0.1	0:02.07	systemd
2	root	20	0	0	0	0	S	0.0	0.0	0:00.01	kthreadd
3	root	0	-20	0	0	0	I	0.0	0.0	0:00.00	rcu_gp
4	root	0	-20	0	0	0	I	0.0	0.0	0:00.00	rcu_par_gp
5	root	0	-20	0	0	0	I	0.0	0.0	0:00.00	netns
7	root	0	-20	0	0	0	I	0.0	0.0	0:00.00	kworker/0:0H-events_highpri
9	root	0	-20	0	0	0	I	0.0	0.0	0:00.00	mm_percpu_wq
10	root	20	0	0	0	0	S	0.0	0.0	0:00.00	rcu_tasks_rude_
11	root	20	0	0	0	0	S	0.0	0.0	0:00.00	rcu_tasks_trace

```
vedant_2720@vedant-IdeaPad-5: ~/Desktop/40 commands/head
vedant_2720@vedant-IdeaPad-5:~/Desktop/40 commands/head$ tar cvf archive.tar file1.txt file2.txt
file1.txt
file2.txt
vedant_2720@vedant-IdeaPad-5:~/Desktop/40 commands/head$
```

```
vedant_2720@vedant-IdeaPad-5:~/Desktop$ ps
  PID TTY          TIME CMD
 44173 pts/0        00:00:00 bash
 44179 pts/0        00:00:00 ps
vedant_2720@vedant-IdeaPad-5:~/Desktop$
```

```
vedant_2720@vedant-IdeaPad-5:~/Desktop/40_commands/head/ping$ wget https://www.amazon.in/
--2023-02-06 00:38:23-- https://www.amazon.in/
Resolving www.amazon.in (www.amazon.in)... 2600:9000:237b:f200:8:b109:e12:2281, 2600:9000:237b:2e00:8:b109:e12:2281, 2600:9000:237b:6800:8:b109:e12:2281, ...
Connecting to www.amazon.in (www.amazon.in)|2600:9000:237b:f200:8:b109:e12:2281|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: unspecified [text/html]
Saving to: 'index.html.1'

index.html.1 [ <=> ] 420.24K 591KB/s in 0.7s

2023-02-06 00:38:24 (591 KB/s) - 'index.html.1' saved [430322]
```

```
MAN(1) Manual pager utils MAN(1)

NAME
man - an interface to the system reference manuals

SYNOPSIS
man [man options] [[section] page ...] ...
man -k [apropos options] regexp ...
man -k [man options] [section] term ...
man -f [whatIs options] page ...
man -l [man options] file ...
man -w|-W [man options] page ...

DESCRIPTION
man is the system's manual pager. Each page argument given to man is normally the name of a program, utility or function. The manual page associated with each of these arguments is then found and displayed. A section, if provided, will direct man to look only in that section of the manual. The default action is to search in all of the available sections following a pre-defined order (see DEFAULTS), and to show only the first page found, even if page exists in several sections.

The table below shows the section numbers of the manual followed by the types of pages they contain.

1 Executable programs or shell commands
2 System calls (functions provided by the kernel)
Manual page man(1) line 1/507 4% (press h for help or q to quit)
```

```
DESCRIPTION
man is the system's manual pager. Each page argument given to man is normally the name of a program, utility or function. The manual page associated with each of these arguments is then found and displayed. A section, if provided, will direct man to look only in that section of the manual. The default action is to search in all of the available sections following a pre-defined order (see DEFAULTS), and to show only the first page found, even if page exists in several sections.

The table below shows the section numbers of the manual followed by the types of pages they contain.

1 Executable programs or shell commands
2 System calls (functions provided by the kernel)
3 Library calls (functions within program libraries)
4 Special files (usually found in /dev)
5 File formats and conventions, e.g. /etc/passwd
6 Games
7 Miscellaneous (including macro packages and conventions), e.g. man(7), groff(7), man-pages(7)
8 System administration commands (usually only for root)
9 Kernel routines [Non standard]

A manual page consists of several sections.

Conventional section names include NAME, SYNOPSIS, CONFIGURATION, DESCRIPTION, OPTIONS, EXIT STATUS, RETURN VALUE, ERRORS, ENVIRONMENT, FILES, VERSIONS, CONFORMING TO, NOTES, BUGS, EXAMPLE, AUTHORS, and SEE ALSO.

Manual page man(1) line 14/507 7% (press h for help or q to quit)
```

```
EXAMPLES
man ls
Display the manual page for the item (program) ls.

man man.Z
Display the manual page for macro package man from section Z. (This is an alternative spelling of "man Z man".)

man 'man(Z)'
Display the manual page for macro package man from section Z. (This is another alternative spelling of "man Z man". It may be more convenient when copying and pasting cross-references to manual pages. Note that the parentheses must normally be quoted to protect them from the shell.)

man -a intro
Display, in succession, all of the available intro manual pages contained within the manual. It is possible to quit between successive displays or skip any of them.

man -t bash | lpr -Pps
Format the manual page for bash into the default troff or groff format and pipe it to the printer named ps. The default output for groff is usually PostScript. man --help should advise as to which processor is bound to the -t option.

man -l -Tdvi ./foo.ix.gz > ./foo.ix.dvi
This command will decompress and format the nroff source manual page ./foo.ix.gz into a device independent (dvi) file. The redirection is necessary as the -l flag causes output to be directed to stdout with no pager. The output could be viewed with a program such as


Manual page man(1) line 52/507 14% (press h for help or q to quit)
```


```
vedant_2720@vedant-IdeaPad-5: ~/Desktop/40 commands/head/ping
23 g++ hello.cpp
24 vim hello.cpp
25 g++ hello.cpp
26 vim hello.cpp
27 g++ hello.cpp
28 vim hello.cpp
29 g++ hello.cpp
30 ./hello
31 ls
32 ./a.out
33 g++ hello.cpp
34 vim hello.cpp
35 g++ hello.cpp
36 ./a.out
37 g++ hello.cpp
38 vim hello.cpp
39 g++ hello.cpp
40 ./a.out
41 sudo apt update
42 sudo apt install codeblocks
43 clear
44 codeblocks
45 sudo apt remove XTerm
46 sudo apt-get remove XTerm
```



```
vedant_2720@vedant-IdeaPad-5: ~/Desktop/40 commands/head/ping
vedant_2720@vedant-IdeaPad-5:~/Desktop/40 commands/head/ping$ history
1 gcc hello.c
2 sudo apt install gcc-
3 gcc hello.c
4 ./a.out
5 gcc hello.c
6 ./a.out
7 sudo apt update
8 sudo apt install gcc g++ clang gdb
9 hello.c
10 ./a.out
11 gcc hello.c
12 ./a.out
13 cd "/home/vedant_2720/Desktop/C tutorials/" && gcc hello.c -o hello && "/home/vedant_2720/Desktop/C tutorials/"hello
14 sudo apt install gnome-tweak-tool
15 sudo apt install gnome-tweak-tool
16 vi first.c
17 vi hello.c
18 sudo apt update
19 vi ksu.c
20 vi hello.cpp
21 sudo apt-get install vim
22 vim hello.cpp
23 g++ hello.cpp
```

```
vedant_2720@vedant-IdeaPad-5: ~/Desktop/40 commands/df
vedant_2720@vedant-IdeaPad-5:~/Desktop/40 commands$ mkdir df
vedant_2720@vedant-IdeaPad-5:~/Desktop/40 commands$ df -h file1.txt
df: file1.txt: No such file or directory
vedant_2720@vedant-IdeaPad-5:~/Desktop/40 commands$ cd df
vedant_2720@vedant-IdeaPad-5:~/Desktop/40 commands/df$ df -h file1.txt
Filesystem      Size  Used Avail Use% Mounted on
/dev/nvme0n1p5  144G   13G  124G   10% /
vedant_2720@vedant-IdeaPad-5:~/Desktop/40 commands/df$ df -m file1.txt
Filesystem      1M-blocks  Used Available Use% Mounted on
/dev/nvme0n1p5    146655 12951    126184   10% /
vedant_2720@vedant-IdeaPad-5:~/Desktop/40 commands/df$ df -h
Filesystem      Size  Used Avail Use% Mounted on
tmpfs           1.6G   2.4M   1.6G    1% /run
/dev/nvme0n1p5  144G   13G  124G   10% /
tmpfs           7.8G    0    7.8G    0% /dev/shm
tmpfs           5.0M   4.0K   5.0M    1% /run/lock
/dev/nvme0n1p1  256M   36M   221M   15% /boot/efi
tmpfs           1.6G   4.7M   1.6G    1% /run/user/1000
vedant_2720@vedant-IdeaPad-5:~/Desktop/40 commands/df$ du -m file1.txt
1      file1.txt
vedant_2720@vedant-IdeaPad-5:~/Desktop/40 commands/df$ du -k file1.txt
4      file1.txt
vedant_2720@vedant-IdeaPad-5:~/Desktop/40 commands/df$
```

```
vedant_2720@vedant-IdeaPad-5:~/Desktop/40 commands/head/ping$ sudo apt-get update
Get:1 http://security.ubuntu.com/ubuntu jammy-security InRelease [110 kB]
Hit:2 http://in.archive.ubuntu.com/ubuntu jammy InRelease
Get:3 http://in.archive.ubuntu.com/ubuntu jammy-updates InRelease [114 kB]
Get:4 http://in.archive.ubuntu.com/ubuntu jammy-backports InRelease [107 kB]
Get:5 http://in.archive.ubuntu.com/ubuntu jammy-updates/main i386 Packages [429 kB]
Get:6 http://in.archive.ubuntu.com/ubuntu jammy-updates/main amd64 Packages [852 kB]
Get:7 http://in.archive.ubuntu.com/ubuntu jammy-updates/universe i386 Packages [567 kB]
Get:8 http://in.archive.ubuntu.com/ubuntu jammy-updates/universe amd64 Packages [797 kB]
Fetched 2,976 kB in 5s (625 kB/s)
Reading package lists... Done
vedant_2720@vedant-IdeaPad-5:~/Desktop/40 commands/head/ping$
```

**Vedant**
Your account

**vedang**

**Vedant**

Account Settings

Administrator

Administrators can add and remove other users, and can change settings for all users.

☐

Authentication & Login

Password

..... >

Automatic Login

☐

Account Activity

Logged in >