Name: Vedant Sandip Dudhale

MIS:112103041

```
vedant_2720@vedant-IdeaPad-5:~/Desktop$ mkdir Bash
vedant_2720@vedant-IdeaPad-5:~/DesktopS cd Bash
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash$ echo 'echo all done' > hello.sh
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash$
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash$ hello.sh
hello.sh: command not found
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash$ bash hello.sh
all done
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash$ nano hello_nano.sh
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash$ chmod +x hello_nano.sh
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash$ ./hello_nano.sh
hello nano
another line
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash$ bash hello_nano.sh
hello nano
another line
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash$ cat x.sh
cat: x.sh: No such file or directory
vedant 2720@vedant-IdeaPad-5:~/Desktop/Bash$ cat>x.sh
#!/bin/bash
echo ${4} ${6} ${26}
^C
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash$ bash x.sh{A..Z}
bash: x.shA: No such file or directory
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash$ bash x.sh {A..Z}
D F Z
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash$ nano expands.sh
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash$ chmod +x expands.sh
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash$ ./expands.sh
```

```
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash$ bash expands.sh {A..Z}
ABCDEFGHIJKLMNOPQRSTUVWXYZ
26
26
0
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash$ bash expands.sh {A,B,D}
A B D
3
0
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash$ nano expands.sh
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash$ nano expands.sh
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash$ bash expands.sh {A,B,D}
A B D
0
_sily
vedant 2720@vedant-IdeaPad-5:~/Desktop/Bash$ cat>arthmetic.sh
#!/bin/bash
a=4
b=6
echo "before increment a and b"
echo $a
echo $b
echo "After increment a and b"
echo $a
echo $b
^C
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash$ arthmetic.sh
```

```
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash/function$ a=1
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash/function$ b=2
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash/function$ [$a -lt $b]^C
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash/function$ [$a -lt $b]
[1: command not found
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash/function$ [$a -1t $b]
[1: command not found
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash/function$ [$a -gt $b]
[1: command not found
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash/function$ [ $a -lt $b ]
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash/function$ echo $?
0
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash/function$ [ $a <t $b ]</pre>
bash: t: No such file or directory
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash/function$ [ $a lt $b ]
bash: [: lt: binary operator expected
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash/function$ [ $a -lt $b ]
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash/function$ echo $?
0
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash/function$ a=10
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash/function$ if ((a==10)):then echo yes;else echo no;
bash: syntax error near unexpected token `:then'
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash/function$ if ((a==10));then echo yes;else echo no;
> 2
```

```
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash/function$ a=$((12+5))
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash/function$ echo $a
17
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash/function$ echo $((3*11))
33
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash/function$ x=10;y=22
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash/function$ $z=$(($x * $y))
=220: command not found
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash/function$ $z=$(($x*$y))
=220: command not found
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash/function$ z=$(($x*$y))
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash/function$ echo $z
220
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash/function$
```

```
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash$ arthmetic.sh
arthmetic.sh: command not found
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash$ bash arthmetic.sh
before increment a and b
After increment a and b
4
vedant 2720@vedant-IdeaPad-5:~/Desktop/Bash$ arthmetic.sh
arthmetic.sh: command not found
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash$ cat arthmetic.sh
#!/bin/bash
a=4
b=6
echo "before increment a and b"
echo $a
echo $b
echo "After increment a and b"
echo $a
echo $b
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash$ vim arthmetic.sh
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash$ bash arthmetic.sh
before increment a and b
After increment a and b
4
6
       2720@vedant-IdeaPad-5:~/Desktop/Bash$ vim arthmetic.sh
```

```
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash$ vim arthmetic.sh
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash$ bash arthmetic.sh
before increment a and b
After increment a and b
5
5
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash$ vim arthmetic.sh
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash$ bash arthmetic.sh
before increment a and b
After increment a and b
arthmetic.sh: command substitution: line 10: syntax error near unexpected token `b'
arthmetic.sh: command substitution: line 10: `--(b))'
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash$ vim arthmetic.sh
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash$ bash arthmetic.sh
before increment a and b
6
After increment a and b
arthmetic.sh: line 9: unexpected EOF while looking for matching `)'
arthmetic.sh: line 14: syntax error: unexpected end of file
vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash$ vim arthmetic.sh
 vedant 27200vedant-IdeaPad-5:~/Deskton/Ba
                                               sh$ bash arthmetic.sh
```

```
before increment a and b

4

6

After increment a and b

5

arthmetic.sh: line 9: unexpected EOF while looking for matching `)'
arthmetic.sh: line 14: syntax error: unexpected end of file

vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash$ vim arthmetic.sh

vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash$ bash arthmetic.sh

before increment a and b

4

6

After increment a and b

5

5

vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash$ cd function

vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash/function$ cat>function.sh

function hello(){

echo "function working correctly"
echo "function call successful"
echo "hello"
}

hello

^C

vedant_2720@vedant-IdeaPad-5:~/Desktop/Bash/function$ bash function.sh

function working correctly

function call successful
hello
```

```
vedant_2720@vedant-IdeaPad-5:~ $ bash x.sh
echo "Hello world"
myname="Vedant"
mymis="112103154"
echo "My name is $myname"
echo "my mis is $mymis."
files=$(pwd)
echo "this will give the pwd:"
echo $files
time=$(date)
echo "Todays date is:" $time
echo "Given condition in the if else will come out true"
num=50
if [ Snum -eq 50 ]
then
     echo "Condition is true"
fi
echo "loop 1 to 5"
a=1
while [ $a -le 5]
do
     echo $a
     a=\$((\underline{a}+1))
     sleep 0.5
done
echo "While loop is now completed"
echo "T forloop counting from 1 to 5"
echo "Forloop is now completed"
for cur in \{1.5\}
do
     echo $cur
     sleep 0.5
done
```