

Requirements Specification

What DOCURA must do, what it must never do, how each requirement will be tested, and what belongs in the MVP.

DOCUMENT	Requirements Specification
PRODUCT	DOCURA — personal document intelligence layer
VERSION	1.0 — Draft for alignment
OWNER	Product Management
DATE	25 August 2026
SOURCE OF TRUTH	01 — Product Vision (approved) 02 — Problem & User Research (approved)
FOLLOWED BY	04 — System Architecture

Derivation notice. Every requirement in this document traces to the approved Vision or to a pain (P-nn), need (N-nn), journey stage (S-n), or root cause (RC-n) recorded in document 02. Where a requirement is **not** supported by those documents, it is tagged ASM and registered in Appendix A with the decision it affects. Assumptions A-1 to A-8 from document 02 remain untested; requirements that depend on them are identified in §12.3 and must not be committed to build until those studies report.

– Contents

00	How to Read This Document
01	Functional Requirements
02	Non-Functional Requirements
03	User Stories
04	Acceptance Criteria
05	Business Rules
06	AI & Automation Requirements
07	Document Requirements
08	Browser Extension Requirements
09	Privacy & Security Requirements
10	MVP Scope
11	Future Requirements
12	Requirement Prioritisation
13	Traceability
14	Edge Cases
15	Definition of Requirement Completion
A	Appendix A — Assumptions Introduced in This Document
B	Appendix B — Requirement Index by Module

00 How to Read This Document

0.1 Identifier scheme

Identifiers are **stable for the life of the project**. A requirement that is removed is marked withdrawn; its ID is never reused for something else.

TABLE 0.1 — IDENTIFIER SCHEME

Pattern	Meaning	Example
FR-<MOD>-nnn	Functional requirement, by module	FR-OCR-004
NFR-<CAT>-nnn	Non-functional requirement, by quality category	NFR-SEC-002
US-nnn	User story	US-007
AC-US-nnn-n	Acceptance criterion belonging to a story	AC-US-007-2
BR-nnn	Business rule	BR-004
AR-<TYPE>-nnn	Automation requirement: DET, AST or AGT	AR-AST-003
EC-nnn	Edge case	EC-011
ASM-nnn	Assumption introduced by this document	ASM-002
P-nn / N-nn / S-n	Pain, need, journey stage — from document 02	P-03, N-05, S4

0.2 Release marking and priority

Two independent axes are used. **Release** says when a requirement is delivered. **Priority** says how essential it is within its release.

TABLE 0.2 — MARKINGS USED IN REQUIREMENT TABLES

Marking	Meaning
MVP	Required for the first demonstrable end-to-end release described in §10.
FUTURE	Deliberately excluded from MVP. Recorded in §11 so it cannot drift into scope.
MUST	MVP fails without it, or the product philosophy is violated without it.
SHOULD	Materially improves the MVP; may be deferred within the MVP if schedule requires.
COULD	Desirable, low cost, no dependency.
WON'T	Explicitly out of scope for MVP. Not a rejection — a sequencing decision.

0.3 Sections that reference rather than repeat

Sections 7, 8 and 9 were requested as separate views of the requirement set. To keep a single source of truth and satisfy the non-duplication check in §15, those sections **organise and reference** requirements defined in §1 and §2 rather than restating them. New requirements appear only where that view genuinely introduces something not already captured.

THE RULE THAT GOVERNS EVERY REQUIREMENT HERE

Automate certainty. Ask about ambiguity. Never automate consent. Where a requirement could be read two ways, the reading consistent with this principle is the correct one. Business rules BR-001 to BR-009 encode it formally, and no requirement in this document may override them.

01 Functional Requirements

Requirements are grouped into nineteen modules. Each carries a release marking, a MoSCoW priority, and a trace to the pain or need in document 02 that justifies it. A requirement with no trace is an assumption and is tagged accordingly.

1.1 Account & Profile — FR-ACC

ID	Requirement	Release	Priority	Trace
FR-ACC-001	A user shall be able to create a single-person account and authenticate with it.	MVP	MUST	N-08
FR-ACC-002	The system shall require successful authentication before any document, extracted value, or history is readable.	MVP	MUST	N-08
FR-ACC-003	Each record shall belong to exactly one user. No shared, delegated, or multi-person records exist in MVP.	MVP	MUST	\$02 P8 note
FR-ACC-004	The system shall maintain a user profile of canonical personal attributes derived from documents and editable by the user.	MVP	MUST	N-01
FR-ACC-005	The user shall be able to recover access to the account through a verified reset process.	MVP	MUST	N-08
FR-ACC-006	The user shall be able to export their complete record — documents and extracted information — in an openable format.	MVP	SHOULD	N-08
FR-ACC-007	The user shall be able to delete their account and all associated data, after an explicit confirmation that states what will be destroyed.	MVP	MUST	N-08
FR-ACC-008	The user shall be able to view active sessions and sign out of all of them.	MVP	SHOULD	N-08
FR-ACC-009	The system shall support a second authentication factor.	FUTURE	WON'T	N-08
FR-ACC-010	The system shall support delegated access to another person's record with that person's consent.	FUTURE	WON'T	\$02 Persona 3

1.2 Document Management — FR-DOC

ID	Requirement	Release	Priority	Trace
FR-DOC-001	The system shall present a vault listing every stored document with its type, date added, and processing status.	MVP	MUST	P-01
FR-DOC-002	Each document shall carry a document type, assigned automatically and correctable by the user.	MVP	MUST	P-01, P-05
FR-DOC-003	The user shall be able to give a document a personal label without altering its type.	MVP	COULD	P-01
FR-DOC-004	The user shall be able to open and view the original file exactly as uploaded.	MVP	MUST	N-05
FR-DOC-005	The user shall be able to add a newer version of an existing document, retaining the previous version.	MVP	SHOULD	P-05
FR-DOC-006	Where several documents of the same type exist, the user shall be able to designate one as primary for automatic use.	MVP	SHOULD	P-05
FR-DOC-007	The user shall be able to delete a document, with a confirmation that names the information that will be lost with it.	MVP	MUST	N-08
FR-DOC-008	Deleted documents shall be recoverable for a defined grace period before permanent destruction. Period: TBD — to be validated.	MVP	SHOULD	N-08
FR-DOC-009	The system shall indicate documents that appear expired or superseded.	FUTURE	WON'T	P-05

ID	Requirement	Release	Priority	Trace
FR-D0C-010	The user shall be able to group documents into named collections.	FUTURE	WONT	P-01

1.3 Document Upload — FR-UPL

ID	Requirement	Release	Priority	Trace
FR-UPL-001	The user shall be able to upload documents as PDF, JPG, or PNG from local storage.	MVP	MUST	S3
FR-UPL-002	The user shall be able to upload multiple files in a single action.	MVP	MUST	S3
FR-UPL-003	The system shall validate file type and size before accepting a file, and state the limits in advance.	MVP	MUST	P-03
FR-UPL-004	The system shall reject an unsupported or corrupt file with a message naming the reason and the accepted alternatives.	MVP	MUST	P-03
FR-UPL-005	The system shall show per-document processing status: queued, processing, ready, needs review, or failed.	MVP	MUST	N-04
FR-UPL-006	An interrupted upload shall be retryable without the user re-selecting the file where technically possible.	MVP	SHOULD	EC-013
FR-UPL-007	The system shall detect that an uploaded file duplicates one already stored and offer to keep, replace, or version it.	MVP	SHOULD	P-01
FR-UPL-008	The user shall be able to capture a document using a device camera.	FUTURE	WONT	\$02 Table 14.1
FR-UPL-009	The user shall be able to import documents from cloud storage or email.	FUTURE	WONT	\$02 Table 14.1
FR-UPL-010	The user shall be able to import issuer-verified documents from a government document locker.	FUTURE	WONT	\$02 Table 14.1

1.4 OCR & Document Understanding — FR-OCR

ID	Requirement	Release	Priority	Trace
FR-OCR-001	The system shall extract machine-readable text from each uploaded document.	MVP	MUST	RC-1
FR-OCR-002	The system shall classify each document into a supported document type, or as unrecognised.	MVP	MUST	RC-1
FR-OCR-003	The system shall record a confidence value for the classification.	MVP	MUST	BR-001
FR-OCR-004	For each supported document type, the system shall extract the defined set of information fields for that type.	MVP	MUST	L2
FR-OCR-005	The system shall record a confidence value for every extracted field independently of the document-level confidence.	MVP	MUST	BR-001
FR-OCR-006	Extracted fields below the review threshold shall be marked as needing user review and shall not be used for automatic filling.	MVP	MUST	BR-002
FR-OCR-007	The system shall show each extracted value alongside the region of the source document it was read from.	MVP	SHOULD	N-05
FR-OCR-008	The system shall process multi-page documents as a single document.	MVP	MUST	S3
FR-OCR-009	Where processing fails, the system shall retain the original file, state what failed, and offer a retry and a manual-entry path.	MVP	MUST	EC-001
FR-OCR-010	The user shall be able to request reprocessing of a document.	MVP	SHOULD	EC-002

ID	Requirement	Release	Priority	Trace
FR-OCR-011	The system shall extract handwritten content.	FUTURE	WON'T	A-7
FR-OCR-012	The system shall process documents in scripts and languages beyond the MVP set. MVP set: TBD — to be validated against a real document corpus (study S-6).	FUTURE	WON'T	A-7

1.5 Structured Information — FR-INF

ID	Requirement	Release	Priority	Trace
FR-INF-001	The system shall maintain a structured record of the user's personal information, assembled from all processed documents.	MVP	MUST	N-01
FR-INF-002	Every attribute value shall reference the document it came from and the confidence with which it was read.	MVP	MUST	N-05
FR-INF-003	The user shall be able to correct any attribute value; a user-supplied value shall become authoritative over any extracted value.	MVP	MUST	N-05, BR-013
FR-INF-004	The system shall detect when two documents give different values for the same attribute.	MVP	MUST	P-06
FR-INF-005	Detected conflicts shall be presented to the user for resolution. The system shall not resolve a conflict automatically.	MVP	MUST	BR-004
FR-INF-006	The system shall record which value the user designated authoritative and retain the alternatives.	MVP	MUST	P-06
FR-INF-007	Every attribute shall carry a sensitivity classification of routine, sensitive, or consequential.	MVP	MUST	\$02 Table 13.1
FR-INF-008	The system shall normalise attribute formats deterministically — dates, casing, spacing, and numeric precision — without altering meaning.	MVP	MUST	RC-2
FR-INF-009	The system shall record a history of changes to each attribute, including who or what changed it.	MVP	SHOULD	N-05
FR-INF-010	The system shall indicate which commonly required information is missing from the record.	FUTURE	WON'T	N-09

1.6 Document Search — FR-SRCH

ID	Requirement	Release	Priority	Trace
FR-SRCH-001	The user shall be able to find a document by type or label.	MVP	MUST	N-03
FR-SRCH-002	The user shall be able to search the extracted text of all documents.	MVP	MUST	N-03
FR-SRCH-003	The user shall be able to search by attribute value and receive the supporting document.	MVP	SHOULD	N-03
FR-SRCH-004	Search results shall identify the document and the location within it where the match occurred.	MVP	SHOULD	N-05
FR-SRCH-005	The user shall be able to filter results by document type and date added.	MVP	COULD	N-03
FR-SRCH-006	The user shall be able to query the record in natural language.	FUTURE	WON'T	N-03

1.7 User Intent — FR-INT

Intent in MVP is **explicit and immediate**: the user activates DOCURA on a form they have opened. Inferred or anticipated intent is deliberately future scope.

ID	Requirement	Release	Priority	Trace
FR-INT-001	The user shall declare intent by explicitly activating DOCURA on an open form. No filling activity begins without that action.	MVP	MUST	N-07, BR-014
FR-INT-002	On activation, the system shall derive the set of information and documents the form requires.	MVP	MUST	S2, N-04
FR-INT-003	The system shall present a readiness summary before filling: what the form needs, what is available, what is missing, and what will require the user.	MVP	SHOULD	N-04, S2
FR-INT-004	The user shall be able to name and revisit an application context across sessions.	FUTURE	WON'T	P-11
FR-INT-005	The system shall proactively notify the user of approaching deadlines or required actions.	FUTURE	WON'T	S1

1.8 Browser Extension Core — FR-EXT

ID	Requirement	Release	Priority	Trace
FR-EXT-001	The extension shall install into a supported desktop browser and be usable without further configuration.	MVP	MUST	A-8
FR-EXT-002	The extension shall operate only for an authenticated user and shall share the account of the application.	MVP	MUST	N-08
FR-EXT-003	The extension shall read page content only on pages where the user has explicitly activated it.	MVP	MUST	N-08, BR-014
FR-EXT-004	The extension shall not observe, log, or transmit page content on non-activated pages.	MVP	MUST	N-08
FR-EXT-005	The extension shall display a persistent, unambiguous indicator whenever it is active on a page.	MVP	MUST	N-07
FR-EXT-006	The user shall be able to stop DOCURA at any point, leaving already-filled values in place and untouched thereafter.	MVP	MUST	N-07
FR-EXT-007	The extension shall not retain form content after the session ends, beyond the action history defined in FR-AUD-006.	MVP	MUST	N-08
FR-EXT-008	The extension shall operate on mobile browsers.	FUTURE	WON'T	A-8, R-7

1.9 Form Detection — FR-FRM

ID	Requirement	Release	Priority	Trace
FR-FRM-001	The extension shall detect the presence of a fillable form on an activated page.	MVP	MUST	S5
FR-FRM-002	The extension shall enumerate the form's fields together with their input type.	MVP	MUST	S5
FR-FRM-003	The extension shall identify which fields the form marks as required.	MVP	SHOULD	N-04
FR-FRM-004	The extension shall read validation constraints the form declares — length, pattern, accepted file types, size limits.	MVP	MUST	P-03, RC-3
FR-FRM-005	The extension shall handle forms presented across multiple steps or pages, treating them as one application.	MVP	SHOULD	S5
FR-FRM-006	The extension shall detect fields added to the page after initial load.	MVP	SHOULD	EC-014
FR-FRM-007	Where the form structure changes during a session, the extension shall re-examine the form and shall not apply stale field mappings.	MVP	MUST	EC-014, R-5

ID	Requirement	Release	Priority	Trace
FR-FRM-008	The extension shall detect and operate on forms rendered inside embedded frames.	FUTURE	WONT	ASM-004

1.10 Field Understanding — FR-FLD

ID	Requirement	Release	Priority	Trace
FR-FLD-001	The extension shall determine the meaning of each field from its visible label, adjacent text, placeholder, and declared attributes.	MVP	MUST	RC-2
FR-FLD-002	Each field interpretation shall carry a confidence value.	MVP	MUST	BR-001
FR-FLD-003	Each field shall be classified as routine, sensitive, or consequential before any value is placed in it.	MVP	MUST	BR-005
FR-FLD-004	The extension shall identify legal declarations, agreements, and consent controls, and shall mark them consequential.	MVP	MUST	BR-006, P-10
FR-FLD-005	The extension shall identify file-upload fields and the document each one is asking for.	MVP	MUST	P-03, S4
FR-FLD-006	A field whose meaning cannot be determined with sufficient confidence shall be marked unknown and left untouched.	MVP	MUST	BR-009
FR-FLD-007	The extension shall support text, number, date, dropdown, radio, checkbox, and file-upload field types.	MVP	MUST	S5
FR-FLD-008	The extension shall support multi-select fields.	FUTURE	WONT	S5
FR-FLD-009	The extension shall support composite and custom widgets such as bespoke date pickers and autocomplete controls.	FUTURE	WONT	R-5
FR-FLD-010	The extension shall improve field interpretation over time by learning from user corrections.	FUTURE	WONT	ASM-005

1.11 Text Autofill — FR-FILL

ID	Requirement	Release	Priority	Trace
FR-FILL-001	The extension shall fill a text, number, or date field automatically only when the field interpretation and the source value are both at or above the automatic-action threshold and the field is classified routine.	MVP	MUST	BR-001, BR-005
FR-FILL-002	Values shall be reformatted to satisfy the field's declared constraints without changing their meaning; where meaning would change, the field shall be treated as ambiguous.	MVP	MUST	RC-3, P-03
FR-FILL-003	Every field DOCURA fills shall be visually marked as DOCURA-filled and distinguishable from user-entered values.	MVP	MUST	N-05
FR-FILL-004	For any filled field, the user shall be able to see which document the value came from.	MVP	MUST	N-05, N-06
FR-FILL-005	The user shall be able to change or clear any filled value, and DOCURA shall not overwrite it afterwards.	MVP	MUST	N-07, EC-012
FR-FILL-006	A user override shall be recorded in the session history.	MVP	SHOULD	N-05
FR-FILL-007	The extension shall not place a value in a field marked unknown under FR-FLD-006.	MVP	MUST	BR-009
FR-FILL-008	Filling shall trigger the page's own input handling so that the form's validation and dependent behaviour respond as if a person had typed.	MVP	MUST	EC-014

1.12 Dropdown, Radio & Checkbox Matching — FR-DRP

ID	Requirement	Release	Priority	Trace
FR-DRP-001	The extension shall read all available options of a dropdown, radio group, or checkbox group before attempting a match.	MVP	MUST	P-04
FR-DRP-002	The extension shall match the user's value to an option by meaning, not by exact string equality.	MVP	MUST	RC-2, P-04
FR-DRP-003	An option shall be selected automatically only where exactly one option matches at or above the automatic-action threshold.	MVP	MUST	BR-001
FR-DRP-004	Where two or more options are plausible, the extension shall ask the user and shall present the candidates with the reason each was considered.	MVP	MUST	BR-003, P-04
FR-DRP-005	Where no option matches acceptably, the field shall be left unset and reported to the user as needing attention.	MVP	MUST	BR-009
FR-DRP-006	Radio groups shall be treated as single-choice fields subject to the same thresholds as dropdowns.	MVP	MUST	P-04
FR-DRP-007	A checkbox shall be set automatically only where it is classified routine. Checkboxes classified consequential shall never be set by DOCURA.	MVP	MUST	BR-006
FR-DRP-008	Where selecting one option changes the options available in a dependent field, the extension shall re-read the dependent field before matching it.	MVP	SHOULD	EC-014
FR-DRP-009	The extension shall handle search-based and asynchronously loaded option lists.	FUTURE	WONT	R-5

1.13 Ambiguity Handling — FR-AMB

ID	Requirement	Release	Priority	Trace
FR-AMB-001	The system shall treat a field as ambiguous when any of the following holds: multiple candidate values or options are plausible; confidence is below the automatic-action threshold; source documents conflict; or the required information is absent.	MVP	MUST	BR-003
FR-AMB-002	An ambiguity prompt shall state the field, the candidates, the source of each candidate, and why DOCURA could not decide.	MVP	MUST	N-05, A-2
FR-AMB-003	The user shall be able to answer with a value not offered among the candidates.	MVP	MUST	N-07
FR-AMB-004	The user shall be able to skip an ambiguity; the field is then left unfilled and listed in the review summary.	MVP	MUST	N-07
FR-AMB-005	Ambiguities shall be grouped and presented together where doing so does not delay filling of unaffected fields.	MVP	SHOULD	R-3
FR-AMB-006	An answer given during a session shall apply to that session without being asked again.	MVP	MUST	R-3
FR-AMB-007	The system shall not proceed past an unanswered ambiguity on a required field without recording it as outstanding in the review summary.	MVP	MUST	BR-009
FR-AMB-008	The user shall be able to make an answer permanent so the same question is not asked on future forms.	FUTURE	WONT	R-3, ASM-005

1.14 Document Matching — FR-MATCH

ID	Requirement	Release	Priority	Trace
FR-MATCH-001	For each file-upload field, the system shall determine which stored documents could satisfy it.	MVP	MUST	P-05, S4
FR-MATCH-002	Candidate documents shall be ranked with a confidence value.	MVP	MUST	BR-001
FR-MATCH-003	Where exactly one candidate is at or above the automatic-action threshold and the document is not sensitive, it shall be proposed for attachment.	MVP	MUST	BR-001
FR-MATCH-004	Where more than one candidate is plausible, the user shall be asked to choose, with each candidate identified clearly enough to tell them apart.	MVP	MUST	BR-003, P-05
FR-MATCH-005	Where no stored document satisfies the requirement, the system shall report the document as missing and shall not substitute a different one.	MVP	MUST	BR-009, EC-005
FR-MATCH-006	The system shall produce a copy of the document that satisfies the field's declared format, size, and dimension constraints.	MVP	MUST	P-03, RC-3
FR-MATCH-007	Preparing a copy shall never modify or replace the stored original.	MVP	MUST	N-08
FR-MATCH-008	Before attachment, the user shall be able to preview exactly the file that will be attached.	MVP	MUST	N-05, N-06
FR-MATCH-009	A document classified sensitive shall be attached only after explicit per-instance approval.	MVP	MUST	BR-005
FR-MATCH-010	Where preparation cannot meet the constraints without unacceptable quality loss, the system shall stop and tell the user rather than attaching a degraded file. Quality floor: TBD — to be validated.	MVP	MUST	P-03
FR-MATCH-011	The system shall assemble derived documents, such as merging several files into one, when a field requires it.	FUTURE	WONT	P-12

1.15 Sensitive Information Handling — FR-SENS

ID	Requirement	Release	Priority	Trace
FR-SENS-001	The system shall maintain the three-tier sensitivity classification for both stored attributes and detected form fields.	MVP	MUST	\$02 Table 13.1
FR-SENS-002	Sensitive information shall never be placed into a form without explicit approval for that specific disclosure.	MVP	MUST	BR-005, N-07
FR-SENS-003	An approval request shall show the exact value or document to be disclosed and the field receiving it.	MVP	MUST	N-05
FR-SENS-004	Sensitive values shall be masked in DOCURA's own interface by default and revealed only on user action.	MVP	SHOULD	N-08
FR-SENS-005	Approval granted for one field in one form shall not carry to any other field, form, or session.	MVP	MUST	BR-007
FR-SENS-006	The user shall be able to raise the sensitivity of an attribute. Lowering the consequential tier shall not be possible for any user.	MVP	SHOULD	BR-006, A-5
FR-SENS-007	The system shall warn when a form requests an unusual combination of sensitive information.	FUTURE	WONT	ASM-006

1.16 User Approval — FR-APR

ID	Requirement	Release	Priority	Trace
FR-APR-001	Every approval request shall state what will happen, where, and why DOCURA is asking rather than acting.	MVP	MUST	A-2, N-05
FR-APR-002	The user shall be able to approve or deny each request individually.	MVP	MUST	N-07
FR-APR-003	A denial shall leave the field untouched, be recorded, and shall not block the remainder of the session.	MVP	MUST	N-07
FR-APR-004	Approvals and denials shall be recorded in the session history with their subject.	MVP	MUST	N-05
FR-APR-005	No control shall exist that approves consequential items in bulk or in advance.	MVP	MUST	BR-006
FR-APR-006	The user shall be able to approve a reviewed set of sensitive disclosures for a single form in one action, after seeing each item.	FUTURE	WONT	R-3, ASM-007

1.17 Form Review — FR-REV

ID	Requirement	Release	Priority	Trace
FR-REV-001	Before submission, the system shall present a review summary of the entire form.	MVP	MUST	S8, N-06
FR-REV-002	The summary shall show, for every field: the value present, how it got there (automatic, answered, approved, or user-entered), and its source document where applicable.	MVP	MUST	N-05, P-07
FR-REV-003	The summary shall list every document attached and the field it was attached to.	MVP	MUST	N-05
FR-REV-004	The summary shall list, prominently and first, every required field that is unfilled, skipped, or unresolved.	MVP	MUST	P-07, N-06
FR-REV-005	The summary shall identify declarations and consent controls that remain uncompleted, without completing them.	MVP	MUST	BR-006, P-10
FR-REV-006	The user shall be able to move from any review entry directly to that field in the form.	MVP	SHOULD	S8
FR-REV-007	The user shall be able to export or save the review summary as a record.	FUTURE	WONT	P-11

1.18 Submission Control — FR-SUB

ID	Requirement	Release	Priority	Trace
FR-SUB-001	DOCURA shall never submit a form. Under no confidence level, setting, or user preference may submission be automated.	MVP	MUST	BR-008
FR-SUB-002	DOCURA shall not activate, click, or otherwise operate the form's submit control.	MVP	MUST	BR-008
FR-SUB-003	After review, DOCURA shall hand control back to the user with a clear statement that submission is theirs to perform.	MVP	MUST	BR-008, N-07
FR-SUB-004	DOCURA shall record that the session reached the hand-back point, and shall record no claim about whether the user submitted.	MVP	SHOULD	N-05
FR-SUB-005	The system shall detect a confirmation or receipt page and offer to save it to the vault.	FUTURE	WONT	P-11, S9

1.19 History & Audit — FR-AUD

ID	Requirement	Release	Priority	Trace
FR-AUD-001	The system shall record every value DOCURA placed, every option it selected, and every document it attached.	MVP	MUST	N-05
FR-AUD-002	The system shall record every question asked and the answer given.	MVP	MUST	N-05
FR-AUD-003	The system shall record every approval request and its outcome.	MVP	MUST	N-05, BR-005
FR-AUD-004	The user shall be able to view the history of a form session.	MVP	SHOULD	N-05
FR-AUD-005	History entries shall not be editable by the user; corrections are recorded as new entries.	MVP	MUST	N-05
FR-AUD-006	History shall record DOCURA's own actions and the fields they affected. It shall not store the full contents of the third-party form.	MVP	MUST	N-08, NFR-PRIV-004
FR-AUD-007	The user shall be able to export their history.	FUTURE	WONT	N-08

02 Non-Functional Requirements

Numerical targets are stated only where a defensible basis exists. Where a number is needed but not yet knowable, it is marked **TBD — to be validated** and assigned to the study that will set it. Inventing a plausible-sounding figure here would make the requirement untestable while appearing rigorous.

2.1 Security — NFR-SEC

ID	Requirement	Release	Priority
NFR-SEC-001	All data in transit shall be encrypted using current industry-standard transport security.	MVP	MUST
NFR-SEC-002	Documents and extracted information shall be encrypted at rest.	MVP	MUST
NFR-SEC-003	Every request for a document or attribute shall be authorised against the requesting user's identity; ownership shall never be inferred from an identifier supplied by the client.	MVP	MUST
NFR-SEC-004	Credentials shall be stored using a current password-hashing standard, never in recoverable form.	MVP	MUST
NFR-SEC-005	Sessions shall expire after a period of inactivity and shall be revocable by the user. Period: TBD — to be validated against observed session length (study S-2).	MVP	MUST
NFR-SEC-006	The extension shall request the narrowest browser permissions that allow its function, and shall justify each permission in user-facing language.	MVP	MUST
NFR-SEC-007	Document access links shall be time-limited and single-purpose; a link shall not grant standing access.	MVP	MUST
NFR-SEC-008	The system shall not claim to be unbreachable in any user-facing or internal material. Security statements shall describe specific measures and their limits.	MVP	MUST
NFR-SEC-009	The product shall undergo independent security review before any release to users outside the team.	MVP	SHOULD

2.2 Privacy — NFR-PRIV

ID	Requirement	Release	Priority
NFR-PRIV-001	The system shall collect only information required to deliver a function the user has requested.	MVP	MUST
NFR-PRIV-002	A user's documents and extracted information shall not be used to train shared models, and shall not be readable by other users under any circumstance.	MVP	MUST
NFR-PRIV-003	Deletion requested by the user shall remove the document, its extracted information, and its derived copies within a stated period. Period: TBD — to be validated against legal requirements.	MVP	MUST
NFR-PRIV-004	The extension shall transmit only the minimum form structure needed to interpret fields, and shall not transmit page content unrelated to the form.	MVP	MUST
NFR-PRIV-005	The system shall not sell, share, or disclose user information to third parties for their own purposes.	MVP	MUST
NFR-PRIV-006	Any processing performed outside the user's device shall be disclosed in plain language before the user's first upload.	MVP	MUST
NFR-PRIV-007	Diagnostic and analytics data shall exclude document contents and extracted personal values.	MVP	MUST
NFR-PRIV-008	The system shall offer a mode in which processing occurs entirely on the user's device, with reduced capability.	FUTURE	WONT

2.3 Performance — NFR-PERF

ID	Requirement	Release	Priority
NFR-PERF-001	Field detection and interpretation on an activated form shall complete fast enough that the user does not perceive a stall. Target: TBD — to be validated by prototype timing (study S-5).	MVP	MUST
NFR-PERF-002	Document processing shall be asynchronous; the user shall never be blocked waiting for it and shall be able to continue using the application.	MVP	MUST
NFR-PERF-003	The end-to-end time to complete the MVP demonstration form with DOCURA shall be materially lower than completing it manually. Threshold: TBD — to be validated by measured baseline (study S-2).	MVP	MUST
NFR-PERF-004	Search over the user's own record shall return results without a perceptible wait at expected record sizes.	MVP	SHOULD
NFR-PERF-005	The extension shall not degrade the responsiveness of the page it is operating on to a degree the user notices.	MVP	MUST

2.4 Reliability — NFR-REL

ID	Requirement	Release	Priority
NFR-REL-001	A failure in any DOCURA component shall never corrupt, clear, or alter data the user has already entered into a form.	MVP	MUST
NFR-REL-002	Interrupted document processing shall be recoverable; the uploaded original shall never be lost because processing failed.	MVP	MUST
NFR-REL-003	A form-filling session shall survive transient network loss, and shall clearly indicate degraded operation rather than failing silently.	MVP	MUST
NFR-REL-004	Where DOCURA cannot complete an action, the failure shall be visible to the user at the point of failure, not discovered later at review.	MVP	MUST
NFR-REL-005	Repeating the same operation on the same input shall not produce duplicate documents or duplicate attribute entries.	MVP	SHOULD

2.5 Availability — NFR-AVL

ID	Requirement	Release	Priority
NFR-AVL-001	The service shall define and publish an availability target before public release. Target: TBD — to be validated against deadline-season load expectations.	MVP	SHOULD
NFR-AVL-002	Planned maintenance shall be scheduled outside identified application deadline periods.	MVP	SHOULD
NFR-AVL-003	Where the service is unavailable, the user shall be able to view and download documents already stored on their device where technically feasible.	FUTURE	WON'T

2.6 Accessibility — NFR-A11Y

ID	Requirement	Release	Priority
NFR-A11Y-001	All product surfaces shall meet WCAG 2.1 Level AA.	MVP	MUST
NFR-A11Y-002	Every function shall be operable by keyboard alone, including approval and ambiguity prompts.	MVP	MUST
NFR-A11Y-003	Field state — filled, asked, approved, unknown — shall be conveyed by more than colour alone.	MVP	MUST

ID	Requirement	Release	Priority
NFR-A11Y-004	Prompts and status changes shall be announced to assistive technology without stealing focus from the user's current task.	MVP	MUST
NFR-A11Y-005	The extension's overlays shall not obscure the form field they refer to.	MVP	SHOULD

2.7 Usability — NFR-USE

ID	Requirement	Release	Priority
NFR-USE-001	A first-time user shall be able to upload a document and see its extracted information without instruction.	MVP	MUST
NFR-USE-002	The number of interruptions during a form session shall be no greater than the number of genuinely ambiguous or sensitive items. Interruption budget: TBD — to be validated (study S-4).	MVP	MUST
NFR-USE-003	Every question DOCURA asks shall be answerable without leaving the form page.	MVP	MUST
NFR-USE-004	DOCURA shall be usable with a partially populated record; value shall not require a complete vault.	MVP	MUST
NFR-USE-005	Product language shall name things as users do — "marksheet", "photograph", "declaration" — not as the system models them.	MVP	SHOULD

2.8 Maintainability — NFR-MNT

ID	Requirement	Release	Priority
NFR-MNT-001	Supported document types and their extractable fields shall be definable as configuration, so adding a type does not require re-engineering.	MVP	MUST
NFR-MNT-002	Confidence thresholds shall be externally configurable and changeable without a code release.	MVP	MUST
NFR-MNT-003	Field-interpretation logic shall not depend on the internal structure of any specific website.	MVP	MUST
NFR-MNT-004	Sensitivity classification rules shall be maintainable as a reviewable list, not scattered through the implementation.	MVP	SHOULD

2.9 Scalability — NFR-SCL

ID	Requirement	Release	Priority
NFR-SCL-001	The system shall handle demand that is strongly seasonal rather than uniform, with peaks around application deadlines.	MVP	SHOULD
NFR-SCL-002	Document processing load shall be able to grow independently of interactive traffic.	MVP	SHOULD
NFR-SCL-003	Per-user record size limits shall be defined and communicated. Limits: TBD — to be validated against observed document counts.	MVP	COULD

2.10 Observability — NFR-OBS

ID	Requirement	Release	Priority
NFR-OBS-001	The system shall measure extraction and field-interpretation confidence distributions in aggregate, without retaining the underlying values.	MVP	MUST
NFR-OBS-002	The system shall measure how often it acts, asks, and declines to act, so the philosophy can be evaluated rather than assumed.	MVP	MUST

ID	Requirement	Release	Priority
NFR-OBS-003	The system shall measure user override rate on automatically filled fields as the primary indicator of silent error.	MVP	MUST
NFR-OBS-004	Failures in detection, extraction, or matching shall be recorded with enough context to diagnose them, and without personal values.	MVP	MUST
NFR-OBS-005	Abandonment during onboarding shall be measurable by stage, to test assumption A-6.	MVP	SHOULD

2.11 Error Handling — NFR-ERR

ID	Requirement	Release	Priority
NFR-ERR-001	Every error message shall state what went wrong and what the user can do next. Messages that only apologise or restate failure are not acceptable.	MVP	MUST
NFR-ERR-002	DOCURA shall fail towards inaction: when a component fails, the correct behaviour is to leave the field untouched and tell the user.	MVP	MUST
NFR-ERR-003	Partial success shall be reported as partial, itemising what succeeded and what did not.	MVP	MUST
NFR-ERR-004	Errors shall never expose internal identifiers, stack traces, or infrastructure detail to the user.	MVP	SHOULD
NFR-ERR-005	Where an operation is retryable, the retry shall be offered in place rather than requiring the user to start over.	MVP	SHOULD

03 User Stories

Twenty-four stories describe the product. They are deliberately few: a story exists here only where it captures a distinct user outcome, not for every requirement. Requirements remain the unit of implementation; stories are the unit of value.

TABLE 3.1 – STORY INDEX

ID	Story	Release	Priority	Requirements
US-001	Create an account and sign in securely	MVP	MUST	FR-ACC-001/002/005
US-002	Upload documents into the vault	MVP	MUST	FR-UPL-001...007
US-003	Have documents read and understood automatically	MVP	MUST	FR-OCR-001...009
US-004	See and correct what DOCURA understood	MVP	MUST	FR-OCR-007, FR-INF-002/003
US-005	Resolve conflicting information between documents	MVP	MUST	FR-INF-004/005/006
US-006	Find a document or a fact quickly	MVP	MUST	FR-SRCH-001...004
US-007	Activate DOCURA on a form and see what it needs	MVP	MUST	FR-INT-001...003, FR-FRM-001...004
US-008	Have straightforward fields filled automatically	MVP	MUST	FR-FILL-001...004, FR-FLD-001...003
US-009	Have dropdowns and options resolved correctly	MVP	MUST	FR-DRP-001...007
US-010	Be asked, not guessed at, when something is ambiguous	MVP	MUST	FR-AMB-001...007
US-011	Have the right document attached, in the right format	MVP	MUST	FR-MATCH-001...008/010
US-012	Approve every disclosure of sensitive information	MVP	MUST	FR-SENS-001...005, FR-APR-001...004
US-013	Keep declarations and consent entirely in my own hands	MVP	MUST	FR-FLD-004, FR-DRP-007, FR-APR-005
US-014	Review the whole form before it goes anywhere	MVP	MUST	FR-REV-001...006
US-015	Submit the form myself, deliberately	MVP	MUST	FR-SUB-001...004
US-016	Stop DOCURA at any moment	MVP	MUST	FR-EXT-005/006
US-017	See what DOCURA did on my behalf	MVP	SHOULD	FR-AUD-001...005
US-018	Correct a value DOCURA filled and have it stay corrected	MVP	MUST	FR-FILL-005/006
US-019	Delete a document or my entire record	MVP	MUST	FR-DOC-007/008, FR-ACC-007
US-020	Export everything I have stored	MVP	SHOULD	FR-ACC-006
US-021	Capture a document with my phone camera	FUTURE	WON'T	FR-UPL-008
US-022	Reuse an answer I have already given on a previous form	FUTURE	WON'T	FR-AMB-008
US-023	Keep a copy of every submission confirmation	FUTURE	WON'T	FR-SUB-005, FR-REV-007
US-024	Manage documents for a family member	FUTURE	WON'T	FR-ACC-010

3.1 Core stories in full

US-002

MVP MUST

As a student preparing applications, I want to upload all my important documents in one place, so that I never have to hunt through my phone, email, and drive again when a form asks for one.

Traces: P-01 · S3 · N-03

US-003

MVP MUST

As a student, I want DOCURA to read my documents and pull out the information inside them, so that my records become usable data instead of pictures I have to read myself.

Traces: RC-1 · L2 · N-01

US-004

MVP MUST

As a careful applicant, I want to see exactly what DOCURA read from each document and correct anything that is wrong, so that I can trust what it will later put into my forms.

Traces: N-05 · A-7 · R-4

US-007

MVP MUST

As an applicant opening a form, I want DOCURA to tell me up front what the form needs and whether I have it, so that I find out about a missing document before I start rather than at the end.

Traces: N-04 · S2 · P-05

US-008

MVP MUST

As an applicant, I want the fields DOCURA is certain about filled in for me, so that I spend my time on the parts that actually need my judgement.

Traces: P-02 · S5 · L2

US-010

MVP MUST

As an applicant, I want DOCURA to ask me when it is not sure rather than pick something plausible, so that a confident mistake never gets past me into a submitted application.

Traces: P-04 · S6 · A-2 · L3

US-011

MVP MUST

As an applicant, I want DOCURA to attach the correct document already sized and formatted the way the portal demands, so that an upload rule never becomes the reason my application fails.

Traces: P-03 · RC-3 · S4

US-012

MVP MUST

As someone storing my identity documents, I want to approve each time sensitive information is disclosed, so that speed never costs me control over what I reveal and to whom.

Traces: N-07 · §02 §13.2 · A-5

US-013

MVP MUST

As an applicant signing a legal declaration, I want DOCURA never to tick it for me, so that what I have agreed to is always something I decided.

Traces: P-10 · S7 · Vision §7

US-014

MVP MUST

As an applicant about to submit, I want a single review showing every value, where it came from, and what is still missing, so that I can stop re-reading the form three times.

Traces: P-07 · S8 · N-06

US-015

MVP MUST

As an applicant, I want to be the one who presses submit, so that the moment of commitment is mine and DOCURA cannot take it from me.

Traces: Vision §7 · N-07

04 Acceptance Criteria

Criteria are written to be executable as tests. Each names a precondition, an action, and an observable outcome. Where a criterion depends on a threshold that is still TBD, the criterion tests the *behaviour at the threshold* rather than the number itself, so it remains valid once the number is set.

US-002 – Upload documents into the vault

- AC-1 GIVEN the user is signed in, WHEN they upload a PDF, JPG, or PNG within the stated size limit, THEN the file is accepted and appears in the vault with status "processing".
- AC-2 GIVEN the user selects several files at once, WHEN the upload completes, THEN every accepted file appears as a separate document with its own status.
- AC-3 GIVEN the user selects a file of an unsupported type, WHEN they attempt to upload it, THEN the file is rejected before upload and a message names both the reason and the accepted types.
- AC-4 GIVEN a file identical to one already stored, WHEN it is uploaded, THEN the user is offered the choice to keep both, replace, or add as a new version, and no silent duplicate is created.
- AC-5 GIVEN an upload is interrupted by network loss, WHEN connectivity returns, THEN the upload can be retried and no partial document appears in the vault.

US-003 – Have documents read and understood automatically

- AC-1 GIVEN the user has uploaded a semester marksheet, WHEN DOCURA processes it successfully, THEN the document appears in the vault classified as a marksheet with its extracted information attached.
- AC-2 GIVEN a processed document, WHEN the user views it, THEN every extracted field is shown with its own confidence indication.
- AC-3 GIVEN a document whose type cannot be determined confidently, WHEN processing completes, THEN it is stored as unclassified, the user is asked to identify it, and no type is assumed.
- AC-4 GIVEN a document of five pages, WHEN it is processed, THEN it is stored as one document and information from every page is available.
- AC-5 GIVEN processing fails, WHEN the user views the document, THEN the original file is still present and downloadable, the failure reason is stated, and both retry and manual entry are offered.

US-004 – See and correct what DOCURA understood

- AC-1 GIVEN a processed document, WHEN the user opens an extracted value, THEN the source document and the region the value was read from are shown.
- AC-2 GIVEN an incorrect extracted value, WHEN the user corrects it, THEN the corrected value becomes authoritative and is used for all subsequent form filling.
- AC-3 GIVEN a value the user has corrected, WHEN the document is later reprocessed, THEN the user's value is retained and is not overwritten by extraction.
- AC-4 GIVEN an extracted value below the review threshold, WHEN the record is used for filling, THEN that value is never placed automatically.

US-005 – Resolve conflicting information between documents

- AC-1 GIVEN two documents give different values for the same attribute, WHEN processing completes, THEN a conflict is raised and neither value is marked authoritative.
- AC-2 GIVEN an unresolved conflict on an attribute, WHEN a form requests that attribute, THEN DOCURA treats the field as ambiguous and asks rather than choosing.
- AC-3 GIVEN the user resolves a conflict, WHEN the resolution is saved, THEN the chosen value becomes authoritative, the alternative is retained, and the decision appears in history.

US-007 – Activate DOCURA on a form and see what it needs

- AC-1 GIVEN a form page the user has not activated, WHEN the page loads, THEN DOCURA reads nothing and no indicator of activity is shown.
- AC-2 GIVEN the user activates DOCURA on the form, WHEN detection completes, THEN a readiness summary lists what the form requires, what is available in the record, and what is missing.
- AC-3 GIVEN the form requires a document the user has not stored, WHEN the readiness summary is shown, THEN that document is listed as missing before any filling begins.
- AC-4 GIVEN DOCURA is active, WHEN the user looks at the page, THEN an unambiguous indicator of activity is visible at all times.

US-008 – Have straightforward fields filled automatically

- AC-1 GIVEN a routine text field whose meaning and source value are both at or above the automatic threshold, WHEN filling runs, THEN the field is filled and visibly marked as DOCURA-filled.
- AC-2 GIVEN any filled field, WHEN the user inspects it, THEN the source document for that value is identified.
- AC-3 GIVEN a field whose meaning is below the interpretation threshold, WHEN filling runs, THEN the field is left empty and listed as unknown.
- AC-4 GIVEN a date field with a declared format different from the stored format, WHEN the field is filled, THEN the value is reformatted to the field's format without altering the date.
- AC-5 GIVEN DOCURA fills a field, WHEN the page has its own validation on that field, THEN the validation runs as it would for typed input.

US-009 – Have dropdowns and options resolved correctly

AC - 1 GIVEN a dropdown with exactly one option matching the user's value above the automatic threshold, WHEN filling runs, THEN that option is selected and marked as DOCURA-selected.

AC - 2 GIVEN a dropdown with two or more plausible options, WHEN filling runs, THEN no option is selected and the user is asked, with each candidate shown.

AC - 3 GIVEN a dropdown with no acceptable match, WHEN filling runs, THEN the field is left unset and reported as needing attention.

AC - 4 GIVEN a dropdown whose options depend on another field, WHEN the controlling field changes, THEN the dependent field's options are re-read before matching.

AC - 5 GIVEN a checkbox classified consequential, WHEN filling runs, THEN it is never set by DOCURA under any confidence value.

US-010 – Be asked, not guessed at, when something is ambiguous

AC - 1 GIVEN an ambiguous field, WHEN DOCURA asks, THEN the prompt names the field, lists the candidates, identifies each candidate's source, and states why DOCURA could not decide.

AC - 2 GIVEN an ambiguity prompt, WHEN the user supplies a value not among the candidates, THEN that value is accepted and used.

AC - 3 GIVEN an ambiguity prompt, WHEN the user skips it, THEN the field is left unfilled and appears in the review summary as outstanding.

AC - 4 GIVEN the user answers an ambiguity, WHEN the same question arises later in the same session, THEN it is not asked again.

AC - 5 GIVEN a required field left ambiguous, WHEN the user reaches review, THEN it is listed among outstanding items before anything else.

US-011 – Have the right document attached, in the right format

AC - 1 GIVEN a file-upload field and exactly one high-confidence matching document that is not sensitive, WHEN matching runs, THEN that document is proposed with a preview of the exact file to be attached.

AC - 2 GIVEN the field declares a format and size limit the stored document does not meet, WHEN the document is prepared, THEN a copy meeting the constraints is produced and the stored original is unchanged.

AC - 3 GIVEN two or more documents could satisfy the field, WHEN matching runs, THEN nothing is attached and the user is asked to choose between clearly distinguishable candidates.

AC - 4 GIVEN no stored document satisfies the field, WHEN matching runs, THEN the requirement is reported as missing and no other document is substituted.

AC - 5 GIVEN the constraints cannot be met without falling below the quality floor, WHEN preparation runs, THEN nothing is attached and the user is told why.

US-012 – Approve every disclosure of sensitive information

AC - 1 GIVEN a field classified sensitive, WHEN filling runs, THEN no value is placed until the user approves that specific disclosure.

AC - 2 GIVEN an approval request, WHEN it is presented, THEN it shows the exact value or document to be disclosed and the field that will receive it.

AC - 3 GIVEN the user denies an approval, WHEN the session continues, THEN the field remains untouched, the denial is recorded, and remaining fields are still processed.

AC - 4 GIVEN the user approved a sensitive disclosure on one form, WHEN the same information is requested on another form or another field, THEN approval is requested again.

US-013 – Keep declarations and consent entirely in my own hands

AC - 1 GIVEN a field identified as a legal declaration, agreement, or consent control, WHEN filling runs, THEN DOCURA does not alter it under any circumstance.

AC - 2 GIVEN the product's settings, WHEN a user looks for a way to automate declarations, THEN no such setting exists.

AC - 3 GIVEN uncompleted declarations at review, WHEN the review summary is shown, THEN they are listed as requiring the user's own action.

US-014 – Review the whole form before it goes anywhere

AC - 1 GIVEN filling has finished, WHEN the user opens review, THEN every field is listed with its value, how it was set, and its source document where applicable.

AC - 2 GIVEN required fields remain unfilled or unresolved, WHEN review is shown, THEN they appear first and are visually distinct from completed items.

AC - 3 GIVEN documents were attached, WHEN review is shown, THEN each attachment is listed against the field that received it.

AC - 4 GIVEN a review entry, WHEN the user selects it, THEN the corresponding field in the form is brought into view.

US-015 – Submit the form myself, deliberately

AC - 1 GIVEN a completed and reviewed form, WHEN the user finishes review, THEN DOCURA states that submission is the user's action and takes no submission action itself.

AC - 2 GIVEN any state of the form, WHEN DOCURA is running, THEN it never activates the submit control.

AC - 3 GIVEN the session reaches hand-back, WHEN history is recorded, THEN it records the hand-back and makes no claim about whether submission occurred.

US-016 – Stop DOCURA at any moment

AC - 1 GIVEN DOCURA is filling a form, WHEN the user stops it, THEN it ceases all activity within the current interaction and takes no further action on the page.

AC - 2 GIVEN the user stops DOCURA mid-session, WHEN they look at the form, THEN values already placed remain and are not reverted or cleared.

AC - 3 GIVEN DOCURA has been stopped, WHEN the page changes or new fields appear, THEN DOCURA does not resume without a fresh activation.

US-018 – Correct a value DOCURA filled and have it stay corrected

AC-1 GIVEN a DOCURA-filled field, WHEN the user edits it, THEN the field is re-marked as user-entered.

AC-2 GIVEN a user-edited field, WHEN DOCURA runs again in the same session, THEN it does not overwrite the user's value.

AC-3 GIVEN a user override, WHEN history is viewed, THEN the override is recorded with the original and replacement values.

US-019 – Delete a document or my entire record

AC-1 GIVEN a stored document, WHEN the user deletes it, THEN a confirmation names the information that will be lost with it.

AC-2 GIVEN a deleted document, WHEN the grace period has not elapsed, THEN the user can restore it; after the period it is unrecoverable and the interface says so.

AC-3 GIVEN the user deletes their account, WHEN deletion completes, THEN documents, extracted information, and derived copies are removed within the stated period and the user receives confirmation.

05 Business Rules

Business rules constrain every requirement in this document. Where a requirement and a rule appear to conflict, the rule governs. Rules BR-001 to BR-009 are the formal statement of the product principle and are **not configurable by anyone**, including the user, an administrator, or a future enterprise customer.

TABLE 5.1 – BUSINESS RULES

ID	Subject	Rule	Enforced by
BR-001	Confidence	An action may be taken automatically only when the confidence of both the field interpretation and the source value meets or exceeds the automatic-action threshold. Threshold value: TBD — to be validated (study S-6).	FR-FILL-001, FR-DRP-003, FR-MATCH-003
BR-002	Confidence floor	Information extracted below the review threshold is never used for automatic action, regardless of how well it matches a field.	FR-OCR-006
BR-003	Ambiguity	Where more than one reasonable value, option, or document exists, DOCURA must ask the user. It may not select the most likely candidate on the user's behalf.	FR-AMB-001, FR-DRP-004, FR-MATCH-004
BR-004	Conflict	Where the user's own documents disagree, DOCURA must surface the disagreement and may not resolve it by rule, recency, or preference.	FR-INF-005
BR-005	Sensitive information	Sensitive information is never disclosed to a form without explicit approval for that specific disclosure.	FR-SENS-002, FR-MATCH-009
BR-006	Consent and declarations	DOCURA never accepts a legal declaration, agreement, or consent control. This applies at every confidence level and admits no setting, exception, or user preference.	FR-FLD-004, FR-DRP-007, FR-APR-005
BR-007	Scope of approval	An approval applies to exactly one disclosure, in one field, in one form, in one session. Approval is never inherited, remembered, or generalised.	FR-SENS-005
BR-008	Final submission	DOCURA never submits a form and never operates a submit control. Submission is always performed by the user.	FR-SUB-001, FR-SUB-002
BR-009	Unknown information	Where DOCURA does not have reliable information, it must leave the field untouched and say so. Guessing, inferring from similar fields, and filling with placeholder values are all prohibited.	FR-FLD-006, FR-FILL-007, FR-DRP-005, FR-MATCH-005
BR-010	Traceability	Every value DOCURA places must be attributable to a source document or to an answer the user gave.	FR-FILL-004, FR-INF-002
BR-011	Visibility of action	Every field DOCURA touches must be visibly distinguishable from fields the user filled.	FR-FILL-003
BR-012	User precedence	A value entered or corrected by the user always takes precedence over an extracted value and is never overwritten automatically.	FR-FILL-005, FR-INF-003
BR-013	Original integrity	A stored original document is never modified. Format conversions and resizing produce copies.	FR-MATCH-007
BR-014	Activation	DOCURA reads a page only after explicit activation by the user on that page. There is no passive or background observation.	FR-EXT-003, FR-EXT-004
BR-015	Reversibility	Every automated action must be reversible by the user before submission.	FR-FILL-005, FR-APR-003
BR-016	Fail towards inaction	When any component fails or is uncertain, the correct behaviour is to do nothing and inform the user — never to proceed on partial information.	NFR-ERR-002
BR-017	Data minimisation	DOCURA stores what it needs to serve a function the user asked for, and no more. Third-party form content is not retained.	NFR-PRIV-001, FR-AUD-006
BR-018	Ownership	The user's record belongs to the user: inspectable, correctable, exportable, and deletable at any time.	FR-ACC-006, FR-ACC-007, FR-DOC-007

ID	Subject	Rule	Enforced by
BR-019	No absolute claims	The product never claims perfect accuracy or absolute security in any surface or communication.	NFR-SEC-008
BR-020	Sensitivity floor	An attribute or field classified consequential can never be reclassified downward by any actor.	FR-SENS-006

NON-NEGOTIABLE SET

BR-006, BR-008, and BR-009 are the rules that distinguish DOCURA from an autonomous form-filling agent. A future request to relax any of them — for a partner, an enterprise buyer, or a conversion metric — is a request to change the product's identity, and must be escalated as such rather than handled as a configuration change.

06 AI & Automation Requirements

DOCURA's intelligence is separated into three layers by **what kind of certainty each can offer**. The separation is a requirement, not an implementation note: it determines where errors are possible, and therefore where a human must remain in the loop.

TABLE 6.1 — THE THREE LAYERS

Layer	Nature	May be trusted for	Must never be used for
Deterministic automation AR-DET	Rule-based. Same input always gives the same output. Verifiable by inspection.	Format conversion, resizing, validation, normalisation, threshold comparison, classification of known field patterns.	Anything requiring interpretation of meaning.
AI-assisted understanding AR-AST	Probabilistic. Produces a best interpretation with a confidence value. Can be wrong plausibly.	Reading documents, classifying document type, interpreting field meaning, matching values to options semantically.	Deciding anything the user has not been given the chance to see and correct.
Agentic action AR-AGT	Acting on the world. Consequences leave the product and reach an institution.	Placing values, selecting options, and attaching documents — strictly within threshold and sensitivity limits.	Consent, declarations, submission, and any action the user cannot see and reverse.

6.1 Deterministic automation — AR-DET

Where deterministic logic is sufficient, it must be used. Using a probabilistic method for a solvable problem introduces avoidable error and destroys explainability.

ID	Requirement	Release
AR-DET-001	File type, size, and integrity validation shall be deterministic.	MVP
AR-DET-002	Format conversion, compression, resizing, and cropping to declared constraints shall be deterministic.	MVP
AR-DET-003	Value normalisation — dates, casing, whitespace, numeric precision — shall be deterministic and reversible.	MVP
AR-DET-004	Threshold comparison and the act-or-ask decision shall be deterministic given a confidence value.	MVP
AR-DET-005	Sensitivity classification shall be driven by a reviewable rule set, not inferred per session.	MVP
AR-DET-006	Detection of declaration and consent controls shall use deterministic rules as its primary mechanism, with assisted interpretation only as an additional safeguard that can add — never remove — the consequential classification.	MVP
AR-DET-007	Enumeration of form fields and their declared types and constraints shall be deterministic.	MVP
AR-DET-008	Conflict detection between documents shall be deterministic; conflict <i>resolution</i> shall never be automated at all.	MVP

6.2 AI-assisted understanding — AR-AST

ID	Requirement	Release
AR-AST-001	Text extraction from document images shall produce, for each extracted value, a confidence measure usable by BR-001.	MVP
AR-AST-002	Document classification shall produce a type and a confidence, and shall be able to return "unrecognised" rather than a forced choice.	MVP
AR-AST-003	Field-meaning interpretation shall produce a semantic label and a confidence, and shall be able to return "unknown".	MVP
AR-AST-004	Option matching shall produce a ranked candidate list with confidences, not a single answer.	MVP
AR-AST-005	Document-to-field matching shall produce a ranked candidate list with confidences.	MVP
AR-AST-006	Every assisted output shall be explainable to the user in terms of the source it came from.	MVP

ID	Requirement	Release
AR-AST-007	No assisted component shall be permitted to escalate its own authority — it may lower a confidence, never raise it, and may add a sensitivity classification, never remove one.	MVP
AR-AST-008	Assisted components shall be evaluated against a held-out corpus of real, imperfect documents before any threshold is set.	MVP

6.3 Agentic action — AR-AGT

ID	Requirement	Release
AR-AGT-001	Agentic action shall be limited to: placing a value, selecting an option, and attaching a document.	MVP
AR-AGT-002	Every agentic action shall be preceded by a threshold check (BR-001) and a sensitivity check (BR-005).	MVP
AR-AGT-003	Every agentic action shall be individually visible and individually reversible before submission.	MVP
AR-AGT-004	No agentic action shall navigate, submit, dismiss a dialog, or otherwise alter the state of the page beyond the field it is filling.	MVP
AR-AGT-005	Agentic action shall halt on any unexpected page state and hand control to the user rather than adapting.	MVP
AR-AGT-006	The product shall not offer an autonomous mode in which the user is absent from the loop.	MVP

6.4 Human-in-the-loop points

These are the moments where a human is required by design. They are not error paths; they are the product working correctly.

TABLE 6.2 — MANDATORY HUMAN DECISION POINTS

Point	Trigger	Rule
Extraction review	Any value below the review threshold.	BR-002
Conflict resolution	Documents disagree about the same attribute.	BR-004
Ambiguity answer	Multiple plausible values, options, or documents.	BR-003
Sensitive disclosure	A field or document classified sensitive.	BR-005, BR-007
Declaration and consent	Any consequential control.	BR-006
Final submission	Always.	BR-008

SELECTION PRINCIPLE

This document specifies **what each layer must guarantee**, not what technology provides it. Any component may be replaced provided its replacement meets the same guarantees: a confidence value that means what BR-001 assumes, the ability to return "unknown", and explainability to the user. Technology selection belongs to document 04.

07 Document Requirements

This section is the **document lifecycle view** of requirements already defined in §1 and §2. It exists to confirm that every stage of a document's life is governed, and to expose any stage that is not. No requirement is restated here as a new obligation.

TABLE 7.1 – DOCUMENT LIFECYCLE AND ITS GOVERNING REQUIREMENTS

Stage	What must happen	Governed by
Upload	Accept PDF, JPG, PNG from local storage, singly or in batches, with visible per-document status.	FR-UPL-001/002/005
File validation	Check type, size, and integrity before acceptance; reject with a reason and the accepted alternatives; state limits in advance.	FR-UPL-003/004, AR-DET-001
OCR	Extract machine-readable text, including from multi-page documents; retain the original if extraction fails.	FR-OCR-001/008/009
Classification	Assign a document type with a confidence, or return unrecognised rather than forcing a type.	FR-OCR-002/003, AR-AST-002
Information extraction	Extract the defined field set for the document type, with per-field confidence.	FR-OCR-004/005, FR-INF-001
Confidence	Record confidence at document and field level; withhold low-confidence values from automatic use; mark them for review.	FR-OCR-005/006, BR-001, BR-002
User correction	Show each value against its source region; allow correction; treat the corrected value as authoritative and preserve it through reprocessing.	FR-OCR-007, FR-INF-003, BR-012
Conflict handling	Detect disagreement between documents; surface it; never resolve automatically.	FR-INF-004/005/006, BR-004
Versioning	Allow a newer version to be added while retaining the previous one; allow one document of a type to be designated primary.	FR-DOC-005/006
Search	Find documents by type, label, extracted text, or attribute value, and identify where the match occurred.	FR-SRCH-001...004
Retrieval	Serve the original exactly as uploaded, through time-limited, single-purpose access.	FR-DOC-004, NFR-SEC-007
Preparation	Produce constraint-compliant copies for attachment without altering the original; stop rather than degrade below the quality floor.	FR-MATCH-006/007/010, AR-DET-002, BR-013
Deletion	Delete on request with a confirmation naming what is lost; support a recovery grace period; remove derived copies within the stated period.	FR-DOC-007/008, NFR-PRIV-003
Access control	Authorise every access against the requesting user; never infer ownership from a client-supplied identifier; encrypt at rest and in transit.	NFR-SEC-001/002/003

7.1 Supported document types — MVP

The MVP supports a defined set of types. Any document outside the set is still stored and searchable, but its information is not extracted into the structured record. The set is deliberately narrow so that extraction quality can be evaluated honestly before it is widened.

- **Identity and address** — Aadhaar, PAN, address proof.
- **Education** — 10th marksheet, 12th marksheet, semester result, degree certificate.
- **Application assets** — photograph, signature, student ID, hall ticket, resume.
- **Other** — stored and searchable as an unclassified document, no structured extraction. ASM-001

Final inclusion of each type is subject to the extraction evaluation in study S-6; a type whose extraction cannot meet the review threshold on real documents shall be moved to store-and-search only rather than shipped as unreliable.

08 Browser Extension Requirements

The capability view of the extension, separating what the MVP must do from what is deferred. Requirements are those defined in §1.8 to §1.18.

TABLE 8.1 – EXTENSION CAPABILITY MATRIX

Capability	Release	Requirements	MVP boundary
Detect supported forms	MVP	FR-FRM-001/002	Standard forms on the page. Embedded frames excluded.
Detect field types	MVP	FR-FLD-007, AR-DET-007	Text, number, date, dropdown, radio, checkbox, file. Multi-select and custom widgets excluded.
Understand field labels	MVP	FR-FLD-001/002, AR-AST-003	Semantic interpretation with confidence and an explicit "unknown" outcome.
Match user information	MVP	FR-FILL-001/002	From the structured record only. No inference from unrelated fields.
Match documents	MVP	FR-MATCH-001...008	Includes constraint-compliant preparation. Merging or generating documents excluded.
Fill text fields	MVP	FR-FILL-001...008	Routine fields above threshold, visibly marked and reversible.
Handle dropdowns	MVP	FR-DRP-001...005/008	Static and dependent lists. Search-based and async lists excluded.
Handle radio buttons	MVP	FR-DRP-006	Treated as single-choice with dropdown thresholds.
Handle checkboxes	MVP	FR-DRP-007	Routine only. Consequential checkboxes never set.
Handle file uploads	MVP	FR-MATCH-003/006/009	Attachment after preview; approval required for sensitive documents.
Detect ambiguity	MVP	FR-AMB-001	All four ambiguity conditions.
Ask the user	MVP	FR-AMB-002...007	In-page, answerable without leaving the form. Cross-session memory excluded.
Protect sensitive information	MVP	FR-SENS-001...005	Per-instance approval, never inherited.
Pause for approval	MVP	FR-APR-001...005	Individual approve or deny. No bulk approval.
Continue after approval	MVP	FR-APR-003, FR-AMB-006	Denial does not end the session.
Review completed form	MVP	FR-REV-001...006	Full summary with sources and outstanding items.
Stop at submission	MVP	FR-SUB-001...004	Absolute. No exception.
Multi-step forms	MVP	FR-FRM-005	Treated as one application across steps.
Forms in embedded frames	FUTURE	FR-FRM-008	Excluded from MVP.
Multi-select fields	FUTURE	FR-FLD-008	Excluded from MVP.
Custom widgets	FUTURE	FR-FLD-009	Excluded from MVP.
Learning from corrections	FUTURE	FR-FLD-010, FR-AMB-008	Excluded from MVP.
Mobile browsers	FUTURE	FR-EXT-008	Excluded pending A-8.
Save submission receipts	FUTURE	FR-SUB-005	Excluded from MVP.

09 Privacy & Security Requirements

The consolidated view across the eleven areas required for a product that holds identity documents. Requirements are those defined in §1 and §2.

TABLE 9.1 – PRIVACY AND SECURITY COVERAGE

Area	Obligation	Requirements
Authentication	Verified identity before any access; recoverable without weakening the vault; sessions expire and are revocable.	FR-ACC-001/002/005/008, NFR-SEC-004/005
Authorization	Every access authorised against the requesting user; ownership never inferred from client input.	NFR-SEC-003
User-specific access	One record, one owner. No cross-user readability under any condition.	FR-ACC-003, NFR-PRIV-002
Secure handling	Encryption in transit and at rest; time-limited, single-purpose document access.	NFR-SEC-001/002/007
Sensitive protection	Three-tier classification; per-instance approval; masking by default; consequential tier immutable.	FR-SENS-001...006, BR-005, BR-007, BR-020
Consent	Never automated. Activation required before reading any page. Off-device processing disclosed before first upload.	BR-006, BR-014, FR-EXT-003/004, NFR-PRIV-006
Deletion	Per-document and whole-account deletion, with grace period, derived-copy removal, and confirmation.	FR-DOC-007/008, FR-ACC-007, NFR-PRIV-003
Sharing control	No sharing of any kind in MVP. No third-party disclosure. No training on user documents.	FR-ACC-003/010, NFR-PRIV-002/005
Audit and history	Every automated action, question, and approval recorded; user-viewable; not user-editable; form content not retained.	FR-AUD-001...006
Extension permissions	Narrowest permissions that work; each justified in plain language; no observation of non-activated pages.	NFR-SEC-006, FR-EXT-003/004/005
Data minimisation	Collect only what a requested function needs; transmit only the form structure required; exclude personal values from diagnostics.	NFR-PRIV-001/004/007, BR-017

WHAT THIS PRODUCT DOES NOT CLAIM

DOCURA does not claim to be unbreachable, and no requirement in this document should be read as promising that. What is required is specific and testable: stated protections, minimal collection, disclosed processing, user-controlled deletion, and honest language about limits. NFR-SEC-008, BR-019. Any marketing or interface copy asserting absolute security is a defect against BR-019.

10 MVP Scope

The MVP is demonstrated end to end against a **controlled mock application form** — an MCA-style application constructed by the team. A controlled form is used because it makes the demonstration reproducible and lets us include every field type deliberately, rather than depending on a live portal that may change mid-demonstration. ASM-002

10.1 The demonstrated journey

TABLE 10.1 – MVP DEMONSTRATION JOURNEY AND ITS REQUIREMENTS

#	Step	What must be observable	Requirements
D1	Upload documents	Several real document types accepted, validated, and queued with visible status.	FR-UPL-001...005
D2	Understand documents	Each document classified and its information extracted with per-field confidence.	FR-OCR-001...008

#	Step	What must be observable	Requirements
D3	Store structured information	A structured record assembled, each value linked to its source; low-confidence values flagged for review.	FR-INF-001/002/007, FR-OCR-006
D4	Open the mock form	Extension activated explicitly; readiness summary shown; activity indicator visible.	FR-INT-001...003, FR-EXT-003/005
D5	Detect fields	All seven MVP field types enumerated with declared constraints and required flags.	FR-FRM-001...004, FR-FLD-007
D6	Match information	Field meanings interpreted with confidence; unknown fields marked and left alone.	FR-FLD-001/002/006
D7	Fill high-confidence fields	Routine fields above threshold filled, reformatted to constraints, visibly marked, source inspectable.	FR-FILL-001...005
D8	Handle dropdowns	Single high-confidence match selected; a dependent dropdown re-read after its controller changes.	FR-DRP-001...003/006/008
D9	Ask when ambiguous	A deliberately ambiguous field triggers a prompt showing candidates, sources, and the reason.	FR-AMB-001...004
D10	Match documents	Correct document identified for an upload field and prepared to the declared size and format.	FR-MATCH-001...008
D11	Approve sensitive items	A sensitive field and a sensitive document each require explicit, itemised approval.	FR-SENS-002/003, FR-APR-001...004
D12	Leave declarations alone	A declaration checkbox is detected, classified consequential, and demonstrably untouched.	FR-FLD-004, FR-DRP-007
D13	Review	Full summary with values, sources, methods, attachments, and outstanding items listed first.	FR-REV-001...005
D14	Hand back for submission	DOCURA states that submission belongs to the user and does not operate the submit control.	FR-SUB-001...003

UPLOAD → UNDERSTAND → STRUCTURE → ACTIVATE → DETECT → INTERPRET → FILL → RESOLVE → ASK → ATTACH → APPROVE → REVIEW → HAND BACK

10.2 MVP requirement totals

TABLE 10.2 – SCOPE TOTALS

Category	Total	MVP	Future
Functional requirements	157	131	26
Non-functional requirements	57	55	2
User stories	24	20	4
Business rules	20	20	0
Automation requirements	22	22	0

10.3 Explicitly not in the MVP

Each exclusion is a decision, not an oversight. Listing them here prevents them from re-entering scope informally.

- **Mobile browser support** — deferred until A-8 reports where applications are actually completed. FR-EXT-008
- **Camera capture and cloud or locker import** — file upload only. FR-UPL-008/009/010
- **Handwritten and non-MVP-language documents** — pending the extraction evaluation. FR-OCR-011/012
- **Cross-session learning and remembered answers** — every session starts from the record, not from history. FR-FLD-010, FR-AMB-008

- **Multi-select fields, custom widgets, embedded frames, async option lists** — the field-type surface is deliberately bounded. FR-FLD-008/009, FR-FRM-008, FR-DRP-009
- **Delegated or family access** — single-user records only; multi-person consent is not solved here. FR-ACC-010
- **Bulk approval of sensitive disclosures** — approval remains per-instance. FR-APR-006
- **Submission receipt capture and review export** — the loop after submission is future work. FR-SUB-005, FR-REV-007
- **Natural-language search, completeness indicators, document collections, expiry detection** — vault convenience beyond the core loop. FR-SRCH-006, FR-INF-010, FR-DOC-009/010
- **On-device-only processing mode and offline access** — architecturally significant; deferred deliberately. NFR-PRIV-008, NFR-AVL-003
- **Two-factor authentication** — deferred, and revisited before any release beyond a controlled pilot. FR-ACC-009

SCOPE CONDITION

The MVP as scoped here demonstrates the product thesis end to end. It is **not** a public release. Two exclusions — two-factor authentication and independent security review — must be closed before any user outside a controlled pilot stores a real identity document. Treating the demonstration MVP as launchable is the most likely way this scope decision causes harm.

11 Future Requirements

Future capabilities are grouped by the condition that unlocks them, not by date. A capability moves out of this section only when its condition is met and it is re-scoped explicitly.

TABLE 11.1 – FUTURE CAPABILITY HORIZONS

Horizon	Unlocking condition	Capabilities	Requirements
H1 — Immediately after MVP validation	The MVP loop demonstrably works and A-1 and A-2 have reported favourably.	Two-factor authentication; camera capture; submission receipt capture; review export; remembered answers with explicit consent.	FR-ACC-009, FR-UPL-008, FR-SUB-005, FR-REV-007, FR-AMB-008
H2 — Surface expansion	A-8 reports where applications are actually completed.	Mobile browser support; embedded frames; multi-select; custom widgets; async option lists.	FR-EXT-008, FR-FRM-008, FR-FLD-008/009, FR-DRP-009
H3 — Comprehension expansion	Extraction quality on the MVP type set is proven against real documents.	Handwritten content; additional scripts and languages; additional document types; derived document assembly.	FR-OCR-011/012, FR-MATCH-011
H4 — Vault maturity	Users maintain records across more than one application season.	Cloud and locker import; document collections; expiry detection; completeness indicators; natural-language search; application contexts; history export.	FR-UPL-009/010, FR-DOC-009/010, FR-INF-010, FR-SRCH-006, FR-INT-004, FR-AUD-007
H5 — Trust maturity	The sensitivity boundary is settled by evidence (A-5) and interruption cost is measured.	Reviewed bulk approval within one form; unusual-request warnings; learning from corrections; on-device processing mode.	FR-APR-006, FR-SENS-007, FR-FLD-010, NFR-PRIV-008
H6 — Beyond the individual	Single-user model proven and a consent architecture designed for third parties.	Delegated and family access; proactive deadline awareness; offline availability.	FR-ACC-010, FR-INT-005, NFR-AVL-003

CONTAINMENT RULE

A future requirement becomes an MVP requirement only through an explicit scope change recorded in this document with a new version number. Discovering during build that a future capability "is needed anyway" is a signal to re-examine the MVP definition — not a licence to widen it silently.

12 Requirement Prioritisation

12.1 Distribution

TABLE 12.1 – MOSCOW DISTRIBUTION

Priority	Functional	Non-functional	Interpretation
Must have	105	41	MVP cannot be demonstrated, or the philosophy is violated, without these.
Should have	24	13	Deferrable within MVP under schedule pressure, with a stated cost.
Could have	2	1	Cheap, isolated, no dependants.
Won't have (this release)	26	2	Deliberately excluded; recorded in §11.

The high proportion of MUST requirements is a consequence of the product thesis rather than weak prioritisation: the confidence, ambiguity, sensitivity, and consent behaviours are what distinguish DOCURA from an autofill tool, and a demonstration that omits them demonstrates a different product.

12.2 Prioritisation decisions worth explaining

Decision	Priority	Reasoning
Traceability of every filled value (FR-FILL-004, FR-INF-002)	MUST	Without it, a careful user re-verifies everything and the time saving disappears (N-05). Traceability is what converts speed into trust.
Document preparation to constraints (FR-MATCH-006)	MUST	P-03 is high frequency and high severity, and the work is fully deterministic. This is the largest certain win in the MVP.
Readiness summary (FR-INT-003)	SHOULD	High value against N-04, but the core loop is demonstrable without it. It is the first SHOULD to promote if capacity allows.
Conflict detection (FR-INF-004)	MUST	Name mismatches (P-06) are a silent disqualifier. Detecting them is cheap; missing them undermines the correctness claim.
Two-factor authentication (FR-ACC-009)	WON'T	Excluded only because MVP is a controlled demonstration. It becomes MUST before any real identity document is stored by a real user.
Cross-session learning (FR-FLD-010, FR-AMB-008)	WON'T	Attractive and dangerous: remembering an answer is a form of assumed consent. It requires the sensitivity boundary from A-5 first.
Bulk approval (FR-APR-006)	WON'T	Would reduce interruption fatigue (R-3), but relaxes BR-007. Deferred until interruption cost is measured rather than assumed.
Mobile support (FR-EXT-008)	WON'T	The highest-risk exclusion. If A-8 fails, this is not a deferred feature but a wrong primary surface (R-7).

12.3 Requirements dependent on untested assumptions

These requirements are specified but must not be committed to build until their supporting assumption reports.

Assumption	If it fails	Requirements affected
A-1	The vault model is wrong; the product must be re-conceived around per-session, non-retained documents.	All FR-UPL, FR-DOC, FR-INF
A-2	Asking is experienced as failure; the ambiguity model needs redesign, not adjustment.	All FR-AMB, FR-APR-001
A-5	The sensitivity boundary is wrong; interruption frequency is wrong in one direction or the other.	FR-SENS-001...006, NFR-USE-002

Assumption	If it fails	Requirements affected
A-7	Extraction is unreliable on real scans; thresholds may exclude most automatic action.	FR-OCR-004...006, BR-001
A-8	The extension is the wrong surface entirely.	All FR-EXT, FR-FRM, FR-FLD, FR-FILL, FR-DRP

13 Traceability

Every requirement can be followed from the problem that justifies it to the test that proves it. This chain is what will later connect to delivery tickets and test cases without re-deriving intent.

PROBLEM (§02) → USER NEED (§02) → USER STORY (§03) → REQUIREMENT (§01, §02) → ACCEPTANCE CRITERION (§04)

TABLE 13.1 – TRACEABILITY FOR THE MVP CORE

Problem	Need	Story	Requirements	Criteria
P-01 Retrieval	N-03	US-002 US-006	FR-UPL-001...007, FR-DOC-001...004, FR-SRCH-001...004	AC-US-002-1...5
P-02 Re-entry	N-01	US-008	FR-INF-001, FR-FLD-001/002, FR-FILL-001...008	AC-US-008-1...5
P-03 Format rejection	N-02	US-011	FR-FRM-004, FR-MATCH-006/007/010, AR-DET-002	AC-US-011-2/5
P-04 Dropdown mismatch	N-01	US-009 US-010	FR-DRP-001...008, FR-AMB-001...004	AC-US-009-1...5 AC-US-010-1...5
P-05 Which document	N-02	US-011	FR-DOC-005/006, FR-MATCH-001...005/008	AC-US-011-1/3/4
P-06 Detail mismatch	N-05	US-005	FR-INF-004/005/006, BR-004	AC-US-005-1...3
P-07 Post-submission anxiety	N-06	US-014	FR-REV-001...006	AC-US-014-1...4
P-08 Lost progress	N-10	US-016	NFR-REL-001/003, FR-EXT-006	AC-US-016-1...3
P-09 Dependency on others	N-03	US-006	FR-SRCH-001...004, FR-INF-001	AC-US-004-1
P-10 Unread declarations	N-07	US-013	FR-FLD-004, FR-DRP-007, FR-REV-005, BR-006	AC-US-013-1...3
P-11 Lost confirmations	N-09	US-023	FR-SUB-005 FUTURE	Deferred
P-12 Repeated preparation	N-02	US-011	FR-MATCH-006, AR-DET-002	AC-US-011-2
– Trust barrier (R-1)	N-08	US-012 US-019 US-020	FR-SENS-001...005, FR-ACC-006/007, FR-DOC-007/008, NFR-PRIV-001...007	AC-US-012-1...4 AC-US-019-1...3
– Silent error (R-4)	N-05	US-004 US-018	FR-OCR-005...007, FR-INF-002/003, FR-FILL-003...006, FR-AUD-001...005	AC-US-004-1...4 AC-US-018-1...3

Coverage check: every pain P-01 to P-12 traces to at least one requirement; every need N-01 to N-10 is addressed; P-11 is the only pain deliberately deferred in full, and its deferral is recorded in §11 horizon H1.

14 Edge Cases

Edge cases are specified as required behaviour, not as failure notes. In almost every case the correct behaviour follows from BR-016: **fail towards inaction and tell the user**.

TABLE 14.1 – EDGE CASES AND REQUIRED BEHAVIOUR

ID	Situation	Required behaviour	Governed by
EC-001	OCR fails entirely	Retain the original, mark the document as failed with a stated reason, offer retry and manual entry. The document remains stored and searchable by label.	FR-OCR-009
EC-002	Poor-quality document	Extract what is legible, mark low-confidence fields for review, and tell the user which fields could not be read confidently. Never present a low-confidence value as settled.	FR-OCR-006, BR-002
EC-003	Wrong document uploaded	Classify honestly. If the type is clear, store it as that type. If unclear, store as unclassified and ask. Never force it into an expected slot.	FR-OCR-002, AR-AST-002

ID	Situation	Required behaviour	Governed by
EC-004	Documents conflict	Raise a conflict, mark neither authoritative, and treat any field needing that attribute as ambiguous until the user resolves it.	FR-INF-004/005, BR-004
EC-005	Required document missing	Report it as missing at the readiness summary, before filling begins, and again at review. Never substitute a different document.	FR-MATCH-005, FR-INT-003
EC-006	Multiple dropdown matches	Select nothing. Ask, showing each candidate and why it was considered.	FR-DRP-004, BR-003
EC-007	No dropdown option matches	Leave unset, report as needing attention, and offer the user the option list to choose from directly.	FR-DRP-005, BR-009
EC-008	Unfamiliar terminology	Interpretation confidence falls below threshold; the field is marked unknown and left untouched rather than guessed from a superficially similar label.	FR-FLD-006, BR-009
EC-009	Website structure changes between sessions	Re-derive field mappings from scratch on each activation. Stored mappings are never trusted across sessions.	FR-FRM-007, NFR-MNT-003
EC-010	Unsupported field type	Enumerate it, mark it unsupported, exclude it from filling, and list it in review as requiring the user.	FR-FLD-006, FR-REV-004
EC-011	Sensitive document requested	Prepare and preview, then stop. Attach only on explicit per-instance approval; a denial leaves the field empty and the session continues.	FR-MATCH-009, FR-APR-003, BR-005
EC-012	User rejects a suggested document	Do not attach it, do not propose it again for that field in that session, and offer the remaining candidates or manual selection.	FR-MATCH-004, FR-APR-003
EC-013	User changes an automatically filled value	Re-mark the field as user-entered, never overwrite it afterwards, and record the override in history.	FR-FILL-005/006, BR-012
EC-014	Network failure mid-session	Stop initiating new actions, preserve everything already placed, show a clear degraded state, and resume only on explicit user action. Never leave a field half-filled.	NFR-REL-001/003, BR-016
EC-015	Form changes while filling	Detect the change, re-examine the form, discard stale mappings, and inform the user that the form changed. Never apply a mapping to a field that has moved.	FR-FRM-006/007, AR-AGT-005
EC-016	Session expires mid-form	Halt all automated action immediately. Values already in the form are left untouched. Re-authentication is required before any further action; nothing is filled from a stale session.	NFR-SEC-005, BR-016
EC-017	User signs out or uninstalls	Cease all extension activity at once. Values already placed remain in the page — DOCURA does not clean up the user's form.	FR-EXT-006, NFR-REL-001
EC-018	Form submitted while DOCURA is mid-action	DOCURA never blocks the user's submission. Any pending action is abandoned rather than applied to a submitted form, and the session ends.	FR-SUB-002, BR-008
EC-019	The same attribute is requested twice in one form	Fill both consistently from the same authoritative value; if the user overrides one, do not propagate the change silently to the other — flag the divergence at review.	FR-REV-002, BR-012
EC-020	Document prepared for constraints falls below quality floor	Attach nothing, explain why, and offer the original for the user to handle manually.	FR-MATCH-010

15 Definition of Requirement Completion

An honest assessment against the eight criteria. Two are marked partially met; recording that is more useful than claiming completeness.

TABLE 15.1 – COMPLETION CHECKLIST

Criterion	Status	Assessment
Clear	Met	Every requirement states a single obligation in one sentence, using "shall". No requirement contains "properly", "appropriately", or "as needed".
Testable	Partially met	All functional requirements are observable. Twelve requirements depend on a threshold marked TBD — to be validated ; their acceptance criteria test behaviour at the threshold rather than the value, so they are testable now and precise once the value is set. NFR-PERF-001 and NFR-PERF-003 cannot be fully tested until a manual baseline is measured in study S-2.
Non-duplicated	Met	Sections 7, 8, and 9 reference rather than restate. Each obligation is defined in exactly one place; every other appearance is a cross-reference by ID.
Prioritised	Met	All 157 functional and 57 non-functional requirements carry both a release marking and a MoSCoW priority. Eight significant decisions are explained in §12.2.
Traceable	Met	Every requirement traces to a pain, need, journey stage, root cause, or business rule. Untraceable items are registered as assumptions in Appendix A. All twelve pains and ten needs from document 02 are covered.
MVP / Future separated	Met	Every requirement is marked. Exclusions are listed individually in §10.3 with IDs, and future work is bound to unlocking conditions in §11 with an explicit containment rule.
Consistent with the vision	Met	BR-001 to BR-009 encode "Automate certainty. Ask about ambiguity. Never automate consent." No requirement contradicts them, and BR-006, BR-008, and BR-009 are stated as non-configurable.
Consistent with the research	Partially met	Requirements are consistent with document 02, but document 02 contains no validated findings. Five assumptions (A-1, A-2, A-5, A-7, A-8) remain untested and are load-bearing for the requirement sets listed in §12.3.

CONDITION FOR EXITING REQUIREMENTS ENGINEERING

This specification is complete enough to proceed to architecture, because architecture must accommodate the confidence, sensitivity, traceability, and consent boundaries regardless of how the assumptions resolve. It is **not** complete enough to commit to a build of the requirement sets in §12.3. Studies S-1 and S-5 should run in parallel with architecture work, not after it.

A Appendix A — Assumptions Introduced in This Document

These are decisions this document makes that are **not** supported by documents 01 or 02. They are recorded rather than absorbed silently.

TABLE A.1 – NEW ASSUMPTIONS

ID	Assumption	Affects	How to settle it
ASM-001	The MVP document type set is the right one — broad enough to demonstrate value, narrow enough to extract reliably.	§7.1, FR-OCR-004	Study S-6 extraction evaluation on a real corpus.
ASM-002	A controlled mock form is an adequate MVP demonstration surface; results on it will broadly hold on real portals.	§10	Study S-3 form teardown, then a shadow run against a real portal before claiming generality.
ASM-003	Users will accept per-instance approval for sensitive items without finding it obstructive at MVP volumes.	FR-SENS-005, BR-007	Studies S-4 and S-5.
ASM-004	Forms in embedded frames are rare enough in the target portals to defer.	FR-FRM-008	Study S-3.
ASM-005	Cross-session learning is not required for the MVP to feel useful on a first form.	FR-FLD-010, FR-AMB-008	Study S-5 prototype test.

ID	Assumption	Affects	How to settle it
ASM-006	Detecting unusual sensitive-information requests is a refinement, not a baseline safety requirement.	FR-SENS-007	Security review, then reconsider before public release.
ASM-007	Reviewed bulk approval within a single form could be made safe later without weakening BR-007.	FR-APR-006	Design review once interruption cost is measured.
ASM-008	Seven field types cover enough of the target forms for the MVP to be meaningful.	FR-FLD-007	Study S-3 field taxonomy.

B Appendix B — Requirement Index by Module

TABLE B.1 — FUNCTIONAL REQUIREMENT COUNTS

Prefix	Module	Total	MVP	Future
FR-ACC	Account & Profile	10	8	2
FR-D0C	Document Management	10	8	2
FR-UPL	Document Upload	10	7	3
FR-OCR	OCR & Document Understanding	12	10	2
FR-INF	Structured Information	10	9	1
FR-SRCH	Document Search	6	5	1
FR-INT	User Intent	5	3	2
FR-EXT	Browser Extension Core	8	7	1
FR-FRM	Form Detection	8	7	1
FR-FLD	Field Understanding	10	7	3
FR-FILL	Text Autofill	8	8	0
FR-DRP	Dropdown, Radio & Checkbox	9	8	1
FR-AMB	Ambiguity Handling	8	7	1
FR-MATCH	Document Matching	11	10	1
FR-SENS	Sensitive Information Handling	7	6	1
FR-APR	User Approval	6	5	1
FR-REV	Form Review	7	6	1
FR-SUB	Submission Control	5	4	1
FR-AUD	History & Audit	7	6	1
Total		157	131	26

TABLE B.2 — NON-FUNCTIONAL REQUIREMENT COUNTS

Prefix	Category	Total	MVP	Future
NFR-SEC	Security	9	9	0
NFR-PRIV	Privacy	8	7	1
NFR-PERF	Performance	5	5	0

Prefix	Category	Total	MVP	Future
NFR-REL	Reliability	5	5	0
NFR-AVL	Availability	3	2	1
NFR-A11Y	Accessibility	5	5	0
NFR-USE	Usability	5	5	0
NFR-MNT	Maintainability	4	4	0
NFR-SCL	Scalability	3	3	0
NFR-OBS	Observability	5	5	0
NFR-ERR	Error Handling	5	5	0
Total		57	55	2

END OF DOCUMENT · DOCURA 03 – REQUIREMENTS SPECIFICATION · V1.0