Experiment – 9.1.1

- Algorithm

1. Start
2. Input string s
3. Initialize count = 0
4. For each character ch in string s
5. If ch is a vowel (a, e, i, o, u, A, E, I, O, U)
6. count = count + 1
7. Print count
8. End

- Flowchart :



- Code :

```
str = input()
count=0
for i in str:
    if i in['A','E','I','O','U','a','e','i','o','u']:
        count += 1
print(count)
```

CODETANTRA Home

vedant.awachat.batch2025@sitnagpur.siu.edu.in Support Logout

9.1.1. Count Vowels in a String - 1

00:58

Write a program that takes a string as input and prints the total count of vowels in that string. Consider both uppercase and lowercase.

Input Format:

- A single line contains a string that may contain letters, numbers, and punctuation.

Output Format:

- An integer representing the total number of vowels in the input string.

Sample Test Cases +

Explorer

vowel_co...

SUBMIT

Debugger

```python
# Type Content here...
str = input()
count=0
for i in str:
    if i in['A','E','I','O','U','a','e','i','o','u']:
        count += 1
print(count)
```

Average time 0.006 s 6.33 ms

Maximum time 0.009 s 9.00 ms

2 out of 2 shown test case(s) passed

4 out of 4 hidden test case(s) passed

Test case 1 6 ms DEBUG

Expected output

Hello World!

3

Actual output

Hello World!

3

Terminal Test cases

‹ PREV RESET SUBMIT NEXT ›