

Sample 1:

```
vedantsinha@Vedants-MacBook-Pro-2 PA10 % ./bank_app
account1 balance: $50.00
account2 balance: $25.00
account3 balance: $80.00

Attempting to debit $25.00 from account1.

Attempting to debit $30.00 from account2.
Debit amount exceeded account balance.

Attempting to debit $40.00 from account3.
$1.00 transaction fee charged.

account1 balance: $25.00
account2 balance: $25.00
account3 balance: $39.00

Crediting $40.00 to account1.

Crediting $65.00 to account2.

Crediting $20.00 to account3.
$1.00 transaction fee charged.

account1 balance: $65.00
account2 balance: $90.00
account3 balance: $58.00

Adding $2.70 interest to account2.

New account2 balance: $92.70
```

Sample 2:

```
vedantsinha@Vedants-MacBook-Pro-2 PA10 % ./bank_app
account1 balance: $100.00
account2 balance: $75.00
account3 balance: $150.00
```

```
Attempting to debit $60.00 from account1.
```

```
Attempting to debit $100.00 from account2.
Debit amount exceeded account balance.
```

```
Attempting to debit $75.00 from account3.
$1.50 transaction fee charged.
```

```
account1 balance: $40.00
account2 balance: $75.00
account3 balance: $73.50
```

```
Crediting $25.00 to account1.
```

```
Crediting $50.00 to account2.
```

```
Crediting $80.00 to account3.
$1.50 transaction fee charged.
```

```
account1 balance: $65.00
account2 balance: $125.00
account3 balance: $152.00
```

```
Adding $6.25 interest to account2.
```

```
New account2 balance: $131.25
```

```
sh: PAUSE: command not found
```

```
vedantsinha@Vedants-MacBook-Pro-2 PA10 % |
```

Sample 3:

```
avingsAccount.cpp Vedant_Sinha_CheckingAccount.cpp -o bank_app
vedantsinha@Vedants-MacBook-Pro-2 PA10 % ./bank_app
account1 balance: $200.00
account2 balance: $50.00
account3 balance: $30.00

Attempting to debit $150.00 from account1.

Attempting to debit $20.00 from account2.

Attempting to debit $50.00 from account3.
Debit amount exceeded account balance.

account1 balance: $50.00
account2 balance: $30.00
account3 balance: $30.00

Crediting $75.00 to account1.

Crediting $100.00 to account2.

Crediting $15.00 to account3.
$2.00 transaction fee charged.

account1 balance: $125.00
account2 balance: $130.00
account3 balance: $43.00

Adding $5.20 interest to account2.

New account2 balance: $135.20
sh: PAUSE: command not found
vedantsinha@Vedants-MacBook-Pro-2 PA10 %
```

Sample 4:

```
vedantsinha@Vedants-MacBook-Pro-2 PA10 % ./bank_app
account1 balance: $10.00
account2 balance: $100.00
account3 balance: $25.00
```

```
Attempting to debit $15.00 from account1.
Debit amount exceeded account balance.
```

```
Attempting to debit $50.00 from account2.
```

```
Attempting to debit $10.00 from account3.
$3.00 transaction fee charged.
```

```
account1 balance: $10.00
account2 balance: $50.00
account3 balance: $12.00
```

```
Crediting $30.00 to account1.
```

```
Crediting $25.00 to account2.
```

```
Crediting $50.00 to account3.
$3.00 transaction fee charged.
```

```
account1 balance: $40.00
account2 balance: $75.00
account3 balance: $59.00
```

```
Adding $1.50 interest to account2.
```

```
New account2 balance: $76.50
```

```
sh: PAUSE: command not found
```

```
vedantsinha@Vedants-MacBook-Pro-2 PA10 %
```

Sample 5:

```
avingsAccount.cpp Vedant_Sinha_CheckingAccount.cpp -o bank_app
vedantsinha@Vedants-MacBook-Pro-2 PA10 % ./bank_app
account1 balance: $125.00
account2 balance: $200.00
account3 balance: $75.00

Attempting to debit $100.00 from account1.

Attempting to debit $250.00 from account2.
Debit amount exceeded account balance.

Attempting to debit $25.00 from account3.
$0.50 transaction fee charged.

account1 balance: $25.00
account2 balance: $200.00
account3 balance: $49.50

Crediting $50.00 to account1.

Crediting $75.00 to account2.

Crediting $100.00 to account3.
$0.50 transaction fee charged.

account1 balance: $75.00
account2 balance: $275.00
account3 balance: $149.00

Adding $16.50 interest to account2.

New account2 balance: $291.50
sh: PAUSE: command not found
```