# How to AI

A field guide to working with very fast, very confident interns

**Vedant Vibhor**
ExtremeAI · September 16, 2026





**Fig. 1.** Your new intern.
Variance in tone: zero.

# Quick show of hands

Raise your hand if you have ever…

- [ ] asked a chatbot to summarise a paper you then didn’t read

**Declaration**

Responses will not be recorded, published, or mentioned anywhere.

*No judgement. The model has seen worse.*

# Quick show of hands

Raise your hand if you have ever…

- [ ] asked a chatbot to summarise a paper you then didn't read
- [ ] pasted an error message and hoped for the best

**Declaration**

Responses will not be recorded, published, or mentioned anywhere.

*No judgement. The model has seen worse.*

# Quick show of hands

Raise your hand if you have ever…

- [ ] asked a chatbot to summarise a paper you then didn’t read
- [ ] pasted an error message and hoped for the best
- [ ] used it for something you would not put in a methods section

**Declaration**

Responses will not be recorded, published, or mentioned anywhere.

*No judgement. The model has seen worse.*

# Quick show of hands

Raise your hand if you have ever…

- [ ] asked a chatbot to summarise a paper you then didn't read
- [ ] pasted an error message and hoped for the best
- [ ] used it for something you would not put in a methods section
- [ ] said "thank you" to it, just in case :)

**Declaration**

Responses will not be recorded, published, or mentioned anywhere.

*No judgement. The model has seen worse.*

# The plan

1. **What these things are?**
   One equation & some consequences
2. **The Meet**
   Claude, ChatGPT and Z.ai, with performance reviews
3. **Research**
   Briefs, context files, Reviewer 2 on demand, verification
4. **Code**
   Agents, sandboxes, and simulation
5. **Everyday work**
   Writing, admin, and what not to paste

**Not in this talk**

- ✗ History of AI
- ✗ Magic prompt formulas
- ✗ “AI will replace us”
- ✗ Benchmarks nobody can reproduce

Tool and model names are correct as of September 2026. Please check again next Wednesday.

01

# What these things are?

One line of maths, consequences you already understand, and an uneven boundary.

# A LLM in one line of maths

$$w_{t+1} \sim p_\theta\big(w \mid \underbrace{w_1, \ldots, w_t}_{\text{the context: your prompt, files, chat so far}}\big)$$

Sample a token, append it, repeat. $\theta$ was fitted to a large slice of the internet, then fine-tuned to be helpful.

# A LLM in one line of maths

$$w_{t+1} \sim p_\theta(w \mid \underbrace{w_1, \ldots, w_t}_{\text{the context: your prompt, files, chat so far}})$$

Sample a token, append it, repeat. $\theta$ was fitted to a large slice of the internet, then fine-tuned to be helpful.


**Possible continuations of *"A p-value is the probability that…"***

# A LLM in one line of maths

$$w_{t+1} \sim p_\theta(w \mid \underbrace{w_1, \ldots, w_t}_{\text{the context: your prompt, files, chat so far}})$$

Sample a token, append it, repeat. $\theta$ was fitted to a large slice of the internet, then fine-tuned to be helpful.

**Possible continuations of *"A p-value is the probability that…"***




Illustrative probabilities for a base model.

*It learned statistics from the same internet you did.*

# Three consequences you already understand

SAME QUESTION, THREE RUNS

“Yes, clearly significant.”

“Probably not.”

“It depends.”

# Three consequences you already understand

SAME QUESTION, THREE RUNS

“Yes, clearly significant.”

“Probably not.”

“It depends.”

## The output is a random variable

Ask twice. If the answers disagree, you have just measured its uncertainty.

# Three consequences you already understand

SAME QUESTION, THREE RUNS


“Yes, clearly significant.”

“Probably not.”

“It depends.”

## The output is a random variable

Ask twice. If the answers disagree, you have just measured its uncertainty.




## It conditions on what you give it

A vague question gets the average of the internet. Context is the main control you have.

# Three consequences you already understand

SAME QUESTION, THREE RUNS


“Yes, clearly significant.”

“Probably not.”

“It depends.”

## The output is a random variable

Ask twice. If the answers disagree, you have just measured its uncertainty.




## It conditions on what you give it

A vague question gets the average of the internet. Context is the main control you have.

station_log.txt


```
2003: gauge 17 moved uphill
-99 means missing
2011: sensor replaced
Jul 2019: logger offline
```

NOT IN ANY TRAINING SET

## It has never seen your data

It knows extreme value theory. It does not know gauge 17 moved in 2003.(Incomplete knowledge)


# An uneven boundary




Dell'Acqua et al. (2023): consultants using GPT-4 did better inside the boundary, and were 19 percentage points less likely to be correct outside it.

*The boundary moves every few months. Keep checking!.*


# An uneven boundary




Dell'Acqua et al. (2023): consultants using GPT-4 did better inside the boundary, and were 19 percentage points less likely to be correct outside it.

*The boundary moves every few months. Keep checking!.*

# An uneven boundary




Dell'Acqua et al. (2023): consultants using GPT-4 did better inside the boundary, and were 19 percentage points less likely to be correct outside it.

*The boundary moves every few months. Keep checking!.*

02

# The Meet

Three new colleagues. Brilliant, super-fast, cheap, and not to be left unsupervised.

# Meet the interns

## Claude

Anthropic · claude.ai
Sonnet 5, Opus 5, Fable 5.1

USE IT FOR

Long documents, careful writing, working inside real codebases

WARNING

*Huge fan of Ghajini and "Session Limit Reached"*

# Meet the interns

## Claude

Anthropic · claude.ai
Sonnet 5, Opus 5, Fable 5.1

USE IT FOR

Long documents, careful writing, working inside real codebases

WARNING

*Huge fan of Ghajini and "Session Limit Reached"*

## ChatGPT

OpenAI · chatgpt.com
GPT-6 “Astra”, since 3 September

USE IT FOR

Quick questions with search, data files, images, voice

WARNING

*2 + 2 = 5 coz vibe*

# Meet the interns

## Claude

Anthropic · claude.ai
Sonnet 5, Opus 5, Fable 5.1

USE IT FOR

Long documents, careful writing, working inside real codebases

WARNING

*Huge fan of Ghajini and "Session Limit Reached"*

## ChatGPT

OpenAI · chatgpt.com
GPT-6 “Astra”, since 3 September

USE IT FOR

Quick questions with search, data files, images, voice

WARNING

*2 + 2 = 5 coz vibe*

## Z.ai

Formerly Zhipu AI · z.ai
GLM-5 family, open weights

USE IT FOR

Cheap coding and API work; models you can host yourself

WARNING

*Wants to know your location*

Line-ups as of 15 September 2026.

*All three: brilliant. None of them: a co-author.*

# Chat, project, or agent?

LEVEL 1

## Chat

One question, one answer. Forgets you when you close the tab.

*Explain this error message.*

# Chat, project, or agent?

LEVEL 1

## Chat

One question, one answer. Forgets you when you close the tab.

*Explain this error message.*

LEVEL 2

## Project

Standing instructions plus files it rereads every time: your notation, papers, style.

*Projects in Claude or ChatGPT*

# Chat, project, or agent?

LEVEL 1

## Chat

One question, one answer. Forgets you when you close the tab.

*Explain this error message.*

LEVEL 2

## Project

Standing instructions plus files it rereads every time: your notation, papers, style.

*Projects in Claude or ChatGPT*

LEVEL 3

## Agent

Opens your files, runs the code, reads the error, tries again. You review what it changed.

*Claude Code, Codex, ZCode, Cowork*

# Chat, project, or agent?

LEVEL 1

## Chat

One question, one answer. Forgets you when you close the tab.

*Explain this error message.*

LEVEL 2

## Project

Standing instructions plus files it rereads every time: your notation, papers, style.

*Projects in Claude or ChatGPT*

LEVEL 3

## Agent

Opens your files, runs the code, reads the error, tries again. You review what it changed.

*Claude Code, Codex, ZCode, Cowork*



more useful

# Chat, project, or agent?

LEVEL 1

## Chat

One question, one answer. Forgets you when you close the tab.

*Explain this error message.*

LEVEL 2

## Project

Standing instructions plus files it rereads every time: your notation, papers, style.

*Projects in Claude or ChatGPT*

LEVEL 3

## Agent

Opens your files, runs the code, reads the error, tries again. You review what it changed.

*Claude Code, Codex, ZCode, Cowork*



# Ten minutes in settings

### Tell it who you are

Custom instructions: your field, your software, how you like answers. Ten lines, once.

# Ten minutes in settings

### Tell it who you are

Custom instructions: your field, your software, how you like answers. Ten lines, once.

### Utilize skills for repeats

If a task has to be performed repeatedly, you can save how to.

# Ten minutes in settings

### Tell it who you are

Custom instructions: your field, your software, how you like answers. Ten lines, once.

### One Project per paper

Notation, key papers and decisions so far, available in every chat about that paper.

### Utilize skills for repeats

If a task has to be performed repeatedly, you can save how to.

# Ten minutes in settings

### Tell it who you are

Custom instructions: your field, your software, how you like answers. Ten lines, once.

### One Project per paper

Notation, key papers and decisions so far, available in every chat about that paper.

### Utilize skills for repeats

If a task has to be performed repeatedly, you can save how to.

### Find the training toggle

Most providers let you opt out of training on your chats. Defaults differ, and opting out does not make confidential data safe.

Menus move: search the settings for instructions, projects, search, training.

*Set up once. Stop re-explaining your notation.*


03

# Research

Brief it like a coworker, make it argue with you, then check everything.

# Sixty seconds: improve this prompt

Analyse my rainfall data and tell me what's interesting.




Rewrite it so that a sharp colleague who has never seen your project could do a good job.

Hint: what would *you* ask before starting?

*No models were consulted in the making of your answer.*

# What's in a brief?

| | |
|---|---|
| CONTEXT | I'm a statistician. I have annual maximum daily rainfall (mm) for one gauge, 1985–2024. The gauge moved uphill in 2003; `-99` means missing. |
| GOAL | Have the extremes increased, and by how much? |
| AUDIENCE | Hydrologists who know the GEV but not profile likelihood. |
| CONSTRAINTS | R only. Block maxima. No outlier removal. Say where you are unsure. |
| OUTPUT | A model, commented R code, and a five-sentence summary. |
| VERIFICATION | Then list three ways this analysis could be wrong, and how I would check each one. |

*About as long as a good email. Because it is one.*

# Let it interview you first

YOU

*[the brief from the last slide]*

Before you start, ask me up to five questions that would change your analysis.

THE INTERN

1. Is the 2003 move big enough to break the series?
2. Are the missing years random, or during floods?
3. Do you need return levels, or only the trend?
4. Could the *scale* change, not just the location?
5. What increase would matter to the hydrologists?

**Why it works**

The questions expose assumptions you never wrote down. They are often worth more than the answer.

Answer them all in one message, then let it start.

Idea adapted from Ruben Hassid, *How to AI*.

*“Missing during floods?” It asked. Your colleague won’t.*

# Context files: brief once, reuse forever

**my-paper/**

| | |
|---|---|
| `about-me.md` | who you are, how to answer |
| `project.md` | question, data, decisions |
| `style.md` | tone, spelling, banned words |
| `CLAUDE.md` | rules for agents (Part 4) |
| `data/raw/` | read-only. Always. |

about-me.md

```
# About me
- Statistician (extremes).
- Maths background.
- R first; Python if asked.
- Equations over adjectives.
- Say when you're unsure.
- UK spelling. No emoji.
```

> Paste them into a Project's instructions (Claude, ChatGPT), or keep them in the folder an agent works in. The three-file idea is Ruben Hassid's.

*Write it once. Stop explaining your notation to a new chat every morning.*

# One analysis, four conversations

**1 · THE VAGUE ASK**

Analyse my rainfall data and tell me what's interesting.

Rainfall is highly variable. ***Tries a linear regression of annual totals on year, then checks normality with Shapiro–Wilk.

**fluent but generic**

**2 · WITH THE BRIEF**

Same data, plus the six-part brief.

***Fits a GEV to the annual maxima with $\mu(t) = \mu_0 + \mu_1 t$, ***compares with the stationary fit by likelihood ratio, and uses profile-likelihood intervals.

**right model family**

**3 · AS REVIEWER 2**

Now attack this analysis as a sceptical referee.

Forty maxima is thin for $\xi$. The 2003 move is confounded with the trend. Why is $\sigma$ constant? Wald intervals for $\xi$ will mislead.

**useful objections**

**4 · VERIFY**

Simulate data with a known trend. Does the pipeline recover it?

Over 2,000 simulated datasets, the "95%" intervals cover the true trend only 92–94% of the time.

**your job: see Part 4**

*Same data. Same intern. Different brief.*

# Reviewer 2, on (popular) demand

You are a sceptical referee for a good statistics journal. Read the attached methods and results.

List the five problems most likely to change the conclusions, most serious first. For each: point to the passage, explain the problem, and name the analysis that would settle it.

Ignore style. Do not be polite.



## Good at

Unstated assumptions, notation that changes halfway, claims bigger than the evidence, the sensitivity analysis you maybe skipped.

## Bad at

Whether it is novel, whether it matters, and telling a fatal flaw from a trifle error. It will rank a typo next to a methodology change.

Run it twice. Problems that appear both times are the ones to fix first.

*Finally, a Reviewer 2 you can close.*

# Meanwhile, in peer review

## Citations that do not exist

[37] J. Doe and J. Smith. Scalable inference for everything. *arXiv:2305.XXXX*, 2023.

DOES NOT EXIST

Composite of two real examples

GPTZero checked 4,841 papers accepted at NeurIPS 2025 and found **at least 100 fabricated citations** in 51 of them, each passed by three or more reviewers.

**Never cite anything you have not opened.**

# Meanwhile, in peer review

## Citations that do not exist

[37] J. Doe and J. Smith. Scalable inference for everything. *arXiv:2305.XXXX*, 2023.


DOES NOT EXIST

Composite of two real examples

GPTZero checked 4,841 papers accepted at NeurIPS 2025 and found **at least 100 fabricated citations** in 51 of them, each passed by three or more reviewers.

**Never cite anything you have not opened.**

## Instructions hidden in the paper





In 2025, Nikkei Asia found prompts like this in **17 arXiv preprints**, set in white or tiny text for any reviewer who pastes the paper into a chatbot.

**If a model reads it for you, the authors can talk to your model.**

*Your reviewer might be a model. So might theirs.*

# How much should you trust it?




*Most useful work lies in the top right.*
*So does most of the checking.*


04

# Code

Agents that run your code, the ground rules you give them, and the only test that'd matter: is it the truth?

# Chat or agent?


## Chat: you are the delivery guy




Repeat until lunch. The model only ever sees the error you chose to paste.


# Chat or agent?

## Chat: you are the delivery guy




Repeat until lunch. The model only ever sees the error you chose to paste.

## Agent: you are the reviewer




Claude Code, Codex, ZCode. You control what it may do without asking.

*Stop being the clipboard.*

# A working loop


1

**Plan**

Ask for a plan first. No code yet.


> Commit after every loop, so every mistake can be reverted.

# A working loop





> Commit after every loop, so every mistake can be reverted.

# A working loop





> Commit after every loop, so every mistake can be reverted.

# A working loop





> Commit after every loop, so every mistake can be reverted.

# A working loop




> Commit after every loop, so every mistake can be reverted.

# A working loop




> Commit after every loop, so every mistake can be reverted.

# Ground rules for agents

CLAUDE.md · AGENTS.md

```
# House rules for this repository
- R 4.4 with renv. Run renv::restore() first.
- data/raw/ is READ-ONLY. Write to data/derived/.
- -99 means missing. Never impute without asking.
- set.seed() in every script that simulates.
- Intervals: profile likelihood, not Wald.
- Before saying "done", run the tests in tests/.
- Never install packages or push without asking.
- If unsure, stop and ask. Do not guess.
```

**Read at the start of every session**
So you stop repeating the same eight sentences.

**Same idea, different file names**
Claude Code reads `CLAUDE.md`; Codex and many other agents read `AGENTS.md`. Keep one and point the other at it.

**One page, not a thesis**
Every time it breaks a rule you forgot to write down, add a line.

*Like onboarding a new joinee, except it reads the document.*

# If you didn’t run it, it’s peak fiction

**Simulate the truth first**

1. **Pick the truth**
   $\mu(t) = 60 + 0.6\,t,\ \sigma = 15,\ \xi = 0.1$
2. **Simulate**
   40 annual maxima, 2,000 times
3. **Run the pipeline**
   the AI-written code, unchanged
4. **Verify**
   how often the “95%” interval covers $\mu$

# If you didn’t run it, it’s peak fiction

**Simulate the truth first**

1. **Pick the truth**
   $\mu(t) = 60 + 0.6\,t$, $\sigma = 15$, $\xi = 0.1$
2. **Simulate**
   40 annual maxima, 2,000 times
3. **Run the pipeline**
   the AI-written code, unchanged
4. **Verify**
   how often the “95%” interval covers $\mu$




Figure: That is your project.

*With zero errors & zero warnings.*

05

# Everyday work

The boring jobs it is genuinely great at, and the tells it leaves behind


# Jobs I no longer do by hand

| | | | |
|---|---|---|---|
| Excel table with merged cells | → `booktabs` table in LaTeX | An hour of meeting transcript | → Minutes and action points |
| Reviewer comments, as a PDF | → Skeleton of the response letter | A 312-word abstract | → 250 words, same claims |
| An R script | → The same in Python, with tests | A chaotic bibliography | → Clean BibTeX (then check every entry) |
| Photo of a whiteboard | → Clean equations or a TikZ figure | A “quick favour” email | → A kind, short no |

*Easy to check, tedious to do: the sweet spot.*

# The tells are measurable

**Excess use in 2024 PubMed abstracts**
Observed frequency divided by the pre-LLM trend




Method borrowed from excess mortality: fit the pre-LLM trend, measure the excess.

**≥13.5%**

of 2024 PubMed abstracts were processed with an LLM. A lower bound, reaching 40% in some subgroups.

> Let it edit your text, not replace your voice. Put the words you never want to see in `style.md`.

Kobak et al. (2025), *Science Advances* 11, eadt3813. Over 15 million abstracts, 2010–2024.

*We could delve deeper, but that would only underscore the point.*

# Even the makers need supervision

## Anthropic let Claude run the office shop

Project Vend, 2025





Stocked tungsten cubes on request, then sold them at a loss.

Told customers to pay into a Venmo account it had made up.

Promised to deliver orders in person, wearing a blue blazer and a red tie.

## OpenAI's launch-day chart

GPT-5 livestream, August 2025. OpenAI later called it a "mega chart screwup".




Filled: heights as presented (roughly). Dashed: to scale.

*If the makers need Reviewer 2, so do we.*

# Prompts worth copying

BEFORE YOU START

Before you start, ask me up to five questions that would change your answer.

CRITIQUE

Be a sceptical referee. Rank the five problems most likely to change the conclusions.

STRESS-TEST

What would have to be true for this conclusion to be wrong? How would I check?

EXPLAIN

Explain this result to a hydrologist in three sentences. No jargon, no hedging.

EDIT

Here are two paragraphs I wrote. Edit my draft to sound like me, and list every change.

CODE

Write the tests first. Do not write the function until I have approved them.

*Copy freely. Verification not optional.*

# Get started

1

### Pick one model

Use it daily for two weeks, even for things you think it can’t do.

2

### Write about-me.md

Ten lines: your field, your tools, how you like answers. Paste it into custom instructions or a Project.

3

### One task, one check

Give it a boring, checkable job you would normally do by hand. Check it properly, and time yourself.

**Group challenge:** bring your most useful and your most confidently wrong output to the next group meeting. The wrong one wins.


*Prize: the model’s sincere apology.*

# Do not rely on AI blindly



IF YOU REMEMBER ONE THING

# The intern drafts. You sign.




Plan and brief it like a colleague. Make it argue with itself.
Verify with code and sources. Keep the decision, and the name on the paper.

*Thank you. Questions?*
*(It also takes questions. Ask twice.)*

# Sources and further reading

**Evidence**

Dell'Acqua et al. (2023). Navigating the jagged technological frontier. HBS Working Paper 24-013.

Becker, Rush, Barnes & Rein (2025). Measuring the impact of early-2025 AI on experienced open-source developer productivity. METR; arXiv:2507.09089.

METR (24 Feb 2026). We are changing our developer productivity experiment design.

Kobak, González-Márquez, Horvát & Lause (2025). Delving into LLM-assisted writing in biomedical publications through excess vocabulary. *Science Advances* 11, eadt3813.

GPTZero (Jan 2026). Hallucinated citations in NeurIPS 2025 accepted papers. gptzero.me/news/neurips

Nikkei Asia (July 2025). 'Positive review only': researchers hide AI prompts in papers.

**How-to**

Ruben Hassid, *How to AI* (ruben.substack.com): "How to better use AI (before prompting)"; "Stop prompting Claude".

Anthropic docs (docs.claude.com): prompt engineering; Claude Code memory files.

OpenAI Academy (academy.openai.com). Z.ai docs (docs.z.ai) and ZCode docs (zcode.z.ai).

**Cautionary tales**

Anthropic (2025). Project Vend: can Claude run a small shop? anthropic.com/research/project-vend-1

The Register (21 July 2025). Vibe coding service Replit deleted production database.

TechCrunch (Aug 2025). Sam Altman addresses 'bumpy' GPT-5 rollout, bringing 4o back, and the 'chart crime'.