



Patient Name : Ms.MANSHA GUPTA Age/Gender : 25 Y 8 M 22 D /F UHID/MR No : APJ1.0008137529

Visit ID : DNGDOPV41534

Ref Doctor : Dr.SELF IP/OP NO :

Collected : 12/Jan/2021 05:09PM Received : 13/Jan/2021 03:12PM Reported : 13/Jan/2021 05:21PM

Status : Final Report
Client Name : APOLLO 24X7

Patient location : Madhapur Ayyappa Society, Hyderabad

DEPARTMENT	OF MOLECULAR	BIOLOGY.

COVID 19 RT PCR WITH HOME COLLECTION

Test Name	Result	Unit	Bio. Ref. Range	Method
-----------	--------	------	-----------------	--------

	COVID-19(SARS-CoV 2)-REAL TIME PCR(RT-PCR)
- 1	

TAGET TO THE TOWN TOWN		
SAMPLE TYPE	PHARYNGEAL SWAB	
SARS-CoV-2	NOT DETECTED	REAL TIME PCR (RT- PCR)
RdRp Gene CT VALUE	NOT DETECTED	
N-Gene CT VALUE	NOT DETECTED	

Comment:

Please Note:

Kit used: ARGENE® SARS-COV-2 R-GENE Assay

Result	Interpretation	
Detected (Positive) Result	Indicates presence of detectable levels SARS-CoV-2 specific RNA (RdRp gene and/ or N gene) in patient's sample.	
Not Detected (Negative) Result	Indicates absence of detectable levels SARS-CoV-2 specific RNA (RdRp gene and/ or N gene) in patient's sample.	
Indeterminate Result Indicates the specimen concentration is too low, or presence substances leading to PCR inhibition.		

NOTE:

- If either of the genes cannot be determined or will give indeterminate results, further testing maybe required using another kit with a different primer and probe.
- A **Not Detected (Negative) Result**do not preclude SARS-CoV-2 and should not be used as the sole basis for patient management decisions. Kindly repeat test after 48 to 72 hrs if clinically suspected.

Page 1 of 2

^{*}Not Detected (Negative) Result indicate CT Value of >40 as per the testing kit used.

^{*}The cut-off of the reported CT value is as per the manufacturer.

^{*}CT values vary with the type of kit used, the types of samples collected and the various pre-analytical factors.

^{*}The published studies are conflicting to definitively prove a direct correlation between disease severity/infectiousness and CT values therefore; relying on CT values for determining infectiousness of COVID-19 patients and deciding management protocols is left to clinical discretion.





Patient Name : Ms.MANSHA GUPTA

Age/Gender : 25 Y 8 M 22 D /F UHID/MR No : APJ1.0008137529

Visit ID Ref Doctor

: DNGDOPV41534

IP/OP NO

: Dr.SELF

Collected

: 12/Jan/2021 05:09PM : 13/Jan/2021 03:12PM

Received Reported

: 13/Jan/2021 05:21PM

Status

: Final Report

Client Name

: APOLLO 24X7

Patient location

: Madhapur Ayyappa Society, Hyderabad

DEPARTMENT OF MOLECULAR BIOLOGY.

COVID 19 RT PCR WITH HOME COLLECTION

Test Name Result Unit Bio. Ref. Range Method

- Lower respiratory tract specimens are more representative and are preferred.
- If at a later date, suspicion of COVID-19 is strong, a fresh sample for Real Time PCR after a gap of 2-4 days after collection of first sample maybe considered.
- Please contact your Physician for necessary action to be taken and to limit the spread of infection.
- Clinical Correlation and Correlation with the history of the patient is required before arriving at any conclusion. Presence of Non-Specific interfering substances during this assay to be kept in mind. Please correlate clinically before arriving at any conclusion.
- False positive and false negative results can be due to multiple factors including sampling technique, transport & interference in the assay can affect the result.
- Presence PCR inhibitors in sample may lead to false negative or invalid results.
- Mutation in the target sequence of SARS-CoV-2 or change in the sequence due to virus evolution may lead to false negative results.
- Invalid Result: There is no typical S-shape amplification curve or Ct > 40 or No Ct detected for target genes and internal control, indicating the specimen concentration is too low, or there are interfering substances that inhibit the reaction. If upon retest, the result is invalid again, another fresh sample should be collected and tested.

Disclaimer:

This Test is based on real-time reverse transcriptase PCR technology for the qualitative detection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) specific RNA

*ICMR ID-AHLS001- HYDERABAD

*ICMR ID-AHLVDLA- VIJAYAWADA

*ICMR ID-AHLLKDLKAP- KURNOOL

*ICMR ID-ADNTKLKWB - KOLKATA

*ICMR ID-AHLLKDIALBK-BENGALURU

*ICMR ID-APHLILKDLCTN- CHENNAI

*ICMR ID-AHHHSPPMH-PUNE

(For kits determining RdRp gene or ORF1b, sensitivity / specificity of such kits shall be mentioned).

*** End Of Report ***

DR. SIREESHA VAIDYA Ph.D. GENETICS

CONSULTANT MOLECULAR BIOLOGIST

SIN No:MO00166088 This test has been performed at Apollo Health and Lifestyle Ltd/National Reference Lab, Hyderabad.

Apollo Health and Lifestyle Limited

www.apollodiagnostics.in

Page 2 of 2