




This document is the **complete design and color reference** for AgriPlatform — a three-portal agri-marketplace. It covers color palettes, design tokens, portal identities, all screens, UI components, typography, spacing, and usage rules for every portal.

#	Section	What's inside
01	Platform Overview	What is AgriPlatform, portals at a glance, user flow
02	Customer Portal	Blue gradient identity, palette, tokens, nav, buttons, all screens
03	Farmer Portal	Forest green identity, palette, tokens, nav, buttons, all screens
04	Admin Portal	Red/black identity, palette, tokens, nav, buttons, all screens
05	Shared System	Neutral palette, status colors, typography, spacing, radius
06	Complete Screens List	Every screen across all three portals in one table
07	UI Components	Stat cards, buttons, tags, forms, nav, modals
08	Do's & Don'ts	Rules every designer and developer must follow
09	MongoDB Schema	All collections, fields, types, indexes — free Atlas MO
10	API Documentation	All REST endpoints, auth, payments, notifications — free stack

01

Platform Overview

What AgriPlatform is and how it works

What is AgriPlatform?

AgriPlatform is a **three-sided digital marketplace** connecting farmers, customers, and administrators. Farmers list their fresh produce, customers browse and order, and admins manage, monitor, and operate the entire ecosystem.

Portal	Who uses it	Primary purpose	Identity color
Customer	Shoppers / buyers	Browse, order, track, review	#0d2a95 → #1338be (Blue gradient)
Farmer	Growers / producers	List produce, manage stock, earn	#1B4332 → #2D6A4F (Forest green)
Admin	Platform operators	Manage users, orders, analytics	#111111 + #C0111F (Black & Red)

User flow

1. Farmer lists produce	2. Admin approves	3. Customer browses	4. Customer orders	5. Delivery dispatched	6. Farmer gets paid
-------------------------	-------------------	---------------------	--------------------	------------------------	---------------------

02

Customer Portal

Deep royal blue — trust, premium, modern shopping

Customer Portal

linear-gradient(135deg, #0d2a95, #1338be) — trust, premium, reliable

Why blue?

Blue is the global color of trust, reliability, and authority in digital products. The deep navy-to-royal-blue gradient gives the customer portal a **premium, modern** feel — think Zomato, Amazon, Swiggy — while differentiating it clearly from the other two portals.

Color Palette

Primary dark

#0d2a95

Primary mid

#1338be

Accent

#2952E3

Highlight

#6A8FFF

Light fill

#D6E4FF

Background

#EEF3FF

Navigation Bar

AgriMart

Home

Shop

Orders

Wishlist

Account

Design Tokens

Token	Hex Value	Usage
--cust-primary	#0d2a95 → #1338be	Header, hero, login screen gradient
--cust-accent	#2952E3	CTA buttons, links, active nav state
--cust-highlight	#6A8FFF	Hover states, focus rings, icon tints
--cust-light	#D6E4FF	Tag backgrounds, badge fills
--cust-pale	#EEF3FF	Page background, card fills
--cust-text-on-dark	#FFFFFF	All text on blue gradient surfaces
--cust-text-on-light	#0d2a95	Text on pale/white surfaces

Buttons & Tags

Add to cart

Buy now

Save to wishlist

View details

Fresh produce

Organic

4.8 stars

New arrival

Free delivery

All Screens — Customer Portal

Screen	Key elements
Login / Sign up	Gradient hero, email/phone, OTP verification, social login (Google)
Homepage	Hero banner (gradient), category grid, featured products, seasonal offers, footer nav
Browse & Search	Product grid, filter sidebar (category/price/rating/farmer), sort, pagination
Product Detail	Image gallery, description, nutritional info, farmer profile card, Add to Cart CTA
Cart	Item list, quantity stepper, promo code field, order summary, proceed to checkout
Checkout	Delivery address, time slot picker, payment (UPI/card/COD), order review, place order
Order Tracking	Live status timeline, estimated delivery, driver location map, contact support
Order History	Past orders list, filter by date/status, reorder button, download invoice
Wishlist	Saved products, price change alerts, move to cart, share wishlist
My Account	Profile info, saved addresses, payment methods, notification preferences
Ratings & Reviews	Star rating (1-5), photo upload, written review, helpful votes, farmer reply
Notifications	Order updates, offers, back-in-stock alerts, push/email toggle
Loyalty & Offers	Points balance, available coupons, referral code, seasonal deal banners

03

Farmer Portal

Deep forest green — nature, growth, organic authenticity

Farmer Portal

#1B4332 → #2D6A4F — earthy, natural, grounded

Why dark forest green?

Rich, deep forest greens evoke **soil, growth, nature, and authenticity**. This isn't a bright lime green — it's the color of a dense forest canopy, creating a serious, trustworthy workspace for farmers. It's distinct, earthy, and professional.

Color Palette

Deep forest
#1B4332

Forest mid
#2D6A4F

Emerald
#40916C

Leaf green
#52B788

Mint fill
#D8F3DC

Background
#F0FFF4

Navigation Bar

FarmHub

Dashboard

My Listings

Orders

Earnings

Profile

Design Tokens

Token	Hex Value	Usage
--farm-primary	#1B4332	Navigation bar, sidebar, top header background
--farm-mid	#2D6A4F	Sub-headers, section dividers, secondary panels
--farm-accent	#40916C	CTA buttons, active nav items, progress bars
--farm-leaf	#52B788	Hover states, icons, minor highlights
--farm-light	#D8F3DC	Badge backgrounds, tag fills, card accents
--farm-pale	#F0FFF4	Page background, card fills, form areas
--farm-text-on-dark	#FFFFFF	All text on dark green surfaces
--farm-text-on-light	#1B4332	Text on pale/white green-tinted surfaces

Buttons & Tags

Add listing

View orders

Edit produce

Preview

In stock

Organic

Low stock

Verified farmer

Seasonal

All Screens — Farmer Portal

Screen	Key elements
Login / Sign up	Forest green hero, ID verification, farm details onboarding wizard
Dashboard	Earnings summary widget, pending orders count, active listings, weather widget, quick actions
My Listings	All produce cards — active, pending approval, sold out. Edit/pause/delete each
Add Produce	Form: crop name, category, price/kg, quantity, harvest date, photo upload, organic cert
Inventory Manager	Stock levels per crop, low-stock alerts in amber, bulk update quantity, seasonal toggle
Order Requests	Incoming orders — accept, decline with reason, set fulfilment date, message customer
Earnings Dashboard	Revenue chart (daily/weekly/monthly), payout history, pending amounts, bank setup
Certifications	Upload organic/quality/safety certificates, expiry tracker, renewal reminders
Buyer Messages	In-app chat with customers, order-linked threads, image/file sharing
Farm Profile	Farm name, story, location map pin, cover photo, verified badge, reviews
Reviews Received	All customer reviews, overall star rating, respond to reviews, flag content

04

Admin Portal

Red, white & black — authority, control, precision

Admin Portal

#111111 carbon black + #C0111F identity red — commanding, operational

Why red + black?

Black conveys **authority, precision, and professionalism** — the admin panel is a serious, operational interface. Red is reserved for the brand identity mark and critical actions (ban, reject, delete). White fills content areas for maximum readability. Together they create an unmistakably powerful, enterprise-grade feel.

Color Palette

Carbon black
#111111

Dark surface
#2D2D2D

Identity red
#C0111F

Red accent
#E8333F

Red light
#FCE8EA

Off-white bg
#F9F9F9

Navigation Bar

AdminOps

Dashboard

Users

Orders

Analytics

Settings

Design Tokens

Token	Hex Value	Usage
--admin-black	#111111	Primary nav, sidebar, top bar background
--admin-surface	#2D2D2D	Cards on dark backgrounds, secondary panels
--admin-red	#C0111F	Logo mark, nav identity stripe, brand primary
--admin-red-acc	#E8333F	Destructive action buttons (Ban, Delete, Reject)
--admin-red-lt	#FCE8EA	Alert/error backgrounds, failed action fill
--admin-pale	#F9F9F9	Main page background, content area fill
--admin-white	#FFFFFF	Card backgrounds, modal surfaces, table rows
--admin-text-on-dark	#FFFFFF	All text on black/red surfaces
--admin-text	#111111	Body text on white/pale surfaces

Buttons & Tags

Approve

Ban user

View logs

Export

Flagged

Super admin

Banned

Pending review

System alert

Red Usage Rules

• Identity red (#C0111F): logo mark, top navigation left stripe, primary CTA on dark bg
• Red accent (#E8333F): hover state on red elements, destructive buttons (Delete, Ban, Reject)
• Red light (#FCE8EA): error message backgrounds, failed action notification card fills
• NEVER use red for neutral information — it is reserved for identity + critical/danger only
• All other UI chrome (cards, tables, sidebars) uses ONLY black, white, and #F9F9F9

All Screens — Admin Portal

Screen	Key elements
Login (2FA)	Black/red login screen, 2FA verification, super-admin access gating
Main Dashboard	GMV, total users, active listings, orders today, revenue chart, system alert panel
User Management	All customers & farmers, search/filter, view full profile, ban, activate, send notice
Produce Approval	Review new farmer listings, approve or reject with notes, quality check workflow
Order Oversight	All platform orders, filter by status, assign disputes, escalate, resolve issues
Analytics	Revenue charts, user growth, top products, regional heatmap, export as CSV/PDF
Dispute Resolution	Customer complaints, farmer appeals, evidence review, resolution with outcome log
Roles & Permissions	Sub-admin accounts, feature flags per role, access control matrix, audit trail
Platform Settings	Commission rates, delivery zones, email templates, API key management, maintenance mode
Audit Logs	All admin actions with timestamp, actor identity, affected record, export and search
Payout Management	Approve farmer payouts, pending amounts, set payout schedule, reconcile transactions
Announcements	Platform-wide broadcasts, role-targeted messages, emergency alerts to all users
System Alerts	Critical errors, fraud flags, high dispute rate warnings, server health notifications

05

Shared System

Neutrals, status colors, typography & spacing used by all portals

Neutral Base Palette

All three portals share the same neutral base — warm off-whites and grays that keep the platform unified while allowing each portal's accent color to pop.

Page bg
#FAFAF8

Surface
#F4F3EF

Border
#E5E4DE

Muted text
#6B6B67

Heading
#1A1A18

Status Colors — All Portals

Status	Background	Text / Icon	When to use
Delivered / Success	#F0FDF4	#14532D (dark green)	Order delivered, approved, confirmed, certified
Pending / Warning	#FFFBEB	#713F12 (amber)	Order pending, processing, expiring soon, awaiting
Rejected / Error	#FEF2F2	#7F1D1D (dark red)	Failed, cancelled, rejected, error states
In Review / Info	#EFF6FF	#1E3A8A (dark blue)	Under review, informational, in-progress
Inactive / Disabled	#F4F3EF	#9CA3AF (gray)	Archived, disabled, inactive users or listings

Typography Scale

Style	Size	Weight	Used for
Display	40pt	Bold	Hero text, page title on cover/landing screens
H1 Heading	32pt	Bold	Main section titles on each screen
H2 Heading	24pt	SemiBold	Sub-section headings, card group titles
H3 Heading	18pt	Medium	Card titles, form section labels
Body Large	14pt	Regular	Primary body copy, feature descriptions
Body	12pt	Regular	Standard body, table content, form text
Caption	10pt	Regular	Timestamps, metadata, hint text, footnotes
Badge / Tag	10pt	Medium	Status pills, category tags, labels

Spacing Tokens

Token	Value	Used for
-------	-------	----------

--space-xs	4px	Icon padding, inline element gaps
--space-sm	8px	Tight component internal padding
--space-md	16px	Standard card padding, button padding
--space-lg	24px	Section gap, between card groups
--space-xl	48px	Major page section breaks

Border Radius Tokens

Token	Value	Used for
--radius-sm	8px	Input fields, small badges, chips
--radius-md	12px	Buttons, tags, pill badges
--radius-lg	16px	Main content cards, panels, dropdowns
--radius-xl	24px	Modal dialogs, bottom sheets, overlays

06

Complete Screens List

Every screen across all three portals

Portal	Screen	What it contains
Customer	Login / Sign up	Gradient hero, email/phone, OTP, Google/Apple login, onboarding
Customer	Homepage	Hero banner, categories, featured products, offers, footer
Customer	Browse & Search	Grid, filters (category/price/rating/farmer), sort, pagination
Customer	Product Detail	Gallery, info, nutritional, farmer card, reviews, Add to Cart
Customer	Cart	Items, qty editor, promo code, summary, checkout CTA
Customer	Checkout	Address, slot, payment, order review, place order
Customer	Order Tracking	Live status, map, driver info, contact support
Customer	Order History	Past orders, filter, reorder, invoice download
Customer	Wishlist	Saved, price alerts, move to cart, share
Customer	My Account	Profile, addresses, payment methods, preferences
Customer	Ratings & Reviews	Write review, star, photo, helpful votes
Customer	Notifications	Order updates, offers, back-in-stock, settings
Customer	Loyalty & Offers	Points, coupons, referral, seasonal banners
Farmer	Login / Sign up	Green hero, ID verify, farm onboarding wizard
Farmer	Dashboard	KPIs, pending orders, weather, quick actions
Farmer	My Listings	All produce, status filter, edit/pause/delete
Farmer	Add Produce	Name, price, qty, photos, harvest date, certs
Farmer	Inventory	Stock levels, low-stock alerts, bulk update
Farmer	Order Requests	Accept/decline incoming, set date, message customer
Farmer	Earnings	Revenue chart, payouts, bank setup
Farmer	Certifications	Upload docs, expiry tracker, renewal alerts
Farmer	Messages	Customer chat, order-linked threads
Farmer	Farm Profile	Story, location, cover photo, badge, reviews
Farmer	Reviews Received	All reviews, rating, respond, flag content
Admin	Login (2FA)	Black/red screen, 2FA, super-admin gate
Admin	Main Dashboard	GMV, users, orders, revenue chart, alerts
Admin	User Management	All users, search, view, ban, activate, export


Admin	Produce Approval	Review listings, approve/reject with notes
Admin	Order Oversight	All orders, dispute assign, escalate, resolve
Admin	Analytics	Revenue, growth, top products, heatmap, export
Admin	Dispute Resolution	Complaints, evidence, outcome log
Admin	Roles & Permissions	Sub-admin, feature flags, ACL matrix
Admin	Platform Settings	Commission, zones, templates, API keys
Admin	Audit Logs	All actions, timestamps, actors, export
Admin	Payout Management	Approve payouts, schedule, reconcile
Admin	Announcements	Broadcasts, role-targeted, emergency alerts
Admin	System Alerts	Errors, fraud flags, health notifications

07

UI Components

Reusable building blocks and their portal-specific styling

Stat Cards



Status Tags



Form Field Styles

Component	Default state	Active/Focus state	Error state
Text input	1px #E5E4DE border, #F4F3F0 bg	2px portal accent border, white bg	2px #DC2626 border, #FEF2F2 bg
Dropdown	1px border, chevron icon right	Portal accent border, shadow	Red border, error message below
Checkbox	1px #E5E4DE border, empty	Portal accent fill, white check	Red border outline
Button primary	Portal accent fill, white text	10% darker fill on hover	Disabled: 50% opacity
Button secondary	Transparent, portal accent border	Light fill (portal pale color)	Disabled: 50% opacity

Modal & Overlay

- Background: white (#FFFFFF), border radius 16px, shadow: 0 20px 60px rgba(0,0,0,0.15)
- Overlay: black at 50% opacity over page content
- Close button: top-right corner, X icon, 32x32px touch target
- Title: H2 in portal's primary color, 18pt bold
- Primary action button: portal accent color, full-width on mobile
- Destructive modal (ban, delete): header in admin red (#C0111F), destructive button red

08

Do's & Don'ts

Rules every designer and developer must follow

DO	DON'T
✓ Use the Customer gradient ONLY on large Customer portal surfaces (hero, header, login)	✗ Mix portal accent colors — never show Farmer green on a Customer screen or vice versa
✓ Keep Farmer portal green strictly within #1B4332 to #52B788 — never go lighter	✗ Use gradient in Farmer or Admin portals — gradient is an exclusive Customer portal token
✓ Always use white (#FFFFFF) text on any portal's dark primary background color	✗ Use red for success or confirmation — it conflicts with Admin portal's identity red
✓ Reserve Admin red (#C0111F) for brand identity mark + destructive/danger actions only	✗ Place dark text on any portal's primary dark surface — use white text only
✓ Use the shared neutral palette (#FAFAF8, #F4F3EF) for all cards and page backgrounds	✗ Use font sizes below 11px anywhere in any portal UI — accessibility minimum
✓ Keep status colors (green=success, amber=warning, red=error) consistent across ALL portals	✗ Create new one-off colors outside the defined token system — stay within the palette
✓ Maintain 12–16px border radius on all cards and panels for a premium, modern feel	✗ Use heavy drop shadows or heavy gradients — the design is flat, clean, and minimal
✓ Always provide hover states — darken button by 10%, show focus ring in portal accent	✗ Use blue (#0d2a95) on any non-Customer screen — it's a Customer portal identity color
✓ Use Arial/Helvetica as the primary typeface across all platforms (web, mobile, print)	✗ Show error state using an amber/yellow color — reserve amber strictly for warnings
✓ Test every screen at 375px (mobile), 768px (tablet), and 1280px+ (desktop) breakpoints	✗ Use decorative fonts or fonts other than Arial/Helvetica in the main UI
✓ Keep minimum touch target size 44x44px on all interactive elements for mobile	✗ Make buttons smaller than 36px in height on any platform
✓ Label every form field — never use placeholder text as the only label	✗ Skip loading/skeleton states — all async content should show skeleton placeholders

Quick Identity Reference

Portal	Primary color	Gradient / Style	Background
Customer	#0d2a95 – #1338be	linear-gradient(135deg, #0d2a95, #1338be)	#EEF3FF
Farmer	#1B4332 – #2D6A4F	Flat dark — no gradient	#F0FFF4
Admin	#111111 + #C0111F	Flat black with red stripe accent	#F9F9F9

09

MongoDB Schema

All collections, fields, types and relationships

MongoDB Atlas (Free Tier M0)

Free forever · 512MB storage · Shared cluster · No credit card required

All data is stored in **MongoDB Atlas M0 (free tier)**. The database is named **agriplatform** and contains the collections below. Each document uses MongoDB's native **_id (ObjectId)** as the primary key. References between collections use ObjectId refs.

Collection: users

Field	Type	Description
_id	ObjectId	Auto-generated unique identifier
name	String	Full name of the user
email	String	Unique email address (indexed)
phone	String	Mobile number with country code
passwordHash	String	Bcrypt hashed password
role	String	Enum: 'customer' 'farmer' 'admin'
isActive	Boolean	Account active/banned status
isVerified	Boolean	Email/phone OTP verification status
profilePhoto	String	Cloudinary URL (free tier)
createdAt	Date	Account creation timestamp
updatedAt	Date	Last profile update timestamp
fcmToken	String	Firebase push notification token

Collection: customers

Field	Type	Description
_id	ObjectId	Same as users._id (one-to-one ref)
userId	ObjectId	Ref → users._id
addresses	Array	[{label, line1, city, state, pincode, lat, lng, isDefault}]
savedPayments	Array	[{method, upiId/lastFour, isDefault}]
wishlist	Array	[ObjectId] → ref products._id
loyaltyPoints	Number	Accumulated loyalty points balance
referralCode	String	Unique referral code for this customer

referredBy	ObjectId	Ref → customers._id (who referred them)
orderCount	Number	Denormalised total orders placed
totalSpent	Number	Denormalised total amount spent (INR)

Collection: farmers

Field	Type	Description
_id	ObjectId	Same as users._id (one-to-one ref)
userId	ObjectId	Ref → users._id
farmName	String	Display name of the farm
farmStory	String	About the farm (max 500 chars)
location	Object	{type: 'Point', coordinates: [lng, lat]} — 2dsphere index
state	String	State where the farm is located
district	String	District/city
bankAccount	Object	{accountNo, ifsc, accountName} — encrypted at rest
isApproved	Boolean	Admin has approved the farmer account
certifications	Array	[{type, docUrl, expiryDate, isVerified}]
avgRating	Number	Calculated average rating (0–5)
totalReviews	Number	Total reviews received
totalEarnings	Number	Lifetime earnings (INR)
pendingPayout	Number	Amount pending next payout cycle

Collection: products

Field	Type	Description
_id	ObjectId	Auto-generated unique identifier
farmerId	ObjectId	Ref → farmers._id
name	String	Product name (e.g. 'Alphonso Mango')
category	String	Enum: fruits vegetables grains dairy spices
description	String	Short description (max 300 chars)
images	Array	[String] — Cloudinary URLs (max 5 images)
pricePerKg	Number	Price in INR per kg
unit	String	Enum: 'kg' 'gram' 'piece' 'dozen' 'litre'
stockQty	Number	Current available stock
minOrderQty	Number	Minimum order quantity
harvestDate	Date	Date of harvest for freshness display
isOrganic	Boolean	Certified organic flag
status	String	Enum: 'pending' 'active' 'paused' 'soldout'
avgRating	Number	Average rating from reviews
tags	Array	[String] — search/filter tags
createdAt	Date	Listing creation timestamp

Collection: orders

Field	Type	Description
_id	ObjectId	Auto-generated order ID
customerId	ObjectId	Ref → customers._id
items	Array	[[productId, farmerId, name, qty, unit, pricePerUnit, subtotal]]
totalAmount	Number	Total order value (INR)
platformFee	Number	Commission charged by platform
deliveryFee	Number	Delivery charge applied
deliveryAddress	Object	{line1, city, state, pincode, lat, lng}
deliverySlot	Object	{date, startTime, endTime}
paymentMethod	String	Enum: 'upi' 'card' 'cod' 'wallet'
paymentStatus	String	Enum: 'pending' 'paid' 'failed' 'refunded'
razorpayOrderId	String	Razorpay order ID (free sandbox)
status	String	Enum: pending confirmed packed shipped delivered cancelled

trackingUpdates	Array	[[status, message, timestamp]] — timeline array
cancellationReason	String	Reason if order is cancelled
createdAt	Date	Order placed timestamp
deliveredAt	Date	Actual delivery timestamp

Collection: reviews

Field	Type	Description
_id	ObjectId	Auto-generated
customerId	ObjectId	Ref → customers._id
productId	ObjectId	Ref → products._id
farmerId	ObjectId	Ref → farmers._id (denormalised)
orderId	ObjectId	Ref → orders._id (verified purchase)
rating	Number	Integer 1–5
comment	String	Review text (max 500 chars)
photos	Array	[String] — Cloudinary URLs (max 3)
farmerReply	String	Optional farmer response text
helpfulVotes	Number	Count of 'helpful' votes
createdAt	Date	Review posted timestamp

Collection: notifications

Field	Type	Description
_id	ObjectId	Auto-generated
userId	ObjectId	Ref → users._id
type	String	Enum: order_update offer alert system message
title	String	Short notification title
body	String	Notification body text
data	Object	Extra payload {orderId, productId, etc.}
isRead	Boolean	Read/unread status
createdAt	Date	Sent timestamp

Collection: disputes

Field	Type	Description
_id	ObjectId	Auto-generated
orderId	ObjectId	Ref → orders._id
raisedBy	ObjectId	Ref → users._id
raisedAgainst	ObjectId	Ref → users._id
type	String	Enum: quality delivery payment other
description	String	Dispute details
evidence	Array	[String] — Cloudinary URLs of proof images
status	String	Enum: open under_review resolved escalated
resolution	String	Admin resolution notes
resolvedBy	ObjectId	Ref → users._id (admin)
resolvedAt	Date	Resolution timestamp
createdAt	Date	Dispute raised timestamp

Collection: payouts

Field	Type	Description
_id	ObjectId	Auto-generated
farmerId	ObjectId	Ref → farmers._id
amount	Number	Payout amount (INR)
orders	Array	[ObjectId] → ref orders._id included in payout
status	String	Enum: pending processing completed failed

transactionId	String	Bank transfer reference ID
initiatedAt	Date	Payout initiated by admin
completedAt	Date	Payout credited to farmer

Collection: auditlogs

Field	Type	Description
_id	ObjectId	Auto-generated
adminId	ObjectId	Ref → users._id
action	String	e.g. 'BAN_USER', 'APPROVE_LISTING', 'RESOLVE_DISPUTE'
targetModel	String	Collection affected: users products orders
targetId	ObjectId	ID of the affected document
details	Object	Before/after snapshot of changed fields
ipAddress	String	Admin's IP address at time of action
createdAt	Date	Action timestamp

MongoDB Indexes

Collection	Index	Purpose
users	email (unique)	Fast login lookup, prevent duplicate emails
users	phone (unique)	OTP-based phone login
farmers	location (2dsphere)	Geospatial queries — nearby farmers
products	farmerId + status	Fetch active listings by farmer
products	category + status	Browse by category filter
products	name (text)	Full-text product search
orders	customerId + createdAt	Customer order history
orders	status + createdAt	Admin order oversight filtering
reviews	productId + rating	Product rating aggregation
notifications	userId + isRead	Unread notification count
auditlogs	adminId + createdAt	Admin action history

10

API Documentation

All REST endpoints — 100% free stack

FREE TECH STACK

Firebase FCM

Free

Razorpay

Free sandbox

Render.com

Free hosting

Node.js + Express

Free

MongoDB Atlas M0

Free

Cloudinary

Free 25GB

Base URL: <https://agriplatform-api.onrender.com/api/v1> (deployed free on Render.com)

All protected routes require: **Authorization: Bearer <JWT_TOKEN>** header

Authentication APIs

Method	Endpoint	Auth	Description
POST	/auth/register	No	Register new user (customer/farmer). Returns JWT
POST	/auth/login	No	Login with email+password. Returns JWT + refreshToken
POST	/auth/send-otp	No	Send OTP to phone number via Twilio free tier
POST	/auth/verify-otp	No	Verify OTP, return JWT on success
POST	/auth/refresh-token	No	Exchange refreshToken for new JWT
POST	/auth/forgot-password	No	Send password reset link to email (NodeMailer free)
POST	/auth/reset-password	No	Reset password with token from email link
POST	/auth/logout	Yes	Invalidate refresh token, clear session
GET	/auth/me	Yes	Get current logged-in user profile

Customer APIs

Method	Endpoint	Auth	Description
GET	/customers/profile	Customer	Get customer profile and addresses
PUT	/customers/profile	Customer	Update name, phone, profile photo
POST	/customers/addresses	Customer	Add a new delivery address
PUT	/customers/addresses/:id	Customer	Update an existing address
DELETE	/customers/addresses/:id	Customer	Remove a saved address
GET	/customers/wishlist	Customer	Get all wishlisted products
POST	/customers/wishlist/:productId	Customer	Add product to wishlist
DELETE	/customers/wishlist/:productId	Customer	Remove product from wishlist
GET	/customers/loyalty	Customer	Get loyalty points balance and history

Farmer APIs

Method	Endpoint	Auth	Description
GET	/farmers/profile	Farmer	Get farm profile with stats
PUT	/farmers/profile	Farmer	Update farm name, story, location, photo
GET	/farmers/dashboard	Farmer	Dashboard KPIs: earnings, orders, stock alerts
GET	/farmers/earnings	Farmer	Earnings history with date range filter
GET	/farmers/payouts	Farmer	All payout records for this farmer
POST	/farmers/bank-account	Farmer	Add/update bank account for payouts
POST	/farmers/certifications	Farmer	Upload certification document (Cloudinary)
DELETE	/farmers/certifications/:id	Farmer	Remove a certification document

Product APIs

Method	Endpoint	Auth	Description
GET	/products	No	List all active products. Query: category, minPrice, maxPrice, isOrganic, sort,
GET	/products/search	No	Full-text search by name/tag. Query: q=tomato
GET	/products/:id	No	Get full product details with farmer info
GET	/products/nearby	No	Products from nearby farmers. Query: lat, lng, radius
GET	/products/farmer/:farmerId	No	All active listings from a specific farmer
POST	/products	Farmer	Create new product listing (pending approval)
PUT	/products/:id	Farmer	Update product details, price, stock
PATCH	/products/:id/stock	Farmer	Quick stock quantity update
PATCH	/products/:id/status	Farmer	Pause or activate a listing
DELETE	/products/:id	Farmer	Remove a product listing
POST	/products/:id/images	Farmer	Upload product images to Cloudinary (max 5)

Order APIs

Method	Endpoint	Auth	Description
POST	/orders	Customer	Place a new order. Body: items[], address, slot, paymentMethod
GET	/orders	Customer	Get all orders for the logged-in customer. Filter: status
GET	/orders/:id	Customer	Get full order detail with tracking timeline
POST	/orders/:id/cancel	Customer	Cancel order (allowed until 'packed' status)
GET	/orders/farmer/incoming	Farmer	Get all incoming orders for this farmer's products
PATCH	/orders/:id/accept	Farmer	Accept an incoming order request
PATCH	/orders/:id/decline	Farmer	Decline order with reason
PATCH	/orders/:id/status	Farmer	Update status: packed shipped delivered
GET	/orders/admin/all	Admin	All platform orders. Filter: status, date, farmerId
PATCH	/orders/admin/:id/status	Admin	Override order status (admin override)

Payment APIs (Razorpay free sandbox)

Method	Endpoint	Auth	Description
POST	/payments/create-order	Customer	Create Razorpay order. Returns razorpayOrderId
POST	/payments/verify	Customer	Verify Razorpay payment signature, update order
POST	/payments/webhook	No	Razorpay webhook — handle payment events
GET	/payments/history	Customer	Payment history for logged-in customer
POST	/payments/refund/:orderId	Admin	Initiate refund for cancelled/disputed order

Review APIs

Method	Endpoint	Auth	Description
GET	/reviews/product/:productId	No	All reviews for a product. Filter: rating, sort
GET	/reviews/farmer/:farmerId	No	All reviews for a farmer
POST	/reviews	Customer	Post a review (must have delivered order)
PUT	/reviews/:id	Customer	Edit your review (within 7 days)
DELETE	/reviews/:id	Customer	Delete your own review
POST	/reviews/:id/reply	Farmer	Farmer posts reply to a review
POST	/reviews/:id/helpful	Customer	Mark a review as helpful

Admin APIs

Method	Endpoint	Auth	Description
GET	/admin/dashboard	Admin	Platform KPIs: GMV, users, orders, revenue chart
GET	/admin/users	Admin	All users. Filter: role, isActive, isVerified. Search: name/email
GET	/admin/users/:id	Admin	Full user profile with activity history
PATCH	/admin/users/:id/ban	Admin	Ban a user account with reason
PATCH	/admin/users/:id/activate	Admin	Reactivate a banned user account
GET	/admin/farmers/pending	Admin	Farmer accounts awaiting approval
PATCH	/admin/farmers/:id/approve	Admin	Approve a farmer account
GET	/admin/products/pending	Admin	Product listings awaiting approval
PATCH	/admin/products/:id/approve	Admin	Approve a product listing, make it active
PATCH	/admin/products/:id/reject	Admin	Reject listing with reason note
GET	/admin/analytics/revenue	Admin	Revenue data. Query: from, to, groupBy=day week month
GET	/admin/analytics/users	Admin	User growth, retention, churn metrics
GET	/admin/analytics/products	Admin	Top products, categories, farmer leaderboard
GET	/admin/payouts/pending	Admin	All pending farmer payouts
POST	/admin/payouts/:farmerId/release	Admin	Approve and release payout to farmer
GET	/admin/auditlogs	Admin	All admin actions log. Filter: adminId, action, date

Dispute APIs

Method	Endpoint	Auth	Description
POST	/disputes	Customer/Facebook	Raise a dispute. Body: orderId, type, description, evidence[]
GET	/disputes/my	Customer/Facebook	All disputes raised by or against this user
GET	/disputes/:id	Customer/Facebook	Get dispute details and timeline
GET	/disputes/admin/all	Admin	All platform disputes. Filter: status, type
PATCH	/disputes/:id/resolve	Admin	Resolve dispute with resolution note
PATCH	/disputes/:id/escalate	Admin	Escalate to senior admin for complex cases

Notification APIs

Method	Endpoint	Auth	Description
GET	/notifications	Yes	All notifications for logged-in user
PATCH	/notifications/:id/read	Yes	Mark a notification as read
PATCH	/notifications/read-all	Yes	Mark all notifications as read
DELETE	/notifications/:id	Yes	Delete a notification
POST	/notifications/subscribe	Yes	Save FCM device token for push notifications
POST	/admin/notifications/broadcast	Admin	Send platform-wide or role-targeted broadcast

Free Third-Party Services Used

Service	Free Tier	Used for in AgriPlatform
MongoDB Atlas M0	512MB, shared cluster, free forever	Primary database — all collections
Cloudinary	25GB storage, 25 credits/month	Product images, profile photos, cert docs
Firebase FCM	Unlimited push notifications	Order updates, offers, alerts to users
Razorpay	Free sandbox, test payments	Customer payment processing (UPI/card/COD)
Render.com	Free tier, auto-sleep after 15min	Backend Node.js API hosting
Vercel	Free tier, unlimited hobby projects	Customer & Admin frontend hosting
NodeMailer + Gmail	Free via Gmail SMTP	OTP emails, order confirmations, receipts
JWT (jsonwebtoken)	Open source, free	Authentication tokens for all portals
bcryptjs	Open source, free	Password hashing for all user accounts
Mongoose	Open source ODM, free	MongoDB schema modeling and queries