



DR ACADEMY

DO RIGHT FOR GENUINE EDUCATION

NELMANGALA : LTM BOYS CAMPUS

#2/5, NARAYANAPPA PALYA,
DASANPURA, TUMKUR ROAD,
BENGALURU - 560 062
Phone : 9513330438
8139966644 / 9980533120

#42, 100FT ROAD,
KAMMAGONDANAHALLI,
JALAHALLI WEST,
BENGALURU - 560 015
Phone : 9008030463
9008030896 / 9513330437

HOSKOTE - MALUR ROAD,
ISRI CROSS, KATTIGENAHALLI,
JADIGENAHALLI HOBLI,
BENGALURU - 562114
Phone : 9741332998
8147397999 / 9535527713

NEET EXAMINATION - 2026

DATE : 03-05-2026

CODE - 11

TIME : 02:00 PM TO 05:00 PM

LONG TERM COACHING

1ST BATCH FOR NEET - 2027

5TH STARTS ON

JUNE - 2026

NEET - 2025 TOPPERS

607 MARKS	605 MARKS	589 MARKS	588 MARKS
AFNAAN PASHA App No. 250410602893	RAKESH KUMBAR App No. 250410893858	M LEENA REDDY App No. 250410154513	JAYANTH K S App No. 250410619327
581 MARKS	581 MARKS	579 MARKS	577 MARKS
CHANDANA REDDY N G App No. 250410232370	BHAGYASHRI PATTAR App No. 250410153733	KOTTAPALLI ABDUL KALAM App No. 250410865706	RAJMANE TRUPTI RAHUL App No. 250410324087
575 MARKS	572 MARKS	571 MARKS	575 MARKS
CHANDRIKA SAJJANAR App No. 250410695592	VIJAY M App No. 250410629648	ANMOL SHEGUNASI App No. 250410421533	CHANDANA B M App No. 250410272395
562 MARKS	562 MARKS	560 MARKS	569 MARKS
SAMEERAHMAD SAIFANSAB App No. 250411621485	RAKSHITH KUMAR S App No. 250410518308	M L THANMAYI ANNAPOORNA App No. 250411113373	AKSHATA GURAPPA J App No. 250411245807
555 MARKS	555 MARKS	558 MARKS	555 MARKS
YOGITHA D App No. 250410071616	SURAJ K R App No. 250410942156	SHREE GOURI App No. 250410227908	SUHAS MAHANTESH H App No. 250410499664
555 MARKS	553 MARKS	553 MARKS	
NAGASAI CH App No. 250410870699	PRAJWAL N S App No. 250410415967	CHINMAYI SARANGAMATH App No. 250410267618	

NEET TOPPERS OF DR ACADEMY

NEET - 2024 JIPMER - PUDUCHERRY  706 MARKS VENKATA SURYA TEJA GUDURI	NEET - 2021 JIPMER - PUDUCHERRY  695 MARKS LAKSHMAN REDDY B V	NEET - 2024 BMC - BANGALORE  690 MARKS ABHISHEK A BADAGOUDAR	NEET - 2024 BMC - BANGALORE  686 MARKS RAHUL KADLAGOND	NEET - 2024 BIMC - BELAGAVI  686 MARKS AMEERMUSADDIQ SANADI	NEET - 2024 KIMS - HUBLI  686 MARKS ADITYA SAKRI
NEET - 2024 BMC - BANGALORE  681 MARKS UTTAM SUBHASH HUKKERI	NEET - 2024 SABVIMS - BENGALURU  681 MARKS MOHAMMED NAASIRUDEEN D	NEET - 2024 MMCRI - MYSORE  680 MARKS SUHAS L KORABU	NEET - 2023 BMC, BANGALORE  680 MARKS SHRAVAN REDDY C N	NEET - 2023 JIPMER PUDUCHERRY  677 MARKS KAMALIKA CHALLA	NEET - 2022 BIMC, BELAGAVI  677 MARKS SACHI KALLOLI
NEET - 2023 AIIMS, NAGPUR  676 MARKS MOHAMMED SULEMAN	NEET - 2022 AIIMS, BHOPAL  675 MARKS CHATHUSH GOWDA D S	NEET - 2022 BMC, BANGALORE  672 MARKS CHANDANA D	NEET - 2022 BMC, BANGALORE  672 MARKS SOWRAV B	NEET - 2024 ESIMC - BANGALORE  671 MARKS ZOYA FIRDOUSE	NEET - 2024 MMCRI - MYSORE  671 MARKS GIRISH J PARAMAGOND
NEET - 2024 KIMS - HUBLI  670 MARKS SNEHA SUBHAS PATIL	NEET - 2024 KIMS - HUBLI  666 MARKS RAJIV BHEEMASHANKAR CHOUDHARI	NEET - 2024 KIMS - HUBLI  665 MARKS C SATHYAM	NEET - 2021 BMC, BANGALORE  665 MARKS RASHMI PATIL	NEET - 2020 BMC, BANGALORE  665 MARKS JAYANTH L S	NEET - 2024 GIMS - GULBARGA  663 MARKS MOHAMMED ZEESHAN
NEET - 2024 MIMS - MANDYA  662 MARKS POOJA U	NEET - 2024 MMCRI - MYSORE  662 MARKS SAMPAT GOPAL GOKAK	NEET - 2022 BMC, BANGALORE  662 MARKS SIDDHARTH A S	NEET - 2024 KIMS - HUBLI  661 MARKS DIVYA M YALIGAR	NEET - 2023 JIPMER PUDUCHERRY  661 MARKS SHASHANK SURAPOOR	NEET - 2024 BIMC - BELAGAVI  660 MARKS ANMOL R KOTNAL
NEET - 2024 KIMS - BANGALORE  660 MARKS ADHITHYA SUDARSAN GOKHALE	NEET - 2024 MMCRI - MYSORE  660 MARKS SHRIDHAR BIRADAR	NEET - 2024 SABVIMS - BENGALURU  660 MARKS POOJA N	NEET - 2024 KIMS - HUBLI  660 MARKS TARUN N	NEET - 2021 KIMS, HUBLI  660 MARKS NACHIKET KEMPANNA	NEET - 2024 KIMS - HUBLI  657 MARKS SINDHU VADAVADI
NEET - 2024 MIMS - MANDYA  657 MARKS S SUHAS	NEET - 2024 SABVIMS - BENGALURU  657 MARKS SHREEHARINATH A B	NEET - 2024 GMC - SAMBHAJINAGAR  656 MARKS PRATEEK SUBHASH TOPINATTI	NEET - 2024 KIMS - HUBLI  656 MARKS YASEEN MULLA	NEET - 2024 MIMS - MANDYA  656 MARKS KUSUMA M	NEET - 2024 SIMS - SHIMOGA  656 MARKS NAGAVARDHAN MR
NEET - 2024 VIMS - BELLARY  656 MARKS N POOJITHA SHREE	NEET - 2023 BMC, BANGALORE  656 MARKS BHANU PRAKASH D M	NEET - 2021 AIIMS, HYDERABAD  656 MARKS VARUN KAJAGAR	NEET - 2024 AIIMS, HYDERABAD  655 MARKS AMODH NAIK	NEET - 2024 BIMC - BELAGAVI  655 MARKS SAKSHI CHANDRASHEKHAR YALARADDI	NEET - 2024 HIMS - HASSAN  655 MARKS NITYA REDDY C
NEET - 2024 SIMS - SHIMOGA  655 MARKS MAHIPAL SINGH	NEET - 2024 VIMS - BELLARY  654 MARKS NIVEDITA	NEET - 2023 BMC, BANGALORE  654 MARKS ABHISHEK V G	NEET - 2021 BMC, BANGALORE  654 MARKS KUMARESH HIREMATH	NEET - 2024 BIMC - BELAGAVI  653 MARKS SIDDANAGOUDA S PATIL	NEET - 2024 KIMS - HUBLI  653 MARKS VINDHYA B G
NEET - 2024 BIMC - BELAGAVI  652 MARKS BHOOMIKA BAYAKOL	NEET - 2024 VIMS - BELLARY  652 MARKS CHIRANTHAN J	NEET - 2024 VIMS - BELLARY  652 MARKS B K V KARTHIKEYA	NEET - 2024 KIMS - HUBLI  651 MARKS SHASHANK VALIMARAD	NEET - 2024 KIMS - HUBLI  650 MARKS PARASHURAM KYADIGGERI	NEET - 2024 MIMS - MANDYA  650 MARKS PREETHAM K M

DAY & RESIDENTIAL
SEPARATE HOSTEL FOR BOYS & GIRLS

LTM ADMISSIONS OPEN

PHYSICS QUESTION PAPER ANALYSIS

CHAPTER

NO. OF QUESTIONS

I PUC

UNITS AND MEASUREMENT

3

MOTION IN A STRAIGHT LINE

2

MOTION IN A PLANE

0

LAWS OF MOTION

2

WORK, ENERGY & POWER

1

SYSTEM OF PARTICLES & ROTATIONAL MOTION

2

GRAVITATION

1

MECHANICAL PROPERTIES OF SOLIDS

1

MECHANICAL PROPERTIES OF FLUIDS

1

THERMAL PROPERTIES OF MATTER

0

THERMODYNAMICS

1

KINETIC THEORY

1

OSCILLATIONS

3

WAVES

1

II PUC

ELECTRIC CHARGES AND FIELDS

0

ELECTROSTATIC POTENTIAL AND CAPACITANCE

3

CURRENT ELECTRICITY

4

MOVING CHARGES AND MAGNETISM

3

MAGNETISM AND MATTER

0

ELECTROMAGNETIC INDUCTION

1

ALTERNATING CURRENT

2

ELECTROMAGNETIC WAVES

1

RAY OPTICS AND OPTICAL INSTRUMENTS

2

WAVE OPTICS

2

DUAL NATURE OF RADIATION AND MATTER

2

ATOMS

1

NUCLEI

2

SEMI CONDUCTOR ELECTRONICS

3

PHYSICS

1. The speed of light in vacuum is taken as unity. If light takes 6 min 40 s to reach the Earth from the Sun, the distance between the Sun and the Earth in new unit is :

1) 3×10^8 2) 500 3) 3×10^{10} 4) 400

Ans. 4

Sol. $d = ct = 1 \times 400 = 400$

2. Match List I with List II :

List-I

A. Young's Modulus

B. Compressibility

C. Bulk Modulus

D. Poisson's Ratio

List-II

I. $\frac{\Delta d}{\Delta L} \left(\frac{L}{d} \right)$

II. $\frac{FL}{A(\Delta L)}$

III. $-\frac{1}{\Delta P} \left(\frac{\Delta V}{V} \right)$

IV. $-P \left(\frac{V}{\Delta V} \right)$

Choose the correct answer from the options given below :

- 1) A-IV, B-I, C-II, D-III
2) A-III, B-II, C-I, D-IV
3) A-I, B-IV, C-III, D-II
4) A-II, B-III, C-IV, D-I

Ans. 4


Sol. Young's modulus = $\frac{FL}{A(\Delta L)}$

Compressibility = $-\frac{1}{\Delta P} \left(\frac{\Delta V}{V} \right)$

Bulk modulus = $-P \left(\frac{V}{\Delta V} \right)$

Poisson's ratio = $\frac{\Delta d}{\Delta L} \left(\frac{L}{d} \right)$

3. The current I in the circuit shown below is :
(All diodes are ideal and identical)



- 1) $\frac{5}{3}$ A 2) $\frac{5}{9}$ A 3) $\frac{1}{3}$ A 4) $\frac{15}{2}$ A

Ans. 4

Sol. current flows through 4Ω and 2Ω

$$R_{\text{eff}} = \frac{4 \times 2}{4 + 2} = \frac{8}{6} = \frac{4}{3}$$

$$I = \frac{V}{R_{\text{eff}}} = \frac{10}{\frac{4}{3}} = \frac{30}{4} = \frac{15}{2} \text{ A}$$

4. The angular speed of a flywheel is increased from 600 pm to 1200 pm in 10 s . The number of revolutions completed by the flywheel during this time is

1) 900 2) 600 3) 150 4) 300


Ans. 3

Sol. $N = n_{\text{av}} \times t$

$$= 900 \times \frac{1}{6}$$

$$N = 150$$

5. For is simple pendulum, having time period T, the variation of kinetic energy (K.E.) with time (t) is represented by



Ans. 3


Sol. $x = A \cos \omega t$

$$v = -A\omega \sin \omega t$$

$$K = \frac{1}{2}mv^2 = \frac{1}{2}m\omega^2 A^2 \sin^2 \omega t$$

6. A resistor is connected to a battery of 12 V emf and internal resistance 2Ω . If the current in the circuit is 0.6 A, the terminal voltage of the battery is
1) 10 V 2) 1.2 V 3) 12 V 4) 10.8 V

Ans. 4



$$V = \varepsilon - ir$$

$$= 12 - 0.6 \times 2 = 10.8 \text{ V}$$

7. A flask contains argon and chlorine in the ratio of 2:1 by mass. The temperature of the mixture is 27°C . The ratio of root mean square speed

of the molecules of the two gases $\left(\frac{v_{\text{rms}}^{\text{Ar}}}{v_{\text{rms}}^{\text{Cl}}}\right)$ is

(Atomic mass of argon = 40.0 u and molecular mass of chlorine = 70.0 u)

- 1) $\frac{\sqrt{7}}{2}$ 2) $\frac{7}{4}$ 3) $\frac{7}{2}$ 4) $\frac{2}{\sqrt{7}}$

Ans. 1


Sol. $v_{\text{rms}} = \sqrt{\frac{3RT}{M}}$

$$M_{\text{Ar}} = 40$$

$$M_{\text{Cl}} = 70$$

$$\frac{v_{\text{Ar}}}{v_{\text{Cl}}} = \sqrt{\frac{M_{\text{Cl}}}{M_{\text{Ar}}}} = \sqrt{\frac{70}{40}} = \frac{\sqrt{7}}{2}$$

8. A ray of monochromatic light is passing through an equilateral prism (ABC) as shown in the figure. The refracted ray (QR) is parallel to its base (BC) and the angle of incidence (i) is 50° . Then the angle of deviation (δ) is



- 1) 45° 2) 35° 3) 40° 4) 55°

Ans. 3

Sol. $A + \delta = i_1 + i_2$

At min. deviation $i_1 = i_2 = 50^\circ$

$$\Rightarrow 60 + \delta = 50 + 50$$

$$\Rightarrow \delta = 40^\circ$$

9. Match List I with List II.

List-I	List-II
A) $E = h\nu$	I) de Broglie wavelength
B) Diffraction and Interference	II) Particle nature of light
C) $\lambda = h/p$	III) Wave nature of light
D) Compton effect	IV) Energy of photon

Choose the **correct** answer from the options given below:

- 1) A-IV, B-I, C-II, D-III
2) A-IV, B-III, C-II, D-I
3) A-I, B-IV, C-III, D-II
4) A-IV, B-III, C-I, D-II

Ans. 4

Sol. Conceptual

10. In the first excited state of hydrogen atom, the energy of its electron is -3.4 eV . The radial distance of the electron from the hydrogen nucleus in this case is approximately:

(Take $1 \text{ eV} = 1.6 \times 10^{-19} \text{ J}$, $e = 1.6 \times 10^{-19} \text{ C}$ and

$$\frac{1}{4\pi\epsilon_0} = 9 \times 10^9 \text{ N m}^2 / \text{C}^2)$$

- 1) $2.1 \times 10^{-9} \text{ m}$ 2) $2.1 \times 10^{-8} \text{ m}$
3) $2.1 \times 10^{-10} \text{ m}$ 4) $2.1 \times 10^{-11} \text{ m}$

Ans. 3

Sol. $r = 0.529 \frac{n^2}{z} \text{ \AA}$

$$r = 0.529 \times \frac{2^2}{1} \times 10^{-10} \text{ m}$$

$$r = 2.1 \times 10^{-10} \text{ m}$$

11. A box of mass 15 kg is kept on the floor of a stationary trolley. The coefficient of static friction between the box and the trolley is 0.12. Keeping the box in stationary state over the trolley, the maximum acceleration with which the trolley can be moved horizontally in ms^{-2} is ($g = 10 \text{ m/s}^2$)


- 1) 2.1 2) 1.8 3) 1.5 4) 1.2

Ans. 4

Sol. $F_{\text{pseudo}} = ma = \mu mg$

$$a = \mu g = 0.12 \times 10 = 1.2 \text{ m/sec}^2$$

12. Five capacitors of capacitances $C_1 = C_2 = C_3 = C_4 = 10\mu\text{F}$ and $C_5 = 2.5\mu\text{F}$ are connected as shown, along with a battery of 50 V.



The equivalent capacitance and the charges on each capacitor respectively are:

- 1) $5\mu\text{F}$, $125\mu\text{C}$ on C_1 to C_4 and $25\mu\text{C}$ on C_5
- 2) $5\mu\text{F}$, $125\mu\text{C}$ on all capacitors
- 3) $5\mu\text{F}$, $250\mu\text{C}$ on all capacitors
- 4) $4\mu\text{F}$, $250\mu\text{C}$ on C_1 to C_4 and $125\mu\text{C}$ on C_5

Ans. 2

Sol. C_1, C_2, C_3 and C_4 are in series

$$C_s = \frac{C}{n} = \frac{10}{4} = 2.5\mu\text{F}$$

C_s and C_5 are in parallel

$$C_{\text{eff}} = C_s + C_5 = 2.5 + 2.5 = 5\mu\text{F}$$

In parallel combination potential difference is constant

$$\text{Total charge } Q = C_{\text{eff}} V = 5 \times 50 = 250\mu\text{C}$$

$$\text{Charge through } C_5 \rightarrow 125\mu\text{C}$$

$$\text{Charge through } C_1, C_2, C_3 \text{ and } C_4 \rightarrow 125\mu\text{C}$$

13. The amount of work done to mass a mass 'm' from the surface of the Earth to a height equal to the radius of the Earth 'R', will be:

- 1) $2mgR$
- 2) $mg\frac{R}{4}$
- 3) mgR
- 4) $mg\frac{R}{2}$

Ans. 4

Sol. $W = \frac{mgh}{1 + \frac{h}{R}}$

Here $h = R$,

$$W = \frac{mgR}{1+1} = \frac{mgR}{2}$$

14. Each side of a metallic cube of mass 5.580 kg is measured to be 9.0 cm. Keeping the significant figures in view, the density of the material of the cube can be best expressed as $X \times 10^3 \text{ kg m}^{-3}$, where the value of X is:

- 1) 7.654
- 2) 7.6
- 3) 7.65
- 4) 7.7

Ans. 2


Sol. $\rho = \frac{\text{mass}}{\text{volume}} = \frac{\text{mass}}{l^3}$

$$\rho = \frac{5.580}{(9 \times 10^{-2})^3} = \frac{5.580}{729 \times 10^{-6}}$$

$$\rho = 0.00765 \times 10^6 = 7.65 \times 10^3$$

rounding off: 7.6×10^3

15. The following plots show variation of velocity (v) with time (t), of a ball thrown vertically up, and falling back. Which of the following plots is/are correct?



- 1) C only
- 2) D only
- 3) B only
- 4) A and E only

Ans. 1

Sol. Conceptual

16. The sum of kinetic energy and potential energy of a simple pendulum bob is 0.02 joule. The speed of the simple pendulum bob at equilibrium position is approximately: (Consider mass of the bob = 20 g)

- 1) 0.2 m/s
- 2) 1.41 m/s
- 3) 14.1 m/s
- 4) 2.0 m/s

Ans. 2

Sol. $E = \frac{1}{2}mv^2$

$$0.02 = \frac{1}{2} \times 0.02 \times v^2$$

$$v^2 = 2$$

$$v = \sqrt{2}$$

$$v = 1.41 \text{ m/s}$$

17. In Young's double slit experiment, using monochromatic light of wavelength λ , the intensity of light at a point on the screen where the path difference is λ , is K units. The intensity of light at a point where the path difference is $\frac{\lambda}{3}$ will be

- 1) $\frac{K}{4}$
- 2) K
- 3) 2 K
- 4) $\frac{K}{2}$

Ans. 1






Sol. $I = I_{\max} \cos^2 \frac{\phi}{2}$

$$\Delta x = \frac{\lambda}{3}$$

$$\Delta \phi = \frac{2\pi}{\lambda} \cdot \Delta x = \frac{2\pi}{\lambda} \cdot \frac{\lambda}{3} = \frac{2\pi}{3}$$

$$I = K \cos^2 \left[\frac{2\pi}{3} \right] \times \frac{1}{2} = \frac{K}{4}$$

18. In the circuit shown below, the voltage appearing across the diode D will be of the form:



Ans. 4

Sol. Half wave rectifier

During positive half cycle diode acts like reverse bias.

During negative half cycle diode forward bias.

19. An ac circuit contains a resistance of $1k\Omega$, a capacitor of $0.1\mu F$ and an inductor of $1mH$ connected in series. The resonance frequency of the circuit approximately

- 1) 13.5 kHz 2) 10.1 kHz
3) 20.7 kHz 4) 15.9 kHz

Ans. 4

Sol. $f = \frac{1}{2\pi\sqrt{LC}}$

$$= \frac{1}{2 \times 3.14} \times \frac{1}{\sqrt{0.1 \times 10^{-6} \times 10^{-3}}}$$

$$= \frac{10^5}{2 \times 3.14} = 15.9 \text{ kHz}$$

20. In interference and diffraction, the light energy is redistributed. If it reduces in one region, producing a dark fringe, it increases in another region, producing a bright fringe.

A. As there is no gain or loss of energy, these phenomena are consistent with the principle of conservation of energy.

B. Diffraction and interference are characteristics exhibited only by light waves.

Choose the correct answer from the options given below :

- 1) A true and B is also true
2) A is false but B is true
3) A is true but B is false
4) Both A and B are false

Ans. 3

Sol. Conceptual

21. For a travelling harmonic wave $y(x, t) = 2.0 \cos 2\pi(10t - 0.0080x + 0.35)$, where x and y are in cm and t in s. The phase difference between oscillatory motion of two points separated by a distance of $0.5m$ is

- 1) 0.08π rad 2) 0.8π rad
3) 8π rad 4) 0.008π rad

Ans. 2

Sol. $y(x, t) = 2 \cos(20\pi t - 0.008 \times 2\pi x + 0.35 \times 2\pi)$

at $x = 0.5m = 50cm$

Compare $y = A \cos(\omega t - kx + \phi)$

$k = 0.008 \times 2\pi$

$\Delta \phi = k \Delta x = 0.008 \times 2\pi \times 50$

$\Delta \phi = 0.8\pi$

22. The magnitude and direction of the acceleration produced in a body of mass 5 kg when two mutually perpendicular forces 8 N and 6 N act on it, are respectively :

- 1) $20 \text{ ms}^{-2}; \tan^{-1}\left(\frac{4}{3}\right)$ with 8 N force
- 2) $2 \text{ ms}^{-2}; \tan^{-1}\left(\frac{3}{4}\right)$ with 6 N force
- 3) $2 \text{ ms}^{-2}; \tan^{-1}\left(\frac{4}{3}\right)$ with 8 N force
- 4) $2 \text{ ms}^{-2}; \tan^{-1}\left(\frac{3}{4}\right)$ with 8 N force

Ans. 4

Sol. $m = 5 \text{ kg}$ $F_1 = 8$, $F_2 = 6$

$$F_{\text{net}} = \sqrt{F_1^2 + F_2^2} = \sqrt{8^2 + 6^2} = 10 \text{ N}$$

$$a = \frac{F}{m} = \frac{10}{5} = 2 \text{ m s}^{-2}$$

$$\tan \theta = \frac{6}{8} = \frac{3}{4}$$

$$\theta = \tan^{-1}(3/4) \text{ with } 8\text{N}$$

23. Consider two uncharged capacitors of equal capacitance 200 pF . One of them is charged by a 100 V supply and disconnected. Now this capacitor is connected to the uncharged capacitor. The amount of electrostatic energy lost in the process is :

- 1) $0.5 \times 10^{-6} \text{ J}$
- 2) 1.0 J
- 3) $1.0 \times 10^{-6} \text{ J}$
- 4) 0.5 J

Ans. 1

$$\begin{aligned} \text{Sol. } \Delta U &= \frac{1}{2} \left(\frac{C_1 C_2}{C_1 + C_2} \right) (V_1 - V_2)^2 \\ &= \frac{1}{2} \frac{200 \times 10^{-12} \times 200 \times 10^{-12}}{400 \times 10^{-12}} (100 - 0)^2 \\ &= \frac{1}{2} \frac{100 \times 40000}{400} \times 10^4 \times 10^{-12} \end{aligned}$$

$$\text{Loss of Energy } \Delta U = 0.5 \times 10^{-6} \text{ J}$$

24. The power of a crane, which lifts a mass of 1000 kg to a height of 20 m in 10 s is :
($g = 9.8 \text{ m/s}^2$)

- 1) 19.6 W
- 2) 39.2 W
- 3) 19.6 kW
- 4) 39.2 kW

Ans. 3

$$\begin{aligned} \text{Sol. } P &= \frac{W}{t} = \frac{mgh}{t} = \frac{1000 \times 9.8 \times 20}{10} \\ &= 19.6 \times 10^3 = 19.6 \text{ kW} \end{aligned}$$

25. In a vernier callipers, 20 VSD coincide with 16 MSD (each division of length 1 mm). The least count of the vernier callipers is :

- 1) 0.2 cm
- 2) 0.01 cm
- 3) 0.02 cm
- 4) 0.1 cm

Ans. 3

Sol. $20 \text{ V.S.D} = 16 \text{ M.S.D}$

$$1 \text{ V.S.D} = \frac{16}{20} \text{ M.S.D} = 0.8 \text{ M.S.D}$$

$$\text{L.C} = 1 \text{ M.S.D} - 1 \text{ V.S.D}$$

$$= (1 - 0.8)$$

$$= 0.2 \text{ mm} = \frac{0.2}{10} \text{ cm}$$

$$= 0.02 \text{ cm}$$

26. When a ruler falls vertically, 5 different persons catch it with different reaction times.
($g = 9.8 \text{ m s}^{-2}$)

- A. Person A has reaction time of 0.20 s.
- B. Person B has reaction time of 0.22 s.
- C. Person C has reaction time of 0.18 s.
- D. Person D has reaction time of 0.19 s.
- E. Person E has reaction time of 0.21 s.

What is the **correct** order of the distance travelled by the ruler for each person?

- 1) $B > E > A > C > D$
- 2) $C > D > A > B > E$
- 3) $B > E > A > D > C$
- 4) $C > D > A > E > B$

Ans. 3

$$\text{Sol. } S = \frac{1}{2} g t^2$$

$$S \propto t^2$$

$$t_A = 0.20 \text{ Sec}$$

$$t_B = 0.22 \text{ Sec}$$


$$t_C = 0.18 \text{ Sec}$$

$$t_D = 0.19 \text{ Sec}$$

$$t_E = 0.21 \text{ Sec}$$

$$B > E > A > D > C$$

27. A uniform metallic wire having resistance 4Ω is bent to form a square loop (ABCD) (see figure). A resistance of 2Ω is connected between points B and D and a battery of 2 V is connected across points A and C as shown in the figure. Now the value of current (I) is :



- 1) 2 A 2) 8 A
3) 4.5 A 4) 4 A

Ans. 1

Sol. Given Circuit is balanced wheat stone's bridge.

$$R_{\text{eff}} = 1\Omega$$

$$i = \frac{V}{R_{\text{eff}}} = \frac{2}{1} = 2\text{ A}$$

28. A room heater is rated $400\text{ W}, 220\text{ V}$. If the supply voltage drops to 200 V , what will be the power consumed (approximately) ?

- 1) 200 W 2) 400 W
3) 331 W 4) 121 W

Ans. 3

Sol. Resistance of bulb

$$R = \frac{V_R^2}{P_R} = \frac{220 \times 220}{400} = 121\Omega$$

Power consumption

$$P = \frac{V_{\text{rms}}^2}{R} = \frac{200 \times 200}{121} = 330.50\text{ W}$$

29. A 100-turn closely wound circular coil of radius 5 cm has a magnetic field of

$3.14 \times 10^{-3}\text{ T}$ at its centre. The current flowing through the coil, and the magnitude of the magnetic moment of this coil are, respectively (Take $\mu_0 = 4\pi \times 10^{-7}\text{ Tm/A}$)

- 1) $2\text{ A}, 10\text{ Am}^2$ 2) $2.5\text{ A}, 20\text{ Am}^2$
3) $2\text{ A}, 4\text{ Am}^2$ 4) $2.5\text{ A}, 2\text{ Am}^2$

Ans. 4

Sol. a) Magnetic field 'B' at centre of circular coil with N turns

$$B = \frac{\mu_0 Ni}{2R} \Rightarrow i = \frac{B \times 2R}{\mu_0 N}$$

$$i = \frac{3.14 \times 10^{-3} \times 2 \times 5 \times 10^{-2}}{4\pi \times 10^{-7} \times 100}$$

$$i = 2.5\text{ A}$$

b) Magnetic Moment $M = NIA$

$$M = 100 \times 2.5 \times \pi \times R^2$$

$$M = 100 \times 2.5 \times 3.14 \times (5 \times 10^{-2})^2$$

$$M = 2\text{ Am}^2$$

30. A rectangular wire loop of sides 8 cm and 3 cm with a small cut, is moving out of a region of uniform magnetic field of magnitude 0.3 T directed normal to the plane of the loop. The emf developed across the cut, if the velocity of the loop is 2 cm s^{-1} , in a direction normal to the shorter side of the loop, will be :

- 1) $4.8 \times 10^{-4}\text{ volt}$ 2) $1.2 \times 10^{-4}\text{ volt}$
3) $1.3 \times 10^{-4}\text{ volt}$ 4) $1.8 \times 10^{-4}\text{ volt}$

Ans. 4

Sol. Motional EMF

$$\varepsilon = Blv$$

$$\varepsilon = 0.3 \times 3 \times 10^{-2} \times 2 \times 10^{-2}$$

$$\varepsilon = 1.8 \times 10^{-4}\text{ Volt}$$

31. Four statements are given (A is mass number)
A. The volume of a nucleus is proportional to $A^{1/3}$.

B. The volume of a nucleus is proportional to A.

C. The difference in mass of an atom and its nucleus is called the mass defect.

D. The difference in mass of a nucleus and its constituents is called the mass defect.

Choose the **correct** answer from the options given below :

- 1) A and C are true, but B and D are false
2) B and C are true, but A and D are false
3) A and D are true, but B and C are false
4) B and D are true, but A and C are false

Ans. 4

Sol. Radius of nucleus $= R \propto A^{1/3}$

$$\text{Volume of nucleus } V = \frac{4}{3}\pi R^3$$

$$V \propto R^3 \propto A$$

Mass defect = Mass of nucleus - mass of nucleons

B and D are true, but A and C are false

32. An unknown nucleus has a nuclear density of $2.29 \times 10^{17}\text{ kg/m}^3$ and mass of

$19.926 \times 10^{-27}\text{ kg}$. Its mass number A is

approximately :

(Take $R_0 = 1.2 \times 10^{-15}\text{ m}$, $4\pi = 12.56$)

- 1) 12 2) 20 3) 16 4) 19

Ans. 1

Sol. $R = R_0 A^{\frac{1}{3}}$

$$V = \frac{4}{3} \pi R_0^3 \times A$$

$$A = \frac{3 \times m}{\rho \times 4 \pi R_0^3 \times A}$$

$$A = \frac{19.926 \times 10^{-27} \times 3}{2.29 \times 10^{17} \times (1.2)^3 \times 10^{-47} \times 12.56} = 12$$

33. Savitha, a XI standard student, while conducting an experiment to determine the effective length of a simple pendulum L, notes down the data of time taken to complete 30 oscillations as 60 s and hence calculates the length of the simple pendulum as :

(Take $\pi^2 = 9.8$, and $g = 9.8 \text{ m/s}^2$)

- 1) 0.75 m 2) 1.5 m 3) 2 m 4) 1 m

Ans. 4

Sol. $T = \frac{60}{30} = 2 \text{ Sec}$

$$T = 2\pi \sqrt{\frac{\ell}{g}}$$

$$\ell = \frac{T^2 \times g}{4\pi^2} = \frac{4}{4} = 1 \text{ m}$$

34. An electric heater supplies heat to a system at a rate of 100 W. If the system performs work at a rate of 75 J/s, then the rate at which internal energy increases will be :


- 1) 75 W 2) 100 W 3) 125 W 4) 25 W

Ans. 4

Sol. $\frac{dQ}{dT} = \frac{dU}{dT} + \frac{dW}{dT}$

$$\frac{dU}{dT} = 100 - 75 = 25 \text{ W}$$

35. A thin wire of length 'L' and linear mass density 'm' is bent into a circular ring (in x - y plane) with centre 'C' as shown in figure. The moment of inertia of the ring about an axis yy' will be :



1) $\frac{3 mL^3}{8\pi}$

2) $\frac{3 mL^3}{8\pi^2}$

3) $\frac{3 mL^2}{8\pi}$

4) $\frac{3 mL^2}{8\pi^2}$

Ans. 2

Sol. $I = \frac{MR^2}{2} + MR^2 \quad \left(R = \frac{L}{2\pi} \text{ \& } M = mL \right)$

$$= \frac{3}{2} MR^2 = \frac{3}{2} \times mL \times \frac{L^2}{4\pi^2}$$

$$= \frac{3mL^3}{8\pi^2}$$

36. A galvanometer of resistance 100Ω gives full scale deflection for a current of 1 mA. It is converted into an ammeter of range 0 - 10 A. The shunt required is:

1) 0.01Ω

2) 0.10Ω


3) 1.0Ω

4) 0.001Ω

Ans. 1

Sol. $S = \frac{G}{n-1} = \frac{100}{\frac{10}{10^{-3}} - 1} = \frac{100}{9999} = 0.01\Omega$

37. In a metre bridge experiment (see figure), the positions of the cell E, and galvanometer G, are interchanged. We shall observe in the galvanometer :



- 1) Only the left-sided deflection
2) There will be no deflection irrespective of the position of the jockey
3) Only the right-sided deflection
4) Both right-sided and left-sided deflection and at balance point, no deflection

Ans. 4

Sol. By interchanging the positions of battery and galvanometer, Nothing will be changed.


38. The peak value of an alternating current is 5 A and frequency is 60 Hz. How long will the current, starting from zero, take to reach the peak value ?

- 1) $\frac{1}{120}$ s 2) $\frac{1}{60}$ s
3) $\frac{1}{30}$ s 4) $\frac{1}{240}$ s

Ans. 4

Sol. $T = \frac{1}{f} = \frac{1}{60}$
 $t = \frac{T}{4} = \frac{1}{240}$

39. The figure given below shows a long straight solid wire of circular cross-section of radius 'a' carrying steady current I. The current I is uniformly distributed across its cross-section. The plot which correctly represents the variation of magnetic field (B) with distance (r) from the axis of the conductor in the region is



Ans. 1

Sol. Inside $\Rightarrow B \propto r$

Outside $\Rightarrow B \propto \frac{1}{r}$

40. Two statements are given below :

A. When the forward bias voltage across a p-n junction diode increases above a certain threshold voltage, the diode current increases significantly.

B. This current is called reverse saturation current.

Choose the **correct** answer from the options given below :

- 1) Both Statements A and B are true
2) Statement A is true, but Statement B is false
3) Both Statements A and B are false
4) Statement A is false, but Statement B is true

Ans. 2

Sol. When the forward bias voltage across a p-n junction diode increases above a certain threshold voltage, the diode current increases significantly, which is not reverse saturation current.

41. Which of the following statements are **correct**?

A. Inside a conductor, the electrostatic field is zero.

B. Electric field at the surface of a charged conductor does not depend on its surface charge density.

C. The interior of a charged conductor can have no excess charge in the static situation.

D. At the surface of a charged conductor, the electrostatic field must be normal to the surface at every point.

E. The electrostatic potential is zero everywhere inside a charged conductor.

Choose the **correct** answer from the options given below :

- 1) A, B and D only 2) A, C and E only
3) A, C and D only 4) C, D and E only

Ans. 3

Sol. C. No excess charge resides inside charged conductor

E. The electrostatic potential is constant (Non Zero) everywhere inside a charged conductor.

42. For a metal of work function 6.6 eV, which of the following wavelengths of incident radiation does **not** give rise to the photoelectric effect? (Take Planck's constant as 6.6×10^{-34} Js).

- 1) 100 nm 2) 150 nm
3) 200 nm 4) 50 nm

Ans. 3

Sol. $\phi_0 = \frac{12400}{\lambda_0}$

$\lambda_0 = \frac{12400}{6.6} = 1878 \text{ \AA} = 187.8 \text{ nm}$


If $\lambda > \lambda_0$ then Photo electric does not take place.

43. In a concave lens, a ray of light emanating from the object parallel to the principal axis of the lens, after refraction :

- 1) passes through 2F, which is the radius of curvature of the lens.
2) appears to diverge from the first principal focus.
3) emerges parallel to the principal axis.
4) passes through the second principal focus.

Ans. 2

Sol.



44. A submarine is designed to withstand an absolute pressure of 100 atm. How deep can it go below the water surface?

(Consider the density of water = 1000 kg m^{-3} ,

1 atm = $1 \times 10^5 \text{ Pa}$ and gravitational acceleration $g = 10 \text{ m/s}^2$)

- 1) 990 m 2) 9900 m
3) 99 m 4) 9000 m

Ans. 1

Sol. $P_a + \rho gh = P$

$$\rho gh = 99 \times 10^5$$

$$h = \frac{99 \times 10^5}{10 \times 10^3} = 990 \text{ m}$$

45. Match List I with List II :

	List I (Electromagnetic wave)		List - II (Production)
A.	Microwave	I.	Electrons in atoms emit light when they move from a higher energy level to a lower energy level
B.	Visible light	II.	Radioactive decay of nucleus
C.	Gamma rays	III.	Vibration of atoms and molecules
D.	Infra-red rays	IV	Klystron valve or magnetron valve

Choose the **correct** answer from the options given below :

- 1) A-III, B-I, C-II, D-IV
2) A-III, B-IV, C-I, D-II
3) A-IV, B-I, C-II, D-III
4) A-IV, B-III, C-II, D-I

Ans. 3

Sol. Conceptual



ಡಿ.ಆರ್. ಅಕಾಡೆಮಿ
DR ACADEMY
DO RIGHT FOR GENUINE EDUCATION

BENGALURU | HYDERABAD

JEE MAIN - 2025 ACHIEVERS



99.42
NANDISH M



99.24
JAYANTH K S



Congratulations

EXEMPLARY PERFORMANCE IN THE JEE MAIN - 2026



JAYANTH GOWDA R
98.94
APP.NO. 260320062280



TEJAS KENCHAPPA
98.81
APP.NO. 260310597858



REDDY SRIHARI V
98.10
APP.NO. 260310192057



ABHISHEK ARAVIND P
97.96
APP.NO. 260310493466



MANOJ H
97.75
APP.NO. 260310797312



PAVAN R
97.34
APP.NO. 260310637090




AKASH J
97.21
APP.NO. 260310806003



MALLIKARJUN M
96.62
APP.NO. 260310638056



P SANJANA SHREE
96.43
APP.NO. 260310718943



SINCHANA R
96.34
APP.NO. 260310349746



NITHIN PATEL R
96.24
APP.NO. 260310917297



DEEPTHI T M
95.92
APP.NO. 260310488132



PUSHKAR GOWDA R
95.84
APP.NO. 260310537512



PUNARAV
95.24
APP.NO. 260310674654



SHASHANK A Y
95.22
APP.NO. 260310867416



HARSHITH P
95.06
APP.NO. 260310594915



GADHADHAR P
95.02
APP.NO. 260310439376



SHARAN KUMAR M S
94.82
APP.NO. 260310635875




MAHESHWAR NAYAK
94.82
APP.NO. 260310789905



SANJAY M
94.79
APP.NO. 260310303978



MOHAMMED ZAID N A
94.72
APP.NO. 260310669444



UPPULEETHI NITISH
94.61
APP.NO. 260310627277



ABHINAVA B G
94.50
APP.NO. 260310506801



ABHILASH M REDDY C
94.42
APP.NO. 260310586338



K DYUTHIDHAR
94.39
APP.NO. 260310393311



GAGAN S GOWDA
94.36
APP.NO. 260310808333



NOOR ADIBA
94.07
APP.NO. 260310867994



SANDEEP REDDY
93.98
APP.NO. 260310616723



KRUTHIKA N
93.76
APP.NO. 260310589098



ROHITH A C
93.41
APP.NO. 260310802775



NIKHIL B V
93.11
APP.NO. 260310963076



ROHITH V
92.94
APP.NO. 260310871388



HARSHA VARDHAN REDDY N
92.93
APP.NO. 260310623906




T L SHILPA
92.71
APP.NO. 260310347432



KRISHNA PRASAD D M
92.52
APP.NO. 260310913612



VISHRUTH R P
92.46
APP.NO. 260310654142



SHAIKSHA REDDY K
92.32
APP.NO. 26032022435



RAHUL T L
91.71
APP.NO. 260310922910



TEJAS GOWDA H E
91.70
APP.NO. 260310403807



NITHIN K M
91.64
APP.NO. 260310854947




ROHIT DASHERATH MOLE
91.38
APP.NO. 260310299883



ABHISHEK KARDI
91.25
APP.NO. 260310512048



VIDHYA SHREE H R
91.09
APP.NO. 260310496161



SOUMYAMANI P L
90.94
APP.NO. 260311006807



PRADEEP M R
90.82
APP.NO. 260310908623




NANDHI VARDHAN R
90.68
APP.NO. 260310894844




DEEPTHI J
90.67
APP.NO. 260310594083



SRI PARTHIPALLI GOPAL
90.37
APP.NO. 260311102818




NANDITHA M
90.35
APP.NO. 260311180110



ROHAN SUSHANT I
90.32
APP.NO. 260310656589



MARGAM HARIPRIYA
90.25
APP.NO. 260310177214



DIVYA SHREE A
90.11
APP.NO. 260310351712



SAMRUDDI S
90.11
APP.NO. 260310402671



SINCHANA U
90.10
APP.NO. 260310807475



K AISHWARYA REDDY
90.06
APP.NO. 260310955599



TARUN C N
90.00
APP.NO. 260310685286

#42, 100FT ROAD, KAMMAGONDANAHALLI,
JALAHALLI WEST, BENGALURU - 560 015

90080 30463 / 90080 30896 / 97400 79996

NELAMANGALA : #2/5, NARAYANAPPA PALYA,
DASANAPURA, TUMKUR ROAD, BENGALURU - 560 062.

95133 30438 / 81399 66644 / 99805 33120

**ADMISSION OPEN
2026 - 2027**

**DAY & RESIDENTIAL
SEPARATE HOSTEL FOR BOYS & GIRLS**

CHEMISTRY QUESTION PAPER ANALYSIS

CHAPTER	NO. OF QUESTIONS
I PUC	
SOME BASIC CONCEPTS OF CHEMISTRY	1
STRUCTURE OF ATOM	2
CLASSIFICATION OF ELEMENTS AND PERIODICITY IN PROPERTIES	2
CHEMICAL BONDING AND MOLECULAR STRUCTURE	3
THERMODYNAMICS	2
EQUILIBRIUM	4
REDOX REACTIONS	0
ORGANIC CHEMISTRY – SOME BASIC PRINCIPLES AND TECHNIQUES	3
HYDROCARBONS	3
II PUC	
SOLUTIONS	2
ELECTROCHEMISTRY	2
CHEMICAL KINETICS	3
P-BLOCK ELEMENTS	2
THE D-AND F-BLOCK ELEMENTS	3
COORDINATION COMPOUNDS	3
HALOALKANES AND HALOARENES	2
ALCOHOLS, PHENOLS AND ETHERS	2
ALDEHYDES, KETONES AND CARBOXYLIC ACIDS	1
AMINES	2
BIOMOLECULES	1
PRACTICAL CHEMISTRY	2

CHEMISTRY

46. Select the reagents that reduce nitriles to primary amines:

- A. (i) LiAlH_4 ; (ii) H_2O
 B. $\text{Sn} + \text{HCl}$
 C. H_2 / Ni
 D. $\text{Na}(\text{Hg}) / \text{C}_2\text{H}_5\text{OH}$
 E. $\text{Br}_2 / \text{aq. NaOH}$

Choose the correct answer from the options given below:

- 1) B, D and E only 2) A, C and D only
 3) A, D and E only 4) A, B and C only

Ans. 2

Sol. Conceptual

47. Match List I with List II

List I (Transition metal/ compound/ complex)	List II (Catalytic Role)
A. V_2O_5	I. Preparation of ammonia from N_2 / H_2 mixture
B. Fe	II. Polymerisation of alkynes
C. PdCl_2	III. Preparation of H_2SO_4 from SO_2
D. Ni complex	IV. Oxidation of ethyne to ethanal


Choose the correct answer from the options given below:

- 1) A-III, B-IV, C-I, D-II
 2) A-IV, B-I, C-III, D-II
 3) A-II, B-I, C-IV, D-III
 4) A-III, B-I, C-IV, D-II

Ans. 4

Sol. Conceptual

48. Consider the following reaction:



$\Delta U^\ominus = -10 \text{ kJ mol}^{-1}$ and $\Delta S^\ominus = -44 \text{ J K}^{-1}$ at 298 K.

Identify the **correct** option with $\Delta G^\ominus$ for the reaction and spontaneity of the reaction at 298 K.

(Given: $R = 8.31 \text{ J mol}^{-1} \text{ K}^{-1}$)

- 1) $-1.635 \text{ kJ mol}^{-1}$, spontaneous
 2) $-0.63568 \text{ kJ mol}^{-1}$, spontaneous
 3) $+0.63568 \text{ kJ mol}^{-1}$, non-spontaneous
 4) $+1.635 \text{ kJ mol}^{-1}$, non-spontaneous

Ans. 3

$$\begin{aligned}\text{Sol. } \Delta H^\ominus &= \Delta U^\ominus + \Delta nRT \\ &= -10000 + [-1 \times 8.314 \times 298] \\ &= -10000 - 2477.57 \\ &= -12.477 \text{ K.J}\end{aligned}$$

$$\begin{aligned}\Delta G^\ominus &= \Delta H^\ominus - T\Delta S^\ominus \\ &= -12477.5 - [298(-44)] \\ &= 635.62 \text{ J/mol} \\ &= +0.6356 \text{ K.J/mol}\end{aligned}$$

$\Delta G^\ominus$ is positive hence reaction is non-spontaneous

49. Match List I with List II :

	List I (Quantum)		List II (Orbital)	
	'n'	'l'		
A.	2	1	I.	3d
B.	4	0	II.	2p
C.	5	3	III.	4s
D.	3	2	IV.	5f

Choose the **correct** answer from the options given below :


- 1) A-IV, B-II, C-III, D-I
 2) A-II, B-III, C-I, D-IV
 3) A-II, B-III, C-IV, D-I
 4) A-I, B-II, C-III, D-IV

Ans. 3

Sol. Conceptual

50. In a qualitative analysis Bi^{3+} is detected by appearance of precipitate of $\text{BiO}(\text{OH})(\text{s})$.

Calculate pH when the following equilibrium exists at 298 K:



$$K = 4 \times 10^{-10}$$

(Given: $\log 2 = 0.3010$)

- 1) 8.714 2) 4.699
 3) 5.286 4) 9.301

Ans. 4

$$\text{Sol. } K = 4 \times 10^{-10}$$

$$K = (\text{BiO}^+)(\text{OH}^-)$$

$$(\text{OH}^-)^2 = 4 \times 10^{-10} \quad \left[\begin{array}{l} \text{salt is AB type} \\ s = \sqrt{k_{\text{sp}}} \end{array} \right]$$

$$\text{OH}^- = 2 \times 10^{-5}$$

$$\text{pOH} = -\log(2 \times 10^{-5}) = 4.7$$

$$\text{pH} = 9.3$$

51. The correct statement with regard to the secondary structure of DNA/RNA is:


- 1) RNA possesses a single strand helix structure and contains thymine as one of the four bases.
- 2) DNA possesses a double strand helix structure and contains thymine as one of the four bases.
- 3) RNA possesses a double strand helix structure and contains uracil as one of the four bases.
- 4) DNA possesses a single strand helix structure and contains uracil as one of the four bases.

Ans. 2

Sol. Conceptual

52. The pair of molecules that are metamers among the following is:

- 1) $\text{CH}_3\text{CH}_2\text{CH}_2\text{OH}$ and $\text{CH}_3 - \text{CH}(\text{OH}) - \text{CH}_3$
- 2) $\text{CH}_3\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_3$ and $(\text{CH}_3)_2\text{CHCH}_2\text{CH}_3$



- 4) $\text{CH}_3\text{OCH}_2\text{CH}_2\text{CH}_3$ and $\text{CH}_3\text{CH}_2\text{OCH}_2\text{CH}_3$

Ans. 4

Sol. Conceptual

53. Match List I with List II:

List I (Complex)	List II (Type of isomerism)
A. $[\text{Pt}(\text{NH}_3)_2\text{Cl}_2]$	I. Optical
B. $[\text{Co}(\text{en})_3]^{3+}$	II. Solvate
C. $[\text{Co}(\text{NH}_3)_5\text{NO}_2]\text{Cl}_2$	III. Geometrical
D. $[\text{Cr}(\text{H}_2\text{O})_6]\text{Cl}_3$	IV. Linkage

Choose the correct answer from the options given below:

- 1) A-III, B-I, C-II, D-IV
- 2) A-I, B-III, C-II, D-IV
- 3) A-II, B-IV, C-III, D-I
- 4) A-III, B-I, C-IV, D-II

Ans. 4

Sol. Conceptual

54. Match List I with List II:

List I (Order of reaction)	List II (Unit of rate constant)
A. Zero order	I. $\text{mol}^{-1} \text{L s}^{-1}$
B. First order	II. $\text{mol}^{-2} \text{L}^2 \text{s}^{-1}$
C. Second order	III. s^{-1}
D. Third order	IV. $\text{mol L}^{-1} \text{s}^{-1}$


Choose the correct answer from the options given below :

- 1) A-IV, B-II, C-I, D-III
- 2) A-IV, B-III, C-I, D-II
- 3) A-IV, B-III, C-II, D-I
- 4) A-I, B-II, C-III, D-IV

Ans. 2

Sol. Conceptual

55. The correct IUPAC name of the following compound is:



- 1) 3-ethyl-5-methylheptane
- 2) 2,4-diethylhexane
- 3) 3-methyl-5-ethylheptane
- 4) 3,5-diethylhexane

Ans. 1

Sol. Conceptual

56. A bulb is rated at 150 watt, converting 8% energy into light. If energy of one photon is $4.42 \times 10^{-19} \text{ J}$, how many photons are emitted by the bulb per second?

- 1) 2.71×10^{19}
- 2) 406×10^{19}
- 3) 27.2×10^{19}
- 4) 35×10^{19}

Ans. 1

Sol. $E_T = nE$

$$\frac{150 \times 8}{100} = n[4.42 \times 10^{-19}]$$

$$n = 2.71 \times 10^{19}$$


57. Methane reacts with steam at 1273 K in the presence of nickel catalyst to form:

- 1) CO and H_2O
- 2) CO_2 and H_2
- 3) CO and H_2
- 4) CO_2 and H_2O

Ans. 3

Sol. $\text{CH}_4 + \text{H}_2\text{O} \xrightarrow[1273\text{K}]{\text{Ni}} \text{CO} + 3\text{H}_2$

58. Compound $P(C_8H_8O)$ gives a red orange precipitate with 2,4-DNP reagent and it does not reduce Fehling's reagent. On drastic oxidation with chromic acid, P gives an aromatic product Q that produces effervescence on treating with aq. $NaHCO_3$. Compounds P and Q, respectively, are:



Ans. 3, 4

Sol. Conceptual

(Note: Aromatic carboxylic acids can be prepared by vigorous oxidation of alkyl benzenes with chromic acid)

59. Match List I with List II:

List I	List II
A. C_2H_4	3σ bonds, 2π bonds
B. C_2H_2	3σ bonds, one lone pair
C. CH_4	4σ bonds
D. NH_3	5σ bonds, 1π bond


Choose the correct answer from the options given below:

- 1) A-III, B-IV, C-II, D-I
- 2) A-IV, B-I, C-III, D-II
- 3) A-I, B-II, C-IV, D-III
- 4) A-II, B-III, C-I, D-IV

Ans. 2

- Sol.** (A) $C_2H_4 - 5\sigma + 1\pi$
 (B) $C_2H_2 - 3\sigma + 2\pi$
 (C) $CH_4 - 4\sigma$
 (D) $NH_3 - 3\sigma + 1Lp$



60. The following two reactions give the same foul smelling product Z.



X and Z, respectively, are

- 1) $X = AgCN; Z = C_2H_5NC$
- 2) $X = KCN; Z = C_2H_5CN$
- 3) $X = AgCN; Z = C_2H_5CN$
- 4) $X = KCN; Z = C_2H_5NC$

Ans. 1




61. The number of hydrogen atoms present in 5.4 g of urea is:

(Given: Molar mass of urea: 60 g mol^{-1} ,

$N_A : 6.022 \times 10^{23} \text{ particles mol}^{-1}$)

- 1) 1.084×10^{23}
- 2) 1.084×10^{22}
- 3) 2.168×10^{22}
- 4) 2.168×10^{23}

Ans. 4



62. Identify the **incorrect** statement from the following:

- 1) Nitrogen can form $p\pi - p\pi$ multiple bonds with itself.
- 2) $P(C_2H_5)_3$ and $As(C_6H_5)_3$ form $d\pi - d\pi$ bond with transition metals.
- 3) Phosphorus, arsenic and antimony show catenation property.
- 4) Nitrogen can form $d\pi - p\pi$ bond with oxygen.

Ans. 4

Sol. Nitrogen cannot form $d\pi - p\pi$ with oxygen

63. Which one of the following is an ambidentate ligand?

- 1) Ethane-1,2-diamine
- 2) Ethylenediaminetetraacetate ion
- 3) Thiocyanate
- 4) Oxalate

Ans. 3

Sol. Conceptual

64. The correct order of increasing metallic character of Na, Be, P, Mg and Si is:

- 1) $P < Si < Be < Mg < Na$
- 2) $P < Si < Na < Mg < Be$
- 3) $P < Mg < Be < Si < Na$
- 4) $Be < Si < P < Mg < Na$

Ans. 1

Sol. Conceptual

65. Match List I with List II:





Column -I		Column -II	
A	$H_3C - \underset{\text{benzene ring}}{\text{CH}} - CH_3 \rightarrow \text{benzene ring} - \text{OH}$	I	(i) oleum; (ii) $NaOH, \Delta$; (iii) H^+
B	$CH_3COOH \rightarrow CH_3CH_2OH$	II	(i) O_2 ; (ii) H_2O / H^+
C	$CH_3CH_2CH_2OH \rightarrow$ $CH_3 - \underset{\text{OH}}{\text{CH}} - CH_3$	III	(i) CH_3OH, H^+ (ii) H_2 , catalyst
D	$\text{benzene ring} \rightarrow \text{benzene ring} - \text{OH}$	IV	(i) conc. H_2SO_4, Δ ; H^+ / H_2O

Choose the correct answer from the options given below:

- 1) A-II, B-III, C-I, D-IV
- 2) A-II, B-III, C-IV, D-P
- 3) A-II, B-IV, C-III, D-I
- 4) A-I, B-III, C-IV, D-II

Ans. 2

Sol. A)




66. Although +3 oxidation state is most common in lanthanoids, cerium still shows +4 oxidation state because :







- 1) After losing one more electron, it acquires $4f^{14}$ electronic configuration.
- 2) Its nearest inert gas is Radon.
- 3) Its atomic number is 61
- 4) After losing one more electron, it acquires $4f^0$ electronic configuration.

Ans. 4

Sol. $Ce (Z = 58) = [Xe] 4f^1 5d^1 6s^2$




67. In the following reaction sequence, X and Z, respectively are:



Ans. 2

Sol.



68. Match List I with List II:

List I (Complex/ion)		List -II (Shape/geometry)	
A	$[Pt(Cl_2)(NH_3)_2]$	I	Octahedral
B	$[Co(NH_3)_6]Cl_3$	II	Trigonal bipyramidal
C	$[NiCl_4]^{2-}$	III	Square, planar
D	$[Fe(CO)_5]$	IV	Tetrahedral

Choose the correct answer from the options given below:

- 1) A-III, B-IV, C-I, D-II
- 2) A-III, B-I, C-IV, D-II
- 3) A-IV, B-I, C-III, D-II
- 4) A-I, B-III, C-IV, D-II

Ans. 2

Sol. Conceptual


69. The functional group that can be phthalein dye test is:

- 1) Aldehyde
- 2) Phenolic
- 3) Carboxylic acid
- 4) Alcohol

Ans. 2

Sol. Conceptual

70. Two products X and Y are formed in the following reaction sequence.




The suitable method that can be used for the separation of products X and Y is :

- 1) Fractional distillation
- 2) Sublimation
- 3) Differential extraction
- 4) Continuous extraction

Ans. 1

Sol.



X, Y are separated by fractional distillation

71. Identify the correct statements :

- A. The molality of 2.5 g of ethanoic acid (Molar mass : 60 g mol⁻¹) in 75 g of benzene solution is 0.556 m.
- B. The molarity of a solution containing 5 g of NaOH (molar mass : 40 g mol⁻¹) in 450 mL of solution is 0.2% 8M at 298 K.
- C. Aquatic species are more comfortable in cold water.
- D. The solubility of gas increases with decrease in pressure.
- E. For a binary mixture of A and B, the number of moles of A and are n_A and n_B respectively. The mole fraction of B will be

$$x_B = \frac{n_A}{n_A + n_B}$$

Choose the correct answer from the options given below:

- 1) A, B and C only
- 2) A and B only
- 3) A and C only
- 4) A, D and E only

Ans. 1

Sol. A) $m = \frac{2.5}{60} \times \frac{1000}{75} = 0.555$

B) $m = \frac{5}{40} \times \frac{1000}{450} = 0.278$

C) Aquatic animals are more comfortable in cold water

D) solubility of gases increases with **increase** in pressure

E) $X_B = \frac{n_B}{n_A + n_B}$

72. During Lassaigne's test, the elements present in an organic compound are converted from:

- 1) ionic form to ionic form
- 2) covalent form to ionic form
- 3) covalent form to covalent form
- 4) ionic form to covalent form

Ans. 2

Sol. Conceptual

73. A solution of copper sulphate is electrolysed for 10 minutes with a current of 1.5 amperes. The mass of copper deposited at cathode is:

(Given: Molar mass of Cu = 63 g mol⁻¹;

1 F = 96487 C mol⁻¹)

- 1) 1.7018 g
- 2) 0.2938 g
- 3) 2.4036 g
- 4) 0.5876 g

Ans. 2

Sol. $m = \frac{E_{it}}{96500} = \frac{63}{2} \times \frac{1.5 \times 10 \times 60}{96500} = 0.2938 \text{ gm}$


74. At a certain temperature, T(K), during a process, 500 J is absorbed by the system and work of 200 J is done by the system. Then Change in internal energy of the system is:

- 1) 400 J
- 2) 300 J
- 3) 700 J
- 4) 500 J

Ans. 2

Sol. $\Delta E = q - w = 500 - 200 = 300 \text{ J}$

75. For a certain reaction $R \rightarrow \text{Product}$, the plot of concentration [R] vs time has a negative slope as shown. The order of reaction is:



- 1) 0
- 2) 1
- 3) 2
- 4) 2.5

Ans. 1


Sol. For zero order $[R] = [R]_0 - kt$

76. Identify the correct statement about ClF_3 from the following options:

- 1) It has T-shaped geometry with two lone pairs on Cl atom.
- 2) It has T-shaped geometry with three lone pairs on Cl atom
- 3) It has a trigonal pyramidal geometry with two lone pairs on Cl atom.
- 4) It has a planar trigonal geometry with two lone pairs on Cl atom.

Ans. 1

Sol.





T-shape (2 lone pairs on Cl atom)

77. In a test tube containing a salt, a few drops of dilute H_2SO_4 was added, which gave colourless vapours having the smell of vinegar. The vapours turned the blue litmus paper red. Identify the correct anion from the following:

- 1) Sulphide, S^{2-}
- 2) Sulphate, SO_4^{2-}
- 3) Acetate, CH_3COO^-
- 4) Carbonate, CO_3^{2-}

Ans. 3

Sol.



Ethyl acetate
(Fruity odour)

78. At 298 K, a certain buffer solution contains equal concentrations of X^- and HX , K_b for X^- is 10^{-10} . What is the pH of this buffer solution?

- 1) 2
- 2) 4
- 3) 6
- 4) 10

Ans. 2

Sol. $K_b = 10^{-10}$


$$p^{kb} = 10$$

$$p^{OH} = p^{kb} + \log \frac{[\text{salt}]}{[\text{base}]}$$

$$p^{OH} = 10 + \log \frac{1}{1} \Rightarrow p^{OH} = 10$$

$$\Rightarrow p^H = 14 - p^{OH} = 14 - 10 = 4$$

79. Calculate emf of the half cell given below:



$$E_{\text{H}_2/\text{H}^+}^\circ = 0\text{V}$$

$$(\text{Given: } \frac{2.303RT}{F} = 0.059, \log 2 = 0.3010)$$

- 1) -0.109 V
- 2) 0.035 V
- 3) -0.035 V
- 4) 0.109 V

Ans. 4

Sol. For given oxidation half cell reaction



$$E = E_0 - \frac{0.059}{2} \log \frac{(\text{H}^+)^2}{p_{\text{H}_2}}$$

$$= -\frac{0.059}{2} \log \frac{4 \times 10^{-4}}{2} = 0.109\text{V}$$

80. The calculated 'spin-only' magnetic moment of $\text{Ti}^{2+} (3d^2)$ is:

- 1) 5.92 BM
- 2) 3.87 BM
- 3) 2.84 BM
- 4) 4.90 BM

Ans. 3

Sol. $\text{Ti}^{+2} \rightarrow [\text{Ar}] 3d^2$

No of unpaired electrons $n=2$

$$\mu = \sqrt{n(n+2)} \text{ BM}$$

$$= \sqrt{2(2+2)} = \sqrt{8} = 2\sqrt{2} = 2 \times 1.414 = 2.828 \text{ BM}$$


81. Identify the **incorrect** statement from the following:

- 1) Carbon has the ability to form $p\pi-p\pi$ multiple bond with itself.
- 2) ECl_3 ($\text{E} = \text{B}$ and Al) is a monomer when $\text{E} = \text{B}$ and a dimer when $\text{E} = \text{Al}$.
- 3) The order of catenation property of Group 14 elements is $\text{C} \gg \text{Si} > \text{Ge} \approx \text{Sn}$.
- 4) Oxygen exhibits only -2 oxidation state.

Ans. 4

Sol. Conceptual

82. The correct formal charges on oxygen atoms numbered 2, 1 and 3 respectively are:



- 1) -1, 0, +1
- 2) 0, +1, -1
- 3) 0, 0, 0
- 4) +1, 0, -1

Ans. 2

Sol. Conceptual

83. Phenolphthalein is used as an indicator for the titration of sodium hydroxide solution against a standard solution of oxalic acid. The colour change that is observed at an alkaline pH close to the equivalence point during this titration is:

- 1) pinkish red to yellow
- 2) yellow to pinkish red
- 3) pink to colourless
- 4) colourless to pink

Ans. 4

Sol. Conceptual

84. When 1 dm^3 of CO_2 gas is passed over hot coke, the volume of gaseous mixture after complete reaction at STP becomes 1.4 dm^3 . The composition of the gaseous mixture at STP is:

- 1) 0.8 dm^3 of CO, 0.8 dm^3 of CO_2
- 2) 0.8 dm^3 of CO, 0.6 dm^3 of CO_2
- 3) 0.6 dm^3 of CO, 0.8 dm^3 of CO_2
- 4) 0.6 dm^3 of CO, 0.4 dm^3 of CO_2

Ans. 2

Sol. $\text{CO}_{2(g)} + \text{C}_{(s)} \rightarrow 2\text{CO}_{(g)}$

$$\begin{array}{r} \frac{1}{x} \\ (1-x) \end{array} \quad \frac{2x}{2x}$$


$$1-x+2x=1.4$$

$$x=0.4$$

$$\text{Volume of } \text{CO}_2 = (1-x) = 1-0.4 = 0.6\text{ dm}^3$$

$$\text{Volume of CO} = 2x = 2 \times 0.4 = 0.8\text{ dm}^3$$


85. The major product Z formed in the following sequence of reactions is:



- 1) $\text{C}_2\text{H}_5\text{NO}_2$
- 2) $\text{C}_2\text{H}_5-\text{N}=\text{N}-\text{OH}$
- 3) $\text{C}_2\text{H}_5\text{OH}$
- 4) $\text{C}_2\text{H}_5\text{NH}_2$

Ans. 3

Sol.



86. Given below is an expression for the rate constant of a first order reaction occurring at a certain temperature, T (K).

$$\ln k = 14.34 - \frac{1.25 \times 10^4}{T}$$

The energy of activation in kcal mol^{-1} for the reaction is:

(Given: k in s^{-1} , $R = 1.987 \text{ cal mol}^{-1}\text{K}^{-1}$)

- 1) 24.84
- 2) 14.34
- 3) 18.63
- 4) 12.42

Ans. 1

Sol. $\ln k = 14.34 - \frac{1.25 \times 10^4}{T}$

$$\ln k = \ln A - \frac{E_a}{RT}$$

$$-\frac{E_a}{R} = -1.25 \times 10^4$$

$$E_a = 1.25 \times 10^4 \times R$$

$$= \frac{1.25 \times 10^4 \times 1.987}{1000} = 24.83 \text{ K.cal}$$

87. Given below are certain reactions. Identify the reaction for which $K_p \neq K_c$.

- 1) $\text{H}_2\text{O}(\text{g}) + \text{CO}(\text{g}) \rightleftharpoons \text{H}_2(\text{g}) + \text{CO}_2(\text{g})$
- 2) $\text{N}_2(\text{g}) + 3\text{H}_2(\text{g}) \rightleftharpoons 2\text{NH}_3(\text{g})$
- 3) $\text{H}_2(\text{g}) + \text{I}_2(\text{g}) \rightleftharpoons 2\text{HI}(\text{g})$
- 4) $\text{N}_2(\text{g}) + \text{O}_2(\text{g}) \rightleftharpoons 2\text{NO}(\text{g})$

Ans. 2

Sol. Conceptual

88. Identify the incorrect statement from the following:

- 1) The largest and the smallest species among Mg , Mg^{2+} , Al and Al^{3+} are Al and Mg^{2+} , respectively.
- 2) The IUPAC name of the element with atomic number 107 is Unnilseptium.
- 3) The similarity in behaviour of Li with Mg is referred to as 'diagonal relationship'.
- 4) The oxidation state and covalency of Al in $[\text{AlCl}(\text{H}_2\text{O})_5]^{2+}$ are 3 and 6 respectively.

Ans. 1

Sol. Conceptual



89. Mixture of chloroform and acetone forms a solution with negative deviation from Raoult's law due to:

- 1) increase in escaping tendency of molecules of each component.
- 2) formation of hydrogen bonding between acetone and chloroform.
- 3) stronger intermolecular forces between chloroform molecules than those between chloroform and acetone molecules.
- 4) repulsive forces.

Ans. 2

Sol. Conceptual

90. The number of chlorine atoms present in the organic products X and Y of the following reactions, respectively, are



- | | |
|------------|------------|
| 1) 3 and 3 | 2) 6 and 3 |
| 3) 6 and 6 | 4) 3 and 6 |

Ans. 3

Sol. $\text{x} = \text{C}_6\text{Cl}_6$ (substitution reaction)

$\text{y} = \text{C}_6\text{H}_6\text{Cl}_6$ (addition reaction)

BIOLOGY QUESTION PAPER ANALYSIS

CHAPTER

NO. OF QUESTIONS

I PUC

THE LIVING WORLD

1

BIOLOGICAL CLASSIFICATION

1

PLANT KINGDOM

1

MORPHOLOGY OF FLOWERING PLANTS

4

ANATOMY OF FLOWERING PLANTS

2

CELL : THE UNIT OF LIFE

4

BIOMOLECULES

5

CELL CYCLE AND CELL DIVISION

1

PHOTOSYNTHESIS IN HIGHER PLANTS

3

RESPIRATION IN PLANTS

2

PLANT GROWTH AND DEVELOPMENT

3

II PUC

SEXUAL REPRODUCTION IN FLOWERING PLANTS

3

PRINCIPLES OF INHERITANCE AND VARIATION

1

MOLECULAR BASIS OF INHERITANCE

3

MICROBES IN HUMAN WELFARE

2

BIOTECHNOLOGY : PRINCIPLES AND PROCESSES

5

BIOTECHNOLOGY AND ITS APPLICATIONS

2

ECOSYSTEM

3

BIOLOGY QUESTION PAPER ANALYSIS

CHAPTER

NO. OF QUESTIONS

I PUC

ANIMAL KINGDOM

5

STRUCTURAL ORGANISATION IN ANIMALS

2

BREATHING AND EXCHANGE OF GASES

2

BODY FLUIDS AND CIRCULATION

3

EXCRETORY PRODUCTS AND THEIR ELIMINATION

2

LOCOMOTION AND MOVEMENT

3

NEURAL CONTROL AND COORDINATION

1

CHEMICAL COORDINATION AND INTEGRATION

1

II PUC

HUMAN REPRODUCTION

3

REPRODUCTIVE HEALTH

2

EVOLUTION

3

HUMAN HEALTH AND DISEASE

2

ORGANISMS AND POPULATIONS

3

BIODIVERSITY AND CONSERVATION

5

GENETIC DISORDERS (HUMAN GENETICS)

7

BIOLOGY

91. In angiosperms, root hairs arise from which one of the following regions of the root
- 1) The root cap zone
 - 2) The region of meristematic activity
 - 3) The region of elongation
 - 4) The region of maturation

Ans. 4

92. In which one of the following, the ovules are **not** enclosed by an ovary wall and remain exposed ?

- 1) Funaria
- 2) Pinus
- 3) Selaginella
- 4) Wolffia

Ans. 2

93. In the lac operon, the z gene codes for
- 1) permease
 - 2) transacetylase
 - 3) beta-galactosidase
 - 4) the repressor of lac operon

Ans. 3

94. Exploring molecular, genetic and species-level diversity for products of economic importance is called

- 1) Biofortification
- 2) Bioremediation
- 3) Bioprospecting
- 4) Biomagnification

Ans. 3

95. Match List I with List II

	List-I		List -II
A)	Genetically modified organism	I)	Agrobacterium tumefaciens
B)	Thermostable DNA polymerase	II)	Bt cotton
C)	Ti plasmid	III)	Thermus aquaticus
D)	pBR322	IV)	Escherichia coli

Choose the correct answer from the options given below:

- 1) A-II, B-III, C-I, D-IV
- 2) A-II, B-I, C-IV, D-III
- 3) A-I, B-IV, C-III, D-II
- 4) A-I, B-II, C-IV, D-III

Ans. 1

96. Match List I with List II

	List-I		List -II
A)	Productivity	I)	Gross Primary productivity minus respiration losses
B)	Net primary productivity	II)	Rate of formation of new organic matter by consumers
C)	Gross primary Productivity	III)	Rate of biomass production
D)	Secondary Productivity	IV)	Rate of production of organic matter during photosynthesis

Choose the **correct** answer from the options given below:

- 1) A-III, B-I, C-IV, D-II
- 2) A-I, B-II, C-III, D-IV
- 3) A-I, B-III, C-IV, D-II
- 4) A-III, B-I, C-II, D-IV

Ans. 1

97. Since the origin and diversification of life on Earth, three have been five episodes of mass extinction of species. How is the sixth extinctions, which is in progress, different from the previous episodes?

- 1) The present net species extinction rate is zero
- 2) The current species extinction rate is nearly 10 times faster than that in the previous episodes
- 3) The present species extinction rates are 100 to 1000 times faster than in the pre-human times
- 4) The current species extinction rates are far lower than those in previous episodes

Ans. 3

98. Alpha-helix is found in which level of protein structure?

- 1) Secondary structure
- 2) Tertiary structure
- 3) Primary structure
- 4) Quaternary structure

Ans. 1

99. The main function of bulliform cells in grasses is
- 1) to make the leaf impermeable to fungal spores
 - 2) to transport water
 - 3) to perform photosynthesis
 - 4) to minimize water loss during water stress

Ans. 4

100. Identify the correct sequence of steps in each cycle of polymerase chain reaction
- 1) Extension → Annealing → Denaturation
 - 2) Annealing → Denaturation → Extension
 - 3) Denaturation → Extension → Annealing
 - 4) Denaturation → Annealing → Extension

Ans. 4

101. Match List I with List II

	List-I (Phase of cell cycle)		List -II (Activity)
A)	G ₁ phase	I)	Actual cell division occurs
B)	S phase	II)	Cell is metabolically active and continuously grows but does not replicate its DNA
C)	G ₂ phase	III)	Synthesis of DNA occurs and the amount of DNA per cell doubles
D)	M phase	IV)	Proteins are synthesized while cell growth continues

- 1) A – IV; B – I; C – II; D – III
- 2) A – I; B – II; C – III; D – IV
- 3) A – III; B – IV; C – I; D – II
- 4) A – II; B – III; C – IV; D – I

Ans. 4

102. Which of the following statements are correct.
- A) The amazon rainforest being cut and cleared for cultivation of soyabeans is an example of habitat loss
 - B) Steller's sea cow and passenger pigeon became extinction due to over – exploitation by humans
 - C) The Nile perch introduced into Lake Victoria in East Africa helped in population growth of cichlid fish in the lake
 - D) Water hyacinth is an invasive species
 - E) When a species becomes extinct, the plant and animal species associated with it are not affected
- Choose the correct answer from the options given below:
- 1) A, B and E only
 - 2) A, B and D only
 - 3) C, D and E only
 - 4) B, C and D only

Ans. 2

103. Which of the following statements are correct with reference to a transcription unit?
- A) A transcription unit in DNA is defined primarily by three regions : promoter, structural gene and terminator
 - B) The promoter is said to be located towards the 5' end of the structural gene
 - C) The promoter is a DNA sequence that provides binding site for RNA polymerase
 - D) The promoter defines the template and coding strands
 - E) The terminator is located towards the 3' end of the coding strand and it defines the end of the process of transcription
- Choose the correct answer from the options given below:
- 1) A, B, C and D only
 - 2) A, C, D and E only
 - 3) B, C, D and E only
 - 4) A, B, C, D and E

Ans. 4

104. Which one of the following statements is not true about the universal rules of binomial nomenclature?
- 1) Biological names are generally in Latin
 - 2) Both the words into biological name, when handwritten, are separately underlined or printed in italic
 - 3) The specific epithet in the biological name starts with a small letter
 - 4) The first word in the biological name represent the specific epithet while the second component denotes the genus

Ans. 4

105. Match List I with List II

	List-I		List -II
A)	Decomposition	I)	Accumulation of dark coloured amorphous colloidal substance
B)	Detritus	II)	Release of inorganic nutrients by the activity of microbes in soil
C)	Mineralisation	III)	Breaking down of complex organic matter into inorganic substance
D)	Humification	IV)	Dead remains of plants and animals including fecal matter

Choose the correct answer from the options given below:


- 1) A – IV; B – III; C – I; D – II
- 2) A – III; B – IV; C – II; D – I
- 3) A – I; B – II; C – III; D – IV
- 4) A – III; B – II; C – I; D – IV

Ans. 2

106. Which one of the following is the site for active ribosomal RNA synthesis?

- 1) Centrosome
- 2) Chromatin
- 3) Nucleolus
- 4) Kinetochore

Ans. 3



The Respiratory Quotient (RQ) of a biomolecule used for respiration, as per the above equation, would be:

- 1) Between 0.5 and 0.95
- 2) Less than 0.5
- 3) 1.0
- 4) Between 1.25 and 2

Ans. 1

108. Match List I with List II:

	List-I		List-II
A)	Co-dominance	I)	Human skin colour
B)	Inheritance of flower colour in <i>Antirrhinum</i> sp.	II)	Incomplete dominance
C)	Phenylketonuria disease in humans	III)	Pleiotropy
D)	Polygenic inheritance	IV)	ABO blood groups

Choose the **correct** answer from the options given below:

- 1) A-II, B-IV, C-III, D-I
- 2) A-I, B-II, C-III, D-IV
- 3) A-IV, B-II, C-III, D-I
- 4) A-II, B-I, C-III, D-IV

Ans. 1

109. Arrange the following steps of DNA fingerprinting in a correct sequence.

- A. Isolation of DNA and its digestion by restriction endonucleases.
- B. Hybridisation using a labelled VNTR probe.
- C. Transferring of separated DNA fragments to synthetic membranes.
- D. Detection of hybridised DNA fragments by autoradiography.
- E. Separation of DNA fragments by electrophoresis.

Choose the **correct** answer from the options given below:

- 1) A, B, D, C, E
- 2) A, D, B, E, C
- 3) A, E, C, B, D
- 4) A, E, B, C, D

Ans. 3

110. Which of the following statements are correct with reference to packaging of DNA helix?

- A. Histones are organized to form a unit of eight molecules called histone octamer.
- B. Histones are negatively charged basic proteins.
- C. Histones are rich in the basic amino acid residues - lysine and arginine.
- D. The positively charged DNA is wrapped around the histone octamer to form nucleosome.
- E. The packaging of chromatin at higher levels requires an additional set of proteins called non-histone chromosomal proteins.

Choose the correct answer from the options given below:

- 1) A, C and E only
- 2) B, D and E only
- 3) C, D and E only
- 4) A, B and D only

Ans. 1

111. Find the **incorrect** statement(s) about photosynthesis from the following
- The water splitting complex is associated with PS I.
 - C₄ plants use the C₃ pathway of CO₂ fixation as the main biosynthetic pathway
 - In C₄ plants, photorespiration does not occur.
 - C₃ plants exhibit 'Kranz' anatomy
 - ATP synthesis in chloroplast occurs through chemiosmosis

Choose the answer from the options given below:

- 1) B and C only
- 2) B only
- 3) B and E only
- 4) A and D only

Ans. 4

112. Arrange the following steps of somatic hybridisation in a correct sequence.
- Digestion of cell walls
 - Isolation of naked protoplasts
 - Fusion of protoplasts to get hybrid protoplast
 - Isolation of single cells from two different varieties of plants
 - Growing of hybrid protoplasts to form a new plant

Choose the correct answer from the options given below:

- 1) D, A, B, C, E
- 2) E, B, A, D, C
- 3) D, B, A, E, C
- 4) E, A, B, C, D

Ans. 1

113. Match List I with List II:

	List-I		List-II
A)	Conjunctive tissue	1)	Specialised cells in the vicinity of guard cells
B)	Casparian strips	2)	Endodermal cells rich in starch
C)	Subsidiary cells	3)	Tissue between xylem and phloem
D)	Starch sheath	4)	Endodermal cells with suberin deposition

Choose the **correct** answer from the options given below:

- 1) A - 4, B - 3, C - 2, D - 1
- 2) A - 3, B - 4, C - 2, D - 1
- 3) A - 3, B - 4, C - 1, D - 2
- 4) A - 4, B - 3, C - 2, D - 1

Ans. 3

114. Which one of the following is **not** a characteristic of plants cells in the phase of elongation?

- 1) New cell wall deposition
- 2) Cell enlargement
- 3) Increased vacuolation
- 4) Large conspicuous nuclei

Ans. 4

115. Match List I with List II:

	List-I (Growth regulator)		List-II (Function / Effect)
A	2, 4 - D	1	Brewing industry
B	GA ₃	2	Stimulation of stomatal closure
C	Kinetin	3	Herbicide
D	ABA	4	Nutrient mobilisation

Choose the **correct** answer from the options given below:

- 1) A - 3, B - 1, C - 4, D - 2
- 2) A - 4, B - 3, C - 2, D - 1
- 3) A - 1, B - 4, C - 3, D - 2
- 4) A - 1, B - 2, C - 4, D - 3

Ans. 1

116. The enzymes required for carboxylation in the calvin cycle is

- 1) Hexokinase
- 2) PEP carboxylase
- 3) RuBP carboxylase - oxygenase
- 4) Carboxypeptidase

Ans. 3

117. How many ATP and NADPH molecules are required to make one molecule of glucose through the calvin pathway?

- 1) 18 ATP and 12 NADPH
- 2) 12 ATP and 18 NADPH
- 3) 24 ATP and 18 NADPH
- 4) 6 ATP and 12 NADPH

Ans. 1

118. Which of the following floral formula is the correct floral formula of solananceae family

- 1) $\oplus \begin{matrix} \text{♂} \\ \text{♀} \end{matrix} K_{(5)} C_{(5)} A_5 \underline{G}_{(2)}$
- 2) $\oplus \begin{matrix} \text{♂} \\ \text{♀} \end{matrix} K_{(5)} \overbrace{C_{(5)} A_5} G_{(2)}$
- 3) $\oplus \begin{matrix} \text{♂} \\ \text{♀} \end{matrix} K_5 C_5 A_5 \underline{G}_{(2)}$
- 4) $\oplus \begin{matrix} \text{♂} \\ \text{♀} \end{matrix} K_5 \overbrace{C_{(5)} A_5} G_{(2)}$

Ans. 2

119. Which of the following is an *in situ* conservation method?

- 1) Sacred Groves
- 2) Wildlife safari parks
- 3) Botanical Gardens
- 4) Seed Banks

Ans. 1

120. Which of the following statements are **not** true regarding restriction endonucleases?

- A. They are called molecular scissors
- B. These are the enzymes responsible for restricting the growth of bacteriophages in *E. Coli*
- C. They cut the DNA only at the centre of the palindromic sites
- D. They remove nucleotides only from the ends of DNA fragments
- E. They recognise specific palindromic base-pair sequences

Choose the answer from the options given below

- 1) A and B only 2) A and E only
- 3) D and E only 4) C and D only

Ans. 4

121. In racemose inflorescence, _____.

- 1) the main axis terminates in a flower
- 2) flowers are solitary
- 3) the growth is limited
- 4) flowers are borne in an acropetal succession

Ans. 4

122. Arrange the following in the correct developmental sequence related to microsporogenesis:

- A. Microspore tetrads
- B. Sporogenous tissue
- C. Pollen grains
- D. Pollen mother cells

Choose the correct answer from the options given below:

- 1) D, A, C, B 2) B, D, A, C
- 3) B, D, C, A 4) A, D, C, B

Ans. 2

123. Identify the correct statements about biomolecules.

- A. Lipids are generally water soluble.
- B. Proteins are polypeptides.
- C. Polysaccharides are long chains of sugars.
- D. Adenine and guanine are substituted pyrimidines.
- E. Almost all enzymes are proteins.

Choose the correct answer from the options given below :

- 1) B, D and E only 2) B, C and E only
- 3) A, B and C only 4) C, D and E only

Ans. 2

124. Which of the following statements are true with reference to the sex-determination in honeybees?

- A. An offspring formed from the union of a sperm and an egg, develops as a female (queen or worker).
- B. An unfertilized egg develops as a male by parthenogenesis.
- C. A male has half the number of chromosomes than that of a female.
- D. Males produce sperms by meiosis.
- E. Honeybees have a haplodiploid sex-determination system.

Choose the correct answer from the options given below:

- 1) A, B, C and E only
- 2) B, C, D and E only
- 3) A, B, C and D only
- 4) A, B, D and E only

Ans. 1

125. Heterophyllous development in response to environment is an example of which of the following phenomena?

- 1) Redifferentiation 2) Elasticity
- 3) Dedifferentiation 4) Plasticity

Ans. 4

126. Which of the following statements are correct regarding amino acids?

- A. They are substituted methanes.
- B. Serine is an aromatic amino acid.
- C. Valine is a neutral amino acid.
- D. Lysine is an acidic amino acid.

Choose the correct answer from the options given below:

- 1) C and D only 2) B and C only
- 3) A and C only 4) A and B only

Ans. 3

127. "The Evil Quartet" of biodiversity loss includes which of the following?

- 1) Over-exploitation; Alien species invasions; Air pollution; Co-extinctions
- 2) Habitat loss and fragmentation; Air pollution; Water pollution; Co-extinctions
- 3) Habitat loss and fragmentation; over-exploitation; Alien species invasions; Co-extinctions
- 4) Over-exploitation; Alien species invasions; Soil pollution; Co-extinctions

Ans. 3

128. Match List I with List II :

List-I (Process)	List-II (Location)
A) Glycolysis	I) Inner mitochondrial membrane
B) ETS	II) Mitochondrial matrix
C) Accumulation of protons	III) Cytoplasm
D) Krebs' cycle	IV) Intermembrane space

- 1) A-IV, B-II, C-I, D-III 2) A-II, B-III, C-IV, D-I
3) A-III, B-I, C-IV, D-II 4) A-I, B-IV, C-III, D-II

Ans. 3

129. Which one of the following is a triploid cell ?

- 1) Synergid
- 2) Central cell
- 3) Zygote
- 4) Primary endosperm cell

Ans. 4

130. Which one of the following types of pollination brings genetically different types of pollen grains to the stigma?

- 1) Autogamy
- 2) Xenogamy
- 3) Geitonogamy
- 4) Cleistogamy

Ans. 2

131. Match List I with List II :

	List-I (Placentation)		List-II (Example)
A)	Marginal	I)	Mustard
B)	Axile	II)	Pea
C)	Parietal	III)	Marigold
D)	Basal	IV)	Lemon

Choose the correct answer from the options given below :

- 1) A-II, B-IV, C-I, D-III
- 2) A-I, B-III, C-II, D-IV
- 3) A-III, B-I, C-IV, D-II
- 4) A-IV, B-II, C-I, D-III

Ans. 1

132. The main criteria used for Five Kingdom Classification proposed by R.H. Whittaker (1969) included :

- A. Cell structure
- B. Body organization
- C. Presence of flagellum
- D. Reproduction
- E. Phylogenetic relationships

Choose the correct answer from the options given below:

- 1) A, B, C, D and E
- 2) B, C and D only
- 3) A, B, D and E only
- 4) A, B and E only

Ans. 3

133. Match List I with List II :

	List -I		List-II
A)	Trypsin	I)	Intercellular ground substance
B)	Morphine	II)	Lectin
C)	Concanavalin A	III)	Enzyme
D)	Collagen	IV)	Alkaloid

Choose the correct answer from the options given below :

- 1) A-III, B-IV, C-II, D-I
- 2) A-I, B-II, C-III, D-IV
- 3) A-IV, B-III, C-II, D-I
- 4) A-III, B-II, C-IV, D-I

Ans. 1

134. Which of the following statements are correct with respect to DNA separation, isolation and visualization?

- A. The cutting of DNA is done by molecular scissors.
- B. The DNA fragments separate according to their size in an agarose gel, upon electrophoresis.
- C. The separated DNA fragments can be seen without staining when exposed to UV light.
- D. The separated DNA fragments, when stained with ethidium bromide, can be seen in visible light.

Choose the correct answer from the options given below:

- 1) B and D only
- 2) A and B only
- 3) B and C only
- 4) A and D only

Ans. 2

135. Which one of the following disorders is caused by the substitution of Glutamic acid (Glu) by Valine (Val) at the sixth position of the beta globin chain of the haemoglobin molecule?

- 1) Thalassemia
- 2) Sickle-cell anaemia
- 3) Phenylketonuria
- 4) Haemophilia

Ans. 2

136. Match List I with List II :

	List-I		List-II
A)	Cortisol	I)	Stimulates the formation of alveoli in mammary glands
B)	Aldosterone	II)	Produces anti-inflammatory reactions
C)	Cholecystokinin	III)	Stimulates reabsorption of Na^+ and water from renal tubule
D)	Progesterone	IV)	Stimulates secretion of pancreatic enzymes and bile juice

Choose the correct answer from the options given below:

- 1) A-III, B-II, C-IV, D-I
- 2) A-IV, B-II, C-I, D-III
- 3) A-II, B-III, C-IV, D-I
- 4) A-II, B-III, C-I, D-IV

Ans. 3

137. Arrange the following events occurring in Renin-Angiotensin mechanism in the correct order:

- A. Increase in blood pressure and Glomerular filtration rate.
- B. Reabsorption of Na^+ and water from distal parts of tubule due to Aldosterone.
- C. Fall in Glomerular filtration rate.
- D. Vasoconstriction by Angiotensin II and release of Aldosterone
- E. Renin converts Angiotensinogen into Angiotensin I, followed by Angiotensin II.

Choose the correct answer from the options given below :

- 1) A, C, E, B, D
- 2) C, A, B, D, E
- 3) A, D, B, E, C
- 4) C, E, D, B, A

Ans. 4

138. In humans, respiration occurs in the following steps. Arrange these steps in the correct order.

- A. Diffusion of O_2 and CO_2 between blood and tissues
- B. Diffusion of O_2 and CO_2 across alveolar membrane
- C. Pulmonary ventilation by which atmospheric air is drawn in and CO_2 rich alveolar air is released out
- D. Cellular respiration
- E. Transport of gases by the blood

Choose the correct answer from the options given below :

- 1) A, B, C, D, E
- 2) E, A, C, D, B
- 3) C, B, E, A, D
- 4) C, A, B, E, D

Ans. 3

139. The following are the stages of life cycle of *Plasmodium*. Arrange the stages in the proper order.

- A. The parasites reproduce asexually in RBCs, bursting the cells.
- B. The parasites reproduce asexually in liver cells, bursting the cells and releasing into blood.
- C. Gametocytes develop in RBCs.
- D. Sporozoites reach the liver through the blood.
- E. Female mosquito injects sporozoites into humans during bite.

Choose the correct answer from the options given below :

- 1) E, D, B, A, C
- 2) A, B, C, D, E
- 3) C, A, B, D, E
- 4) E, C, D, B, A


Ans. 1

140. Insertion of a foreign DNA at BamHI site in an E. coli cloning vector pBR322 results in the loss of antibiotic resistance towards

- 1) Ampicillin and tetracycline
- 2) Ampicillin
- 3) Tetracycline
- 4) Gentamycin

Ans. 3

141. The following reaction depicts the activity of a particular class of enzymes :



Identify the enzyme class 'E' from the following options:

- 1) Transferases
- 2) Isomerases
- 3) Lyases
- 4) Ligases

Ans. 3

142. The specific receptors for neurotransmitters in a synapse are present on _____.

- 1) Schwann cell
- 2) Pre-synaptic membrane
- 3) Myelin sheath
- 4) Post-synaptic membrane

Ans. 4

143. What is the probability of having children father with 'O' blood group where both mother and father are heterozygous for 'A' and 'B' blood group, respectively?
- 25%
 - 0%
 - 75%
 - 50%

Ans. 1

144. Match List I with List II :

	List-I (Respiratory Volume)		List-II (Capacity in mL)
A)	ERV (Expiratory Reserve Volume)	I)	2500-3000 mL
B)	RV (Residual Volume)	II)	500 mL
C)	IRV (Inspiratory Reserve Volume)	III)	1000- 1100 mL
D)	TV (Tidal Volume)	IV)	1100- 1200 mL

Choose the correct answer from the options given below:

- A-III, B-IV, C-I, D-II
- A-III, B-I, C-IV, D-II
- A-I, B-III, C-II, D-IV
- A-I, B-II, C-III, D-IV

Ans. 1

145. Which of the following is not an example of convergent evolution?
- Flippers of penguins and dolphins
 - Eyes of octopuses and mammals
 - Fore limbs of whales and bats
 - Wings of butterflies and birds

Ans. 3

146. Male frogs can be distinguished from female frogs due to the presence of
- Bulging eyes
 - Vocal sacs
 - Webbed digits in feet
 - Copulatory pad on first digit of fore limbs
 - Olive green-coloured skin with dark irregular spots

Choose the correct answer from the options given below:

- B and C only
- C and E only
- A and B only
- B and D only

Ans. 4

147. A group of researchers procured some fish-like animals and upon investigation the following characters were observed:

- Endoskeleton was made of cartilage.
- Ectoparasitic; as they were found attached on fish skin with their circular sucking mouth
- Paired fins and scales were absent, but 7 pairs of gill slits were present.

Which of the following species of animals did they consider to fit best with these characters?

- Scoliodon sp.*
- Petromyzon sp.*
- Exocoetus sp.*
- Branchiostoma sp.*

Ans. 2

148. Match List I with List II with respect to chronology of evolution of life forms:

	List-I		List-II
A)	About 65 mya	I)	Jawless fish probably evolved
B)	About 500 mya	II)	The dinosaurs suddenly disappeared from the earth
C)	About 350 mya	III)	Seaweeds and few plants probably existed
D)	About 320 mya	IV)	Invertebrates were formed and became active

Choose the correct answer from the options given below:

- A-III, B-IV, C-I, D-II
- A-I, B-II, C-III, D-IV
- A-II, B-IV, C-III, D-I
- A-II, B-IV, C-I, D-III

Ans. 4

149. Match List I with List II.

	List-I		List-II
A)	Progestasert	I)	Barrier made of rubber used by females
B)	Multiload 375	II)	Oral contraceptive
C)	Diaphragm	III)	Hormone releasing IUD
D)	Saheli	IV)	Copper releasing IUD

Choose the correct answer from the options given below:

- A-III, B-IV, C-I, D-II
- A-IV, B-II, C-I, D-III
- A-IV, B-III, C-I, D-II
- A-III, B-IV, C-II, D-I

Ans. 1

150. The WBC count of a person's blood sample is 8000/cu.mm. How many eosinophils and lymphocytes would be in the same blood sample approximately?

- 1) 300-500/cu.mm and 1200-1500/cu.mm, respectively
- 2) 160-240/cu.mm and 1600-2000/cu.mm, respectively
- 3) 300-500/cu.mm and 500-700/cu.mm, respectively
- 4) 100-120/cu.mm and 160-200/cu.mm, respectively

Ans. 2

151. Match List I with List II:

List-I (Drug)		List-II (Effect)	
A)	Nicotine	I)	Causes sense of euphoria and increased energy
B)	Morphine	II)	Stimulates adrenal gland to release catecholamines into blood circulation
C)	Heroin	III)	Effective sedative and painkiller
D)	Cocaine	IV)	A depressant; slows down body function

Choose the **correct** answer form the options given below:

- 1) A-III, B-II, C-IV, D-I
- 2) A-II, B-III, C-I, D-IV
- 3) A-II, B-III, C-IV, D-I
- 4) A-III, B-II, C-I, D-IV

Ans. 3

152. The human protein named α -1-antitrypsin, obtained from transgenic animals, is used for the treatment of

- 1) Emphysema
- 2) Alzheimer's disease
- 3) Rheumatoid arthritis
- 4) Cystic fibrosis

Ans. 1

153. Select the set of fishes which belong to the class Osteichthyes:

- 1) Devil fish, Cuttlefish and Hagfish
- 2) Saw fish, Fighting fish and Dog fish
- 3) Starfish, Hagfish and Cuttlefish
- 4) Flying fish, Angel fish and Fighting fish

Ans. 4

154. Select the **incorrect** statements from the following:

- A. Digestive system in Platyhelminthes is incomplete.
- B. Bilateral symmetry is a characteristic feature of adult Echinoderms.
- C. Pseudocoelom is possessed by Aschelminthes.
- D. Notochord is persistent throughout life in the class Chondrichthyes.
- E. Members of class Reptilia maintain a constant body temperature.

Choose the answer from the options given below:

- 1) A and C only
- 2) B and E only
- 3) C and D only
- 4) B and D only

Ans. 2

155. Non-membrane bound cell organelles found in both prokaryotic and eukaryotic cells are

- 1) Ribosomes
- 2) Lysosomes
- 3) Centrosomes
- 4) Mitochondrion

Ans. 1

156. Which of the following equations depicts Verhulst-Pearl logistic population growth?

- 1) $\frac{dN}{dt} = rN \left(\frac{K+N}{K} \right)$
- 2) $\frac{dN}{dt} = rN \left(\frac{K-N}{K} \right)$
- 3) $\frac{dN}{dt} = rN \left(\frac{K-N}{N} \right)$
- 4) $\frac{dN}{dt} = rN \left(\frac{K}{K-N} \right)$

Ans. 2

157. Select the **incorrect** statements with reference to Rh grouping.

- A. Erythroblastosis foetalis is a condition observed having foetus with Rh^{-ve} blood and mother with Rh^{+ve} blood.
- B. Rh antigen is observed on RBCs in the majority of human beings.
- C. Before blood transfusion, Rh group should also be matched.
- D. Rh incompatibility is observed when a pregnant mother is Rh^{-ve} and the foetus is Rh^{+ve}.
- E. Erythroblastosis foetalis can be avoided by administering anti-Rh antibodies to the mother immediately after the delivery of the second child.

Choose the answer from the options given below:

- 1) C and D only
- 2) A and B only
- 3) A and E only
- 4) B and C only

Ans. 3

158. Match List-I with List-II

List-I (Bioactive molecules)		List-II (Importance)	
A)	Streptokinase	I)	Immunosuppressive agent
B)	Statins	II)	Removal of clots from the blood vessels
C)	Lipases	III)	Blood cholesterol-lowering agent
D)	Cyclosporin A	IV)	Detergent formulations

Choose the **correct** answer from the options given below:

- 1) A-II, B-III, C-I, D-IV
- 2) A-IV, B-III, C-II, D-I
- 3) A-III, B-II, C-IV, D-I
- 4) A-II, B-III, C-IV, D-I

Ans. 4

159. Match List-I with List-II

List-I		List-II	
A)	Molluscs	I)	Pulmonary respiration only
B)	Reptiles	II)	Branchial respiration
C)	Adult amphibians	III)	Cellular respiration
D)	Amoeba	IV)	Pulmonary and Cutaneous respiration

Choose the **correct** answer from the options given below:

- 1) A-II, B-I, C-IV, D-III
- 2) A-I, B-II, C-IV, D-III
- 3) A-II, B-I, C-III, D-IV
- 4) A-III, B-II, C-I, D-IV

Ans. 1

160. The sixth mutant codon of beta globin gene causing polymerization of Haemoglobin and change in RBC shape is

- 1) GUG
- 2) AUG
- 3) GAG
- 4) CAG

Ans. 1

161. Choose the correct statements regarding muscle contraction.

- A. A motor neuron carries a signal sent by the Central Nervous System (CNS) to the sarcolemma of the muscle fibre.
- B. The neural signal generates an action potential which causes the release of Ca^{++} into sarcoplasm.

C. Increase in Ca^{++} inactivates the actin for breaking cross bridges.

D. Actin binds to the myosin head to form a cross bridge.

E. Shortening of sarcomere takes place, by pulling actin filaments towards the centre of 'A' band.

Choose the **correct** answer from the options given below:

- 1) C and D only
- 2) A and B only
- 3) C and E only
- 4) A, B, D and E only

Ans. 4

162. Which of the following statements are correct with reference to human endoskeleton?

A. Human skull is monocondylic.

B. The joint between any two adjoining vertebrae is a cartilaginous joint.

C. In human beings, the number of cervical vertebrae is seven.

D. All ribs except the last 2 pairs are bicephalic.

E. The occipital bone of skull is articulated with atlas vertebra.

Choose the **correct** answer from the options given below:

- 1) B and E only
- 2) B, C and E only
- 3) C, D and E only
- 4) A, B and D only

Ans. 2

163. Spermatogonia undergo a series of cell divisions to produce sperms. Select the correct statements from the following:

A. Spermatogonia always undergo meiotic cell division.

B. Primary spermatocytes divide mitotically to produce secondary spermatocytes.

C. Secondary spermatocytes, through their second meiotic division, produce haploid spermatids.

D. Spermatids produce spermatozoa through mitosis.

E. Spermatids transform into spermatozoa by spermiogenesis.

Choose the **correct** answer from the options given below:

- 1) A and E only
- 2) C and E only
- 3) A, C and E only
- 4) B, C and D only

Ans. 2

164. The JGA (Juxta Glomerular Apparatus) is a special sensitive region formed by cellular modifications related to the same nephron.

- 1) Distal convoluted tubule and efferent renal arteriole
- 2) Proximal convoluted tubule and efferent renal arteriole
- 3) Proximal convoluted tubule and afferent renal arteriole
- 4) Distal convoluted tubule and afferent renal arteriole

Ans. 4

165. Which one of the following is an appropriate example of 'sexual deceit'?

- 1) Female wasp and fig
- 2) *Ophrys* and bumblebee
- 3) Sea anemone and clown fish
- 4) Cuckoo and crow

Ans. 2

166. Choose the correct statements regarding frog's anatomy:

- A. Hepatic portal system is the special venous connection between liver and intestine.
- B. There are twelve pairs of cranial nerves arising from the brain.
- C. The ureters and oviducts open separately into the cloaca in female frogs.
- D. Hind-brain consists of cerebellum, medulla oblongata and optic lobes.
- E. Sinus venosus joins the right atrium of heart.

Choose the **correct** answer from the options given below:

- 1) A, B and C only
- 2) B and D only
- 3) B and C only
- 4) A, C and E only

Ans. 4

167. Match List I with List II related to embryonic development at various months of pregnancy:

List-I		List-II	
A)	The foetus movement starts and hair appears on the head	I)	24 weeks of pregnancy
B)	The foetus develops limbs and digits	II)	20 weeks of pregnancy
C)	The foetus develops external genital organs	III)	8 weeks of pregnancy
D)	The foetus body is covered with fine hair; eyelids separate and eyelashes are formed	IV)	12 weeks of pregnancy

Choose the **correct** answer from the options given below:

- 1) A-IV, B-II, C-III, D-I
- 2) A-II, B-III, C-IV, D-I
- 3) A-III, B-II, C-IV, D-I
- 4) A-II, B-IV, C-III, D-I

Ans. 2

168. In a population of a grasshopper species, the chromosome number of some members is 23 and some other members possess 24 chromosomes. The 23 and 24 chromosome-bearing members in this species are ____

- 1) females and males, respectively
- 2) all males
- 3) males and females, respectively
- 4) all females

Ans. 3

169. In which animal do haploid cells divide mitotically to produce gametes?

- 1) Male honeybees
- 2) Male earthworms
- 3) Male frogs
- 4) Male grasshoppers

Ans. 1

170. Arrange the following cell layers/structures around the female gamete, from outer to inner side:

- A. Zona pellucida
- B. Perivitelline space
- C. Corona radiata
- D. Plasma membrane of ovum

Choose the **correct** answer from the options given below:

- 1) D, B, A, C
- 2) C, A, D, B
- 3) C, A, B, D
- 4) A, C, B, D

Ans. 3

171. What is the reason behind production of large holes in 'Swiss Cheese'?
- 1) The production of large amount of CO_2 by *Propionibacterium sharmanii*
 - 2) The production of large amount of CO_2 by *Clostridium butylicum*
 - 3) The production of large amount of CO_2 and H_2 by lactic acid bacteria called *Lactobacillus*
 - 4) The production of large amount of CO_2 and H_2 by *Trichoderma polysporum*

Ans. 1

172. The toxin proteins isolated from *Bacillus thuringiensis*, coded by which of the following genes would control cotton bollworms and corn borer, respectively
- 1) cryIAc and cryIAb
 - 2) cryIAc and cryIIAb
 - 3) cryIIAb and cryIAc
 - 4) cryIAc and cryIIIAb

Ans. 1

173. Ecological pyramids represent the relationship between the organisms at different trophic levels and they are generally inverted for:
- 1) Pyramid of number in grassland
 - 2) Pyramid of energy in pond ecosystem
 - 3) Pyramid of biomass in grassland
 - 4) Pyramid of biomass in sea

Ans. 4

174. Choose the **correct** statement regarding GIFT to overcome infertility.
- 1) Ova collected from a female donor are transferred into the uterus of an infertile female.
 - 2) Early embryos with up to 8 blastomeres are transferred to the uterus of an infertile female.
 - 3) Early embryos with up to 8 blastomeres are transferred into the fallopian tube of an infertile female.
 - 4) It is the transfer of an ovum collected from a donor into the fallopian tube of another female who cannot produce ovum but can provide suitable environment for fertilization and development.

Ans. 4

175. Choose the correct statements regarding cell organelles and their inclusions.
- A. The endomembrane system includes Golgi complex, endoplasmic reticulum and mitochondria.
- B. Rough endoplasmic reticulum bears ribosomes on its surface.

- C. Both mitochondria and plastids have circular DNA.
- D. A network of microtubules, microfilaments and intermediate filaments present in the cytoplasm is called cytoskeleton.
- E. Mitochondrion is a single membrane-bound structure.

Choose the **correct** answer from the options given below:

- 1) A and B only
- 2) A, B and C only
- 3) C, D and E only
- 4) B, C and D only

Ans. 4

176. Select the correct statements regarding cell membrane in eukaryotic cell.
- A. Membrane of human RBCs has approximately 52% protein.
- B. Major phospholipids are arranged in a bilayer.
- C. Extensions of the plasma membrane into the cell form mesosomes.
- D. Tails towards the inner part of lipids are hydrophobic and thus protected from aqueous medium.
- E. Glycocalyx is present on the outer surface of the plasma membrane.

Choose the **correct** answer from the options given below:

- 1) C, D and E only
- 2) B, C and E only
- 3) A, B and D only
- 4) A, C and E only

Ans. 3

177. Match List I with List II related to muscular/skeletal system:

List-I		List-II	
A)	Tetany	I)	Inflammation of joints
B)	Arthritis	II)	Autoimmune disorder affecting neuromuscular junction
C)	Myasthenia gravis	III)	Wild contraction in muscle due to low Ca^{++} in body fluid
D)	Muscular dystrophy	IV)	Progressive degeneration of skeletal muscle

Choose the **correct** answer from the options given below:

- 1) A-III, B-I, C-II, D-IV
- 2) A-I, B-II, C-III, D-IV
- 3) A-IV, B-III, C-II, D-I
- 4) A-III, B-II, C-I, D-IV

Ans. 1

178. Evolution of human appears parallel to the progressive development of brain and language skills. As such, the evolution of individual species in the sequence of their appearance is:

- 1) Ramapithecus → Homo habilis → Homo erectus → Neanderthal → Homo sapiens
- 2) Homo sapiens → Ramapithecus → Homo habilis → Neanderthal → Homo erectus
- 3) Homo habilis → Homo erectus → Ramapithecus → Neanderthal → Homo sapiens
- 4) Neanderthal → Ramapithecus → Homo habilis → Homo erectus → Homo sapiens

Ans. 1

179. The flightless bird with forelimbs modified as paddle-like structures suited for swimming is known as:

- 1) *Struthio* 2) *Neophron*
- 3) *Aptenodytes* 4) *Psittacula*

Ans. 3

180. Choose the correct statements regarding population interactions between two species.

- A. In both parasitism and commensalism, only one species benefits and the other species is harmed.
- B. Both species benefit in mutualism.
- C. Both species benefit in commensalism.
- D. In parasitism, only one species benefits and the other species is harmed.
- E. In amensalism, one species is harmed and the other is unaffected.

Choose the **correct** answer from the options given below:

- 1) B and E only 2) A and B only
- 3) B, D and E only 4) A and D only

Ans. 3

DR ACADEMY IS THE PERFECT DESTINATION FOR MEDICAL ASPIRANTS

THE JOURNEY...
NEET MEDICAL
SELECTIONS

123
2018

210
2019

182
2020

279
2021

445
2022

452
2023

569
2024

524
2025

DURING OUR EIGHT-YEARS JOURNEY, WE HAVE GENERATED
2784 MEDICAL AND **2900+** ENGINEERING SELECTIONS.

NEET-2022 | BMC, BANGALORE

650
MARKS

SANKALP

NEET-2022 | KIMS, HUBLI

650
MARKS

ABHIJIT RAMESH MIRJI

NEET - 2024 | VIMS - BELLARY

649
MARKS

KEERTI VEERANNA KORI

NEET - 2024 | VIMS - BELLARY

648
MARKS

SONIYA S

NEET - 2024 | BMC - BANGALORE

647
MARKS

NAVYA

NEET - 2024 | BIMC - BELAGAVI

647
MARKS

SIDDANAGUDA PATIL

NEET - 2024 | BIMC - BELAGAVI

647
MARKS

OMKAR N MUDENUR

NEET-2024 | MIMS - MANDYA

647
MARKS

VIJAY KUMAR B DEYANNAVAR

NEET-2022 | BMC, BANGALORE

647
MARKS

SUPRIT SAMJAY K

NEET-2021 | BMC, BANGALORE

647
MARKS

PRAMOD I HONAGUOD

NEET-2020 | BMC, BANGALORE

647
MARKS

CHANDAN S

NEET-2024 | CIMS - CHAMARAJANAGAR

646
MARKS

BUTHESH G

NEET-2024 | GIMS - GADAG

646
MARKS

BASAVAKIRAN DHAREPPANAVAR

NEET-2024 | VIMS - BELLARY

646
MARKS

VENKATESH REDDY

NEET-2022 | BMC, BANGALORE

646
MARKS

SHIVAANI S GOUNDER

NEET-2022 | KIMS, HUBLI

646
MARKS

ROHAN R KONGI

NEET-2024 | BIMC - BELAGAVI

645
MARKS

CHANDANA B

NEET-2024 | GIMS - GADAG

645
MARKS

SHASHANK CHANDRA SHEKHAR KANDAGAL

NEET-2024 | MIMS - MANDYA

645
MARKS

PRASHANTGOUDA MENASAGI

NEET-2024 | PSGIMS - COIMBATORE

645
MARKS

GOURAV S

NEET-2024 | VIMS - BELLARY

645
MARKS

MEHANTH SAI REDDY G R

NEET-2023 | BMC, BANGALORE

645
MARKS

NABIYA MUSHTAQ AHMED M

NEET-2023 | GMC, SECUNDERABAD

645
MARKS

VJESH KANNA K

NEET-2022 | BMC, BANGALORE

645
MARKS

SAATHVIK S G

NEET-2021 | MMCRI, MYSORE

645
MARKS

AJEETH MALLAPPA T

NEET-2024 | HIMS - HASSAN

644
MARKS

DEEPTHI S M

NEET-2024 | MIMS - MANDYA

644
MARKS

SANJANA R

NEET-2023 | MMCRI, MYSORE

643
MARKS

VISHAL S PATIL

NEET-2022 | BMC, BANGALORE

643
MARKS

VAISHNAVI REDDY

NEET-2022 | SMC, CHENNAI

643
MARKS

S NAYANA

NEET-2021 | MMCRI, MYSORE

643
MARKS

CHANDANA N

NEET-2024 | RIMS - RAICHUR

642
MARKS

MOHD AFFAN HUSSAIN

NEET-2024 | SABVIMS - BENGALURU

642
MARKS

K RAKESH REDDY

NEET-2021 | SMC, CHENNAI

642
MARKS

NARENDRA BABU T V

NEET-2024 | CIMS - CHIKKABALLAPURA

641
MARKS

SIDDESH C S

NEET-2024 | GIMS - GADAG

641
MARKS

SUDEEP TANKASALI

NEET-2022 | BMC, BANGALORE

641
MARKS

PRAJWAL PATIL B R

NEET-2022 | BMC, BANGALORE

641
MARKS

FIZA ANJUM I T

NEET-2024 | BMC - BANGALORE

640
MARKS

SACHIN R BHAIJANTRI

NEET-2024 | BGS - BANGALORE

640
MARKS

MOKSHITH N G

NEET-2024 | CIMS - CHIKKABALLAPURA

640
MARKS

ARYA PRASAD

NEET-2024 | GIMS - GADAG

640
MARKS

MOHAMMED SOHEB DOTEGAR

NEET-2024 | VIMS - BELLARY

640
MARKS

VINOD B

NEET-2023 | MMCRI, MYSORE

640
MARKS

SRUJAN S PATIL

NEET-2022 | BMC, BANGALORE

640
MARKS

CHINMAY SWAMY A M

NEET-2022 | MMCRI, MYSORE

640
MARKS

YASHAS T S

NEET-2024 | SIMS - SHIMOGA

639
MARKS

KOMAL GURAV

NEET-2022 | KIMS, HUBLI

639
MARKS

SOUMYA R BADA

NEET-2024 | CIMS - CHAMARAJANAGAR

638
MARKS

LEKHASHREE N S

NEET-2024 | GIMS - GADAG

638
MARKS

SANGAMESH APPANNA MAGADUM

NEET-2022 | MMCRI, MYSORE

638
MARKS

NATARAJ K V

NEET-2024 | RIMS - RAICHUR

637
MARKS

BUSHRA Z K

NEET-2022 | BMC, BANGALORE

637
MARKS

TEJA A

NEET-2022 | BMC, BANGALORE

637
MARKS

AKASH S PATHRI

SUCCESS IS OUR CONSISTENT MANTRA, NO MATTER THE EXAM.

AND MANY MORE...



DR PU COLLEGE

Approved by Board of Pre-University Education Karnataka (AN-1037)



K.B.C. Trust ®

ASHOK PU COLLEGE

Approved by Board of Pre-University Education, Karnataka



INDO SUNRISE PU COLLEGE

Approved by Board of Pre-University Education, Karnataka - BB 0212

II PU SCIENCE ANNUAL EXAM - 2026 TOPPERS



593
MARKS

DEEPTHI T M

Reg No. 20269156020



591
MARKS

PUNARAV

Reg No. 20269154533



591
MARKS

SINCHANA R

Reg No. 20269156317



591
MARKS

DIVYASHREE A

Reg No. 20269235504



590
MARKS

TARUN A M

Reg No. 20269154703



590
MARKS

SAMRUDDI SADALAPUR

Reg No. 20269156279



590
MARKS

T L SHILPA

Reg No. 20269235908



589
MARKS

NANDINI

Reg No. 20269156179



589
MARKS

HARSHITH P

Reg No. 20269235547



588
MARKS

KRISHNA PRASAD D M

Reg No. 20269154352



587
MARKS

SOUMYAMANI P L

Reg No. 20269156330



586
MARKS

GANGOTRI RAMAPPA B

Reg No. 20269235524



586
MARKS

VARSHA CHANNABASU M

Reg No. 20269235936



586
MARKS

KUNDAN KRISHNA

Reg No. 20269154353



585
MARKS

SHREYA PATIL

Reg No. 20269156313



585
MARKS

MALLIKARJUNA PATIL

Reg No. 20269154386



585
MARKS

SHARAN KUMAR M S

Reg No. 20269154623



585
MARKS

PRAJWAL V HIREMATH

Reg No. 20269154513



585
MARKS

SIRI PARTHIPALLI GOPAL

Reg No. 20269156322



585
MARKS

SREEDHAR NANDHAN REDDY M

Reg No. 20269235872



585
MARKS

GADHADHAR P

Reg No. 20269154256



585
MARKS

NEHA P

Reg No. 20269156192



584
MARKS

BHUVI ASHOK AJARADDI

Reg No. 20269155988



584
MARKS

CHANDANA M

Reg No. 20269155997



584
MARKS

NEHA N

Reg No. 20269156191



584
MARKS

DEEPTHI J

Reg No. 20269156019



584
MARKS

SHASHANK A Y

Reg No. 20269154629



584
MARKS

SPOORTHI B R

Reg No. 20269156334



584
MARKS

G HEMA CHANDANA

Reg No. 20269156041



583
MARKS

SADIYA ISHRATH

Reg No. 20269156266



583
MARKS

VAISHNAVI M

Reg No. 20269156370



583
MARKS

ROHITHA T V

Reg No. 20269156259



583
MARKS

ADARSH M S

Reg No. 20269154097



583
MARKS

MOHAN G V

Reg No. 20269235691

NELMANGALA

LTM BOYS CAMPUS
DASANPURA

#2/5, Narayanappa Palya,
Dasanpura, Tumkur Road,
Bangalore - 560 062.

+91 95133 30438
+91 81399 66644
+91 99805 33120

JALAHALLI

#42, 100FT ROAD,
KAMMAGONDANAHALLI,
JALAHALLI WEST, BENGALURU - 560 015

+91 90080 30463
+91 90080 30896
+91 95133 30437

HOSAKOTE

LTM BOYS CAMPUS :- Defence Colony, Virognagar,
Cheemasandra, Avalahalli South, Hoskote - 560049
LTM GIRLS CAMPUS :- Ist Main Road,
Beside Adithya PU College,
4th Cross, TG Extension, Hoskote.

+91 97413 32998
+91 81473 97999
+91 95355 27713