

```
[ec2-user@ip-172-31-17-139 ~]$ cat /etc/passwd
Q18
[ec2-user@ip-172-31-17-139 ~]$ awk -F: '/nologin/ {print $1}' /etc/passwd
bin
daemon
adm
lp
mail
operator
games
ftp
nobody
dbus
systemd-network
systemd-oom
systemd-resolve
rpc
libstoragemgmt
systemd-coredump
systemd-timesync
sshd
chrony
ec2-instance-connect
stapunpriv
rpcuser
tcpdump
[ec2-user@ip-172-31-17-139 ~]$ sudo sh -c "awk -F: '/nologin/ {print \$1}' /etc/passwd > /awkfile3.txt"
[ec2-user@ip-172-31-17-139 ~]$ sudo cat /awkfile3.txt
bin
daemon
adm
lp
mail
operator
games
ftp
nobody
dbus
systemd-network
systemd-oom
systemd-resolve
rpc
libstoragemgmt
systemd-coredump
```

```
Q17
[ec2-user@ip-172-31-17-139 ~]$ awk -F: 'BEGIN {OFS="-"} {print $1, $2, $3}' /etc/passwd
root-x-0
bin-x-1
daemon-x-2
adm-x-3
lp-x-4
sync-x-5
shutdown-x-6
halt-x-7
mail-x-8
operator-x-11
games-x-12
ftp-x-14
nobody-x-65534
dbus-x-81
systemd-network-x-192
systemd-oom-x-999
systemd-resolve-x-193
rpc-x-32
libstoragemgmt-x-998
systemd-coredump-x-997
systemd-timesync-x-996
sshd-x-74
chrony-x-995
ec2-instance-connect-x-994
staprunpriv-x-159
rpcuser-x-29
tcpdump-x-72
ec2-user-x-1000
[ec2-user@ip-172-31-17-139 ~]$ sudo sh -c "awk -F: 'BEGIN {OFS=\"-\\\"}\" {print \\$1, \\$2, \\$3}' /etc/passwd > /awkfile2.txt"
[ec2-user@ip-172-31-17-139 ~]$ sudo cat /awkfile2.txt
root-x-0
bin-x-1
daemon-x-2
adm-x-3
lp-x-4
sync-x-5
shutdown-x-6
halt-x-7
mail-x-8
operator-x-11
games-x-12
ftp-x-14
```

```
[ec2-user@ip-172-31-17-139 ~]$ echo "Q16"
Q16
[ec2-user@ip-172-31-17-139 ~]$ awk -F: '{print $1, $NF}' /etc/passwd
root /bin/bash
bin /sbin/nologin
daemon /sbin/nologin
adm /sbin/nologin
lp /sbin/nologin
sync /bin/sync
shutdown /sbin/shutdown
halt /sbin/halt
mail /sbin/nologin
operator /sbin/nologin
games /sbin/nologin
ftp /sbin/nologin
nobody /sbin/nologin
dbus /sbin/nologin
systemd-network /usr/sbin/nologin
systemd-oom /usr/sbin/nologin
systemd-resolve /usr/sbin/nologin
rpc /sbin/nologin
libstoragemgmt /usr/sbin/nologin
systemd-coredump /usr/sbin/nologin
systemd-timesync /usr/sbin/nologin
sshd /usr/sbin/nologin
chrony /sbin/nologin
ec2-instance-connect /sbin/nologin
staprunpriv /sbin/nologin
rpcuser /sbin/nologin
tcpdump /sbin/nologin
ec2-user /bin/bash
[ec2-user@ip-172-31-17-139 ~]$ sudo sh -c "awk -F: '{print \$1, \$NF}' /etc/passwd > /awkfile.txt"
[ec2-user@ip-172-31-17-139 ~]$ sudo cat /awkfile.txt
root /bin/bash
bin /sbin/nologin
daemon /sbin/nologin
adm /sbin/nologin
lp /sbin/nologin
sync /bin/sync
shutdown /sbin/shutdown
halt /sbin/halt
mail /sbin/nologin
operator /sbin/nologin
```

```
Q15
[ec2-user@ip-172-31-17-139 ~]$ cut -d: -f3 /etc/passwd
0
1
2
3
4
5
6
7
8
11
12
14
65534
81
192
999
193
32
998
997
996
74
995
994
159
29
72
1000
[ec2-user@ip-172-31-17-139 ~]$ sudo sh -c "cut -d: -f3 /etc/passwd > /userid.txt"
[ec2-user@ip-172-31-17-139 ~]$ sudo cat /userid.txt
0
1
2
3
4
5
6
7
8
11
12
14
```

```
Q14
[ec2-user@ip-172-31-17-139 ~]$ cut -d: -f1 /etc/passwd | sort
adm
bin
chrony
daemon
dbus
ec2-instance-connect
ec2-user
ftp
games
halt
libstoragemgmt
lp
mail
nobody
operator
root
rpc
rpcuser
shutdown
sshd
staprunpriv
sync
systemd-coredump
systemd-network
systemd-oom
systemd-resolve
systemd-timesync
tcpdump
[ec2-user@ip-172-31-17-139 ~]$ sudo sh -c "cut -d: -f1 /etc/passwd | sort > /file4.txt"
[ec2-user@ip-172-31-17-139 ~]$ sudo cat /file4.txt
adm
bin
chrony
daemon
dbus
ec2-instance-connect
ec2-user
ftp
games
halt
libstoragemgmt
lp
```

```
[ec2-user@ip-172-31-17-139 ~]$ echo "Q13"
Q13
[ec2-user@ip-172-31-17-139 ~]$ cut -d: -f1,7 /etc/passwd
root:/bin/bash
bin:/sbin/nologin
daemon:/sbin/nologin
adm:/sbin/nologin
lp:/sbin/nologin
sync:/bin/sync
shutdown:/sbin/shutdown
halt:/sbin/halt
mail:/sbin/nologin
operator:/sbin/nologin
games:/sbin/nologin
ftp:/sbin/nologin
nobody:/sbin/nologin
dbus:/sbin/nologin
systemd-network:/usr/sbin/nologin
systemd-oom:/usr/sbin/nologin
systemd-resolve:/usr/sbin/nologin
rpc:/sbin/nologin
libstoragemgmt:/usr/sbin/nologin
systemd-coredump:/usr/sbin/nologin
systemd-timesync:/usr/sbin/nologin
sshd:/usr/sbin/nologin
chrony:/sbin/nologin
ec2-instance-connect:/sbin/nologin
staprunpriv:/sbin/nologin
rpcuser:/sbin/nologin
tcpdump:/sbin/nologin
ec2-user:/bin/bash
[ec2-user@ip-172-31-17-139 ~]$ sudo sh -c "cut -d: -f1,7 /etc/passwd > /file3.txt"
[ec2-user@ip-172-31-17-139 ~]$ sudo cat /file3.txt
root:/bin/bash
bin:/sbin/nologin
daemon:/sbin/nologin
adm:/sbin/nologin
lp:/sbin/nologin
sync:/bin/sync
shutdown:/sbin/shutdown
halt:/sbin/halt
mail:/sbin/nologin
operator:/sbin/nologin
```

```
[ec2-user@ip-172-31-17-139 ~]$ echo "12"
12
[ec2-user@ip-172-31-17-139 ~]$ cut -d : -f1-4 /etc/passwd
root:x:0:0
bin:x:1:1
daemon:x:2:2
adm:x:3:4
lp:x:4:7
sync:x:5:0
shutdown:x:6:0
halt:x:7:0
mail:x:8:12
operator:x:11:0
games:x:12:100
ftp:x:14:50
nobody:x:65534:65534
dbus:x:81:81
systemd-network:x:192:192
systemd-oom:x:999:999
systemd-resolve:x:193:193
rpc:x:32:32
libstoragemgmt:x:998:998
systemd-coredump:x:997:997
systemd-timesync:x:996:996
sshd:x:74:74
chrony:x:995:995
ec2-instance-connect:x:994:994
staprunpriv:x:159:159
rpcuser:x:29:29
tcpdump:x:72:72
ec2-user:x:1000:1000
[ec2-user@ip-172-31-17-139 ~]$ sudo sh -c "cut -d : -f1-4 /etc/passwd >/file2.txt"
[ec2-user@ip-172-31-17-139 ~]$ sudo cat /file2.txt
root:x:0:0
bin:x:1:1
daemon:x:2:2
adm:x:3:4
lp:x:4:7
sync:x:5:0
shutdown:x:6:0
halt:x:7:0
mail:x:8:12
operator:x:11:0
games:x:12:100
```

```
Q11
[ec2-user@ip-172-31-17-139 ~]$ cut -d: -f5 /etc/passwd
root
bin
daemon
adm
lp
sync
shutdown
halt
mail
operator
games
FTP User
Kernel Overflow User
System message bus
systemd Network Management
systemd Userspace OOM Killer
systemd Resolver
Rpcbind Daemon
daemon account for libstoragemgmt
systemd Core Dumper
systemd Time Synchronization
Privilege-separated SSH
chrony system user

systemtap unprivileged user
RPC Service User

EC2 Default User
[ec2-user@ip-172-31-17-139 ~]$ sudo sh -c "cut -d: -f5 /etc/passwd > /file1.txt"
[ec2-user@ip-172-31-17-139 ~]$ sudo cat /file1.txt
root
bin
daemon
adm
lp
sync
shutdown
halt
mail
operator
games
FTP User
```

```
[lec2-user@ip-172-31-17-139 ~]$ echo Q10
Q10
[lec2-user@ip-172-31-17-139 ~]$ grep -E "root|rhel|systemd" /etc/passwd
root:x:0:0:root:/root:/bin/bash
operator:x:11:0:operator:/root:/sbin/nologin
systemd-network:x:192:192:systemd Network Management:/usr/sbin/nologin
systemd-oom:x:999:999:systemd Userspace OOM Killer:/usr/sbin/nologin
systemd-resolve:x:193:193:systemd Resolver:/usr/sbin/nologin
systemd-coredump:x:997:997:systemd Core Dumper:/usr/sbin/nologin
systemd-timesync:x:996:996:systemd Time Synchronization:/usr/sbin/nologin
[lec2-user@ip-172-31-17-139 ~]$ sudo sh -c "grep -E 'root|rhel|systemd' /etc/passwd > /search.txt"
[lec2-user@ip-172-31-17-139 ~]$ sudo cat /search.txt
root:x:0:0:root:/root:/bin/bash
operator:x:11:0:operator:/root:/sbin/nologin
systemd-network:x:192:192:systemd Network Management:/usr/sbin/nologin
systemd-oom:x:999:999:systemd Userspace OOM Killer:/usr/sbin/nologin
systemd-resolve:x:193:193:systemd Resolver:/usr/sbin/nologin
systemd-coredump:x:997:997:systemd Core Dumper:/usr/sbin/nologin
systemd-timesync:x:996:996:systemd Time Synchronization:/usr/sbin/nologin
[lec2-user@ip-172-31-17-139 ~]$ |
```

```
Q9
[ec2-user@ip-172-31-17-139 ~]$ grep "systemd" /etc/passwd /etc/group
/etc/passwd:systemd-network:x:192:192:systemd Network Management:/:usr/sbin/nologin
/etc/passwd:systemd-oom:x:999:999:systemd Userspace OOM Killer:/:usr/sbin/nologin
/etc/passwd:systemd-resolve:x:193:193:systemd Resolver:/:usr/sbin/nologin
/etc/passwd:systemd-coredump:x:997:997:systemd Core Dumper:/:usr/sbin/nologin
/etc/passwd:systemd-timesync:x:996:996:systemd Time Synchronization:/:usr/sbin/nologin
/etc/group:systemd-journal:x:190:ec2-user
/etc/group:systemd-network:x:192:
/etc/group:systemd-oom:x:999:
/etc/group:systemd-resolve:x:193:
/etc/group:systemd-coredump:x:997:
/etc/group:systemd-timesync:x:996:
[ec2-user@ip-172-31-17-139 ~]$ sudo sh -c "grep 'systemd' /etc/passwd /etc/group > /passgroup.txt"
[ec2-user@ip-172-31-17-139 ~]$ sudo cat /passgroup.txt
/etc/passwd:systemd-network:x:192:192:systemd Network Management:/:usr/sbin/nologin
/etc/passwd:systemd-oom:x:999:999:systemd Userspace OOM Killer:/:usr/sbin/nologin
/etc/passwd:systemd-resolve:x:193:193:systemd Resolver:/:usr/sbin/nologin
/etc/passwd:systemd-coredump:x:997:997:systemd Core Dumper:/:usr/sbin/nologin
/etc/passwd:systemd-timesync:x:996:996:systemd Time Synchronization:/:usr/sbin/nologin
/etc/group:systemd-journal:x:190:ec2-user
/etc/group:systemd-network:x:192:
/etc/group:systemd-oom:x:999:
/etc/group:systemd-resolve:x:193:
/etc/group:systemd-coredump:x:997:
/etc/group:systemd-timesync:x:996:
[ec2-user@ip-172-31-17-139 ~]$ |
```

```
[ec2-user@ip-172-31-17-139 ~]$ echo "Q8"
Q8
[ec2-user@ip-172-31-17-139 ~]$ grep "nologin" /etc/passwd
bin:x:1:1:bin:/bin:/sbin/nologin
daemon:x:2:2:daemon:/sbin:/sbin/nologin
adm:x:3:4:adm:/var/adm:/sbin/nologin
lp:x:4:7:lp:/var/spool/lpd:/sbin/nologin
mail:x:8:12:mail:/var/spool/mail:/sbin/nologin
operator:x:11:0:operator:/root:/sbin/nologin
games:x:12:100:games:/usr/games:/sbin/nologin
ftp:x:14:50:FTP User:/var/ftp:/sbin/nologin
nobody:x:65534:65534:Kernel Overflow User:/sbin/nologin
dbus:x:81:81:System message bus:/sbin/nologin
systemd-network:x:192:192:systemd Network Management:/usr/sbin/nologin
systemd-oom:x:999:999:systemd Userspace OOM Killer:/usr/sbin/nologin
systemd-resolve:x:193:193:systemd Resolver:/usr/sbin/nologin
rpc:x:32:32:Rpcbind Daemon:/var/lib/rpcbind:/sbin/nologin
libstoragemgmt:x:998:998:daemon account for libstoragemgmt:/usr/sbin/nologin
systemd-coredump:x:997:997:systemd Core Dumper:/usr/sbin/nologin
systemd-timesync:x:996:996:systemd Time Synchronization:/usr/sbin/nologin
sshd:x:74:74:Privilege-separated SSH:/usr/share/empty.sshd:/usr/sbin/nologin
chrony:x:995:995:chrony system user:/var/lib/chrony:/sbin/nologin
ec2-instance-connect:x:994:994:./home/ec2-instance-connect:/sbin/nologin
stapunpriv:x:159:159:systemtap unprivileged user:/var/lib/stapunpriv:/sbin/nologin
rpcuser:x:29:29:RPC Service User:/var/lib/nfs:/sbin/nologin
tcpdump:x:72:72:./sbin/nologin
[ec2-user@ip-172-31-17-139 ~]$ grep -c "nologin" /etc/passwd
23
[ec2-user@ip-172-31-17-139 ~]$ sudo sh -c "grep -c "nologin" /etc/passwd > /word.txt"
[ec2-user@ip-172-31-17-139 ~]$ sudo cat /word.txt
23
[ec2-user@ip-172-31-17-139 ~]$ |
```

```
[ec2-user@ip-172-31-17-139 ~]$ echo "Q7"
Q7
[ec2-user@ip-172-31-17-139 ~]$ grep "bash$" /etc/passwd
root:x:0:0:root:/root:/bin/bash
ec2-user:x:1000:1000:EC2 Default User:/home/ec2-user:/bin/bash
[ec2-user@ip-172-31-17-139 ~]$ grep -c 'bash$' /etc/passwd
2
[ec2-user@ip-172-31-17-139 ~]$ sudo sh -c "grep -c 'bash$' /etc/passwd > /bash.txt"
[ec2-user@ip-172-31-17-139 ~]$ sudo cat /bash.txt
2
[ec2-user@ip-172-31-17-139 ~]$ |
```

```
Q6
[ec2-user@ip-172-31-17-139 ~]$ sudo head -c 100 /root/anaconda-ks.cfg
This is a practice anaconda file for Linux learning. We are learning commands step by step on EC2. L[ec2-user@ip-172-31-17-139 ~]$ sudo head -c 100 /root/an
aconda-ks.cfg
[ec2-user@ip-172-31-17-139 ~]$ echo "Q6"
Q6
[ec2-user@ip-172-31-17-139 ~]$ sudo head -c 100 /root/anaconda-ks.cfg
This is a practice anaconda file for Linux learning. We are learning commands step by step on EC2. L[ec2-user@ip-172-31-17-139 ~]$ sudo sh -c "head -c 100 /
root/anaconda-ks.cfg > /file6.txt"
[ec2-user@ip-172-31-17-139 ~]$ sudo cat /file6.txt
This is a practice anaconda file for Linux learning. We are learning commands step by step on EC2. L[ec2-user@ip-172-31-17-139 ~]$ sudo wc -c /file6.txt
100 /file6.txt
[ec2-user@ip-172-31-17-139 ~]$ |
```

```
[ec2-user@ip-172-31-17-139 ~]$ echo "Q5"
Q5
[ec2-user@ip-172-31-17-139 ~]$ head -n 15 /etc/passwd
root:x:0:0:root:/root:/bin/bash
bin:x:1:1:bin:/bin:/sbin/nologin
daemon:x:2:2:daemon:/sbin:/sbin/nologin
adm:x:3:4:adm:/var/adm:/sbin/nologin
lp:x:4:7:lp:/var/spool/lpd:/sbin/nologin
sync:x:5:0:sync:/sbin:/bin/sync
shutdown:x:6:0:shutdown:/sbin:/sbin/shutdown
halt:x:7:0:halt:/sbin:/sbin/halt
mail:x:8:12:mail:/var/spool/mail:/sbin/nologin
operator:x:11:0:operator:/root:/sbin/nologin
games:x:12:100:games:/usr/games:/sbin/nologin
ftp:x:14:50:FTP User:/var/ftp:/sbin/nologin
nobody:x:65534:65534:Kernel Overflow User:/sbin/nologin
dbus:x:81:81:System message bus:/sbin/nologin
systemd-network:x:192:192:systemd Network Management:/usr/sbin/nologin
[ec2-user@ip-172-31-17-139 ~]$ sudo sh -c "head -n 15 /etc/passwd > /file5.txt"
[ec2-user@ip-172-31-17-139 ~]$ sudo cat /file5.txt
root:x:0:0:root:/root:/bin/bash
bin:x:1:1:bin:/bin:/sbin/nologin
daemon:x:2:2:daemon:/sbin:/sbin/nologin
adm:x:3:4:adm:/var/adm:/sbin/nologin
lp:x:4:7:lp:/var/spool/lpd:/sbin/nologin
sync:x:5:0:sync:/sbin:/bin/sync
shutdown:x:6:0:shutdown:/sbin:/sbin/shutdown
halt:x:7:0:halt:/sbin:/sbin/halt
mail:x:8:12:mail:/var/spool/mail:/sbin/nologin
operator:x:11:0:operator:/root:/sbin/nologin
games:x:12:100:games:/usr/games:/sbin/nologin
ftp:x:14:50:FTP User:/var/ftp:/sbin/nologin
nobody:x:65534:65534:Kernel Overflow User:/sbin/nologin
dbus:x:81:81:System message bus:/sbin/nologin
systemd-network:x:192:192:systemd Network Management:/usr/sbin/nologin
[ec2-user@ip-172-31-17-139 ~]$ sudo wc -l /file5.txt
15 /file5.txt
[ec2-user@ip-172-31-17-139 ~]$ |
```

```
04
[ec2-user@ip-172-31-17-139 ~]$ sudo tail -n 10 /etc/shadow
libstoragemgmt:!:20713::::::
systemd-coredump:!:20713::::::
systemd-timesync:!:20713::::::
sshd:!:20713::::::
chrony:!:20713::::::
ec2-instance-connect:!:20713::::::
stapunpriv:!:20713::::::
rpcuser:!:20713::::::
cpdump:!:20713::::::
ec2-user:!:20715:0:99999:7:::
[ec2-user@ip-172-31-17-139 ~]$ sudo sh -c "tail -n 10 /etc/shadow" > /file4.txt
-bash: /file4.txt: Permission denied
[ec2-user@ip-172-31-17-139 ~]$ sudo sh -c "tail -n 10 /etc/shadow > /file4.txt"
[ec2-user@ip-172-31-17-139 ~]$ sudo cat /file4.txt
libstoragemgmt:!:20713::::::
systemd-coredump:!:20713::::::
systemd-timesync:!:20713::::::
sshd:!:20713::::::
chrony:!:20713::::::
ec2-instance-connect:!:20713::::::
stapunpriv:!:20713::::::
rpcuser:!:20713::::::
cpdump:!:20713::::::
ec2-user:!:20715:0:99999:7:::
[ec2-user@ip-172-31-17-139 ~]$ |
```

```
[ec2-user@ip-172-31-17-139 ~]$ echo "Q3"
Q3
[ec2-user@ip-172-31-17-139 ~]$ head -n 32 /etc/passwd
root:x:0:0:root:/root:/bin/bash
bin:x:1:1:bin:/bin:/sbin/nologin
daemon:x:2:2:daemon:/sbin:/sbin/nologin
adm:x:3:4:adm:/var/adm:/sbin/nologin
lp:x:4:7:lp:/var/spool/lpd:/sbin/nologin
sync:x:5:0:sync:/sbin:/bin/sync
shutdown:x:6:0:shutdown:/sbin:/sbin/shutdown
halt:x:7:0:halt:/sbin:/sbin/halt
mail:x:8:12:mail:/var/spool/mail:/sbin/nologin
operator:x:11:0:operator:/root:/sbin/nologin
games:x:12:100:games:/usr/games:/sbin/nologin
ftp:x:14:50:FTP User:/var/ftp:/sbin/nologin
nobody:x:65534:65534:Kernel Overflow User:/:/sbin/nologin
dbus:x:81:81:System message bus:/:/sbin/nologin
systemd-network:x:192:192:systemd Network Management:/:usr/sbin/nologin
systemd-oom:x:999:999:systemd Userspace OOM Killer:/:usr/sbin/nologin
systemd-resolve:x:193:193:systemd Resolver:/:usr/sbin/nologin
rpc:x:32:32:Rpcbind Daemon:/var/lib/rpcbind:/sbin/nologin
libstoragemgmt:x:998:998:daemon account for libstoragemgmt:/:usr/sbin/nologin
systemd-coredump:x:997:997:systemd Core Dumper:/:usr/sbin/nologin
systemd-timesync:x:996:996:systemd Time Synchronization:/:usr/sbin/nologin
sshd:x:74:74:Privilege-separated SSH:/usr/share/empty.sshd:/usr/sbin/nologin
chrony:x:995:995:chrony system user:/var/lib/chrony:/sbin/nologin
ec2-instance-connect:x:994:994:./home/ec2-instance-connect:/sbin/nologin
stapunpriv:x:159:159:systemtap unprivileged user:/var/lib/stapunpriv:/sbin/nologin
rpcuser:x:29:29:RPC Service User:/var/lib/nfs:/sbin/nologin
tcpdump:x:72:72:./sbin/nologin
ec2-user:x:1000:1000:EC2 Default User:/home/ec2-user:/bin/bash
[ec2-user@ip-172-31-17-139 ~]$ sudo sh -c "head -n 32 /etc/passwd > /file3.txt"
[ec2-user@ip-172-31-17-139 ~]$ sudo cat /file3.txt
root:x:0:0:root:/root:/bin/bash
bin:x:1:1:bin:/bin:/sbin/nologin
daemon:x:2:2:daemon:/sbin:/sbin/nologin
adm:x:3:4:adm:/var/adm:/sbin/nologin
lp:x:4:7:lp:/var/spool/lpd:/sbin/nologin
sync:x:5:0:sync:/sbin:/bin/sync
shutdown:x:6:0:shutdown:/sbin:/sbin/shutdown
halt:x:7:0:halt:/sbin:/sbin/halt
mail:x:8:12:mail:/var/spool/mail:/sbin/nologin
operator:x:11:0:operator:/root:/sbin/nologin
games:x:12:100:games:/usr/games:/sbin/nologin
```

```
Q2
[ec2-user@ip-172-31-17-139 ~]$ sudo head -n 10 /root/anaconda-ks.cfg
This is a practice anaconda file for Linux learning. We are learning commands step by step on EC2. Linux is a powerful operating system used in servers, cloud computing, DevOps, and software development. It provides many useful commands for managing files, users, permissions, processes, and networks.
[ec2-user@ip-172-31-17-139 ~]$ sudo sh -c "head -n 10 /root/anaconda-ks.cfg > /anaconda.txt"
[ec2-user@ip-172-31-17-139 ~]$ sudo cat /anaconda.txt
this is a practice anaconda file for Linux learning. We are learning commands step by step on EC2. Linux is a powerful operating system used in servers, cloud computing, DevOps, and software development. It provides many useful commands for managing files, users, permissions, processes, and networks.
[ec2-user@ip-172-31-17-139 ~]$
```

```
Q1
[ec2-user@ip-172-31-17-139 ~]$ head -n 5 /etc/group
root:x:0:
bin:x:1:
daemon:x:2:
sys:x:3:
adm:x:4:ec2-user
[ec2-user@ip-172-31-17-139 ~]$ sudo sh -c 'head -n 5 /etc/group > /file2.txt'
[ec2-user@ip-172-31-17-139 ~]$ cat /file2.txt
root:x:0:
bin:x:1:
daemon:x:2:
sys:x:3:
adm:x:4:ec2-user
[ec2-user@ip-172-31-17-139 ~]$ |
```