


All Three Assignments — Code + Outputs

Assignment 1 — Personal Portfolio Website

Expected browser output:



OUTPUT.txt

EXPECTED OUTPUT
Open index.html in a browser.
The page displays:
- Navigation bar
- About section
- Education section
- Projects section
- Contact section
- Responsive mobile layout

See OUTPUT.png for a visual preview.

README.txt

ASSIGNMENT 1 - PERSONAL PORTFOLIO WEBSITE
Technology: HTML and CSS

Run:
Open index.html in a browser, or use VS Code Live Server.

index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Vedika Antre | Portfolio</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
<header>
  <nav>
    <h2>Vedika Antre</h2>
    <ul>
      <li><a href="#about">About</a></li>
      <li><a href="#education">Education</a></li>
      <li><a href="#projects">Projects</a></li>
      <li><a href="#contact">Contact</a></li>
    </ul>
  </nav>

```

```

    </nav>
</header>

<section id="about" class="hero">
  <div>
    <h1>Hello, I'm <span>Vedika Antre</span></h1>
    <p>I am an Information Technology student interested in software development,
    web development and cybersecurity. I enjoy learning new technologies and
    building useful projects.</p>
    <a href="#contact" class="btn">Contact Me</a>
  </div>
</section>

<section id="education">
  <h2 class="section-title">Education</h2>
  <div class="card">
    <h3>B.E. Information Technology</h3>
    <p>Currently pursuing Bachelor of Engineering in Information Technology.</p>
    <p>University: Savitribai Phule Pune University</p>
  </div>
</section>

<section id="projects">
  <h2 class="section-title">Projects</h2>
  <div class="project-container">
    <div class="card">
      <h3>Online Flower Shopping Website</h3>
      <p>A responsive e-commerce website created using HTML, CSS and JavaScript.</p>
    </div>
    <div class="card">
      <h3>AI Resume & Interview Tool</h3>
      <p>A concept project designed to help users improve their resumes and interview preparation.</p>
    </div>
    <div class="card">
      <h3>Cybersecurity Log Detector</h3>
      <p>A Python-based project that detects suspicious patterns in security logs.</p>
    </div>
  </div>
</section>

<section id="contact">
  <h2 class="section-title">Contact</h2>
  <div class="contact-box">
    <p><strong>Email:</strong> antrevedika@gmail.com</p>
    <p><strong>LinkedIn:</strong> linkedin.com/in/vedika-antre-60236a373</p>
  </div>
</section>

<footer>
  <p>© 2026 Vedika Antre. All Rights Reserved.</p>
</footer>
</body>
</html>

```

style.css

```

* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
}

html { scroll-behavior: smooth; }

body {
  font-family: Arial, sans-serif;
  background: #f5f7fa;
  color: #222;
  line-height: 1.6;
}

header {
  background: #222;
  padding: 15px 8%;
  position: sticky;
  top: 0;
  z-index: 1000;
}

nav {
  display: flex;
  justify-content: space-between;
  align-items: center;
}

nav h2 { color: white; }

nav ul {
  list-style: none;
  display: flex;
  gap: 25px;
}

nav ul li a {
  color: white;
  text-decoration: none;
}

nav ul li a:hover { color: #00adb5; }

```

```

.hero {
  min-height: 90vh;
  display: flex;
  align-items: center;
  justify-content: center;
  text-align: center;
  padding: 40px 10%;
}

.hero h1 {
  font-size: 45px;
  margin-bottom: 20px;
}

.hero h1 span { color: #00adb5; }

.hero p {
  max-width: 700px;
  margin: auto;
  font-size: 18px;
}

.btn {
  display: inline-block;
  margin-top: 25px;
  padding: 12px 25px;
  background: #00adb5;
  color: white;
  text-decoration: none;
  border-radius: 5px;
}

section { padding: 70px 10%; }

.section-title {
  text-align: center;
  margin-bottom: 35px;
  font-size: 30px;
}

.card {
  background: white;
  padding: 25px;
  border-radius: 10px;
  box-shadow: 0 4px 15px rgba(0,0,0,0.1);
  margin: auto;
  max-width: 700px;
}

.project-container {
  display: grid;
  grid-template-columns: repeat(3, 1fr);
  gap: 25px;
}

.project-container .card { max-width: none; }

.contact-box {
  background: white;
  max-width: 600px;
  margin: auto;
  padding: 25px;
  text-align: center;
  border-radius: 10px;
}

footer {
  text-align: center;
  background: #222;
  color: white;
  padding: 20px;
}

@media (max-width: 768px) {
  nav {
    flex-direction: column;
    gap: 15px;
  }

  nav ul {
    gap: 12px;
    flex-wrap: wrap;
    justify-content: center;
  }

  .hero h1 { font-size: 32px; }


  .project-container { grid-template-columns: 1fr; }

  section { padding: 50px 7%; }
}

```

Assignment 2 — React Components Practice

Expected browser output:



OUTPUT.txt

EXPECTED OUTPUT

Run:
npm install
npm run dev

The page displays:

- Header
- Three reusable Card components
- Dynamic counter using state
- Button component
- Form component

Click Increase Count to change the counter.
Enter a name and click Submit to see the state-based form behavior.

See OUTPUT.png for a visual preview.

README.txt

ASSIGNMENT 2 - REACT COMPONENTS PRACTICE
Technology: React + Vite

Open terminal in this folder:

npm install
npm run dev

Components:

Header, Footer, Card, Button, Form
Demonstrates props, state and dynamic rendering.

index.html

```
<!doctype html>
<html>
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>React Components Practice</title>
</head>
<body>
  <div id="root"></div>
  <script type="module" src="/src/main.jsx"></script>
</body>
</html>
```

package.json

```
{
  "scripts": {
    "dev": "vite",
    "build": "vite build",
    "preview": "vite preview"
  },
  "dependencies": {
    "react": "^18.3.1",
    "react-dom": "^18.3.1",
    "vite": "^5.4.10"
  },
  "devDependencies": {}
}
```

src/App.css

```
* { box-sizing: border-box; }

body {
  margin: 0;
  font-family: Arial, sans-serif;
  background: #f4f4f4;
}

.header {
  background: #222;
  color: white;
  text-align: center;
  padding: 25px;
}

main {
  padding: 40px;
  max-width: 1100px;
  margin: auto;
}

.cards {
  display: grid;
  grid-template-columns: repeat(3, 1fr);
  gap: 20px;
  margin-top: 20px;
}

.card {
  background: white;
  padding: 25px;
  border-radius: 10px;
  box-shadow: 0 3px 10px #ccc;
}

.button, .form button {
  background: #007bff;
  color: white;
  border: none;
  padding: 12px 20px;
  border-radius: 5px;
  cursor: pointer;
}

.button:hover, .form button:hover { background: #0056b3; }

.counter {
  margin-top: 40px;
  padding: 25px;
  background: white;
  border-radius: 10px;
}

.form {
  background: white;
  padding: 25px;
  margin-top: 20px;
}

.form input {
  padding: 12px;
  width: 250px;
  margin-right: 10px;
}

.footer {
  background: #222;
  color: white;
  text-align: center;
  padding: 20px;
  margin-top: 40px;
}

@media (max-width: 700px) {
  .cards { grid-template-columns: 1fr; }
  main { padding: 20px; }
  .form input {
    width: 100%;
    margin-bottom: 10px;
  }
}
```

```
}
```

src/App.jsx

```
import { useState } from "react";
import Header from "../components/Header";
import Footer from "../components/Footer";
import Card from "../components/Card";
import Button from "../components/Button";
import Form from "../components/Form";

function App() {
  const [count, setCount] = useState(0);

  const increaseCount = () => setCount(count + 1);

  return (
    <div>
      <Header title="React Components Practice" />

      <main>
        <h2>Reusable Components</h2>

        <div className="cards">
          <Card title="HTML" description="Used to create the structure of web pages." />
          <Card title="CSS" description="Used to design and style web pages." />
          <Card title="React" description="Used to build interactive user interfaces." />
        </div>

        <section className="counter">
          <h2>Dynamic State Example</h2>
          <p>Count: {count}</p>
          <Button text="Increase Count" onClick={increaseCount} />
        </section>

        <section>
          <h2>Form Component</h2>
          <Form />
        </section>
      </main>

      <Footer />
    </div>
  );
}

export default App;
```

src/main.jsx

```
import React from "react";
import ReactDOM from "react-dom/client";
import App from "../App";
import "../App.css";

ReactDOM.createRoot(document.getElementById("root")).render(
  <React.StrictMode>
    <App />
  </React.StrictMode>
);
```

src/components/Button.jsx

```
function Button({ text, onClick }) {
  return (
    <button className="button" onClick={onClick}>
      {text}
    </button>
  );
}

export default Button;
```

src/components/Card.jsx

```
function Card({ title, description }) {
  return (
    <div className="card">
      <h2>{title}</h2>
      <p>{description}</p>
    </div>
  );
}

export default Card;
```

src/components/Footer.jsx

```
function Footer() {
  return (
    <footer className="footer">
      <p>© 2026 React Components Practice</p>
    </footer>
  );
}
```

```
export default Footer;
```

src/components/Form.jsx

```
import { useState } from "react";

function Form() {
  const [name, setName] = useState("");

  const handleSubmit = (event) => {
    event.preventDefault();

    if (name.trim() === "") {
      alert("Please enter your name");
      return;
    }

    alert("Hello " + name);
    setName("");
  };


  return (
    <form onSubmit={handleSubmit} className="form">
      <input
        type="text"
        placeholder="Enter your name"
        value={name}
        onChange={(event) => setName(event.target.value)}
      />
      <button type="submit">Submit</button>
    </form>
  );
}
export default Form;
```

src/components/Header.jsx

```
function Header({ title }) {
  return (
    <header className="header">
      <h1>{title}</h1>
    </header>
  );
}
export default Header;
```

Assignment 3 — React Blog UI

Expected browser output:



OUTPUT.txt

EXPECTED OUTPUT

Run:
npm install
npm run dev

The page displays blog posts loaded from posts.json.
Use the search box to search by title/description.
Use the category dropdown to filter posts.
The number of matching posts updates dynamically.

See OUTPUT.png for a visual preview.

README.txt

ASSIGNMENT 3 - REACT BLOG UI
Technology: React + Vite

Open terminal in this folder:

npm install
npm run dev

Features:

- Posts loaded from JSON
- Search
- Category filter
- Responsive layout

index.html

```
<!doctype html>
<html>
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>My React Blog</title>
</head>
<body>
  <div id="root"></div>
  <script type="module" src="/src/main.jsx"></script>
</body>
</html>
```

package.json

```
{
```

```

"scripts": {
  "dev": "vite",
  "build": "vite build",
  "preview": "vite preview"
},
"dependencies": {
  "react": "^18.3.1",
  "react-dom": "^18.3.1",
  "vite": "^5.4.10"
},
"devDependencies": {}
}

```

src/App.css

```

* { box-sizing: border-box; }

body {
  margin: 0;
  font-family: Arial, sans-serif;
  background: #f5f7fa;
  color: #222;
}

.blog-header {
  text-align: center;
  background: #222;
  color: white;
  padding: 50px 20px;
}

.blog-header h1 {
  margin: 0;
  font-size: 42px;
}

.blog-header p {
  margin-top: 10px;
  font-size: 18px;
}

.container {
  max-width: 1100px;
  margin: auto;
  padding: 40px 20px;
}

.controls {
  display: flex;
  gap: 15px;
  margin-bottom: 20px;
}

.controls input, .controls select {
  padding: 13px;
  border: 1px solid #ccc;
  border-radius: 5px;
  font-size: 16px;
}

.controls input { flex: 1; }

.posts {
  display: grid;
  grid-template-columns: repeat(3, 1fr);
  gap: 25px;
}

.post-card {
  background: white;
  padding: 25px;
  border-radius: 10px;
  box-shadow: 0 3px 12px #ddd;
}

.post-card h2 { margin-top: 15px; }

.category {
  background: #007bff;
  color: white;
  padding: 6px 12px;
  border-radius: 20px;
  font-size: 13px;
}

.post-info {
  display: flex;
  justify-content: space-between;
  margin-top: 20px;
  font-size: 13px;
  color: #666;
}

.no-results {
  grid-column: 1 / -1;
  text-align: center;
  background: white;
  padding: 50px;
}

```

```

@media (max-width: 800px) {
  .posts { grid-template-columns: repeat(2, 1fr); }
}

@media (max-width: 550px) {
  .controls { flex-direction: column; }
  .posts { grid-template-columns: 1fr; }
  .blog-header h1 { font-size: 32px; }
}

```

src/App.jsx

```

import { useState } from "react";
import Header from "../components/Header";
import PostCard from "../components/PostCard";
import posts from "../data/posts.json";

function App() {
  const [search, setSearch] = useState("");
  const [category, setCategory] = useState("All");

  const categories = ["All", ...new Set(posts.map((post) => post.category))];

  const filteredPosts = posts.filter((post) => {
    const matchesSearch =
      post.title.toLowerCase().includes(search.toLowerCase()) ||
      post.description.toLowerCase().includes(search.toLowerCase());

    const matchesCategory =
      category === "All" || post.category === category;

    return matchesSearch && matchesCategory;
  });

  return (
    <div>
      <Header />

      <main className="container">
        <div className="controls">
          <input
            type="text"
            placeholder="Search posts..."
            value={search}
            onChange={(event) => setSearch(event.target.value)}
          />

          <select
            value={category}
            onChange={(event) => setCategory(event.target.value)}
          >
            {categories.map((item) => (
              <option key={item} value={item}>{item}</option>
            ))}
          </select>
        </div>

        <div className="results">
          <p>Showing {filteredPosts.length} post(s)</p>
        </div>

        <div className="posts">
          {filteredPosts.length > 0 ? (
            filteredPosts.map((post) => (
              <PostCard key={post.id} post={post} />
            ))
          ) : (
            <div className="no-results">
              <h2>No posts found</h2>
              <p>Try another search or category.</p>
            </div>
          )}
        </div>
      </main>
    </div>
  );
}

export default App;

```

src/main.jsx

```

import React from "react";
import ReactDOM from "react-dom/client";
import App from "../App";
import "../App.css";

ReactDOM.createRoot(document.getElementById("root")).render(
  <React.StrictMode>
    <App />
  </React.StrictMode>
);

```

src/components/Header.jsx

```

function Header() {

```

```

    return (
      <header className="blog-header">
        <h1>My React Blog</h1>
        <p>Technology, Programming and Cybersecurity</p>
      </header>
    );
  }
  export default Header;

```

src/components/PostCard.jsx

```

function PostCard({ post }) {
  return (
    <article className="post-card">
      <span className="category">{post.category}</span>
      <h2>{post.title}</h2>
      <p>{post.description}</p>
      <div className="post-info">
        <span>By {post.author}</span>
        <span>{post.date}</span>
      </div>
    </article>
  );
}
export default PostCard;

```

src/data/posts.json

```

[
  {
    "id": 1,
    "title": "Introduction to Web Development",
    "category": "Web Development",
    "author": "Vedika",
    "date": "September 20, 2026",
    "description": "Learn the basics of HTML, CSS and JavaScript for creating modern websites."
  },
  {
    "id": 2,
    "title": "Getting Started with React",
    "category": "React",
    "author": "Vedika",
    "date": "September 21, 2026",
    "description": "React is a JavaScript library used to build interactive user interfaces."
  },
  {
    "id": 3,
    "title": "Cybersecurity Basics",
    "category": "Cybersecurity",
    "author": "Vedika",
    "date": "September 22, 2026",
    "description": "Understand basic cybersecurity concepts and how to stay safe online."
  },
  {
    "id": 4,
    "title": "Learning Java Programming",
    "category": "Programming",
    "author": "Vedika",
    "date": "September 23, 2026",
    "description": "Java is a popular programming language used for software and application development."
  },
  {
    "id": 5,
    "title": "Responsive Web Design",
    "category": "Web Development",
    "author": "Vedika",
    "date": "September 24, 2026",
    "description": "Learn how to create websites that work properly on mobile, tablet and desktop."
  },
  {
    "id": 6,
    "title": "Why Learn React?",
    "category": "React",
    "author": "Vedika",
    "date": "September 25, 2026",
    "description": "Explore the benefits of reusable components and dynamic interfaces with React."
  }
]

```