## Implementation of my calc

```
import java.awt.*;
import java.awt.event.*;
class MyCalc extends WindowAdapter implements ActionListener{
Frame f;
Label I1;
Button b1,b2,b3,b4,b5,b6,b7,b8,b9,b0;
Button badd, bsub, bmult, bdiv, bmod, bcalc, bclr, bpts, bneg, bback;
double xd;
double num1, num2, check;
MyCalc(){
f= new Frame("MY CALCULATOR");
// INSTANTIATING COMPONENETS
l1=new Label();
l1.setBackground(Color.LIGHT_GRAY);
l1.setBounds(50,50,260,60);
b1=new Button("1");
b1.setBounds(50,340,50,50);
b2=new Button("2");
b2.setBounds(120,340,50,50);
b3=new Button("3");
b3.setBounds(190,340,50,50);
b4=new Button("4");
b4.setBounds(50,270,50,50);
b5=new Button("5");
b5.setBounds(120,270,50,50);
b6=new Button("6");
```

```
b6.setBounds(190,270,50,50);
b7=new Button("7");
 b7.setBounds(50,200,50,50);
b8=new Button("8");
 b8.setBounds(120,200,50,50);
b9=new Button("9");
 b9.setBounds(190,200,50,50);
b0=new Button("0");
 b0.setBounds(120,410,50,50);
bneg=new Button("+/-");
 bneg.setBounds(50,410,50,50);
bpts=new Button(".");
 bpts.setBounds(190,410,50,50);
bback=new Button("back");
bback.setBounds(120,130,50,50);
badd=new Button("+");
badd.setBounds(260,340,50,50);
bsub=new Button("-");
 bsub.setBounds(260,270,50,50);
bmult=new Button("*");
 bmult.setBounds(260,200,50,50);
bdiv=new Button("/");
 bdiv.setBounds(260,130,50,50);
bmod=new Button("%");
 bmod.setBounds(190,130,50,50);
bcalc=new Button("=");
 bcalc.setBounds(245,410,65,50);
bclr=new Button("CE");
 bclr.setBounds(50,130,65,50);
```

```
b1.addActionListener(this);
b2.addActionListener(this);
b3.addActionListener(this);
b4.addActionListener(this);
b5.addActionListener(this);
b6.addActionListener(this);
b7.addActionListener(this);
b8.addActionListener(this);
b9.addActionListener(this);
b0.addActionListener(this);
bpts.addActionListener(this);
bneg.addActionListener(this);
bback.addActionListener(this);
badd.addActionListener(this);
bsub.addActionListener(this);
bmult.addActionListener(this);
bdiv.addActionListener(this);
bmod.addActionListener(this);
bcalc.addActionListener(this);
bclr.addActionListener(this);
f.addWindowListener(this);
//ADDING TO FRAME
f.add(l1);
f.add(b1); f.add(b2); f.add(b3); f.add(b4); f.add(b5); f.add(b6); f.add(b7);
f.add(b8);f.add(b9);f.add(b0);
f.add(badd); f.add(bsub); f.add(bmod); f.add(bmult); f.add(bdiv); f.add(bmod); f.add(bcalc);
```

```
f.add(bclr); f.add(bpts);f.add(bneg); f.add(bback);
f.setSize(360,500);
f.setLayout(null);
f.setVisible(true);
}
           //FOR CLOSING THE WINDOW
public void windowClosing(WindowEvent e) {
f.dispose();
}
public void actionPerformed(ActionEvent e){
String z,zt;
             //NUMBER BUTTON
if(e.getSource()==b1){
zt=l1.getText();
z=zt+"1";
l1.setText(z);
}
if(e.getSource()==b2){
zt=l1.getText();
z=zt+"2";
l1.setText(z);
}
if(e.getSource()==b3){
zt=l1.getText();
z=zt+"3";
I1.setText(z);
}
if(e.getSource()==b4){
```

```
zt=l1.getText();
 z=zt+"4";
I1.setText(z);
}
if(e.getSource()==b5){
 zt=l1.getText();
 z=zt+"5";
 I1.setText(z);
}
if(e.getSource()==b6){
 zt=l1.getText();
 z=zt+"6";
 l1.setText(z);
}
if(e.getSource()==b7){
 zt=l1.getText();
 z=zt+"7";
I1.setText(z);
}
if(e.getSource()==b8){
 zt=l1.getText();
 z=zt+"8";
 l1.setText(z);
}
if(e.getSource()==b9){
 zt=l1.getText();
 z=zt+"9";
 I1.setText(z);
}
if(e.getSource()==b0){
 zt=l1.getText();
```

```
z=zt+"0";
l1.setText(z);
}
if(e.getSource()==bpts){ //ADD DECIMAL PTS
zt=l1.getText();
z=zt+".";
l1.setText(z);
}
if(e.getSource()==bneg){ //FOR NEGATIVE
zt=l1.getText();
z="-"+zt;
I1.setText(z);
}
if(e.getSource()==bback){ // FOR BACKSPACE
zt=l1.getText();
try{
  z=zt.substring(0, zt.length()-1);
  }catch(StringIndexOutOfBoundsException f){return;}
l1.setText(z);
}
        //AIRTHMETIC BUTTON
if(e.getSource()==badd){
                                  //FOR ADDITION
try{
  num1=Double.parseDouble(l1.getText());
  }catch(NumberFormatException f){
   I1.setText("Invalid Format");
   return;
  }
 z="";
```

```
I1.setText(z);
check=1;
}
if(e.getSource()==bsub){
                        //FOR SUBTRACTION
try{
  num1=Double.parseDouble(l1.getText());
  }catch(NumberFormatException f){
   l1.setText("Invalid Format");
   return;
  }
 z="";
I1.setText(z);
check=2;
}
if(e.getSource()==bmult){
                         //FOR MULTIPLICATION
try{
  num1=Double.parseDouble(l1.getText());
  }catch(NumberFormatException f){
   l1.setText("Invalid Format");
   return;
  }
 z="";
I1.setText(z);
check=3;
}
if(e.getSource()==bdiv){
                       //FOR DIVISION
try{
  num1=Double.parseDouble(l1.getText());
  }catch(NumberFormatException f){
   I1.setText("Invalid Format");
   return;
```

```
}
z="";
I1.setText(z);
check=4;
}
if(e.getSource()==bmod){
                          //FOR MOD/REMAINDER
try{
  num1=Double.parseDouble(l1.getText());
  }catch(NumberFormatException f){
   l1.setText("Invalid Format");
   return;
  }
z="";
I1.setText(z);
check=5;
}
            //RESULT BUTTON
if(e.getSource()==bcalc){
try{
  num2=Double.parseDouble(l1.getText());
  }catch(Exception f){
   I1.setText("ENTER NUMBER FIRST");
   return;
  }
 if(check==1)
  xd =num1+num2;
 if(check==2)
  xd =num1-num2;
 if(check==3)
  xd =num1*num2;
 if(check==4)
```

```
xd =num1/num2;
if(check==5)
 xd =num1%num2;
l1.setText(String.valueOf(xd));
}
            //FOR CLEARING THE LABEL and Memory
if(e.getSource()==bclr){
num1=0;
num2=0;
check=0;
xd=0;
 z="";
 l1.setText(z);
 }
}
//MAIN METHOD where objects of MyCalc is instantaiated
public static void main(String args[]){
   new MyCalc();
 }
```

Microsoft Windows [Version 10.0.22621.1992]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Vedika\Desktop\S3-46>java MyCalc.java

