

TCX Pro Platform and MT5 EA Developer Technical Handbook

Complete architecture, backend, frontend, Supabase, MT5 EA bridge, deployment, operation, safety, roadmap, and full source-code appendix.

Generated: 2026-05-19 18:04:26

Workspace: /Users/vedkanani/Downloads/tcx-supabase-react-web

Audience: software developers, Supabase operators, MT5/EA developers, DevOps engineers, and product owners maintaining the TCX web-controlled trading platform.

Important: This document describes software behavior and architecture. It is not financial advice. Live trading changes must be tested on demo accounts first and deployed with operational safeguards.

Executive Summary

TCX Pro is a React/Vite web controller connected to Supabase Auth, Postgres, Realtime, and Edge Functions. It controls one or many MetaTrader 5 Expert Advisor instances by inserting command rows into Supabase. Each MT5 EA independently polls Supabase, validates its private EA token, claims its own command, executes the existing EA internal control path, posts live state back, and acknowledges completion.

The multi-account design keeps one web user account as the central controller while preserving separate EA instances, separate VPS deployments, separate MT5 accounts, separate risk settings, separate partial controls, separate state rows, and separate command histories. A bulk Buy/Sell/Close operation is not one shared EA operation. It creates one command per selected EA, so each account still executes through its own token and its own risk state.

- No `.mq5`` source changes are required for the current multi-account web layer. The existing EA already supports ``InpSupabaseFunctionsUrl``, ``InpSupabaseEald``, and ``InpSupabaseEaToken``.
- The web app creates tokens, hashes tokens before database storage, shows the plain token only at creation time, and sends user commands through Supabase Edge Functions.
- Supabase Row Level Security protects user-owned rows for frontend reads/writes; Edge Functions use the service role only after verifying the browser JWT or EA token.
- The real-money safety principle is idempotent, expiring, per-EA commands: client IDs avoid duplicate insertions, commands expire after 45 seconds, and EAs only claim commands assigned to their own EA ID.

Current Workspace Snapshot


Workspace	/Users/vedkanani/Downloads/tcx-supabase-react-web
Generated at	2026-05-19 18:04:26
Package name	tcx-supabase-web-controller
Frontend scripts	dev: vite --host 0.0.0.0, build: vite build, preview: vite preview --host 0.0.0.0
Main dependencies	@supabase/supabase-js@^2.45.4, @vitejs/plugin-react@latest, vite@latest, react@latest, react-dom@latest, lucide-react@latest
Git status	M README_SETUP.md M src/App.jsx M src/styles.css ?? output/pdf/TCX_Platform_EA_Developer_Technical_Handbook.pdf ?? supabase/functions/create-bulk-command/ ?? tmp/

This PDF generation did not edit application source code or the MT5 EA. It only wrote the document artifact under output/pdf and created temporary rendered preview images for verification.

System Purpose

- Give a trader one browser-based controller for MT5 EA execution without manually clicking every VPS or MT5 terminal.
- Allow many EA accounts under one web login, each with its own ID, secret token, account login, server/VPS, symbol, live state, history, and risk configuration.
- Support one-click multi-account actions such as Buy, Sell, Auto Arm, Cancel, Close 50%, Break Even, First Entry BE/Exit, Close All, Partial settings, Second Entry, Mode, Risk, and Ping.
- Provide real-time account visibility: equity, balance, open P/L, positions, last message, connection health, command status, and prop-firm style rule metrics.
- Keep the old single-account dashboard working normally while adding the account-controller view for selected-account bulk control.

High-Level Architecture



```

telegram_settings, notification_events, telegram_ea_status
^
|
MT5 EA on each VPS / terminal
- has unique InpSupabaseEaId
- has unique InpSupabaseEaToken
- polls functions URL over HTTPS
- executes local EA control functions
- posts state and command acknowledgement

```

The important separation is that the browser never directly controls MT5. It inserts authenticated command records through Edge Functions. The EA never receives commands for other accounts because command claiming is filtered by EA ID and token hash verification.

Command Lifecycle

1. User signs in to the web account.
2. User creates one or many EA instances. Each instance gets:
 - EA ID
 - secret EA token
 - Supabase Functions URL
3. User pastes those three values into each MT5 EA input panel.
4. EA posts state to ea-post-state and polls ea-next-command.
5. User clicks Buy/Sell/etc. in the web UI.
6. create-command or create-bulk-command validates the user JWT and EA ownership.
7. A command row is inserted per target EA with status = pending and expires_at ~45 seconds.
8. Each EA claims only its own pending command.
9. Supabase marks command sent; EA executes local action.
10. EA calls ea-ack-command with done or failed plus message.
11. Web UI receives fresh state and command history through Realtime/polling.
12. Telegram notifications can announce command sent, command done/failed, EA online/offline, RR milestones, partials, SL/TP, and EA messages.

Multi-Account Controller Design

- The Accounts view builds a normalized list from ``ea_instances``, ``ea_states``, and recent ``commands``.
- Each account card has selection, online/offline state, symbol/login/server details, compact positions, recent command history, and an expandable per-account control panel.
- Global controller buttons send one bulk command to all selected accounts. The Edge Function then creates one command row per EA, using a derived client ID per EA for idempotency.
- Per-account quick controls allow risk, RR, lot, partial percentages, partial toggles, second entry, mode, and local account actions to be changed without affecting other accounts.
- The design intentionally does not merge capital or risk. One large account and one small account can be selected for the same Buy action, but their lot/risk settings remain separate unless the user explicitly sends new risk to each account.
- Duplicate MT5 account/server detection is shown as a warning so the operator does not accidentally connect the same trading account twice.
- Online checks use recent state timestamps so stale/offline accounts are visible before a bulk trade is sent.

Frontend Technical Map

- ``src/supabaseClient.js``: reads ``VITE_SUPABASE_URL`` and ``VITE_SUPABASE_ANON_KEY``, creates the Supabase client, and derives ``functionsUrl`` as ``<SUPABASE_URL>/functions/v1``.
- ``src/App.jsx``: main application with login, EA setup, single-account dashboard, multi-account dashboard, command panels, state/risk helpers, Telegram settings, rule metrics, charts, and UI composition.
- ``src/styles.css``: all visual styling for the operational dashboard, multi-account cards, forms, charts, command panels, account rule pack, responsive layout, and expanded account controls.
- ``index.html``, ``vite.config.js``, ``package.json``, and ``package-lock.json``: Vite application shell, React plugin config, scripts, and exact dependency lock.
- The app uses React state/hooks plus Supabase queries and Realtime channels rather than a separate state-management library.
- Polling intervals in the current app are ``LIVE_POLL_MS = 500`` for the active dashboard and ``MULTI_LIVE_POLL_MS = 2000`` for multi-account list refresh, balancing trading responsiveness with load.
- Optimistic control state is used for binary toggles like partials and second entry, preventing UI flicker while waiting for EA state to confirm the command.

Backend and Database Technical Map

- ``public.ea_instances``: one row per connected EA/account. Stores user ownership, visible name, symbol, account login, token hash, enabled flag, and last seen timestamp.
- ``public.ea_states``: latest JSON state per EA. This is the live state bridge from MT5 to the web app.
- ``public.commands``: durable command queue. Holds per-EA command action, payload, status, timestamps, expiration, and idempotency ``client_id``.
- ``public.audit_logs``: command and operator audit trail.
- ``public.telegram_settings``, ``public.notification_events``, ``public.telegram_ea_status``: Telegram connection, event dedupe, and online/offline tracking.
- ``claim_next_command(p_ea_id, p_ea_token)``: database-side atomic command claim path using token hash validation, expiration cleanup, ``for update skip locked``, and status transition to ``sent``.
- RLS policies allow users to select their own rows. Browser mutations that need elevated behavior go through Edge Functions after JWT verification.

Edge Function Contracts

```
create-command
  Caller: browser
  Auth: Supabase user JWT
  Input: { ea_id, action, payload?, client_id? }
  Output: { ok, command } or duplicate existing command
  Safety: verifies EA belongs to user and is enabled; validates action; validates risk payload.

create-bulk-command
  Caller: browser
  Auth: Supabase user JWT
  Input: { ea_ids: string[], action, payload?, client_id? }
  Output: { ok, commands[] }
  Safety: 1..100 target EAs, all must belong to user and be enabled, one command row per EA, idempotent client IDs.

ea-next-command
  Caller: MT5 EA
  Auth: EA ID + EA token
  Input: { ea_id, ea_token }
  Output: { ok, command: null | { id, action, payload, created_at, expires_at } }
  Safety: token hash verification and atomic claim RPC when available.

ea-ack-command
  Caller: MT5 EA
  Auth: EA ID + EA token
  Input: { ea_id, ea_token, command_id, status: done|failed, message? }
  Output: { ok: true }
  Safety: command must belong to the verified EA/user.

ea-post-state
  Caller: MT5 EA
  Auth: EA ID + EA token
  Input: { ea_id, ea_token, state, partial? }
  Output: { ok: true }
  Safety: verifies EA; upserts latest state; updates last_seen_at; triggers notification checks.
```

EA Technical Map

- ``Three_Candle_EA_SUPABASE_WEB_FULL.mq5`` is the MT5 Expert Advisor source. The file contains trading model logic, risk calculation, dashboard UI, web bridge inputs, HTTP helpers, command mapping, state JSON posting, local controls, and execution helpers.
- Important web inputs are ``InpSupabaseFunctionsUrl``, ``InpSupabaseEaId``, and ``InpSupabaseEaToken``. These are the three values the website gives the user when adding a new EA/account.
- The EA should be installed separately on every VPS/MT5 terminal/account. Each terminal gets its own EA ID/token pair from the website.
- The compiled ``Three_Candle_EA_SUPABASE_WEB_FULL.ex5`` binary is present and documented by hash/size. Developers should rebuild from ``mq5`` when source changes are intentionally made.
- For current multi-account website support, the ``mq5`` file does not need to change because the protocol already supports EA-specific credentials and command polling.
- The EA should include the Supabase functions domain in MT5 WebRequest allowed URLs. For this project that means the functions domain, for example ``https://onpvkxxjpcvwlvnufdqf.functions.supabase.co``, not the REST functions path ending in

`/functions/v1/...`.

Action and Payload Model

Allowed command actions used by web and Edge Functions:
ARM_BUY, ARM_SELL, AUTO_ARM, CANCEL, CLOSE_50, BREAK_EVEN,
FIRST_BE_EXIT, FIRST_BREAK_EVEN, CLOSE_ALL, TOGGLE_PARTIALS,
TOGGLE_SECOND_ENTRY, SET_MODE, SET_RISK, SET_PARTIALS, PING

Risk payload for SET_RISK:

```
{ lot: number > 0, risk: number > 0, rr: number > 0 }
```

Partial/settings payload examples:

```
{ pc1: 25, pc2: 25, pc3: 50, partialsOn: true }  
{ secondEntryOn: false }  
{ mode: "safe" | "advanced" }
```

Bulk command behavior:

- browser sends selected EA IDs
- backend verifies all selected EA IDs belong to current user
- backend inserts one command per EA
- EA claims and executes only its own command

Security Model

- Browser identity is Supabase Auth JWT. Edge Functions call `admin.auth.getUser(jwt)` before accepting browser commands or Telegram settings.
- EA identity is not browser auth. It is `ea\_id` plus a secret token pasted into MT5. The database stores only the SHA-256 token hash.
- The plain EA token should only be visible at creation time. If lost or exposed, create a new EA entry or implement token rotation.
- RLS protects user rows from direct browser access across users. Service role use is confined to Edge Functions and must never be exposed in frontend code or `.env` committed to git.
- Command idempotency uses `client\_id` and a unique index per EA to reduce duplicate commands from retries or double-clicks.
- Command expiry prevents stale Buy/Sell commands from executing after connectivity returns late.
- For real money, add operator confirmations, account-level trade locks, max account count limits, symbol mismatch warnings, and per-account risk caps before scaling heavily.

Performance and Scaling Notes

- Many accounts will increase HTTP polling from EAs and browser polling from the multi-account dashboard. The current design is still lightweight because each EA only posts/claims small JSON payloads.
- Supabase indexes already target pending command lookup, pending expiry, user command history, and EA ownership queries.
- The RPC `claim\_next\_command` is the preferred fast path because it validates, expires, locks, and marks sent in one database-side operation.
- For 10-50 EAs, the current architecture should remain responsive if EA state post frequency is reasonable and browser multi-view polling stays around 2 seconds.
- For 100+ EAs, consider state delta compression, server-side aggregate snapshots, batched state reads, separate notification workers, and a lower-frequency overview refresh with on-demand account expansion.
- Telegram notifications run in background `waitUntil` tasks where possible so command responses are not blocked by messaging delays.

Failure Modes and Protections

- Supabase CLI missing locally: install it with Homebrew or npm. This affects deployments, not runtime functions already deployed in Supabase.
- Wrong functions URL in MT5: EA polling fails. Use the base functions domain in WebRequest allowed URLs and the EA input URL expected by the EA code.
- Wrong EA ID/token: Edge Functions return invalid credentials; no commands are claimed.
- Offline VPS/MT5: commands may expire before pickup; UI should show offline/stale account and command expired status.
- Duplicate click or retry: client ID unique index returns existing command rather than inserting another duplicate for the same EA/client pair.
- Network delay after user sends command: command remains pending/sent until EA ack; operator should watch command status

and Telegram if enabled.

- Symbol mismatch across selected accounts: controller warns when selected accounts have multiple symbols. A Buy/Sell on different symbols is possible only if the user knowingly selects them.
- Different capital/risk across accounts: keep risk settings per account. Do not bulk overwrite risk unless the operator explicitly intends it.
- Database RLS or service role misconfiguration: browser reads/writes or Edge Functions can fail; verify Supabase env vars and policies before live use.

Deployment Runbook

1. Install app dependencies:
`npm install`
2. Create ``.env`` from ``.env.example``:
`VITE_SUPABASE_URL=https://PROJECT_REF.supabase.co`
`VITE_SUPABASE_ANON_KEY=...`
3. Apply database schema in Supabase SQL editor:
`supabase/schema.sql`
4. Deploy Edge Functions after Supabase CLI is available:
`supabase functions deploy create-command`
`supabase functions deploy create-bulk-command`
`supabase functions deploy ea-next-command`
`supabase functions deploy ea-ack-command`
`supabase functions deploy ea-post-state`
`supabase functions deploy telegram-settings`
`supabase functions deploy telegram-chat-id`
`supabase functions deploy telegram-offline-monitor`
5. Configure function secrets in Supabase:
`SUPABASE_URL`
`SUPABASE_SERVICE_ROLE_KEY`
`TELEGRAM_SECRET_KEY` / Telegram-specific secrets if used
`TELEGRAM_OFFLINE_MONITOR_SECRET` if using offline monitor
6. Run web app locally:
`npm run dev`
7. Build production frontend:
`npm run build`
8. In MT5:
 - add Supabase functions domain to allowed WebRequest URLs
 - attach EA to each account/chart
 - paste Functions URL, EA ID, and EA token from website
 - test on demo before live accounts

Operational Checklist Before Live Trading

- Every account card shows the expected MT5 login, server/company, symbol, and online heartbeat.
- Every account has its own risk amount/lot/RR verified from the expanded account controls.
- Test `PING` or a harmless control command before the first live trading command.
- Send one demo Buy/Sell and verify command status, EA message, position state, and acknowledgement.
- Confirm duplicate account warning is clear and no duplicate MT5 login/server is selected accidentally.
- Keep `CLOSE\_ALL` protected by confirmation and verify it is sent only to intended selected accounts.
- Enable Telegram after testing bot token/chat ID, then verify command sent/done and offline alerts.
- For prop-firm accounts, compare rule-pack metrics against official firm rules before relying on them for enforcement.

Future Feature Plan

- News Center: add a dedicated news page with economic calendar, high-impact event filters, symbol/currency relevance, event countdowns, previous/forecast/actual values, and account risk freeze suggestions around news.
- AI Assistant: add an authenticated AI chat page that can answer questions about connected accounts, open positions, command history, rule metrics, news, EA status, and deployment steps. It should use read-only tools by default and require explicit confirmation for trade-impacting commands.
- Risk Guardrails: per-account max daily loss lock, max open trades, max lot/risk, max drawdown, symbol whitelist, VPS offline freeze, and time/news blackout windows.
- Portfolio Commander: groups of accounts, saved account baskets, per-basket bulk commands, risk profiles, copy-mode

- templates, and account tags.
- Audit and Compliance: immutable operator audit trail, command reason notes, session replay for command activity, exportable reports, and emergency incident timeline.
 - Reliability: command delivery latency dashboard, heartbeat SLA, retry budget visibility, failed-command root cause labels, and Supabase health checks.
 - Developer Experience: automated migrations, typed database contracts, function tests with mocked Supabase admin client, EA protocol test harness, and one-command local setup.
 - AI Safety for Trading: AI can explain, summarize, and check risk; AI should not auto-send live orders without hard confirmation, deterministic backend validation, and a kill switch.

Recommended Tables for News and AI Features

```
news_events:
  id, provider, external_id, currency, symbol_tags, title, impact,
  event_time, previous, forecast, actual, raw_payload, created_at

account_risk_rules:
  id, user_id, ea_id, max_risk_money, max_lot, max_daily_loss,
  max_open_positions, allow_news_trading, blackout_before_min,
  blackout_after_min, enabled, created_at, updated_at

ai_conversations:
  id, user_id, title, created_at, updated_at

ai_messages:
  id, conversation_id, role, content, tool_calls, created_at

command_approvals:
  id, user_id, action, target_ea_ids, payload, ai_summary,
  status, approved_at, expires_at, created_at
```

Developer Handoff Notes

- Start with `README\_SETUP.md`, then inspect `supabase/schema.sql`, then `supabase/functions/\*`, then `src/supabaseClient.js`, then `src/App.jsx`, then the `.mq5` source.
- Do not put service role keys or EA tokens into frontend code. Frontend uses anon key only; privileged operations belong in Edge Functions.
- When changing command behavior, update all three sides together: frontend action/payload, Edge Function validation, and EA command mapping.
- When changing live state shape, update EA state JSON builder and frontend readers together. Keep old field fallbacks when possible.
- When adding any trade-impacting feature, test with demo MT5 accounts and intentionally simulate offline EA, duplicate command, invalid token, expired command, and partial Supabase outage.

Complete File Inventory

This inventory was generated from the current workspace. Source and configuration files are reproduced later as line-numbered appendices. Secrets, local Supabase cache files, compiled binaries, node_modules, .git, temporary rendered PDF previews, and the generated PDF itself are not dumped as source text.

```
.env | size 129 B | lines -- | sha256 6e6cc3c88257324e | secret file exists; content intentionally excluded
.env.example | size 101 B | lines 2 | sha256 3ccd4fecebc9ec5b | full text appendix
.gitignore | size 127 B | lines 16 | sha256 37005e225f2c1ba9 | full text appendix
README.md | size 161 B | lines 7 | sha256 dcfa24c1580d86e9 | full text appendix
README_SETUP.md | size 5330 B | lines 149 | sha256 660ac8fcbc36462d | full text appendix
Three_Candle_EA_SUPABASE_WEB_FULL.ex5 | size 250668 B | lines -- | sha256 f7faa29a08805069 | compiled EA binary;
  hash/size only
Three_Candle_EA_SUPABASE_WEB_FULL.mq5 | size 148121 B | lines 5085 | sha256 5331fcb94b2618ff | full text
  appendix
dist/assets/favicon-D6E8JDMZ.svg | size 189 B | lines 4 | sha256 eba91d7f5485b7b2 | generated build artifact;
  text included when decodable
dist/assets/index-CdhDc5Hx.css | size 43621 B | lines 1 | sha256 340142a65b787b27 | generated build artifact;
  text included when decodable
dist/assets/index-DzKB_iEq.js | size 488578 B | lines 32 | sha256 29f36968ea1eeeee | generated build artifact;
  text included when decodable
```


dist/index.html | size 534 B | lines 15 | sha256 ed37e0cd4f303be1 | generated build artifact; text included when decodable

favicon.svg | size 189 B | lines 4 | sha256 eba91d7f5485b7b2 | full text appendix

index.html | size 419 B | lines 14 | sha256 41aa354f0c2ac3cc | full text appendix

metaeditor-compile.log | size 5228 B | lines -- | sha256 72b836904c8753d2 | summarized only

package-lock.json | size 35370 B | lines 1068 | sha256 d7e9bd12ed72a8e0 | full text appendix

package.json | size 440 B | lines 19 | sha256 08d88fddbe714824 | full text appendix

src/App.jsx | size 128431 B | lines 2976 | sha256 1d2fe64ea42b2db6 | full text appendix

src/styles.css | size 56231 B | lines 3403 | sha256 01f19f9103eb644b | full text appendix

src/supabaseClient.js | size 585 B | lines 12 | sha256 82d3043e6e570790 | full text appendix

supabase/.temp/cli-latest | size 8 B | lines -- | sha256 fdb23b50be93f4d4 | local Supabase cache; content excluded

supabase/.temp/gotrue-version | size 8 B | lines -- | sha256 f9235c988affe044 | local Supabase cache; content excluded

supabase/.temp/linked-project.json | size 128 B | lines -- | sha256 bf8335bd6895da26 | local Supabase cache; content excluded

supabase/.temp/pooler-url | size 97 B | lines -- | sha256 313dcc6f5a017b76 | local Supabase cache; content excluded

supabase/.temp/postgres-version | size 10 B | lines -- | sha256 6962033180a66d0c | local Supabase cache; content excluded

supabase/.temp/project-ref | size 20 B | lines -- | sha256 1b58d0a15e98f14e | local Supabase cache; content excluded

supabase/.temp/rest-version | size 5 B | lines -- | sha256 b25de4a023eef82d | local Supabase cache; content excluded

supabase/.temp/storage-migration | size 20 B | lines -- | sha256 9276bb1022e34095 | local Supabase cache; content excluded

supabase/.temp/storage-version | size 7 B | lines -- | sha256 d45cad56c9a89e7f | local Supabase cache; content excluded

supabase/functions/_shared/telegram.ts | size 16103 B | lines 447 | sha256 f557e111c758009f | full text appendix

supabase/functions/create-bulk-command/index.ts | size 4512 B | lines 105 | sha256 cc74889cac52c24c | full text appendix

supabase/functions/create-command/index.ts | size 3645 B | lines 78 | sha256 846892a4d07af2a2 | full text appendix

supabase/functions/ea-ack-command/index.ts | size 2402 B | lines 49 | sha256 f25ae2f69bf974e5 | full text appendix

supabase/functions/ea-next-command/index.ts | size 3230 B | lines 77 | sha256 25a820fad7ce1807 | full text appendix

supabase/functions/ea-post-state/index.ts | size 3489 B | lines 65 | sha256 3aa8f34ed5176dda | full text appendix

supabase/functions/telegram-chat-id/index.ts | size 2693 B | lines 65 | sha256 3752af5ded454ac8 | full text appendix

supabase/functions/telegram-offline-monitor/index.ts | size 2052 B | lines 56 | sha256 1043989de3fd1a75 | full text appendix

supabase/functions/telegram-settings/index.ts | size 4702 B | lines 135 | sha256 03b3d6dae3a1ee7a | full text appendix

supabase/schema.sql | size 8930 B | lines 229 | sha256 818069de3b2353d4 | full text appendix

tmp/multi-account-ui-preview.svg | size 8527 B | lines 74 | sha256 eaf80546101d53b7 | full text appendix

vite.config.js | size 133 B | lines 6 | sha256 6dc0ce25c4170ac9 | full text appendix

Appendix Policy

The following appendices reproduce all safe text source, config, documentation, generated build text, compile log, and SVG files found in the workspace outside excluded folders. The `.env` secret file, Supabase local cache files, compiled `.ex5` binary, `node_modules`, `.git`, generated PDF output, and temporary PDF preview images are intentionally not printed as raw text. Their existence, size, and hash are recorded in the inventory above when relevant.

Source Listing: .env.example

Lines: 2 | Size: 101 bytes | SHA256: 3ccd4fecebc9ec5be34fdc8058a5f1dbe792bf4c4f131f3bfc9da54a367d5beb

```
00001: VITE_SUPABASE_URL=https://YOUR_PROJECT_REF.supabase.co
00002: VITE_SUPABASE_ANON_KEY=YOUR_SUPABASE_ANON_KEY
```

Source Listing: .gitignore

Lines: 16 | Size: 127 bytes | SHA256: 37005e225f2c1ba9fb31818e70c5fa4cfeafc2937ff411f7736ca2e4d07b6950

```
00001: .env
00002: .env.local
00003: .env.*.local
00004: !.env.example
00005:
00006: node_modules/
00007: dist/
00008: .vite/
00009:
00010: .DS_Store
00011: *.log
00012:
00013: .zencoder/
00014: .zenflow/
00015:
00016: supabase/.temp/
```

Source Listing: README.md

Lines: 7 | Size: 161 bytes | SHA256: dcfa24c1580d86e98508cdd776f17053e2f68d4bc15f133352c503fa10c497b4

```
00001: # algo_sahil
00002:
00003: TCX Supabase React web controller for MT5 EA execution management.
00004:
00005: ## Setup
00006:
00007: See `README_SETUP.md` for Supabase, web app, and MT5 EA setup steps.
```

Source Listing: README_SETUP.md

Lines: 149 | Size: 5330 bytes | SHA256: 660ac8fcbc36462d69253f97a84fd6f45130505f1dc510b11caa0ead56769e5d

```
00001: # TCX Supabase React Web Controller
00002:
00003: This project is the professional easy version:
00004:
00005: React / Vite website -> Supabase Auth + Postgres + Edge Functions -> MT5 EA WebRequest -> your same Three Candle EA
    logic.
00006:
00007: No Python. No Node backend server. Node is only used to run/build the React website on your computer.
00008:
00009: ## Files
00010:
00011: - `src/` - modern React dashboard UI
00012: - `supabase/schema.sql` - database tables + Row Level Security
00013: - `supabase/functions/*` - Edge Functions used by website and EA
00014: - `../Three_Candle_EA_SUPABASE_WEB_FULL.mq5` - updated full MT5 EA file
00015:
00016: ## 1. Create Supabase project
00017:
00018: 1. Go to Supabase and create a new project.
00019: 2. Open SQL Editor.
00020: 3. Paste and run everything from `supabase/schema.sql`.
00021:
00022: ## 2. Deploy Edge Functions
00023:
00024: Install Supabase CLI first.
00025:
00026: ```bash
00027: supabase login
00028: supabase link --project-ref YOUR_PROJECT_REF
00029: supabase secrets set SUPABASE_SERVICE_ROLE_KEY=YOUR_SERVICE_ROLE_KEY
00030: supabase secrets set TELEGRAM_TOKEN_ENCRYPTION_KEY=LONG_RANDOM_SECRET_AT_LEAST_16_CHARS
00031: supabase functions deploy create-command
00032: supabase functions deploy create-bulk-command
00033: supabase functions deploy ea-next-command --no-verify-jwt
00034: supabase functions deploy ea-ack-command --no-verify-jwt
00035: supabase functions deploy ea-post-state --no-verify-jwt
00036: supabase functions deploy telegram-settings --no-verify-jwt
00037: supabase functions deploy telegram-chat-id --no-verify-jwt
00038: supabase functions deploy telegram-offline-monitor --no-verify-jwt
00039: ```
00040:
00041: The three EA functions use EA ID + EA token, so deploy them with `--no-verify-jwt`.
00042: The Telegram settings functions are also deployed with `--no-verify-jwt` so browser CORS preflight requests can pass.
    They still verify the signed-in website user inside the function with `admin.auth.getUser(jwt)`. The offline monitor
    is intended for a scheduled call and does not change the EA file.
00043:
00044: ## 3. Run website locally
00045:
00046: ```bash
00047: npm install
00048: cp .env.example .env
00049: ```
00050:
00051: Edit `.env`:
00052:
00053: ```env
00054: VITE_SUPABASE_URL=https://YOUR_PROJECT_REF.supabase.co
00055: VITE_SUPABASE_ANON_KEY=YOUR_ANON_KEY
00056: ```
00057:
00058: Run:
00059:
00060: ```bash
00061: npm run dev
00062: ```
00063:
00064: Open the URL shown by Vite, usually `http://localhost:5173`.
00065:
00066: ## 4. Deploy website
00067:
00068: Set these environment variables in your hosting provider before building/deploying:
00069:
00070: ```env
00071: VITE_SUPABASE_URL=https://YOUR_PROJECT_REF.supabase.co
00072: VITE_SUPABASE_ANON_KEY=YOUR_ANON_KEY
00073: ```
00074:
00075: For Vercel: Project Settings -> Environment Variables -> add both values for Production, Preview, and Development if
    needed -> Redeploy.
00076:
00077: For Netlify: Site configuration -> Environment variables -> add both values -> Trigger deploy.
00078:
00079: Do not add `SUPABASE_SERVICE_ROLE_KEY` to the web app. That key is only for Supabase Edge Function secrets.
00080:
00081: ## 5. Create EA connection in website
00082:
00083: 1. Sign up / sign in.
00084: 2. Create EA Instance.
00085: 3. Copy:
00086: - `InpSupabaseEaId`
00087: - `InpSupabaseEaToken`
00088: - `InpSupabaseFunctionsUrl`
00089:
00090: ## 6. Install EA in MT5
00091:
```

```

00092: 1. Copy `Three_Candle_EA_SUPABASE_WEB_FULL.mq5` to `MQL5/Experts/`.
00093: 2. Compile in MetaEditor.
00094: 3. In MT5: `Tools -> Options -> Expert Advisors`.
00095: 4. Enable Algo Trading.
00096: 5. Enable WebRequest and add this URL:
00097:
00098: ```text
00099: https://YOUR_PROJECT_REF.functions.supabase.co
00100: ```
00101:
00102: 6. Attach EA to XAUUSD/XAUUSDm chart.
00103: 7. EA inputs:
00104:
00105: ```text
00106: InpWebControlEnabled      = true
00107: InpSupabaseFunctionsUrl   = https://YOUR_PROJECT_REF.functions.supabase.co
00108: InpSupabaseEaId          = copied EA ID
00109: InpSupabaseEaToken        = copied EA token
00110: InpRiskMoney              = account-currency risk per trade, for example 100
00111: InpWebPollMilliseconds    = 200
00112: ```
00113:
00114: Risk is now money, not percent. If the account currency is USD and the web dashboard risk field is `100`, the EA
    sizes the trade so the stop-loss risk is about USD 100 before broker lot-step rounding and margin limits.
00115:
00116: ## How ARM BUY works
00117:
00118: Website ARM BUY -> Supabase command row -> EA polls `ea-next-command` -> EA calls `SetArmMode(ARM_BUY)` -> your
    existing `TryArmedExecution()` waits for a fresh BUY model -> your existing `ExecuteSignal()` opens trade with your
    risk/SL/TP logic.
00119:
00120: For the multi-account controller, `create-bulk-command` creates one verified command row per selected EA. Each EA
    still receives only its own command and uses its own risk, lot, RR, partials, symbol, VPS, and broker account
    settings.
00121:
00122: ## Test order
00123:
00124: 1. Run website.
00125: 2. Create EA instance.
00126: 3. Configure MT5 WebRequest.
00127: 4. Attach EA on demo account.
00128: 5. Website should show EA ONLINE in 2-5 seconds.
00129: 6. Click PING first.
00130: 7. Click ARM BUY / ARM SELL.
00131: 8. Check Experts tab in MT5 and command log in website.
00132:
00133: Use demo first. Do not use live until the command log, state updates, close, BE, and partial commands all work.
00134:
00135: ## Telegram alerts
00136:
00137: Telegram alerts are configured per website user. Each user adds their own Telegram bot token and chat ID in `Settings
    -> Telegram Settings`.
00138:
00139: User setup:
00140:
00141: 1. Open Telegram and create a bot with `@BotFather`.
00142: 2. Copy the bot token into the website Telegram settings.
00143: 3. Open the new bot in Telegram and press Start.
00144: 4. Click `Get Chat ID` in the website.
00145: 5. Click `Save & Test`.
00146:
00147: Alerts are sent from Supabase Edge Functions, not from the EA file. The bot token is encrypted with
    `TELEGRAM_TOKEN_ENCRYPTION_KEY` before it is stored.
00148:
00149: To send EA offline alerts, schedule `telegram-offline-monitor` to run every minute. It sends one offline alert per
    offline transition when `last_seen_at` is older than 60 seconds.

```

Source Listing: package.json

Lines: 19 | Size: 440 bytes | SHA256: 08d88fddbe71482438fec53f66dc750534e9e82a67e9229253c2618c9219bad4

```
00001: {
00002:   "name": "tcx-supabase-web-controller",
00003:   "version": "1.0.0",
00004:   "private": true,
00005:   "scripts": {
00006:     "dev": "vite --host 0.0.0.0",
00007:     "build": "vite build",
00008:     "preview": "vite preview --host 0.0.0.0"
00009:   },
00010:   "dependencies": {
00011:     "@supabase/supabase-js": "^2.45.4",
00012:     "@vitejs/plugin-react": "latest",
00013:     "vite": "latest",
00014:     "react": "latest",
00015:     "react-dom": "latest",
00016:     "lucide-react": "latest"
00017:   },
00018:   "devDependencies": {}
00019: }
```

Source Listing: package-lock.json

Lines: 1068 | Size: 35370 bytes | SHA256: d7e9bd12ed72a8e0b86a2b20dbf8eaf5310d08cd64b3a73b320d00d6e179237d

```

00001: {
00002:   "name": "tcx-supabase-web-controller",
00003:   "version": "1.0.0",
00004:   "lockfileVersion": 3,
00005:   "requires": true,
00006:   "packages": {
00007:     "": {
00008:       "name": "tcx-supabase-web-controller",
00009:       "version": "1.0.0",
00010:       "dependencies": {
00011:         "@supabase/supabase-js": "^2.45.4",
00012:         "@vitejs/plugin-react": "latest",
00013:         "lucide-react": "latest",
00014:         "react": "latest",
00015:         "react-dom": "latest",
00016:         "vite": "latest"
00017:       },
00018:       "devDependencies": {}
00019:     },
00020:     "node_modules/@emnapi/core": {
00021:       "version": "1.10.0",
00022:       "resolved": "https://registry.npmjs.org/@emnapi/core/-/core-1.10.0.tgz",
00023:       "integrity": "sha512-yq60Kj4p82CAFP10u9mqBQHkPjY7wIuk205cTYnYe+k2Z8YBh11FrBRG/H6ihirqcac0gl2BI08oyMQLexw==",
00024:       "license": "MIT",
00025:       "optional": true,
00026:       "dependencies": {
00027:         "@emnapi/wasi-threads": "1.2.1",
00028:         "tslib": "^2.4.0"
00029:       }
00030:     },
00031:     "node_modules/@emnapi/runtime": {
00032:       "version": "1.10.0",
00033:       "resolved": "https://registry.npmjs.org/@emnapi/runtime/-/runtime-1.10.0.tgz",
00034:       "integrity": "sha512-ewwYlk86xUoGI0zQRNq/mC+16R1QeDlKQy21Ki3oSYXNgLb45GV1P6A0M+/s6nyCuNdqe5VpaY84BzXGwVbwFA==",
00035:       "license": "MIT",
00036:       "optional": true,
00037:       "dependencies": {
00038:         "tslib": "^2.4.0"
00039:       }
00040:     },
00041:     "node_modules/@emnapi/wasi-threads": {
00042:       "version": "1.2.1",
00043:       "resolved": "https://registry.npmjs.org/@emnapi/wasi-threads/-/wasi-threads-1.2.1.tgz",
00044:       "integrity": "sha512-uTI170YF+/Mes/MrcIOYp5y0tSMLBWSIoPpcgwipoiKbLi6k322tcoFsoXIIxPDqW01SQGAgko4EzZi2BNV2w==",
00045:       "license": "MIT",
00046:       "optional": true,
00047:       "dependencies": {
00048:         "tslib": "^2.4.0"
00049:       }
00050:     },
00051:     "node_modules/@napi-rs/wasm-runtime": {
00052:       "version": "1.1.4",
00053:       "resolved": "https://registry.npmjs.org/@napi-rs/wasm-runtime/-/wasm-runtime-1.1.4.tgz",
00054:       "integrity": "sha512-3NQNNgA1YSLJb/kMH1ildASP9HW7/7kYnRI2szJJaofaS1hWmbGI4H+d3+22aGzXXN9IJ+n+GiFVcGipJP18ow==",
00055:       "license": "MIT",
00056:       "optional": true,
00057:       "dependencies": {
00058:         "@tybys/wasm-util": "^0.10.1"
00059:       },
00060:       "funding": {
00061:         "type": "github",
00062:         "url": "https://github.com/sponsors/Brooooooklyn"
00063:       },
00064:       "peerDependencies": {
00065:         "@emnapi/core": "^1.7.1",
00066:         "@emnapi/runtime": "^1.7.1"
00067:       }
00068:     },
00069:     "node_modules/@oxc-project/types": {
00070:       "version": "0.127.0",
00071:       "resolved": "https://registry.npmjs.org/@oxc-project/types/-/types-0.127.0.tgz",
00072:       "integrity": "sha512-aIYXQBo4lCbO4z0R3FHeucQHf46l2LbMdxRvqvRuW20xdnSkcng5B8+K12spgLDj93rtN3+J2Vac/TIO+ciQ==",
00073:       "license": "MIT",
00074:       "funding": {
00075:         "url": "https://github.com/sponsors/Boshen"
00076:       }
00077:     },
00078:     "node_modules/@rolldown/binding-android-arm64": {
00079:       "version": "1.0.0-rc.17",
00080:       "resolved": "https://registry.npmjs.org/@rolldown/binding-android-arm64/-/binding-android-arm64-1.0.0-rc.17.tgz",
00081:       "integrity": "sha512-s70pVghw4zqGeFnXWvAzJdlvxhRlollagCCKRg0sgUOH3N1l0LIx83AtGzmb5SiVM4Hjl5HyarMRfdj3DaQ==",
00082:       "cpu": [
00083:         "arm64"
00084:       ],
00085:       "license": "MIT",
00086:       "optional": true,
00087:       "os": [
00088:         "android"
00089:       ],
00090:       "engines": {
00091:         "node": ">=20.19.0 || >=22.12.0"
00092:       }
00093:     },
00094:     "node_modules/@rolldown/binding-darwin-arm64": {

```



```

00095:     "version": "1.0.0-rc.17",
00096:     "resolved": "https://registry.npmjs.org/@rolldown/binding-darwin-arm64/-/binding-darwin-arm64-1.0.0-rc.17.tgz",
00097:     "integrity": "sha512-4ksWc9n0mhlZpZ9PMZgTgE0PRu8MB1Z3Tz0Mo02eWfWCHMW1zN82Qz/pL/rC+yQa+8ZnutMF0JjJe7PjwasYw==",
00098:     "cpu": [
00099:       "arm64"
00100:     ],
00101:     "license": "MIT",
00102:     "optional": true,
00103:     "os": [
00104:       "darwin"
00105:     ],
00106:     "engines": {
00107:       "node": "^20.19.0 || >=22.12.0"
00108:     }
00109:   },
00110:   "node_modules/@rolldown/binding-darwin-x64": {
00111:     "version": "1.0.0-rc.17",
00112:     "resolved": "https://registry.npmjs.org/@rolldown/binding-darwin-x64/-/binding-darwin-x64-1.0.0-rc.17.tgz",
00113:     "integrity": "sha512-SUSDO16WwUNcWxd02QEBjLdY1VPHvLEkw6T/8nYG322iYwCTxRb1vzk4E+mWwYehTp7ERibq54LSJGjmu0sw==",
00114:     "cpu": [
00115:       "x64"
00116:     ],
00117:     "license": "MIT",
00118:     "optional": true,
00119:     "os": [
00120:       "darwin"
00121:     ],
00122:     "engines": {
00123:       "node": "^20.19.0 || >=22.12.0"
00124:     }
00125:   },
00126:   "node_modules/@rolldown/binding-freebsd-x64": {
00127:     "version": "1.0.0-rc.17",
00128:     "resolved": "https://registry.npmjs.org/@rolldown/binding-freebsd-x64/-/binding-freebsd-x64-1.0.0-rc.17.tgz",
00129:     "integrity": "sha512-hwnZ3nw9dbJ05ED0/PvcjaaewqqDy7Y1rn1U081l8iIK1GjenME75dl16ajbvSSMfv66WXSRCYKiqfgq2Kcfxw==",
00130:     "cpu": [
00131:       "x64"
00132:     ],
00133:     "license": "MIT",
00134:     "optional": true,
00135:     "os": [
00136:       "freebsd"
00137:     ],
00138:     "engines": {
00139:       "node": "^20.19.0 || >=22.12.0"
00140:     }
00141:   },
00142:   "node_modules/@rolldown/binding-linux-arm-gnueabihf": {
00143:     "version": "1.0.0-rc.17",
00144:     "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-arm-gnueabihf/-/binding-linux-arm-gnueabihf-1.0.0-rc.17.tgz",
00145:     "integrity": "sha512-IS+W7epTcwANmFSQFrS1SivEXHtL1JtuQA9wLxrZTcNi6mx+FD0YrakGevvvTwgj2JvWk8B29/qD9BELZPyXQ==",
00146:     "cpu": [
00147:       "arm"
00148:     ],
00149:     "license": "MIT",
00150:     "optional": true,
00151:     "os": [
00152:       "linux"
00153:     ],
00154:     "engines": {
00155:       "node": "^20.19.0 || >=22.12.0"
00156:     }
00157:   },
00158:   "node_modules/@rolldown/binding-linux-arm64-gnu": {
00159:     "version": "1.0.0-rc.17",
00160:     "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-arm64-gnu/-/binding-linux-arm64-gnu-1.0.0-rc.17.tgz",
00161:     "integrity": "sha512-e6usGaHKw5BMNZOymS1UCIEYGoWQMwcz71Z17S1/h2+ZziNJ1a9n3Zvcz6LdRyIW5572wBCTH/Z+bKuZouGk9Q==",
00162:     "cpu": [
00163:       "arm64"
00164:     ],
00165:     "libc": [
00166:       "glibc"
00167:     ],
00168:     "license": "MIT",
00169:     "optional": true,
00170:     "os": [
00171:       "linux"
00172:     ],
00173:     "engines": {
00174:       "node": "^20.19.0 || >=22.12.0"
00175:     }
00176:   },
00177:   "node_modules/@rolldown/binding-linux-arm64-musl": {
00178:     "version": "1.0.0-rc.17",
00179:     "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-arm64-musl/-/binding-linux-arm64-musl-1.0.0-rc.17.tgz",
00180:     "integrity": "sha512-b/CgbwAJpmrRLp02RPFhbufd5tZnN9nsPwK82zefso832etkem8H7FSZwxrOI9djcdTP7U6YfNhbRnh7djErg==",
00181:     "cpu": [
00182:       "arm64"
00183:     ],
00184:     "libc": [
00185:       "musl"
00186:     ],
00187:     "license": "MIT",
00188:     "optional": true,
00189:     "os": [
00190:       "linux"
00191:     ],
00192:     "engines": {

```

```

00193:         "node": "^20.19.0 || >=22.12.0"
00194:     },
00195: },
00196: "node_modules/@rolldown/binding-linux-ppc64-gnu": {
00197:     "version": "1.0.0-rc.17",
00198:     "resolved":
00199: "https://registry.npmjs.org/@rolldown/binding-linux-ppc64-gnu/-/binding-linux-ppc64-gnu-1.0.0-rc.17.tgz",
00200:     "cpu": [
00201:         "ppc64"
00202:     ],
00203:     "libc": [
00204:         "glibc"
00205:     ],
00206:     "license": "MIT",
00207:     "optional": true,
00208:     "os": [
00209:         "linux"
00210:     ],
00211:     "engines": {
00212:         "node": "^20.19.0 || >=22.12.0"
00213:     }
00214: },
00215: "node_modules/@rolldown/binding-linux-s390x-gnu": {
00216:     "version": "1.0.0-rc.17",
00217:     "resolved":
00218: "https://registry.npmjs.org/@rolldown/binding-linux-s390x-gnu/-/binding-linux-s390x-gnu-1.0.0-rc.17.tgz",
00219:     "integrity": "sha512-AH8oq3XqQo4IibpVXvPeLDI5pzKpYn0WiZAFt05kFzoJ6tQNzWRdYQ45M8I/gslbodRZwW8uxLhbSBbkv96rA==",
00220:     "cpu": [
00221:         "s390x"
00222:     ],
00223:     "libc": [
00224:         "glibc"
00225:     ],
00226:     "license": "MIT",
00227:     "optional": true,
00228:     "os": [
00229:         "linux"
00230:     ],
00231:     "engines": {
00232:         "node": "^20.19.0 || >=22.12.0"
00233:     }
00234: },
00235: "node_modules/@rolldown/binding-linux-x64-gnu": {
00236:     "version": "1.0.0-rc.17",
00237:     "resolved":
00238: "https://registry.npmjs.org/@rolldown/binding-linux-x64-gnu/-/binding-linux-x64-gnu-1.0.0-rc.17.tgz",
00239:     "integrity": "sha512-cLnjV3xf07Kslbu41Z7z8BH/E1y5mZUYzAqih1d1MDaIGZRCMqTijqLv76/P7fyHuvUcFgsIpqCdddbxLLK9rA==",
00240:     "cpu": [
00241:         "x64"
00242:     ],
00243:     "libc": [
00244:         "glibc"
00245:     ],
00246:     "license": "MIT",
00247:     "optional": true,
00248:     "os": [
00249:         "linux"
00250:     ],
00251:     "engines": {
00252:         "node": "^20.19.0 || >=22.12.0"
00253:     }
00254: },
00255: "node_modules/@rolldown/binding-linux-x64-musl": {
00256:     "version": "1.0.0-rc.17",
00257:     "resolved":
00258: "https://registry.npmjs.org/@rolldown/binding-linux-x64-musl/-/binding-linux-x64-musl-1.0.0-rc.17.tgz",
00259:     "integrity": "sha512-0phclDw1spSL7dUB37sIARuis2tAgomCJXAHZlpt8PXZ4Ba0dRP1e+66lsRqrFhISen9bEGNjQs+T/Fbd7oYGw==",
00260:     "cpu": [
00261:         "x64"
00262:     ],
00263:     "libc": [
00264:         "musl"
00265:     ],
00266:     "license": "MIT",
00267:     "optional": true,
00268:     "os": [
00269:         "linux"
00270:     ],
00271:     "engines": {
00272:         "node": "^20.19.0 || >=22.12.0"
00273:     }
00274: },
00275: "node_modules/@rolldown/binding-openharmony-arm64": {
00276:     "version": "1.0.0-rc.17",
00277:     "resolved":
00278: "https://registry.npmjs.org/@rolldown/binding-openharmony-arm64/-/binding-openharmony-arm64-1.0.0-rc.17.tgz",
00279:     "integrity": "sha512-0ag/hEgX0wgw4t8QyQvUCxvEg+V0KBcA6YUoX9g0r02MprutRF5dyljgm3EmR020292UX7UeS6HzwHAl6KgyhA==",
00280:     "cpu": [
00281:         "arm64"
00282:     ],
00283:     "license": "MIT",
00284:     "optional": true,
00285:     "os": [
00286:         "openharmony"
00287:     ],
00288:     "engines": {
00289:         "node": "^20.19.0 || >=22.12.0"
00290:     }
00291: },
00292: "node_modules/@rolldown/binding-wasm32-wasi": {

```

```
00289:     "version": "1.0.0-rc.17",
00290:     "resolved": "https://registry.npmjs.org/@rolldown/binding-wasm32-wasi/-/binding-wasm32-wasi-1.0.0-rc.17.tgz",
00291:     "integrity": "sha512-LEXei6vo0E5wTGwpkJK4ot3OZJRnglWldt5ziLz0lc6qqb55z4tWNq2A+PFqCJuvWdP53CVhg1Z9NtToDPJrA==",
00292:     "cpu": [
00293:       "wasm32"
00294:     ],
00295:     "license": "MIT",
00296:     "optional": true,
00297:     "dependencies": {
00298:       "@emnapi/core": "1.10.0",
00299:       "@emnapi/runtime": "1.10.0",
00300:       "@napi-rs/wasm-runtime": "^1.1.4"
00301:     },
00302:     "engines": {
00303:       "node": ">=20.19.0 || >=22.12.0"
00304:     }
00305:   },
00306:   "node_modules/@rolldown/binding-win32-arm64-msvc": {
00307:     "version": "1.0.0-rc.17",
00308:     "resolved":
00309:       "https://registry.npmjs.org/@rolldown/binding-win32-arm64-msvc/-/binding-win32-arm64-msvc-1.0.0-rc.17.tgz",
00310:     "integrity": "sha512-gUmyzBl3SPMa6hrqFUth9sVfcLBlysbMzBx5PlexMroZStgz6qLz26pYg89rBb45Mnia+oil6YAIFeEWGWhoZA==",
00311:     "cpu": [
00312:       "arm64"
00313:     ],
00314:     "license": "MIT",
00315:     "optional": true,
00316:     "os": [
00317:       "win32"
00318:     ],
00319:     "engines": {
00320:       "node": ">=20.19.0 || >=22.12.0"
00321:     }
00322:   },
00323:   "node_modules/@rolldown/binding-win32-x64-msvc": {
00324:     "version": "1.0.0-rc.17",
00325:     "resolved":
00326:       "https://registry.npmjs.org/@rolldown/binding-win32-x64-msvc/-/binding-win32-x64-msvc-1.0.0-rc.17.tgz",
00327:     "integrity": "sha512-3hkiolcUAvPB9FLb3UZdfjVVNwherN1f/skkG6JP/fgSqHYZpSIRr0/I8ZK9tkF3F7kxvJk0+IckvPHk9qQg==",
00328:     "cpu": [
00329:       "x64"
00330:     ],
00331:     "license": "MIT",
00332:     "optional": true,
00333:     "os": [
00334:       "win32"
00335:     ],
00336:     "engines": {
00337:       "node": ">=20.19.0 || >=22.12.0"
00338:     }
00339:   },
00340:   "node_modules/@rolldown/pluginutils": {
00341:     "version": "1.0.0-rc.7",
00342:     "resolved": "https://registry.npmjs.org/@rolldown/pluginutils/-/pluginutils-1.0.0-rc.7.tgz",
00343:     "integrity": "sha512-qujRfC8sFVInYSPMLQBhRh7zhwkgFS4+tyMQ83srV1qrxL4g8E2tyxVvyxd0+8QeBM1mIk9KbwXkegRr76XZA==",
00344:     "license": "MIT"
00345:   },
00346:   "node_modules/@supabase/auth-js": {
00347:     "version": "2.105.1",
00348:     "resolved": "https://registry.npmjs.org/@supabase/auth-js/-/auth-js-2.105.1.tgz",
00349:     "integrity": "sha512-zc4s8Xg4truE1Q4Q8M8oUVDARMD05pKh73NyQ5mBYU1HdDN2iiKzena/yu+yJze3WrD4c092FdckPiK1rLQw==",
00350:     "license": "MIT",
00351:     "dependencies": {
00352:       "tslib": "2.8.1"
00353:     },
00354:     "engines": {
00355:       "node": ">=20.0.0"
00356:     }
00357:   },
00358:   "node_modules/@supabase/functions-js": {
00359:     "version": "2.105.1",
00360:     "resolved": "https://registry.npmjs.org/@supabase/functions-js/-/functions-js-2.105.1.tgz",
00361:     "integrity": "sha512-dTk1e7oE51VGc1LS2S0J0NLo0Wp4JYChj74ARJkBIWgoWuF00wcJYjeyOV3AAEpKst8/LQWUZOUK01tRXBrpA==",
00362:     "license": "MIT",
00363:     "dependencies": {
00364:       "tslib": "2.8.1"
00365:     },
00366:     "engines": {
00367:       "node": ">=20.0.0"
00368:     }
00369:   },
00370:   "node_modules/@supabase/phoenix": {
00371:     "version": "0.4.1",
00372:     "resolved": "https://registry.npmjs.org/@supabase/phoenix/-/phoenix-0.4.1.tgz",
00373:     "integrity": "sha512-hWGJKdAFWUNY8k0C080u3sGNFdn2cl9erhKgP7hnGkgJWEfT5Pd/SXaL4QmWXBECVlZrannMac9sBaaRyWpiUA==",
00374:     "license": "MIT"
00375:   },
00376:   "node_modules/@supabase/postgrest-js": {
00377:     "version": "2.105.1",
00378:     "resolved": "https://registry.npmjs.org/@supabase/postgrest-js/-/postgrest-js-2.105.1.tgz",
00379:     "integrity": "sha512-6SbtsoWC55xfsm7gbfLqVf+yIwTQEbJt+jFGf4KldpwSnuY17Hv5x0Dq52oqWTQlw6Ta0h1D5gTP0/pApqNojA==",
00380:     "license": "MIT",
00381:     "dependencies": {
00382:       "tslib": "2.8.1"
00383:     },
00384:     "engines": {
00385:       "node": ">=20.0.0"
00386:     }
00387:   },
00388:   "node_modules/@supabase/realtime-js": {
00389:     "version": "2.105.1",
```

```

00388:     "resolved": "https://registry.npmjs.org/@supabase/realtime-js/-/realtime-js-2.105.1.tgz",
00389:     "integrity": "sha512-3X3cUeL5cJ4lRQhr1hXhX0b980aL97RR02vrRZ98FD91JV/MquZHhrGJSv/+IkOnjF6E2e0RU0xE8P3Zi035ow==",
00390:     "license": "MIT",
00391:     "dependencies": {
00392:       "@supabase/phenix": "^0.4.1",
00393:       "@types/ws": "^8.18.1",
00394:       "tslib": "2.8.1",
00395:       "ws": "^8.18.2"
00396:     },
00397:     "engines": {
00398:       "node": ">=20.0.0"
00399:     }
00400:   },
00401:   "node_modules/@supabase/storage-js": {
00402:     "version": "2.105.1",
00403:     "resolved": "https://registry.npmjs.org/@supabase/storage-js/-/storage-js-2.105.1.tgz",
00404:     "integrity": "sha512-owfdCNH5ikXXDusjzsgU6LavEBG6Uoue0nL/9XIucld70/WJ/rbqp89K//c9QPTCDNuegsmpeasydDAiucLKQ==",
00405:     "license": "MIT",
00406:     "dependencies": {
00407:       "iceberg-js": "^0.8.1",
00408:       "tslib": "2.8.1"
00409:     },
00410:     "engines": {
00411:       "node": ">=20.0.0"
00412:     }
00413:   },
00414:   "node_modules/@supabase/supabase-js": {
00415:     "version": "2.105.1",
00416:     "resolved": "https://registry.npmjs.org/@supabase/supabase-js/-/supabase-js-2.105.1.tgz",
00417:     "integrity": "sha512-4gn6HmsAkCCVU7p8JmgKGhHJ5Btod4ZzSp8qKzf4JHaTxbhaIK86/usHzeLxwv7EJJDhBmILdMj0S0f9iF4CLA==",
00418:     "license": "MIT",
00419:     "dependencies": {
00420:       "@supabase/auth-js": "2.105.1",
00421:       "@supabase/functions-js": "2.105.1",
00422:       "@supabase/postgrest-js": "2.105.1",
00423:       "@supabase/realtime-js": "2.105.1",
00424:       "@supabase/storage-js": "2.105.1"
00425:     },
00426:     "engines": {
00427:       "node": ">=20.0.0"
00428:     }
00429:   },
00430:   "node_modules/@tybys/wasm-util": {
00431:     "version": "0.10.1",
00432:     "resolved": "https://registry.npmjs.org/@tybys/wasm-util/-/wasm-util-0.10.1.tgz",
00433:     "integrity": "sha512-9tTaPJLSiejZKx+Bmog4uSubteqTvFrVrUrkwmHixBo0G4seD0zUxp98E1DzUBJxLQ3NPwXrGKDjVjwx/DpPsg==",
00434:     "license": "MIT",
00435:     "optional": true,
00436:     "dependencies": {
00437:       "tslib": "^2.4.0"
00438:     }
00439:   },
00440:   "node_modules/@types/node": {
00441:     "version": "25.6.0",
00442:     "resolved": "https://registry.npmjs.org/@types/node/-/node-25.6.0.tgz",
00443:     "integrity": "sha512-+qIYRKdNYJwY3vRCZMdJbPLJatGjQBudzZzdzwQYKEPQd+PJGixUL5QfvCLDaULoLv+RhT3LDkwEfKaAkgSmNQ==",
00444:     "license": "MIT",
00445:     "dependencies": {
00446:       "undici-types": "~7.19.0"
00447:     }
00448:   },
00449:   "node_modules/@types/ws": {
00450:     "version": "8.18.1",
00451:     "resolved": "https://registry.npmjs.org/@types/ws/-/ws-8.18.1.tgz",
00452:     "integrity": "sha512-ThVF6DCVhA8kUGy+aazFQ4kXQ7E1Ty7A3yP0Fe0IcJV80/M511G99AW241rKrW56Wt44yG9+ij8FaqoBGkuBXg==",
00453:     "license": "MIT",
00454:     "dependencies": {
00455:       "@types/node": "*"
00456:     }
00457:   },
00458:   "node_modules/@vitejs/plugin-react": {
00459:     "version": "6.0.1",
00460:     "resolved": "https://registry.npmjs.org/@vitejs/plugin-react/-/plugin-react-6.0.1.tgz",
00461:     "integrity": "sha512-l9X/E3cDb+xy3SwZlG1M0Gt2usfEHGMNIaegaUGFsLkb3RCn/k8/TOXBcab+0ndDI4TBtkT8/9Bwww8V19KUQ==",
00462:     "license": "MIT",
00463:     "dependencies": {
00464:       "@rolldown/pluginutils": "1.0.0-rc.7"
00465:     },
00466:     "engines": {
00467:       "node": ">=20.19.0 || >=22.12.0"
00468:     },
00469:     "peerDependencies": {
00470:       "@rolldown/plugin-babel": "^0.1.7 || ^0.2.0",
00471:       "babel-plugin-react-compiler": "^1.0.0",
00472:       "vite": "^8.0.0"
00473:     },
00474:     "peerDependenciesMeta": {
00475:       "@rolldown/plugin-babel": {
00476:         "optional": true
00477:       },
00478:       "babel-plugin-react-compiler": {
00479:         "optional": true
00480:       }
00481:     }
00482:   },
00483:   "node_modules/detect-libc": {
00484:     "version": "2.1.2",
00485:     "resolved": "https://registry.npmjs.org/detect-libc/-/detect-libc-2.1.2.tgz",
00486:     "integrity": "sha512-454y3r2SxG6L1Mk8S9s+X8Dc5c854r720LWnRWV7r8aQWwWZiVhX9kN9PLDjz8G8HwIcQZwB2l3UZMQ==",
00487:     "license": "Apache-2.0",
00488:     "engines": {

```

```
00489:     "node": ">=8"
00490:   },
00491: },
00492: "node_modules/fdir": {
00493:   "version": "6.5.0",
00494:   "resolved": "https://registry.npmjs.org/fdir/-/fdir-6.5.0.tgz",
00495:   "integrity": "sha512-tIbYtZbuc0s0BRGqPjKshJUYdL+SDH7dVM8ggy+ERp3WAUJLEFJE+02kanyHtwjW0nwrKYBwAmM0p4kLJAnXg==",
00496:   "license": "MIT",
00497:   "engines": {
00498:     "node": ">=12.0.0"
00499:   },
00500:   "peerDependencies": {
00501:     "picomatch": "^3 || ^4"
00502:   },
00503:   "peerDependenciesMeta": {
00504:     "picomatch": {
00505:       "optional": true
00506:     }
00507:   }
00508: },
00509: "node_modules/fsevents": {
00510:   "version": "2.3.3",
00511:   "resolved": "https://registry.npmjs.org/fsevents/-/fsevents-2.3.3.tgz",
00512:   "integrity": "sha512-5xodDfX+FL7faATnagmWPpBfTwh/R77wmMMqHGS6S3vvB0YHrgF+B1YmZ3441tMj5n63k0212XNoJwzlhffQw==",
00513:   "hasInstallScript": true,
00514:   "license": "MIT",
00515:   "optional": true,
00516:   "os": [
00517:     "darwin"
00518:   ],
00519:   "engines": {
00520:     "node": "^8.16.0 || ^10.6.0 || >=11.0.0"
00521:   }
00522: },
00523: "node_modules/iceberg-js": {
00524:   "version": "0.8.1",
00525:   "resolved": "https://registry.npmjs.org/iceberg-js/-/iceberg-js-0.8.1.tgz",
00526:   "integrity": "sha512-1dhVQZxhcHje7798IVM+xoo/1ZdVfz0MIc8/rvGSijRK3BEDq0JoGuLa9N/8ZI5RD8QTxNQtk/Gozpr+qUqRRA==",
00527:   "license": "MIT",
00528:   "engines": {
00529:     "node": ">=20.0.0"
00530:   }
00531: },
00532: "node_modules/lightningcss": {
00533:   "version": "1.32.0",
00534:   "resolved": "https://registry.npmjs.org/lightningcss/-/lightningcss-1.32.0.tgz",
00535:   "integrity": "sha512-NXYBzinNrb1fraPGyrbPoD19C1h9lfi/1mzgWYvXUTE414Gz/X1FD2XBZSZM7rRTrMA8JL30tAaG1frIKhQ5yQ==",
00536:   "license": "MPL-2.0",
00537:   "dependencies": {
00538:     "detect-libc": "^2.0.3"
00539:   },
00540:   "engines": {
00541:     "node": ">= 12.0.0"
00542:   },
00543:   "funding": {
00544:     "type": "opencollective",
00545:     "url": "https://opencollective.com/parcel"
00546:   },
00547:   "optionalDependencies": {
00548:     "lightningcss-android-arm64": "1.32.0",
00549:     "lightningcss-darwin-arm64": "1.32.0",
00550:     "lightningcss-darwin-x64": "1.32.0",
00551:     "lightningcss-freebsd-x64": "1.32.0",
00552:     "lightningcss-linux-arm-gnueabi-hf": "1.32.0",
00553:     "lightningcss-linux-arm64-gnu": "1.32.0",
00554:     "lightningcss-linux-arm64-musl": "1.32.0",
00555:     "lightningcss-linux-x64-gnu": "1.32.0",
00556:     "lightningcss-linux-x64-musl": "1.32.0",
00557:     "lightningcss-win32-arm64-msvc": "1.32.0",
00558:     "lightningcss-win32-x64-msvc": "1.32.0"
00559:   }
00560: },
00561: "node_modules/lightningcss-android-arm64": {
00562:   "version": "1.32.0",
00563:   "resolved": "https://registry.npmjs.org/lightningcss-android-arm64/-/lightningcss-android-arm64-1.32.0.tgz",
00564:   "integrity": "sha512-YK7ClTt4KAk0vo6w3X+Pnm0D2cf2vPHbh0XdoNti1Ga0a11P4TBzhwJATvjNwLEBcNkvjJc2jQgHXH0EwLAg==",
00565:   "cpu": [
00566:     "arm64"
00567:   ],
00568:   "license": "MPL-2.0",
00569:   "optional": true,
00570:   "os": [
00571:     "android"
00572:   ],
00573:   "engines": {
00574:     "node": ">= 12.0.0"
00575:   },
00576:   "funding": {
00577:     "type": "opencollective",
00578:     "url": "https://opencollective.com/parcel"
00579:   }
00580: },
00581: "node_modules/lightningcss-darwin-arm64": {
00582:   "version": "1.32.0",
00583:   "resolved": "https://registry.npmjs.org/lightningcss-darwin-arm64/-/lightningcss-darwin-arm64-1.32.0.tgz",
00584:   "integrity": "sha512-RzeG9Ju5bag2Bv1/lwlJVbE3q6TtXskdZLLCyfg5pt+HLz9BqLIC07LZM7VHNTTn/5PRhHFBsjk5lc4cmScPQ==",
00585:   "cpu": [
00586:     "arm64"
00587:   ],
00588:   "license": "MPL-2.0",
00589:   "optional": true,
```

```
00590:     "os": [
00591:       "darwin"
00592:     ],
00593:     "engines": {
00594:       "node": ">= 12.0.0"
00595:     },
00596:     "funding": {
00597:       "type": "opencollective",
00598:       "url": "https://opencollective.com/parcel"
00599:     }
00600:   },
00601:   "node_modules/lightningcss-darwin-x64": {
00602:     "version": "1.32.0",
00603:     "resolved": "https://registry.npmjs.org/lightningcss-darwin-x64/-/lightningcss-darwin-x64-1.32.0.tgz",
00604:     "integrity": "sha512-U+QsBp2m/s2wqpUYT/6wnlagdZbtZdndSmut/NjqlCcMLTwp5muCrID+K5UJ6jqD2BFshejCYXniPDbNh73V8w==",
00605:     "cpu": [
00606:       "x64"
00607:     ],
00608:     "license": "MPL-2.0",
00609:     "optional": true,
00610:     "os": [
00611:       "darwin"
00612:     ],
00613:     "engines": {
00614:       "node": ">= 12.0.0"
00615:     },
00616:     "funding": {
00617:       "type": "opencollective",
00618:       "url": "https://opencollective.com/parcel"
00619:     }
00620:   },
00621:   "node_modules/lightningcss-freebsd-x64": {
00622:     "version": "1.32.0",
00623:     "resolved": "https://registry.npmjs.org/lightningcss-freebsd-x64/-/lightningcss-freebsd-x64-1.32.0.tgz",
00624:     "integrity": "sha512-JCTigedEksZk3tHTTthMdVf6f61Fky8Ji2E4YjUTEQX14xiy/LTzXnu1vwiZe3bYe0q+SpsSH/CTeDXK6Whig==",
00625:     "cpu": [
00626:       "x64"
00627:     ],
00628:     "license": "MPL-2.0",
00629:     "optional": true,
00630:     "os": [
00631:       "freebsd"
00632:     ],
00633:     "engines": {
00634:       "node": ">= 12.0.0"
00635:     },
00636:     "funding": {
00637:       "type": "opencollective",
00638:       "url": "https://opencollective.com/parcel"
00639:     }
00640:   },
00641:   "node_modules/lightningcss-linux-arm-gnueabi": {
00642:     "version": "1.32.0",
00643:     "resolved": "https://registry.npmjs.org/lightningcss-linux-arm-gnueabi/-/lightningcss-linux-arm-gnueabi-1.32.0.tgz",
00644:     "integrity": "sha512-x6rnnpRa2GL0zQ0kt6rts3YDPzduLpWwAF6EMhFVZXD4tPrBkEFqzGowzCsIwspjqSK+tyNEODUBXeeVHSkw==",
00645:     "cpu": [
00646:       "arm"
00647:     ],
00648:     "license": "MPL-2.0",
00649:     "optional": true,
00650:     "os": [
00651:       "linux"
00652:     ],
00653:     "engines": {
00654:       "node": ">= 12.0.0"
00655:     },
00656:     "funding": {
00657:       "type": "opencollective",
00658:       "url": "https://opencollective.com/parcel"
00659:     }
00660:   },
00661:   "node_modules/lightningcss-linux-arm64-gnu": {
00662:     "version": "1.32.0",
00663:     "resolved": "https://registry.npmjs.org/lightningcss-linux-arm64-gnu/-/lightningcss-linux-arm64-gnu-1.32.0.tgz",
00664:     "integrity": "sha512-0nnMyoyOLRjXfbM0ilaSRcLH3Jw5z9HDNGft/gwCPGadjnx0i8w7vBzFLFR1f6CMLKF8gVbebmKUN3fa/kQJpQ==",
00665:     "cpu": [
00666:       "arm64"
00667:     ],
00668:     "libc": [
00669:       "glibc"
00670:     ],
00671:     "license": "MPL-2.0",
00672:     "optional": true,
00673:     "os": [
00674:       "linux"
00675:     ],
00676:     "engines": {
00677:       "node": ">= 12.0.0"
00678:     },
00679:     "funding": {
00680:       "type": "opencollective",
00681:       "url": "https://opencollective.com/parcel"
00682:     }
00683:   },
00684:   "node_modules/lightningcss-linux-arm64-musl": {
00685:     "version": "1.32.0",
00686:     "resolved": "https://registry.npmjs.org/lightningcss-linux-arm64-musl/-/lightningcss-linux-arm64-musl-1.32.0.tgz",
00687:     "integrity": "sha512-UpQkoenr4UJEzgiYpI80LDfVrmPVg6oqboNHfoH4CQifNA+H0rZ7Mo7KZP02dC6LjghPQJeBsvXhJod/wnIBg==",
```

```
00688:     "cpu": [
00689:         "arm64"
00690:     ],
00691:     "libc": [
00692:         "musl"
00693:     ],
00694:     "license": "MPL-2.0",
00695:     "optional": true,
00696:     "os": [
00697:         "linux"
00698:     ],
00699:     "engines": {
00700:         "node": ">= 12.0.0"
00701:     },
00702:     "funding": {
00703:         "type": "opencollective",
00704:         "url": "https://opencollective.com/parcel"
00705:     }
00706: },
00707: "node_modules/lightningcss-linux-x64-gnu": {
00708:     "version": "1.32.0",
00709:     "resolved": "https://registry.npmjs.org/lightningcss-linux-x64-gnu/-/lightningcss-linux-x64-gnu-1.32.0.tgz",
00710:     "integrity": "sha512-V7Qr52IhZmdKPvR+Vtw8o+WLsQJYCTd8loIfpDaMRWGUZfBOYEJeyJIKqGIDMZPwPx24pUMfwSxxI8phr/Mb0A==",
00711:     "cpu": [
00712:         "x64"
00713:     ],
00714:     "libc": [
00715:         "glibc"
00716:     ],
00717:     "license": "MPL-2.0",
00718:     "optional": true,
00719:     "os": [
00720:         "linux"
00721:     ],
00722:     "engines": {
00723:         "node": ">= 12.0.0"
00724:     },
00725:     "funding": {
00726:         "type": "opencollective",
00727:         "url": "https://opencollective.com/parcel"
00728:     }
00729: },
00730: "node_modules/lightningcss-linux-x64-musl": {
00731:     "version": "1.32.0",
00732:     "resolved": "https://registry.npmjs.org/lightningcss-linux-x64-musl/-/lightningcss-linux-x64-musl-1.32.0.tgz",
00733:     "integrity": "sha512-bYcLp+Vb0awsixG/80uCRzCYHNg1/l3mt0gzHnWV9XP1W5sKa5/TCdGwAR/zBM2PeF/HbsQv/j2URN0iVuxWg=",
00734:     "cpu": [
00735:         "x64"
00736:     ],
00737:     "libc": [
00738:         "musl"
00739:     ],
00740:     "license": "MPL-2.0",
00741:     "optional": true,
00742:     "os": [
00743:         "linux"
00744:     ],
00745:     "engines": {
00746:         "node": ">= 12.0.0"
00747:     },
00748:     "funding": {
00749:         "type": "opencollective",
00750:         "url": "https://opencollective.com/parcel"
00751:     }
00752: },
00753: "node_modules/lightningcss-win32-arm64-msvc": {
00754:     "version": "1.32.0",
00755:     "resolved": "https://registry.npmjs.org/lightningcss-win32-arm64-msvc/-/lightningcss-win32-arm64-msvc-1.32.0.tgz",
00756:     "integrity": "sha512-8SbC8BR40pS6baCM8sbtYDSwEVQd4JLFT0laD3gWGHfThTcABnNDBda6eTZeQbofaliJhFx0qKzGhJmcPTnGdw==",
00757:     "cpu": [
00758:         "arm64"
00759:     ],
00760:     "license": "MPL-2.0",
00761:     "optional": true,
00762:     "os": [
00763:         "win32"
00764:     ],
00765:     "engines": {
00766:         "node": ">= 12.0.0"
00767:     },
00768:     "funding": {
00769:         "type": "opencollective",
00770:         "url": "https://opencollective.com/parcel"
00771:     }
00772: },
00773: "node_modules/lightningcss-win32-x64-msvc": {
00774:     "version": "1.32.0",
00775:     "resolved": "https://registry.npmjs.org/lightningcss-win32-x64-msvc/-/lightningcss-win32-x64-msvc-1.32.0.tgz",
00776:     "integrity": "sha512-Amq9B/SoZYdD1kFrojqnPLxYhQ4W05XiL8EVJrVsB8ARoC1PwW6VGT0WKCEmJy8aC+louJnjs7U18x3b06Q==",
00777:     "cpu": [
00778:         "x64"
00779:     ],
00780:     "license": "MPL-2.0",
00781:     "optional": true,
00782:     "os": [
00783:         "win32"
00784:     ],
00785:     "engines": {
00786:         "node": ">= 12.0.0"
00787:     },
00788: }
```

```
00788:     "funding": {
00789:       "type": "opencollective",
00790:       "url": "https://opencollective.com/parcel"
00791:     },
00792:   },
00793:   "node_modules/lucide-react": {
00794:     "version": "1.14.0",
00795:     "resolved": "https://registry.npmjs.org/lucide-react/-/lucide-react-1.14.0.tgz",
00796:     "integrity": "sha512-+1mdWcfSJvUsaTijN9zoezmUhfXo5l0vP7ekBMPo3jcs/aIkxHnXqAPsByszMZx/Y8oQBRJxJx5xg+RH3urzxA==",
00797:     "license": "ISC",
00798:     "peerDependencies": {
00799:       "react": "^16.5.1 || ^17.0.0 || ^18.0.0 || ^19.0.0"
00800:     }
00801:   },
00802:   "node_modules/nanoid": {
00803:     "version": "3.3.12",
00804:     "resolved": "https://registry.npmjs.org/nanoid/-/nanoid-3.3.12.tgz",
00805:     "integrity": "sha512-ZB9RH/39qpq5Vu6Y+NmUaFhQR6pp+M2Xt76XBnEWdaGcVaqhlvxrL3B2bKS5D3NH3QR76v3aSrKaF/Kiy7lEtQ==",
00806:     "funding": [
00807:       {
00808:         "type": "github",
00809:         "url": "https://github.com/sponsors/ai"
00810:       }
00811:     ],
00812:     "license": "MIT",
00813:     "bin": {
00814:       "nanoid": "bin/nanoid.cjs"
00815:     },
00816:     "engines": {
00817:       "node": ">=10 || ^12 || ^13.7 || ^14 || >=15.0.1"
00818:     }
00819:   },
00820:   "node_modules/picocolors": {
00821:     "version": "1.1.1",
00822:     "resolved": "https://registry.npmjs.org/picocolors/-/picocolors-1.1.1.tgz",
00823:     "integrity": "sha512-xceH2snhtb5M9liqDsmEW56le376mTZkEX/jEb/RxNFyegNul7eNslCXP9FDj/Lcu0X8KEYmceP2ntpaHrDEVA==",
00824:     "license": "ISC"
00825:   },
00826:   "node_modules/picomatch": {
00827:     "version": "4.0.4",
00828:     "resolved": "https://registry.npmjs.org/picomatch/-/picomatch-4.0.4.tgz",
00829:     "integrity": "sha512-qp8hij1k7TIIzPm2FRu7K5A5UI00EadZzT04qjGwY3K68YF5vP670KI248QF7YdZaI5/ANLrZh18aGY==",
00830:     "license": "MIT",
00831:     "engines": {
00832:       "node": ">=12"
00833:     },
00834:     "funding": {
00835:       "url": "https://github.com/sponsors/jonschlinkert"
00836:     }
00837:   },
00838:   "node_modules/postcss": {
00839:     "version": "8.5.13",
00840:     "resolved": "https://registry.npmjs.org/postcss/-/postcss-8.5.13.tgz",
00841:     "integrity": "sha512-PODAvUq4yjYM9Wx/W3yP7QKmK1UdQtUw01UaJlB9n0hskN069qumJrK715w/89XqI34Q1Uu0UfMg3+Y==",
00842:     "funding": [
00843:       {
00844:         "type": "opencollective",
00845:         "url": "https://opencollective.com/postcss/"
00846:       },
00847:       {
00848:         "type": "tidelift",
00849:         "url": "https://tidelift.com/funding/github/npm/postcss"
00850:       }
00851:     ],
00852:     {
00853:       "type": "github",
00854:       "url": "https://github.com/sponsors/ai"
00855:     }
00856:   },
00857:   "dependencies": {
00858:     "nanoid": "^3.3.11",
00859:     "picocolors": "^1.1.1",
00860:     "source-map-js": "^1.2.1"
00861:   },
00862:   "engines": {
00863:     "node": ">=10 || ^12 || >=14"
00864:   }
00865: },
00866: "node_modules/react": {
00867:   "version": "19.2.5",
00868:   "resolved": "https://registry.npmjs.org/react/-/react-19.2.5.tgz",
00869:   "integrity": "sha512-1U91u338W3D+1u6z3YKQ83UaQZ033UoP10pN87WY84Uw91R4100T5UW8UeYsX1+Q8YsUz1wX1w==",
00870:   "license": "MIT",
00871:   "engines": {
00872:     "node": ">=0.10.0"
00873:   }
00874: },
00875: "node_modules/react-dom": {
00876:   "version": "19.2.5",
00877:   "resolved": "https://registry.npmjs.org/react-dom/-/react-dom-19.2.5.tgz",
00878:   "integrity": "sha512-1U91u338W3D+1u6z3YKQ83UaQZ033UoP10pN87WY84Uw91R4100T5UW8UeYsX1+Q8YsUz1wX1w==",
00879:   "license": "MIT",
00880:   "dependencies": {
00881:     "scheduler": "^0.27.0"
00882:   },
00883:   "peerDependencies": {
00884:     "react": "^19.2.5"
00885:   }
00886: },
00887: "node_modules/rolldown": {
00888:   "version": "1.0.0-rc.17",
```



```
00889:    "resolved": "https://registry.npmjs.org/rolldown/-/rolldown-1.0.0-rc.17.tgz",
00890:    "integrity": "sha512-ZrT53oAKrtA4+YtBWPQbtPOxIbVDbxT0orcYERkd63VJTF13zPcgXTvD4843L8pcsI7M6MErt8Qt0N6lrB9tyA==",
00891:    "license": "MIT",
00892:    "dependencies": {
00893:      "@oxc-project/types": "=0.127.0",
00894:      "@rolldown/pluginutils": "1.0.0-rc.17"
00895:    },
00896:    "bin": {
00897:      "rolldown": "bin/cli.mjs"
00898:    },
00899:    "engines": {
00900:      "node": "^20.19.0 || >=22.12.0"
00901:    },
00902:    "optionalDependencies": {
00903:      "@rolldown/binding-android-arm64": "1.0.0-rc.17",
00904:      "@rolldown/binding-darwin-arm64": "1.0.0-rc.17",
00905:      "@rolldown/binding-darwin-x64": "1.0.0-rc.17",
00906:      "@rolldown/binding-freebsd-x64": "1.0.0-rc.17",
00907:      "@rolldown/binding-linux-arm-gnueabi-hf": "1.0.0-rc.17",
00908:      "@rolldown/binding-linux-arm64-gnu": "1.0.0-rc.17",
00909:      "@rolldown/binding-linux-arm64-musl": "1.0.0-rc.17",
00910:      "@rolldown/binding-linux-ppc64-gnu": "1.0.0-rc.17",
00911:      "@rolldown/binding-linux-s390x-gnu": "1.0.0-rc.17",
00912:      "@rolldown/binding-linux-x64-gnu": "1.0.0-rc.17",
00913:      "@rolldown/binding-linux-x64-musl": "1.0.0-rc.17",
00914:      "@rolldown/binding-openharmony-arm64": "1.0.0-rc.17",
00915:      "@rolldown/binding-wasm32-wasi": "1.0.0-rc.17",
00916:      "@rolldown/binding-win32-arm64-msvc": "1.0.0-rc.17",
00917:      "@rolldown/binding-win32-x64-msvc": "1.0.0-rc.17"
00918:    }
00919:  },
00920:  "node_modules/rolldown/node_modules/@rolldown/pluginutils": {
00921:    "version": "1.0.0-rc.17",
00922:    "resolved": "https://registry.npmjs.org/@rolldown/pluginutils/-/pluginutils-1.0.0-rc.17.tgz",
00923:    "integrity": "sha512-n8iosD0t6Ig1UhJ2AYqoIhHWh/isz0xpichTzpkBeotdVsTEcxsSA/i3EVM7gQAj0rU270LAXCjzlj15IWY7bg==",
00924:    "license": "MIT"
00925:  },
00926:  "node_modules/scheduler": {
00927:    "version": "0.27.0",
00928:    "resolved": "https://registry.npmjs.org/scheduler/-/scheduler-0.27.0.tgz",
00929:    "integrity": "sha512-enVnWvr6b3vbyJT/xtiF5syA5HPIMtf9IgY/nKg0sWqzAUEvqY/xm70cZc/qaFLx/i09Fg0meSap4v5ti/Q==",
00930:    "license": "MIT"
00931:  },
00932:  "node_modules/source-map-js": {
00933:    "version": "1.2.1",
00934:    "resolved": "https://registry.npmjs.org/source-map-js/-/source-map-js-1.2.1.tgz",
00935:    "integrity": "sha512-UvwKb728IUTQPxxyfYU+usdybtUrK/8uGE8CQMvrhpwzDBWj0hSL7MqC7vIsISB68VQ8+IDQxpQA==",
00936:    "license": "BSD-3-Clause",
00937:    "engines": {
00938:      "node": ">=0.10.0"
00939:    }
00940:  },
00941:  "node_modules/tinyglobby": {
00942:    "version": "0.2.16",
00943:    "resolved": "https://registry.npmjs.org/tinyglobby/-/tinyglobby-0.2.16.tgz",
00944:    "integrity": "sha512-pn99VhoACYR8nFHxqix+uvsbXineAasWm5ojXoN8xEwK5Kd3/TrhNn1wByuD52UxwRly8pu+kRMniEi6Eq9Zg==",
00945:    "license": "MIT",
00946:    "dependencies": {
00947:      "fdir": "^6.5.0",
00948:      "picomatch": "^4.0.4"
00949:    },
00950:    "engines": {
00951:      "node": ">=12.0.0"
00952:    },
00953:    "funding": {
00954:      "url": "https://github.com/sponsors/SuperchupuDev"
00955:    }
00956:  },
00957:  "node_modules/tslib": {
00958:    "version": "2.8.1",
00959:    "resolved": "https://registry.npmjs.org/tslib/-/tslib-2.8.1.tgz",
00960:    "integrity": "sha512-0JFu94Hqb+KVduSUQL7wnpmqnfmls0A/nAh6b6EH0wCEoK0/mPeXU6c3wKDV83MkOuHPRhtSXKKU99IBazS/2w==",
00961:    "license": "0BSD"
00962:  },
00963:  "node_modules/undici-types": {
00964:    "version": "7.19.2",
00965:    "resolved": "https://registry.npmjs.org/undici-types/-/undici-types-7.19.2.tgz",
00966:    "integrity": "sha512-qYVnV50Em2AW8cJMCpdv20CdyA3g0AjdLOgF10W4iaDEx8MwdtChUp4zu4H0VP3nDRF/8RKWH+IPp9uW0YGZg==",
00967:    "license": "MIT"
00968:  },
00969:  "node_modules/vite": {
00970:    "version": "8.0.10",
00971:    "resolved": "https://registry.npmjs.org/vite/-/vite-8.0.10.tgz",
00972:    "integrity": "sha512-rZuUu9j6J5uotLDs+cAA405H4K1SfPluLQwqa6YEWsrWDZzP4rhM00JR5snMewjxF5V/K3D4kctSUTsIU9Mw==",
00973:    "license": "MIT",
00974:    "dependencies": {
00975:      "lightningcss": "^1.32.0",
00976:      "picomatch": "^4.0.4",
00977:      "postcss": "^8.5.10",
00978:      "rolldown": "1.0.0-rc.17",
00979:      "tinyglobby": "^0.2.16"
00980:    },
00981:    "bin": {
00982:      "vite": "bin/vite.js"
00983:    },
00984:    "engines": {
00985:      "node": "^20.19.0 || >=22.12.0"
00986:    },
00987:    "funding": {
00988:      "url": "https://github.com/vitejs/vite?sponsor=1"
00989:    }
00990:  },
```

```
00990:     "optionalDependencies": {
00991:       "fsevents": "~2.3.3"
00992:     },
00993:     "peerDependencies": {
00994:       "@types/node": "^20.19.0 || >=22.12.0",
00995:       "@vitejs/devtools": "^0.1.0",
00996:       "esbuild": "^0.27.0 || ^0.28.0",
00997:       "jiti": ">=1.21.0",
00998:       "less": "^4.0.0",
00999:       "sass": "^1.70.0",
01000:       "sass-embedded": "^1.70.0",
01001:       "stylus": ">=0.54.8",
01002:       "sugarss": "^5.0.0",
01003:       "terser": "^5.16.0",
01004:       "tsx": "^4.8.1",
01005:       "yaml": "^2.4.2"
01006:     },
01007:     "peerDependenciesMeta": {
01008:       "@types/node": {
01009:         "optional": true
01010:       },
01011:       "@vitejs/devtools": {
01012:         "optional": true
01013:       },
01014:       "esbuild": {
01015:         "optional": true
01016:       },
01017:       "jiti": {
01018:         "optional": true
01019:       },
01020:       "less": {
01021:         "optional": true
01022:       },
01023:       "sass": {
01024:         "optional": true
01025:       },
01026:       "sass-embedded": {
01027:         "optional": true
01028:       },
01029:       "stylus": {
01030:         "optional": true
01031:       },
01032:       "sugarss": {
01033:         "optional": true
01034:       },
01035:       "terser": {
01036:         "optional": true
01037:       },
01038:       "tsx": {
01039:         "optional": true
01040:       },
01041:       "yaml": {
01042:         "optional": true
01043:       }
01044:     }
01045:   },
01046:   "node_modules/ws": {
01047:     "version": "8.20.0",
01048:     "resolved": "https://registry.npmjs.org/ws/-/ws-8.20.0.tgz",
01049:     "integrity": "sha512-sAt8BhgNbZCtgGbt20xmpury063ZodK/sqAB/znQm94T4fCEsy/yV+7CdC1kJh0U9lboAEU7R3kquuycDoibVA==",
01050:     "license": "MIT",
01051:     "engines": {
01052:       "node": ">=10.0.0"
01053:     },
01054:     "peerDependencies": {
01055:       "bufferutil": "^4.0.1",
01056:       "utf-8-validate": ">=5.0.2"
01057:     },
01058:     "peerDependenciesMeta": {
01059:       "bufferutil": {
01060:         "optional": true
01061:       },
01062:       "utf-8-validate": {
01063:         "optional": true
01064:       }
01065:     }
01066:   }
01067: }
01068: }
```

Source Listing: vite.config.js

Lines: 6 | Size: 133 bytes | SHA256: 6dc0ce25c4170ac9fbadb4dbd19ca5c2ceb57b9c5efc5090b82e2923f53dd679

```
00001: import { defineConfig } from 'vite'
00002: import react from '@vitejs/plugin-react'
00003:
00004: export default defineConfig({
00005:   plugins: [react()],
00006: })
```

Source Listing: index.html

Lines: 14 | Size: 419 bytes | SHA256: 41aa354f0c2ac3cc9ccc1ff7d54084aa282efb6382e937250d595e81cea621af

```
00001: <!doctype html>
00002: <html lang="en">
00003:   <head>
00004:     <meta charset="UTF-8" />
00005:     <meta name="viewport" content="width=device-width, initial-scale=1.0" />
00006:     <meta name="theme-color" content="#101114" />
00007:     <link rel="icon" type="image/svg+xml" href="/favicon.svg" />
00008:     <title>TCX Pro Controller</title>
00009:   </head>
00010:   <body>
00011:     <div id="root"></div>
00012:     <script type="module" src="/src/App.jsx"></script>
00013:   </body>
00014: </html>
```

Source Listing: favicon.svg

Lines: 4 | Size: 189 bytes | SHA256: eba91d7f5485b7b2220d2e0c763f8a7a86024e5dcc5574b64330de8aa7d5efc2

```
00001: <svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 64 64">
00002:   <rect width="64" height="64" rx="12" fill="#101114"/>
00003:   <path d="M35 6 15 36h15l-2 22 21-32H34l1-20Z" fill="#13b8a4"/>
00004: </svg>
```

Source Listing: src/App.jsx

Lines: 2976 | Size: 128431 bytes | SHA256: 1d2fe64ea42b2db68ae4397a5f0043974acdbdc1477d8dabb46a7dc815cca2b0

```
00001: import React, { useCallback, useEffect, useMemo, useRef, useState } from 'react'
00002: import { createRoot } from 'react-dom/client'
00003: import { hasSupabaseConfig, supabase, functionsUrl, SUPABASE_ANON_KEY } from './supabaseClient.js'
00004: import './styles.css'
00005: import {
00006:   Activity,
00007:   AlertTriangle,
00008:   ArrowDownCircle,
00009:   ArrowUpCircle,
00010:   BarChart3,
00011:   Bell,
00012:   ChevronDown,
00013:   CheckCircle2,
00014:   CircleDot,
00015:   Clock3,
00016:   Copy,
00017:   Database,
00018:   Eye,
00019:   EyeOff,
00020:   Gauge,
00021:   History,
00022:   KeyRound,
00023:   ListChecks,
00024:   Lock,
00025:   Logout,
00026:   Minus,
00027:   PauseCircle,
00028:   Pencil,
00029:   PlayCircle,
00030:   Plus,
00031:   Radio,
00032:   RefreshCw,
00033:   Save,
00034:   Send,
00035:   Server,
00036:   Settings2,
00037:   Shield,
00038:   SlidersHorizontal,
00039:   Sparkles,
00040:   Terminal,
00041:   Trash2,
00042:   WalletCards,
00043:   Wifi,
00044:   WifiOff,
00045:   X,
00046:   XCircle,
00047:   Zap
00048: } from 'lucide-react'
00049:
00050: const ACTIONS = {
00051:   ARM_BUY: 'ARM_BUY',
00052:   ARM_SELL: 'ARM_SELL',
00053:   AUTO_ARM: 'AUTO_ARM',
00054:   CANCEL: 'CANCEL',
00055:   CLOSE_50: 'CLOSE_50',
00056:   BREAK_EVEN: 'BREAK_EVEN',
00057:   FIRST_BE_EXIT: 'FIRST_BE_EXIT',
00058:   FIRST_BREAK_EVEN: 'FIRST_BREAK_EVEN',
00059:   CLOSE_ALL: 'CLOSE_ALL',
00060:   TOGGLE_PARTIALS: 'TOGGLE_PARTIALS',
00061:   TOGGLE_SECOND_ENTRY: 'TOGGLE_SECOND_ENTRY',
00062:   SET_MODE: 'SET_MODE',
00063:   SET_RISK: 'SET_RISK',
00064:   SET_PARTIALS: 'SET_PARTIALS',
00065:   PING: 'PING'
00066: }
00067:
00068: const TELEGRAM_PREFS = [
00069:   ['trade_open', 'Trade Open'],
00070:   ['sl_hit', 'SL Hit'],
00071:   ['tp_hit', 'TP Hit'],
00072:   ['rr1_hit', '1:1 Hit'],
00073:   ['rr2_hit', '1:2 Hit'],
00074:   ['rr3_hit', '1:3 Hit'],
00075:   ['partial_hit', 'Partial Close'],
00076:   ['command_sent', 'Command Sent'],
00077:   ['command_done', 'Command Done'],
00078:   ['command_failed', 'Command Failed'],
00079:   ['ea_message', 'EA Message'],
00080:   ['ea_online', 'EA Online'],
00081:   ['ea_offline', 'EA Offline']
00082: ]
00083:
00084: const DEFAULT_TELEGRAM_PREFS = TELEGRAM_PREFS.reduce((acc, [key]) => ({ ...acc, [key]: true }), {})
00085: const LIVE_POLL_MS = 500
00086: const MULTI_LIVE_POLL_MS = 2000
00087: const CONTROL_OPTIMISTIC_MS = 12000
00088: const CONTROL_KEYS = ['partialsOn', 'secondEntryOn']
00089:
00090: const RULE_COMPANIES = [
00091:   { id: 'fundingpips', label: 'FundingPips', hasRules: true },
00092:   { id: 'other', label: 'Other company', hasRules: false }
00093: ]
00094:
00095: const ACCOUNT_SIZE_AUTO = 'auto'
```

```

00096: const ACCOUNT_SIZE_CUSTOM = 'custom'
00097: const FUNDING_PIPS_STANDARD_SIZES = [5000, 10000, 25000, 50000, 100000]
00098: const FUNDING_PIPS_EXTENDED_SIZES = [...FUNDING_PIPS_STANDARD_SIZES, 200000]
00099:
00100: const COMMON_FP_RULES = {
00101:   lotLimit: 20,
00102:   riskIdeaSmall: 3,
00103:   riskIdeaLarge: 2,
00104:   riskIdeaSplit: 50000,
00105:   inactivityDays: 30,
00106:   commissions: [
00107:     ['Forex', '$5 per lot', '$10 per lot'],
00108:     ['Metals', '$5 per lot', '$10 per lot'],
00109:     ['Energies', 'No commission', 'No commission'],
00110:     ['Indices', 'No commission', 'No commission'],
00111:     ['Crypto', '0.04%', '0.04%']
00112:   ],
00113:   leverage: [
00114:     ['Forex', '1:30', '1:30'],
00115:     ['Metals', '1:10', '1:10'],
00116:     ['Energies', '1:10', '1:10'],
00117:     ['Indices', '1:5', '1:5'],
00118:     ['Crypto', '1:1', '1:1']
00119:   ],
00120:   dynamicLeverage: [
00121:     ['0.00 - 0.05 lots', '1:50'],
00122:     ['0.05 - 0.10 lots', '1:30'],
00123:     ['0.10 - 0.15 lots', '1:25'],
00124:     ['0.15 - 0.25 lots', '1:20'],
00125:     ['0.25 - 0.50 lots', '1:10'],
00126:     ['0.50+ lots', '1:5']
00127:   ],
00128:   generalRules: [
00129:     '20 lots maximum per click or transaction.',
00130:     'Inactivity breach after 30 consecutive days without a completed trade.',
00131:     'Copy trading is allowed only between accounts owned by the same trader.',
00132:     'Forbidden strategies include gap trading, HFT, latency arbitrage, toxic flow, hedging, opposite account trading,
tick scalping, and third-party account management.',
00133:     'Stop loss is not required, but risk limits still apply.'
00134:   ]
00135: }
00136:
00137: const FUNDING_PIPS_RULES = {
00138:   one_step: {
00139:     id: 'one_step',
00140:     label: '1 Step Model',
00141:     summary: 'Single evaluation phase, then Live account.',
00142:     source: 'FundingPips Help Center - 1 Step Model',
00143:     accountSizes: FUNDING_PIPS_STANDARD_SIZES,
00144:     phases: [
00145:       { label: 'Phase 1', target: 10, days: 3 },
00146:       { label: 'Live', target: null, days: null }
00147:     ],
00148:     dailyLossPct: 3,
00149:     maxLossPct: 6,
00150:     maxLossLabel: 'Maximum Loss',
00151:     consistencyPct: 35,
00152:     consistencyScope: 'On Demand Live rewards',
00153:     rewardText: 'On Demand 90%, Weekly 60%, Bi-Weekly 80%, Monthly 100%',
00154:     news: 'Evaluation has no news holding restriction. Live account cannot open or close within 5 minutes before or
after high-impact news on affected instruments.',
00155:     weekend: 'Temporary master rule: weekend holding is not allowed; open trades may be closed by the system.',
00156:     leverage: COMMON_FP_RULES.leverage,
00157:     commissions: COMMON_FP_RULES.commissions
00158:   },
00159:   two_step: {
00160:     id: 'two_step',
00161:     label: '2 Step Model',
00162:     summary: 'Two evaluation phases, then Live account.',
00163:     source: 'FundingPips Help Center - 2 Step Model',
00164:     accountSizes: FUNDING_PIPS_STANDARD_SIZES,
00165:     phases: [
00166:       { label: 'Phase 1 - 8%', target: 8, days: 3 },
00167:       { label: 'Phase 1 - 10%', target: 10, days: 3 },
00168:       { label: 'Phase 2', target: 5, days: 3 },
00169:       { label: 'Live', target: null, days: null }
00170:     ],
00171:     dailyLossPct: 5,
00172:     maxLossPct: 10,
00173:     maxLossLabel: 'Maximum Loss',
00174:     consistencyPct: 35,
00175:     consistencyScope: 'On Demand Live rewards',
00176:     rewardText: 'On Demand 90%, Weekly 60%, Bi-Weekly 80%, Monthly 100%',
00177:     news: 'Evaluation has no news holding restriction. Live account cannot open or close within 5 minutes before or
after high-impact news on affected instruments.',
00178:     weekend: 'Temporary master rule: weekend holding is not allowed; open trades may be closed by the system.',
00179:     leverage: [
00180:       ['Forex', '1:100', '1:30'],
00181:       ['Metals', '1:30', '1:10'],
00182:       ['Energies', '1:10', '1:10'],
00183:       ['Indices', '1:20', '1:5'],
00184:       ['Crypto', '1:2', '1:1']
00185:     ],
00186:     commissions: COMMON_FP_RULES.commissions
00187:   },
00188:   two_step_pro: {
00189:     id: 'two_step_pro',
00190:     label: '2 Step Pro Model',
00191:     summary: 'Two faster phases with 1 minimum trading day each.',
00192:     source: 'FundingPips Help Center - 2 Step Pro Model',
00193:     accountSizes: FUNDING_PIPS_EXTENDED_SIZES,

```

```

00194:   phases: [
00195:     { label: 'Phase 1', target: 6, days: 1 },
00196:     { label: 'Phase 2', target: 6, days: 1 },
00197:     { label: 'Live', target: null, days: null }
00198:   ],
00199:   dailyLossPct: 3,
00200:   maxLossPct: 6,
00201:   maxLossLabel: 'Maximum Loss',
00202:   consistencyPct: 35,
00203:   consistencyScope: 'Only when Daily Reward cycle is selected for evaluation phases',
00204:   rewardText: 'Weekly reward cycle has no consistency rule; Daily Reward add-on adds 35% consistency during
evaluation phases.',
00205:   news: 'Evaluation has no news holding restriction. Live account cannot open or close within 5 minutes before or
after high-impact news on affected instruments.',
00206:   weekend: 'Weekend holding follows Live account announcements and temporary trading condition updates.',
00207:   leverage: COMMON_FP_RULES.leverage,
00208:   commissions: COMMON_FP_RULES.commissions
00209: },
00210: zero: {
00211:   id: 'zero',
00212:   label: 'FundingPips Zero',
00213:   summary: 'Direct Live account with trailing loss, risk, consistency, news, and weekend restrictions.',
00214:   source: 'FundingPips Help Center - FundingPips Zero',
00215:   accountSizes: FUNDING_PIPS_EXTENDED_SIZES,
00216:   phases: [
00217:     { label: 'Live', target: null, days: null }
00218:   ],
00219:   dailyLossPct: 3,
00220:   trailingLossPct: 5,
00221:   maxRiskPct: 1,
00222:   maxLossLabel: 'Maximum Trailing Loss',
00223:   consistencyPct: 15,
00224:   consistencyScope: 'Reward request on Zero Live account',
00225:   profitableDaysRequired: 7,
00226:   profitableDayPct: 0.25,
00227:   rewardText: 'Bi-Weekly 95% reward split after first executed trade, with 15% consistency, 7 profitable days, 3%
safety cushion, and biggest loss not exceeding biggest win.',
00228:   news: 'High-impact news holding is not allowed on Zero Live account.',
00229:   weekend: 'Weekend holding is not allowed on FundingPips Zero, even with Swap Free add-on.',
00230:   leverage: [
00231:     ['Forex', '1:50', '1:30'],
00232:     ['Metals', '1:20', '1:10'],
00233:     ['Energies', '1:10', '1:10'],
00234:     ['Indices', '1:20', '1:5'],
00235:     ['Crypto', '1:2', '1:1']
00236:   ],
00237:   commissions: [
00238:     ['Forex', '$7 per lot', '$10 per lot'],
00239:     ['Metals', '$7 per lot', '$10 per lot'],
00240:     ['Energies', 'No commission', 'No commission'],
00241:     ['Indices', 'No commission', 'No commission'],
00242:     ['Crypto', '0.04%', '0.04%']
00243:   ]
00244: },
00245: instant_1k: {
00246:   id: 'instant_1k',
00247:   label: '1K Instant Account',
00248:   summary: 'Giveaway instant account with no evaluation phase.',
00249:   source: 'FundingPips Help Center - 1K Instant Account',
00250:   accountSizes: [1000],
00251:   phases: [
00252:     { label: 'Live', target: null, days: null }
00253:   ],
00254:   dailyLossPct: null,
00255:   maxLossPct: null,
00256:   maxLossLabel: 'Not published in crawl',
00257:   consistencyPct: null,
00258:   rewardText: 'No evaluation phase, no minimum days, no time limits, no consistency score. Minimum 50% of every
reward request is transferred to Tradin account.',
00259:   news: 'News trading is allowed.',
00260:   weekend: 'Weekend holding is allowed.',
00261:   leverage: [],
00262:   commissions: [],
00263:   specialRules: ['Hedging is strictly prohibited and may result in immediate account closure.', 'Third-party EAs
and trade copiers are permitted.']
00264: }
00265: }
00266:
00267: function n(v, d = 2) {
00268:   const x = Number(v)
00269:   if (!Number.isFinite(x)) return '--'
00270:   return x.toFixed(d)
00271: }
00272:
00273: function money(v, currency = '') {
00274:   const x = Number(v)
00275:   if (!Number.isFinite(x)) return '--'
00276:   const s = `${x >= 0 ? '+' : '-'}${currency ? currency + ' ' : ''}${Math.abs(x).toFixed(2)}`
00277:   return s
00278: }
00279:
00280: function moneyPlain(v, currency = '') {
00281:   const x = Number(v)
00282:   if (!Number.isFinite(x)) return '--'
00283:   return `${currency ? currency + ' ' : ''}${x.toFixed(2)}`
00284: }
00285:
00286: function pct(v) {
00287:   return Number.isFinite(Number(v)) ? `${Number(v).toFixed(2)}%` : '--'
00288: }
00289:

```



```

00290: function clsPL(v) {
00291:   return Number(v) >= 0 ? 'pos' : 'neg'
00292: }
00293:
00294: function statusClass(state) {
00295:   if (!state) return 'idle'
00296:   if (state.position?.hasPosition || String(state.status || '').includes('POSITION')) return 'position'
00297:   if (state.arm === 'BUY') return 'buy'
00298:   if (state.arm === 'SELL') return 'sell'
00299:   if (state.arm === 'AUTO') return 'auto'
00300:   return 'idle'
00301: }
00302:
00303: function formatClock(value) {
00304:   if (!value) return 'Waiting'
00305:   const date = value instanceof Date ? value : new Date(value)
00306:   if (Number.isNaN(date.getTime())) return 'Waiting'
00307:   return date.toLocaleTimeString([], { hour: '2-digit', minute: '2-digit', second: '2-digit' })
00308: }
00309:
00310: function formatHistoryTime(value) {
00311:   if (!value) return '--'
00312:   if (typeof value === 'string') return value
00313:   const date = new Date(Number(value) * 1000)
00314:   if (Number.isNaN(date.getTime())) return '--'
00315:   return date.toLocaleString([], { month: 'short', day: '2-digit', hour: '2-digit', minute: '2-digit' })
00316: }
00317:
00318: function nearNumber(a, b, tolerance = 0.000001) {
00319:   const x = Number(a)
00320:   const y = Number(b)
00321:   return Number.isFinite(x) && Number.isFinite(y) && Math.abs(x - y) <= tolerance
00322: }
00323:
00324: function clampNumber(value, min, max) {
00325:   const x = Number(value)
00326:   if (!Number.isFinite(x)) return min
00327:   return Math.max(min, Math.min(max, x))
00328: }
00329:
00330: function moneyValue(v, currency = '') {
00331:   const x = Number(v)
00332:   if (!Number.isFinite(x)) return '--'
00333:   return `${currency ? currency + ' ' : ''}${x.toLocaleString(undefined, { minimumFractionDigits: 2,
maximumFractionDigits: 2 })}`
00334: }
00335:
00336: function rulePct(used, inverse = false) {
00337:   const x = Number(used)
00338:   if (!Number.isFinite(x)) return 0
00339:   const pctValue = inverse ? 100 - x : x
00340:   return Math.max(0, Math.min(100, pctValue))
00341: }
00342:
00343: function numberValue(value, fallback = 0) {
00344:   const x = Number(value)
00345:   return Number.isFinite(x) ? x : fallback
00346: }
00347:
00348: function avg(values) {
00349:   const clean = values.filter(v => Number.isFinite(Number(v)))
00350:   if (!clean.length) return null
00351:   return clean.reduce((sum, v) => sum + Number(v), 0) / clean.length
00352: }
00353:
00354: function pad2(value) {
00355:   return String(value).padStart(2, '0')
00356: }
00357:
00358: function dateKeyFromSeconds(seconds) {
00359:   const d = new Date(Number(seconds) * 1000)
00360:   if (Number.isNaN(d.getTime())) return ''
00361:   return `${d.getFullYear()}-${pad2(d.getMonth() + 1)}-${pad2(d.getDate())}`
00362: }
00363:
00364: function displayDateKey(key) {
00365:   if (!key) return '--'
00366:   const [year, month, day] = String(key).split('-')
00367:   if (!year || !month || !day) return key
00368:   return `${day}-${month}-${year}`
00369: }
00370:
00371: function historySeconds(row, field = 'closeTimeSec') {
00372:   const direct = Number(row?.[field])
00373:   if (Number.isFinite(direct) && direct > 0) return direct
00374:   const text = row?.[field].replace('Sec', '')
00375:   if (!text) return 0
00376:   const normalized = String(text).replace(/\.\/g, '-')
00377:   const parsed = new Date(normalized)
00378:   return Number.isNaN(parsed.getTime()) ? 0 : Math.floor(parsed.getTime() / 1000)
00379: }
00380:
00381: function durationParts(fromSeconds, toMs = Date.now()) {
00382:   const start = Number(fromSeconds) * 1000
00383:   if (!Number.isFinite(start) || start <= 0) return null
00384:   let remaining = Math.max(0, Math.floor((toMs - start) / 1000))
00385:   const days = Math.floor(remaining / 86400)
00386:   remaining -= days * 86400
00387:   const hours = Math.floor(remaining / 3600)
00388:   remaining -= hours * 3600
00389:   const minutes = Math.floor(remaining / 60)

```

```

00390:   const seconds = remaining - minutes * 60
00391:   return { days, hours, minutes, seconds }
00392: }
00393:
00394: function tradeR(row) {
00395:   const entry = Number(row?.entryPrice)
00396:   const exit = Number(row?.exitPrice)
00397:   const sl = Number(row?.sl)
00398:   if (![entry, exit, sl].every(Number.isFinite) || sl <= 0) return null
00399:   const risk = Math.abs(entry - sl)
00400:   if (risk <= 0) return null
00401:   const side = String(row?.type || '').toUpperCase()
00402:   const move = side === 'SELL' ? entry - exit : exit - entry
00403:   return move / risk
00404: }
00405:
00406: function ringStatus(used, allowed, inverse = false) {
00407:   if (!Number.isFinite(Number(allowed)) || Number(allowed) <= 0) return 'neutral'
00408:   const pctUsed = Math.max(0, Number(used) / Number(allowed) * 100)
00409:   if (inverse) return pctUsed >= 100 ? 'pass' : 'watch'
00410:   if (pctUsed >= 100) return 'breach'
00411:   if (pctUsed >= 75) return 'watch'
00412:   return 'pass'
00413: }
00414:
00415: function buildRuleMetrics(rawState, rule, selectedPhase, selectedAccountSize = null) {
00416:   const s = rawState || {}
00417:   const rows = Array.isArray(s.tradeHistory) ? s.tradeHistory : []
00418:   const currency = s.currency || 'USD'
00419:   const currentBalance = numberValue(s.balance, 0)
00420:   const currentEquity = numberValue(s.equity, currentBalance)
00421:   const openPL = numberValue(s.openPL, currentEquity - currentBalance)
00422:   const closedNetFromRows = rows.reduce((sum, row) => sum + numberValue(row.profit, 0), 0)
00423:   const closedNet = Number.isFinite(Number(s.totalNet)) ? Number(s.totalNet) : closedNetFromRows
00424:   const inferredSize = currentBalance - closedNet
00425:   const explicitSize = Number(selectedAccountSize)
00426:   const accountSize = explicitSize > 0 ? explicitSize : inferredSize > 0 ? inferredSize : currentBalance > 0 ?
currentBalance : 100000
00427:   const totalProfit = currentEquity - accountSize
00428:   const positiveProfit = Math.max(0, totalProfit)
00429:   const dayNet = Number.isFinite(Number(s.dayNet)) ? Number(s.dayNet) : 0
00430:   const dailyStartBalance = currentBalance - dayNet
00431:   const dailyStartEquity = currentEquity - dayNet - openPL
00432:   const dailyBase = Math.max(dailyStartBalance, dailyStartEquity, accountSize)
00433:   const dailyAllowed = rule?.dailyLossPct ? dailyBase * rule.dailyLossPct / 100 : null
00434:   const dailyUsed = dailyAllowed === null ? null : Math.max(0, dailyBase - currentEquity)
00435:   const dailyRemaining = dailyAllowed === null ? null : dailyAllowed - dailyUsed
00436:   const dailyFloor = dailyAllowed === null ? null : dailyBase - dailyAllowed
00437:
00438:   const dailyMap = new Map()
00439:   for (const row of rows) {
00440:     const sec = historySeconds(row, 'closeTimeSec')
00441:     const key = dateKeyFromSeconds(sec)
00442:     if (!key) continue
00443:     const profit = numberValue(row.profit, 0)
00444:     const current = dailyMap.get(key) || { key, net: 0, trades: 0, wins: 0, losses: 0 }
00445:     current.net += profit
00446:     current.trades += 1
00447:     if (profit > 0) current.wins += 1
00448:     if (profit < 0) current.losses += 1
00449:     dailyMap.set(key, current)
00450:   }
00451:
00452:   const todayKey = dateKeyFromSeconds(Date.now() / 1000)
00453:   if (todayKey) {
00454:     const today = dailyMap.get(todayKey) || { key: todayKey, net: 0, trades: 0, wins: 0, losses: 0 }
00455:     today.net = dayNet || today.net
00456:     today.trades = Number.isFinite(Number(s.dayTrades)) ? Number(s.dayTrades) : today.trades
00457:     dailyMap.set(todayKey, today)
00458:   }
00459:
00460:   const dailyRowsAsc = Array.from(dailyMap.values()).sort((a, b) => a.key.localeCompare(b.key))
00461:   const visibleClosedNet = dailyRowsAsc.reduce((sum, day) => sum + day.net, 0)
00462:   let runningBalance = currentBalance - visibleClosedNet
00463:   const chartRows = dailyRowsAsc.map(day => {
00464:     runningBalance += day.net
00465:     return {
00466:       ...day,
00467:       balance: runningBalance,
00468:       equity: day.key === todayKey ? currentEquity : runningBalance
00469:     }
00470:   })
00471:   if (!chartRows.length) {
00472:     chartRows.push({ key: todayKey || dateKeyFromSeconds(Date.now() / 1000), net: dayNet, trades:
numberValue(s.dayTrades, 0), wins: 0, losses: 0, balance: currentBalance, equity: currentEquity })
00473:   }
00474:
00475:   const highwater = Math.max(accountSize, currentBalance, currentEquity, ...chartRows.map(day =>
Math.max(day.balance, day.equity)))
00476:   const watchValue = Math.min(currentBalance || currentEquity, currentEquity || currentBalance)
00477:   const maxFloor = rule?.trailingLossPct
? Math.min(accountSize, highwater - accountSize * rule.trailingLossPct / 100)
: rule?.maxLossPct ? accountSize * (1 - rule.maxLossPct / 100) : null
00479:   const maxAllowed = maxFloor === null ? null : rule?.trailingLossPct ? highwater - maxFloor : accountSize - maxFloor
00480:   const maxUsed = maxFloor === null ? null : rule?.trailingLossPct ? Math.max(0, highwater - watchValue) :
Math.max(0, accountSize - watchValue)
00482:   const maxRemaining = maxAllowed === null || maxUsed === null ? null : maxAllowed - maxUsed
00483:
00484:   const targetAmount = selectedPhase?.target ? accountSize * selectedPhase.target / 100 : null
00485:   const targetProgress = targetAmount ? Math.max(0, positiveProfit) / targetAmount * 100 : null
00486:   const tradingDays = dailyRowsAsc.filter(day => day.trades > 0).length

```

```

00487: const profitableDayFloor = rule?.profitableDayPct ? accountSize * rule.profitableDayPct / 100 : 0
00488: const profitableDays = dailyRowsAsc.filter(day => day.net >= profitableDayFloor && day.trades > 0).length
00489: const requiredDays = rule?.profitableDaysRequired || selectedPhase?.days || 0
00490: const dayObjectiveCount = rule?.profitableDaysRequired ? profitableDays : tradingDays
00491:
00492: const consistencyTopDay = Math.max(0, ...dailyRowsAsc.map(day => day.net))
00493: const consistencyScore = positiveProfit > 0 ? consistencyTopDay / positiveProfit * 100 : 0
00494: const consistencyAllowed = rule?.consistencyPct || null
00495: const totalTrades = numberValue(s.totalTrades, rows.length)
00496: const wins = numberValue(s.wins, rows.filter(row => numberValue(row.profit, 0) > 0).length)
00497: const losses = numberValue(s.losses, rows.filter(row => numberValue(row.profit, 0) < 0).length)
00498: const winRate = totalTrades > 0 ? numberValue(s.winRate, wins * 100 / totalTrades) : 0
00499: const lossRate = totalTrades > 0 ? 100 - winRate : 0
00500: const avgWin = avg(rows.map(row => numberValue(row.profit, NaN)).filter(v => v > 0))
00501: const avgLoss = avg(rows.map(row => numberValue(row.profit, NaN)).filter(v => v < 0))
00502: const avgRR = avg(rows.map(tradeR).filter(v => v !== null))
00503: const expectancy = totalTrades > 0 ? closedNet / totalTrades : null
00504: const positions = Array.isArray(s.position?.positions) ? s.position.positions : []
00505: const maxOpenLots = Math.max(0, ...positions.map(pos => numberValue(pos.volume, 0)))
00506: const openFloatingLoss = Math.max(0, -openPL)
00507: const zeroMaxRiskAmount = rule?.maxRiskPct ? accountSize * rule.maxRiskPct / 100 : null
00508: const firstTradeSec = rows.reduce((min, row) => {
00509:   const sec = historySeconds(row, 'openTimeSec') || historySeconds(row, 'closeTimeSec')
00510:   return sec > 0 ? Math.min(min, sec) : min
00511: }, Number.POSITIVE_INFINITY)
00512:
00513: return {
00514:   currency,
00515:   rows,
00516:   currentBalance,
00517:   currentEquity,
00518:   openPL,
00519:   closedNet,
00520:   accountSize,
00521:   inferredAccountSize: inferredSize > 0 ? inferredSize : null,
00522:   explicitAccountSize: explicitSize > 0 ? explicitSize : null,
00523:   totalProfit,
00524:   positiveProfit,
00525:   dailyStartBalance,
00526:   dailyStartEquity,
00527:   dailyBase,
00528:   dailyAllowed,
00529:   dailyUsed,
00530:   dailyRemaining,
00531:   dailyFloor,
00532:   maxFloor,
00533:   maxAllowed,
00534:   maxUsed,
00535:   maxRemaining,
00536:   highwater,
00537:   targetAmount,
00538:   targetProgress,
00539:   tradingDays,
00540:   profitableDays,
00541:   profitableDayFloor,
00542:   requiredDays,
00543:   dayObjectiveCount,
00544:   consistencyTopDay,
00545:   consistencyScore,
00546:   consistencyAllowed,
00547:   totalTrades,
00548:   wins,
00549:   losses,
00550:   winRate,
00551:   lossRate,
00552:   avgWin,
00553:   avgLoss,
00554:   avgRR,
00555:   expectancy,
00556:   maxOpenLots,
00557:   openFloatingLoss,
00558:   zeroMaxRiskAmount,
00559:   firstTradeSec: Number.isFinite(firstTradeSec) ? firstTradeSec : null,
00560:   elapsed: Number.isFinite(firstTradeSec) ? durationParts(firstTradeSec) : null,
00561:   chartRows,
00562:   dailyRows: chartRows.slice().reverse()
00563: }
00564: }
00565:
00566: async function sha256Hex(text) {
00567:   const buf = await crypto.subtle.digest('SHA-256', new TextEncoder().encode(text))
00568:   return Array.from(new Uint8Array(buf)).map(b => b.toString(16).padStart(2, '0')).join('')
00569: }
00570:
00571: function token() {
00572:   const chars = 'ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz23456789'
00573:   let out = 'tcx_'
00574:   const arr = new Uint32Array(40)
00575:   crypto.getRandomValues(arr)
00576:   for (const v of arr) out += chars[v % chars.length]
00577:   return out
00578: }
00579:
00580: function uid() {
00581:   return crypto.randomUUID() ? crypto.randomUUID() : String(Date.now()) + Math.random()
00582: }
00583:
00584: function mergeCommandRows(rows, row) {
00585:   if (!row?.id) return rows
00586:   return [row, ...rows.filter(c => c.id !== row.id)]
00587:   .sort((a, b) => new Date(b.created_at || 0) - new Date(a.created_at || 0))

```

```

00588:     .slice(0, 12)
00589: }
00590:
00591: function mapRowsBy(rows, key) {
00592:     const map = {}
00593:     for (const row of rows || []) {
00594:         const id = row?.[key]
00595:         if (id) map[id] = row
00596:     }
00597:     return map
00598: }
00599:
00600: function groupCommandsByEa(rows, maxPerEa = 8) {
00601:     const out = {}
00602:     for (const row of rows || []) {
00603:         if (!row?.ea_id) continue
00604:         const list = out[row.ea_id] || []
00605:         if (list.length < maxPerEa) list.push(row)
00606:         out[row.ea_id] = list
00607:     }
00608:     return out
00609: }
00610:
00611: function accountUpdatedAt(instance, stateRow) {
00612:     return stateRow?.updated_at || instance?.last_seen_at || null
00613: }
00614:
00615: function isAccountOnline(instance, stateRow, windowMs = 15000) {
00616:     const updatedAt = accountUpdatedAt(instance, stateRow)
00617:     if (!updatedAt) return false
00618:     const date = new Date(updatedAt)
00619:     if (Number.isNaN(date.getTime())) return false
00620:     return Date.now() - date.getTime() < windowMs
00621: }
00622:
00623: function accountSymbol(instance, state) {
00624:     return state?.symbol || instance?.symbol || 'XAUUSD'
00625: }
00626:
00627: function accountTitle(instance, state) {
00628:     const login = state?.accountLogin || instance?.account_login
00629:     return login ? `${instance?.name || 'EA'} #${login}` : instance?.name || 'EA Connection'
00630: }
00631:
00632: function commandLabel(action) {
00633:     return String(action || '').replaceAll('_', ' ')
00634: }
00635:
00636: async function postCommand(session, eaId, action, payload = {}, clientId = uid()) {
00637:     const res = await fetch(`${functionsUrl}/create-command`, {
00638:         method: 'POST',
00639:         headers: { 'Content-Type': 'application/json', Authorization: `Bearer ${session.access_token}` },
00640:         body: JSON.stringify({ ea_id: eaId, action, payload, client_id: clientId })
00641:     })
00642:     const json = await res.json().catch(() => ({}))
00643:     if (!res.ok || !json.ok) throw new Error(json.error || 'Command failed')
00644:     return json.command || json
00645: }
00646:
00647: function Login() {
00648:     const [mode, setMode] = useState('signin')
00649:     const [email, setEmail] = useState('')
00650:     const [password, setPassword] = useState('')
00651:     const [loading, setLoading] = useState(false)
00652:     const [msg, setMsg] = useState('')
00653:
00654:     async function submit(e) {
00655:         e.preventDefault()
00656:         setLoading(true)
00657:         setMsg('')
00658:         const res = mode === 'signup'
00659:             ? await supabase.auth.signUp({ email, password })
00660:             : await supabase.auth.signInWithPassword({ email, password })
00661:         setLoading(false)
00662:         if (res.error) setMsg(res.error.message)
00663:         else setMsg(mode === 'signup' ? 'Account created. Check email if confirmation is enabled.' : 'Signed in.')
00664:     }
00665:
00666:     return (
00667:         <div className="loginShell">
00668:             <section className="loginIntro">
00669:                 <div className="brandMark">
00670:                     <span className="brandGlyph"><Zap size={24} /></span>
00671:                     <span>TCX Pro</span>
00672:                 </div>
00673:                 <h1>MT5 execution control, cleaned up for daily use.</h1>
00674:                 <div className="loginMetrics" aria-label="Controller features">
00675:                     <span><Radio size={16} /> Live EA state</span>
00676:                     <span><Shield size={16} /> RLS secured</span>
00677:                     <span><ListChecks size={16} /> Command log</span>
00678:                 </div>
00679:             </section>
00680:
00681:             <section className="loginCard glass" aria-label="Authentication">
00682:                 <div className="sectionEyebrow">Secure dashboard</div>
00683:                 <h2>{mode === 'signup' ? 'Create account' : 'Sign in'}</h2>
00684:                 <form onSubmit={submit} className="loginForm">
00685:                     <label>Email<input value={email} onChange={e => setEmail(e.target.value)} type="email"
00686:                     placeholder="you@email.com" required /></label>
00687:                     <label>Password<input value={password} onChange={e => setPassword(e.target.value)} type="password"
00688:                     placeholder="Minimum 6 characters" required /></label>

```

```

00687: <button className="primaryBtn" disabled={loading}>
00688:   {loading ? 'Please wait...' : mode === 'signup' ? 'Create account' : 'Sign in'}
00689: </button>
00690: </form>
00691: {msg && <div className="notice">{msg}</div>}
00692: <button className="textBtn" onClick={() => setMode(mode === 'signup' ? 'signin' : 'signup')}>
00693:   {mode === 'signup' ? 'Already have account? Sign in' : 'New user? Create account'}
00694: </button>
00695: </section>
00696: </div>
00697: )
00698: }
00699:
00700: function EASetup({ user, onCreate, onDone }) {
00701:   const [name, setName] = useState('XAUUSD Main VPS')
00702:   const [symbol, setSymbol] = useState('XAUUSD')
00703:   const [saving, setSaving] = useState(false)
00704:   const [created, setCreated] = useState(null)
00705:
00706:   async function createEA() {
00707:     setSaving(true)
00708:     const plain = token()
00709:     const token_hash = await sha256Hex(plain)
00710:     const { data, error } = await supabase.from('ea_instances').insert({
00711:       user_id: user.id,
00712:       name,
00713:       symbol,
00714:       token_hash,
00715:       enabled: true
00716:     }).select().single()
00717:     setSaving(false)
00718:     if (error) return alert(error.message)
00719:     setCreated({ ...data, token: plain })
00720:     onCreate?.(data)
00721:   }
00722:
00723:   return (
00724:     <div className="setupShell">
00725:       <section className="glass setupCard">
00726:         <div className="panelHeader">
00727:           <div className="panelIcon"><Terminal /></div>
00728:           <div>
00729:             <p className="sectionEyebrow">MT5 bridge</p>
00730:             <h2>Create EA connection</h2>
00731:           </div>
00732:         </div>
00733:
00734:         {!created ? (
00735:           <div className="setupFields">
00736:             <label>EA Name<input value={name} onChange={e => setName(e.target.value)} /></label>
00737:             <label>Symbol<input value={symbol} onChange={e => setSymbol(e.target.value)} /></label>
00738:           </div>
00739:           <div className="primaryBtn fullBtn" onClick={createEA} disabled={saving}>
00740:             {saving ? 'Creating...' : 'Create EA Instance'}
00741:           </button>
00742:         ) : (
00743:           <div className="secretBox">
00744:             <h3>Copy into MT5 EA inputs</h3>
00745:             <CopyRow label="InpSupabaseEaId" value={created.id} />
00746:             <CopyRow label="InpSupabaseEaToken" value={created.token} />
00747:             <CopyRow label="InpSupabaseFunctionsUrl"
00748:               value={`${import.meta.env.VITE_SUPABASE_URL?.replace('supabase.co', '.functions.supabase.co')} ||
00749:               'https://PROJECT_REF.functions.supabase.co'}`} />
00750:             <div className="dangerText"><AlertTriangle size={18} /> Save the token now. It is shown only once.</div>
00751:             <button className="primaryBtn fullBtn" onClick={() => onDone?.()}>Go To Dashboard</button>
00752:           </div>
00753:         )}
00754:       </section>
00755:     </div>
00756:   )
00757: }
00758:
00759: function CopyRow({ label, value }) {
00760:   return (
00761:     <div className="copyRow">
00762:       <span>{label}</span>
00763:       <code>{value}</code>
00764:       <button title={`Copy ${label}`} aria-label={`Copy ${label}`} onClick={() =>
00765:         navigator.clipboard?.writeText(value)}>
00766:         <Copy size={15} />
00767:       </button>
00768:     </div>
00769:   )
00770: }
00771:
00772: function MissingConfig() {
00773:   return (
00774:     <div className="loginShell">
00775:       <section className="loginIntro">
00776:         <div className="brandMark">
00777:           <span className="brandGlyph"><Zap size={24} /></span>
00778:           <span>TCX Pro</span>
00779:         </div>
00780:         <h1>Supabase config is missing from this deployment.</h1>
00781:         <div className="loginMetrics" aria-label="Required environment variables">
00782:           <span><Server size={16} /> VITE_SUPABASE_URL</span>
00783:           <span><KeyRound size={16} /> VITE_SUPABASE_ANON_KEY</span>
00784:         </div>
00785:       </section>
00786:     </div>
00787:   )
00788: }

```

```

00785:
00786:     <section className="loginCard glass" aria-label="Deployment configuration error">
00787:       <div className="sectionEyebrow">Deploy setup</div>
00788:       <h2>Environment variables required</h2>
00789:       <div className="notice errorNotice">
00790:         Add the Supabase URL and anon key in your hosting provider, then redeploy the site.
00791:       </div>
00792:       <div className="envList">
00793:         <code>VITE_SUPABASE_URL=https://YOUR_PROJECT_REF.supabase.co</code>
00794:         <code>VITE_SUPABASE_ANON_KEY=YOUR_SUPABASE_ANON_KEY</code>
00795:       </div>
00796:     </section>
00797:   </div>
00798: )
00799: }
00800:
00801: function CollapsibleSection({ id, title, eyebrow, icon, children, defaultOpen = true, className = '', bodyClassName =
  '' }) {
00802:   const storageKey = `tcx-section-open-${id}`
00803:   const [open, setOpen] = useState(defaultOpen)
00804:
00805:   useEffect(() => {
00806:     try {
00807:       const saved = window.localStorage.getItem(storageKey)
00808:       if (saved !== null) setOpen(saved === 'true')
00809:     } catch {
00810:       // Collapsing is a UI convenience; it should never block dashboard use.
00811:     }
00812:   }, [storageKey])
00813:
00814:   function toggleOpen() {
00815:     setOpen(current => {
00816:       const next = !current
00817:       try {
00818:         window.localStorage.setItem(storageKey, String(next))
00819:       } catch {
00820:         // Ignore storage failures.
00821:       }
00822:       return next
00823:     })
00824:   }
00825:
00826:   return (
00827:     <section className={`collapsibleSection glass ${open ? 'open' : 'closed'} ${className}`}>
00828:       <button type="button" className="collapseHeader" onClick={toggleOpen} aria-expanded={open}>
00829:         <span className="collapseTitle">
00830:           <span className="collapseIcon">{icon}</span>
00831:           <span>
00832:             {eyebrow && <small>{eyebrow}</small>}
00833:             <strong>{title}</strong>
00834:           </span>
00835:         </span>
00836:         <span className="collapseControl" title={open ? 'Minimize section' : 'Maximize section'}>
00837:           <ChevronDown size={18} />
00838:         </span>
00839:       </button>
00840:       {open && <div className={`collapseBody ${bodyClassName}`}>{children}</div>}
00841:     </section>
00842:   )
00843: }
00844:
00845: function Topbar({ user, instances, selectedId, setSelectedId, refresh, onNewEa, onDeleteEa, lastSyncAt, isRefreshing,
  view, setView }) {
00846:   const [isEditing, setIsEditing] = useState(false)
00847:   const [showEmail, setShowEmail] = useState(false)
00848:   const [menuOpen, setMenuOpen] = useState(() => {
00849:     try {
00850:       const saved = window.localStorage.getItem('tcx-topbar-open')
00851:       return saved === null ? true : saved === 'true'
00852:     } catch {
00853:       return true
00854:     }
00855:   })
00856:   const [editName, setEditName] = useState('')
00857:   const [editSymbol, setEditSymbol] = useState('')
00858:
00859:   const selected = instances.find(x => x.id === selectedId)
00860:
00861:   useEffect(() => {
00862:     if (selected) {
00863:       setEditName(selected.name || '')
00864:       setEditSymbol(selected.symbol || '')
00865:     }
00866:   }, [selectedId, selected, isEditing])
00867:
00868:   async function handleSave() {
00869:     if (!selectedId) return
00870:     const { error } = await supabase.from('ea_instances').update({ name: editName, symbol: editSymbol }).eq('id',
selectedId)
00871:     if (error) alert(error.message)
00872:     else {
00873:       setIsEditing(false)
00874:       refresh()
00875:     }
00876:   }
00877:
00878:   function toggleMenuOpen() {
00879:     setMenuOpen(current => {
00880:       const next = !current
00881:       try {
00882:         window.localStorage.setItem('tcx-topbar-open', String(next))

```

```

00883:     } catch {
00884:         // Ignore storage failures.
00885:     }
00886:     return next
00887: })
00888: }
00889:
00890: return (
00891:   <header className={`topbar glass ${menuOpen ? 'open' : 'topbarClosed'}}`>
00892:     <div className="topbarLeft">
00893:       <div className="brand">
00894:         <div className="logo"><Zap size={22} /></div>
00895:         <div className="brandText">
00896:           <h2>TCX Pro</h2>
00897:           <div className="emailPrivacy">
00898:             <span>{showEmail ? user?.email || 'Supabase MT5 Controller' : 'Email hidden'}</span>
00899:             {user?.email && (
00900:               <button type="button" onClick={() => setShowEmail(v => !v)} title={showEmail ? 'Hide email' : 'Show
email'} aria-label={showEmail ? 'Hide email' : 'Show email'}>
00901:                 {showEmail ? <EyeOff size={14} /> : <Eye size={14} />}
00902:               </button>
00903:             )}
00904:           </div>
00905:         </div>
00906:         <button type="button" className="topbarCollapseBtn" onClick={toggleMenuOpen} title={menuOpen ? 'Minimize
menu' : 'Maximize menu'} aria-expanded={menuOpen}>
00907:           <ChevronDown size={18} />
00908:         </button>
00909:       </div>
00910:       <div className={`topbarSelect ${isEditing ? 'editing' : ''}`>
00911:         {isEditing ? (
00912:           <input value={editName} onChange={e => setEditName(e.target.value)} placeholder="EA name" />
00913:           <input className="symbolInput" value={editSymbol} onChange={e => setEditSymbol(e.target.value)}
placeholder="Symbol" />
00914:           <button className="primaryBtn compactBtn" onClick={handleSave} title="Save EA"><Save size={16} />
00915:             Save</button>
00916:           <button className="ghostBtn compactBtn" onClick={() => setIsEditing(false)} title="Cancel edit"><X
size={16} /> Cancel</button>
00917:         </>
00918:       ) : (
00919:         <select value={selectedId || ''} onChange={e => setSelectedId(e.target.value)} aria-label="Select EA
instance">
00920:           {instances.map(x => <option key={x.id} value={x.id}>{x.name} {x.symbol ? ` - ${x.symbol}` :
''}</option>)}
00921:         </select>
00922:         <button className="ghostBtn iconTextBtn" onClick={() => setIsEditing(true)} title="Edit EA"><Pencil
size={16} /> Edit</button>
00923:         <button className="ghostBtn dangerGhost iconTextBtn" onClick={onDeleteEa} title="Delete EA"><Trash2
size={16} /> Delete</button>
00924:       </>
00925:     </div>
00926:   </div>
00927:   <div className="topbarActions">
00928:     <div className="viewToggle" role="group" aria-label="Dashboard view">
00929:       <button className={view === 'dashboard' ? 'active' : ''} onClick={() => setView('dashboard')}
title="Dashboard"><Activity size={16} /> Dashboard</button>
00930:       <button className={view === 'accounts' ? 'active' : ''} onClick={() => setView('accounts')} title="All
accounts"><WalletCards size={16} /> Accounts</button>
00931:       <button className={view === 'history' ? 'active' : ''} onClick={() => setView('history')} title="Trade
history"><History size={16} /> Trades</button>
00932:       <button className={view === 'rules' ? 'active' : ''} onClick={() => setView('rules')} title="Funding
rules"><ListChecks size={16} /> Rules</button>
00933:       <button className={view === 'settings' ? 'active' : ''} onClick={() => setView('settings')}
title="Settings"><Settings2 size={16} /> Settings</button>
00934:     </div>
00935:     <div className="syncBadge" title="Dashboard polls live data every 0.5 seconds and also listens for realtime
updates">
00936:       <span className="liveDot" />
00937:       <span>live sync</span>
00938:       <small>{formatClock(lastSyncAt)}</small>
00939:     </div>
00940:     <button className="ghostBtn iconTextBtn" onClick={refresh} title="Refresh now">
00941:       <RefreshCw className={isRefreshing ? 'spin' : ''} size={16} /> Refresh
00942:     </button>
00943:     <button className="primaryBtn iconTextBtn" onClick={onNewEa} title="New EA"><Plus size={16} /> New
EA</button>
00944:     <button className="ghostBtn iconTextBtn" onClick={() => supabase.auth.signOut()} title="Logout"><LogOut
size={16} /> Logout</button>
00945:   </div>
00946: </header>
00947: )
00948: }
00949:
00950: function StatusHero({ state, selected }) {
00951:   const updatedAt = state?.updated_at ? new Date(state.updated_at) : null
00952:   const online = updatedAt && (Date.now() - updatedAt.getTime()) < 8000
00953:   const s = state?.state || {}
00954:   const score = Number(s.qualityScore ?? 0)
00955:   const scorePct = Math.max(0, Math.min(1, score / 8 || 0))
00956:   const symbol = selected?.symbol || s.symbol || 'XAUUSD'
00957:   return (
00958:     <section className={`hero glass ${statusClass(s)}`>
00959:       <div className="heroLeft">
00960:         <div className="statusMeta">
00961:           <div className={`onlineRow ${online ? 'online' : 'offline'}}`>

```



```

00967:         {online ? <Wifi size={16} /> : <WifiOff size={16} />}
00968:         <span>{online ? 'EA ONLINE' : 'WAITING FOR EA'}</span>
00969:     </div>
00970:     <div className="symbolPill"><Server size={15} /> {symbol}</div>
00971:     <div className="symbolPill"><Clock3 size={15} /> {formatClock(updatedAt)}</div>
00972: </div>
00973:
00974: <h1>{s.status || 'No live state yet'}</h1>
00975: <p>{s.message || 'Attach the EA to MT5, enable Algo Trading, and allow WebRequest to your Supabase functions
URL.'}</p>
00976:
00977:     <div className="chips">
00978:         <div className="chip">Arm <b>{s.arm || 'OFF'}</b></div>
00979:         <div className="chip">Positions <b>{s.position?.count ?? (s.position?.hasPosition ? 1 : 0)}</b></div>
00980:         <div className="chip">Manual <b>{s.position?.manualCount ?? 0}</b></div>
00981:         <div className="chip">TF <b>{s.period || '--'}</b></div>
00982:         <div className="chip">Spread <b>{s.spread ?? '--'}</b></div>
00983:         <div className="chip">SL/TP Space <b>{s.spreadProtectionPoints ?? 0}</b></div>
00984:         <div className="chip">2nd <b>{s.secondEntryOn ? 'ON' : 'OFF'}</b></div>
00985:         <div className="chip">1st Exit <b>{s.firstProfitExitOn === false ? 'OFF' : 'AUTO'}</b></div>
00986:         <div className="chip">Quality <b>{s.qualityText || '--'}</b></div>
00987:     </div>
00988: </div>
00989:
00990: <aside className="heroRight" aria-label="Trade quality score">
00991:     <div className="scoreRing" style={{ '--score': scorePct }}>
00992:         <div className="scoreValue"><span>{score}</span><small>8</small></div>
00993:     </div>
00994:     <p>Trade quality</p>
00995: </aside>
00996: </section>
00997: )
00998: }
00999:
01000: function StatCards({ state }) {
01001:     const s = state?.state || {}
01002:     const cur = s.currency || ''
01003:     const cards = [
01004:         ['Balance', cur ? `${cur} ${n(s.balance)}` : n(s.balance), <WalletCards />, ''],
01005:         ['Equity', cur ? `${cur} ${n(s.equity)}` : n(s.equity), <Activity />, ''],
01006:         ['Open P/L', money(s.openPL, cur), <BarChart3 />, clsPL(s.openPL)],
01007:         ['Total P/L', money(s.totalNet, cur), <Database />, clsPL(s.totalNet)],
01008:         ['Win Rate', pct(s.winRate), <CheckCircle2 />, ''],
01009:         ['Profit Factor', n(s.profitFactor), <Sparkles />, ''],
01010:         ['Risk/Trade', moneyPlain(s.risk, cur), <Shield />, ''],
01011:         ['Daily R', `${n(s.dayR)}R`, <Shield />, Number(s.dayR) >= 0 ? 'pos' : 'neg'],
01012:         ['Daily Losses', `${s.dayLosses ?? 0}/${s.dayLossLimit ?? 0}`, <AlertTriangle />, Number(s.dayLosses) >=
Number(s.dayLossLimit) ? 'neg' : '' ]
01013:     ]
01014:
01015:     return (
01016:         <section className="statGrid" aria-label="Account statistics">
01017:             {cards.map([t, v, ic, c]) => (
01018:                 <div className="statCard glass" key={t}>
01019:                     <div className="statIcon">{ic}</div>
01020:                     <div className="statInfo"><span>{t}</span><strong className={c || ''}>{v}</strong></div>
01021:                 </div>
01022:             )]}
01023:         </section>
01024:     )
01025: }
01026:
01027: function StepperInput({ label, value, onChange, onStep, stepLabel }) {
01028:     return (
01029:         <label className="stepperLabel">
01030:             <span>{label}</span>
01031:             <div className="stepperControl">
01032:                 <button type="button" className="stepBtn" onClick={() => onStep(-1)} title={`Decrease ${label}`}><Minus
size={15} /></button>
01033:                 <input inputMode="decimal" value={value} onChange={e => onChange(e.target.value)} />
01034:                 <button type="button" className="stepBtn" onClick={() => onStep(1)} title={`Increase ${label}`}><Plus
size={15} /></button>
01035:             </div>
01036:             {stepLabel && <small>{stepLabel}</small>}
01037:         </label>
01038:     )
01039: }
01040:
01041: function optimisticControlValue(optimisticControls, key, liveValue) {
01042:     const optimistic = optimisticControls[key]
01043:     if (optimistic && Date.now() - optimistic.at < CONTROL_OPTIMISTIC_MS) return optimistic.value
01044:     return Boolean(liveValue)
01045: }
01046:
01047: function pruneOptimisticControls(prev, liveState, now = Date.now()) {
01048:     const next = {}
01049:     for (const key of CONTROL_KEYS) {
01050:         const optimistic = prev[key]
01051:         if (!optimistic) continue
01052:         const liveValue = Boolean(liveState?.[key])
01053:         if (liveValue === optimistic.value) continue
01054:         if (now - optimistic.at >= CONTROL_OPTIMISTIC_MS) continue
01055:         next[key] = optimistic
01056:     }
01057:     return next
01058: }
01059:
01060: function CommandPanel({ session, selected, state, reloadCommands }) {
01061:     const s = state?.state || {}
01062:     const [busy, setBusy] = useState('')
01063:     const [risk, setRisk] = useState({ lot: '0.01', risk: '100.00', rr: '3.0' })

```



```

01064: const [pc, setPc] = useState({ pc1: '30', pc2: '30', pc3: '40' })
01065: const [riskDirty, setRiskDirty] = useState(false)
01066: const [pcDirty, setPcDirty] = useState(false)
01067: const [pendingRisk, setPendingRisk] = useState(null)
01068: const [pendingPc, setPendingPc] = useState(null)
01069: const [optimisticControls, setOptimisticControls] = useState({})
01070: const currency = s.currency || 'Money'
01071: const controlState = {
01072:   partialsOn: optimisticControlValue(optimisticControls, 'partialsOn', s.partialsOn),
01073:   secondEntryOn: optimisticControlValue(optimisticControls, 'secondEntryOn', s.secondEntryOn)
01074: }
01075: const controlStateRef = useRef(controlState)
01076: controlStateRef.current = controlState
01077:
01078: useEffect(() => {
01079:   if (!s) return
01080:   if (pendingRisk && nearNumber(s.lot, pendingRisk.lot) && nearNumber(s.risk, pendingRisk.risk, 0.01) &&
nearNumber(s.rr, pendingRisk.rr, 0.01)) {
01081:     setPendingRisk(null)
01082:     setRiskDirty(false)
01083:   }
01084:   if (!riskDirty && !pendingRisk) {
01085:     setRisk(r => ({ lot: String(s.lot ?? r.lot), risk: String(s.risk ?? r.risk), rr: String(s.rr ?? r.rr) }))
01086:   }
01087:   if (pendingPc && nearNumber(s.pc1, pendingPc.pc1, 0.1) && nearNumber(s.pc2, pendingPc.pc2, 0.1) &&
nearNumber(s.pc3, pendingPc.pc3, 0.1)) {
01088:     setPendingPc(null)
01089:     setPcDirty(false)
01090:   }
01091:   if (!pcDirty && !pendingPc) {
01092:     setPc(p => ({ pc1: String(s.pc1 ?? p.pc1), pc2: String(s.pc2 ?? p.pc2), pc3: String(s.pc3 ?? p.pc3) }))
01093:   }
01094:   setOptimisticControls(prev => {
01095:     const next = pruneOptimisticControls(prev, s)
01096:     return Object.keys(next).length === Object.keys(prev).length ? prev : next
01097:   })
01098: }, [state?.updated_at, s.lot, s.risk, s.rr, s.pc1, s.pc2, s.pc3, s.partialsOn, s.secondEntryOn, riskDirty, pcDirty,
pendingRisk, pendingPc])
01099:
01100: async function cmd(action, payload = {}, options = {}) {
01101:   if (!selected?.id) return alert('Create/select EA first')
01102:   const lock = options.lock !== false
01103:   const clientId = options.clientId || payload?.request_id || uid()
01104:   if (lock) setBusy(action)
01105:   try {
01106:     const command = await postCommand(session, selected.id, action, payload, clientId)
01107:     reloadCommands?.()
01108:     return command || true
01109:   } catch (error) {
01110:     if (!options.silent) alert(error.message || 'Command failed')
01111:     return false
01112:   } finally {
01113:     if (lock) setBusy('')
01114:   }
01115: }
01116:
01117: function updateRiskField(key, value) {
01118:   setRisk(r => ({ ...r, [key]: value }))
01119:   setRiskDirty(true)
01120: }
01121:
01122: function updatePcField(key, value) {
01123:   setPc(p => ({ ...p, [key]: value }))
01124:   setPcDirty(true)
01125: }
01126:
01127: function stepRiskField(key, direction) {
01128:   const steps = { lot: 0.01, risk: 1, rr: 0.1 }
01129:   const decimals = { lot: 2, risk: 2, rr: 1 }
01130:   const min = { lot: 0.01, risk: 0.01, rr: 0.1 }
01131:   const max = { lot: 100, risk: 100000000, rr: 20 }
01132:   const next = clampNumber((Number(risk[key]) || 0) + direction * steps[key], min[key], max[key])
01133:   updateRiskField(key, next.toFixed(decimals[key]))
01134: }
01135:
01136: function stepPcField(key, direction) {
01137:   const next = clampNumber((Number(pc[key]) || 0) + direction, 0, 100)
01138:   updatePcField(key, next.toFixed(0))
01139: }
01140:
01141: async function sendRiskSettings() {
01142:   const lot = Number(risk.lot)
01143:   const riskAmount = Number(risk.risk)
01144:   const rr = Number(risk.rr)
01145:   if (!Number.isFinite(lot) || lot <= 0) return alert('Lot must be greater than zero')
01146:   if (!Number.isFinite(riskAmount) || riskAmount <= 0) return alert('Risk amount must be greater than zero')
01147:   if (!Number.isFinite(rr) || rr <= 0) return alert('RR must be greater than zero')
01148:   const ok = await cmd(ACTIONS.SET_RISK, { lot, risk: riskAmount, rr })
01149:   if (ok) setPendingRisk({ lot, risk: riskAmount, rr })
01150: }
01151:
01152: async function sendPartialSettings() {
01153:   const next = {
01154:     pc1: clampNumber(pc.pc1, 0, 100),
01155:     pc2: clampNumber(pc.pc2, 0, 100),
01156:     pc3: clampNumber(pc.pc3, 0, 100),
01157:     partialsOn: controlState.partialsOn
01158:   }
01159:   const ok = await cmd(ACTIONS.SET_PARTIALS, next)
01160:   if (ok) setPendingPc(next)
01161: }

```

```

01162:
01163:   async function setBooleanControl(key, value) {
01164:     const requestId = uid()
01165:     const now = Date.now()
01166:     controlStateRef.current = { ...controlStateRef.current, [key]: value }
01167:     setOptimisticControls(prev => ({
01168:       ...pruneOptimisticControls(prev, s, now),
01169:       [key]: { value, at: now, requestId }
01170:     })))
01171:     const ok = await cmd(ACTIONS.SET_PARTIALS, { [key]: value, request_id: requestId }, { lock: false, clientId:
requestId })
01172:     if (!ok) {
01173:       setOptimisticControls(prev => {
01174:         if (prev[key]?.requestId !== requestId) return prev
01175:         const copy = { ...prev }
01176:         delete copy[key]
01177:         return copy
01178:       })
01179:     }
01180:     return ok
01181:   }
01182:
01183:   function togglePartials() {
01184:     return setBooleanControl('partialsOn', !controlStateRef.current.partialsOn)
01185:   }
01186:
01187:   function toggleSecondEntry() {
01188:     return setBooleanControl('secondEntryOn', !controlStateRef.current.secondEntryOn)
01189:   }
01190:
01191:   function firstBreakEven() {
01192:     return cmd(ACTIONS.SET_PARTIALS, { firstBreakEven: true }, { lock: false })
01193:   }
01194:
01195:   function firstBreakEvenExit() {
01196:     return cmd(ACTIONS.SET_PARTIALS, { firstBeExit: true })
01197:   }
01198:
01199:   return (
01200:     <section className="mainLayout">
01201:       <div className="glass panel controlPanel">
01202:         <div className="panelHeader">
01203:           <div className="panelIcon"><PlayCircle /></div>
01204:           <div>
01205:             <p className="sectionEyebrow">Execution</p>
01206:             <h2>Trade Control</h2>
01207:           </div>
01208:         </div>
01209:
01210:         <div className="bigBtns">
01211:           <button className="buyBtn" disabled={busy === ACTIONS.ARM_BUY} onClick={() =>
cmd(ACTIONS.ARM_BUY)}><ArrowUpCircle /> ARM BUY</button>
01212:           <button className="sellBtn" disabled={busy === ACTIONS.ARM_SELL} onClick={() =>
cmd(ACTIONS.ARM_SELL)}><ArrowDownCircle /> ARM SELL</button>
01213:         </div>
01214:
01215:         <div className="miniBtns">
01216:           <button onClick={() => cmd(ACTIONS.AUTO_ARM)} disabled={busy === ACTIONS.AUTO_ARM}><CircleDot /> AUTO
ARM</button>
01217:           <button onClick={() => cmd(ACTIONS.CANCEL)} disabled={busy === ACTIONS.CANCEL}><PauseCircle />
CANCEL</button>
01218:           <button onClick={() => cmd(ACTIONS.PING)} disabled={busy === ACTIONS.PING}><Wifi /> PING</button>
01219:         </div>
01220:
01221:         <div className="dangerZone">
01222:           <button onClick={() => cmd(ACTIONS.CLOSE_50)} disabled={busy === ACTIONS.CLOSE_50}><SlidersHorizontal />
CLOSE 50%</button>
01223:           <button onClick={() => cmd(ACTIONS.BREAK_EVEN)} disabled={busy === ACTIONS.BREAK_EVEN}><Shield /> BREAK
EVEN</button>
01224:           <button onClick={firstBreakEven}><Shield /> 1ST BE</button>
01225:           <button onClick={firstBreakEvenExit} disabled={busy === ACTIONS.SET_PARTIALS}><Shield /> 1ST BE
EXIT</button>
01226:           <button className="redBtn" onClick={() => window.confirm('Close all EA positions?')} &&
cmd(ACTIONS.CLOSE_ALL)} disabled={busy === ACTIONS.CLOSE_ALL}><XCircle /> CLOSE ALL</button>
01227:         </div>
01228:       </div>
01229:
01230:       <div className="glass panel">
01231:         <div className="panelHeader">
01232:           <div className="panelIcon"><Settings2 /></div>
01233:           <div>
01234:             <p className="sectionEyebrow">Risk</p>
01235:             <h2>Mode & Partials</h2>
01236:           </div>
01237:         </div>
01238:
01239:         <div className="settingsGrid">
01240:           <StepperInput label="Lot" value={risk.lot} onChange={value => updateRiskField('lot', value)}
onStep={direction => stepRiskField('lot', direction)} stepLabel="+/- 0.01" />
01241:           <StepperInput label={`Risk ${currency}`} value={risk.risk} onChange={value => updateRiskField('risk',
value)} onStep={direction => stepRiskField('risk', direction)} stepLabel="+/- 1" />
01242:           <StepperInput label="RR" value={risk.rr} onChange={value => updateRiskField('rr', value)} onStep={direction
=> stepRiskField('rr', direction)} stepLabel="+/- 0.1" />
01243:         </div>
01244:
01245:         <button className="primaryBtn fullBtn" onClick={sendRiskSettings} disabled={busy === ACTIONS.SET_RISK}>
01246:           Send Risk Settings
01247:         </button>
01248:
01249:         <div className="modeToggle" role="group" aria-label="EA mode controls">
01250:           <button onClick={() => cmd(ACTIONS.SET_MODE, { mode: 'safe' })} className={!s.advanced ? 'active' : ''}

```

```

disabled={busy === ACTIONS.SET_MODE}>Safe</button>
01251:   <button onClick={() => cmd(ACTIONS.SET_MODE, { mode: 'advanced' })} className={s.advanced ? 'active' : ''}
disabled={busy === ACTIONS.SET_MODE}>Advanced</button>
01252:   <button onClick={togglePartials} className={controlState.partialsOn ? 'active successToggle' : ''}>Partials
{controlState.partialsOn ? 'ON' : 'OFF'}</button>
01253:   <button onClick={toggleSecondEntry} className={controlState.secondEntryOn ? 'active successToggle' :
''}>2nd {controlState.secondEntryOn ? 'ON' : 'OFF'}</button>
01254: </div>
01255:
01256:   <div className="inlineStatus">{s.secondEntryStatus || '2nd entry OFF'}</div>
01257:   <div className="inlineStatus">{s.firstProfitExitStatus || '1st auto exit waits 2nd'}</div>
01258:
01259:   <div className="settingsGrid">
01260:     <StepperInput label="PC1 %" value={pc.pc1} onChange={value => updatePcField('pc1', value)}
onStep={direction => stepPcField('pc1', direction)} stepLabel="+/- 1" />
01261:     <StepperInput label="PC2 %" value={pc.pc2} onChange={value => updatePcField('pc2', value)}
onStep={direction => stepPcField('pc2', direction)} stepLabel="+/- 1" />
01262:     <StepperInput label="PC3 %" value={pc.pc3} onChange={value => updatePcField('pc3', value)}
onStep={direction => stepPcField('pc3', direction)} stepLabel="+/- 1" />
01263:   </div>
01264:
01265:   <button className="ghostBtn fullBtn" onClick={sendPartialSettings} disabled={busy === ACTIONS.SET_PARTIALS}>
01266:     Send Partial Settings
01267:   </button>
01268: </div>
01269: </section>
01270: )
01271: }
01272:
01273: function PositionPanel({ state }) {
01274:   const s = state?.state || {}
01275:   const p = s.position || {}
01276:   const positions = Array.isArray(p.positions) && p.positions.length ? p.positions : (p.hasPosition ? [p] : [])
01277:   const sourceText = (pos) => pos.source || (Number(pos.magic) === 0 ? 'Manual' : 'EA')
01278:
01279:   return (
01280:     <section className="glass panel positionPanel">
01281:       <div className="panelHeader">
01282:         <div className="panelIcon"><Gauge /></div>
01283:         <div>
01284:           <p className="sectionEyebrow">Position</p>
01285:           <h2>{positions.length > 1 ? 'Live Positions' : 'Live Position'}</h2>
01286:         </div>
01287:       </div>
01288:
01289:       {!positions.length ? (
01290:         <div className="emptyState">No open dashboard position.</div>
01291:       ) : (
01292:         <div className="positionList">
01293:           {positions.map((pos, index) => {
01294:             const source = sourceText(pos)
01295:             return (
01296:               <div className="positionRow" key={pos.ticket || `${pos.type}-${index}`}>
01297:                 <div className="posItem"><span>Source</span><strong><span className={`sourcePill ${source ===
'Manual' ? 'manual' : 'ea'}`}>{source}</span></strong></div>
01298:                 <div className="posItem"><span>Type</span><strong class="pos.type === 'BUY' ? 'pos' :
'neg'>{pos.type}</strong></div>
01299:                 <div className="posItem"><span>Volume</span><strong>{pos.volume}</strong></div>
01300:                 <div className="posItem"><span>RR</span><strong>{n(pos.rr)}R</strong></div>
01301:                 <div className="posItem"><span>P/L</span><strong class="pos.profit">{clsPL(pos.profit)}>{money(pos.profit,
s.currency)}</strong></div>
01302:                 <div className="posItem"><span>Entry</span><strong>{pos.entry}</strong></div>
01303:                 <div className="posItem"><span>SL</span><strong>{pos.sl}</strong></div>
01304:                 <div className="posItem"><span>TP</span><strong>{pos.tp}</strong></div>
01305:               </div>
01306:             )
01307:           })}
01308:         </div>
01309:       )}
01310:     </section>
01311:   )
01312: }
01313:
01314: function StructurePanel({ state }) {
01315:   const st = state?.state?.structure || {}
01316:   const candles = st.candles || []
01317:   const sweeps = st.sweeps || []
01318:
01319:   return (
01320:     <section className="structureContainer">
01321:       <div className="glass panel">
01322:         <div className="panelHeader">
01323:           <div className="panelIcon"><Clock3 /></div>
01324:           <div>
01325:             <p className="sectionEyebrow">Structure</p>
01326:             <h2>Candle Structure</h2>
01327:           </div>
01328:         </div>
01329:         <div className="structList">
01330:           {candles.length ? candles.map((x, i) => <StructureRow key={i} label={x.label} good={x.valid} text={!x.valid
? 'No data' : x.bull ? 'Above open' : 'Below open'} kind={x.bull ? 'pos' : 'neg'} />) : <div className="emptyState
compact">No candle data.</div>}
01331:         </div>
01332:       </div>
01333:
01334:       <div className="glass panel">
01335:         <div className="panelHeader">
01336:           <div className="panelIcon"><Zap /></div>
01337:           <div>
01338:             <p className="sectionEyebrow">Sweep</p>
01339:             <h2>Sweep Structure</h2>

```

```

01340:         </div>
01341:     </div>
01342:     <div className="structList">
01343:         {sweeps.length ? sweeps.map((x, i) => <StructureRow key={i} label={x.label} good={x.valid} text={!x.valid ?
'No sweep' : x.high ? 'High sweep' : x.low ? 'Low sweep' : 'Clean'} kind={x.high ? 'neg' : x.low ? 'pos' : ''} />) :
<div className="emptyState compact">No sweep data.</div>}
01344:     </div>
01345: </div>
01346: </section>
01347: )
01348: }
01349:
01350: function StructureRow({ label, good, text, kind }) {
01351:     return (
01352:         <div className="structRow">
01353:             <span className="structLabel">{label}</span>
01354:             <div className="structState"><b className={kind}>{text}</b><div className={`.dot ${good ? 'ok' : 'off'}}`>
/></div>
01355:         </div>
01356:     )
01357: }
01358:
01359: function CommandsLog({ commands }) {
01360:     return (
01361:         <section className="glass panel">
01362:             <div className="panelHeader">
01363:                 <div className="panelIcon"><KeyRound /></div>
01364:                 <div>
01365:                     <p className="sectionEyebrow">History</p>
01366:                     <h2>Command Log</h2>
01367:                 </div>
01368:             </div>
01369:             <div className="logContainer">
01370:                 {commands.length ? commands.map(c => (
01371:                     <div className="logItem" key={c.id}>
01372:                         <div className={`logBadge ${c.status}`}>{c.status}</div>
01373:                         <div className="logContent"><strong>{String(c.action || '').replaceAll('_', '
')}}</strong><p>{c.result_message || 'Waiting for EA...'}</p></div>
01374:                         <div className="logTime">{formatClock(c.created_at)}</div>
01375:                     </div>
01376:                 )) : <div className="emptyState">No commands yet.</div>}
01377:             </div>
01378:         </section>
01379:     )
01380: }
01381:
01382: function MultiAccountDashboard({ session, instances, onNewEa, onOpenAccount }) {
01383:     const [statesById, setStatesById] = useState({})
01384:     const [commandsById, setCommandsById] = useState({})
01385:     const [selectedIds, setSelectedIds] = useState(() => new Set())
01386:     const [expandedIds, setExpandedIds] = useState(() => new Set())
01387:     const [filter, setFilter] = useState('all')
01388:     const [busy, setBusy] = useState('')
01389:     const [result, setResult] = useState(null)
01390:     const [lastSyncAt, setLastSyncAt] = useState(null)
01391:     const pollingRef = useRef(false)
01392:     const selectionReadyRef = useRef(false)
01393:     const expansionReadyRef = useRef(false)
01394:
01395:     const instanceIds = useMemo(() => instances.map(x => x.id).filter(Boolean), [instances])
01396:     const instanceIdKey = instanceIds.join(',')
01397:
01398:     const accounts = useMemo(() => instances.map(instance => {
01399:         const stateRow = statesById[instance.id] || null
01400:         const state = stateRow?.state || {}
01401:         const online = isAccountOnline(instance, stateRow)
01402:         return {
01403:             instance,
01404:             stateRow,
01405:             state,
01406:             online,
01407:             selected: selectedIds.has(instance.id),
01408:             expanded: expandedIds.has(instance.id),
01409:             symbol: accountSymbol(instance, state),
01410:             title: accountTitle(instance, state),
01411:             commands: commandsById[instance.id] || []
01412:         }
01413:     }), [commandsById, expandedIds, instances, selectedIds, statesById])
01414:
01415:     const visibleAccounts = useMemo(() => accounts.filter(account => {
01416:         if (filter === 'online') return account.online
01417:         if (filter === 'offline') return !account.online
01418:         if (filter === 'selected') return account.selected
01419:         return true
01420:     }), [accounts, filter])
01421:
01422:     const selectedAccounts = useMemo(() => accounts.filter(account => account.selected), [accounts])
01423:     const selectedOnlineCount = selectedAccounts.filter(account => account.online).length
01424:     const selectedOfflineCount = Math.max(0, selectedAccounts.length - selectedOnlineCount)
01425:     const totalEquity = selectedAccounts.reduce((sum, account) => sum + numberValue(account.state.equity, 0), 0)
01426:     const totalOpenPositions = selectedAccounts.reduce((sum, account) => sum +
numberValue(account.state.position?.count, account.state.position?.hasPosition ? 1 : 0), 0)
01427:     const selectedSymbols = Array.from(new Set(selectedAccounts.map(account => account.symbol).filter(Boolean)))
01428:     const selectedCurrencies = Array.from(new Set(selectedAccounts.map(account =>
account.state.currency).filter(Boolean)))
01429:     const totalEquityText = selectedCurrencies.length <= 1 ? moneyPlain(totalEquity, selectedCurrencies[0] || '') :
'Mixed currency'
01430:     const duplicateAccountKeys = useMemo(() => {
01431:         const counts = new Map()
01432:         for (const account of accounts) {
01433:             const login = account.state.accountLogin || account.instance.account_login

```

```

01434:     const server = account.state.accountServer || 'server'
01435:     if (!login) continue
01436:     const key = `${server}:${login}`
01437:     counts.set(key, (counts.get(key) || 0) + 1)
01438:   }
01439:   return Array.from(counts.entries()).filter(([, count]) => count > 1).map(([key]) => key)
01440: }, [accounts])
01441: const visibleIds = visibleAccounts.map(account => account.instance.id)
01442: const allVisibleSelected = visibleIds.length > 0 && visibleIds.every(id => selectedIds.has(id))
01443:
01444: const loadMultiData = useCallback(async () => {
01445:   if (!instanceIds.length) return
01446:   const ids = instanceIds
01447:   const [statesRes, commandsRes] = await Promise.all([
01448:     supabase.from('ea_states').select('*').in('ea_id', ids),
01449:     supabase.from('commands').select('*').in('ea_id', ids).order('created_at', { ascending: false
01450:   }).limit(Math.min(Math.max(ids.length * 8, 24), 200))
01451:   ])
01452:   if (!statesRes.error) setStatesById(mapRowsBy(statesRes.data || [], 'ea_id'))
01453:   if (!commandsRes.error) setCommandsById(groupCommandsByEa(commandsRes.data || []))
01454:   setLastSyncAt(new Date())
01455: }, [instanceIdKey])
01456:
01457: useEffect(() => {
01458:   const validIds = new Set(instanceIds)
01459:   setSelectedIds(current => {
01460:     const next = new Set([...current].filter(id => validIds.has(id)))
01461:     if (!selectionReadyRef.current) {
01462:       instances.forEach(instance => next.add(instance.id))
01463:       selectionReadyRef.current = true
01464:     }
01465:     return next
01466:   })
01467:   setExpandedIds(current => {
01468:     const next = new Set([...current].filter(id => validIds.has(id)))
01469:     if (!expansionReadyRef.current) {
01470:       instances.slice(0, 2).forEach(instance => next.add(instance.id))
01471:       expansionReadyRef.current = true
01472:     }
01473:     return next
01474:   })
01475: }, [instanceIdKey, instances])
01476:
01477: useEffect(() => { loadMultiData() }, [loadMultiData])
01478:
01479: useEffect(() => {
01480:   if (!instanceIds.length) return undefined
01481:   let cancelled = false
01482:   async function pollLiveData() {
01483:     if (pollingRef.current) return
01484:     pollingRef.current = true
01485:     try {
01486:       await loadMultiData()
01487:     } finally {
01488:       pollingRef.current = false
01489:     }
01490:   }
01491:   const interval = window.setInterval(() => {
01492:     if (!cancelled) pollLiveData()
01493:   }, MULTI_LIVE_POLL_MS)
01494:   return () => {
01495:     cancelled = true
01496:     window.clearInterval(interval)
01497:   }
01498: }, [instanceIdKey, instanceIds.length, loadMultiData])
01499:
01500: useEffect(() => {
01501:   if (!session?.user?.id) return undefined
01502:   const ch = supabase.channel(`tcx-multi-${session.user.id}`)
01503:   .on('postgres_changes', { event: '*', schema: 'public', table: 'ea_states', filter:
01504:     `user_id=eq.${session.user.id}` }, payload => {
01505:     if (payload.new?.ea_id) {
01506:       setStatesById(current => ({ ...current, [payload.new.ea_id]: payload.new }))
01507:       setLastSyncAt(new Date())
01508:     }
01509:   })
01510:   .on('postgres_changes', { event: '*', schema: 'public', table: 'commands', filter:
01511:     `user_id=eq.${session.user.id}` }, payload => {
01512:     if (payload.new?.ea_id) {
01513:       setCommandsById(current => ({
01514:         ...current,
01515:         [payload.new.ea_id]: mergeCommandRows(current[payload.new.ea_id] || [], payload.new)
01516:       }))
01517:     } else {
01518:       loadMultiData()
01519:     }
01520:   })
01521:   .subscribe()
01522:   return () => supabase.removeChannel(ch)
01523: }, [loadMultiData, session?.user?.id])
01524:
01525: function toggleSelected(id) {
01526:   setSelectedIds(current => {
01527:     const next = new Set(current)
01528:     if (next.has(id)) next.delete(id)
01529:     else next.add(id)
01530:     return next
01531:   })
01532: }
01533:
01534: function toggleExpanded(id) {

```

```

01532:     setExpandedIds(current => {
01533:         const next = new Set(current)
01534:         if (next.has(id)) next.delete(id)
01535:         else next.add(id)
01536:         return next
01537:     })
01538: }
01539:
01540: function toggleAllVisible() {
01541:     setSelectedIds(current => {
01542:         const next = new Set(current)
01543:         if (allVisibleSelected) visibleIds.forEach(id => next.delete(id))
01544:         else visibleIds.forEach(id => next.add(id))
01545:         return next
01546:     })
01547: }
01548:
01549: async function postBulkCommand(action, payload = {}) {
01550:     const selectedEaIds = selectedAccounts.map(account => account.instance.id)
01551:     const bulkClientId = uid()
01552:     const res = await fetch(`${functionsUrl}/create-bulk-command`, {
01553:         method: 'POST',
01554:         headers: { 'Content-Type': 'application/json', Authorization: `Bearer ${session.access_token}` },
01555:         body: JSON.stringify({ ea_ids: selectedEaIds, action, payload, client_id: bulkClientId })
01556:     })
01557:     const json = await res.json().catch(() => ({}))
01558:     if (res.status === 404) throw new Error('BULK_FUNCTION_NOT_DEPLOYED')
01559:     if (!res.ok || !json.ok) throw new Error(json.error || 'Bulk command failed')
01560:     return {
01561:         ok: true,
01562:         sent: json.commands?.length || 0,
01563:         failed: 0,
01564:         details: json.commands || []
01565:     }
01566: }
01567:
01568: async function postFallbackCommands(action, payload = {}) {
01569:     const rows = await Promise.allSettled(selectedAccounts.map(account =>
01570:         postCommand(session, account.instance.id, action, payload, `${uid()}:${account.instance.id}`)
01571:     ))
01572:     const sent = rows.filter(row => row.status === 'fulfilled').length
01573:     const failed = rows.length - sent
01574:     return { ok: failed === 0, sent, failed, details: rows }
01575: }
01576:
01577: async function sendMasterCommand(action, payload = {}) {
01578:     if (!selectedAccounts.length) return alert('Select at least one account first.')
01579:     if (busy) return
01580:     if (selectedOfflineCount > 0 && !window.confirm(`${selectedOfflineCount} selected account(s) are offline. Command
01581:     may expire before pickup. Send anyway?`)) return
01582:     if ((action === ACTIONS.ARM_BUY || action === ACTIONS.ARM_SELL || action === ACTIONS.AUTO_ARM) &&
01583:     selectedSymbols.length > 1) {
01584:         if (!window.confirm(`Selected accounts use ${selectedSymbols.length} symbols: ${selectedSymbols.join(', ')}.
01585:         Send ${commandLabel(action)} to each account on its own chart?`)) return
01586:     }
01587:     if (action === ACTIONS.CLOSE_ALL && !window.confirm(`Close all EA positions on ${selectedAccounts.length}
01588:     selected account(s)?`)) return
01589:
01590:     setBusy(action)
01591:     setResult({ action, status: 'sending', sent: 0, failed: 0 })
01592:     try {
01593:         let summary
01594:         try {
01595:             summary = await postBulkCommand(action, payload)
01596:         } catch (error) {
01597:             if (error.message !== 'BULK_FUNCTION_NOT_DEPLOYED') throw error
01598:             summary = await postFallbackCommands(action, payload)
01599:         }
01600:         setResult({ action, status: summary.failed ? 'partial' : 'sent', ...summary })
01601:         await loadMultiData()
01602:     } catch (error) {
01603:         setResult({ action, status: 'failed', sent: 0, failed: selectedAccounts.length, message: error.message ||
01604:         'Command failed' })
01605:         alert(error.message || 'Command failed')
01606:     } finally {
01607:         setBusy('')
01608:     }
01609: }
01610:
01611: return (
01612:     <section className="multiPage">
01613:         <section className="multiMaster glass">
01614:             <div className="multiMasterHeader">
01615:                 <div>
01616:                     <p className="sectionEyebrow">Multi account execution</p>
01617:                     <h1>Account Controller</h1>
01618:                 </div>
01619:                 <div className="multiHeaderActions">
01620:                     <button className="ghostBtn iconTextBtn" onClick={loadMultiData} title="Refresh accounts"><RefreshCw
01621:                     size={16} /> Refresh</button>
01622:                     <button className="primaryBtn iconTextBtn" onClick={onNewEa} title="New EA"><Plus size={16} /> New
01623:                     EA</button>
01624:                 </div>
01625:             </div>
01626:             <div className="masterStats">
01627:                 <div><span>Selected</span><strong>{selectedAccounts.length}/{accounts.length}</strong></div>
01628:                 <div><span>Online</span><strong>{selectedOnlineCount}</strong></div>
01629:                 <div><span>Offline</span><strong>{selectedOfflineCount}</strong></div>
01630:                 <div><span>Open Positions</span><strong>{totalOpenPositions}</strong></div>
01631:                 <div><span>Total Equity</span><strong>{totalEquityText}</strong></div>

```



```

01626:         <div><span>Last Sync</span><strong>{formatClock(lastSyncAt)}</strong></div>
01627:     </div>
01628:
01629:     <div className="masterControls">
01630:         <button className="buyBtn" disabled={busy === ACTIONS.ARM_BUY} onClick={() =>
01631:             sendMasterCommand(ACTIONS.ARM_BUY)}><ArrowUpCircle /> ARM BUY</button>
01632:         <button className="sellBtn" disabled={busy === ACTIONS.ARM_SELL} onClick={() =>
01633:             sendMasterCommand(ACTIONS.ARM_SELL)}><ArrowDownCircle /> ARM SELL</button>
01634:         <button className="ghostBtn" disabled={busy === ACTIONS.AUTO_ARM} onClick={() =>
01635:             sendMasterCommand(ACTIONS.AUTO_ARM)}><CircleDot /> AUTO ARM</button>
01636:         <button className="ghostBtn" disabled={busy === ACTIONS.CANCEL} onClick={() =>
01637:             sendMasterCommand(ACTIONS.CANCEL)}><PauseCircle /> CANCEL</button>
01638:         <button className="ghostBtn" disabled={busy === ACTIONS.BREAK_EVEN} onClick={() =>
01639:             sendMasterCommand(ACTIONS.BREAK_EVEN)}><Shield /> BREAK EVEN</button>
01640:         <button className="ghostBtn redInlineBtn" disabled={busy === ACTIONS.CLOSE_ALL} onClick={() =>
01641:             sendMasterCommand(ACTIONS.CLOSE_ALL)}><XCircle /> CLOSE ALL</button>
01642:     </div>
01643:
01644:     {result && (
01645:         <div className={`bulkResult ${result.status}`}>
01646:             <strong>{commandLabel(result.action)}</strong>
01647:             <span>{result.status === 'sending' ? 'Sending commands...' : result.status === 'failed' ? result.message
01648:                 || 'Command failed' : `${result.sent} sent${result.failed ? ', ${result.failed} failed' : ''}}</span>
01649:             <button type="button" onClick={() => setResult(null)} title="Clear result"><X size={15} /></button>
01650:         </div>
01651:     )}
01652:
01653:     {(duplicateAccountKeys.length > 0 || selectedSymbols.length > 1 || selectedCurrencies.length > 1) && (
01654:         <div className="accountRiskBanner">
01655:             <AlertTriangle size={17} />
01656:             <span>
01657:                 {duplicateAccountKeys.length > 0 ? `${duplicateAccountKeys.length} duplicate MT5 login/server
01658:                 connection(s) detected. ` : ''}
01659:                 {selectedSymbols.length > 1 ? `Selected accounts have mixed symbols: ${selectedSymbols.join(', ')}. ` :
01660:                 ''}
01661:                 {selectedCurrencies.length > 1 ? `Selected accounts have mixed currencies. ` : ''}
01662:             </span>
01663:         </div>
01664:     )}
01665: </section>
01666:
01667: <div className="accountToolbar glass">
01668:     <button className="ghostBtn compactBtn" onClick={toggleAllVisible}>{allVisibleSelected ? 'Unselect Visible' :
01669:     'Select Visible'}</button>
01670:     <select value={filter} onChange={e => setFilter(e.target.value)} aria-label="Account filter">
01671:         <option value="all">All accounts</option>
01672:         <option value="selected">Selected accounts</option>
01673:         <option value="online">Online only</option>
01674:         <option value="offline">Offline only</option>
01675:     </select>
01676:     <div className="accountToolbarNote"><Lock size={14} /> Master buttons send only to selected accounts.</div>
01677: </div>
01678:
01679: <div className="multiAccountList">
01680:     {visibleAccounts.length ? visibleAccounts.map(account => (
01681:         <MultiAccountCard
01682:             key={account.instance.id}
01683:             session={session}
01684:             account={account}
01685:             onToggleSelected={() => toggleSelected(account.instance.id)}
01686:             onToggleExpanded={() => toggleExpanded(account.instance.id)}
01687:             onOpenSingle={() => onOpenAccount(account.instance.id)}
01688:             onCommandDone={loadMultiData}
01689:         />
01690:     )) : <div className="emptyState glass">No accounts match this filter.</div>}
01691: </div>
01692: </section>
01693: )
01694: }
01695:
01696: function MultiAccountCard({ session, account, onToggleSelected, onToggleExpanded, onOpenSingle, onCommandDone }) {
01697:     const { instance, stateRow, state, online, selected, expanded, commands, symbol, title } = account
01698:     const currency = state.currency || ''
01699:     const positionCount = numberValue(state.position?.count, state.position?.hasPosition ? 1 : 0)
01700:     const updatedAt = account.updatedAt(instance, stateRow)
01701:
01702:     return (
01703:         <article className={`multiAccountCard ${expanded ? 'expanded' : ''} ${selected ? 'selected' : ''}}>
01704:             <div className="accountCardHeader">
01705:                 <label className="accountSelectBox">
01706:                     <input type="checkbox" checked={selected} onChange={onToggleSelected} />
01707:                     <span>{selected ? 'Selected' : 'Select'}</span>
01708:                 </label>
01709:                 <button type="button" className="accountHeaderMain" onClick={onToggleExpanded} aria-expanded={expanded}>
01710:                     <span className={`accountOnlineDot ${online ? 'online' : 'offline'}}> />
01711:                     <span className="accountTitleBlock">
01712:                         <strong>{title}</strong>
01713:                         <small>{state.accountCompany || instance.account_login || 'Waiting for MT5 account'} {state.accountServer
01714:                         ? ` - ${state.accountServer}` : ''}</small>
01715:                     </span>
01716:                     <span className="accountHeaderMetrics">
01717:                         <span>{symbol}</span>
01718:                         <span>{moneyPlain(state.equity, currency)}</span>
01719:                         <span>Risk {moneyPlain(state.risk, currency)}</span>
01720:                         <span>{state.status || 'Waiting'}</span>
01721:                     </span>
01722:                     <ChevronDown size={18} />
01723:                 </button>
01724:             </div>
01725:         </article>

```

```

01716:         {expanded && (
01717:             <div className="accountCardBody">
01718:                 <div className="accountSnapshot">
01719:                     <div><span>Status</span><strong className={online ? 'pos' : 'neg'}><online ? 'Online' :
'Offline'></strong></div>
01720:                     <div><span>Last Seen</span><strong>{formatClock(updatedAt)}</strong></div>
01721:                     <div><span>Balance</span><strong>{moneyPlain(state.balance, currency)}</strong></div>
01722:                     <div><span>Open P/L</span><strong className={clsPL(state.openPL)}>{money(state.openPL,
currency)}</strong></div>
01723:                     <div><span>Positions</span><strong>{positionCount}</strong></div>
01724:                     <div><span>Arm</span><strong>{state.arm || 'OFF'}</strong></div>
01725:                 </div>
01726:                 <AccountQuickControls session={session} instance={instance} stateRow={stateRow}
onCommandDone={onCommandDone} />
01728:                 <div className="accountLowerGrid">
01729:                     <AccountPositionsCompact state={state} />
01730:                     <AccountCommandsCompact commands={commands} />
01731:                 </div>
01732:                 <div className="accountCardFooter">
01733:                     <button className="ghostBtn compactBtn" onClick={onOpenSingle}><Activity size={15} /> Open Single
Dashboard</button>
01736:                     <span>EA ID is private to this account connection.</span>
01737:                 </div>
01738:             </div>
01739:         )}
01740:     </article>
01741: )
01742: }
01743:
01744: function AccountQuickControls({ session, instance, stateRow, onCommandDone }) {
01745:     const s = stateRow?.state || {}
01746:     const [busy, setBusy] = useState('')
01747:     const [risk, setRisk] = useState({ lot: '0.01', risk: '100.00', rr: '3.0' })
01748:     const [pc, setPc] = useState({ pc1: '30', pc2: '30', pc3: '40' })
01749:     const [riskDirty, setRiskDirty] = useState(false)
01750:     const [pcDirty, setPcDirty] = useState(false)
01751:     const [pendingRisk, setPendingRisk] = useState(null)
01752:     const [pendingPc, setPendingPc] = useState(null)
01753:     const [optimisticControls, setOptimisticControls] = useState({})
01754:     const currency = s.currency || 'Money'
01755:     const controlState = {
01756:         partialsOn: optimisticControlValue(optimisticControls, 'partialsOn', s.partialsOn),
01757:         secondEntryOn: optimisticControlValue(optimisticControls, 'secondEntryOn', s.secondEntryOn)
01758:     }
01759:     const controlStateRef = useRef(controlState)
01760:     controlStateRef.current = controlState
01761:
01762:     useEffect(() => {
01763:         if (pendingRisk && nearNumber(s.lot, pendingRisk.lot) && nearNumber(s.risk, pendingRisk.risk, 0.01) &&
nearNumber(s.rr, pendingRisk.rr, 0.01)) {
01764:             setPendingRisk(null)
01765:             setRiskDirty(false)
01766:         }
01767:         if (!riskDirty && !pendingRisk) {
01768:             setRisk(r => ({ lot: String(s.lot ?? r.lot), risk: String(s.risk ?? r.risk), rr: String(s.rr ?? r.rr) }))
01769:         }
01770:         if (pendingPc && nearNumber(s.pc1, pendingPc.pc1, 0.1) && nearNumber(s.pc2, pendingPc.pc2, 0.1) &&
nearNumber(s.pc3, pendingPc.pc3, 0.1)) {
01771:             setPendingPc(null)
01772:             setPcDirty(false)
01773:         }
01774:         if (!pcDirty && !pendingPc) {
01775:             setPc(p => ({ pc1: String(s.pc1 ?? p.pc1), pc2: String(s.pc2 ?? p.pc2), pc3: String(s.pc3 ?? p.pc3) }))
01776:         }
01777:         setOptimisticControls(prev => {
01778:             const next = pruneOptimisticControls(prev, s)
01779:             return Object.keys(next).length === Object.keys(prev).length ? prev : next
01780:         })
01781:     }, [stateRow?.updated_at, s.lot, s.risk, s.rr, s.pc1, s.pc2, s.pc3, s.partialsOn, s.secondEntryOn, riskDirty,
pcDirty, pendingRisk, pendingPc])
01782:
01783:     async function cmd(action, payload = {}, options = {}) {
01784:         if (!instance?.id) return false
01785:         const lock = options.lock !== false
01786:         const clientId = options.clientId || payload?.request_id || uid()
01787:         if (lock) setBusy(action)
01788:         try {
01789:             await postCommand(session, instance.id, action, payload, clientId)
01790:             onCommandDone?.()
01791:             return true
01792:         } catch (error) {
01793:             if (!options.silent) alert(error.message || 'Command failed')
01794:             return false
01795:         } finally {
01796:             if (lock) setBusy('')
01797:         }
01798:     }
01799:
01800:     function updateRiskField(key, value) {
01801:         setRisk(r => ({ ...r, [key]: value }))
01802:         setRiskDirty(true)
01803:     }
01804:
01805:     function updatePcField(key, value) {
01806:         setPc(p => ({ ...p, [key]: value }))
01807:         setPcDirty(true)
01808:     }
01809: }

```



```

01810: function stepRiskField(key, direction) {
01811:   const steps = { lot: 0.01, risk: 1, rr: 0.1 }
01812:   const decimals = { lot: 2, risk: 2, rr: 1 }
01813:   const min = { lot: 0.01, risk: 0.01, rr: 0.1 }
01814:   const max = { lot: 100, risk: 100000000, rr: 20 }
01815:   const next = clampNumber((Number(risk[key]) || 0) + direction * steps[key], min[key], max[key])
01816:   updateRiskField(key, next.toFixed(decimals[key]))
01817: }
01818:
01819: function stepPcField(key, direction) {
01820:   const next = clampNumber((Number(pc[key]) || 0) + direction, 0, 100)
01821:   updatePcField(key, next.toFixed(0))
01822: }
01823:
01824: async function sendRiskSettings() {
01825:   const lot = Number(risk.lot)
01826:   const riskAmount = Number(risk.risk)
01827:   const rr = Number(risk.rr)
01828:   if (!Number.isFinite(lot) || lot <= 0) return alert('Lot must be greater than zero')
01829:   if (!Number.isFinite(riskAmount) || riskAmount <= 0) return alert('Risk amount must be greater than zero')
01830:   if (!Number.isFinite(rr) || rr <= 0) return alert('RR must be greater than zero')
01831:   const ok = await cmd(ACTIONS.SET_RISK, { lot, risk: riskAmount, rr })
01832:   if (ok) setPendingRisk({ lot, risk: riskAmount, rr })
01833: }
01834:
01835: async function sendPartialSettings() {
01836:   const next = {
01837:     pc1: clampNumber(pc.pc1, 0, 100),
01838:     pc2: clampNumber(pc.pc2, 0, 100),
01839:     pc3: clampNumber(pc.pc3, 0, 100),
01840:     partialsOn: controlState.partialson
01841:   }
01842:   const ok = await cmd(ACTIONS.SET_PARTIALS, next)
01843:   if (ok) setPendingPc(next)
01844: }
01845:
01846: async function setBooleanControl(key, value) {
01847:   const requestId = uid()
01848:   const now = Date.now()
01849:   controlStateRef.current = { ...controlStateRef.current, [key]: value }
01850:   setOptimisticControls(prev => ({
01851:     ...pruneOptimisticControls(prev, s, now),
01852:     [key]: { value, at: now, requestId }
01853:   })))
01854:   const ok = await cmd(ACTIONS.SET_PARTIALS, { [key]: value, request_id: requestId }, { lock: false, clientId:
requestId })
01855:   if (!ok) {
01856:     setOptimisticControls(prev => {
01857:       if (prev[key]?.requestId !== requestId) return prev
01858:       const copy = { ...prev }
01859:       delete copy[key]
01860:       return copy
01861:     })
01862:   }
01863: }
01864:
01865: return (
01866:   <div className="accountControlsGrid">
01867:     <div className="accountSubpanel">
01868:       <div className="subpanelTitle"><Settings2 size={16} /> Risk Settings</div>
01869:       <div className="settingsGrid accountSettingsGrid">
01870:         <StepperInput label="Lot" value={risk.lot} onChange={value => updateRiskField('lot', value)}
onStep={direction => stepRiskField('lot', direction)} stepLabel="+/- 0.01" />
01871:         <StepperInput label={`Risk ${currency}`} value={risk.risk} onChange={value => updateRiskField('risk',
value)} onStep={direction => stepRiskField('risk', direction)} stepLabel="+/- 1" />
01872:         <StepperInput label="RR" value={risk.rr} onChange={value => updateRiskField('rr', value)} onStep={direction
=> stepRiskField('rr', direction)} stepLabel="+/- 0.1" />
01873:       </div>
01874:       <button className="primaryBtn fullBtn" onClick={sendRiskSettings} disabled={busy === ACTIONS.SET_RISK}>Send
Risk To This Account</button>
01875:     </div>
01876:     <div className="accountSubpanel">
01877:       <div className="subpanelTitle"><SlidersHorizontal size={16} /> Mode & Partialson</div>
01878:       <div className="modeToggle accountModeToggle" role="group" aria-label="Account trade controls">
01879:         <button onClick={() => cmd(ACTIONS.SET_MODE, { mode: 'safe' })} className={!s.advanced ? 'active' : ''}
disabled={busy === ACTIONS.SET_MODE}>Safe</button>
01880:         <button onClick={() => cmd(ACTIONS.SET_MODE, { mode: 'advanced' })} className={s.advanced ? 'active' : ''}
disabled={busy === ACTIONS.SET_MODE}>Advanced</button>
01881:         <button onClick={() => setBooleanControl('partialson', !controlStateRef.current.partialson)}
disabled={controlStateRef.current.partialson ? 'active successToggle' : ''}>Partialson {controlStateRef.current.partialson ? 'ON' :
'OFF'}</button>
01882:         <button onClick={() => setBooleanControl('secondEntryOn', !controlStateRef.current.secondEntryOn)}
className={controlStateRef.current.secondEntryOn ? 'active successToggle' : ''}>2nd {controlStateRef.current.secondEntryOn ? 'ON' :
'OFF'}</button>
01883:       </div>
01884:       <div className="settingsGrid accountSettingsGrid">
01885:         <StepperInput label="PC1 %" value={pc.pc1} onChange={value => updatePcField('pc1', value)}
onStep={direction => stepPcField('pc1', direction)} stepLabel="+/- 1" />
01886:         <StepperInput label="PC2 %" value={pc.pc2} onChange={value => updatePcField('pc2', value)}
onStep={direction => stepPcField('pc2', direction)} stepLabel="+/- 1" />
01887:         <StepperInput label="PC3 %" value={pc.pc3} onChange={value => updatePcField('pc3', value)}
onStep={direction => stepPcField('pc3', direction)} stepLabel="+/- 1" />
01888:       </div>
01889:       <button className="ghostBtn fullBtn" onClick={sendPartialSettings} disabled={busy ===
ACTIONS.SET_PARTIALS}>Send Partialson To This Account</button>
01890:     </div>
01891:     <div className="accountSubpanel accountSafetyPanel">
01892:       <div className="subpanelTitle"><Shield size={16} /> Account Actions</div>
01893:       <div className="accountActionGrid">

```

```

01896:         <button className="ghostBtn" onClick={() => cmd(ACTIONS.PING)} disabled={busy === ACTIONS.PING}><Wifi
size={15} /> Ping</button>
01897:         <button className="ghostBtn" onClick={() => cmd(ACTIONS.CANCEL)} disabled={busy ===
ACTIONS.CANCEL}><PauseCircle size={15} /> Cancel</button>
01898:         <button className="ghostBtn" onClick={() => cmd(ACTIONS.CLOSE_50)} disabled={busy ===
ACTIONS.CLOSE_50}><SlidersHorizontal size={15} /> Close 50%</button>
01899:         <button className="ghostBtn" onClick={() => cmd(ACTIONS.BREAK_EVEN)} disabled={busy ===
ACTIONS.BREAK_EVEN}><Shield size={15} /> BE</button>
01900:         <button className="ghostBtn" onClick={() => cmd(ACTIONS.SET_PARTIALS, { firstBreakEven: true }, { lock:
false })}><Shield size={15} /> 1st BE</button>
01901:         <button className="ghostBtn redInlineBtn" onClick={() => window.confirm('Close all EA positions on
${instance.name}?') && cmd(ACTIONS.CLOSE_ALL)} disabled={busy === ACTIONS.CLOSE_ALL}><XCircle size={15} /> Close
All</button>
01902:     </div>
01903: </div>
01904: </div>
01905: )
01906: }
01907:
01908: function AccountPositionsCompact({ state }) {
01909:     const positions = Array.isArray(state.position?.positions) && state.position.positions.length
01910:     ? state.position.positions
01911:     : state.position?.hasPosition ? [state.position] : []
01912:     return (
01913:         <div className="accountSubpanel">
01914:             <div className="subpanelTitle"><Gauge size={16} /> Positions</div>
01915:             {positions.length ? (
01916:                 <div className="accountMiniRows">
01917:                     {positions.slice(0, 4).map((pos, index) => (
01918:                         <div className="accountMiniRow" key={pos.ticket || index}>
01919:                             <strong className={pos.type === 'BUY' ? 'pos' : 'neg'}>{pos.type || '--'}</strong>
01920:                             <span>{pos.volume || '--'} lot</span>
01921:                             <span>{n(pos.rr)}R</span>
01922:                             <span className={clsPL(pos.profit)}>{money(pos.profit, state.currency)}</span>
01923:                         </div>
01924:                     ))}
01925:                 </div>
01926:             ) : <div className="emptyState compact">No open position.</div>
01927:         </div>
01928:     )
01929: }
01930:
01931: function AccountCommandsCompact({ commands }) {
01932:     return (
01933:         <div className="accountSubpanel">
01934:             <div className="subpanelTitle"><KeyRound size={16} /> Recent Commands</div>
01935:             {commands.length ? (
01936:                 <div className="accountMiniRows">
01937:                     {commands.slice(0, 5).map(command => (
01938:                         <div className="accountMiniRow" key={command.id}>
01939:                             <strong>{commandLabel(command.action)}</strong>
01940:                             <span className={miniStatus ${command.status}}>{command.status}</span>
01941:                             <span>{formatClock(command.created_at)}</span>
01942:                         </div>
01943:                     ))}
01944:                 </div>
01945:             ) : <div className="emptyState compact">No commands yet.</div>
01946:         </div>
01947:     )
01948: }
01949:
01950: function TelegramSettingsPage({ session }) {
01951:     const [loading, setLoading] = useState(true)
01952:     const [saving, setSaving] = useState(false)
01953:     const [chatLoading, setChatLoading] = useState(false)
01954:     const [notice, setNotice] = useState('')
01955:     const [error, setError] = useState('')
01956:     const [hasToken, setHasToken] = useState(false)
01957:     const [botUsername, setBotUsername] = useState('')
01958:     const [savedMeta, setSavedMeta] = useState({ connected_at: null, updated_at: null })
01959:     const [form, setForm] = useState({
01960:         enabled: false,
01961:         bot_token: '',
01962:         chat_id: '',
01963:         prefs: DEFAULT_TELEGRAM_PREFS
01964:     })
01965:
01966:     const authHeaders = useMemo(() => ({
01967:         'Content-Type': 'application/json',
01968:         apikey: SUPABASE_ANON_KEY,
01969:         Authorization: `Bearer ${session.access_token}`
01970:     }), [session.access_token])
01971:
01972:     const loadSettings = useCallback(async () => {
01973:         setLoading(true)
01974:         setError('')
01975:         try {
01976:             const res = await fetch(`${functionsUrl}/telegram-settings`, { headers: authHeaders })
01977:             const json = await res.json().catch(() => ({}))
01978:             if (!res.ok || !json.ok) throw new Error(json.error || 'Unable to load Telegram settings')
01979:             const s = json.settings || {}
01980:             setHasToken(!!s.has_token)
01981:             setBotUsername(s.bot_username || '')
01982:             setSavedMeta({ connected_at: s.connected_at || null, updated_at: s.updated_at || null })
01983:             setForm({
01984:                 enabled: !!s.enabled,
01985:                 bot_token: s.bot_token || '',
01986:                 chat_id: s.chat_id || '',
01987:                 prefs: { ...DEFAULT_TELEGRAM_PREFS, ...(s.prefs || {}) }
01988:             })
01989:         } catch (e) {

```

```

01990:         setError(String(e.message || e))
01991:     } finally {
01992:         setLoading(false)
01993:     }
01994: }, [authHeaders])
01995:
01996: useEffect(() => { loadSettings() }, [loadSettings])
01997:
01998: function setPref(key, value) {
01999:     setForm(current => ({ ...current, prefs: { ...current.prefs, [key]: value } }))
02000: }
02001:
02002: async function saveSettings(test = false) {
02003:     setSaving(true)
02004:     setNotice('')
02005:     setError('')
02006:     try {
02007:         const res = await fetch(`${functionsUrl}/telegram-settings`, {
02008:             method: 'POST',
02009:             headers: authHeaders,
02010:             body: JSON.stringify({
02011:                 enabled: test ? true : form.enabled,
02012:                 bot_token: form.bot_token.trim() || undefined,
02013:                 chat_id: form.chat_id.trim(),
02014:                 prefs: form.prefs,
02015:                 test
02016:             })
02017:         })
02018:         const json = await res.json().catch(() => ({}))
02019:         if (!res.ok || !json.ok) throw new Error(json.error || 'Unable to save Telegram settings')
02020:         const s = json.settings || {}
02021:         setHasToken(Boolean(s.has_token))
02022:         setBotUsername(s.bot_username || botUsername)
02023:         setSavedMeta({ connected_at: s.connected_at || null, updated_at: s.updated_at || null })
02024:         setForm(current => ({ ...current, enabled: Boolean(s.enabled), bot_token: '', chat_id: s.chat_id ||
current.chat_id, prefs: { ...DEFAULT_TELEGRAM_PREFS, ...(s.prefs || current.prefs) } }))
02025:         setNotice(test ? 'Telegram saved and test message sent.' : 'Telegram settings saved.')
02026:     } catch (e) {
02027:         setError(String(e.message || e))
02028:     } finally {
02029:         setSaving(false)
02030:     }
02031: }
02032:
02033: async function getChatId() {
02034:     setChatLoading(true)
02035:     setNotice('')
02036:     setError('')
02037:     try {
02038:         const res = await fetch(`${functionsUrl}/telegram-chat-id`, {
02039:             method: 'POST',
02040:             headers: authHeaders,
02041:             body: JSON.stringify({ bot_token: form.bot_token.trim() || undefined })
02042:         })
02043:         const json = await res.json().catch(() => ({}))
02044:         if (!res.ok || !json.ok) throw new Error(json.error || 'Unable to get Telegram chat ID')
02045:         setBotUsername(json.bot_username || botUsername)
02046:         const chatId = json.chat?.id || form.chat_id
02047:         setForm(current => ({ ...current, enabled: true, chat_id: chatId }))
02048:
02049:         const saveRes = await fetch(`${functionsUrl}/telegram-settings`, {
02050:             method: 'POST',
02051:             headers: authHeaders,
02052:             body: JSON.stringify({
02053:                 enabled: true,
02054:                 bot_token: form.bot_token.trim() || undefined,
02055:                 chat_id: chatId,
02056:                 prefs: form.prefs,
02057:                 test: false
02058:             })
02059:         })
02060:         const saveJson = await saveRes.json().catch(() => ({}))
02061:         if (!saveRes.ok || !saveJson.ok) throw new Error(saveJson.error || 'Chat ID detected but could not be saved')
02062:         const s = saveJson.settings || {}
02063:         setHasToken(Boolean(s.has_token))
02064:         setSavedMeta({ connected_at: s.connected_at || null, updated_at: s.updated_at || null })
02065:         setForm(current => ({ ...current, enabled: Boolean(s.enabled), bot_token: '', chat_id: s.chat_id || chatId,
prefs: { ...DEFAULT_TELEGRAM_PREFS, ...(s.prefs || current.prefs) } }))
02066:         setNotice(`Chat ID detected and saved${json.chat?.username ? ` for @${json.chat.username}` : ''}.`)
02067:     } catch (e) {
02068:         setError(String(e.message || e))
02069:     } finally {
02070:         setChatLoading(false)
02071:     }
02072: }
02073:
02074: async function disconnect() {
02075:     if (!window.confirm('Disconnect Telegram alerts?')) return
02076:     setSaving(true)
02077:     setNotice('')
02078:     setError('')
02079:     try {
02080:         const res = await fetch(`${functionsUrl}/telegram-settings`, { method: 'DELETE', headers: authHeaders })
02081:         const json = await res.json().catch(() => ({}))
02082:         if (!res.ok || !json.ok) throw new Error(json.error || 'Unable to disconnect Telegram')
02083:         setHasToken(false)
02084:         setBotUsername('')
02085:         setSavedMeta({ connected_at: null, updated_at: null })
02086:         setForm({ enabled: false, bot_token: '', chat_id: '', prefs: DEFAULT_TELEGRAM_PREFS })
02087:         setNotice('Telegram disconnected.')
02088:     } catch (e) {

```

```

02089:         setError(String(e.message || e))
02090:     } finally {
02091:         setSaving(false)
02092:     }
02093: }
02094:
02095: if (loading) {
02096:     return (
02097:         <section className="glass panel">
02098:             <div className="emptyState">Loading Telegram settings...</div>
02099:         </section>
02100:     )
02101: }
02102:
02103: return (
02104:     <section className="settingsPage">
02105:         <div className="glass panel telegramPanel">
02106:             <div className="panelHeader settingsHeader">
02107:                 <div className="panelIcon"><Bell /></div>
02108:                 <div>
02109:                     <p className="sectionEyebrow">Alerts</p>
02110:                     <h2>Telegram Settings</h2>
02111:                 </div>
02112:                 <div className={`telegramStatus ${form.enabled ? 'connected' : ''}`}>
02113:                     {form.enabled ? 'Connected' : 'Disabled'}
02114:                 </div>
02115:             </div>
02116:
02117:             <div className="telegramGrid">
02118:                 {(hasToken || form.chat_id || botUsername) && (
02119:                     <div className="telegramSavedBox">
02120:                         <div><span>Bot Token</span><strong>{hasToken ? 'Saved securely' : 'Not saved'}</strong></div>
02121:                         <div><span>Chat ID</span><strong>{form.chat_id || 'Not set'}</strong></div>
02122:                         <div><span>Bot</span><strong>{botUsername ? `@${botUsername}` : 'Not checked'}</strong></div>
02123:                         <div><span>Updated</span><strong>{formatClock(savedMeta.updated_at)}</strong></div>
02124:                     </div>
02125:                 )}
02126:
02127:                 <label className="toggleLine">
02128:                     <input type="checkbox" checked={form.enabled} onChange={e => setForm(current => ({ ...current, enabled:
02129: e.target.checked }))) />
02130:                     <span>Enable Telegram Alerts</span>
02131:                 </label>
02132:
02133:                 <label>
02134:                     Telegram Bot Token
02135:                     <input
02136:                         type="password"
02137:                         value={form.bot_token}
02138:                         onChange={e => setForm(current => ({ ...current, bot_token: e.target.value })))}
02139:                         placeholder={hasToken ? 'Token saved - paste new token to replace' : '123456789:AA...'}
02140:                         autoComplete="off"
02141:                     />
02142:                 </label>
02143:
02144:                 <label>
02145:                     Telegram Chat ID
02146:                     <div className="chatIdRow">
02147:                         <input
02148:                             value={form.chat_id}
02149:                             onChange={e => setForm(current => ({ ...current, chat_id: e.target.value })))}
02150:                             placeholder="Press Start in your bot, then get chat ID"
02151:                         />
02152:                         <button className="ghostBtn" onClick={getChatId} disabled={chatLoading || (!form.bot_token.trim() &&
!hasToken)}>
02153:                             <Send size={16} /> {chatLoading ? 'Checking...' : 'Get Chat ID'}
02154:                         </button>
02155:                     </div>
02156:                 </label>
02157:
02158:                 {botUsername && <div className="telegramBotLine">Bot: @${botUsername}</div>}
02159:                 {notice && <div className="notice">{notice}</div>}
02160:                 {error && <div className="notice errorNotice">{error}</div>}
02161:
02162:                 <div className="telegramActions">
02163:                     <button className="primaryBtn" onClick={() => saveSettings(true)} disabled={saving}>
02164:                         <Send size={16} /> {saving ? 'Saving...' : 'Save & Test'}
02165:                     </button>
02166:                     <button className="ghostBtn" onClick={() => saveSettings(false)} disabled={saving}>
02167:                         <Save size={16} /> Save
02168:                     </button>
02169:                     <button className="ghostBtn dangerGhost" onClick={disconnect} disabled={saving || (!hasToken &&
!form.chat_id)}>
02170:                         <Trash2 size={16} /> Disconnect
02171:                     </button>
02172:                 </div>
02173:             </div>
02174:
02175:             <div className="glass panel telegramPanel">
02176:                 <div className="panelHeader">
02177:                     <div className="panelIcon"><Settings2 /></div>
02178:                     <div>
02179:                         <p className="sectionEyebrow">Preferences</p>
02180:                         <h2>Message Types</h2>
02181:                     </div>
02182:                 </div>
02183:                 <div className="prefGrid">
02184:                     {TELEGRAM_PREFS.map(([key, label]) => (
02185:                         <label className="prefItem" key={key}>
02186:                             <input type="checkbox" checked={form.prefs[key] !== false} onChange={e => setPref(key,

```

```

    e.target.checked)) />
02187:         <span>{label}</span>
02188:       </label>
02189:     ))}
02190:   </div>
02191: </div>
02192: </section>
02193: )
02194: }
02195:
02196: function RulesPage({ state, selected }) {
02197:   const s = state?.state || {}
02198:   const [company, setCompany] = useState('fundingpips')
02199:   const [modelId, setModelId] = useState('two_step')
02200:   const [phaseIndex, setPhaseIndex] = useState(0)
02201:   const [accountSizeMode, setAccountSizeMode] = useState(ACCOUNT_SIZE_AUTO)
02202:   const [customAccountSize, setCustomAccountSize] = useState('')
02203:   const storageKey = `tcx-rule-config-${selected?.id || 'default'}`
02204:   const rule = FUNDING_PIPS_RULES[modelId]
02205:   const companyInfo = RULE_COMPANIES.find(x => x.id === company)
02206:   const accountSizeOptions = rule?.accountSizes || FUNDING_PIPS_STANDARD_SIZES
02207:   const selectedAccountSize = accountSizeMode === ACCOUNT_SIZE_AUTO
02208:     ? null
02209:     : accountSizeMode === ACCOUNT_SIZE_CUSTOM
02210:       ? Number(customAccountSize)
02211:       : Number(accountSizeMode)
02212:
02213:   useEffect(() => {
02214:     try {
02215:       const raw = window.localStorage.getItem(storageKey)
02216:       if (!raw) return
02217:       const saved = JSON.parse(raw)
02218:       if (saved.company) setCompany(saved.company)
02219:       if (saved.modelId && FUNDING_PIPS_RULES[saved.modelId]) setModelId(saved.modelId)
02220:       if (Number.isFinite(Number(saved.phaseIndex))) setPhaseIndex(Number(saved.phaseIndex))
02221:       if (saved.accountSizeMode) setAccountSizeMode(String(saved.accountSizeMode))
02222:       if (saved.customAccountSize) setCustomAccountSize(String(saved.customAccountSize))
02223:     } catch {
02224:       // Local storage is optional. Live calculations still work without it.
02225:     }
02226:   }, [storageKey])
02227:
02228:   useEffect(() => {
02229:     try {
02230:       window.localStorage.setItem(storageKey, JSON.stringify({ company, modelId, phaseIndex, accountSizeMode,
02231:         customAccountSize }))
02232:     } catch {
02233:       // Ignore storage failures in private browsing or locked-down browsers.
02234:     }
02235:   }, [storageKey, company, modelId, phaseIndex, accountSizeMode, customAccountSize])
02236:
02237:   useEffect(() => {
02238:     if (accountSizeMode === ACCOUNT_SIZE_AUTO || accountSizeMode === ACCOUNT_SIZE_CUSTOM) return
02239:     if (!accountSizeOptions.includes(Number(accountSizeMode))) setAccountSizeMode(ACCOUNT_SIZE_AUTO)
02240:   }, [accountSizeMode, accountSizeOptions])
02241:
02242:   const phases = rule?.phases || []
02243:   const selectedPhase = phases[Math.min(phaseIndex, Math.max(0, phases.length - 1))] || phases[0] || {}
02244:   const metrics = buildRuleMetrics(s, rule, selectedPhase, selectedAccountSize)
02245:   const currency = metrics.currency
02246:   const riskIdeaPct = metrics.accountSize < COMMON_FP_RULES.riskIdeaSplit ? COMMON_FP_RULES.riskIdeaSmall :
02247:     COMMON_FP_RULES.riskIdeaLarge
02248:   const riskIdeaAmount = metrics.accountSize * riskIdeaPct / 100
02249:   const targetLeft = metrics.targetAmount === null ? null : Math.max(0, metrics.targetAmount -
02250:     metrics.positiveProfit)
02251:   const requiredDayLabel = rule?.profitableDaysRequired ? 'Profitable Days' : 'Min. Trading Days'
02252:   const dayProgress = metrics.requiredDays ? metrics.dayObjectiveCount / metrics.requiredDays * 100 : null
02253:   const dailyProgress = metrics.dailyAllowed ? metrics.dailyUsed / metrics.dailyAllowed * 100 : null
02254:   const maxProgress = metrics.maxAllowed ? metrics.maxUsed / metrics.maxAllowed * 100 : null
02255:   const consistencyProgress = metrics.consistencyAllowed ? metrics.consistencyScore / metrics.consistencyAllowed *
02256:     100 : null
02257:   const riskProgress = metrics.zeroMaxRiskAmount
02258:   ? metrics.openFloatingLoss / metrics.zeroMaxRiskAmount * 100
02259:   : metrics.maxOpenLots / COMMON_FP_RULES.lotLimit * 100
02260:   const objectives = [
02261:     {
02262:       label: 'Profit',
02263:       value: money(metrics.totalProfit, currency),
02264:       progress: metrics.targetAmount ? metrics.targetProgress : null,
02265:       center: metrics.targetAmount ? `${(rulePct(metrics.targetProgress), 0)}%` : null,
02266:       state: metrics.targetAmount ? (metrics.positiveProfit >= metrics.targetAmount ? 'pass' : 'watch') :
02267:         metrics.totalProfit >= 0 ? 'pass' : 'breach',
02268:       detail: metrics.targetAmount ? `${moneyValue(Math.max(0, metrics.positiveProfit), currency)} /
02269:         ${moneyValue(metrics.targetAmount, currency)} target` : 'No target on this phase.'
02270:     },
02271:     {
02272:       label: 'Daily Loss',
02273:       value: metrics.dailyAllowed === null ? 'N/A' : `${moneyValue(metrics.dailyUsed, currency)} /
02274:         ${moneyValue(metrics.dailyAllowed, currency)}`,
02275:       progress: dailyProgress,
02276:       center: dailyProgress === null ? 'N/A' : `${(rulePct(dailyProgress), 0)}%`,
02277:       state: ringStatus(metrics.dailyUsed, metrics.dailyAllowed),
02278:       detail: metrics.dailyFloor === null ? 'No daily loss in this rule pack.' : 'Floor
02279:         ${moneyValue(metrics.dailyFloor, currency)}, remaining ${moneyValue(metrics.dailyRemaining, currency)}.'
02280:     },
02281:     {
02282:       label: rule?.maxLossLabel || 'Maximum Loss',
02283:       value: metrics.maxAllowed === null ? 'N/A' : `${moneyValue(metrics.maxUsed, currency)} /
02284:         ${moneyValue(metrics.maxAllowed, currency)}`,
02285:       progress: maxProgress,
02286:       center: maxProgress === null ? 'N/A' : `${(rulePct(maxProgress), 0)}%`,

```

```

02278:     state: ringStatus(metrics.maxUsed, metrics.maxAllowed),
02279:     detail: metrics.maxFloor === null ? 'No maximum loss in this rule pack.' : 'Breach level
    ${moneyValue(metrics.maxFloor, currency)}, remaining ${moneyValue(metrics.maxRemaining, currency)}.'
02280:   },
02281:   {
02282:     label: requiredDayLabel,
02283:     value: metrics.requiredDays ? `${metrics.dayObjectiveCount} / ${metrics.requiredDays}` : 'N/A',
02284:     progress: dayProgress,
02285:     center: dayProgress === null ? 'N/A' : `${n(rulePct(dayProgress), 0)}%`,
02286:     state: metrics.requiredDays ? (metrics.dayObjectiveCount >= metrics.requiredDays ? 'pass' : 'watch') :
    'neutral',
02287:     detail: rule?.profitableDaysRequired ? 'Zero reward rule uses profitable days of at least
    ${moneyValue(metrics.profitableDayFloor, currency)}.' : selectedPhase.days ? `${selectedPhase.label} needs
    ${selectedPhase.days} minimum day(s).` : 'No minimum day rule for this phase.'
02288:   },
02289:   {
02290:     label: 'Consistency',
02291:     value: metrics.consistencyAllowed ? `${n(metrics.consistencyScore, 2)}% / ${metrics.consistencyAllowed}%` :
    'N/A',
02292:     progress: consistencyProgress,
02293:     center: metrics.consistencyAllowed ? `${n(metrics.consistencyScore, 0)}%` : 'N/A',
02294:     state: !metrics.consistencyAllowed || metrics.positiveProfit <= 0 ? 'neutral' : metrics.consistencyScore <=
    metrics.consistencyAllowed ? 'pass' : 'breach',
02295:     detail: metrics.consistencyAllowed ? 'Top day ${moneyValue(metrics.consistencyTopDay, currency)}.
    ${rule.consistencyScope}.' : 'No consistency rule in this pack.'
02296:   },
02297:   {
02298:     label: metrics.zeroMaxRiskAmount ? 'Floating Risk' : 'Lot Limit',
02299:     value: metrics.zeroMaxRiskAmount ? `${moneyValue(metrics.openFloatingLoss, currency)} /
    ${moneyValue(metrics.zeroMaxRiskAmount, currency)}` : `${n(metrics.maxOpenLots, 2)} / ${COMMON_FP_RULES.lotLimit}
    lots`,
02300:     progress: riskProgress,
02301:     center: `${n(rulePct(riskProgress), 0)}%`,
02302:     state: metrics.zeroMaxRiskAmount ? ringStatus(metrics.openFloatingLoss, metrics.zeroMaxRiskAmount) :
    ringStatus(metrics.maxOpenLots, COMMON_FP_RULES.lotLimit),
02303:     detail: metrics.zeroMaxRiskAmount ? 'Zero risk cap is ${rule.maxRiskPct}% of initial size.' : 'Single click
    limit. Idea risk guide: ${riskIdeaPct}% (${moneyValue(riskIdeaAmount, currency)}).'
02304:   }
02305: ]
02306:
02307: const clearChecks = objectives.filter(card => card.state === 'pass').length
02308: const statusText = state?.updated_at ? `Live ${formatClock(state.updated_at)}` : 'Waiting for live state'
02309: const accountSizeSource = metrics.explicitAccountSize
02310: ? accountSizeMode === ACCOUNT_SIZE_CUSTOM ? 'Custom' : 'Selected'
02311: : metrics.inferredAccountSize ? 'Auto'
02312: : 'Fallback'
02313:
02314: if (!companyInfo?.hasRules) {
02315:   return (
02316:     <section className="rulesPage">
02317:       <div className="glass panel rulesControlPanel">
02318:         <div className="panelHeader">
02319:           <div className="panelIcon"><ListChecks /></div>
02320:           <div>
02321:             <p className="sectionEyebrow">Rules Dashboard</p>
02322:             <h2>Account Rule Pack</h2>
02323:           </div>
02324:         </div>
02325:         <div className="rulesControlGrid">
02326:           <label>Company<select value={company} onChange={e => setCompany(e.target.value)}>{RULE_COMPANIES.map(x =>
    <option value={x.id} key={x.id}>{x.label}</option>)}</select></label>
02327:         </div>
02328:         <div className="emptyState">No rule pack is configured for this company yet.</div>
02329:       </div>
02330:     </section>
02331:   )
02332: }
02333:
02334: return (
02335:   <section className="rulesPage">
02336:     <section className="glass rulesHero ruleDashboardHero">
02337:       <div>
02338:         <p className="sectionEyebrow">FundingPips Rules</p>
02339:         <h1>{rule.label}</h1>
02340:         <p>{rule.summary} All objective values below are calculated from the latest MT5 balance, equity, open P/L,
    positions, and closed trade history.</p>
02341:         <div className="chips">
02342:           <div className="chip">Account Size <b>{moneyValue(metrics.accountSize, currency)}</b></div>
02343:           <div className="chip">Size Source <b>{accountSizeSource}</b></div>
02344:           <div className="chip">Phase <b>{selectedPhase.label}</b></div>
02345:           <div className="chip">Symbol <b>{s.symbol || selected?.symbol || '--'}</b></div>
02346:           <div className="chip">Update <b>{statusText}</b></div>
02347:         </div>
02348:       </div>
02349:       <div className="rulesScore">
02350:         <strong>{clearChecks}</strong>
02351:         <span>checks clear</span>
02352:       </div>
02353:     </section>
02354:
02355:     <section className="glass panel rulesControlPanel autoRulesControls">
02356:       <div className="panelHeader">
02357:         <div className="panelIcon"><SlidersHorizontal /></div>
02358:         <div>
02359:           <p className="sectionEyebrow">Selectors</p>
02360:           <h2>Company, Account, Phase</h2>
02361:         </div>
02362:       </div>
02363:       <div className="rulesControlGrid">
02364:         <label>Company<select value={company} onChange={e => setCompany(e.target.value)}>{RULE_COMPANIES.map(x =>
    <option value={x.id} key={x.id}>{x.label}</option>)}</select></label>

```



```

02365:         <label>Account Type<select value={modelId} onChange={e => { setModelId(e.target.value); setPhaseIndex(0)
    }}><Object.values(FUNDING_PIPS_RULES).map(x => <option value={x.id} key={x.id}>{x.label}</option>)</select></label>
02366:         <label>Account Size<select value={accountSizeMode} onChange={e => setAccountSizeMode(e.target.value)}>
02367:             <option value={ACCOUNT_SIZE_AUTO}>Auto from MT5</option>
02368:             {accountSizeOptions.map(size => <option value={String(size)} key={size}>{moneyValue(size,
currency)}</option>)}
02369:             <option value={ACCOUNT_SIZE_CUSTOM}>Custom / Scaled</option>
02370:         </select></label>
02371:         <label>Phase<select value={phaseIndex} onChange={e =>
    setPhaseIndex(Number(e.target.value))}>{phases.map((x, i) => <option value={i}
    key={` ${x.label} - ${i} `}>{x.label}</option>)}</select></label>
02372:         {accountSizeMode === ACCOUNT_SIZE_CUSTOM && (
02373:             <label>Custom Account Size<input type="number" min="1" step="1000" value={customAccountSize} onChange={e
=> setCustomAccountSize(e.target.value)} placeholder="Example 120000" /></label>
02374:         )}
02375:     </div>
02376: </section>
02377:
02378: <section className="glass panel objectivesPanel">
02379:     <div className="panelHeader">
02380:         <div className="panelIcon"><Shield /></div>
02381:         <div>
02382:             <p className="sectionEyebrow">Objectives</p>
02383:             <h2>Live Funding Checks</h2>
02384:         </div>
02385:     </div>
02386:     <div className="objectivesGrid">
02387:         {objectives.map(card => <ObjectiveCard key={card.label} {...card} />)}
02388:     </div>
02389: </section>
02390:
02391: <section className="accountSnapshotGrid">
02392:     <div className="glass accountMetricCard">
02393:         <span>Balance</span>
02394:         <strong className={clsPL(metrics.currentBalance - metrics.accountSize)}>{moneyValue(metrics.currentBalance,
currency)}</strong>
02395:     </div>
02396:     <div className="glass accountMetricCard">
02397:         <span>Equity</span>
02398:         <strong className={clsPL(metrics.currentEquity - metrics.accountSize)}>{moneyValue(metrics.currentEquity,
currency)}</strong>
02399:     </div>
02400:     <div className="glass accountMetricCard">
02401:         <span>Open P/L</span>
02402:         <strong className={clsPL(metrics.openPL)}>{money(metrics.openPL, currency)}</strong>
02403:     </div>
02404:     <div className="glass accountMetricCard">
02405:         <span>Win Ratio</span>
02406:         <strong>{n(metrics.winRate, 0)}%</strong>
02407:     </div>
02408: </section>
02409:
02410: <section className="ruleDashboardGrid">
02411:     <div className="glass panel accountChartPanel">
02412:         <div className="panelHeader">
02413:             <div className="panelIcon"><BarChart3 /></div>
02414:             <div>
02415:                 <p className="sectionEyebrow">Account Balance</p>
02416:                 <h2>Balance, Equity, And Loss Floors</h2>
02417:             </div>
02418:         </div>
02419:         <AccountCurveChart metrics={metrics} />
02420:         <div className="lossInfoGrid">
02421:             <div><span>Max permitted loss</span><strong>{metrics.maxAllowed === null ? 'N/A' :
moneyValue(metrics.maxAllowed, currency)}</strong></div>
02422:             <div><span>Today permitted loss</span><strong>{metrics.dailyAllowed === null ? 'N/A' :
moneyValue(metrics.dailyAllowed, currency)}</strong></div>
02423:             <div><span>Today result</span><strong className={clsPL(numberValue(s.dayNet,
0))}>{money(numberValue(s.dayNet, 0), currency)}</strong></div>
02424:             <div><span>Target left</span><strong>{targetLeft === null ? 'N/A' : moneyValue(targetLeft,
currency)}</strong></div>
02425:         </div>
02426:     </div>
02427:
02428:     <div className="rulesSideStack">
02429:         <div className="glass panel accountDataPanel">
02430:             <div className="panelHeader">
02431:                 <div className="panelIcon"><Database /></div>
02432:                 <div>
02433:                     <p className="sectionEyebrow">Account Data</p>
02434:                     <h2>MT5 Details</h2>
02435:                 </div>
02436:             </div>
02437:             <div className="accountInfoList">
02438:                 <AccountInfoRow icon={KeyRound /> } label="Login" value={s.accountLogin ? `#${s.accountLogin}` : '--'}
/>
02439:                 <AccountInfoRow icon={WalletCards /> } label="Account Size" value={moneyValue(metrics.accountSize,
currency)} />
02440:                 <AccountInfoRow icon={Server /> } label="Platform" value={s.platform || 'MetaTrader 5'} />
02441:                 <AccountInfoRow icon={Database /> } label="Server" value={s.accountServer || s.accountCompany ||
'Waiting for EA'} />
02442:                 <AccountInfoRow icon={Activity /> } label="Company" value={s.accountCompany || companyInfo.label} />
02443:             </div>
02444:         </div>
02445:
02446:         <div className="glass panel elapsedPanel">
02447:             <h2>Time Since First Trade</h2>
02448:             <div className="elapsedGrid">
02449:                 <div><strong>{metrics.elapsed?.days ?? '--'}</strong><span>DAY</span></div>
02450:                 <div><strong>{metrics.elapsed?.hours ?? '--'}</strong><span>HR</span></div>
02451:                 <div><strong>{metrics.elapsed?.minutes ?? '--'}</strong><span>MIN</span></div>

```

```

02452:         <div><strong>{metrics.elapsed?.seconds ?? '--'}</strong><span>SEC</span></div>
02453:     </div>
02454:     <p>Start Date</p>
02455:     <strong>{metrics.firstTradeSec ? displayDateKey(dateKeyFromSeconds(metrics.firstTradeSec)) :
    '--'}</strong>
02456: </div>
02457: </div>
02458: </section>
02459:
02460:     <section className="rulesGrid">
02461:     <div className="glass panel statisticsPanel">
02462:         <div className="panelHeader">
02463:             <div className="panelIcon"><Gauge /></div>
02464:             <div>
02465:                 <p className="sectionEyebrow">Statistics</p>
02466:                 <h2>Trading Performance</h2>
02467:             </div>
02468:         </div>
02469:         <div className="statisticsGrid">
02470:             <StatValue label="Number of Trades" value={metrics.totalTrades} />
02471:             <StatValue label="Average Winning Trade" value={metrics.avgWin === null ? '--' :
    moneyValue(metrics.avgWin, currency)} mood="pos" />
02472:             <StatValue label="Highwater Mark Balance" value={moneyValue(metrics.highwater, currency)} />
02473:             <StatValue label="Average Losing Trade" value={metrics.avgLoss === null ? '--' :
    moneyValue(metrics.avgLoss, currency)} mood="neg" />
02474:             <StatValue label="Win Rate %" value={` ${n(metrics.winRate, 0)}%` } />
02475:             <StatValue label="Average RRR" value={metrics.avgRRR === null ? '--' : n(metrics.avgRR, 2)} />
02476:             <StatValue label="Loss Rate %" value={` ${n(metrics.lossRate, 0)}%` } />
02477:             <StatValue label="Expectancy" value={metrics.expectancy === null ? '--' : moneyValue(metrics.expectancy,
    currency)} mood={metrics.expectancy >= 0 ? 'pos' : 'neg'} />
02478:             <StatValue label="Consistency Top Day" value={moneyValue(metrics.consistencyTopDay, currency)} />
02479:         </div>
02480:     </div>
02481:
02482:     <div className="glass panel dailySummaryPanel">
02483:         <div className="panelHeader">
02484:             <div className="panelIcon"><Clock3 /></div>
02485:             <div>
02486:                 <p className="sectionEyebrow">Daily Summary</p>
02487:                 <h2>Balance By Day</h2>
02488:             </div>
02489:         </div>
02490:         <DailySummaryTable rows={metrics.dailyRows} currency={currency} />
02491:     </div>
02492: </section>
02493:
02494:     <section className="rulesGrid">
02495:     <div className="glass panel">
02496:         <div className="panelHeader">
02497:             <div className="panelIcon"><ListChecks /></div>
02498:             <div>
02499:                 <p className="sectionEyebrow">Path</p>
02500:                 <h2>Account Flow</h2>
02501:             </div>
02502:         </div>
02503:         <div className="phaseFlow">
02504:             {phases.map((phase, index) => (
02505:                 <div className={`phaseNode ${index === phaseIndex ? 'active' : ''}`} key={` ${phase.label}-${index}`}>
02506:                     <span>{index + 1}</span>
02507:                     <strong>{phase.label}</strong>
02508:                     <p>{phase.target ? `${phase.target}% target` : 'No profit target'}</p>
02509:                     <small>{phase.days ? `${phase.days} minimum day(s)` : 'Ongoing'}</small>
02510:                 </div>
02511:             ))}
02512:         </div>
02513:     </div>
02514:
02515:     <div className="glass panel">
02516:         <div className="panelHeader">
02517:             <div className="panelIcon"><AlertTriangle /></div>
02518:             <div>
02519:                 <p className="sectionEyebrow">Hard And Soft Rules</p>
02520:                 <h2>Trade Conditions</h2>
02521:             </div>
02522:         </div>
02523:         <div className="conditionList">
02524:             {[rule.news, rule.weekend, rule.rewardText, ...(rule.specialRules || []),
    ...COMMON_FP_RULES.generalRules].filter(Boolean).map((text, index) => (
02525:                 <div className="conditionItem" key={index}><span>{index + 1}</span><p>{text}</p></div>
02526:             ))}
02527:         </div>
02528:     </div>
02529: </section>
02530:
02531:     <section className="rulesGrid">
02532:     <RulesTable title="Commission" rows={rule.commissions || []} columns={['Instrument', 'Standard', 'Swap-Free
    MT5']} />
02533:     <RulesTable title="Leverage" rows={rule.leverage || []} columns={['Instrument', 'Standard', 'Swap-Free MT5']}
    />
02534: </section>
02535:
02536:     <section className="glass panel">
02537:     <div className="panelHeader">
02538:         <div className="panelIcon"><Database /></div>
02539:         <div>
02540:             <p className="sectionEyebrow">Dynamic Leverage</p>
02541:             <h2>Live Account Tier Diagram</h2>
02542:         </div>
02543:     </div>
02544:     <div className="tierDiagram">
02545:         {COMMON_FP_RULES.dynamicLeverage.map(([lots, lev]) => (

```



```

02546:         <div className="tierStep" key={lots}>
02547:             <span>{lots}</span>
02548:             <strong>{lev}</strong>
02549:         </div>
02550:     )}}
02551: </div>
02552: <p className="rulesFootnote">Rules are based on the local FundingPips Help Center PDF crawl and official
FundingPips help articles. Re-check FundingPips before taking high-stakes action because prop firm rules can
change.</p>
02553: </section>
02554: </section>
02555: )
02556: }
02557:
02558: function ObjectiveCard({ label, value, progress, center, state, detail }) {
02559:     const pctValue = progress === null || progress === undefined ? null : rulePct(progress)
02560:     return (
02561:         <div className={`objectiveCard ${state || 'neutral'}}>
02562:             <h3>{label}</h3>
02563:             {pctValue === null ? (
02564:                 <div className="objectiveValueOnly"><strong>{value}</strong></div>
02565:             ) : (
02566:                 <div className="objectiveRing" style={{ '-pct': pctValue }}>
02567:                     <span>{center || `${n(pctValue, 0)}%`}</span>
02568:                 </div>
02569:             )}
02570:             <strong className="objectiveValue">{value}</strong>
02571:             <p>{detail}</p>
02572:         </div>
02573:     )
02574: }
02575:
02576: function AccountInfoRow({ icon, label, value }) {
02577:     return (
02578:         <div className="accountInfoRow">
02579:             <span>{icon}</span>
02580:             <b>{label}</b>
02581:             <strong>{value || '--'}</strong>
02582:         </div>
02583:     )
02584: }
02585:
02586: function StatValue({ label, value, mood }) {
02587:     return (
02588:         <div className="statValue">
02589:             <span>{label}</span>
02590:             <strong className={mood || ''}>{value}</strong>
02591:         </div>
02592:     )
02593: }
02594:
02595: function AccountCurveChart({ metrics }) {
02596:     const rows = metrics.chartRows.length ? metrics.chartRows : [{ key: dateKeyFromSeconds(Date.now() / 1000), balance:
metrics.currentBalance, equity: metrics.currentEquity }]
02597:     const width = 720
02598:     const height = 280
02599:     const pad = 34
02600:     const values = rows.flatMap(row => [row.balance, row.equity, metrics.dailyFloor, metrics.maxFloor]).filter(v =>
Number.isFinite(Number(v)))
02601:     const minVal = Math.min(...values, metrics.accountSize) - Math.max(20, metrics.accountSize * 0.01)
02602:     const maxVal = Math.max(...values, metrics.accountSize) + Math.max(20, metrics.accountSize * 0.01)
02603:     const xFor = index => pad + (rows.length <= 1 ? (width - pad * 2) / 2 : index * (width - pad * 2) / (rows.length -
1))
02604:     const yFor = value => {
02605:         if (maxVal === minVal) return height / 2
02606:         return height - pad - (Number(value) - minVal) * (height - pad * 2) / (maxVal - minVal)
02607:     }
02608:     const pathFor = key => rows.map((row, index) => `${index === 0 ? 'M' : 'L'} ${xFor(index).toFixed(1)}
${yFor(row[key]).toFixed(1)}').join(' ')
02609:     const floorLine = value => Number.isFinite(Number(value)) ? `M ${pad} ${yFor(value).toFixed(1)} L ${width - pad}
${yFor(value).toFixed(1)}` : ''
02610:     const labels = [maxVal, (maxVal + minVal) / 2, minVal]
02611:
02612:     return (
02613:         <div className="accountCurve">
02614:             <svg viewBox={`0 0 ${width} ${height}`} role="img" aria-label="Account balance chart">
02615:                 {labels.map((value, index) => (
02616:                     <g key={index}>
02617:                         <line x1={pad} x2={width - pad} y1={yFor(value)} y2={yFor(value)} />
02618:                         <text x="4" y={yFor(value) + 4}>{moneyValue(value, metrics.currency)}</text>
02619:                     </g>
02620:                 ))}
02621:                 {metrics.maxFloor !== null && <path className="floor maxFloor" d={floorLine(metrics.maxFloor)} />}
02622:                 {metrics.dailyFloor !== null && <path className="floor dailyFloor" d={floorLine(metrics.dailyFloor)} />}
02623:                 <path className="equityLine" d={pathFor('equity')} />
02624:                 <path className="balanceLine" d={pathFor('balance')} />
02625:                 {rows.map((row, index) => (
02626:                     <circle key={row.key} cx={xFor(index)} cy={yFor(row.balance)} r="4" />
02627:                 ))}
02628:             </svg>
02629:             <div className="chartLegend">
02630:                 <span className="balanceLegend">Balance</span>
02631:                 <span className="equityLegend">Equity</span>
02632:                 <span className="dailyLegend">Daily floor</span>
02633:                 <span className="maxLegend">Max floor</span>
02634:             </div>
02635:         </div>
02636:     )
02637: }
02638:
02639: function DailySummaryTable({ rows, currency }) {

```

```

02640: const visible = rows.slice(0, 8)
02641: if (!visible.length) return <div className="emptyState compact">No daily data yet.</div>
02642: return (
02643:   <div className="dailyTableWrap">
02644:     <table className="dailyTable">
02645:       <thead><tr><th>Date</th><th>Balance</th><th>Equity</th><th>Result</th></tr></thead>
02646:       <tbody>
02647:         {visible.map(row => (
02648:           <tr key={row.key}>
02649:             <td data-label="Date">{displayDateKey(row.key)}</td>
02650:             <td data-label="Balance">{moneyValue(row.balance, currency)}</td>
02651:             <td data-label="Equity">{moneyValue(row.equity, currency)}</td>
02652:             <td data-label="Result"><strong className={clsPL(row.net)}>{money(row.net, currency)}</strong></td>
02653:           </tr>
02654:         ))}
02655:       </tbody>
02656:     </table>
02657:   </div>
02658: )
02659: }
02660:
02661: function RuleBar({ label, value, note, danger = false, inverse = false }) {
02662:   const pctValue = rulePct(value, inverse)
02663:   const raw = Math.max(0, Math.min(100, Number(value) || 0))
02664:   const isHot = danger ? raw >= 80 : false
02665:   return (
02666:     <div className="ruleBar">
02667:       <div className="ruleBarTop"><span>{label}</span><strong>{n(raw, 1)}%</strong></div>
02668:       <div className={`ruleTrack ${isHot ? 'hot' : ''}`}><span style={{ width: `${pctValue}%` }} /></div>
02669:       <p>{note}</p>
02670:     </div>
02671:   )
02672: }
02673:
02674: function RulesTable({ title, rows, columns }) {
02675:   return (
02676:     <div className="glass panel">
02677:       <div className="panelHeader">
02678:         <div className="panelIcon"><Database /></div>
02679:         <div>
02680:           <p className="sectionEyebrow">Reference</p>
02681:           <h2>{title}</h2>
02682:         </div>
02683:       </div>
02684:       {rows.length ? (
02685:         <div className="rulesTableWrap">
02686:           <table className="rulesTable">
02687:             <thead><tr>{columns.map(x => <th key={x}>{x}</th>)}</tr></thead>
02688:             <tbody>{rows.map((row, i) => <tr key={i}>{row.map((cell, j) => <td
02689: key={` ${i} - ${j} `}>{cell}</td>)}</tr>)}</tbody>
02690:           </table>
02691:         </div>
02692:       ) : (
02693:         <div className="emptyState compact">No table values published in this rule pack.</div>
02694:       )}
02695:     </div>
02696:   )
02697: }
02698:
02699: function TradeHistoryPage({ state }) {
02700:   const s = state?.state || {}
02701:   const currency = s.currency || ''
02702:   const rows = Array.isArray(s.tradeHistory) ? s.tradeHistory : []
02703:   const totals = rows.reduce((acc, row) => {
02704:     const profit = Number(row.profit)
02705:     if (Number.isFinite(profit)) {
02706:       acc.net += profit
02707:       if (profit > 0) acc.wins += 1
02708:       if (profit < 0) acc.losses += 1
02709:     }
02710:     return acc
02711:   }, { net: 0, wins: 0, losses: 0 })
02712:
02713:   return (
02714:     <section className="historyPage">
02715:       <div className="historySummary">
02716:         <div className="glass historyMetric"><span>Total Trades</span><strong>{rows.length}</strong></div>
02717:         <div className="glass historyMetric"><span>Wins</span><strong className="pos">{totals.wins}</strong></div>
02718:         <div className="glass historyMetric"><span>Losses</span><strong
02719: className="neg">{totals.losses}</strong></div>
02720:         <div className="glass historyMetric"><span>Net P/L</span><strong
02721: className={clsPL(totals.net)}>{money(totals.net, currency)}</strong></div>
02722:       </div>
02723:       <div>
02724:         <div>
02725:           <p className="sectionEyebrow">Trade History</p>
02726:           <h2>Closed Trades</h2>
02727:         </div>
02728:         </div>
02729:       {rows.length ? (
02730:         <div className="historyTableWrap">
02731:           <table className="historyTable">
02732:             <thead>
02733:               <tr>
02734:                 <th>Close Time</th>
02735:                 <th>Source</th>
02736:                 <th>Type</th>
02737:

```

```

02738:         <th>Lot</th>
02739:         <th>Entry</th>
02740:         <th>Exit</th>
02741:         <th>SL</th>
02742:         <th>Target</th>
02743:         <th>Profit/Loss</th>
02744:         <th>Reason</th>
02745:     </tr>
02746: </thead>
02747: <tbody>
02748:     {rows.map((row, index) => (
02749:         <tr key={row.id || `${row.positionId || 'trade'}-${index}`}>
02750:             <td data-label="Close Time">{formatHistoryTime(row.closeTime || row.closeTimeSec)}</td>
02751:             <td data-label="Source"><span className={`sourcePill ${row.source === 'Manual' ? 'manual' :
'ea'}}`>{row.source || 'EA'}</span></td>
02752:             <td data-label="Type"><span className={`sidePill ${row.type === 'BUY' ? 'buy' :
'sell'}}`>{row.type || '--'}</span></td>
02753:             <td data-label="Lot">{n(row.volume, 2)}</td>
02754:             <td data-label="Entry">{row.entryPrice ?? '--'}</td>
02755:             <td data-label="Exit">{row.exitPrice ?? '--'}</td>
02756:             <td data-label="SL">{row.sl ?? '--'}</td>
02757:             <td data-label="Target">{row.tp ?? '--'}</td>
02758:             <td data-label="Profit/Loss"><strong className={clsPL(row.profit)}>{money(row.profit,
currency)}</strong></td>
02759:             <td data-label="Reason">{row.reason || '--'}</td>
02760:         </tr>
02761:     ))}
02762: </tbody>
02763: </table>
02764: </div>
02765: ) : (
02766:     <div className="emptyState">No closed trade history from EA yet.</div>
02767: )}
02768: </section>
02769: </section>
02770: )
02771: }
02772:
02773: function Dashboard({ session }) {
02774:     const [instances, setInstances] = useState([])
02775:     const [selectedId, setSelectedId] = useState('')
02776:     const [state, setState] = useState(null)
02777:     const [commands, setCommands] = useState([])
02778:     const [showSetup, setShowSetup] = useState(false)
02779:     const [lastSyncAt, setLastSyncAt] = useState(null)
02780:     const [isRefreshing, setIsRefreshing] = useState(false)
02781:     const [view, setView] = useState('dashboard')
02782:     const pollingRef = useRef(false)
02783:
02784:     const selected = useMemo(() => instances.find(x => x.id === selectedId), [instances, selectedId])
02785:
02786:     const loadInstances = useCallback(async () => {
02787:         const { data, error } = await supabase.from('ea_instances').select('*').order('created_at', { ascending: false })
02788:         if (!error) {
02789:             setInstances(data || [])
02790:             setSelectedId(current => data?.some(x => x.id === current) ? current : data?.[0]?.id || '')
02791:         }
02792:     }, [])
02793:
02794:     const loadState = useCallback(async (id = selectedId) => {
02795:         if (!id) return
02796:         const { data, error } = await supabase.from('ea_states').select('*').eq('ea_id', id).maybeSingle()
02797:         if (!error) setState(data || null)
02798:         setLastSyncAt(new Date())
02799:     }, [selectedId])
02800:
02801:     const loadCommands = useCallback(async (id = selectedId) => {
02802:         if (!id) return
02803:         const { data, error } = await supabase.from('commands').select('*').eq('ea_id', id).order('created_at', {
ascending: false }).limit(12)
02804:         if (!error) setCommands(data || [])
02805:     }, [selectedId])
02806:
02807:     const refresh = useCallback(async () => {
02808:         setIsRefreshing(true)
02809:         try {
02810:             await Promise.all([loadInstances(), loadState(), loadCommands()])
02811:         } finally {
02812:             setIsRefreshing(false)
02813:         }
02814:     }, [loadCommands, loadInstances, loadState])
02815:
02816:     const deleteSelectedEa = useCallback(async () => {
02817:         if (!selectedId) return
02818:         const target = instances.find(x => x.id === selectedId)
02819:         const label = target ? `${target.name}${target.symbol ? ` - ${target.symbol}` : ''}` : 'this EA'
02820:         if (!window.confirm(`Delete ${label}? This removes its live state and command history from the dashboard.`))
return
02821:
02822:         const { error } = await supabase
02823:             .from('ea_instances')
02824:             .delete()
02825:             .eq('id', selectedId)
02826:             .eq('user_id', session.user.id)
02827:
02828:         if (error) {
02829:             alert(error.message)
02830:             return
02831:         }
02832:
02833:         const remaining = instances.filter(x => x.id !== selectedId)

```

```

02834:     setInstances(remaining)
02835:     setSelectedId(remaining[0]?.id || '')
02836:     setState(null)
02837:     setCommands([])
02838:     loadInstances()
02839:   }, [instances, loadInstances, selectedId, session.user.id])
02840:
02841:   useEffect(() => { loadInstances() }, [loadInstances])
02842:
02843:   useEffect(() => {
02844:     if (!selectedId) return
02845:     loadState(selectedId)
02846:     loadCommands(selectedId)
02847:   }, [selectedId, loadCommands, loadState])
02848:
02849:   useEffect(() => {
02850:     if (!selectedId) return undefined
02851:     let cancelled = false
02852:
02853:     async function pollLiveData() {
02854:       if (pollingRef.current) return
02855:       pollingRef.current = true
02856:       try {
02857:         await Promise.all([loadState(selectedId), loadCommands(selectedId)])
02858:       } finally {
02859:         pollingRef.current = false
02860:       }
02861:     }
02862:
02863:     pollLiveData()
02864:     const interval = window.setInterval(() => {
02865:       if (!cancelled) pollLiveData()
02866:     }, LIVE_POLL_MS)
02867:
02868:     return () => {
02869:       cancelled = true
02870:       window.clearInterval(interval)
02871:     }
02872:   }, [selectedId, loadCommands, loadState])
02873:
02874:   useEffect(() => {
02875:     if (!selectedId) return undefined
02876:     const ch = supabase.channel(`tcx-${selectedId}`)
02877:     .on('postgres_changes', { event: '*', schema: 'public', table: 'ea_states', filter: `ea_id=eq.${selectedId}` },
payload => {
02878:       if (payload.new) setState(payload.new)
02879:       setLastSyncAt(new Date())
02880:     })
02881:     .on('postgres_changes', { event: '*', schema: 'public', table: 'commands', filter: `ea_id=eq.${selectedId}` },
payload => {
02882:       if (payload.new) setCommands(current => mergeCommandRows(current, payload.new))
02883:       else loadCommands(selectedId)
02884:     })
02885:     .subscribe()
02886:     return () => supabase.removeChannel(ch)
02887:   }, [selectedId, loadCommands])
02888:
02889:   if (!instances.length || showSetup) {
02890:     return (
02891:       <main className="app setupApp">
02892:         <EASetup
02893:           user={session.user}
02894:           onCreate={({data}) => { loadInstances(); setSelectedId(data.id) }}
02895:           onDone={() => setShowSetup(false)}
02896:         />
02897:         {instances.length > 0 && (
02898:           <div className="setupBack">
02899:             <button className="ghostBtn" onClick={() => setShowSetup(false)}>Cancel & Go Back</button>
02900:           </div>
02901:         )}
02902:       </main>
02903:     )
02904:   }
02905:
02906:   return (
02907:     <main className="app">
02908:       <Topbar
02909:         user={session.user}
02910:         instances={instances}
02911:         selectedId={selectedId}
02912:         setSelectedId={setSelectedId}
02913:         refresh={refresh}
02914:         onNewEa={() => setShowSetup(true)}
02915:         onDeleteEa={deleteSelectedEa}
02916:         lastSyncAt={lastSyncAt}
02917:         isRefreshing={isRefreshing}
02918:         view={view}
02919:         setView={setView}
02920:       />
02921:       {view === 'settings' ? (
02922:         <TelegramSettingsPage session={session} />
02923:       ) : view === 'accounts' ? (
02924:         <MultiAccountDashboard
02925:           session={session}
02926:           instances={instances}
02927:           onNewEa={() => setShowSetup(true)}
02928:           onOpenAccount={({id}) => { setSelectedId(id); setView('dashboard') }}
02929:         />
02930:       ) : view === 'history' ? (
02931:         <TradeHistoryPage state={state} />
02932:       ) : view === 'rules' ? (

```

```

02933:         <RulesPage state={state} selected={selected} />
02934:     ) : (
02935:         <>
02936:             <CollapsibleSection id={` ${selectedId}-status`} title="Status" eyebrow="Live EA" icon={<Activity />}
bodyClassName="flushBody">
02937:                 <StatusHero state={state} selected={selected} />
02938:             </CollapsibleSection>
02939:             <CollapsibleSection id={` ${selectedId}-stats`} title="Account Stats" eyebrow="Money & Risk"
icon={<WalletCards />} bodyClassName="flushBody">
02940:                 <StatCards state={state} />
02941:             </CollapsibleSection>
02942:             <CollapsibleSection id={` ${selectedId}-controls`} title="Trade Controls" eyebrow="Execution"
icon={<PlayCircle />} bodyClassName="flushBody">
02943:                 <CommandPanel session={session} selected={selected} state={state} reloadCommands={() =>
loadCommands(selectedId)} />
02944:             </CollapsibleSection>
02945:             <CollapsibleSection id={` ${selectedId}-positions`} title="Positions" eyebrow="Open Trades" icon={<Gauge />}
bodyClassName="flushBody">
02946:                 <PositionPanel state={state} />
02947:             </CollapsibleSection>
02948:             <CollapsibleSection id={` ${selectedId}-structure`} title="Market Structure" eyebrow="Model Checks"
icon={<Zap />} bodyClassName="flushBody" defaultOpen={false}>
02949:                 <StructurePanel state={state} />
02950:             </CollapsibleSection>
02951:             <CollapsibleSection id={` ${selectedId}-commands`} title="Command Log" eyebrow="History" icon={<KeyRound />}
bodyClassName="flushBody" defaultOpen={false}>
02952:                 <CommandsLog commands={commands} />
02953:             </CollapsibleSection>
02954:         </>
02955:     )}
02956:     <div className="footer"><Lock size={14} /> Each user sees only their own EAs via Supabase RLS. EA commands are
verified by EA ID and private token.</div>
02957: </main>
02958: )
02959: }
02960:
02961: function App() {
02962:   const [session, setSession] = useState(null)
02963:   useEffect(() => {
02964:     if (!hasSupabaseConfig) return undefined
02965:     supabase.auth.getSession().then(({ data }) => setSession(data.session))
02966:     const { data: sub } = supabase.auth.onAuthStateChange((_event, session) => setSession(session))
02967:     return () => sub.subscription.unsubscribe()
02968:   }, [])
02969:   if (!hasSupabaseConfig) return <MissingConfig />
02970:   return session ? <Dashboard session={session} /> : <Login />
02971: }
02972:
02973: const rootElement = document.getElementById('root')
02974: const root = globalThis.__tcxRoot || createRoot(rootElement)
02975: globalThis.__tcxRoot = root
02976: root.render(<App />)

```

Source Listing: src/styles.css

Lines: 3403 | Size: 56231 bytes | SHA256: 01f19f9103eb644b4757eef2551724945fa78089b8e4af03ca05172fc6a5fdf5

```

00001: @import url('https://fonts.googleapis.com/css2?family=Inter:wght@400;500;600;700;800&family=JetBrains+Mono:wght@400;6
00002: 00&display=swap');
00003: :root {
00004:   --bg: #101114;
00005:   --bg-soft: #141519;
00006:   --surface: #191b20;
00007:   --surface-raised: #202329;
00008:   --surface-muted: #15171b;
00009:   --input: #111216;
00010:   --border: #30333a;
00011:   --border-strong: #464a54;
00012:   --text: #f4f1ea;
00013:   --muted: #a8abb2;
00014:   --dim: #737780;
00015:   --accent: #0f9f8e;
00016:   --accent-strong: #13b8a4;
00017:   --buy: #18a058;
00018:   --sell: #df4b4b;
00019:   --warning: #c98c18;
00020:   --info: #4f8cc9;
00021:   --shadow: 0 18px 44px rgba(0, 0, 0, 0.28);
00022:   --shadow-soft: 0 10px 28px rgba(0, 0, 0, 0.22);
00023:   --radius: 8px;
00024: }
00025:
00026: * {
00027:   box-sizing: border-box;
00028: }
00029:
00030: html {
00031:   min-width: 320px;
00032:   background: var(--bg);
00033: }
00034:
00035: body {
00036:   margin: 0;
00037:   min-width: 320px;
00038:   min-height: 100vh;
00039:   overflow-x: hidden;
00040:   background:
00041:     linear-gradient(180deg, rgba(255, 255, 255, 0.025), rgba(255, 255, 255, 0) 280px),
00042:     linear-gradient(180deg, #111216 0%, #0f1013 46%, #13110f 100%);
00043:   color: var(--text);
00044:   font-family: Inter, system-ui, -apple-system, BlinkMacSystemFont, "Segoe UI", sans-serif;
00045: }
00046:
00047: body::before {
00048:   content: "";
00049:   position: fixed;
00050:   inset: 0;
00051:   z-index: -1;
00052:   pointer-events: none;
00053:   opacity: 0.18;
00054:   background-image:
00055:     linear-gradient(rgba(255, 255, 255, 0.08) 1px, transparent 1px),
00056:     linear-gradient(90deg, rgba(255, 255, 255, 0.08) 1px, transparent 1px);
00057:   background-size: 48px 48px;
00058:   mask-image: linear-gradient(180deg, black, transparent 75%);
00059: }
00060:
00061: button,
00062: input,
00063: select {
00064:   font: inherit;
00065: }
00066:
00067: button {
00068:   min-height: 42px;
00069:   border: 0;
00070:   border-radius: var(--radius);
00071:   display: inline-flex;
00072:   align-items: center;
00073:   justify-content: center;
00074:   gap: 8px;
00075:   padding: 11px 14px;
00076:   cursor: pointer;
00077:   color: var(--text);
00078:   font-weight: 700;
00079:   transition: transform 150ms ease, border-color 150ms ease, background 150ms ease, color 150ms ease, box-shadow
150ms ease;
00080: }
00081:
00082: button:active {
00083:   transform: translateY(1px);
00084: }
00085:
00086: button:disabled {
00087:   cursor: not-allowed;
00088:   opacity: 0.55;
00089:   transform: none;
00090: }
00091:
00092: button svg {
00093:   width: 17px;

```

```
00094: height: 17px;
00095: flex: 0 0 auto;
00096: }
00097:
00098: label {
00099:   display: flex;
00100:   flex-direction: column;
00101:   gap: 8px;
00102:   color: var(--muted);
00103:   font-size: 12px;
00104:   font-weight: 700;
00105:   letter-spacing: 0;
00106: }
00107:
00108: input,
00109: select {
00110:   width: 100%;
00111:   min-height: 42px;
00112:   border: 1px solid var(--border);
00113:   border-radius: var(--radius);
00114:   background: var(--input);
00115:   color: var(--text);
00116:   outline: none;
00117:   padding: 11px 12px;
00118:   transition: border-color 150ms ease, box-shadow 150ms ease, background 150ms ease;
00119: }
00120:
00121: input:focus,
00122: select:focus {
00123:   border-color: var(--accent-strong);
00124:   box-shadow: 0 0 0 3px rgba(19, 184, 164, 0.16);
00125: }
00126:
00127: input::placeholder {
00128:   color: var(--dim);
00129: }
00130:
00131: code,
00132: .logTime,
00133: .statInfo strong,
00134: .posItem strong,
00135: .structState b {
00136:   font-family: "JetBrains Mono", ui-monospace, SFMono-Regular, Menlo, Consolas, monospace;
00137: }
00138:
00139: .app {
00140:   width: min(100%, 1480px);
00141:   margin: 0 auto;
00142:   padding: 18px;
00143: }
00144:
00145: .glass {
00146:   background: color-mix(in srgb, var(--surface) 92%, transparent);
00147:   border: 1px solid var(--border);
00148:   border-radius: var(--radius);
00149:   box-shadow: var(--shadow-soft);
00150: }
00151:
00152: .primaryBtn {
00153:   background: var(--accent);
00154:   color: #071210;
00155:   box-shadow: 0 10px 22px rgba(15, 159, 142, 0.22);
00156: }
00157:
00158: .primaryBtn:hover:not(:disabled) {
00159:   background: var(--accent-strong);
00160:   box-shadow: 0 14px 28px rgba(15, 159, 142, 0.28);
00161: }
00162:
00163: .ghostBtn {
00164:   background: var(--surface-raised);
00165:   color: var(--text);
00166:   border: 1px solid var(--border);
00167: }
00168:
00169: .ghostBtn:hover:not(:disabled) {
00170:   background: #272b32;
00171:   border-color: var(--border-strong);
00172: }
00173:
00174: .textBtn {
00175:   min-height: auto;
00176:   background: transparent;
00177:   color: var(--accent-strong);
00178:   padding: 10px 0 0;
00179:   font-weight: 700;
00180: }
00181:
00182: .textBtn:hover {
00183:   color: var(--text);
00184: }
00185:
00186: .fullBtn {
00187:   width: 100%;
00188: }
00189:
00190: .compactBtn {
00191:   min-height: 40px;
00192:   padding: 9px 12px;
00193: }
00194:
```

```
00195: .iconTextBtn {
00196:   min-height: 40px;
00197:   padding: 9px 12px;
00198:   white-space: nowrap;
00199: }
00200:
00201: .spin {
00202:   animation: spin 700ms linear infinite;
00203: }
00204:
00205: @keyframes spin {
00206:   to { transform: rotate(360deg); }
00207: }
00208:
00209: .sectionEyebrow {
00210:   margin: 0 0 4px;
00211:   color: var(--accent-strong);
00212:   font-size: 12px;
00213:   font-weight: 800;
00214:   letter-spacing: 0;
00215: }
00216:
00217: .notice {
00218:   margin-top: 16px;
00219:   padding: 12px;
00220:   border-radius: var(--radius);
00221:   background: rgba(19, 184, 164, 0.1);
00222:   border: 1px solid rgba(19, 184, 164, 0.24);
00223:   color: var(--text);
00224:   font-size: 14px;
00225: }
00226:
00227: .errorNotice {
00228:   background: rgba(223, 75, 75, 0.1);
00229:   border-color: rgba(223, 75, 75, 0.28);
00230: }
00231:
00232: .envList {
00233:   display: grid;
00234:   gap: 10px;
00235:   margin-top: 16px;
00236: }
00237:
00238: .envList code {
00239:   display: block;
00240:   padding: 10px;
00241:   border: 1px solid var(--border);
00242:   border-radius: var(--radius);
00243:   background: var(--input);
00244:   color: var(--text);
00245:   font-size: 12px;
00246:   overflow-wrap: anywhere;
00247: }
00248:
00249: .pos {
00250:   color: #28c978 !important;
00251: }
00252:
00253: .neg {
00254:   color: #ff6969 !important;
00255: }
00256:
00257: .loginShell {
00258:   min-height: 100vh;
00259:   display: grid;
00260:   grid-template-columns: minmax(0, 1fr) minmax(360px, 460px);
00261:   align-items: center;
00262:   gap: 48px;
00263:   width: min(100%, 1120px);
00264:   margin: 0 auto;
00265:   padding: 24px;
00266: }
00267:
00268: .loginIntro {
00269:   min-width: 0;
00270: }
00271:
00272: .brandMark {
00273:   display: inline-flex;
00274:   align-items: center;
00275:   gap: 12px;
00276:   margin-bottom: 22px;
00277:   color: var(--text);
00278:   font-size: 24px;
00279:   font-weight: 800;
00280: }
00281:
00282: .brandGlyph {
00283:   width: 44px;
00284:   height: 44px;
00285:   border-radius: var(--radius);
00286:   display: grid;
00287:   place-items: center;
00288:   background: var(--accent);
00289:   color: #06110f;
00290: }
00291:
00292: .loginIntro h1 {
00293:   margin: 0;
00294:   max-width: 680px;
00295:   color: var(--text);
```



```
00296:   font-size: 58px;
00297:   line-height: 1.02;
00298:   letter-spacing: 0;
00299: }
00300:
00301: .loginMetrics {
00302:   display: flex;
00303:   flex-wrap: wrap;
00304:   gap: 10px;
00305:   margin-top: 28px;
00306: }
00307:
00308: .loginMetrics span {
00309:   display: inline-flex;
00310:   align-items: center;
00311:   gap: 8px;
00312:   padding: 9px 12px;
00313:   border: 1px solid var(--border);
00314:   border-radius: var(--radius);
00315:   background: rgba(255, 255, 255, 0.035);
00316:   color: var(--muted);
00317:   font-weight: 700;
00318:   font-size: 13px;
00319: }
00320:
00321: .loginCard {
00322:   width: 100%;
00323:   padding: 28px;
00324: }
00325:
00326: .loginCard h2 {
00327:   margin: 0 0 22px;
00328:   font-size: 30px;
00329:   letter-spacing: 0;
00330: }
00331:
00332: .loginForm {
00333:   display: flex;
00334:   flex-direction: column;
00335:   gap: 16px;
00336: }
00337:
00338: .setupApp {
00339:   width: 100%;
00340: }
00341:
00342: .setupShell {
00343:   min-height: calc(100vh - 36px);
00344:   display: grid;
00345:   place-items: center;
00346:   padding: 18px;
00347: }
00348:
00349: .setupCard {
00350:   width: min(100%, 720px);
00351:   padding: 28px;
00352: }
00353:
00354: .setupFields {
00355:   display: grid;
00356:   gap: 16px;
00357:   margin: 24px 0;
00358: }
00359:
00360: .setupBack {
00361:   display: flex;
00362:   justify-content: center;
00363:   margin-top: 16px;
00364: }
00365:
00366: .secretBox {
00367:   display: grid;
00368:   gap: 14px;
00369:   margin-top: 22px;
00370: }
00371:
00372: .secretBox h3 {
00373:   margin: 0 0 4px;
00374:   font-size: 20px;
00375: }
00376:
00377: .copyRow {
00378:   display: grid;
00379:   grid-template-columns: 190px minmax(0, 1fr) auto;
00380:   align-items: center;
00381:   gap: 10px;
00382:   padding: 10px;
00383:   border-radius: var(--radius);
00384:   border: 1px solid var(--border);
00385:   background: var(--surface-muted);
00386: }
00387:
00388: .copyRow span {
00389:   color: var(--muted);
00390:   font-size: 12px;
00391:   font-weight: 800;
00392: }
00393:
00394: .copyRow code {
00395:   color: #2fe09a;
00396:   font-size: 13px;
```

```
00397:   overflow-wrap: anywhere;
00398: }
00399:
00400: .copyRow button {
00401:   width: 38px;
00402:   min-height: 38px;
00403:   padding: 0;
00404:   background: var(--surface-raised);
00405:   border: 1px solid var(--border);
00406: }
00407:
00408: .dangerText {
00409:   display: flex;
00410:   align-items: center;
00411:   gap: 8px;
00412:   color: #f2b84d;
00413:   font-size: 14px;
00414:   font-weight: 700;
00415: }
00416:
00417: .topbar {
00418:   position: sticky;
00419:   top: 12px;
00420:   z-index: 20;
00421:   display: grid;
00422:   grid-template-columns: minmax(0, 1fr) auto;
00423:   gap: 16px;
00424:   align-items: center;
00425:   padding: 12px;
00426:   margin-bottom: 18px;
00427:   backdrop-filter: blur(18px);
00428: }
00429:
00430: .topbarLeft {
00431:   display: grid;
00432:   grid-template-columns: auto minmax(260px, 1fr);
00433:   gap: 18px;
00434:   align-items: center;
00435:   min-width: 0;
00436: }
00437:
00438: .brand {
00439:   display: flex;
00440:   align-items: center;
00441:   gap: 12px;
00442:   min-width: 0;
00443: }
00444:
00445: .logo {
00446:   width: 42px;
00447:   height: 42px;
00448:   flex: 0 0 auto;
00449:   border-radius: var(--radius);
00450:   display: grid;
00451:   place-items: center;
00452:   background: var(--accent);
00453:   color: #06110f;
00454: }
00455:
00456: .brandText {
00457:   min-width: 0;
00458: }
00459:
00460: .brandText h2 {
00461:   margin: 0;
00462:   font-size: 18px;
00463:   letter-spacing: 0;
00464: }
00465:
00466: .brandText > span,
00467: .emailPrivacy span {
00468:   display: block;
00469:   max-width: 240px;
00470:   overflow: hidden;
00471:   color: var(--muted);
00472:   text-overflow: ellipsis;
00473:   white-space: nowrap;
00474:   font-size: 12px;
00475:   font-weight: 600;
00476: }
00477:
00478: .emailPrivacy {
00479:   display: grid;
00480:   grid-template-columns: minmax(0, auto) auto;
00481:   gap: 6px;
00482:   align-items: center;
00483:   min-width: 0;
00484: }
00485:
00486: .emailPrivacy button {
00487:   width: 24px;
00488:   min-height: 24px;
00489:   padding: 0;
00490:   border-radius: 6px;
00491:   background: transparent;
00492:   color: var(--muted);
00493:   box-shadow: none;
00494: }
00495:
00496: .emailPrivacy button:hover {
00497:   color: var(--text);
```

```
00498:   background: var(--surface-raised);
00499: }
00500:
00501: .emailPrivacy button svg {
00502:   width: 14px;
00503:   height: 14px;
00504: }
00505:
00506: .topbarCollapseBtn {
00507:   width: 34px;
00508:   min-height: 34px;
00509:   margin-left: auto;
00510:   padding: 0;
00511:   border: 1px solid var(--border);
00512:   background: var(--surface-raised);
00513:   color: var(--muted);
00514:   box-shadow: none;
00515: }
00516:
00517: .topbar.open .topbarCollapseBtn svg {
00518:   transform: rotate(180deg);
00519: }
00520:
00521: .topbarClosed {
00522:   grid-template-columns: 1fr;
00523: }
00524:
00525: .topbarClosed .topbarLeft {
00526:   grid-template-columns: 1fr;
00527: }
00528:
00529: .topbarClosed .topbarSelect,
00530: .topbarClosed .topbarActions {
00531:   display: none;
00532: }
00533:
00534: .topbarSelect {
00535:   display: grid;
00536:   grid-template-columns: minmax(0, 1fr) auto auto;
00537:   gap: 8px;
00538:   min-width: 0;
00539: }
00540:
00541: .topbarSelect.editing {
00542:   grid-template-columns: minmax(170px, 1fr) minmax(92px, 120px) auto auto;
00543: }
00544:
00545: .symbolInput {
00546:   min-width: 0;
00547: }
00548:
00549: .topbarActions {
00550:   display: flex;
00551:   align-items: center;
00552:   justify-content: flex-end;
00553:   flex-wrap: wrap;
00554:   gap: 8px;
00555: }
00556:
00557: .viewToggle {
00558:   display: inline-grid;
00559:   grid-template-columns: repeat(5, minmax(0, auto));
00560:   gap: 4px;
00561:   padding: 4px;
00562:   border: 1px solid var(--border);
00563:   border-radius: var(--radius);
00564:   background: var(--surface-muted);
00565: }
00566:
00567: .viewToggle button {
00568:   min-height: 32px;
00569:   padding: 7px 10px;
00570:   background: transparent;
00571:   color: var(--muted);
00572:   box-shadow: none;
00573:   white-space: nowrap;
00574: }
00575:
00576: .viewToggle button.active {
00577:   background: var(--surface-raised);
00578:   color: var(--text);
00579:   border: 1px solid var(--border-strong);
00580: }
00581:
00582: .syncBadge {
00583:   min-height: 40px;
00584:   display: inline-grid;
00585:   grid-template-columns: auto auto;
00586:   column-gap: 8px;
00587:   row-gap: 0;
00588:   align-items: center;
00589:   padding: 7px 10px;
00590:   border-radius: var(--radius);
00591:   border: 1px solid rgba(19, 184, 164, 0.24);
00592:   background: rgba(19, 184, 164, 0.08);
00593:   color: var(--text);
00594:   font-size: 12px;
00595:   font-weight: 800;
00596:   white-space: nowrap;
00597: }
00598:
```

```
00599: .syncBadge small {
00600:   grid-column: 2;
00601:   color: var(--muted);
00602:   font-size: 11px;
00603:   font-weight: 700;
00604: }
00605:
00606: .liveDot {
00607:   width: 8px;
00608:   height: 8px;
00609:   border-radius: 50%;
00610:   background: #2fe09a;
00611:   box-shadow: 0 0 5px rgba(47, 224, 154, 0.14);
00612: }
00613:
00614: .hero {
00615:   display: grid;
00616:   grid-template-columns: minmax(0, 1fr) 210px;
00617:   gap: 22px;
00618:   align-items: stretch;
00619:   padding: 22px;
00620:   margin-bottom: 18px;
00621:   border-left: 5px solid var(--border);
00622: }
00623:
00624: .hero.position {
00625:   border-left-color: #8a6fe8;
00626: }
00627:
00628: .hero.buy {
00629:   border-left-color: var(--buy);
00630: }
00631:
00632: .hero.sell {
00633:   border-left-color: var(--sell);
00634: }
00635:
00636: .hero.auto {
00637:   border-left-color: var(--warning);
00638: }
00639:
00640: .statusMeta {
00641:   display: flex;
00642:   flex-wrap: wrap;
00643:   gap: 8px;
00644:   align-items: center;
00645:   margin-bottom: 16px;
00646: }
00647:
00648: .onlineRow,
00649: .symbolPill {
00650:   min-height: 32px;
00651:   display: inline-flex;
00652:   align-items: center;
00653:   gap: 8px;
00654:   border-radius: var(--radius);
00655:   padding: 7px 10px;
00656:   color: var(--muted);
00657:   font-size: 12px;
00658:   font-weight: 800;
00659: }
00660:
00661: .onlineRow.online {
00662:   color: #2fe09a;
00663:   background: rgba(24, 160, 88, 0.12);
00664:   border: 1px solid rgba(24, 160, 88, 0.28);
00665: }
00666:
00667: .onlineRow.offline {
00668:   color: #ff6969;
00669:   background: rgba(223, 75, 75, 0.1);
00670:   border: 1px solid rgba(223, 75, 75, 0.25);
00671: }
00672:
00673: .symbolPill {
00674:   background: var(--surface-raised);
00675:   border: 1px solid var(--border);
00676: }
00677:
00678: .hero h1 {
00679:   margin: 0;
00680:   max-width: 860px;
00681:   font-size: 38px;
00682:   line-height: 1.08;
00683:   letter-spacing: 0;
00684: }
00685:
00686: .hero p {
00687:   max-width: 760px;
00688:   margin: 10px 0 0;
00689:   color: var(--muted);
00690:   line-height: 1.55;
00691: }
00692:
00693: .chips {
00694:   display: flex;
00695:   flex-wrap: wrap;
00696:   gap: 8px;
00697:   margin-top: 18px;
00698: }
00699:
```

```
00700: .chip {
00701:   min-height: 34px;
00702:   display: inline-flex;
00703:   align-items: center;
00704:   gap: 8px;
00705:   padding: 7px 10px;
00706:   border-radius: var(--radius);
00707:   border: 1px solid var(--border);
00708:   background: var(--surface-muted);
00709:   color: var(--muted);
00710:   font-size: 13px;
00711:   font-weight: 700;
00712: }
00713:
00714: .chip b {
00715:   color: var(--text);
00716: }
00717:
00718: .heroRight {
00719:   display: grid;
00720:   place-items: center;
00721:   align-content: center;
00722:   gap: 10px;
00723:   min-width: 0;
00724:   border-radius: var(--radius);
00725:   background: var(--surface-muted);
00726:   border: 1px solid var(--border);
00727: }
00728:
00729: .scoreRing {
00730:   width: 128px;
00731:   height: 128px;
00732:   border-radius: 50%;
00733:   display: grid;
00734:   place-items: center;
00735:   position: relative;
00736:   background: conic-gradient(var(--accent-strong) calc(var(--score, 0) * 100%), #2b2e35 0);
00737: }
00738:
00739: .scoreRing::before {
00740:   content: "";
00741:   position: absolute;
00742:   inset: 10px;
00743:   border-radius: 50%;
00744:   background: var(--surface);
00745:   border: 1px solid var(--border);
00746: }
00747:
00748: .scoreValue {
00749:   position: relative;
00750:   z-index: 1;
00751:   display: flex;
00752:   align-items: baseline;
00753:   gap: 3px;
00754: }
00755:
00756: .scoreValue span {
00757:   font-size: 40px;
00758:   font-weight: 800;
00759: }
00760:
00761: .scoreValue small {
00762:   color: var(--muted);
00763:   font-size: 16px;
00764:   font-weight: 800;
00765: }
00766:
00767: .heroRight p {
00768:   margin: 0;
00769:   color: var(--muted);
00770:   font-size: 12px;
00771:   font-weight: 800;
00772: }
00773:
00774: .collapsibleSection {
00775:   margin-bottom: 14px;
00776:   overflow: hidden;
00777: }
00778:
00779: .collapseHeader {
00780:   width: 100%;
00781:   min-height: 58px;
00782:   justify-content: space-between;
00783:   padding: 10px 12px;
00784:   border-radius: 0;
00785:   background: transparent;
00786:   color: var(--text);
00787:   box-shadow: none;
00788:   border-bottom: 1px solid var(--border);
00789: }
00790:
00791: .collapsibleSection.closed .collapseHeader {
00792:   border-bottom: 0;
00793: }
00794:
00795: .collapseTitle {
00796:   min-width: 0;
00797:   display: inline-flex;
00798:   align-items: center;
00799:   gap: 10px;
00800:   text-align: left;
```

```
00801: }
00802:
00803: .collapseIcon {
00804:   width: 34px;
00805:   height: 34px;
00806:   flex: 0 0 auto;
00807:   display: grid;
00808:   place-items: center;
00809:   border: 1px solid var(--border);
00810:   border-radius: var(--radius);
00811:   background: var(--surface-raised);
00812:   color: var(--muted);
00813: }
00814:
00815: .collapseIcon svg {
00816:   width: 17px;
00817:   height: 17px;
00818: }
00819:
00820: .collapseTitle small {
00821:   display: block;
00822:   margin-bottom: 2px;
00823:   color: var(--accent-strong);
00824:   font-size: 11px;
00825:   font-weight: 900;
00826: }
00827:
00828: .collapseTitle strong {
00829:   display: block;
00830:   color: var(--text);
00831:   font-size: 17px;
00832:   line-height: 1.15;
00833: }
00834:
00835: .collapseControl {
00836:   width: 34px;
00837:   height: 34px;
00838:   flex: 0 0 auto;
00839:   display: grid;
00840:   place-items: center;
00841:   border-radius: var(--radius);
00842:   background: var(--surface-raised);
00843:   border: 1px solid var(--border);
00844:   color: var(--muted);
00845: }
00846:
00847: .collapsibleSection.open .collapseControl svg {
00848:   transform: rotate(180deg);
00849: }
00850:
00851: .collapseBody {
00852:   padding: 12px;
00853: }
00854:
00855: .collapseBody.flushBody {
00856:   padding: 12px;
00857: }
00858:
00859: .collapseBody.flushBody > .hero,
00860: .collapseBody.flushBody > .statGrid,
00861: .collapseBody.flushBody > .mainLayout,
00862: .collapseBody.flushBody > .positionPanel,
00863: .collapseBody.flushBody > .structureContainer,
00864: .collapseBody.flushBody > .panel {
00865:   margin-bottom: 0;
00866: }
00867:
00868: .collapseBody.flushBody > .glass {
00869:   box-shadow: none;
00870: }
00871:
00872: .statGrid {
00873:   display: grid;
00874:   grid-template-columns: repeat(auto-fit, minmax(174px, 1fr));
00875:   gap: 12px;
00876:   margin-bottom: 18px;
00877: }
00878:
00879: .statCard {
00880:   display: grid;
00881:   grid-template-columns: auto minmax(0, 1fr);
00882:   gap: 12px;
00883:   align-items: center;
00884:   padding: 14px;
00885: }
00886:
00887: .statIcon {
00888:   width: 40px;
00889:   height: 40px;
00890:   border-radius: var(--radius);
00891:   display: grid;
00892:   place-items: center;
00893:   background: var(--surface-raised);
00894:   border: 1px solid var(--border);
00895:   color: var(--muted);
00896: }
00897:
00898: .statInfo {
00899:   min-width: 0;
00900: }
00901:
```

```
00902: .statInfo span {
00903:   display: block;
00904:   margin-bottom: 3px;
00905:   color: var(--muted);
00906:   font-size: 12px;
00907:   font-weight: 800;
00908: }
00909:
00910: .statInfo strong {
00911:   display: block;
00912:   min-width: 0;
00913:   overflow-wrap: anywhere;
00914:   color: var(--text);
00915:   font-size: 20px;
00916:   line-height: 1.15;
00917: }
00918:
00919: .mainLayout {
00920:   display: grid;
00921:   grid-template-columns: minmax(0, 1.08fr) minmax(340px, 0.92fr);
00922:   gap: 18px;
00923:   align-items: start;
00924:   margin-bottom: 18px;
00925: }
00926:
00927: .panel {
00928:   padding: 18px;
00929: }
00930:
00931: .panelHeader {
00932:   display: flex;
00933:   align-items: center;
00934:   gap: 12px;
00935:   margin-bottom: 16px;
00936: }
00937:
00938: .panelIcon {
00939:   width: 40px;
00940:   height: 40px;
00941:   flex: 0 0 auto;
00942:   border-radius: var(--radius);
00943:   display: grid;
00944:   place-items: center;
00945:   color: var(--text);
00946:   background: var(--surface-raised);
00947:   border: 1px solid var(--border);
00948: }
00949:
00950: .panelHeader h2 {
00951:   margin: 0;
00952:   font-size: 20px;
00953:   letter-spacing: 0;
00954: }
00955:
00956: .bigBtns {
00957:   display: grid;
00958:   grid-template-columns: repeat(2, minmax(0, 1fr));
00959:   gap: 12px;
00960:   margin-bottom: 12px;
00961: }
00962:
00963: .bigBtns button {
00964:   min-height: 92px;
00965:   font-size: 20px;
00966: }
00967:
00968: .buyBtn,
00969: .sellBtn {
00970:   color: #fff;
00971:   border: 1px solid rgba(255, 255, 255, 0.12);
00972: }
00973:
00974: .buyBtn {
00975:   background: #16884d;
00976:   box-shadow: 0 15px 28px rgba(24, 160, 88, 0.22);
00977: }
00978:
00979: .buyBtn:hover:not(:disabled) {
00980:   background: #1aa85d;
00981: }
00982:
00983: .sellBtn {
00984:   background: #bf3d3d;
00985:   box-shadow: 0 15px 28px rgba(223, 75, 75, 0.2);
00986: }
00987:
00988: .sellBtn:hover:not(:disabled) {
00989:   background: #df4b4b;
00990: }
00991:
00992: .miniBtns,
00993: .dangerZone {
00994:   display: grid;
00995:   gap: 10px;
00996:   margin-bottom: 10px;
00997: }
00998:
00999: .miniBtns {
01000:   grid-template-columns: repeat(3, minmax(0, 1fr));
01001: }
01002:
```

```
01003: .dangerZone {
01004:   grid-template-columns: repeat(auto-fit, minmax(124px, 1fr));
01005: }
01006:
01007: .miniBtns button,
01008: .dangerZone button {
01009:   background: var(--surface-raised);
01010:   border: 1px solid var(--border);
01011:   color: var(--text);
01012:   min-width: 0;
01013:   font-size: 13px;
01014: }
01015:
01016: .miniBtns button:hover:not(:disabled),
01017: .dangerZone button:hover:not(:disabled) {
01018:   border-color: var(--border-strong);
01019:   background: #282c33;
01020: }
01021:
01022: .dangerZone .redBtn {
01023:   color: #ff8181;
01024:   background: rgba(223, 75, 75, 0.1);
01025:   border-color: rgba(223, 75, 75, 0.28);
01026: }
01027:
01028: .settingsGrid {
01029:   display: grid;
01030:   grid-template-columns: repeat(3, minmax(0, 1fr));
01031:   gap: 10px;
01032:   margin-bottom: 14px;
01033: }
01034:
01035: .settingsGrid input {
01036:   font-family: "JetBrains Mono", ui-monospace, SFMono-Regular, Menlo, Consolas, monospace;
01037:   font-weight: 600;
01038: }
01039:
01040: .stepperLabel {
01041:   min-width: 0;
01042: }
01043:
01044: .stepperLabel > span {
01045:   display: block;
01046: }
01047:
01048: .stepperLabel small {
01049:   color: var(--dim);
01050:   font-size: 11px;
01051:   font-weight: 700;
01052: }
01053:
01054: .stepperControl {
01055:   display: grid;
01056:   grid-template-columns: 38px minmax(0, 1fr) 38px;
01057:   gap: 6px;
01058: }
01059:
01060: .stepperControl input {
01061:   min-width: 0;
01062:   text-align: center;
01063: }
01064:
01065: .stepBtn {
01066:   min-height: 42px;
01067:   width: 38px;
01068:   padding: 0;
01069:   background: var(--surface-raised);
01070:   border: 1px solid var(--border);
01071:   color: var(--text);
01072: }
01073:
01074: .stepBtn:hover:not(:disabled) {
01075:   background: #282c33;
01076:   border-color: var(--border-strong);
01077: }
01078:
01079: .modeToggle {
01080:   display: grid;
01081:   grid-template-columns: repeat(auto-fit, minmax(112px, 1fr));
01082:   gap: 6px;
01083:   padding: 6px;
01084:   margin: 14px 0;
01085:   border-radius: var(--radius);
01086:   background: var(--surface-muted);
01087:   border: 1px solid var(--border);
01088: }
01089:
01090: .modeToggle button {
01091:   min-width: 0;
01092:   background: transparent;
01093:   color: var(--muted);
01094:   box-shadow: none;
01095:   padding: 10px 8px;
01096: }
01097:
01098: .modeToggle button.active {
01099:   background: var(--surface-raised);
01100:   color: var(--text);
01101:   border: 1px solid var(--border-strong);
01102: }
01103:
```



```
01104: .modeToggle button.successToggle.active {
01105:   background: rgba(24, 160, 88, 0.16);
01106:   color: #2fe09a;
01107:   border-color: rgba(24, 160, 88, 0.42);
01108: }
01109:
01110: .inlineStatus {
01111:   margin: -4px 0 14px;
01112:   padding: 10px 12px;
01113:   border-radius: var(--radius);
01114:   background: var(--surface-muted);
01115:   border: 1px solid var(--border);
01116:   color: var(--muted);
01117:   font-size: 13px;
01118:   font-weight: 800;
01119: }
01120:
01121: .positionPanel {
01122:   margin-bottom: 18px;
01123: }
01124:
01125: .positionList {
01126:   display: grid;
01127:   gap: 10px;
01128: }
01129:
01130: .positionRow,
01131: .positionGrid {
01132:   display: grid;
01133:   grid-template-columns: repeat(auto-fit, minmax(130px, 1fr));
01134:   gap: 10px;
01135: }
01136:
01137: .posItem {
01138:   min-width: 0;
01139:   padding: 12px;
01140:   border-radius: var(--radius);
01141:   background: var(--surface-muted);
01142:   border: 1px solid var(--border);
01143: }
01144:
01145: .posItem span {
01146:   display: block;
01147:   margin-bottom: 6px;
01148:   color: var(--muted);
01149:   font-size: 12px;
01150:   font-weight: 800;
01151: }
01152:
01153: .posItem strong {
01154:   display: block;
01155:   color: var(--text);
01156:   font-size: 18px;
01157:   overflow-wrap: anywhere;
01158: }
01159:
01160: .structureContainer {
01161:   display: grid;
01162:   grid-template-columns: repeat(2, minmax(0, 1fr));
01163:   gap: 18px;
01164:   margin-bottom: 18px;
01165: }
01166:
01167: .structList {
01168:   display: grid;
01169:   gap: 8px;
01170: }
01171:
01172: .structRow {
01173:   display: grid;
01174:   grid-template-columns: minmax(0, 1fr) auto;
01175:   gap: 12px;
01176:   align-items: center;
01177:   min-height: 48px;
01178:   padding: 10px 12px;
01179:   border-radius: var(--radius);
01180:   background: var(--surface-muted);
01181:   border: 1px solid var(--border);
01182: }
01183:
01184: .structLabel {
01185:   min-width: 0;
01186:   overflow-wrap: anywhere;
01187:   color: var(--muted);
01188:   font-weight: 700;
01189: }
01190:
01191: .structState {
01192:   display: inline-flex;
01193:   align-items: center;
01194:   justify-content: flex-end;
01195:   gap: 10px;
01196:   min-width: 0;
01197: }
01198:
01199: .structState b {
01200:   font-size: 13px;
01201:   overflow-wrap: anywhere;
01202:   text-align: right;
01203: }
01204:
```

```
01205: .dot {
01206:   width: 10px;
01207:   height: 10px;
01208:   flex: 0 0 auto;
01209:   border-radius: 50%;
01210:   background: var(--dim);
01211: }
01212:
01213: .dot.ok {
01214:   background: #2fe09a;
01215:   box-shadow: 0 0 0 4px rgba(47, 224, 154, 0.12);
01216: }
01217:
01218: .logContainer {
01219:   display: grid;
01220:   gap: 10px;
01221:   max-height: 430px;
01222:   overflow-y: auto;
01223:   padding-right: 4px;
01224: }
01225:
01226: .logContainer::-webkit-scrollbar {
01227:   width: 8px;
01228: }
01229:
01230: .logContainer::-webkit-scrollbar-thumb {
01231:   background: var(--border-strong);
01232:   border-radius: 99px;
01233: }
01234:
01235: .logItem {
01236:   display: grid;
01237:   grid-template-columns: 92px minmax(0, 1fr) auto;
01238:   gap: 12px;
01239:   align-items: center;
01240:   padding: 12px;
01241:   border-radius: var(--radius);
01242:   background: var(--surface-muted);
01243:   border: 1px solid var(--border);
01244: }
01245:
01246: .logBadge {
01247:   display: inline-flex;
01248:   align-items: center;
01249:   justify-content: center;
01250:   min-height: 28px;
01251:   border-radius: var(--radius);
01252:   padding: 5px 8px;
01253:   font-size: 11px;
01254:   font-weight: 900;
01255:   color: var(--text);
01256:   background: var(--surface-raised);
01257:   overflow-wrap: anywhere;
01258: }
01259:
01260: .logBadge.done {
01261:   color: #2fe09a;
01262:   background: rgba(24, 160, 88, 0.12);
01263: }
01264:
01265: .logBadge.failed {
01266:   color: #ff8181;
01267:   background: rgba(223, 75, 75, 0.12);
01268: }
01269:
01270: .logBadge.pending,
01271: .logBadge.sent {
01272:   color: #f2b84d;
01273:   background: rgba(201, 140, 24, 0.12);
01274: }
01275:
01276: .logContent {
01277:   min-width: 0;
01278: }
01279:
01280: .logContent strong {
01281:   display: block;
01282:   margin-bottom: 3px;
01283:   color: var(--text);
01284:   font-size: 14px;
01285:   overflow-wrap: anywhere;
01286: }
01287:
01288: .logContent p {
01289:   margin: 0;
01290:   color: var(--muted);
01291:   font-size: 13px;
01292:   line-height: 1.45;
01293:   overflow-wrap: anywhere;
01294: }
01295:
01296: .logTime {
01297:   color: var(--dim);
01298:   font-size: 12px;
01299:   white-space: nowrap;
01300: }
01301:
01302: .emptyState {
01303:   display: grid;
01304:   place-items: center;
01305:   min-height: 108px;
```

```
01306: padding: 18px;
01307: border-radius: var(--radius);
01308: border: 1px dashed var(--border-strong);
01309: background: rgba(255, 255, 255, 0.02);
01310: color: var(--muted);
01311: text-align: center;
01312: font-weight: 700;
01313: }
01314:
01315: .emptyState.compact {
01316:   min-height: 58px;
01317: }
01318:
01319: .multiPage {
01320:   display: grid;
01321:   gap: 14px;
01322: }
01323:
01324: .multiMaster {
01325:   padding: 18px;
01326: }
01327:
01328: .multiMasterHeader {
01329:   display: grid;
01330:   grid-template-columns: minmax(0, 1fr) auto;
01331:   gap: 14px;
01332:   align-items: start;
01333:   margin-bottom: 16px;
01334: }
01335:
01336: .multiMasterHeader h1 {
01337:   margin: 0;
01338:   font-size: 28px;
01339:   letter-spacing: 0;
01340: }
01341:
01342: .multiHeaderActions {
01343:   display: flex;
01344:   gap: 8px;
01345:   flex-wrap: wrap;
01346:   justify-content: flex-end;
01347: }
01348:
01349: .masterStats {
01350:   display: grid;
01351:   grid-template-columns: repeat(6, minmax(120px, 1fr));
01352:   gap: 10px;
01353:   margin-bottom: 14px;
01354: }
01355:
01356: .masterStats div,
01357: .accountSnapshot div {
01358:   min-width: 0;
01359:   padding: 12px;
01360:   border: 1px solid var(--border);
01361:   border-radius: var(--radius);
01362:   background: var(--surface-muted);
01363: }
01364:
01365: .masterStats span,
01366: .accountSnapshot span {
01367:   display: block;
01368:   margin-bottom: 6px;
01369:   color: var(--muted);
01370:   font-size: 11px;
01371:   font-weight: 900;
01372: }
01373:
01374: .masterStats strong,
01375: .accountSnapshot strong {
01376:   display: block;
01377:   color: var(--text);
01378:   font-size: 18px;
01379:   overflow-wrap: anywhere;
01380: }
01381:
01382: .masterControls {
01383:   display: grid;
01384:   grid-template-columns: repeat(6, minmax(0, 1fr));
01385:   gap: 10px;
01386: }
01387:
01388: .masterControls button {
01389:   min-height: 58px;
01390:   min-width: 0;
01391:   white-space: normal;
01392: }
01393:
01394: .redInlineBtn {
01395:   color: #ff8181;
01396:   background: rgba(223, 75, 75, 0.1);
01397:   border-color: rgba(223, 75, 75, 0.32);
01398: }
01399:
01400: .redInlineBtn:hover:not(:disabled) {
01401:   background: rgba(223, 75, 75, 0.18);
01402:   border-color: rgba(223, 75, 75, 0.5);
01403: }
01404:
01405: .bulkResult {
01406:   display: grid;
```

```
01407:   grid-template-columns: auto minmax(0, 1fr) auto;
01408:   gap: 10px;
01409:   align-items: center;
01410:   margin-top: 14px;
01411:   padding: 11px 12px;
01412:   border-radius: var(--radius);
01413:   border: 1px solid var(--border);
01414:   background: var(--surface-muted);
01415:   color: var(--muted);
01416:   font-weight: 800;
01417: }
01418:
01419: .bulkResult.sent {
01420:   border-color: rgba(24, 160, 88, 0.34);
01421:   background: rgba(24, 160, 88, 0.09);
01422:   color: #bdf5d8;
01423: }
01424:
01425: .bulkResult.partial,
01426: .bulkResult.sending {
01427:   border-color: rgba(201, 140, 24, 0.38);
01428:   background: rgba(201, 140, 24, 0.1);
01429:   color: #f2d59b;
01430: }
01431:
01432: .bulkResult.failed {
01433:   border-color: rgba(223, 75, 75, 0.38);
01434:   background: rgba(223, 75, 75, 0.1);
01435:   color: #ffb1b1;
01436: }
01437:
01438: .bulkResult button {
01439:   width: 30px;
01440:   min-height: 30px;
01441:   padding: 0;
01442:   background: transparent;
01443:   color: currentColor;
01444:   border: 1px solid currentColor;
01445:   opacity: 0.8;
01446: }
01447:
01448: .accountRiskBanner {
01449:   display: flex;
01450:   gap: 9px;
01451:   align-items: flex-start;
01452:   margin-top: 12px;
01453:   padding: 11px 12px;
01454:   border-radius: var(--radius);
01455:   border: 1px solid rgba(201, 140, 24, 0.34);
01456:   background: rgba(201, 140, 24, 0.1);
01457:   color: #f2d59b;
01458:   font-size: 13px;
01459:   font-weight: 800;
01460:   line-height: 1.45;
01461: }
01462:
01463: .accountRiskBanner svg {
01464:   margin-top: 1px;
01465:   color: var(--warning);
01466: }
01467:
01468: .accountToolbar {
01469:   display: grid;
01470:   grid-template-columns: auto minmax(180px, 240px) minmax(0, 1fr);
01471:   gap: 10px;
01472:   align-items: center;
01473:   padding: 12px;
01474: }
01475:
01476: .accountToolbar select {
01477:   min-height: 40px;
01478: }
01479:
01480: .accountToolbarNote {
01481:   display: flex;
01482:   align-items: center;
01483:   justify-content: flex-end;
01484:   gap: 7px;
01485:   color: var(--muted);
01486:   font-size: 12px;
01487:   font-weight: 800;
01488: }
01489:
01490: .multiAccountList {
01491:   display: grid;
01492:   gap: 12px;
01493: }
01494:
01495: .multiAccountCard {
01496:   border: 1px solid var(--border);
01497:   border-radius: var(--radius);
01498:   background: color-mix(in srgb, var(--surface) 92%, transparent);
01499:   box-shadow: var(--shadow-soft);
01500:   overflow: hidden;
01501: }
01502:
01503: .multiAccountCard.selected {
01504:   border-color: rgba(19, 184, 164, 0.42);
01505: }
01506:
01507: .accountCardHeader {
```

```
01508:   display: grid;
01509:   grid-template-columns: 122px minmax(0, 1fr);
01510:   align-items: stretch;
01511:   min-height: 74px;
01512: }
01513:
01514: .accountSelectBox {
01515:   display: flex;
01516:   flex-direction: row;
01517:   align-items: center;
01518:   justify-content: center;
01519:   gap: 8px;
01520:   padding: 10px;
01521:   border-right: 1px solid var(--border);
01522:   background: var(--surface-muted);
01523:   color: var(--text);
01524:   font-size: 12px;
01525:   font-weight: 900;
01526: }
01527:
01528: .accountSelectBox input {
01529:   width: 18px;
01530:   min-height: 18px;
01531:   padding: 0;
01532:   accent-color: var(--accent);
01533: }
01534:
01535: .accountHeaderMain {
01536:   width: 100%;
01537:   min-height: 74px;
01538:   display: grid;
01539:   grid-template-columns: auto minmax(190px, 0.9fr) minmax(0, 1.4fr) auto;
01540:   gap: 12px;
01541:   align-items: center;
01542:   justify-content: stretch;
01543:   padding: 12px;
01544:   border-radius: 0;
01545:   background: transparent;
01546:   color: var(--text);
01547:   box-shadow: none;
01548:   text-align: left;
01549: }
01550:
01551: .accountHeaderMain:hover {
01552:   background: rgba(255, 255, 255, 0.025);
01553: }
01554:
01555: .multiAccountCard.expanded .accountHeaderMain > svg {
01556:   transform: rotate(180deg);
01557: }
01558:
01559: .accountOnlineDot {
01560:   width: 11px;
01561:   height: 11px;
01562:   border-radius: 50%;
01563:   background: var(--dim);
01564: }
01565:
01566: .accountOnlineDot.online {
01567:   background: #2fe09a;
01568:   box-shadow: 0 0 5px rgba(47, 224, 154, 0.12);
01569: }
01570:
01571: .accountOnlineDot.offline {
01572:   background: #df4b4b;
01573:   box-shadow: 0 0 5px rgba(223, 75, 75, 0.1);
01574: }
01575:
01576: .accountTitleBlock {
01577:   min-width: 0;
01578: }
01579:
01580: .accountTitleBlock strong {
01581:   display: block;
01582:   margin-bottom: 4px;
01583:   font-size: 15px;
01584:   overflow: hidden;
01585:   text-overflow: ellipsis;
01586:   white-space: nowrap;
01587: }
01588:
01589: .accountTitleBlock small {
01590:   display: block;
01591:   color: var(--muted);
01592:   font-size: 12px;
01593:   font-weight: 700;
01594:   overflow: hidden;
01595:   text-overflow: ellipsis;
01596:   white-space: nowrap;
01597: }
01598:
01599: .accountHeaderMetrics {
01600:   min-width: 0;
01601:   display: grid;
01602:   grid-template-columns: repeat(4, minmax(0, 1fr));
01603:   gap: 8px;
01604: }
01605:
01606: .accountHeaderMetrics span {
01607:   min-width: 0;
01608:   padding: 7px 9px;
```

```
01609: border-radius: var(--radius);
01610: background: var(--surface-muted);
01611: color: var(--muted);
01612: font-size: 12px;
01613: font-weight: 900;
01614: overflow: hidden;
01615: text-overflow: ellipsis;
01616: white-space: nowrap;
01617: }
01618:
01619: .accountCardBody {
01620:   display: grid;
01621:   gap: 12px;
01622:   padding: 12px;
01623:   border-top: 1px solid var(--border);
01624: }
01625:
01626: .accountSnapshot {
01627:   display: grid;
01628:   grid-template-columns: repeat(6, minmax(0, 1fr));
01629:   gap: 10px;
01630: }
01631:
01632: .accountControlsGrid {
01633:   display: grid;
01634:   grid-template-columns: minmax(0, 1fr) minmax(0, 1.2fr);
01635:   gap: 12px;
01636: }
01637:
01638: .accountSubpanel {
01639:   min-width: 0;
01640:   padding: 14px;
01641:   border: 1px solid var(--border);
01642:   border-radius: var(--radius);
01643:   background: var(--surface-muted);
01644: }
01645:
01646: .accountSafetyPanel {
01647:   grid-column: 1 / -1;
01648: }
01649:
01650: .subpanelTitle {
01651:   display: flex;
01652:   align-items: center;
01653:   gap: 8px;
01654:   margin-bottom: 12px;
01655:   color: var(--text);
01656:   font-size: 13px;
01657:   font-weight: 900;
01658: }
01659:
01660: .accountSettingsGrid {
01661:   grid-template-columns: repeat(3, minmax(0, 1fr));
01662: }
01663:
01664: .accountModeToggle {
01665:   grid-template-columns: repeat(4, minmax(0, 1fr));
01666: }
01667:
01668: .accountActionGrid {
01669:   display: grid;
01670:   grid-template-columns: repeat(6, minmax(0, 1fr));
01671:   gap: 8px;
01672: }
01673:
01674: .accountActionGrid button {
01675:   min-height: 40px;
01676:   min-width: 0;
01677:   padding: 9px 8px;
01678:   font-size: 12px;
01679:   white-space: normal;
01680: }
01681:
01682: .accountLowerGrid {
01683:   display: grid;
01684:   grid-template-columns: minmax(0, 1fr) minmax(0, 1fr);
01685:   gap: 12px;
01686: }
01687:
01688: .accountMiniRows {
01689:   display: grid;
01690:   gap: 8px;
01691: }
01692:
01693: .accountMiniRow {
01694:   display: grid;
01695:   grid-template-columns: minmax(0, 1fr) auto auto auto;
01696:   gap: 8px;
01697:   align-items: center;
01698:   padding: 9px 10px;
01699:   border-radius: var(--radius);
01700:   background: var(--input);
01701:   border: 1px solid var(--border);
01702:   color: var(--muted);
01703:   font-size: 12px;
01704:   font-weight: 800;
01705: }
01706:
01707: .accountMiniRow strong {
01708:   min-width: 0;
01709:   overflow: hidden;
```

```
01710: text-overflow: ellipsis;
01711: white-space: nowrap;
01712: }
01713:
01714: .accountMiniRow span {
01715:   white-space: nowrap;
01716: }
01717:
01718: .miniStatus {
01719:   padding: 4px 7px;
01720:   border-radius: 6px;
01721:   background: var(--surface-raised);
01722:   color: var(--muted);
01723: }
01724:
01725: .miniStatus.done {
01726:   color: #2fe09a;
01727: }
01728:
01729: .miniStatus.failed {
01730:   color: #ff8181;
01731: }
01732:
01733: .miniStatus.pending,
01734: .miniStatus.sent {
01735:   color: #f2b84d;
01736: }
01737:
01738: .accountCardFooter {
01739:   display: flex;
01740:   justify-content: space-between;
01741:   gap: 12px;
01742:   align-items: center;
01743:   color: var(--muted);
01744:   font-size: 12px;
01745:   font-weight: 800;
01746: }
01747:
01748: .settingsPage {
01749:   display: grid;
01750:   grid-template-columns: minmax(0, 1.05fr) minmax(340px, 0.95fr);
01751:   gap: 18px;
01752:   align-items: start;
01753: }
01754:
01755: .settingsHeader {
01756:   display: grid;
01757:   grid-template-columns: auto minmax(0, 1fr) auto;
01758: }
01759:
01760: .telegramStatus {
01761:   min-height: 32px;
01762:   display: inline-flex;
01763:   align-items: center;
01764:   justify-content: center;
01765:   padding: 7px 10px;
01766:   border-radius: var(--radius);
01767:   border: 1px solid var(--border);
01768:   background: var(--surface-muted);
01769:   color: var(--muted);
01770:   font-size: 12px;
01771:   font-weight: 900;
01772: }
01773:
01774: .telegramStatus.connected {
01775:   color: #2fe09a;
01776:   background: rgba(24, 160, 88, 0.12);
01777:   border-color: rgba(24, 160, 88, 0.28);
01778: }
01779:
01780: .telegramGrid {
01781:   display: grid;
01782:   gap: 16px;
01783: }
01784:
01785: .telegramSavedBox {
01786:   display: grid;
01787:   grid-template-columns: repeat(2, minmax(0, 1fr));
01788:   gap: 10px;
01789:   padding: 12px;
01790:   border-radius: var(--radius);
01791:   border: 1px solid rgba(19, 184, 164, 0.24);
01792:   background: rgba(19, 184, 164, 0.08);
01793: }
01794:
01795: .telegramSavedBox div {
01796:   min-width: 0;
01797:   display: grid;
01798:   gap: 4px;
01799: }
01800:
01801: .telegramSavedBox span {
01802:   color: var(--muted);
01803:   font-size: 11px;
01804:   font-weight: 900;
01805: }
01806:
01807: .telegramSavedBox strong {
01808:   min-width: 0;
01809:   color: var(--text);
01810:   font-size: 13px;
```

```
01811: overflow-wrap: anywhere;
01812: }
01813:
01814: .toggleLine,
01815: .prefItem {
01816:   min-height: 46px;
01817:   display: grid;
01818:   grid-template-columns: auto minmax(0, 1fr);
01819:   align-items: center;
01820:   gap: 10px;
01821:   padding: 10px 12px;
01822:   border-radius: var(--radius);
01823:   background: var(--surface-muted);
01824:   border: 1px solid var(--border);
01825:   color: var(--text);
01826:   font-size: 14px;
01827:   font-weight: 800;
01828: }
01829:
01830: .toggleLine input,
01831: .prefItem input {
01832:   width: 18px;
01833:   min-height: 18px;
01834:   accent-color: var(--accent-strong);
01835: }
01836:
01837: .chatIdRow {
01838:   display: grid;
01839:   grid-template-columns: minmax(0, 1fr) auto;
01840:   gap: 8px;
01841: }
01842:
01843: .telegramBotLine {
01844:   padding: 10px 12px;
01845:   border-radius: var(--radius);
01846:   border: 1px solid rgba(19, 184, 164, 0.24);
01847:   background: rgba(19, 184, 164, 0.08);
01848:   color: var(--text);
01849:   font-size: 13px;
01850:   font-weight: 800;
01851: }
01852:
01853: .telegramActions {
01854:   display: flex;
01855:   flex-wrap: wrap;
01856:   gap: 8px;
01857: }
01858:
01859: .dangerGhost {
01860:   color: #ff8181;
01861:   background: rgba(223, 75, 75, 0.08);
01862:   border-color: rgba(223, 75, 75, 0.22);
01863: }
01864:
01865: .prefGrid {
01866:   display: grid;
01867:   grid-template-columns: repeat(2, minmax(0, 1fr));
01868:   gap: 10px;
01869: }
01870:
01871: .historyPage {
01872:   display: grid;
01873:   gap: 18px;
01874: }
01875:
01876: .historySummary {
01877:   display: grid;
01878:   grid-template-columns: repeat(4, minmax(160px, 1fr));
01879:   gap: 12px;
01880: }
01881:
01882: .historyMetric {
01883:   padding: 16px;
01884: }
01885:
01886: .historyMetric span {
01887:   display: block;
01888:   margin-bottom: 8px;
01889:   color: var(--muted);
01890:   font-size: 12px;
01891:   font-weight: 800;
01892: }
01893:
01894: .historyMetric strong {
01895:   font-family: "JetBrains Mono", ui-monospace, SFMono-Regular, Menlo, Consolas, monospace;
01896:   font-size: 22px;
01897: }
01898:
01899: .historyTableWrap {
01900:   overflow-x: auto;
01901: }
01902:
01903: .historyTable {
01904:   width: 100%;
01905:   border-collapse: collapse;
01906:   min-width: 1060px;
01907: }
01908:
01909: .historyTable th,
01910: .historyTable td {
01911:   padding: 12px;
```



```
01912: border-bottom: 1px solid var(--border);
01913: text-align: left;
01914: white-space: nowrap;
01915: }
01916:
01917: .historyTable th {
01918:   color: var(--muted);
01919:   font-size: 12px;
01920:   font-weight: 900;
01921: }
01922:
01923: .historyTable td {
01924:   color: var(--text);
01925:   font-size: 13px;
01926:   font-weight: 700;
01927: }
01928:
01929: .sidePill {
01930:   display: inline-flex;
01931:   align-items: center;
01932:   justify-content: center;
01933:   min-width: 54px;
01934:   min-height: 26px;
01935:   padding: 4px 8px;
01936:   border-radius: var(--radius);
01937:   font-size: 12px;
01938:   font-weight: 900;
01939: }
01940:
01941: .sidePill.buy {
01942:   color: #2fe09a;
01943:   background: rgba(24, 160, 88, 0.12);
01944: }
01945:
01946: .sidePill.sell {
01947:   color: #ff8181;
01948:   background: rgba(223, 75, 75, 0.12);
01949: }
01950:
01951: .sourcePill {
01952:   display: inline-flex;
01953:   align-items: center;
01954:   justify-content: center;
01955:   min-width: 62px;
01956:   min-height: 26px;
01957:   padding: 4px 8px;
01958:   border-radius: var(--radius);
01959:   font-size: 12px;
01960:   font-weight: 900;
01961: }
01962:
01963: .sourcePill.lea {
01964:   color: #77d7ff;
01965:   background: rgba(0, 126, 184, 0.14);
01966: }
01967:
01968: .sourcePill.manual {
01969:   color: #f2b84d;
01970:   background: rgba(201, 140, 24, 0.14);
01971: }
01972:
01973: .rulesPage {
01974:   display: grid;
01975:   gap: 18px;
01976: }
01977:
01978: .rulesHero {
01979:   display: grid;
01980:   grid-template-columns: minmax(0, 1fr) 190px;
01981:   gap: 18px;
01982:   align-items: stretch;
01983:   padding: 22px;
01984: }
01985:
01986: .rulesHero h1 {
01987:   margin: 0;
01988:   max-width: 860px;
01989:   font-size: 36px;
01990:   line-height: 1.1;
01991:   letter-spacing: 0;
01992: }
01993:
01994: .rulesHero p {
01995:   max-width: 760px;
01996:   margin: 10px 0 0;
01997:   color: var(--muted);
01998:   line-height: 1.55;
01999: }
02000:
02001: .rulesScore {
02002:   min-height: 160px;
02003:   display: grid;
02004:   place-items: center;
02005:   align-content: center;
02006:   gap: 4px;
02007:   border: 1px solid rgba(47, 224, 154, 0.28);
02008:   border-radius: var(--radius);
02009:   background:
02010:     linear-gradient(180deg, rgba(47, 224, 154, 0.1), rgba(47, 224, 154, 0.03)),
02011:     var(--surface-muted);
02012: }
```

```
02013:
02014: .rulesScore strong {
02015:     font-size: 52px;
02016:     line-height: 1;
02017:     color: #2fe09a;
02018: }
02019:
02020: .rulesScore span {
02021:     color: var(--muted);
02022:     font-size: 12px;
02023:     font-weight: 800;
02024:     text-transform: uppercase;
02025: }
02026:
02027: .rulesControlPanel {
02028:     margin-bottom: 0;
02029: }
02030:
02031: .rulesControlGrid,
02032: .rulesInputGrid,
02033: .ruleStatusGrid,
02034: .rulesBars,
02035: .phaseFlow,
02036: .tierDiagram {
02037:     display: grid;
02038:     gap: 12px;
02039: }
02040:
02041: .rulesControlGrid {
02042:     grid-template-columns: repeat(4, minmax(0, 1fr));
02043: }
02044:
02045: .rulesGrid {
02046:     display: grid;
02047:     grid-template-columns: minmax(0, 1.1fr) minmax(360px, 0.9fr);
02048:     gap: 18px;
02049:     align-items: start;
02050: }
02051:
02052: .rulesInputGrid {
02053:     grid-template-columns: repeat(3, minmax(0, 1fr));
02054: }
02055:
02056: .rulesInputGrid input {
02057:     font-family: "JetBrains Mono", ui-monospace, SFMono-Regular, Menlo, Consolas, monospace;
02058:     font-weight: 600;
02059: }
02060:
02061: .ruleStatusGrid {
02062:     grid-template-columns: repeat(2, minmax(0, 1fr));
02063: }
02064:
02065: .ruleStatus {
02066:     min-width: 0;
02067:     min-height: 122px;
02068:     padding: 13px;
02069:     border-radius: var(--radius);
02070:     border: 1px solid var(--border);
02071:     background: var(--surface-muted);
02072: }
02073:
02074: .ruleStatus span {
02075:     display: block;
02076:     color: var(--muted);
02077:     font-size: 12px;
02078:     font-weight: 900;
02079: }
02080:
02081: .ruleStatus strong {
02082:     display: block;
02083:     margin-top: 7px;
02084:     color: var(--text);
02085:     font-size: 20px;
02086:     line-height: 1.15;
02087:     overflow-wrap: anywhere;
02088: }
02089:
02090: .ruleStatus p {
02091:     margin: 8px 0 0;
02092:     color: var(--muted);
02093:     font-size: 12px;
02094:     line-height: 1.45;
02095: }
02096:
02097: .ruleStatus.pass {
02098:     border-color: rgba(47, 224, 154, 0.3);
02099:     background: rgba(24, 160, 88, 0.09);
02100: }
02101:
02102: .ruleStatus.pass strong {
02103:     color: #2fe09a;
02104: }
02105:
02106: .ruleStatus.watch {
02107:     border-color: rgba(79, 140, 201, 0.32);
02108:     background: rgba(79, 140, 201, 0.1);
02109: }
02110:
02111: .ruleStatus.watch strong {
02112:     color: #8bc4ff;
02113: }
```

```
02114:
02115: .ruleStatus.breach {
02116:   border-color: rgba(223, 75, 75, 0.36);
02117:   background: rgba(223, 75, 75, 0.1);
02118: }
02119:
02120: .ruleStatus.breach strong {
02121:   color: #ff8181;
02122: }
02123:
02124: .ruleStatus.neutral {
02125:   background: var(--surface-muted);
02126: }
02127:
02128: .rulesBars {
02129:   grid-template-columns: repeat(4, minmax(0, 1fr));
02130: }
02131:
02132: .ruleBar {
02133:   min-width: 0;
02134:   padding: 14px;
02135:   border: 1px solid var(--border);
02136:   border-radius: var(--radius);
02137:   background: var(--surface-muted);
02138: }
02139:
02140: .ruleBarTop {
02141:   display: flex;
02142:   justify-content: space-between;
02143:   gap: 10px;
02144:   align-items: center;
02145:   color: var(--muted);
02146:   font-size: 12px;
02147:   font-weight: 900;
02148: }
02149:
02150: .ruleBarTop strong {
02151:   color: var(--text);
02152:   font-size: 13px;
02153: }
02154:
02155: .ruleTrack {
02156:   height: 9px;
02157:   margin: 12px 0 10px;
02158:   overflow: hidden;
02159:   border-radius: 99px;
02160:   background: #2b2e35;
02161: }
02162:
02163: .ruleTrack span {
02164:   display: block;
02165:   height: 100%;
02166:   border-radius: inherit;
02167:   background: linear-gradient(90deg, var(--accent), #4f8cc9);
02168: }
02169:
02170: .ruleTrack.hot span {
02171:   background: linear-gradient(90deg, var(--warning), var(--sell));
02172: }
02173:
02174: .ruleBar p {
02175:   margin: 0;
02176:   color: var(--muted);
02177:   font-size: 12px;
02178:   line-height: 1.45;
02179: }
02180:
02181: .phaseFlow {
02182:   grid-template-columns: repeat(auto-fit, minmax(150px, 1fr));
02183: }
02184:
02185: .phaseNode {
02186:   min-height: 136px;
02187:   padding: 14px;
02188:   border: 1px solid var(--border);
02189:   border-radius: var(--radius);
02190:   background: var(--surface-muted);
02191: }
02192:
02193: .phaseNode.active {
02194:   border-color: rgba(19, 184, 164, 0.48);
02195:   background: rgba(19, 184, 164, 0.1);
02196: }
02197:
02198: .phaseNode span {
02199:   width: 28px;
02200:   height: 28px;
02201:   display: grid;
02202:   place-items: center;
02203:   border-radius: 50%;
02204:   background: var(--surface-raised);
02205:   border: 1px solid var(--border);
02206:   color: var(--muted);
02207:   font-size: 12px;
02208:   font-weight: 900;
02209: }
02210:
02211: .phaseNode.active span {
02212:   color: #2fe09a;
02213:   border-color: rgba(47, 224, 154, 0.35);
02214: }
```

```
02215:
02216: .phaseNode strong {
02217:   display: block;
02218:   margin-top: 10px;
02219:   color: var(--text);
02220:   font-size: 16px;
02221: }
02222:
02223: .phaseNode p,
02224: .phaseNode small {
02225:   display: block;
02226:   margin: 6px 0 0;
02227:   color: var(--muted);
02228:   font-size: 12px;
02229:   line-height: 1.4;
02230: }
02231:
02232: .conditionList {
02233:   display: grid;
02234:   gap: 9px;
02235:   max-height: 520px;
02236:   overflow-y: auto;
02237:   padding-right: 4px;
02238: }
02239:
02240: .conditionItem {
02241:   display: grid;
02242:   grid-template-columns: 28px minmax(0, 1fr);
02243:   gap: 10px;
02244:   align-items: start;
02245:   padding: 10px;
02246:   border-radius: var(--radius);
02247:   background: var(--surface-muted);
02248:   border: 1px solid var(--border);
02249: }
02250:
02251: .conditionItem span {
02252:   width: 24px;
02253:   height: 24px;
02254:   display: grid;
02255:   place-items: center;
02256:   border-radius: 50%;
02257:   background: rgba(201, 140, 24, 0.14);
02258:   color: #f2b84d;
02259:   font-size: 11px;
02260:   font-weight: 900;
02261: }
02262:
02263: .conditionItem p {
02264:   margin: 0;
02265:   color: var(--muted);
02266:   font-size: 13px;
02267:   line-height: 1.45;
02268: }
02269:
02270: .rulesTableWrap {
02271:   width: 100%;
02272:   overflow-x: auto;
02273: }
02274:
02275: .rulesTable {
02276:   width: 100%;
02277:   min-width: 420px;
02278:   border-collapse: collapse;
02279: }
02280:
02281: .rulesTable th,
02282: .rulesTable td {
02283:   padding: 12px;
02284:   border-bottom: 1px solid var(--border);
02285:   text-align: left;
02286:   font-size: 13px;
02287: }
02288:
02289: .rulesTable th {
02290:   color: var(--muted);
02291:   font-size: 12px;
02292:   font-weight: 900;
02293: }
02294:
02295: .rulesTable td {
02296:   color: var(--text);
02297:   font-weight: 700;
02298: }
02299:
02300: .tierDiagram {
02301:   grid-template-columns: repeat(6, minmax(0, 1fr));
02302: }
02303:
02304: .tierStep {
02305:   min-height: 90px;
02306:   display: grid;
02307:   align-content: center;
02308:   gap: 8px;
02309:   padding: 12px;
02310:   border: 1px solid var(--border);
02311:   border-radius: var(--radius);
02312:   background: var(--surface-muted);
02313: }
02314:
02315: .tierStep span {
```

```
02316:   color: var(--muted);
02317:   font-size: 12px;
02318:   font-weight: 800;
02319: }
02320:
02321: .tierStep strong {
02322:   color: #8bc4ff;
02323:   font-size: 20px;
02324: }
02325:
02326: .rulesFootnote {
02327:   margin: 14px 0 0;
02328:   color: var(--dim);
02329:   font-size: 12px;
02330:   line-height: 1.5;
02331: }
02332:
02333: .ruleDashboardHero {
02334:   margin-bottom: 0;
02335: }
02336:
02337: .autoRulesControls .panelHeader {
02338:   margin-bottom: 12px;
02339: }
02340:
02341: .objectivesPanel {
02342:   overflow: hidden;
02343: }
02344:
02345: .objectivesGrid {
02346:   display: grid;
02347:   grid-template-columns: repeat(6, minmax(0, 1fr));
02348:   gap: 14px;
02349: }
02350:
02351: .objectiveCard {
02352:   min-width: 0;
02353:   min-height: 245px;
02354:   display: grid;
02355:   justify-items: center;
02356:   align-content: start;
02357:   gap: 12px;
02358:   padding: 18px;
02359:   border: 1px solid var(--border);
02360:   border-radius: var(--radius);
02361:   background: linear-gradient(180deg, rgba(255, 255, 255, 0.025), rgba(255, 255, 255, 0)), var(--surface-muted);
02362: }
02363:
02364: .objectiveCard h3 {
02365:   justify-self: stretch;
02366:   margin: 0;
02367:   color: var(--text);
02368:   font-size: 16px;
02369:   line-height: 1.25;
02370:   font-weight: 800;
02371: }
02372:
02373: .objectiveRing {
02374:   width: 116px;
02375:   height: 116px;
02376:   display: grid;
02377:   place-items: center;
02378:   position: relative;
02379:   border-radius: 50%;
02380:   background: conic-gradient(var(--ring-color, #6bde70) calc(var(--pct, 0) * 1%), #293039 0);
02381: }
02382:
02383: .objectiveRing::before {
02384:   content: "";
02385:   position: absolute;
02386:   inset: 12px;
02387:   border-radius: 50%;
02388:   background: var(--surface-muted);
02389:   border: 1px solid rgba(255, 255, 255, 0.04);
02390: }
02391:
02392: .objectiveRing span {
02393:   position: relative;
02394:   z-index: 1;
02395:   color: var(--text);
02396:   font-size: 24px;
02397:   font-weight: 900;
02398: }
02399:
02400: .objectiveCard.pass {
02401:   --ring-color: #6bde70;
02402: }
02403:
02404: .objectiveCard.watch {
02405:   --ring-color: #f2b84d;
02406: }
02407:
02408: .objectiveCard.breach {
02409:   --ring-color: #ff6969;
02410:   border-color: rgba(223, 75, 75, 0.32);
02411: }
02412:
02413: .objectiveCard.neutral {
02414:   --ring-color: #6d7480;
02415: }
02416:
```

```
02417: .objectiveValueOnly {
02418:   min-height: 116px;
02419:   display: grid;
02420:   place-items: center;
02421: }
02422:
02423: .objectiveValueOnly strong {
02424:   color: var(--text);
02425:   font-size: 30px;
02426:   line-height: 1.1;
02427: }
02428:
02429: .objectiveValue {
02430:   min-height: 34px;
02431:   max-width: 100%;
02432:   color: var(--text);
02433:   font-size: 14px;
02434:   line-height: 1.3;
02435:   text-align: center;
02436:   overflow-wrap: anywhere;
02437: }
02438:
02439: .objectiveCard p {
02440:   margin: 0;
02441:   color: var(--muted);
02442:   font-size: 12px;
02443:   line-height: 1.45;
02444:   text-align: center;
02445: }
02446:
02447: .accountSnapshotGrid {
02448:   display: grid;
02449:   grid-template-columns: repeat(4, minmax(0, 1fr));
02450:   gap: 14px;
02451: }
02452:
02453: .accountMetricCard {
02454:   min-height: 122px;
02455:   display: grid;
02456:   align-content: center;
02457:   gap: 12px;
02458:   padding: 18px;
02459: }
02460:
02461: .accountMetricCard span {
02462:   color: var(--muted);
02463:   font-size: 14px;
02464:   font-weight: 800;
02465: }
02466:
02467: .accountMetricCard strong {
02468:   color: var(--text);
02469:   font-size: 30px;
02470:   line-height: 1.1;
02471:   overflow-wrap: anywhere;
02472: }
02473:
02474: .ruleDashboardGrid {
02475:   display: grid;
02476:   grid-template-columns: minmax(0, 1fr) minmax(310px, 0.34fr);
02477:   gap: 18px;
02478:   align-items: start;
02479: }
02480:
02481: .accountChartPanel {
02482:   min-width: 0;
02483: }
02484:
02485: .accountCurve {
02486:   min-width: 0;
02487: }
02488:
02489: .accountCurve svg {
02490:   display: block;
02491:   width: 100%;
02492:   min-height: 300px;
02493:   overflow: visible;
02494: }
02495:
02496: .accountCurve line {
02497:   stroke: rgba(255, 255, 255, 0.18);
02498:   stroke-width: 1;
02499: }
02500:
02501: .accountCurve text {
02502:   fill: var(--dim);
02503:   font-size: 12px;
02504:   font-weight: 700;
02505: }
02506:
02507: .accountCurve path,
02508: .accountCurve circle {
02509:   fill: none;
02510:   stroke-linecap: round;
02511:   stroke-linejoin: round;
02512: }
02513:
02514: .accountCurve circle {
02515:   fill: var(--warning);
02516:   stroke: var(--surface);
02517:   stroke-width: 2;
```

```
02518: }
02519:
02520: .balanceLine {
02521:   stroke: #f2992e;
02522:   stroke-width: 4;
02523: }
02524:
02525: .equityLine {
02526:   stroke: #57a7ff;
02527:   stroke-width: 3;
02528:   opacity: 0.9;
02529: }
02530:
02531: .floor {
02532:   stroke-width: 3;
02533:   stroke-dasharray: 8 8;
02534: }
02535:
02536: .dailyFloor {
02537:   stroke: #f2c94c;
02538: }
02539:
02540: .maxFloor {
02541:   stroke: #ff6969;
02542: }
02543:
02544: .chartLegend {
02545:   display: flex;
02546:   flex-wrap: wrap;
02547:   gap: 10px;
02548:   align-items: center;
02549:   margin-top: 8px;
02550:   color: var(--muted);
02551:   font-size: 12px;
02552:   font-weight: 800;
02553: }
02554:
02555: .chartLegend span {
02556:   display: inline-flex;
02557:   align-items: center;
02558:   gap: 6px;
02559: }
02560:
02561: .chartLegend span::before {
02562:   content: "";
02563:   width: 18px;
02564:   height: 3px;
02565:   border-radius: 9px;
02566:   background: currentColor;
02567: }
02568:
02569: .balanceLegend {
02570:   color: #f2992e;
02571: }
02572:
02573: .equityLegend {
02574:   color: #57a7ff;
02575: }
02576:
02577: .dailyLegend {
02578:   color: #f2c94c;
02579: }
02580:
02581: .maxLegend {
02582:   color: #ff6969;
02583: }
02584:
02585: .lossInfoGrid {
02586:   display: grid;
02587:   grid-template-columns: repeat(4, minmax(0, 1fr));
02588:   gap: 12px;
02589:   margin-top: 16px;
02590: }
02591:
02592: .lossInfoGrid div {
02593:   min-height: 92px;
02594:   display: grid;
02595:   align-content: center;
02596:   gap: 8px;
02597:   padding: 14px;
02598:   border: 1px solid var(--border);
02599:   border-radius: var(--radius);
02600:   background: var(--surface-muted);
02601: }
02602:
02603: .lossInfoGrid span,
02604: .statValue span {
02605:   color: var(--muted);
02606:   font-size: 13px;
02607:   font-weight: 800;
02608: }
02609:
02610: .lossInfoGrid strong,
02611: .statValue strong {
02612:   color: var(--text);
02613:   font-size: 20px;
02614:   line-height: 1.2;
02615:   overflow-wrap: anywhere;
02616: }
02617:
02618: .rulesSideStack {
```

```
02619:   display: grid;
02620:   gap: 18px;
02621: }
02622:
02623: .accountInfoList {
02624:   display: grid;
02625:   gap: 12px;
02626: }
02627:
02628: .accountInfoRow {
02629:   display: grid;
02630:   grid-template-columns: 28px minmax(90px, auto) minmax(0, 1fr);
02631:   gap: 10px;
02632:   align-items: center;
02633:   min-height: 42px;
02634: }
02635:
02636: .accountInfoRow span {
02637:   color: var(--muted);
02638: }
02639:
02640: .accountInfoRow svg {
02641:   width: 18px;
02642:   height: 18px;
02643: }
02644:
02645: .accountInfoRow b {
02646:   color: var(--text);
02647:   font-size: 13px;
02648: }
02649:
02650: .accountInfoRow strong {
02651:   min-width: 0;
02652:   justify-self: end;
02653:   color: var(--muted);
02654:   font-size: 13px;
02655:   text-align: right;
02656:   overflow-wrap: anywhere;
02657: }
02658:
02659: .elapsedPanel h2 {
02660:   margin: 0 0 16px;
02661:   font-size: 18px;
02662: }
02663:
02664: .elapsedGrid {
02665:   display: grid;
02666:   grid-template-columns: repeat(4, minmax(0, 1fr));
02667:   gap: 10px;
02668:   margin-bottom: 18px;
02669: }
02670:
02671: .elapsedGrid div {
02672:   display: grid;
02673:   gap: 6px;
02674:   text-align: center;
02675: }
02676:
02677: .elapsedGrid strong {
02678:   color: var(--text);
02679:   font-size: 22px;
02680: }
02681:
02682: .elapsedGrid span {
02683:   color: var(--muted);
02684:   font-size: 12px;
02685:   font-weight: 900;
02686: }
02687:
02688: .elapsedPanel p {
02689:   margin: 0 0 8px;
02690:   color: var(--muted);
02691:   font-weight: 800;
02692: }
02693:
02694: .statisticsGrid {
02695:   display: grid;
02696:   grid-template-columns: repeat(2, minmax(0, 1fr));
02697:   gap: 24px 34px;
02698: }
02699:
02700: .statValue {
02701:   min-width: 0;
02702:   display: grid;
02703:   gap: 6px;
02704: }
02705:
02706: .dailyTableWrap {
02707:   max-height: 420px;
02708:   overflow: auto;
02709: }
02710:
02711: .dailyTable {
02712:   width: 100%;
02713:   min-width: 520px;
02714:   border-collapse: collapse;
02715: }
02716:
02717: .dailyTable th,
02718: .dailyTable td {
02719:   padding: 16px 12px;
```



```
02720: border-bottom: 1px solid var(--border);
02721: text-align: left;
02722: }
02723:
02724: .dailyTable th {
02725:   color: var(--muted);
02726:   font-size: 13px;
02727:   font-weight: 900;
02728: }
02729:
02730: .dailyTable td {
02731:   color: var(--text);
02732:   font-size: 14px;
02733:   font-weight: 800;
02734: }
02735:
02736: .footer {
02737:   display: flex;
02738:   align-items: center;
02739:   justify-content: center;
02740:   gap: 8px;
02741:   padding: 26px 0 14px;
02742:   color: var(--dim);
02743:   font-size: 12px;
02744:   font-weight: 700;
02745:   text-align: center;
02746: }
02747:
02748: @media (max-width: 1180px) {
02749:   .topbar {
02750:     grid-template-columns: 1fr;
02751:   }
02752:
02753:   .topbarActions {
02754:     justify-content: flex-start;
02755:   }
02756:
02757:   .mainLayout,
02758:   .structureContainer,
02759:   .settingsPage,
02760:   .rulesGrid,
02761:   .ruleDashboardGrid {
02762:     grid-template-columns: 1fr;
02763:   }
02764:
02765:   .objectivesGrid {
02766:     grid-template-columns: repeat(3, minmax(0, 1fr));
02767:   }
02768:
02769:   .accountSnapshotGrid,
02770:   .lossInfoGrid {
02771:     grid-template-columns: repeat(2, minmax(0, 1fr));
02772:   }
02773:
02774:   .rulesControlGrid {
02775:     grid-template-columns: repeat(2, minmax(0, 1fr));
02776:   }
02777:
02778:   .rulesBars {
02779:     grid-template-columns: repeat(2, minmax(0, 1fr));
02780:   }
02781:
02782:   .tierDiagram {
02783:     grid-template-columns: repeat(3, minmax(0, 1fr));
02784:   }
02785:
02786:   .masterStats,
02787:   .accountSnapshot {
02788:     grid-template-columns: repeat(3, minmax(0, 1fr));
02789:   }
02790:
02791:   .masterControls,
02792:   .accountActionGrid {
02793:     grid-template-columns: repeat(3, minmax(0, 1fr));
02794:   }
02795:
02796:   .accountControlsGrid,
02797:   .accountLowerGrid {
02798:     grid-template-columns: 1fr;
02799:   }
02800: }
02801:
02802: @media (max-width: 860px) {
02803:   .app {
02804:     padding: 12px;
02805:   }
02806:
02807:   .loginShell {
02808:     grid-template-columns: 1fr;
02809:     gap: 24px;
02810:     align-items: start;
02811:   }
02812:
02813:   .loginIntro h1 {
02814:     font-size: 40px;
02815:   }
02816:
02817:   .topbar {
02818:     position: static;
02819:   }
02820: }
```

```
02821: .topbarLeft {
02822:   grid-template-columns: 1fr;
02823: }
02824:
02825: .topbarSelect,
02826: .topbarSelect.editing {
02827:   grid-template-columns: 1fr;
02828: }
02829:
02830: .topbarActions {
02831:   display: grid;
02832:   grid-template-columns: repeat(2, minmax(0, 1fr));
02833: }
02834:
02835: .syncBadge,
02836: .topbarActions button,
02837: .viewToggle {
02838:   width: 100%;
02839: }
02840:
02841: .viewToggle {
02842:   grid-template-columns: repeat(3, minmax(0, 1fr));
02843: }
02844:
02845: .hero,
02846: .rulesHero {
02847:   grid-template-columns: 1fr;
02848: }
02849:
02850: .heroRight {
02851:   min-height: 180px;
02852: }
02853:
02854: .hero h1 {
02855:   font-size: 30px;
02856: }
02857:
02858: .rulesHero h1 {
02859:   font-size: 30px;
02860: }
02861:
02862: .objectivesGrid {
02863:   grid-template-columns: repeat(2, minmax(0, 1fr));
02864: }
02865:
02866: .statisticsGrid {
02867:   gap: 18px;
02868: }
02869:
02870: .multiMasterHeader,
02871: .accountToolbar,
02872: .accountCardHeader {
02873:   grid-template-columns: 1fr;
02874: }
02875:
02876: .multiHeaderActions,
02877: .accountToolbarNote {
02878:   justify-content: flex-start;
02879: }
02880:
02881: .accountSelectBox {
02882:   justify-content: flex-start;
02883:   border-right: 0;
02884:   border-bottom: 1px solid var(--border);
02885: }
02886:
02887: .accountHeaderMain {
02888:   grid-template-columns: auto minmax(0, 1fr) auto;
02889: }
02890:
02891: .accountHeaderMetrics {
02892:   grid-column: 1 / -1;
02893:   grid-template-columns: repeat(2, minmax(0, 1fr));
02894: }
02895: }
02896:
02897: @media (max-width: 620px) {
02898:   body {
02899:     background:
02900:       linear-gradient(180deg, rgba(255, 255, 255, 0.018), rgba(255, 255, 255, 0) 220px),
02901:       linear-gradient(180deg, #111216 0%, #101114 100%);
02902:   }
02903:
02904:   .app {
02905:     padding: 8px;
02906:   }
02907:
02908:   .loginShell,
02909:   .setupShell {
02910:     padding: 12px;
02911:   }
02912:
02913:   .glass {
02914:     box-shadow: 0 8px 22px rgba(0, 0, 0, 0.2);
02915:   }
02916:
02917:   .loginCard,
02918:   .setupCard,
02919:   .panel,
02920:   .hero,
02921:   .rulesHero {
```

```
02922:     padding: 12px;
02923: }
02924:
02925: .loginIntro h1 {
02926:     font-size: 32px;
02927: }
02928:
02929: .bigBtns,
02930: .miniBtns,
02931: .dangerZone,
02932: .settingsGrid,
02933: .modeToggle,
02934: .prefGrid,
02935: .chatIdRow,
02936: .telegramSavedBox,
02937: .rulesControlGrid,
02938: .rulesInputGrid,
02939: .ruleStatusGrid,
02940: .rulesBars,
02941: .tierDiagram,
02942: .objectivesGrid,
02943: .accountSnapshotGrid,
02944: .lossInfoGrid,
02945: .statisticsGrid,
02946: .masterStats,
02947: .accountSnapshot,
02948: .accountSettingsGrid,
02949: .accountModeToggle {
02950:     grid-template-columns: 1fr;
02951: }
02952:
02953: .topbar {
02954:     gap: 10px;
02955:     padding: 10px;
02956:     margin-bottom: 12px;
02957: }
02958:
02959: .topbarLeft {
02960:     gap: 10px;
02961: }
02962:
02963: .brand {
02964:     gap: 10px;
02965: }
02966:
02967: .topbarClosed {
02968:     padding: 8px 10px;
02969: }
02970:
02971: .logo {
02972:     width: 40px;
02973:     height: 40px;
02974: }
02975:
02976: .brandText h2 {
02977:     font-size: 20px;
02978:     line-height: 1.05;
02979: }
02980:
02981: .emailPrivacy span {
02982:     max-width: 220px;
02983:     font-size: 12px;
02984: }
02985:
02986: .topbarSelect:not(.editing) {
02987:     grid-template-columns: minmax(0, 1fr) 42px 42px;
02988:     align-items: stretch;
02989: }
02990:
02991: .topbarSelect:not(.editing) select {
02992:     min-height: 42px;
02993:     min-width: 0;
02994:     padding: 9px 10px;
02995:     font-size: 15px;
02996:     font-weight: 800;
02997: }
02998:
02999: .topbarSelect:not(.editing) .iconTextBtn {
03000:     width: 42px;
03001:     min-height: 42px;
03002:     padding: 0;
03003:     gap: 0;
03004:     font-size: 0;
03005: }
03006:
03007: .topbarSelect:not(.editing) .iconTextBtn svg {
03008:     width: 18px;
03009:     height: 18px;
03010: }
03011:
03012: .topbarSelect.editing {
03013:     grid-template-columns: 1fr 1fr;
03014: }
03015:
03016: .topbarSelect.editing input {
03017:     grid-column: 1 / -1;
03018: }
03019:
03020: .topbarSelect.editing button {
03021:     min-height: 40px;
03022:     padding: 8px 10px;
```

```
03023:     font-size: 13px;
03024: }
03025:
03026: .objectiveCard {
03027:     min-height: 196px;
03028:     padding: 14px;
03029:     gap: 10px;
03030: }
03031:
03032: .objectiveRing {
03033:     width: 96px;
03034:     height: 96px;
03035: }
03036:
03037: .objectiveRing::before {
03038:     inset: 9px;
03039: }
03040:
03041: .objectiveRing span {
03042:     font-size: 21px;
03043: }
03044:
03045: .objectiveValueOnly {
03046:     min-height: 96px;
03047: }
03048:
03049: .objectiveValueOnly strong {
03050:     font-size: 26px;
03051: }
03052:
03053: .objectiveCard p {
03054:     font-size: 11px;
03055: }
03056:
03057: .accountMetricCard strong {
03058:     font-size: 26px;
03059: }
03060:
03061: .accountMetricCard,
03062: .lossInfoGrid div {
03063:     min-height: 94px;
03064:     padding: 14px;
03065: }
03066:
03067: .accountCurve svg {
03068:     min-height: 240px;
03069: }
03070:
03071: .accountInfoRow {
03072:     grid-template-columns: 24px minmax(80px, auto) minmax(0, 1fr);
03073: }
03074:
03075: .dailyTable {
03076:     min-width: 0;
03077: }
03078:
03079: .dailyTable thead {
03080:     display: none;
03081: }
03082:
03083: .dailyTable,
03084: .dailyTable tbody,
03085: .dailyTable tr,
03086: .dailyTable td {
03087:     display: block;
03088:     width: 100%;
03089: }
03090:
03091: .dailyTable tr {
03092:     padding: 12px;
03093:     border: 1px solid var(--border);
03094:     border-radius: var(--radius);
03095:     background: var(--surface-muted);
03096:     margin-bottom: 10px;
03097: }
03098:
03099: .dailyTable td {
03100:     display: grid;
03101:     grid-template-columns: 92px minmax(0, 1fr);
03102:     gap: 10px;
03103:     border-bottom: 0;
03104:     padding: 7px 0;
03105:     white-space: normal;
03106: }
03107:
03108: .dailyTable td::before {
03109:     content: attr(data-label);
03110:     color: var(--muted);
03111:     font-size: 12px;
03112:     font-weight: 900;
03113: }
03114:
03115: .bigBtns button {
03116:     min-height: 64px;
03117:     font-size: 17px;
03118: }
03119:
03120: .topbarActions {
03121:     grid-template-columns: repeat(2, minmax(0, 1fr));
03122:     gap: 8px;
03123: }
```

```
03124:
03125:   .viewToggle {
03126:     grid-column: 1 / -1;
03127:     grid-template-columns: repeat(2, minmax(0, 1fr));
03128:     gap: 4px;
03129:     padding: 4px;
03130:   }
03131:
03132:   .viewToggle button {
03133:     min-height: 38px;
03134:     padding: 7px 6px;
03135:     gap: 6px;
03136:     font-size: 13px;
03137:   }
03138:
03139:   .viewToggle button svg {
03140:     width: 15px;
03141:     height: 15px;
03142:   }
03143:
03144:   .syncBadge {
03145:     min-height: 40px;
03146:     justify-content: center;
03147:     padding: 7px 8px;
03148:     font-size: 12px;
03149:   }
03150:
03151:   .topbarActions > button {
03152:     min-height: 40px;
03153:     padding: 8px 10px;
03154:     font-size: 13px;
03155:   }
03156:
03157:   .topbarActions > button svg {
03158:     width: 15px;
03159:     height: 15px;
03160:   }
03161:
03162:   .collapsibleSection {
03163:     margin-bottom: 10px;
03164:   }
03165:
03166:   .collapseHeader {
03167:     min-height: 50px;
03168:     padding: 8px 10px;
03169:   }
03170:
03171:   .collapseIcon,
03172:   .collapseControl {
03173:     width: 32px;
03174:     height: 32px;
03175:   }
03176:
03177:   .collapseTitle {
03178:     gap: 8px;
03179:   }
03180:
03181:   .collapseTitle small {
03182:     font-size: 10px;
03183:   }
03184:
03185:   .collapseTitle strong {
03186:     font-size: 15px;
03187:   }
03188:
03189:   .collapseBody,
03190:   .collapseBody.flushBody {
03191:     padding: 8px;
03192:   }
03193:
03194:   .hero {
03195:     gap: 12px;
03196:     margin-bottom: 12px;
03197:     border-left-width: 4px;
03198:   }
03199:
03200:   .statusMeta {
03201:     gap: 6px;
03202:     margin-bottom: 10px;
03203:   }
03204:
03205:   .onlineRow,
03206:   .symbolPill {
03207:     min-height: 30px;
03208:     padding: 6px 8px;
03209:     gap: 6px;
03210:     font-size: 11px;
03211:   }
03212:
03213:   .onlineRow svg,
03214:   .symbolPill svg {
03215:     width: 14px;
03216:     height: 14px;
03217:   }
03218:
03219:   .hero h1 {
03220:     font-size: 30px;
03221:   }
03222:
03223:   .hero p {
03224:     margin-top: 6px;
```

```
03225:     font-size: 14px;
03226:     line-height: 1.45;
03227: }
03228:
03229: .chips {
03230:     gap: 6px;
03231:     margin-top: 12px;
03232: }
03233:
03234: .chip {
03235:     min-height: 30px;
03236:     padding: 6px 8px;
03237:     gap: 6px;
03238:     font-size: 12px;
03239: }
03240:
03241: .heroRight {
03242:     min-height: 142px;
03243: }
03244:
03245: .scoreRing {
03246:     width: 104px;
03247:     height: 104px;
03248: }
03249:
03250: .scoreRing::before {
03251:     inset: 8px;
03252: }
03253:
03254: .scoreValue span {
03255:     font-size: 32px;
03256: }
03257:
03258: .scoreValue small {
03259:     font-size: 14px;
03260: }
03261:
03262: .statGrid,
03263: .mainLayout,
03264: .structureContainer,
03265: .historySummary,
03266: .rulesPage {
03267:     gap: 10px;
03268: }
03269:
03270: .statGrid {
03271:     grid-template-columns: 1fr;
03272: }
03273:
03274: .historySummary {
03275:     grid-template-columns: 1fr;
03276: }
03277:
03278: .multiMaster {
03279:     padding: 12px;
03280: }
03281:
03282: .multiMasterHeader h1 {
03283:     font-size: 24px;
03284: }
03285:
03286: .masterControls {
03287:     grid-template-columns: 1fr;
03288: }
03289:
03290: .masterControls button {
03291:     min-height: 48px;
03292: }
03293:
03294: .bulkResult {
03295:     grid-template-columns: 1fr auto;
03296: }
03297:
03298: .bulkResult span {
03299:     grid-column: 1 / -1;
03300:     grid-row: 2;
03301: }
03302:
03303: .accountToolbar {
03304:     padding: 10px;
03305: }
03306:
03307: .accountHeaderMain {
03308:     grid-template-columns: auto minmax(0, 1fr) auto;
03309:     gap: 9px;
03310:     padding: 10px;
03311: }
03312:
03313: .accountHeaderMetrics {
03314:     grid-template-columns: 1fr;
03315:     gap: 6px;
03316: }
03317:
03318: .accountCardBody {
03319:     padding: 10px;
03320: }
03321:
03322: .accountSubpanel {
03323:     padding: 12px;
03324: }
03325:
```

```
03326: .accountActionGrid {
03327:   grid-template-columns: repeat(2, minmax(0, 1fr));
03328: }
03329:
03330: .accountMiniRow {
03331:   grid-template-columns: minmax(0, 1fr) auto;
03332: }
03333:
03334: .copyRow {
03335:   grid-template-columns: 1fr auto;
03336: }
03337:
03338: .copyRow span {
03339:   grid-column: 1 / -1;
03340: }
03341:
03342: .structRow {
03343:   grid-template-columns: 1fr;
03344: }
03345:
03346: .structState {
03347:   justify-content: space-between;
03348: }
03349:
03350: .logItem {
03351:   grid-template-columns: 1fr;
03352:   align-items: start;
03353: }
03354:
03355: .logBadge,
03356: .logTime {
03357:   justify-self: start;
03358: }
03359:
03360: .footer {
03361:   align-items: flex-start;
03362: }
03363:
03364: .historyTable {
03365:   min-width: 0;
03366: }
03367:
03368: .historyTable thead {
03369:   display: none;
03370: }
03371:
03372: .historyTable,
03373: .historyTable tbody,
03374: .historyTable tr,
03375: .historyTable td {
03376:   display: block;
03377:   width: 100%;
03378: }
03379:
03380: .historyTable tr {
03381:   padding: 12px;
03382:   border: 1px solid var(--border);
03383:   border-radius: var(--radius);
03384:   background: var(--surface-muted);
03385:   margin-bottom: 10px;
03386: }
03387:
03388: .historyTable td {
03389:   display: grid;
03390:   grid-template-columns: 96px minmax(0, 1fr);
03391:   gap: 10px;
03392:   border-bottom: 0;
03393:   padding: 8px 0;
03394:   white-space: normal;
03395: }
03396:
03397: .historyTable td::before {
03398:   content: attr(data-label);
03399:   color: var(--muted);
03400:   font-size: 12px;
03401:   font-weight: 900;
03402: }
03403: }
```

Source Listing: src/supabaseClient.js

Lines: 12 | Size: 585 bytes | SHA256: 82d3043e6e570790804f10868e61821de7276e6c309b6d2e63a98a150749df79

```
00001: import { createClient } from '@supabase/supabase-js'
00002:
00003: export const SUPABASE_URL = import.meta.env.VITE_SUPABASE_URL
00004: export const SUPABASE_ANON_KEY = import.meta.env.VITE_SUPABASE_ANON_KEY
00005: export const hasSupabaseConfig = Boolean(SUPABASE_URL && SUPABASE_ANON_KEY)
00006:
00007: if (!hasSupabaseConfig) {
00008:   console.warn('Missing VITE_SUPABASE_URL or VITE_SUPABASE_ANON_KEY. Copy .env.example to .env and fill it.')
00009: }
00010:
00011: export const supabase = hasSupabaseConfig ? createClient(SUPABASE_URL, SUPABASE_ANON_KEY) : null
00012: export const functionsUrl = hasSupabaseConfig ? `${SUPABASE_URL}/functions/v1` : ''
```


Source Listing: supabase/schema.sql

Lines: 229 | Size: 8930 bytes | SHA256: 818069de3b2353d4f20b25da5c9897e3e5a38a06caee856fd654bef72b92c9d8

```

00001: -- TCX Supabase schema
00002: -- Run in Supabase SQL editor before deploying functions.
00003:
00004: create extension if not exists pgcrypto;
00005:
00006: create table if not exists public.profiles (
00007:   id uuid primary key references auth.users(id) on delete cascade,
00008:   email text,
00009:   full_name text,
00010:   created_at timestamptz not null default now()
00011: );
00012:
00013: create table if not exists public.ea_instances (
00014:   id uuid primary key default gen_random_uuid(),
00015:   user_id uuid not null references auth.users(id) on delete cascade,
00016:   name text not null,
00017:   symbol text default 'XAUUSD',
00018:   account_login text,
00019:   token_hash text not null,
00020:   enabled boolean not null default true,
00021:   last_seen_at timestamptz,
00022:   created_at timestamptz not null default now()
00023: );
00024:
00025: create table if not exists public.ea_states (
00026:   ea_id uuid primary key references public.ea_instances(id) on delete cascade,
00027:   user_id uuid not null references auth.users(id) on delete cascade,
00028:   state jsonb not null default '{}':jsonb,
00029:   updated_at timestamptz not null default now()
00030: );
00031:
00032: create table if not exists public.commands (
00033:   id uuid primary key default gen_random_uuid(),
00034:   user_id uuid not null references auth.users(id) on delete cascade,
00035:   ea_id uuid not null references public.ea_instances(id) on delete cascade,
00036:   client_id text,
00037:   action text not null,
00038:   payload jsonb not null default '{}':jsonb,
00039:   status text not null default 'pending' check (status in ('pending','sent','done','failed','expired')),
00040:   result_message text,
00041:   created_at timestamptz not null default now(),
00042:   sent_at timestamptz,
00043:   done_at timestamptz,
00044:   expires_at timestamptz not null default (now() + interval '45 seconds')
00045: );
00046:
00047: create table if not exists public.audit_logs (
00048:   id bigint generated by default as identity primary key,
00049:   user_id uuid references auth.users(id) on delete set null,
00050:   ea_id uuid references public.ea_instances(id) on delete set null,
00051:   action text not null,
00052:   details jsonb default '{}':jsonb,
00053:   created_at timestamptz not null default now()
00054: );
00055:
00056: create table if not exists public.telegram_settings (
00057:   user_id uuid primary key references auth.users(id) on delete cascade,
00058:   bot_token_cipher text,
00059:   chat_id text,
00060:   bot_username text,
00061:   enabled boolean not null default false,
00062:   prefs jsonb not null default '{
00063:     "trade_open": true,
00064:     "sl_hit": true,
00065:     "tp_hit": true,
00066:     "rr1_hit": true,
00067:     "rr2_hit": true,
00068:     "rr3_hit": true,
00069:     "partial_hit": true,
00070:     "command_sent": true,
00071:     "command_done": true,
00072:     "command_failed": true,
00073:     "ea_message": true,
00074:     "ea_online": true,
00075:     "ea_offline": true
00076:   }':jsonb,
00077:   connected_at timestamptz,
00078:   created_at timestamptz not null default now(),
00079:   updated_at timestamptz not null default now()
00080: );
00081:
00082: create table if not exists public.notification_events (
00083:   id bigint generated by default as identity primary key,
00084:   user_id uuid not null references auth.users(id) on delete cascade,
00085:   ea_id uuid not null references public.ea_instances(id) on delete cascade,
00086:   event_type text not null,
00087:   event_key text not null,
00088:   payload jsonb not null default '{}':jsonb,
00089:   status text not null default 'pending' check (status in ('pending','sent','skipped','failed')),
00090:   error text,
00091:   telegram_message_id text,
00092:   created_at timestamptz not null default now(),
00093:   sent_at timestamptz,
00094:   unique (user_id, ea_id, event_type, event_key)
00095: );

```

```
00096:
00097: create table if not exists public.telegram_ea_status (
00098:   ea_id uuid primary key references public.ea_instances(id) on delete cascade,
00099:   user_id uuid not null references auth.users(id) on delete cascade,
00100:   is_online boolean not null default false,
00101:   last_online_at timestamptz,
00102:   last_offline_at timestamptz,
00103:   updated_at timestamptz not null default now()
00104: );
00105:
00106: create index if not exists idx_ea_instances_user_id on public.ea_instances(user_id);
00107: create index if not exists idx_commands_ea_pending on public.commands(ea_id, status, created_at);
00108: create index if not exists idx_commands_pending_fast on public.commands(ea_id, created_at) where status = 'pending';
00109: create index if not exists idx_commands_pending_expiry on public.commands(ea_id, expires_at) where status =
    'pending';
00110: create unique index if not exists idx_commands_ea_client_id_unique on public.commands(ea_id, client_id) where
    client_id is not null;
00111: create index if not exists idx_commands_user_created on public.commands(user_id, created_at desc);
00112: create index if not exists idx_notification_events_user_created on public.notification_events(user_id, created_at
    desc);
00113: create index if not exists idx_telegram_ea_status_user_id on public.telegram_ea_status(user_id);
00114:
00115: alter table public.profiles enable row level security;
00116: alter table public.ea_instances enable row level security;
00117: alter table public.ea_states enable row level security;
00118: alter table public.commands enable row level security;
00119: alter table public.audit_logs enable row level security;
00120: alter table public.telegram_settings enable row level security;
00121: alter table public.notification_events enable row level security;
00122: alter table public.telegram_ea_status enable row level security;
00123:
00124: drop policy if exists profiles_own on public.profiles;
00125: create policy profiles_own on public.profiles for all using (id = auth.uid()) with check (id = auth.uid());
00126:
00127: drop policy if exists ea_instances_own_select on public.ea_instances;
00128: create policy ea_instances_own_select on public.ea_instances for select using (user_id = auth.uid());
00129: drop policy if exists ea_instances_own_insert on public.ea_instances;
00130: create policy ea_instances_own_insert on public.ea_instances for insert with check (user_id = auth.uid());
00131: drop policy if exists ea_instances_own_update on public.ea_instances;
00132: create policy ea_instances_own_update on public.ea_instances for update using (user_id = auth.uid()) with check
    (user_id = auth.uid());
00133: drop policy if exists ea_instances_own_delete on public.ea_instances;
00134: create policy ea_instances_own_delete on public.ea_instances for delete using (user_id = auth.uid());
00135:
00136: drop policy if exists ea_states_own_select on public.ea_states;
00137: create policy ea_states_own_select on public.ea_states for select using (user_id = auth.uid());
00138:
00139: drop policy if exists commands_own_select on public.commands;
00140: create policy commands_own_select on public.commands for select using (user_id = auth.uid());
00141:
00142: drop policy if exists audit_own_select on public.audit_logs;
00143: create policy audit_own_select on public.audit_logs for select using (user_id = auth.uid());
00144:
00145: drop policy if exists telegram_events_own_select on public.notification_events;
00146: create policy telegram_events_own_select on public.notification_events for select using (user_id = auth.uid());
00147:
00148: drop policy if exists telegram_ea_status_own_select on public.telegram_ea_status;
00149: create policy telegram_ea_status_own_select on public.telegram_ea_status for select using (user_id = auth.uid());
00150:
00151: create or replace function public.handle_new_user()
00152: returns trigger as $$
00153: begin
00154:   insert into public.profiles (id, email)
00155:   values (new.id, new.email)
00156:   on conflict (id) do nothing;
00157:   return new;
00158: end;
00159: $$ language plpgsql security definer;
00160:
00161: drop trigger if exists on_auth_user_created on auth.users;
00162: create trigger on_auth_user_created
00163:   after insert on auth.users
00164:   for each row execute procedure public.handle_new_user();
00165:
00166: create or replace function public.claim_next_command(p_ea_id uuid, p_ea_token text)
00167: returns jsonb as $$
00168: declare
00169:   v_ea record;
00170:   v_cmd record;
00171:   v_now timestamptz := now();
00172: begin
00173:   select id, user_id
00174:   into v_ea
00175:   from public.ea_instances
00176:   where id = p_ea_id
00177:   and enabled = true
00178:   and token_hash = encode(digest(coalesce(p_ea_token, ''), 'sha256'), 'hex');
00179:
00180:   if not found then
00181:     return jsonb_build_object('ok', false, 'error', 'EA not found or invalid token');
00182:   end if;
00183:
00184:   update public.ea_instances
00185:   set last_seen_at = v_now
00186:   where id = v_ea.id
00187:   and (last_seen_at is null or last_seen_at < v_now - interval '2 seconds');
00188:
00189:   update public.commands
00190:   set status = 'expired',
00191:   result_message = 'Expired before EA pickup'
00192:   where ea_id = v_ea.id
```

```
00193:         and status = 'pending'
00194:         and expires_at < v_now;
00195:
00196:     select id, action, payload, created_at, expires_at
00197:     into v_cmd
00198:     from public.commands
00199:     where ea_id = v_ea.id
00200:         and status = 'pending'
00201:         and expires_at > v_now
00202:     order by created_at asc
00203:     for update skip locked
00204:     limit 1;
00205:
00206:     if not found then
00207:         return jsonb_build_object('ok', true, 'command', null);
00208:     end if;
00209:
00210:     update public.commands
00211:     set status = 'sent',
00212:         sent_at = v_now
00213:     where id = v_cmd.id;
00214:
00215:     return jsonb_build_object(
00216:         'ok', true,
00217:         'command', jsonb_build_object(
00218:             'id', v_cmd.id,
00219:             'action', v_cmd.action,
00220:             'payload', v_cmd.payload,
00221:             'created_at', v_cmd.created_at,
00222:             'expires_at', v_cmd.expires_at
00223:         )
00224:     );
00225: end;
00226: $$ language plpgsql security definer set search_path = public;
00227:
00228: revoke all on function public.claim_next_command(uuid, text) from public;
00229: grant execute on function public.claim_next_command(uuid, text) to service_role;
```

Source Listing: supabase/functions/_shared/telegram.ts

Lines: 447 | Size: 16103 bytes | SHA256: f557e111c758009f2fe1c423a7daede9c4715748357ea342d707af0061018d0c

```
00001: const DEFAULT_PREFS: Record<string, boolean> = {
00002:   trade_open: true,
00003:   sl_hit: true,
00004:   tp_hit: true,
00005:   rr1_hit: true,
00006:   rr2_hit: true,
00007:   rr3_hit: true,
00008:   partial_hit: true,
00009:   command_sent: true,
00010:   command_done: true,
00011:   command_failed: true,
00012:   ea_message: true,
00013:   ea_online: true,
00014:   ea_offline: true,
00015: }
00016:
00017: const EVENT_LABELS: Record<string, string> = {
00018:   ARM_BUY: 'ARM BUY',
00019:   ARM_SELL: 'ARM SELL',
00020:   AUTO_ARM: 'AUTO ARM',
00021:   CANCEL: 'CANCEL',
00022:   CLOSE_50: 'CLOSE 50%',
00023:   BREAK_EVEN: 'BREAK EVEN',
00024:   FIRST_BE_EXIT: 'FIRST BE EXIT',
00025:   FIRST_BREAK_EVEN: 'FIRST BREAK EVEN',
00026:   CLOSE_ALL: 'CLOSE ALL',
00027:   TOGGLE_PARTIALS: 'TOGGLE PARTIALS',
00028:   TOGGLE_SECOND_ENTRY: 'TOGGLE SECOND ENTRY',
00029:   SET_MODE: 'SET MODE',
00030:   SET_RISK: 'SET RISK',
00031:   SET_PARTIALS: 'SET PARTIALS',
00032:   PING: 'PING',
00033: }
00034:
00035: function enc() {
00036:   return new TextEncoder()
00037: }
00038:
00039: function dec() {
00040:   return new TextDecoder()
00041: }
00042:
00043: function bytesToBase64(bytes: Uint8Array) {
00044:   let binary = ''
00045:   for (const b of bytes) binary += String.fromCharCode(b)
00046:   return btoa(binary)
00047: }
00048:
00049: function base64ToBytes(value: string) {
00050:   const binary = atob(value)
00051:   const bytes = new Uint8Array(binary.length)
00052:   for (let i = 0; i < binary.length; i++) bytes[i] = binary.charCodeAt(i)
00053:   return bytes
00054: }
00055:
00056: async function cryptoKey() {
00057:   const secret = Deno.env.get('TELEGRAM_TOKEN_ENCRYPTION_KEY')
00058:   if (!secret || secret.length < 16) {
00059:     throw new Error('Missing TELEGRAM_TOKEN_ENCRYPTION_KEY secret')
00060:   }
00061:   const hash = await crypto.subtle.digest('SHA-256', enc().encode(secret))
00062:   return crypto.subtle.importKey('raw', hash, 'AES-GCM', false, ['encrypt', 'decrypt'])
00063: }
00064:
00065: export async function encryptTelegramToken(token: string) {
00066:   const iv = crypto.getRandomValues(new Uint8Array(12))
00067:   const key = await cryptoKey()
00068:   const cipher = await crypto.subtle.encrypt({ name: 'AES-GCM', iv }, key, enc().encode(token))
00069:   return JSON.stringify({ v: 1, iv: bytesToBase64(iv), data: bytesToBase64(new Uint8Array(cipher)) })
00070: }
00071:
00072: export async function decryptTelegramToken(cipherText: string) {
00073:   const parsed = JSON.parse(cipherText || '{}')
00074:   const iv = base64ToBytes(parsed.iv)
00075:   const data = base64ToBytes(parsed.data)
00076:   const key = await cryptoKey()
00077:   const plain = await crypto.subtle.decrypt({ name: 'AES-GCM', iv }, key, data)
00078:   return dec().decode(plain)
00079: }
00080:
00081: export function defaultTelegramPrefs() {
00082:   return { ...DEFAULT_PREFS }
00083: }
00084:
00085: export function mergeTelegramPrefs(prefs: unknown) {
00086:   const out = defaultTelegramPrefs()
00087:   if (prefs && typeof prefs === 'object' && !Array.isArray(prefs)) {
00088:     for (const key of Object.keys(out)) {
00089:       const value = (prefs as Record<string, unknown>)[key]
00090:       if (typeof value === 'boolean') out[key] = value
00091:     }
00092:   }
00093:   return out
00094: }
00095:
```

```

00096: export async function telegramApi(token: string, method: string, body?: Record<string, unknown>) {
00097:   const res = await fetch(`https://api.telegram.org/bot${token}/${method}`, {
00098:     method: 'POST',
00099:     headers: { 'Content-Type': 'application/json' },
00100:     body: JSON.stringify(body || {}),
00101:   })
00102:   const json = await res.json().catch(() => ({}))
00103:   if (!res.ok || !json.ok) {
00104:     throw new Error(json.description || `Telegram ${method} failed`)
00105:   }
00106:   return json
00107: }
00108:
00109: export async function getTelegramBot(token: string) {
00110:   const json = await telegramApi(token, 'getMe')
00111:   return json.result || {}
00112: }
00113:
00114: function numberText(value: unknown, digits = 2) {
00115:   const n = Number(value)
00116:   if (!Number.isFinite(n)) return '--'
00117:   return n.toFixed(digits)
00118: }
00119:
00120: function signedMoney(value: unknown, currency = '') {
00121:   const n = Number(value)
00122:   if (!Number.isFinite(n)) return '--'
00123:   const sign = n >= 0 ? '+' : '-'
00124:   return `${sign}${currency ? currency + ' ' : ''}${Math.abs(n).toFixed(2)}`
00125: }
00126:
00127: function priceText(value: unknown) {
00128:   const n = Number(value)
00129:   if (!Number.isFinite(n)) return '--'
00130:   return String(value)
00131: }
00132:
00133: function eaTitle(ea: any, state?: any) {
00134:   const name = ea?.name || 'EA'
00135:   const symbol = state?.symbol || ea?.symbol || ''
00136:   return symbol && !String(name).includes(symbol) ? `${name} (${symbol})` : name
00137: }
00138:
00139: function positionKey(state: any) {
00140:   const p = state?.position || {}
00141:   return [
00142:     state?.accountLogin || 'account',
00143:     state?.symbol || 'symbol',
00144:     p.type || 'SIDE',
00145:     priceText(p.entry),
00146:     priceText(p.sl),
00147:     priceText(p.tp),
00148:   ].join(':')
00149: }
00150:
00151: function hasPosition(state: any) {
00152:   return Boolean(state?.position?.hasPosition)
00153: }
00154:
00155: function commandLabel(action: string) {
00156:   return EVENT_LABELS[action] || String(action || '').replaceAll('_', ' ')
00157: }
00158:
00159: function commandIntent(action: string, payload: Record<string, unknown> = {}) {
00160:   const label = commandLabel(action)
00161:   if (action === 'ARM_BUY') return ['■ Buy Action Sent', 'BUY wait request sent to EA. EA will arm BUY and wait for the next valid model.']
00162:   if (action === 'ARM_SELL') return ['■ Sell Action Sent', 'SELL wait request sent to EA. EA will arm SELL and wait for the next valid model.']
00163:   if (action === 'AUTO_ARM') return ['■ Auto Arm Action Sent', 'Auto arm toggle request sent to EA.']
00164:   if (action === 'CANCEL') return ['■ Cancel Action Sent', 'Cancel waiting mode request sent to EA.']
00165:   if (action === 'CLOSE_50') return ['■ Close 50% Action Sent', 'Close 50% request sent to EA.']
00166:   if (action === 'BREAK_EVEN') return ['■ Break Even Action Sent', 'Break even request sent to EA.']
00167:   if (action === 'FIRST_BE_EXIT') return ['■ First BE Exit Sent', 'First trade break-even exit request sent to EA.']
00168:   if (action === 'FIRST_BREAK_EVEN') return ['■ First BE Action Sent', 'First trade break even request sent to EA.']
00169:   if (action === 'CLOSE_ALL') return ['■ Close All Action Sent', 'Close all matching EA positions request sent to EA.']
00170:   if (action === 'TOGGLE_PARTIALS') return ['■ Partial Toggle Sent', 'Partial close toggle request sent to EA.']
00171:   if (action === 'TOGGLE_SECOND_ENTRY') return ['■ Second Entry Toggle Sent', 'Second entry toggle request sent to EA.']
00172:   if (action === 'SET_MODE') return ['■ Mode Update Sent', 'Mode update sent to EA: ${String(payload.mode || '--')}.']
00173:   if (action === 'SET_RISK') return ['■ Risk Update Sent', 'Risk settings sent to EA. Lot: ${payload.lot ?? '--'}, Risk: ${payload.risk ?? '--'}, RR: 1:${payload.rr ?? '--}%.']
00174:   if (action === 'SET_PARTIALS' && payload.firstBeExit) return ['■ First BE Exit Sent', 'First trade break-even exit request sent to EA.']
00175:   if (action === 'SET_PARTIALS' && payload.firstBreakEven) return ['■ First BE Action Sent', 'First trade break even request sent to EA.']
00176:   if (action === 'SET_PARTIALS' && ('partialsOn' in payload || 'secondEntryOn' in payload)) return ['■ Trade Controls Sent', 'Trade control settings sent to EA.']
00177:   if (action === 'SET_PARTIALS') return ['■ Partial Values Sent', 'Partial values sent to EA. PC1: ${payload.pc1 ?? '--}%, PC2: ${payload.pc2 ?? '--}%, PC3: ${payload.pc3 ?? '--}%.']
00178:   if (action === 'PING') return ['■ Ping Sent', 'Ping request sent to EA.']
00179:   return ['■ Command Sent', `${label} request sent to EA.']
00180: }
00181:
00182: export async function sendTelegramNotification(
00183:   admin: any,
00184:   userId: string,
00185:   eaId: string,
00186:   eventType: string,

```

```

00187:   eventKey: string,
00188:   text: string,
00189:   payload: Record<string, unknown> = {},
00190: } {
00191:   const row = {
00192:     user_id: userId,
00193:     ea_id: eaId,
00194:     event_type: eventType,
00195:     event_key: eventKey,
00196:     payload,
00197:     status: 'pending',
00198:   }
00199:
00200:   const { data: inserted, error: eventErr } = await admin
00201:     .from('notification_events')
00202:     .insert(row)
00203:     .select('id')
00204:     .single()
00205:
00206:   if (eventErr) {
00207:     if (eventErr.code === '23505') return { ok: true, duplicate: true }
00208:     throw eventErr
00209:   }
00210:
00211:   const eventId = inserted.id
00212:   const { data: settings, error: settingsErr } = await admin
00213:     .from('telegram_settings')
00214:     .select('enabled, bot_token_cipher, chat_id, prefs')
00215:     .eq('user_id', userId)
00216:     .maybeSingle()
00217:
00218:   const prefs = mergeTelegramPrefs(settings?.prefs)
00219:   if (settingsErr || !settings?.enabled || !settings?.bot_token_cipher || !settings?.chat_id || prefs[eventType] ===
false) {
00220:     await admin.from('notification_events').update({ status: 'skipped' }).eq('id', eventId)
00221:     return { ok: true, skipped: true }
00222:   }
00223:
00224:   try {
00225:     const token = await decryptTelegramToken(settings.bot_token_cipher)
00226:     const sent = await telegramApi(token, 'sendMessage', {
00227:       chat_id: settings.chat_id,
00228:       text,
00229:       disable_web_page_preview: true,
00230:     })
00231:     await admin.from('notification_events').update({
00232:       status: 'sent',
00233:       sent_at: new Date().toISOString(),
00234:       telegram_message_id: sent?.result?.message_id ? String(sent.result.message_id) : null,
00235:     }).eq('id', eventId)
00236:     return { ok: true, sent: true }
00237:   } catch (e) {
00238:     await admin.from('notification_events').update({
00239:       status: 'failed',
00240:       error: String((e as Error)?.message || e).slice(0, 500),
00241:     }).eq('id', eventId)
00242:     return { ok: false, error: e }
00243:   }
00244: }
00245:
00246: export async function notifyCommandCreated(admin: any, command: any, ea?: any) {
00247:   const label = commandLabel(command.action)
00248:   const payload = command.payload && typeof command.payload === 'object' ? command.payload : {}
00249:   const [title, detail] = commandIntent(command.action, payload)
00250:   const text = [
00251:     title,
00252:     '',
00253:     `EA: ${ea?.name || 'EA'}`,
00254:     `Action: ${label}`,
00255:     detail,
00256:     payload && Object.keys(payload).length ? `Details: ${JSON.stringify(payload)}` : '',
00257:   ].filter(Boolean).join('\n')
00258:
00259:   return sendTelegramNotification(
00260:     admin,
00261:     command.user_id,
00262:     command.ea_id,
00263:     'command_sent',
00264:     `command-sent:${command.id}`,
00265:     text,
00266:     { command_id: command.id, action: command.action, payload },
00267:   )
00268: }
00269:
00270: export async function notifyCommandAck(admin: any, command: any, message = '') {
00271:   const type = command.status === 'failed' ? 'command_failed' : 'command_done'
00272:   const title = command.status === 'failed' ? '■ Command Failed' : '■ Command Done'
00273:   const text = [
00274:     title,
00275:     '',
00276:     `Action: ${commandLabel(command.action)}`,
00277:     message ? `Message: ${message}` : '',
00278:   ].filter(Boolean).join('\n')
00279:
00280:   return sendTelegramNotification(
00281:     admin,
00282:     command.user_id,
00283:     command.ea_id,
00284:     type,
00285:     `command-ack:${command.id}:${command.status}`,
00286:     text,

```

```

00287:     { command_id: command.id, action: command.action, status: command.status, message },
00288:   )
00289: }
00290:
00291: export async function notifyEaOnline(admin: any, ea: any, state: any, nowIso: string) {
00292:   const text = [
00293:     '■ EA Online',
00294:     '',
00295:     `EA: ${eaTitle(ea, state)}`,
00296:     `Account: ${state?.accountLogin || ea?.account_login || '--'}`,
00297:     `Time: ${state?.serverTime || nowIso}`,
00298:   ].join('\n')
00299:
00300:   await sendTelegramNotification(admin, ea.user_id, ea.id, 'ea_online', `online:${nowIso.slice(0, 16)}`, text, {
00301:     state })
00302:   await admin.from('telegram_ea_status').upsert({
00303:     ea_id: ea.id,
00304:     user_id: ea.user_id,
00305:     is_online: true,
00306:     last_online_at: nowIso,
00307:     updated_at: nowIso,
00308:   }, { onConflict: 'ea_id' })
00309: }
00310:
00311: export async function notifyEaOffline(admin: any, ea: any, lastSeenAt: string, nowIso: string) {
00312:   const text = [
00313:     '■ EA Offline',
00314:     '',
00315:     `EA: ${ea?.name || 'EA'}`,
00316:     `Symbol: ${ea?.symbol || '--'}`,
00317:     `Account: ${ea?.account_login || '--'}`,
00318:     `Last seen: ${lastSeenAt || '--'}`,
00319:   ].join('\n')
00320:
00321:   await sendTelegramNotification(admin, ea.user_id, ea.id, 'ea_offline', `offline:${lastSeenAt || nowIso}`, text, {
00322:     last_seen_at: lastSeenAt })
00323:   await admin.from('telegram_ea_status').upsert({
00324:     ea_id: ea.id,
00325:     user_id: ea.user_id,
00326:     is_online: false,
00327:     last_offline_at: nowIso,
00328:     updated_at: nowIso,
00329:   }, { onConflict: 'ea_id' })
00330: }
00331:
00332: export async function notifyStateChanges(admin: any, ea: any, previousState: any, currentState: any, nowIso: string)
00333: {
00334:   const userId = ea.user_id
00335:   const eaId = ea.id
00336:   const prev = previousState || {}
00337:   const curr = currentState || {}
00338:   const currPos = curr.position || {}
00339:   const prevPos = prev.position || {}
00340:   const currency = curr.currency || ''
00341:   const key = positionKey(curr)
00342:
00343:   if (!previousState) return
00344:
00345:   const prevMessage = String(prev.message || '').trim()
00346:   const currMessage = String(curr.message || '').trim()
00347:   if (currMessage && currMessage !== prevMessage) {
00348:     const text = [
00349:       '■ EA Message',
00350:       '',
00351:       `EA: ${eaTitle(ea, curr)}`,
00352:       `Status: ${curr.status || '--'}`,
00353:       `Arm: ${curr.arm || '--'}`,
00354:       `Message: ${currMessage}`,
00355:     ].join('\n')
00356:
00357:     await sendTelegramNotification(
00358:       admin,
00359:       userId,
00360:       eaId,
00361:       'ea_message',
00362:       `ea-message:${nowIso}:${currMessage.slice(0, 160)}`,
00363:       text,
00364:       { message: currMessage, status: curr.status, arm: curr.arm },
00365:     )
00366:   }
00367:
00368:   if (hasPosition(curr) && !hasPosition(prev)) {
00369:     const text = [
00370:       '■ Trade Opened',
00371:       '',
00372:       `EA: ${eaTitle(ea, curr)}`,
00373:       `Symbol: ${curr.symbol || ea.symbol || '--'}`,
00374:       `Type: ${currPos.type || '--'}`,
00375:       `Volume: ${numberText(currPos.volume, 2)}`,
00376:       '',
00377:       `Entry Price: ${priceText(currPos.entry)}`,
00378:       `SL Price: ${priceText(currPos.sl)}`,
00379:       `TP Price: ${priceText(currPos.tp)}`,
00380:       `RR: 1:${numberText(curr.rr, 1)}`,
00381:       '',
00382:       `Account: ${curr.accountLogin || '--'}`,
00383:     ].join('\n')
00384:
00385:     await sendTelegramNotification(admin, userId, eaId, 'trade_open', `trade-open:${key}`, text, { position: currPos,
00386:       state: curr })
00387:   }
00388:
00389:   if (hasPosition(curr)) {

```

```

00384:     const prevRr = Number(prevPos.rr)
00385:     const currRr = Number(currPos.rr)
00386:     if (Number.isFinite(currRr)) {
00387:         for (const level of [1, 2, 3]) {
00388:             if ((!Number.isFinite(prevRr) || prevRr < level) && currRr >= level) {
00389:                 const text = [
00390:                     '■ 1:${level} Reached',
00391:                     '',
00392:                     `EA: ${eaTitle(ea, curr)}`,
00393:                     `Symbol: ${curr.symbol || ea.symbol || '--}`,
00394:                     `Type: ${currPos.type || '--}`,
00395:                     `Entry: ${priceText(currPos.entry)}`,
00396:                     `SL: ${priceText(currPos.sl)}`,
00397:                     `TP: ${priceText(currPos.tp)}`,
00398:                     `Current RR: ${numberText(currRr, 2)}R`,
00399:                     `Open P/L: ${signedMoney(currPos.profit, currency)}`,
00400:                 ].join('\n')
00401:                 await sendTelegramNotification(admin, userId, eaId, `rr${level}_hit`, `rr${level}:${key}`, text, { level,
position: currPos })
00402:             }
00403:         }
00404:     }
00405:
00406:     const prevVol = Number(prevPos.volume)
00407:     const currVol = Number(currPos.volume)
00408:     if (Number.isFinite(prevVol) && Number.isFinite(currVol) && currVol > 0 && prevVol > currVol) {
00409:         const closed = prevVol - currVol
00410:         const text = [
00411:             '■ Partial Booked',
00412:             '',
00413:             `EA: ${eaTitle(ea, curr)}`,
00414:             `Symbol: ${curr.symbol || ea.symbol || '--}`,
00415:             `Closed Volume: ${numberText(closed, 2)}`,
00416:             `Remaining Volume: ${numberText(currVol, 2)}`,
00417:             `Current RR: ${numberText(currPos.rr, 2)}R`,
00418:         ].join('\n')
00419:         await sendTelegramNotification(admin, userId, eaId, 'partial_hit', `partial:${key}:${numberText(prevVol,
2)}-${numberText(currVol, 2)}`, text, { previous_volume: prevVol, current_volume: currVol })
00420:     }
00421: }
00422:
00423: const prevHistory = Array.isArray(prev.tradeHistory) ? prev.tradeHistory : []
00424: const currHistory = Array.isArray(curr.tradeHistory) ? curr.tradeHistory : []
00425: const prevIds = new Set(prevHistory.map((row: any) => String(row.id || row.positionId || '')))
00426: for (const row of currHistory) {
00427:     const rowId = String(row?.id || row?.positionId || '')
00428:     if (!rowId || prevIds.has(rowId)) continue
00429:     const reason = String(row.reason || '').toUpperCase()
00430:     const eventType = reason === 'SL' ? 'sl_hit' : reason === 'TP' ? 'tp_hit' : ''
00431:     if (!eventType) continue
00432:     const title = reason === 'SL' ? '■ SL Hit' : '■ TP Hit'
00433:     const text = [
00434:         title,
00435:         '',
00436:         `EA: ${eaTitle(ea, curr)}`,
00437:         `Symbol: ${curr.symbol || ea.symbol || '--}`,
00438:         `Type: ${row.type || '--}`,
00439:         `Entry: ${priceText(row.entryPrice)}`,
00440:         `Exit: ${priceText(row.exitPrice)}`,
00441:         `${reason}: ${priceText(reason === 'SL' ? row.sl : row.tp)}`,
00442:         `P/L: ${signedMoney(row.profit, currency)}`,
00443:         `Reason: ${row.reason || '--}`,
00444:     ].join('\n')
00445:     await sendTelegramNotification(admin, userId, eaId, eventType, `${eventType}:${rowId}`, text, { trade: row })
00446: }
00447: }

```


Source Listing: supabase/functions/create-bulk-command/index.ts

Lines: 105 | Size: 4512 bytes | SHA256: cc74889cac52c24c2cac258fb5c90ca099fac46ae6eae14e5e76c8748a8a4580

```

00001: import { createClient } from 'https://esm.sh/@supabase/supabase-js@2'
00002: import { notifyCommandCreated } from '../_shared/telegram.ts'
00003:
00004: const corsHeaders = {
00005:   'Access-Control-Allow-Origin': '*',
00006:   'Access-Control-Allow-Headers': 'authorization, x-client-info, apikey, content-type',
00007: }
00008:
00009: function json(data: unknown, status = 200) {
00010:   return new Response(JSON.stringify(data), { status, headers: { ...corsHeaders, 'Content-Type': 'application/json' } })
00011: }
00012:
00013: function cleanEaIds(value: unknown) {
00014:   if (!Array.isArray(value)) return []
00015:   return Array.from(new Set(value.map(item => String(item || '').trim()).filter(Boolean)))
00016: }
00017:
00018: Deno.serve(async (req) => {
00019:   if (req.method === 'OPTIONS') return new Response('ok', { headers: corsHeaders })
00020:   try {
00021:     const SUPABASE_URL = Deno.env.get('SUPABASE_URL')!
00022:     const SERVICE_KEY = Deno.env.get('SUPABASE_SERVICE_KEY')!
00023:     const admin = createClient(SUPABASE_URL, SERVICE_KEY)
00024:     const authHeader = req.headers.get('Authorization') || ''
00025:     const jwt = authHeader.replace('Bearer ', '')
00026:     const { data: userData, error: userErr } = await admin.auth.getUser(jwt)
00027:     if (userErr || !userData.user) return json({ ok: false, error: 'Unauthorized' }, 401)
00028:
00029:     const { ea_ids, action, payload = {}, client_id = null } = await req.json()
00030:     const allowed = ['ARM_BUY', 'ARM_SELL', 'AUTO_ARM', 'CANCEL', 'CLOSE_50', 'BREAK_EVEN', 'FIRST_BE_EXIT', 'FIRST_BREAK_EV
EN', 'CLOSE_ALL', 'TOGGLE_PARTIALS', 'TOGGLE_SECOND_ENTRY', 'SET_MODE', 'SET_RISK', 'SET_PARTIALS', 'PING']
00031:     const eaIds = cleanEaIds(ea_ids)
00032:     if (!eaIds.length || eaIds.length > 100 || !allowed.includes(action)) {
00033:       return json({ ok: false, error: 'Invalid bulk command' }, 400)
00034:     }
00035:
00036:     let safePayload: Record<string, unknown> = payload && typeof payload === 'object' && !Array.isArray(payload) ?
payload : {}
00037:     if (action === 'SET_RISK') {
00038:       const lot = Number(safePayload.lot)
00039:       const risk = Number(safePayload.risk)
00040:       const rr = Number(safePayload.rr)
00041:       if (![lot, risk, rr].every(Number.isFinite) || lot <= 0 || risk <= 0 || rr <= 0) {
00042:         return json({ ok: false, error: 'Invalid risk settings' }, 400)
00043:       }
00044:       safePayload = { ...safePayload, lot, risk, rr }
00045:     }
00046:
00047:     const { data: eas, error: eaErr } = await admin
      .from('ea_instances')
      .select('id,user_id,enabled,name,symbol')
      .eq('user_id', userData.user.id)
      .eq('enabled', true)
      .in('id', eaIds)
00053:     if (eaErr) throw eaErr
00054:     if (!eas || eas.length !== eaIds.length) {
00055:       return json({ ok: false, error: 'One or more selected EAs were not found or are disabled' }, 404)
00056:     }
00057:
00058:     const expiresAt = new Date(Date.now() + 45_000).toISOString()
00059:     const baseClientId = String(client_id || crypto.randomUUID()).slice(0, 120)
00060:     const rows = eas.map((ea: any) => ({
00061:       user_id: userData.user.id,
00062:       ea_id: ea.id,
00063:       client_id: `${baseClientId}:${ea.id}`,
00064:       action,
00065:       payload: safePayload,
00066:       status: 'pending',
00067:       expires_at: expiresAt,
00068:     }))
00069:
00070:     const { data, error } = await admin.from('commands').insert(rows).select()
00071:     if (error) {
00072:       if (error.code === '23505') {
00073:         const { data: existing, error: existingErr } = await admin
          .from('commands')
          .select('*')
          .eq('user_id', userData.user.id)
          .in('client_id', rows.map(row => row.client_id))
00078:         if (existingErr) throw existingErr
00079:         return json({ ok: true, commands: existing || [], duplicate: true })
00080:       }
00081:       throw error
00082:     }
00083:
00084:     const eaById = new Map((eas || []).map((ea: any) => [ea.id, ea]))
00085:     const backgroundTasks = Promise.allSettled([
00086:       admin.from('audit_logs').insert((data || []).map((command: any) => ({
00087:         user_id: userData.user.id,
00088:         ea_id: command.ea_id,
00089:         action: 'create_bulk_command',
00090:         details: { command_id: command.id, action, bulk_client_id: baseClientId },
00091:       }))),
00092:       Promise.allSettled((data || []).map((command: any) => notifyCommandCreated(admin, command,

```

```
        eaById.get(command.ea_id))),
00093:    ]).then((results) => {
00094:        const labels = ['bulk audit logs', 'telegram bulk command notifications']
00095:        results.forEach((result, index) => {
00096:            if (result.status === 'rejected') console.error(`${labels[index]} failed`, result.reason)
00097:        })
00098:    })
00099:    ;(globalThis as any).EdgeRuntime?.waitUntil?.(backgroundTasks)
00100:
00101:    return json({ ok: true, commands: data || [] })
00102:  } catch (e) {
00103:    return json({ ok: false, error: String((e as Error)?.message || e) }, 500)
00104:  }
00105: })
```

Source Listing: supabase/functions/create-command/index.ts

Lines: 78 | Size: 3645 bytes | SHA256: 846892a4d07af2a211dd8825c893a0c11a94947eb2e482a4e098f3e39c00b373

```

00001: import { createClient } from 'https://esm.sh/@supabase/supabase-js@2'
00002: import { notifyCommandCreated } from '../_shared/telegram.ts'
00003:
00004: const corsHeaders = {
00005:   'Access-Control-Allow-Origin': '*',
00006:   'Access-Control-Allow-Headers': 'authorization, x-client-info, apikey, content-type',
00007: }
00008: function json(data: unknown, status = 200) {
00009:   return new Response(JSON.stringify(data), { status, headers: { ...corsHeaders, 'Content-Type': 'application/json' } })
00010: }
00011:
00012: Deno.serve(async (req) => {
00013:   if (req.method === 'OPTIONS') return new Response('ok', { headers: corsHeaders })
00014:   try {
00015:     const SUPABASE_URL = Deno.env.get('SUPABASE_URL')!
00016:     const SERVICE_KEY = Deno.env.get('SUPABASE_SERVICE_ROLE_KEY')!
00017:     const admin = createClient(SUPABASE_URL, SERVICE_KEY)
00018:     const authHeader = req.headers.get('Authorization') || ''
00019:     const jwt = authHeader.replace('Bearer ', '')
00020:     const { data: userData, error: userErr } = await admin.auth.getUser(jwt)
00021:     if (userErr || !userData.user) return json({ ok:false, error:'Unauthorized' }, 401)
00022:
00023:     const { ea_id, action, payload = {}, client_id = null } = await req.json()
00024:     const allowed = ['ARM_BUY', 'ARM_SELL', 'AUTO_ARM', 'CANCEL', 'CLOSE_50', 'BREAK_EVEN', 'FIRST_BE_EXIT', 'FIRST_BREAK_EV
EN', 'CLOSE_ALL', 'TOGGLE_PARTIALS', 'TOGGLE_SECOND_ENTRY', 'SET_MODE', 'SET_RISK', 'SET_PARTIALS', 'PING']
00025:     if (!ea_id || !allowed.includes(action)) return json({ ok:false, error:'Invalid command' }, 400)
00026:
00027:     let safePayload: Record<string, unknown> = payload && typeof payload === 'object' && !Array.isArray(payload) ?
payload : {}
00028:     if (action === 'SET_RISK') {
00029:       const lot = Number(safePayload.lot)
00030:       const risk = Number(safePayload.risk)
00031:       const rr = Number(safePayload.rr)
00032:       if (![lot, risk, rr].every(Number.isFinite) || lot <= 0 || risk <= 0 || rr <= 0) {
00033:         return json({ ok:false, error:'Invalid risk settings' }, 400)
00034:       }
00035:       safePayload = { ...safePayload, lot, risk, rr }
00036:     }
00037:
00038:     const { data: ea, error: eaErr } = await
admin.from('ea_instances').select('id,user_id,enabled,name,symbol').eq('id', ea_id).eq('user_id',
userData.user.id).single()
00039:     if (eaErr || !ea || !ea.enabled) return json({ ok:false, error:'EA not found or disabled' }, 404)
00040:
00041:     const { data, error } = await admin.from('commands').insert({
00042:       user_id: userData.user.id,
00043:       ea_id,
00044:       client_id,
00045:       action,
00046:       payload: safePayload,
00047:       status: 'pending',
00048:       expires_at: new Date(Date.now() + 45_000).toISOString()
00049:     }).select().single()
00050:     if (error) {
00051:       if (error.code === '23505' && client_id) {
00052:         const { data: existing, error: existingErr } = await admin.from('commands')
00053:           .select('*')
00054:           .eq('ea_id', ea_id)
00055:           .eq('user_id', userData.user.id)
00056:           .eq('client_id', client_id)
00057:           .single()
00058:         if (existingErr) throw existingErr
00059:         return json({ ok:true, command: existing, duplicate: true })
00060:       }
00061:       throw error
00062:     }
00063:
00064:     const backgroundTasks = Promise.allSettled([
00065:       admin.from('audit_logs').insert({ user_id:userData.user.id, ea_id, action:'create_command', details:{
command_id:data.id, action } }),
00066:       notifyCommandCreated(admin, data, ea)
00067:     ]).then((results) => {
00068:       const labels = ['audit log', 'telegram command notification']
00069:       results.forEach((result, index) => {
00070:         if (result.status === 'rejected') console.error(`${labels[index]} failed`, result.reason)
00071:       })
00072:     })
00073:     ;(globalThis as any).EdgeRuntime?.waitUntil?.(backgroundTasks)
00074:     return json({ ok:true, command:data })
00075:   } catch (e) {
00076:     return json({ ok:false, error:String((e as Error)?.message || e) }, 500)
00077:   }
00078: })

```

Source Listing: supabase/functions/ea-ack-command/index.ts

Lines: 49 | Size: 2402 bytes | SHA256: f25ae2f69bf974e51b32ba3363472cc5b01b6599167a42d2edf7623fa327d512

```
00001: import { createClient } from 'https://esm.sh/@supabase/supabase-js@2'
00002: import { notifyCommandAck } from '../_shared/telegram.ts'
00003:
00004: const corsHeaders = {
00005:   'Access-Control-Allow-Origin': '*',
00006:   'Access-Control-Allow-Headers': 'authorization, x-client-info, apikey, content-type',
00007: }
00008: function json(data: unknown, status = 200) {
00009:   return new Response(JSON.stringify(data), { status, headers: { ...corsHeaders, 'Content-Type': 'application/json' } })
00010: }
00011: async function sha256Hex(input: string) {
00012:   const hash = await crypto.subtle.digest('SHA-256', new TextEncoder().encode(input))
00013:   return Array.from(new Uint8Array(hash)).map(b => b.toString(16).padStart(2, '0')).join('')
00014: }
00015: async function verifyEA(admin: any, ea_id: string, ea_token: string) {
00016:   if (!ea_id || !ea_token) throw new Error('Missing EA credentials')
00017:   const { data: ea, error } = await admin.from('ea_instances').select('id,user_id,token_hash,enabled').eq('id',
    ea_id).single()
00018:   if (error || !ea || !ea.enabled) throw new Error('EA not found or disabled')
00019:   const hash = await sha256Hex(ea_token)
00020:   if (hash !== ea.token_hash) throw new Error('Invalid EA token')
00021:   return ea
00022: }
00023:
00024: Deno.serve(async (req) => {
00025:   if (req.method === 'OPTIONS') return new Response('ok', { headers: corsHeaders })
00026:   try {
00027:     const SUPABASE_URL = Deno.env.get('SUPABASE_URL')!
00028:     const SERVICE_KEY = Deno.env.get('SUPABASE_SERVICE_ROLE_KEY')!
00029:     const admin = createClient(SUPABASE_URL, SERVICE_KEY)
00030:     const { ea_id, ea_token, command_id, status, message = '' } = await req.json()
00031:     const ea = await verifyEA(admin, ea_id, ea_token)
00032:     if (!['done', 'failed'].includes(status)) return json({ ok: false, error: 'Invalid status' }, 400)
00033:     const { data: command, error } = await admin.from('commands')
      .update({ status, done_at: new Date().toISOString(), result_message: String(message).slice(0, 500) })
      .eq('id', command_id)
      .eq('ea_id', ea.id)
      .select('id,user_id,ea_id,action,payload,status,result_message')
      .single()
00039:     if (error) throw error
00040:
00041:     const notifyTask = notifyCommandAck(admin, command, String(message).slice(0, 500)).catch((notifyErr) => {
00042:       console.error('telegram command ack notification failed', notifyErr)
00043:     })
00044:     ;(globalThis as any).EdgeRuntime?.waitUntil?.(notifyTask)
00045:     return json({ ok: true })
00046:   } catch (e) {
00047:     return json({ ok: false, error: String((e as Error)?.message || e) }, 401)
00048:   }
00049: })
```

Source Listing: supabase/functions/ea-next-command/index.ts

Lines: 77 | Size: 3230 bytes | SHA256: 25a820fad7ce180757dfeaf360acd2a6ff4a1f74ffaca46d32158922baf50eb0

```

00001: import { createClient } from 'https://esm.sh/@supabase/supabase-js@2'
00002:
00003: const corsHeaders = {
00004:   'Access-Control-Allow-Origin': '*',
00005:   'Access-Control-Allow-Headers': 'authorization, x-client-info, apikey, content-type',
00006: }
00007: function json(data: unknown, status = 200) {
00008:   return new Response(JSON.stringify(data), { status, headers: { ...corsHeaders, 'Content-Type': 'application/json' } })
00009: }
00010: async function sha256Hex(input: string) {
00011:   const hash = await crypto.subtle.digest('SHA-256', new TextEncoder().encode(input))
00012:   return Array.from(new Uint8Array(hash)).map(b => b.toString(16).padStart(2, '0')).join('')
00013: }
00014: async function verifyEA(admin: any, ea_id: string, ea_token: string) {
00015:   if (!ea_id || !ea_token) throw new Error('Missing EA credentials')
00016:   const { data: ea, error } = await admin.from('ea_instances').select('id,user_id,token_hash,enabled').eq('id',
    ea_id).single()
00017:   if (error || !ea || !ea.enabled) throw new Error('EA not found or disabled')
00018:   const hash = await sha256Hex(ea_token)
00019:   if (hash !== ea.token_hash) throw new Error('Invalid EA token')
00020:   return ea
00021: }
00022:
00023: function waitUntil(task: Promise<unknown>) {
00024:   ;(globalThis as any).EdgeRuntime?.waitUntil?.(task.catch((err) => {
00025:     console.error('ea-next-command background maintenance failed', err)
00026:   }))
00027: }
00028:
00029: Deno.serve(async (req) => {
00030:   if (req.method === 'OPTIONS') return new Response('ok', { headers: corsHeaders })
00031:   try {
00032:     const SUPABASE_URL = Deno.env.get('SUPABASE_URL')!
00033:     const SERVICE_KEY = Deno.env.get('SUPABASE_SERVICE_ROLE_KEY')!
00034:     const admin = createClient(SUPABASE_URL, SERVICE_KEY)
00035:     const { ea_id, ea_token } = await req.json()
00036:
00037:     const { data: claimed, error: rpcErr } = await admin.rpc('claim_next_command', {
00038:       p_ea_id: ea_id,
00039:       p_ea_token: ea_token,
00040:     })
00041:     if (!rpcErr) {
00042:       if (!claimed?.ok) return json({ ok:false, error: claimed?.error || 'Invalid EA credentials' }, 401)
00043:       return json(claimed)
00044:     }
00045:     console.warn('claim_next_command unavailable, using compatibility path', rpcErr)
00046:
00047:     const ea = await verifyEA(admin, ea_id, ea_token)
00048:     const now = new Date()
00049:     const nowIso = now.toISOString()
00050:     const staleHeartbeat = new Date(now.getTime() - 2_000).toISOString()
00051:
00052:     waitUntil(Promise.allSettled([
00053:       admin.from('ea_instances')
00054:         .update({ last_seen_at: nowIso })
00055:         .eq('id', ea.id)
00056:         .or(`last_seen_at.is.null,last_seen_at.lt.${staleHeartbeat}`),
00057:       admin.from('commands').update({ status:'expired', result_message:'Expired before EA pickup' })
00058:         .eq('ea_id', ea.id).eq('status','pending').lt('expires_at', nowIso),
00059:     ]))
00060:
00061:     const { data: cmd, error } = await admin.from('commands')
00062:       .select('id, action, payload, created_at, expires_at')
00063:       .eq('ea_id', ea.id)
00064:       .eq('status', 'pending')
00065:       .gt('expires_at', nowIso)
00066:       .order('created_at', { ascending: true })
00067:       .limit(1)
00068:       .maybeSingle()
00069:     if (error) throw error
00070:     if (!cmd) return json({ ok:true, command:null })
00071:
00072:     await admin.from('commands').update({ status:'sent', sent_at: new Date().toISOString() }).eq('id', cmd.id)
00073:     return json({ ok:true, command: cmd })
00074:   } catch (e) {
00075:     return json({ ok:false, error:String((e as Error)?.message || e ), 401)
00076:   }
00077: })

```

Source Listing: supabase/functions/ea-post-state/index.ts

Lines: 65 | Size: 3489 bytes | SHA256: 3aa8f34ed5176dda825a1e041c39e0c1ad1592e57f04be1c6600efb9bfdede1

```
00001: import { createClient } from 'https://esm.sh/@supabase/supabase-js@2'
00002: import { notifyEaOnline, notifyStateChanges } from '../_shared/telegram.ts'
00003:
00004: const corsHeaders = {
00005:   'Access-Control-Allow-Origin': '*',
00006:   'Access-Control-Allow-Headers': 'authorization, x-client-info, apikey, content-type',
00007: }
00008: function json(data: unknown, status = 200) {
00009:   return new Response(JSON.stringify(data), { status, headers: { ...corsHeaders, 'Content-Type': 'application/json' } })
00010: }
00011: async function sha256Hex(input: string) {
00012:   const hash = await crypto.subtle.digest('SHA-256', new TextEncoder().encode(input))
00013:   return Array.from(new Uint8Array(hash)).map(b => b.toString(16).padStart(2, '0')).join('')
00014: }
00015: async function verifyEA(admin: any, ea_id: string, ea_token: string) {
00016:   if (!ea_id || !ea_token) throw new Error('Missing EA credentials')
00017:   const { data: ea, error } = await
     admin.from('ea_instances').select('id,user_id,token_hash,enabled,name,symbol,account_login,last_seen_at').eq('id',
     ea_id).single()
00018:   if (error || !ea || !ea.enabled) throw new Error('EA not found or disabled')
00019:   const hash = await sha256Hex(ea_token)
00020:   if (hash !== ea.token_hash) throw new Error('Invalid EA token')
00021:   return ea
00022: }
00023:
00024: Deno.serve(async (req) => {
00025:   if (req.method === 'OPTIONS') return new Response('ok', { headers: corsHeaders })
00026:   try {
00027:     const SUPABASE_URL = Deno.env.get('SUPABASE_URL')!
00028:     const SERVICE_KEY = Deno.env.get('SUPABASE_SERVICE_ROLE_KEY')!
00029:     const admin = createClient(SUPABASE_URL, SERVICE_KEY)
00030:     const { ea_id, ea_token, state = {}, partial = false } = await req.json()
00031:     const ea = await verifyEA(admin, ea_id, ea_token)
00032:     const now = new Date().toISOString()
00033:     const { data: previousRow, error: previousErr } = await
     admin.from('ea_states').select('state,updated_at').eq('ea_id', ea.id).maybeSingle()
00034:     if (previousErr) throw previousErr
00035:     const incomingState = state && typeof state === 'object' && !Array.isArray(state) ? state as Record<string,
     unknown> : {}
00036:     const previousState = previousRow?.state && typeof previousRow.state === 'object' &&
     !Array.isArray(previousRow.state)
     ? previousRow.state as Record<string, unknown>
00037:     : {}
00038:     const nextState = partial ? { ...previousState, ...incomingState } : incomingState
00039:     await admin.from('ea_instances').update({ last_seen_at: now, symbol: nextState.symbol || undefined,
     account_login: nextState.accountLogin || undefined }).eq('id', ea.id)
00040:     const { error } = await admin.from('ea_states').upsert({ ea_id: ea.id, user_id: ea.user_id, state: nextState,
     updated_at: now }, { onConflict: 'ea_id' })
00041:     if (error) throw error
00042:
00043:     const notifyTask = (async () => {
00044:       const { data: status } = await admin.from('telegram_ea_status').select('is_online').eq('ea_id',
     ea.id).maybeSingle()
00045:       if (!status?.is_online) await notifyEaOnline(admin, ea, nextState, now)
00046:     })()
00047:     else {
00048:       await admin.from('telegram_ea_status').upsert({
00049:         ea_id: ea.id,
00050:         user_id: ea.user_id,
00051:         is_online: true,
00052:         last_online_at: now,
00053:         updated_at: now,
00054:       }, { onConflict: 'ea_id' })
00055:     }
00056:     await notifyStateChanges(admin, ea, previousRow?.state || null, nextState, now)
00057:   })().catch((notifyErr) => {
00058:     console.error('telegram state notification failed', notifyErr)
00059:   })
00060:   ;(globalThis as any).EdgeRuntime?.waitUntil?.(notifyTask)
00061:   return json({ ok: true })
00062: } catch (e) {
00063:   return json({ ok: false, error: String((e as Error)?.message || e) }, 401)
00064: }
00065: }
```

Source Listing: supabase/functions/telegram-chat-id/index.ts

Lines: 65 | Size: 2693 bytes | SHA256: 3752af5ded454ac8b75acce78574244599f00f7cb97cca6711d7762aed380ff3

```

00001: import { createClient } from 'https://esm.sh/@supabase/supabase-js@2'
00002: import { decryptTelegramToken, getTelegramBot, telegramApi } from '../_shared/telegram.ts'
00003:
00004: const corsHeaders = {
00005:   'Access-Control-Allow-Origin': '*',
00006:   'Access-Control-Allow-Headers': 'authorization, x-client-info, apikey, content-type',
00007: }
00008:
00009: function json(data: unknown, status = 200) {
00010:   return new Response(JSON.stringify(data), { status, headers: { ...corsHeaders, 'Content-Type': 'application/json' } })
00011: }
00012:
00013: Deno.serve(async (req) => {
00014:   if (req.method === 'OPTIONS') return new Response('ok', { headers: corsHeaders })
00015:   try {
00016:     const SUPABASE_URL = Deno.env.get('SUPABASE_URL')!
00017:     const SERVICE_KEY = Deno.env.get('SUPABASE_SERVICE_ROLE_KEY')!
00018:     const admin = createClient(SUPABASE_URL, SERVICE_KEY)
00019:     const authHeader = req.headers.get('Authorization') || ''
00020:     const jwt = authHeader.replace('Bearer ', '')
00021:     const { data: userData, error: userErr } = await admin.auth.getUser(jwt)
00022:     if (userErr || !userData.user) return json({ ok: false, error: 'Unauthorized' }, 401)
00023:     if (req.method !== 'POST') return json({ ok: false, error: 'Method not allowed' }, 405)
00024:
00025:     const { bot_token } = await req.json().catch(() => ({}))
00026:     let token = String(bot_token || '').trim()
00027:     if (!token) {
00028:       const { data: settings, error: settingsErr } = await admin
00029:         .from('telegram_settings')
00030:         .select('bot_token_cipher')
00031:         .eq('user_id', userData.user.id)
00032:         .maybeSingle()
00033:       if (settingsErr) throw settingsErr
00034:       if (settings?.bot_token_cipher) token = await decryptTelegramToken(settings.bot_token_cipher)
00035:     }
00036:     if (!token) return json({ ok: false, error: 'Telegram bot token is required' }, 400)
00037:
00038:     const bot = await getTelegramBot(token)
00039:     const updates = await telegramApi(token, 'getUpdates', { limit: 20, allowed_updates: ['message'] })
00040:     const messages = Array.isArray(updates.result) ? updates.result : []
00041:     const latest = [...messages].reverse().find((item: any) => item?.message?.chat?.id)
00042:     if (!latest) {
00043:       return json({
00044:         ok: false,
00045:         error: `Open @${bot.username} || 'your_bot' in Telegram, press Start, send any message, then click Get Chat ID again.`
00046:       }, 404)
00047:     }
00048:
00049:     const chat = latest.message.chat
00050:     return json({
00051:       ok: true,
00052:       bot_username: bot.username || '',
00053:       chat: {
00054:         id: String(chat.id),
00055:         type: chat.type || '',
00056:         username: chat.username || '',
00057:         first_name: chat.first_name || '',
00058:         title: chat.title || '',
00059:       },
00060:     })
00061:   } catch (e) {
00062:     return json({ ok: false, error: String((e as Error)?.message || e) }, 500)
00063:   }
00064: }
00065: })

```

Source Listing: supabase/functions/telegram-offline-monitor/index.ts

Lines: 56 | Size: 2052 bytes | SHA256: 1043989de3fd1a758fa6ee6c87697012154838d9405fc441e981145870c5a378

```
00001: import { createClient } from 'https://esm.sh/@supabase/supabase-js@2'
00002: import { notifyEaOffline } from '../_shared/telegram.ts'
00003:
00004: const corsHeaders = {
00005:   'Access-Control-Allow-Origin': '*',
00006:   'Access-Control-Allow-Headers': 'authorization, x-client-info, apikey, content-type, x-monitor-secret',
00007: }
00008:
00009: function json(data: unknown, status = 200) {
00010:   return new Response(JSON.stringify(data), { status, headers: { ...corsHeaders, 'Content-Type': 'application/json' } })
00011: }
00012:
00013: Deno.serve(async (req) => {
00014:   if (req.method === 'OPTIONS') return new Response('ok', { headers: corsHeaders })
00015:   try {
00016:     const expectedSecret = Deno.env.get('TELEGRAM_OFFLINE_MONITOR_SECRET')
00017:     if (expectedSecret && req.headers.get('x-monitor-secret') !== expectedSecret) {
00018:       return json({ ok: false, error: 'Unauthorized' }, 401)
00019:     }
00020:
00021:     const SUPABASE_URL = Deno.env.get('SUPABASE_URL')!
00022:     const SERVICE_KEY = Deno.env.get('SUPABASE_SERVICE_ROLE_KEY')!
00023:     const admin = createClient(SUPABASE_URL, SERVICE_KEY)
00024:     const now = new Date()
00025:     const nowIso = now.toISOString()
00026:     const offlineBefore = new Date(now.getTime() - 60_000).toISOString()
00027:
00028:     const { data: eas, error } = await admin
00029:       .from('ea_instances')
00030:       .select('id, user_id, name, symbol, account_login, last_seen_at, enabled')
00031:       .eq('enabled', true)
00032:       .not('last_seen_at', 'is', null)
00033:       .lt('last_seen_at', offlineBefore)
00034:       .limit(500)
00035:     if (error) throw error
00036:
00037:     let checked = 0
00038:     let notified = 0
00039:     for (const ea of eas || []) {
00040:       checked++
00041:       const { data: status, error: statusErr } = await admin
00042:         .from('telegram_ea_status')
00043:         .select('is_online')
00044:         .eq('ea_id', ea.id)
00045:         .maybeSingle()
00046:       if (statusErr) throw statusErr
00047:       if (!status?.is_online) continue
00048:       await notifyEaOffline(admin, ea, ea.last_seen_at, nowIso)
00049:       notified++
00050:     }
00051:
00052:     return json({ ok: true, checked, notified, offline_before: offlineBefore })
00053:   } catch (e) {
00054:     return json({ ok: false, error: String((e as Error)?.message || e), 500)
00055:   }
00056: })
```


Source Listing: supabase/functions/telegram-settings/index.ts

Lines: 135 | Size: 4702 bytes | SHA256: 03b3d6dae3a1ee7af512dec2e2454b33ccadd6990e69f4c883695a283258b116

```
00001: import { createClient } from 'https://esm.sh/@supabase/supabase-js@2'
00002: import { decryptTelegramToken, defaultTelegramPrefs, encryptTelegramToken, getTelegramBot, mergeTelegramPrefs,
telegramApi } from '../_shared/telegram.ts'
00003:
00004: const corsHeaders = {
00005:   'Access-Control-Allow-Origin': '',
00006:   'Access-Control-Allow-Headers': 'authorization, x-client-info, apikey, content-type',
00007: }
00008:
00009: function json(data: unknown, status = 200) {
00010:   return new Response(JSON.stringify(data), { status, headers: { ...corsHeaders, 'Content-Type': 'application/json' } })
00011: }
00012:
00013: function cleanChatId(value: unknown) {
00014:   return String(value || '').trim()
00015: }
00016:
00017: Deno.serve(async (req) => {
00018:   if (req.method === 'OPTIONS') return new Response('ok', { headers: corsHeaders })
00019:   try {
00020:     const SUPABASE_URL = Deno.env.get('SUPABASE_URL')!
00021:     const SERVICE_KEY = Deno.env.get('SUPABASE_SERVICE_KEY')!
00022:     const admin = createClient(SUPABASE_URL, SERVICE_KEY)
00023:     const authHeader = req.headers.get('Authorization') || ''
00024:     const jwt = authHeader.replace('Bearer ', '')
00025:     const { data: userData, error: userErr } = await admin.auth.getUser(jwt)
00026:     if (userErr || !userData.user) return json({ ok: false, error: 'Unauthorized' }, 401)
00027:
00028:     const userId = userData.user.id
00029:
00030:     if (req.method === 'GET') {
00031:       const { data, error } = await admin
00032:         .from('telegram_settings')
00033:         .select('enabled, chat_id, bot_username, prefs, connected_at, updated_at, bot_token_cipher')
00034:         .eq('user_id', userId)
00035:         .maybeSingle()
00036:       if (error) throw error
00037:       return json({
00038:         ok: true,
00039:         settings: data ? {
00040:           enabled: Boolean(data.enabled),
00041:           chat_id: data.chat_id || '',
00042:           bot_username: data.bot_username || '',
00043:           prefs: mergeTelegramPrefs(data.prefs),
00044:           connected_at: data.connected_at,
00045:           updated_at: data.updated_at,
00046:           has_token: Boolean(data.bot_token_cipher),
00047:         } : {
00048:           enabled: false,
00049:           chat_id: '',
00050:           bot_username: '',
00051:           prefs: defaultTelegramPrefs(),
00052:           connected_at: null,
00053:           updated_at: null,
00054:           has_token: false,
00055:         },
00056:       })
00057:     }
00058:
00059:     if (req.method === 'DELETE') {
00060:       const { error } = await admin.from('telegram_settings').delete().eq('user_id', userId)
00061:       if (error) throw error
00062:       return json({ ok: true })
00063:     }
00064:
00065:     if (req.method !== 'POST') return json({ ok: false, error: 'Method not allowed' }, 405)
00066:
00067:     const body = await req.json().catch(() => ({}))
00068:     const enabled = Boolean(body.enabled)
00069:     const chatId = cleanChatId(body.chat_id)
00070:     const prefs = mergeTelegramPrefs(body.prefs)
00071:     const test = Boolean(body.test)
00072:     const tokenInput = String(body.bot_token || '').trim()
00073:
00074:     const { data: existing, error: existingErr } = await admin
00075:       .from('telegram_settings')
00076:       .select('bot_token_cipher, bot_username, chat_id')
00077:       .eq('user_id', userId)
00078:       .maybeSingle()
00079:     if (existingErr) throw existingErr
00080:
00081:     let botTokenCipher = existing?.bot_token_cipher || null
00082:     let botUsername = existing?.bot_username || ''
00083:     let tokenForTest = ''
00084:
00085:     if (tokenInput) {
00086:       const bot = await getTelegramBot(tokenInput)
00087:       botUsername = bot.username || ''
00088:       botTokenCipher = await encryptTelegramToken(tokenInput)
00089:       tokenForTest = tokenInput
00090:     }
00091:
00092:     if (enabled && !botTokenCipher) return json({ ok: false, error: 'Telegram bot token is required' }, 400)
00093:     if (enabled && !chatId) return json({ ok: false, error: 'Telegram chat ID is required' }, 400)

```

```
00094:
00095:     const now = new Date().toISOString()
00096:     const row = {
00097:         user_id: userId,
00098:         bot_token_cipher: botTokenCipher,
00099:         chat_id: chatId || existing?.chat_id || null,
00100:         bot_username: botUsername || null,
00101:         enabled,
00102:         prefs,
00103:         connected_at: enabled ? now : null,
00104:         updated_at: now,
00105:     }
00106:
00107:     const { error } = await admin.from('telegram_settings').upsert(row, { onConflict: 'user_id' })
00108:     if (error) throw error
00109:
00110:     if (test && enabled) {
00111:         if (!tokenForTest) {
00112:             tokenForTest = await decryptTelegramToken(botTokenCipher)
00113:         }
00114:         await telegramApi(tokenForTest, 'sendMessage', {
00115:             chat_id: row.chat_id,
00116:             text: 'TCX Telegram connected successfully. You will receive EA and trade updates here.',
00117:         })
00118:     }
00119:
00120:     return json({
00121:         ok: true,
00122:         settings: {
00123:             enabled,
00124:             chat_id: row.chat_id || '',
00125:             bot_username: botUsername || '',
00126:             prefs,
00127:             connected_at: row.connected_at,
00128:             updated_at: row.updated_at,
00129:             has_token: Boolean(botTokenCipher),
00130:         },
00131:     })
00132: } catch (e) {
00133:     return json({ ok: false, error: String((e as Error)?.message || e) }, 500)
00134: }
00135: })
```

Source Listing: Three_Candle_EA_SUPABASE_WEB_FULL.mq5

Lines: 5085 | Size: 148121 bytes | SHA256: 5331fcb94b2618ffb5b4684c54b019a737c654ed7a9cbd197c52c1a76177327d

```

00001: //+-----+
00002: //| Three Candle Execution Controller |
00003: //| Indicator-matched model detection with armed BUY/SELL execution |
00004: //+-----+
00005: #property copyright "Three Candle Execution Controller"
00006: #property version "1.300"
00007: #property description "Attach to a chart as an Expert Advisor. BUY/SELL buttons arm the next matching 3-candle
    model."
00008: #property strict
00009:
00010: #include <Trade\Trade.mqh>
00011:
00012: CTrade Trade;
00013:
00014: enum ENUM_TC_STOP_MODE
00015: {
00016:     STOP_FROM_CANDLE2_LINE = 0,    // Matches indicator C2 low/high line
00017:     STOP_FROM_PATTERN_EXTREME = 1   // Uses lowest/highest of all 3 model candles
00018: };
00019:
00020: //=====
00021: // INPUTS
00022: //=====
00023: input group "TRADE"
00024: input double      InpLot                = 0.01;
00025: input double      InpRiskReward         = 3.0;
00026: input double      InpRiskMoney          = 100.0;
00027: input double      InpRiskMoneyButtonStep = 10.0;
00028: input int         InpMagic              = 55555;
00029: input int         InpDeviationPoints     = 30;
00030: input int         InpStopBufferPoints    = 0;
00031: input ENUM_TC_STOP_MODE InpStopMode      = STOP_FROM_PATTERN_EXTREME;
00032: input bool        InpFallbackNoInitialSLTP = true;
00033: input bool        InpCloseIfProtectionFails = true;
00034: input int         InpMaxEntriesPerCycle   = 2;
00035: input double      InpDailyLimitR         = 2.0;
00036: input int         InpDailyLossLimitCount  = 2;
00037:
00038: input group "PATTERN"
00039: input bool        InpAllowSweep          = true;
00040: input bool        InpAllowSwingPattern    = true;
00041: input bool        InpShowSignalArrows     = true;
00042: input int         InpSignalLookbackBars   = 150;
00043:
00044: input group "DASHBOARD"
00045: input bool        InpShowManualTradesOnDashboard = true;
00046:
00047: input group "FILTERS"
00048: input bool        InpUseSpreadFilter       = false;
00049: input int         InpMaxSpreadPoints       = 5000;
00050: input bool        InpBlockTradeOnHighSpread = false;
00051:
00052: input group "SPREAD SL/TP SPACE"
00053: input bool        InpUseSpreadProtection   = true;
00054: input double      InpSpreadProtectionMultiplier = 1.0;
00055: input int         InpExtraProtectionPoints  = 0;
00056:
00057: input group "SECOND ENTRY"
00058: input bool        InpSecondEntryEnabled    = false;
00059: input double      InpSecondEntryTriggerLossR = 0.5;
00060: input double      InpSecondEntryCancelAtR   = 2.0;
00061:
00062: input group "FIRST TRADE AUTO EXIT"
00063: input bool        InpFirstProfitExitEnabled = true;
00064:
00065: input group "LOT PANEL"
00066: input double      InpLotButtonStep         = 0.01;
00067: input double      InpPanelLotMax           = 100.0;
00068: input bool        InpClampLotToBrokerMax    = true;
00069:
00070: input group "PARTIAL CLOSE"
00071: input bool        InpPartialCloseEnabled    = false;
00072: input double      InpPC1_RR                = 1.0;
00073: input double      InpPC1_Percent           = 30.0;
00074: input double      InpPC2_RR                = 2.0;
00075: input double      InpPC2_Percent           = 30.0;
00076: input double      InpPC3_RR                = 3.0;
00077: input double      InpPC3_Percent           = 40.0;
00078:
00079: input group "BREAK EVEN"
00080: input int         InpBreakEvenPlusPoints    = 1;
00081: input double      InpBreakEvenExitExtraMoney = 0.0;
00082:
00083: input group "PANEL"
00084: input int         InpPanelX                = 10;
00085: input int         InpPanelY                = 10;
00086: input int         InpPanelW                = 950;
00087: input bool        InpAutoFitPanelWidth     = true;
00088:
00089:
00090: input group "SUPABASE WEB CONTROL"
00091: input bool        InpWebControlEnabled      = true;
00092: input string      InpSupabaseFunctionsUrl   = "https://YOUR_PROJECT_REF.functions.supabase.co";
00093: input string      InpSupabaseEaId          = "PASTE_EA_ID_FROM_WEBSITE";
00094: input string      InpSupabaseEaToken       = "PASTE_EA_SECRET_TOKEN_FROM_WEBSITE";

```

```

00095: input int          InpWebPollMilliseconds    = 100;
00096: input int          InpWebTimeoutMs             = 1500;
00097: input bool         InpWebPostLiveState         = true;
00098: input bool         InpWebAllowCloseCommands    = true;
00099:
00100: //=====
00101: // CONSTANTS / OBJECT NAMES
00102: //=====
00103: #define ARM_NONE 0
00104: #define ARM_BUY 1
00105: #define ARM_SELL 2
00106:
00107: string PX = "TCX_";
00108: string UI = "TCX_UI_";
00109:
00110: #define B_BUY      "TCX_UI_B_BUY"
00111: #define B_SELL    "TCX_UI_B_SELL"
00112: #define B_AUTO    "TCX_UI_B_AUTO"
00113: #define B_CANCEL  "TCX_UI_B_CANCEL"
00114: #define B_CLOSE   "TCX_UI_B_CLOSE"
00115: #define B_CLOSE_ALL "TCX_UI_B_CLOSE_ALL"
00116: #define B_CLOSE50 "TCX_UI_B_CLOSE50"
00117: #define B_BE      "TCX_UI_B_BE"
00118: #define B_PC      "TCX_UI_B_PC"
00119: #define B_LOT_UP  "TCX_UI_B_LOT_UP"
00120: #define B_LOT_DN  "TCX_UI_B_LOT_DN"
00121: #define B_RISK_UP "TCX_UI_B_RISK_UP"
00122: #define B_RISK_DN "TCX_UI_B_RISK_DN"
00123: #define B_RR_UP   "TCX_UI_B_RR_UP"
00124: #define B_RR_DN   "TCX_UI_B_RR_DN"
00125: #define B_MODE_SAFE "TCX_UI_B_MODE_SAFE"
00126: #define B_MODE_ADV  "TCX_UI_B_MODE_ADV"
00127: #define B_SECOND    "TCX_UI_B_SECOND"
00128: #define B_FIRST_BE  "TCX_UI_B_FIRST_BE"
00129: #define B_FIRST_BE_EXIT "TCX_UI_B_FIRST_BE_EXIT"
00130:
00131: #define E_LOT      "TCX_UI_E_LOT"
00132: #define E_RISK     "TCX_UI_E_RISK"
00133: #define E_PC1      "TCX_UI_E_PC1"
00134: #define E_PC2      "TCX_UI_E_PC2"
00135: #define E_PC3      "TCX_UI_E_PC3"
00136:
00137: #define EMERGENCY_LABEL "TCX_EMERGENCY_STATUS"
00138:
00139: bool HasOurPosition();
00140:
00141: //=====
00142: // GLOBAL STATE
00143: //=====
00144: int      g_ArmedMode      = ARM_NONE;
00145: datetime g_LastBarTime    = 0;
00146: bool     g_PanelBuilt     = false;
00147: datetime g_InitTime       = 0;
00148: datetime g_ArmMinSignalTime = 0;
00149: datetime g_LastTradeSignalTime = 0;
00150: datetime g_LastTradeScanBarTime = 0;
00151:
00152: double   g_Lot            = 0.01;
00153: double   g_RRTarget       = 3.0;
00154: double   g_RiskMoney      = 100.0;
00155: bool     g_PC_On          = false;
00156: bool     g_AutoArm        = false;
00157: bool     g_AdvancedMode   = false;
00158: bool     g_SecondEntryOn  = false;
00159: bool     g_FirstProfitExitOn = true;
00160: double   g_PC1_Pct        = 30.0;
00161: double   g_PC2_Pct        = 30.0;
00162: double   g_PC3_Pct        = 40.0;
00163:
00164: ulong    g_StateTicket    = 0;
00165: double   g_InitialVolume  = 0.0;
00166: double   g_RiskDistance   = 0.0;
00167: bool     g_PC1_Done       = false;
00168: bool     g_PC2_Done       = false;
00169: bool     g_PC3_Done       = false;
00170: bool     g_BE_Done        = false;
00171:
00172: ulong    g_SecondBaseTicket = 0;
00173: bool     g_SecondEntryDone  = false;
00174: bool     g_SecondEntryBlocked = false;
00175: datetime g_SecondEntryLastAttempt = 0;
00176:
00177: datetime g_FirstProfitExitLastFailure = 0;
00178:
00179: string   g_LastMessage     = "Ready";
00180: color    g_LastMsgColor    = clrSilver;
00181:
00182: int      g_X                = 10;
00183: int      g_Y                = 20;
00184: int      g_W                = 1080;
00185: int      g_H                = 1360;
00186:
00187:
00188: //=====
00189: // SUPABASE WEB STATE
00190: //=====
00191: datetime g_WebLastPollSecond = 0;
00192: datetime g_WebLastPostSecond = 0;
00193: uint     g_WebLastPollTick   = 0;
00194: uint     g_WebLastPostTick   = 0;
00195: uint     g_WebBackoffUntilTick = 0;

```

```

00196: bool      g_WebConnected      = false;
00197: string    g_WebLastError       = "";
00198: string    g_WebLastCommandId   = "";
00199: bool      g_WebStatedirty      = false;
00200:
00201: //=====
00202: // STRUCTS
00203: //=====
00204: struct PatternSignal
00205: {
00206:     bool      ok;
00207:     bool      buy;
00208:     bool      swing;
00209:     datetime   time;
00210:     double     c1o;
00211:     double     c1c;
00212:     double     c1h;
00213:     double     c1l;
00214:     double     c2o;
00215:     double     c2c;
00216:     double     c2h;
00217:     double     c2l;
00218:     double     c3o;
00219:     double     c3c;
00220:     double     c3h;
00221:     double     c3l;
00222:     double     sl;
00223:     double     breakLevel;
00224: };
00225:
00226: //=====
00227: // BASIC HELPERS
00228: //=====
00229: void LogMsg(string tag,string text)
00230: {
00231:     Print("[TCX][",tag,"] ",text);
00232: }
00233:
00234: void SetLastMessage(string text,color clr)
00235: {
00236:     g_LastMessage=text;
00237:     g_LastMsgColor=clr;
00238:     g_WebStatedirty=true;
00239:     LogMsg("STATUS",text);
00240: }
00241:
00242: bool TradeRetcodeOK()
00243: {
00244:     uint rc=Trade.ResultRetcode();
00245:     return (rc==TRADE_RETCODE_DONE ||
00246:            rc==TRADE_RETCODE_DONE_PARTIAL ||
00247:            rc==TRADE_RETCODE_PLACED);
00248: }
00249:
00250: string ClipText(string text,int maxLen)
00251: {
00252:     if(StringLen(text)<=maxLen)
00253:         return text;
00254:     if(maxLen<=3)
00255:         return StringSubstr(text,0,maxLen);
00256:     return StringSubstr(text,0,maxLen-3)+"...";
00257: }
00258:
00259: string ArmStatusText()
00260: {
00261:     if(g_AutoArm)
00262:         return "AUTO ARM";
00263:     if(g_ArmedMode==ARM_BUY)
00264:         return "WAITING BUY MODEL";
00265:     if(g_ArmedMode==ARM_SELL)
00266:         return "WAITING SELL MODEL";
00267:     if(HasOurPosition())
00268:         return "POSITION OPEN";
00269:     return "IDLE";
00270: }
00271:
00272: void DrawEmergencyStatus()
00273: {
00274:     if(ObjectFind(0,EMERGENCY_LABEL)<0)
00275:     {
00276:         ObjectCreate(0,EMERGENCY_LABEL,OBJ_LABEL,0,0,0);
00277:         ObjectSetInteger(0,EMERGENCY_LABEL,OBJPROP_CORNER,CORNER_LEFT_UPPER);
00278:         ObjectSetInteger(0,EMERGENCY_LABEL,OBJPROP_XDISTANCE,12);
00279:         ObjectSetInteger(0,EMERGENCY_LABEL,OBJPROP_YDISTANCE,12);
00280:         ObjectSetInteger(0,EMERGENCY_LABEL,OBJPROP_FONTSIZE,11);
00281:         ObjectSetString(0,EMERGENCY_LABEL,OBJPROP_FONT,"Arial Bold");
00282:         ObjectSetInteger(0,EMERGENCY_LABEL,OBJPROP_SELECTABLE,false);
00283:         ObjectSetInteger(0,EMERGENCY_LABEL,OBJPROP_HIDDEN,true);
00284:         ObjectSetInteger(0,EMERGENCY_LABEL,OBJPROP_BACK,false);
00285:         ObjectSetInteger(0,EMERGENCY_LABEL,OBJPROP_ZORDER,1000);
00286:     }
00287:
00288:     string text="TCX EA RUNNING | "+_Symbol+" | "+EnumToString(_Period)+" | "+ArmStatusText();
00289:     ObjectSetString(0,EMERGENCY_LABEL,OBJPROP_TEXT,text);
00290:     ObjectSetInteger(0,EMERGENCY_LABEL,OBJPROP_COLOR,clrLime);
00291: }
00292:
00293: void ChartHeartbeat()
00294: {
00295:     Comment("");
00296:     ObjectDelete(0,EMERGENCY_LABEL);

```

```
00297: }
00298:
00299: double BrokerMinLot()
00300: {
00301:     double v=SymbolInfoDouble(_Symbol,SYMBOL_VOLUME_MIN);
00302:     if(v<=0.0)
00303:         v=0.01;
00304:     return v;
00305: }
00306:
00307: double BrokerMaxLot()
00308: {
00309:     double v=SymbolInfoDouble(_Symbol,SYMBOL_VOLUME_MAX);
00310:     if(v<=0.0)
00311:         v=100.0;
00312:     return v;
00313: }
00314:
00315: double BrokerStepLot()
00316: {
00317:     double v=SymbolInfoDouble(_Symbol,SYMBOL_VOLUME_STEP);
00318:     if(v<=0.0)
00319:         v=0.01;
00320:     return v;
00321: }
00322:
00323: int VolumeDigits()
00324: {
00325:     double step=BrokerStepLot();
00326:     int digits=0;
00327:
00328:     while(digits<8 && MathAbs(step-NormalizeDouble(step,digits))>0.000000001)
00329:         digits++;
00330:
00331:     return digits;
00332: }
00333:
00334: double NormalizeVolumeDown(double volume)
00335: {
00336:     double step=BrokerStepLot();
00337:     if(step<=0.0)
00338:         step=0.01;
00339:
00340:     volume=MathFloor((volume/step)+0.00000001)*step;
00341:     volume=NormalizeDouble(volume,VolumeDigits());
00342:
00343:     if(volume+0.00000001<BrokerMinLot())
00344:         return 0.0;
00345:
00346:     if(volume>BrokerMaxLot())
00347:         volume=BrokerMaxLot();
00348:
00349:     return NormalizeDouble(volume,VolumeDigits());
00350: }
00351:
00352: double NormalizeVolumeForOrder(double volume)
00353: {
00354:     double minLot=BrokerMinLot();
00355:     double maxLot=BrokerMaxLot();
00356:
00357:     if(volume<minLot)
00358:         volume=minLot;
00359:     if(volume>maxLot)
00360:         volume=maxLot;
00361:
00362:     double out=NormalizeVolumeDown(volume);
00363:     if(out<=0.0)
00364:         out=minLot;
00365:
00366:     return NormalizeDouble(out,VolumeDigits());
00367: }
00368:
00369: double NormalizeVolumeForPanel(double volume)
00370: {
00371:     double minLot=BrokerMinLot();
00372:     double maxLot=InpPanelLotMax;
00373:
00374:     if(maxLot<=0.0)
00375:         maxLot=100.0;
00376:     if(InpClampLotToBrokerMax)
00377:         maxLot=MathMin(maxLot,BrokerMaxLot());
00378:
00379:     if(volume<minLot)
00380:         volume=minLot;
00381:     if(volume>maxLot)
00382:         volume=maxLot;
00383:
00384:     double out=NormalizeVolumeDown(volume);
00385:     if(out<=0.0)
00386:         out=minLot;
00387:
00388:     if(out>maxLot)
00389:         out=maxLot;
00390:
00391:     return NormalizeDouble(out,VolumeDigits());
00392: }
00393:
00394: double CleanNumber(string text,double oldValue,double minValue,double maxValue)
00395: {
00396:     string s=text;
00397:     StringReplace(s,"%","");
```

```
00398: StringReplace(s,"$","");
00399: string cur=AccountInfoString(ACCOUNT_CURRENCY);
00400: if(StringLen(cur)>0)
00401:     StringReplace(s,cur,"");
00402: StringReplace(s,"",".");
00403: StringTrimLeft(s);
00404: StringTrimRight(s);
00405:
00406: if(StringLen(s)==0)
00407:     return oldValue;
00408:
00409: double v=StringToDouble(s);
00410: if(v<minValue)
00411:     v=minValue;
00412: if(v>maxValue)
00413:     v=maxValue;
00414:
00415: return v;
00416: }
00417:
00418: double NormalizeRiskMoney(double value)
00419: {
00420:     if(value<0.01)
00421:         value=0.01;
00422:     if(value>100000000.0)
00423:         value=100000000.0;
00424:     return NormalizeDouble(value,2);
00425: }
00426:
00427: double CleanMoney(string text,double oldValue)
00428: {
00429:     return NormalizeRiskMoney(CleanNumber(text,oldValue,0.01,100000000.0));
00430: }
00431:
00432: double RiskPercentOfBalance(double riskMoney)
00433: {
00434:     double balance=AccountInfoDouble(ACCOUNT_BALANCE);
00435:     if(balance<=0.0)
00436:         return 0.0;
00437:     return riskMoney*100.0/balance;
00438: }
00439:
00440: double CleanPercent(string text,double oldValue)
00441: {
00442:     return NormalizeDouble(CleanNumber(text,oldValue,0.0,100.0),1);
00443: }
00444:
00445: string PriceText(double price)
00446: {
00447:     if(price<=0.0)
00448:         return "---";
00449:     return DoubleToString(price,_Digits);
00450: }
00451:
00452: double EffectiveRR()
00453: {
00454:     if(g_RRTarget>0.0)
00455:         return g_RRTarget;
00456:     if(InpRiskReward<=0.0)
00457:         return 3.0;
00458:     return InpRiskReward;
00459: }
00460:
00461: double ClampPercent(double value)
00462: {
00463:     if(value<0.0)
00464:         value=0.0;
00465:     if(value>100.0)
00466:         value=100.0;
00467:     return NormalizeDouble(value,1);
00468: }
00469:
00470: int CurrentSpreadPoints()
00471: {
00472:     return (int)SymbolInfoInteger(_Symbol,SYMBOL_SPREAD);
00473: }
00474:
00475: int SpreadProtectionPoints()
00476: {
00477:     if(!InpUseSpreadProtection)
00478:         return 0;
00479:
00480:     double multiplier=InpSpreadProtectionMultiplier;
00481:     if(multiplier<0.0)
00482:         multiplier=0.0;
00483:
00484:     int extra=InpExtraProtectionPoints;
00485:     if(extra<0)
00486:         extra=0;
00487:
00488:     int pts=(int)MathCeil((double)CurrentSpreadPoints()*multiplier)+(int)extra;
00489:     if(pts<0)
00490:         pts=0;
00491:     return pts;
00492: }
00493:
00494: void ApplySpreadSpaceToSL(bool buy,double &sl)
00495: {
00496:     int pts=SpreadProtectionPoints();
00497:     if(pts<=0)
00498:     {
```

```

00499:         sl=NormalizeDouble(sl,_Digits);
00500:         return;
00501:     }
00502:
00503:     double space=(double)pts*_Point;
00504:     if(buy)
00505:         sl-=space;
00506:     else
00507:         sl+=space;
00508:
00509:     sl=NormalizeDouble(sl,_Digits);
00510: }
00511:
00512: void ApplySpreadSpaceToTP(bool buy,double &tp)
00513: {
00514:     if(tp<=0.0)
00515:         return;
00516:
00517:     int pts=SpreadProtectionPoints();
00518:     if(pts<=0)
00519:     {
00520:         tp=NormalizeDouble(tp,_Digits);
00521:         return;
00522:     }
00523:
00524:     double space=(double)pts*_Point;
00525:     if(buy)
00526:         tp+=space;
00527:     else if(tp>space+_Point)
00528:         tp-=space;
00529:
00530:     tp=NormalizeDouble(tp,_Digits);
00531: }
00532:
00533: bool SpreadBlocksTrades()
00534: {
00535:     return (InpBlockTradeOnHighSpread && InpUseSpreadFilter);
00536: }
00537:
00538: int RequiredStopPoints()
00539: {
00540:     int stops=(int)SymbolInfoInteger(_Symbol,SYMBOL_TRADE_STOPS_LEVEL);
00541:     int freeze=(int)SymbolInfoInteger(_Symbol,SYMBOL_TRADE_FREEZE_LEVEL);
00542:     int needed=(int)MathMax((double)stops,(double)freeze);
00543:     return needed+1;
00544: }
00545:
00546: bool HasEnoughBars()
00547: {
00548:     return Bars(_Symbol,_Period)>=10;
00549: }
00550:
00551: //=====
00552: // POSITION HELPERS
00553: //=====
00554: bool SelectOurPosition()
00555: {
00556:     for(int i=PositionsTotal()-1;i>=0;i--)
00557:     {
00558:         ulong ticket=PositionGetTicket(i);
00559:         if(ticket==0)
00560:             continue;
00561:
00562:         string sym=PositionGetString(POSITION_SYMBOL);
00563:         long magic=(long)PositionGetInteger(POSITION_MAGIC);
00564:
00565:         if(sym==_Symbol && magic==InpMagic)
00566:             return true;
00567:     }
00568:
00569:     return false;
00570: }
00571:
00572: int CountOurPositions()
00573: {
00574:     int count=0;
00575:
00576:     for(int i=PositionsTotal()-1;i>=0;i--)
00577:     {
00578:         ulong ticket=PositionGetTicket(i);
00579:         if(ticket==0)
00580:             continue;
00581:
00582:         string sym=PositionGetString(POSITION_SYMBOL);
00583:         long magic=(long)PositionGetInteger(POSITION_MAGIC);
00584:         if(sym==_Symbol && magic==InpMagic)
00585:             count++;
00586:     }
00587:
00588:     return count;
00589: }
00590:
00591: bool IsDashboardMagic(long magic)
00592: {
00593:     return (magic==InpMagic || (InpShowManualTradesOnDashboard && magic==0));
00594: }
00595:
00596: bool IsManagedMagic(long magic)
00597: {
00598:     return (magic==InpMagic);
00599: }

```



```

00600:
00601: string DashboardSourceText(long magic)
00602: {
00603:     if(IsManagedMagic(magic))
00604:         return "EA";
00605:     if(magic==0)
00606:         return "Manual";
00607:     return "Other";
00608: }
00609:
00610: int CountDashboardPositions()
00611: {
00612:     int count=0;
00613:
00614:     for(int i=PositionsTotal()-1;i>=0;i--)
00615:     {
00616:         ulong ticket=PositionGetTicket(i);
00617:         if(ticket==0)
00618:             continue;
00619:
00620:         if(PositionGetString(POSITION_SYMBOL)==_Symbol &&
00621:             IsDashboardMagic((long)PositionGetInteger(POSITION_MAGIC)))
00622:             count++;
00623:     }
00624:
00625:     return count;
00626: }
00627:
00628: int MaxEntriesPerCycle()
00629: {
00630:     return MathMax(1,InpMaxEntriesPerCycle);
00631: }
00632:
00633: bool CanStartModelEntry(string &reason)
00634: {
00635:     reason="";
00636:     int openCount=CountOurPositions();
00637:     if(openCount<=0)
00638:         return true;
00639:
00640:     SyncSecondEntryState();
00641:
00642:     if(g_SecondEntryDone)
00643:     {
00644:         reason="Second entry already used for this trade";
00645:         return false;
00646:     }
00647:
00648:     if(g_SecondEntryBlocked)
00649:     {
00650:         reason="Second entry blocked after first trade reached
00651: "+DoubleToString(MathMax(0.1,InpSecondEntryCancelAtR),1)+"R";
00652:         return false;
00653:     }
00654:     if(g_SecondEntryOn)
00655:         reason="Trade already running - 2nd entry only triggers at
00656: -"+DoubleToString(MathMax(0.1,InpSecondEntryTriggerLossR),1)+"R";
00657:     else
00658:         reason="Trade already running - one entry mode";
00659:     return false;
00660: }
00661: bool SelectOldestOurPosition()
00662: {
00663:     bool found=false;
00664:     ulong selectedTicket=0;
00665:     datetime selectedTime=0;
00666:
00667:     for(int i=PositionsTotal()-1;i>=0;i--)
00668:     {
00669:         ulong ticket=PositionGetTicket(i);
00670:         if(ticket==0)
00671:             continue;
00672:
00673:         string sym=PositionGetString(POSITION_SYMBOL);
00674:         long magic=(long)PositionGetInteger(POSITION_MAGIC);
00675:         if(sym!=_Symbol || magic!=InpMagic)
00676:             continue;
00677:
00678:         datetime openTime=(datetime)PositionGetInteger(POSITION_TIME);
00679:         if(!found || openTime<selectedTime || (openTime==selectedTime && ticket<selectedTicket))
00680:         {
00681:             found=true;
00682:             selectedTicket=ticket;
00683:             selectedTime=openTime;
00684:         }
00685:     }
00686:
00687:     if(!found || selectedTicket==0)
00688:         return false;
00689:
00690:     return PositionSelectByTicket(selectedTicket);
00691: }
00692:
00693: bool SelectNewestOurPosition()
00694: {
00695:     bool found=false;
00696:     ulong selectedTicket=0;
00697:     datetime selectedTime=0;
00698:

```

```
00699: for(int i=PositionsTotal()-1;i>=0;i--)
00700: {
00701:     ulong ticket=PositionGetTicket(i);
00702:     if(ticket==0)
00703:         continue;
00704:
00705:     string sym=PositionGetString(POSITION_SYMBOL);
00706:     long magic=(long)PositionGetInteger(POSITION_MAGIC);
00707:     if(sym!=_Symbol || magic!=InpMagic)
00708:         continue;
00709:
00710:     datetime openTime=(datetime)PositionGetInteger(POSITION_TIME);
00711:     if(!found || openTime>selectedTime || (openTime==selectedTime && ticket>selectedTicket))
00712:     {
00713:         found=true;
00714:         selectedTicket=ticket;
00715:         selectedTime=openTime;
00716:     }
00717: }
00718:
00719: if(!found || selectedTicket==0)
00720:     return false;
00721:
00722: return PositionSelectByTicket(selectedTicket);
00723: }
00724:
00725: bool IsSecondEntryPositionComment()
00726: {
00727:     string comment=PositionGetString(POSITION_COMMENT);
00728:     return (StringFind(comment,"TCX Second")>=0);
00729: }
00730:
00731: bool SelectFirstEntryPosition()
00732: {
00733:     bool found=false;
00734:     ulong selectedTicket=0;
00735:     datetime selectedTime=0;
00736:
00737:     for(int i=PositionsTotal()-1;i>=0;i--)
00738:     {
00739:         ulong ticket=PositionGetTicket(i);
00740:         if(ticket==0)
00741:             continue;
00742:
00743:         string sym=PositionGetString(POSITION_SYMBOL);
00744:         long magic=(long)PositionGetInteger(POSITION_MAGIC);
00745:         if(sym!=_Symbol || magic!=InpMagic)
00746:             continue;
00747:
00748:         if(IsSecondEntryPositionComment())
00749:             continue;
00750:
00751:         datetime openTime=(datetime)PositionGetInteger(POSITION_TIME);
00752:         if(!found || openTime<selectedTime || (openTime==selectedTime && ticket<selectedTicket))
00753:         {
00754:             found=true;
00755:             selectedTicket=ticket;
00756:             selectedTime=openTime;
00757:         }
00758:     }
00759:
00760:     if(!found || selectedTicket==0)
00761:         return false;
00762:
00763:     return PositionSelectByTicket(selectedTicket);
00764: }
00765:
00766: ulong FindNewestOurPositionTicket(ulong exceptTicket)
00767: {
00768:     bool found=false;
00769:     ulong selectedTicket=0;
00770:     datetime selectedTime=0;
00771:
00772:     for(int i=PositionsTotal()-1;i>=0;i--)
00773:     {
00774:         ulong ticket=PositionGetTicket(i);
00775:         if(ticket==0 || (exceptTicket>0 && ticket==exceptTicket))
00776:             continue;
00777:
00778:         string sym=PositionGetString(POSITION_SYMBOL);
00779:         long magic=(long)PositionGetInteger(POSITION_MAGIC);
00780:         if(sym!=_Symbol || magic!=InpMagic)
00781:             continue;
00782:
00783:         datetime openTime=(datetime)PositionGetInteger(POSITION_TIME);
00784:         if(!found || openTime>selectedTime || (openTime==selectedTime && ticket>selectedTicket))
00785:         {
00786:             found=true;
00787:             selectedTicket=ticket;
00788:             selectedTime=openTime;
00789:         }
00790:     }
00791:
00792:     return found ? selectedTicket : 0;
00793: }
00794:
00795: bool HasOurPosition()
00796: {
00797:     return SelectOurPosition();
00798: }
00799:
```

```

00800: void SetArmMode(int mode)
00801: {
00802:     g_ArmedMode=mode;
00803:     if(mode!=ARM_NONE)
00804:         g_AutoArm=false;
00805:
00806:     if(mode==ARM_NONE)
00807:     {
00808:         g_ArmMinSignalTime=0;
00809:         return;
00810:     }
00811:
00812:     datetime currentBar=iTime(_Symbol,_Period,0);
00813:     if(currentBar<=0)
00814:         currentBar=TimeCurrent();
00815:
00816:     g_ArmMinSignalTime=currentBar;
00817: }
00818:
00819: void SetAutoArm(bool enabled)
00820: {
00821:     g_AutoArm=enabled;
00822:
00823:     if(enabled)
00824:     {
00825:         g_ArmedMode=ARM_NONE;
00826:         datetime currentBar=iTime(_Symbol,_Period,0);
00827:         if(currentBar<=0)
00828:             currentBar=TimeCurrent();
00829:         g_ArmMinSignalTime=currentBar;
00830:     }
00831:     else if(g_ArmedMode==ARM_NONE)
00832:     {
00833:         g_ArmMinSignalTime=0;
00834:     }
00835: }
00836:
00837: bool IsHedgingAccount()
00838: {
00839:     long mode=AccountInfoInteger(ACCOUNT_MARGIN_MODE);
00840:     return (mode==ACCOUNT_MARGIN_MODE_RETAIL_HEDGING);
00841: }
00842:
00843: string StateKey(ulong ticket,string field)
00844: {
00845:     long login=(long)AccountInfoInteger(ACCOUNT_LOGIN);
00846:     return
00847:         "TCX."+IntegerToString(login)+"."+_Symbol+"."+IntegerToString(InpMagic)+"."+IntegerToString((long)ticket)+"."+field;
00848: }
00849: string SecondEntryCycleKey(string field)
00850: {
00851:     long login=(long)AccountInfoInteger(ACCOUNT_LOGIN);
00852:     return "TCX."+IntegerToString(login)+"."+_Symbol+"."+IntegerToString(InpMagic)+".second_cycle."+field;
00853: }
00854:
00855: bool LoadStateValue(ulong ticket,string field,double &value)
00856: {
00857:     string key=StateKey(ticket,field);
00858:     if(!GlobalVariableCheck(key))
00859:         return false;
00860:
00861:     value=GlobalVariableGet(key);
00862:     return true;
00863: }
00864:
00865: bool LoadSecondEntryCycleValue(string field,double &value)
00866: {
00867:     string key=SecondEntryCycleKey(field);
00868:     if(!GlobalVariableCheck(key))
00869:         return false;
00870:
00871:     value=GlobalVariableGet(key);
00872:     return true;
00873: }
00874:
00875: void ClearSecondEntryCycleState()
00876: {
00877:     GlobalVariableDel(SecondEntryCycleKey("second_entry_done"));
00878:     GlobalVariableDel(SecondEntryCycleKey("second_entry_blocked"));
00879: }
00880:
00881: void SavePositionState()
00882: {
00883:     if(g_StateTicket==0)
00884:         return;
00885:
00886:     GlobalVariableSet(StateKey(g_StateTicket,"initial_volume"),g_InitialVolume);
00887:     GlobalVariableSet(StateKey(g_StateTicket,"risk_distance"),g_RiskDistance);
00888:     GlobalVariableSet(StateKey(g_StateTicket,"pc1_done"),g_PC1_Done ? 1.0 : 0.0);
00889:     GlobalVariableSet(StateKey(g_StateTicket,"pc2_done"),g_PC2_Done ? 1.0 : 0.0);
00890:     GlobalVariableSet(StateKey(g_StateTicket,"pc3_done"),g_PC3_Done ? 1.0 : 0.0);
00891:     GlobalVariableSet(StateKey(g_StateTicket,"be_done"),g_BE_Done ? 1.0 : 0.0);
00892: }
00893:
00894: void ResetLocalTradeState()
00895: {
00896:     g_StateTicket=0;
00897:     g_InitialVolume=0.0;
00898:     g_RiskDistance=0.0;
00899:     g_PC1_Done=false;

```

```

00900:     g_PC2_Done=false;
00901:     g_PC3_Done=false;
00902:     g_BE_Done=false;
00903: }
00904:
00905: void SaveSecondEntryState()
00906: {
00907:     GlobalVariableSet(SecondEntryCycleKey("second_entry_done"),g_SecondEntryDone ? 1.0 : 0.0);
00908:     GlobalVariableSet(SecondEntryCycleKey("second_entry_blocked"),g_SecondEntryBlocked ? 1.0 : 0.0);
00909:
00910:     if(g_SecondBaseTicket>0)
00911:     {
00912:         GlobalVariableSet(StateKey(g_SecondBaseTicket,"second_entry_done"),g_SecondEntryDone ? 1.0 : 0.0);
00913:         GlobalVariableSet(StateKey(g_SecondBaseTicket,"second_entry_blocked"),g_SecondEntryBlocked ? 1.0 : 0.0);
00914:     }
00915: }
00916:
00917: void ResetSecondEntryState()
00918: {
00919:     g_SecondBaseTicket=0;
00920:     g_SecondEntryDone=false;
00921:     g_SecondEntryBlocked=false;
00922:     g_SecondEntryLastAttempt=0;
00923:     ClearSecondEntryCycleState();
00924: }
00925:
00926: void SyncSecondEntryState()
00927: {
00928:     if(!SelectOldestOurPosition())
00929:     {
00930:         if(g_SecondBaseTicket>0 && g_SecondEntryOn)
00931:             g_SecondEntryOn=false;
00932:         ResetSecondEntryState();
00933:         return;
00934:     }
00935:
00936:     ulong ticket=(ulong)PositionGetInteger(POSITION_TICKET);
00937:     double cycleStored=0.0;
00938:     bool cycleDone=(LoadSecondEntryCycleValue("second_entry_done",cycleStored) && cycleStored>=0.5);
00939:     bool cycleBlocked=(LoadSecondEntryCycleValue("second_entry_blocked",cycleStored) && cycleStored>=0.5);
00940:
00941:     if(ticket!=g_SecondBaseTicket)
00942:     {
00943:         g_SecondBaseTicket=ticket;
00944:         g_SecondEntryLastAttempt=0;
00945:
00946:         double stored=0.0;
00947:         if(LoadStateValue(ticket,"second_entry_done",stored))
00948:             g_SecondEntryDone=(stored>=0.5);
00949:         else
00950:             g_SecondEntryDone=false;
00951:
00952:         if(LoadStateValue(ticket,"second_entry_blocked",stored))
00953:             g_SecondEntryBlocked=(stored>=0.5);
00954:         else
00955:             g_SecondEntryBlocked=false;
00956:
00957:         if(cycleDone)
00958:             g_SecondEntryDone=true;
00959:         if(cycleBlocked)
00960:             g_SecondEntryBlocked=true;
00961:
00962:         SaveSecondEntryState();
00963:     }
00964:     else
00965:     {
00966:         if(cycleDone && !g_SecondEntryDone)
00967:         {
00968:             g_SecondEntryDone=true;
00969:             SaveSecondEntryState();
00970:         }
00971:         if(cycleBlocked && !g_SecondEntryBlocked)
00972:         {
00973:             g_SecondEntryBlocked=true;
00974:             SaveSecondEntryState();
00975:         }
00976:     }
00977: }
00978:
00979: void SyncPositionState()
00980: {
00981:     if(!SelectOurPosition())
00982:     {
00983:         ResetLocalTradeState();
00984:         return;
00985:     }
00986:
00987:     ulong ticket=(ulong)PositionGetInteger(POSITION_TICKET);
00988:     double volume=PositionGetDouble(POSITION_VOLUME);
00989:     double entry=PositionGetDouble(POSITION_PRICE_OPEN);
00990:     double sl=PositionGetDouble(POSITION_SL);
00991:     double risk=MathAbs(entry-sl);
00992:
00993:     if(ticket!=g_StateTicket)
00994:     {
00995:         g_StateTicket=ticket;
00996:
00997:         double stored=0.0;
00998:         if(LoadStateValue(ticket,"initial_volume",stored) && stored>0.0)
00999:             g_InitialVolume=stored;
01000:     }
    else

```

```

01001:         g_InitialVolume=volume;
01002:
01003:         if(LoadStateValue(ticket,"risk_distance",stored) && stored>0.0)
01004:             g_RiskDistance=stored;
01005:         else
01006:             g_RiskDistance=risk;
01007:
01008:         if(LoadStateValue(ticket,"pc1_done",stored))
01009:             g_PC1_Done=(stored>=0.5);
01010:         else
01011:             g_PC1_Done=false;
01012:
01013:         if(LoadStateValue(ticket,"pc2_done",stored))
01014:             g_PC2_Done=(stored>=0.5);
01015:         else
01016:             g_PC2_Done=false;
01017:
01018:         if(LoadStateValue(ticket,"pc3_done",stored))
01019:             g_PC3_Done=(stored>=0.5);
01020:         else
01021:             g_PC3_Done=false;
01022:
01023:         if(LoadStateValue(ticket,"be_done",stored))
01024:             g_BE_Done=(stored>=0.5);
01025:         else
01026:             g_BE_Done=false;
01027:
01028:         SavePositionState();
01029:     }
01030:     else
01031:     {
01032:         if(g_InitialVolume<=0.0)
01033:             g_InitialVolume=volume;
01034:         if(g_RiskDistance<=0.0 && risk>0.0)
01035:             g_RiskDistance=risk;
01036:     }
01037: }
01038:
01039: //=====
01040: // PATTERN DETECTION - MATCHES PROVIDED INDICATOR RULES
01041: //=====
01042: void ResetSignal(PatternSignal &sig)
01043: {
01044:     sig.ok=false;
01045:     sig.buy=false;
01046:     sig.swing=false;
01047:     sig.time=0;
01048:     sig.c1o=0.0;
01049:     sig.c1c=0.0;
01050:     sig.c1h=0.0;
01051:     sig.c1l=0.0;
01052:     sig.c2o=0.0;
01053:     sig.c2c=0.0;
01054:     sig.c2h=0.0;
01055:     sig.c2l=0.0;
01056:     sig.c3o=0.0;
01057:     sig.c3c=0.0;
01058:     sig.c3h=0.0;
01059:     sig.c3l=0.0;
01060:     sig.sl=0.0;
01061:     sig.breakLevel=0.0;
01062: }
01063:
01064: bool DetectPattern(int shift,bool wantBuy,PatternSignal &sig)
01065: {
01066:     ResetSignal(sig);
01067:
01068:     if(!HasEnoughBars())
01069:         return false;
01070:     if(shift<1)
01071:         shift=1;
01072:     if(Bars(_Symbol,_Period)<shift+4)
01073:         return false;
01074:
01075:     double c1o=iOpen(_Symbol,_Period,shift+2);
01076:     double c1c=iClose(_Symbol,_Period,shift+2);
01077:     double c1h=iHigh(_Symbol,_Period,shift+2);
01078:     double c1l=iLow(_Symbol,_Period,shift+2);
01079:
01080:     double c2o=iOpen(_Symbol,_Period,shift+1);
01081:     double c2c=iClose(_Symbol,_Period,shift+1);
01082:     double c2h=iHigh(_Symbol,_Period,shift+1);
01083:     double c2l=iLow(_Symbol,_Period,shift+1);
01084:
01085:     double c3o=iOpen(_Symbol,_Period,shift);
01086:     double c3c=iClose(_Symbol,_Period,shift);
01087:     double c3h=iHigh(_Symbol,_Period,shift);
01088:     double c3l=iLow(_Symbol,_Period,shift);
01089:
01090:     if(c1o<=0.0 || c2o<=0.0 || c3o<=0.0)
01091:         return false;
01092:
01093:     bool b1=c1c>c1o;
01094:     bool b2=c2c<c2o;
01095:     bool b3=c3c>c3o;
01096:     bool candle1IsLowest=(c1l<c2l && c1l<c3l);
01097:     bool buySweep=InpAllowSweep ? (c2l<=c1l || c3l<=c1l) : true;
01098:     bool buyCloseBreak=c3c>c2o;
01099:     bool buyOriginal=(!candle1IsLowest && buySweep && buyCloseBreak);
01100:     bool buySwingStrong=(c3l<c2l && c3c>c2h);
01101:     bool buySwingWeak=(c3l<c2l && c3c>c2o);

```

```

01102: bool buySwing=(InpAllowSwingPattern && (buySwingStrong || buySwingWeak));
01103: bool buyOK=b1 && b2 && b3 && (buyOriginal || buySwing);
01104:
01105: bool s1=c1c<c1o;
01106: bool s2=c2c>c2o;
01107: bool s3=c3c<c3o;
01108: bool candle1IsHighest=(c1h>c2h && c1h>c3h);
01109: bool sellSweep=InpAllowSweep ? (c2h>=c1h || c3h>=c1h) : true;
01110: bool sellCloseBreak=c3c<c2o;
01111: bool sellOriginal=(!candle1IsHighest && sellSweep && sellCloseBreak);
01112: bool sellSwingStrong=(c3h>c2h && c3c<c2l);
01113: bool sellSwingWeak=(c3h>c2h && c3c<c2o);
01114: bool sellSwing=(InpAllowSwingPattern && (sellSwingStrong || sellSwingWeak));
01115: bool sellOK=s1 && s2 && s3 && (sellOriginal || sellSwing);
01116:
01117: if(wantBuy && !buyOK)
01118:     return false;
01119: if(!wantBuy && !sellOK)
01120:     return false;
01121:
01122: sig.ok=true;
01123: sig.buy=wantBuy;
01124: sig.swing=wantBuy ? buySwing : sellSwing;
01125: sig.time=iTime(_Symbol,_Period,shift);
01126: sig.c1o=c1o;
01127: sig.c1c=c1c;
01128: sig.c1h=c1h;
01129: sig.c1l=c1l;
01130: sig.c2o=c2o;
01131: sig.c2c=c2c;
01132: sig.c2h=c2h;
01133: sig.c2l=c2l;
01134: sig.c3o=c3o;
01135: sig.c3c=c3c;
01136: sig.c3h=c3h;
01137: sig.c3l=c3l;
01138:
01139: double buffer=MathMax(0.0,(double)InpStopBufferPoints)*_Point;
01140:
01141: bool isSwingStop=wantBuy ? buySwing : sellSwing;
01142:
01143: if(wantBuy)
01144: {
01145:     double baseSL=0.0;
01146:     if(isSwingStop)
01147:         baseSL=c3l;
01148:     else
01149:         baseSL=(InpStopMode==STOP_FROM_CANDLE2_LINE ? c2l : MathMin(c1l,MathMin(c2l,c3l)));
01150:     sig.sl=NormalizeDouble(baseSL-buffer,_Digits);
01151:     sig.breakLevel=sig.swing ? (buySwingStrong ? c2h : c2o) : c2o;
01152: }
01153: else
01154: {
01155:     double baseSL=0.0;
01156:     if(isSwingStop)
01157:         baseSL=c3h;
01158:     else
01159:         baseSL=(InpStopMode==STOP_FROM_CANDLE2_LINE ? c2h : MathMax(c1h,MathMax(c2h,c3h)));
01160:     sig.sl=NormalizeDouble(baseSL+buffer,_Digits);
01161:     sig.breakLevel=sig.swing ? (sellSwingStrong ? c2l : c2o) : c2o;
01162: }
01163:
01164: return true;
01165: }
01166:
01167: bool IsJustClosedThirdCandleSignal(PatternSignal &sig)
01168: {
01169:     if(!sig.ok || sig.time<=0)
01170:         return false;
01171:
01172:     datetime currentBar=iTime(_Symbol,_Period,0);
01173:     datetime justClosedBar=iTime(_Symbol,_Period,1);
01174:     if(currentBar<=0 || justClosedBar<=0)
01175:         return false;
01176:
01177:     if(currentBar<=justClosedBar)
01178:         return false;
01179:
01180:     return (sig.time==justClosedBar);
01181: }
01182:
01183: //=====
01184: // CHART SIGNAL MARKERS
01185: //=====
01186: void DrawSignalMarker(PatternSignal &sig)
01187: {
01188:     if(!InpShowSignalArrows || !sig.ok)
01189:         return;
01190:
01191:     string side=sig.buy ? "BUY" : "SELL";
01192:     string name=PX+"SIG_"+side+"_"+IntegerToString((long)sig.time);
01193:     if(ObjectFind(0,name)>=0)
01194:         return;
01195:
01196:     double candleRange=MathMax(_Point,MathAbs(sig.c3h-sig.c3l));
01197:     double arrowGap=MathMax(60.0*_Point,candleRange*0.35);
01198:     double textGap=MathMax(95.0*_Point,candleRange*0.55);
01199:     double y=sig.buy ? sig.c3l-arrowGap : sig.c3h+arrowGap;
01200:     double textY=sig.buy ? sig.c3l-textGap : sig.c3h+textGap;
01201:
01202:     ObjectCreate(0,name,OBJ_ARROW,0,sig.time,y);

```

```

01203:   ObjectSetInteger(0,name,OBJPROP_ARROWCODE,sig.buy ? 233 : 234);
01204:   ObjectSetInteger(0,name,OBJPROP_COLOR,sig.buy ? clrLime : clrTomato);
01205:   ObjectSetInteger(0,name,OBJPROP_WIDTH,1);
01206:   ObjectSetInteger(0,name,OBJPROP_SELECTABLE,false);
01207:   ObjectSetInteger(0,name,OBJPROP_HIDDEN,true);
01208:
01209:   string textName=name+".TXT";
01210:   ObjectCreate(0,textName,OBJ_TEXT,0,sig.time,textY);
01211:   ObjectSetString(0,textName,OBJPROP_TEXT,sig.swing ? side+" SWING" : side);
01212:   ObjectSetInteger(0,textName,OBJPROP_COLOR,sig.buy ? clrLime : clrTomato);
01213:   ObjectSetInteger(0,textName,OBJPROP_FONTSIZE,7);
01214:   ObjectSetString(0,textName,OBJPROP_FONT,"Arial Bold");
01215:   ObjectSetInteger(0,textName,OBJPROP_SELECTABLE,false);
01216:   ObjectSetInteger(0,textName,OBJPROP_HIDDEN,true);
01217: }
01218:
01219: void DeleteTradeLevelObjects()
01220: {
01221:     string tradePrefix=PX+"TRADE_";
01222:     for(int i=ObjectsTotal(0)-1;i>=0;i--)
01223:     {
01224:         string name=ObjectName(0,i);
01225:         if(StringFind(name,tradePrefix)==0)
01226:             ObjectDelete(0,name);
01227:     }
01228: }
01229:
01230: void DrawTradeLevels(ulong ticket,bool buy,double sl,double tp)
01231: {
01232:     // UI request: do not draw SL/TP lines on chart.
01233:     // Broker SL/TP still works because trade execution logic is unchanged.
01234:     string base=PX+"TRADE_"+IntegerToString((long)ticket)+"_";
01235:     ObjectDelete(0,base+"SL");
01236:     ObjectDelete(0,base+"TP");
01237: }
01238:
01239: void DrawHistoricalSignals()
01240: {
01241:     if(!InpShowSignalArrows)
01242:         return;
01243:
01244:     int bars=Bars(_Symbol,_Period);
01245:     int maxShift=MathMin(InpSignalLookbackBars,bars-4);
01246:     if(maxShift<1)
01247:         return;
01248:
01249:     for(int shift=maxShift;shift>=1;shift--)
01250:     {
01251:         PatternSignal sig;
01252:         if(DetectPattern(shift,true,sig))
01253:             DrawSignalMarker(sig);
01254:         if(DetectPattern(shift,false,sig))
01255:             DrawSignalMarker(sig);
01256:     }
01257: }
01258:
01259: void DrawLatestClosedSignal()
01260: {
01261:     if(!InpShowSignalArrows)
01262:         return;
01263:
01264:     PatternSignal sig;
01265:     if(DetectPattern(1,true,sig))
01266:         DrawSignalMarker(sig);
01267:     if(DetectPattern(1,false,sig))
01268:         DrawSignalMarker(sig);
01269: }
01270:
01271: //=====
01272: // TRADE VALIDATION / EXECUTION
01273: //=====
01274: bool IsTradingAllowedForDirection(bool buy,string &reason)
01275: {
01276:     reason="";
01277:
01278:     if(!TerminalInfoInteger(TERMINAL_TRADE_ALLOWED))
01279:     {
01280:         reason="Terminal Algo Trading is disabled";
01281:         return false;
01282:     }
01283:
01284:     if(!MQLInfoInteger(MQL_TRADE_ALLOWED))
01285:     {
01286:         reason="EA trading permission is disabled";
01287:         return false;
01288:     }
01289:
01290:     if(!AccountInfoInteger(ACCOUNT_TRADE_ALLOWED))
01291:     {
01292:         reason="Account trading is disabled";
01293:         return false;
01294:     }
01295:
01296:     long mode=SymbolInfoInteger(_Symbol,SYMBOL_TRADE_MODE);
01297:     if(mode==SYMBOL_TRADE_MODE_DISABLED)
01298:     {
01299:         reason="Symbol trading is disabled";
01300:         return false;
01301:     }
01302:
01303:     if(mode==SYMBOL_TRADE_MODE_CLOSEONLY)

```

```
01304: {
01305:     reason="Symbol is close-only";
01306:     return false;
01307: }
01308: if(buy && mode==SYMBOL_TRADE_MODE_SHORTONLY)
01309: {
01310:     reason="Symbol allows sell only";
01311:     return false;
01312: }
01313: if(!buy && mode==SYMBOL_TRADE_MODE_LONGONLY)
01314: {
01315:     reason="Symbol allows buy only";
01316:     return false;
01317: }
01318:
01319: return true;
01320: }
01321:
01322: bool SpreadAllowed(string &reason)
01323: {
01324:     reason="";
01325:     int spread=CurrentSpreadPoints();
01326:
01327:     if(SpreadBlocksTrades() && spread>InpMaxSpreadPoints)
01328:     {
01329:         reason="Spread too high: "+IntegerToString(spread)+" pts";
01330:         return false;
01331:     }
01332:
01333:     return true;
01334: }
01335:
01336: bool ValidateStops(bool buy,double sl,double tp,string &reason)
01337: {
01338:     reason="";
01339:
01340:     double ask=SymbolInfoDouble(_Symbol,SYMBOL_ASK);
01341:     double bid=SymbolInfoDouble(_Symbol,SYMBOL_BID);
01342:     int minPts=RequiredStopPoints();
01343:     double minDist=minPts*_Point;
01344:
01345:     if(ask<=0.0 || bid<=0.0)
01346:     {
01347:         reason="No valid bid/ask price";
01348:         return false;
01349:     }
01350:
01351:     if(buy)
01352:     {
01353:         if(sl>=ask)
01354:         {
01355:             reason="BUY SL is not below entry";
01356:             return false;
01357:         }
01358:         if(tp>0.0 && tp<=ask)
01359:         {
01360:             reason="BUY TP is not above entry";
01361:             return false;
01362:         }
01363:         if(bid-sl<minDist)
01364:         {
01365:             reason="BUY SL too close for broker stop level";
01366:             return false;
01367:         }
01368:         if(tp>0.0 && tp-bid<minDist)
01369:         {
01370:             reason="BUY TP too close for broker stop level";
01371:             return false;
01372:         }
01373:     }
01374:     else
01375:     {
01376:         if(sl<=bid)
01377:         {
01378:             reason="SELL SL is not above entry";
01379:             return false;
01380:         }
01381:         if(tp>0.0 && tp>=bid)
01382:         {
01383:             reason="SELL TP is not below entry";
01384:             return false;
01385:         }
01386:         if(sl-ask<minDist)
01387:         {
01388:             reason="SELL SL too close for broker stop level";
01389:             return false;
01390:         }
01391:         if(tp>0.0 && ask-tp<minDist)
01392:         {
01393:             reason="SELL TP too close for broker stop level";
01394:             return false;
01395:         }
01396:     }
01397:
01398:     return true;
01399: }
01400:
01401: double MoneyRiskForLot(bool buy,double entry,double sl,double lot)
01402: {
01403:     if(lot<=0.0 || entry<=0.0 || sl<=0.0)
01404:         return 0.0;
```



```

01405:
01406: double priceRisk=buy ? (entry-sl) : (sl-entry);
01407: if(priceRisk<=_Point*0.1)
01408:     return 0.0;
01409:
01410: ENUM_ORDER_TYPE orderType=ORDER_TYPE_BUY;
01411: if(!buy)
01412:     orderType=ORDER_TYPE_SELL;
01413: double profit=0.0;
01414: if(OrderCalcProfit(orderType,_Symbol,lot,entry,sl,profit))
01415:     return MathAbs(profit);
01416:
01417: double tickSize=SymbolInfoDouble(_Symbol,SYMBOL_TRADE_TICK_SIZE);
01418: double tickValue=SymbolInfoDouble(_Symbol,SYMBOL_TRADE_TICK_VALUE);
01419: if(tickSize<=0.0 || tickValue<=0.0)
01420:     return 0.0;
01421:
01422: return MathAbs(entry-sl)/tickSize*tickValue*lot;
01423: }
01424:
01425: double FitVolumeToFreeMargin(bool buy,double volume,double entry,string &reason)
01426: {
01427:     reason="";
01428:
01429:     double minLot=BrokerMinLot();
01430:     double step=BrokerStepLot();
01431:     double lot=NormalizeVolumeDown(volume);
01432:     if(lot<=0.0)
01433:         lot=minLot;
01434:
01435:     double freeMargin=AccountInfoDouble(ACCOUNT_MARGIN_FREE);
01436:     if(freeMargin<=0.0)
01437:         return lot;
01438:
01439:     ENUM_ORDER_TYPE orderType=ORDER_TYPE_BUY;
01440:     if(!buy)
01441:         orderType=ORDER_TYPE_SELL;
01442:     while(lot+0.000000001>=minLot)
01443:     {
01444:         double margin=0.0;
01445:         if(!OrderCalcMargin(orderType,_Symbol,lot,entry,margin))
01446:             return lot;
01447:
01448:         if(margin<=freeMargin)
01449:             return NormalizeDouble(lot,VolumeDigits());
01450:
01451:         double nextLot=NormalizeVolumeDown(lot-step);
01452:         if(nextLot<=0.0 || nextLot>=lot)
01453:             break;
01454:         lot=nextLot;
01455:     }
01456:
01457:     reason="Not enough free margin for min lot";
01458:     return 0.0;
01459: }
01460:
01461: bool CalculateRiskVolume(bool buy,double entry,double sl,double &lot,double &targetRisk,double &actualRisk,string
&reason)
01462: {
01463:     lot=0.0;
01464:     actualRisk=0.0;
01465:     reason="";
01466:
01467:     targetRisk=NormalizeRiskMoney(g_RiskMoney);
01468:
01469:     if(targetRisk<=0.0)
01470:     {
01471:         reason="Risk amount is zero";
01472:         return false;
01473:     }
01474:
01475:     double riskPerLot=MoneyRiskForLot(buy,entry,sl,1.0);
01476:     if(riskPerLot<=0.0)
01477:     {
01478:         reason="Cannot calculate risk value for this symbol";
01479:         return false;
01480:     }
01481:
01482:     double rawLot=targetRisk/riskPerLot;
01483:     if(rawLot>BrokerMaxLot())
01484:         rawLot=BrokerMaxLot();
01485:
01486:     lot=NormalizeVolumeDown(rawLot);
01487:     if(lot<=0.0)
01488:         lot=BrokerMinLot();
01489:
01490:     lot=FitVolumeToFreeMargin(buy,lot,entry,reason);
01491:     if(lot<=0.0)
01492:         return false;
01493:
01494:     actualRisk=MoneyRiskForLot(buy,entry,sl,lot);
01495:     return true;
01496: }
01497:
01498: bool GetRiskReference(bool &buy,double &entry,double &sl)
01499: {
01500:     buy=true;
01501:     entry=0.0;
01502:     sl=0.0;
01503:
01504:     if(SelectOurPosition())

```

```

01505: {
01506:     buy=((ENUM_POSITION_TYPE)PositionGetInteger(POSITION_TYPE)==POSITION_TYPE_BUY);
01507:     entry=PositionGetDouble(POSITION_PRICE_OPEN);
01508:     sl=PositionGetDouble(POSITION_SL);
01509:     if(sl<=0.0 && g_RiskDistance>0.0)
01510:         sl=buy ? entry-g_RiskDistance : entry+g_RiskDistance;
01511:     return (entry>0.0 && sl>0.0);
01512: }
01513:
01514: PatternSignal sig;
01515: if(g_ArmedMode==ARM_BUY && DetectPattern(1,true,sig))
01516: {
01517:     buy=true;
01518:     entry=SymbolInfoDouble(_Symbol,SYMBOL_ASK);
01519:     sl=sig.sl;
01520:     ApplySpreadSpaceToSL(buy,sl);
01521:     return (entry>0.0 && sl>0.0);
01522: }
01523: if(g_ArmedMode==ARM_SELL && DetectPattern(1,false,sig))
01524: {
01525:     buy=false;
01526:     entry=SymbolInfoDouble(_Symbol,SYMBOL_BID);
01527:     sl=sig.sl;
01528:     ApplySpreadSpaceToSL(buy,sl);
01529:     return (entry>0.0 && sl>0.0);
01530: }
01531: if(DetectPattern(1,true,sig))
01532: {
01533:     buy=true;
01534:     entry=SymbolInfoDouble(_Symbol,SYMBOL_ASK);
01535:     sl=sig.sl;
01536:     ApplySpreadSpaceToSL(buy,sl);
01537:     return (entry>0.0 && sl>0.0);
01538: }
01539: if(DetectPattern(1,false,sig))
01540: {
01541:     buy=false;
01542:     entry=SymbolInfoDouble(_Symbol,SYMBOL_BID);
01543:     sl=sig.sl;
01544:     ApplySpreadSpaceToSL(buy,sl);
01545:     return (entry>0.0 && sl>0.0);
01546: }
01547:
01548: return false;
01549: }
01550:
01551: string RiskPreviewText()
01552: {
01553:     double targetRisk=NormalizeRiskMoney(g_RiskMoney);
01554:
01555:     if(SelectOurPosition())
01556:     {
01557:         bool posBuy=((ENUM_POSITION_TYPE)PositionGetInteger(POSITION_TYPE)==POSITION_TYPE_BUY);
01558:         double entry=PositionGetDouble(POSITION_PRICE_OPEN);
01559:         double sl=PositionGetDouble(POSITION_SL);
01560:         double volume=PositionGetDouble(POSITION_VOLUME);
01561:         if(sl<=0.0 && g_RiskDistance>0.0)
01562:             sl=posBuy ? entry-g_RiskDistance : entry+g_RiskDistance;
01563:
01564:         double openRisk=MoneyRiskForLot(posBuy,entry,sl,volume);
01565:         double openPct=RiskPercentOfBalance(openRisk);
01566:         return "Open risk "+MoneyText(openRisk)+
01567:             " (" +DoubleToString(openPct,2)+"%)" | Target "+MoneyText(targetRisk);
01568:     }
01569:
01570:     bool buy=true;
01571:     double entry=0.0;
01572:     double sl=0.0;
01573:     if(!GetRiskReference(buy,entry,sl))
01574:         return "Risk "+MoneyText(targetRisk)+" | wait model SL";
01575:
01576:     double lot=0.0;
01577:     double actualRisk=0.0;
01578:     string reason="";
01579:     if(CalculateRiskVolume(buy,entry,sl,lot,targetRisk,actualRisk,reason))
01580:     {
01581:         return "Risk "+MoneyText(targetRisk)+
01582:             " | Auto lot "+DoubleToString(lot,VolumeDigits());
01583:     }
01584:
01585:     return "Risk "+MoneyText(targetRisk)+" | "+reason;
01586: }
01587:
01588: bool EnforceActualProtection(ulong ticket,bool buy,double sl,double &tp)
01589: {
01590:     if(!PositionSelectByTicket(ticket))
01591:         return false;
01592:
01593:     double entry=PositionGetDouble(POSITION_PRICE_OPEN);
01594:     double risk=buy ? (entry-sl) : (sl-entry);
01595:     if(risk<=_Point)
01596:     {
01597:         SetLastMessage("Trade opened but SL risk is invalid",clrTomato);
01598:         return false;
01599:     }
01600:
01601:     tp=buy ? entry+risk*EffectiveRR() : entry-risk*EffectiveRR();
01602:     sl=NormalizeDouble(sl,_Digits);
01603:     ApplySpreadSpaceToTP(buy,tp);
01604:     tp=NormalizeDouble(tp,_Digits);
01605:

```

```

01606:     string reason="";
01607:     if(!ValidateStops(buy,sl,tp,reason))
01608:     {
01609:         SetLastMessage("Protection check failed: "+reason,clrTomato);
01610:         return false;
01611:     }
01612:
01613:     double oldSL=PositionGetDouble(POSITION_SL);
01614:     double oldTP=PositionGetDouble(POSITION_TP);
01615:     bool needModify=(MathAbs(oldSL-sl)>_Point*0.5 || MathAbs(oldTP-tp)>_Point*0.5);
01616:
01617:     if(needModify)
01618:     {
01619:         if(!Trade.PositionModify(ticket,sl,tp) || !TradeRetcodeOK())
01620:         {
01621:             SetLastMessage("SL/TP modify failed: "+Trade.ResultRetcodeDescription(),clrTomato);
01622:             return false;
01623:         }
01624:     }
01625:
01626:     return true;
01627: }
01628:
01629: void CloseUnprotectedPosition(ulong ticket,string why)
01630: {
01631:     if(ticket==0)
01632:         return;
01633:
01634:     if(PositionSelectByTicket(ticket))
01635:     {
01636:         Trade.PositionClose(ticket);
01637:         ResetLocalTradeState();
01638:     }
01639:
01640:     SetLastMessage(why,clrTomato);
01641: }
01642:
01643: bool ExecuteSignal(PatternSignal &sig)
01644: {
01645:     if(!sig.ok)
01646:         return false;
01647:
01648:     if(!IsJustClosedThirdCandleSignal(sig))
01649:     {
01650:         SetLastMessage("Signal skipped - waiting for 3rd candle close",clrGold);
01651:         return false;
01652:     }
01653:
01654:     string reason="";
01655:
01656:     if(!CanStartModelEntry(reason))
01657:     {
01658:         SetLastMessage(reason,clrGold);
01659:         return false;
01660:     }
01661:
01662:     if(!IsTradingAllowedForDirection(sig.buy,reason))
01663:     {
01664:         SetLastMessage(reason,clrTomato);
01665:         return false;
01666:     }
01667:
01668:     if(!SpreadAllowed(reason))
01669:     {
01670:         SetLastMessage(reason,clrTomato);
01671:         return false;
01672:     }
01673:
01674:     double ask=SymbolInfoDouble(_Symbol,SYMBOL_ASK);
01675:     double bid=SymbolInfoDouble(_Symbol,SYMBOL_BID);
01676:     double entry=sig.buy ? ask : bid;
01677:     double sl=NormalizeDouble(sig.sl,_Digits);
01678:     ApplySpreadSpaceToSL(sig.buy,sl);
01679:     double risk=sig.buy ? (entry-sl) : (sl-entry);
01680:
01681:     if(risk<=_Point)
01682:     {
01683:         SetLastMessage("Signal risk invalid - SL is too close",clrTomato);
01684:         return false;
01685:     }
01686:
01687:     double tp=sig.buy ? entry+risk*EffectiveRR() : entry-risk*EffectiveRR();
01688:     ApplySpreadSpaceToTP(sig.buy,tp);
01689:     tp=NormalizeDouble(tp,_Digits);
01690:
01691:     if(!ValidateStops(sig.buy,sl,tp,reason))
01692:     {
01693:         SetLastMessage(reason,clrTomato);
01694:         return false;
01695:     }
01696:
01697:     double lot=0.0;
01698:     double targetRisk=0.0;
01699:     double actualRisk=0.0;
01700:     if(!CalculateRiskVolume(sig.buy,entry,sl,lot,targetRisk,actualRisk,reason))
01701:     {
01702:         SetLastMessage("Risk lot failed: "+reason,clrTomato);
01703:         return false;
01704:     }
01705:
01706:     g_Lot=NormalizeDouble(lot,VolumeDigits());

```

```

01707: RefreshLotEdit();
01708:
01709: bool ok=false;
01710: string comment=sig.swing ? "TCX Swing" : "TCX Model";
01711:
01712: if(sig.buy)
01713:     ok=Trade.Buy(lot,_Symbol,0.0,sl,tp,comment+" BUY");
01714: else
01715:     ok=Trade.Sell(lot,_Symbol,0.0,sl,tp,comment+" SELL");
01716:
01717: if(!ok || !TradeRetcodeOK())
01718: {
01719:     string firstError=Trade.ResultRetcodeDescription();
01720:
01721:     if(!InpFallbackNoInitialSLTP)
01722:     {
01723:         SetLastMessage("Order failed: "+firstError,clrTomato);
01724:         return false;
01725:     }
01726:
01727:     if(sig.buy)
01728:         ok=Trade.Buy(lot,_Symbol,0.0,0.0,0.0,comment+" BUY protect");
01729:     else
01730:         ok=Trade.Sell(lot,_Symbol,0.0,0.0,0.0,comment+" SELL protect");
01731:
01732:     if(!ok || !TradeRetcodeOK())
01733:     {
01734:         SetLastMessage("Order failed: "+firstError+" | retry "+Trade.ResultRetcodeDescription(),clrTomato);
01735:         return false;
01736:     }
01737: }
01738:
01739: Sleep(150);
01740:
01741: if(!SelectNewestOurPosition())
01742: {
01743:     SetLastMessage("Order sent, position not found yet",clrGold);
01744:     return true;
01745: }
01746:
01747: ulong ticket=(ulong)PositionGetInteger(POSITION_TICKET);
01748: bool resultBuy=((ENUM_POSITION_TYPE)PositionGetInteger(POSITION_TYPE)==POSITION_TYPE_BUY);
01749: double finalTP=tp;
01750: bool protectionOK=true;
01751:
01752: if(resultBuy==sig.buy)
01753:     protectionOK=EnforceActualProtection(ticket,sig.buy,sl,finalTP);
01754: else
01755: {
01756:     SyncPositionState();
01757:     SetLastMessage("Order sent - existing net position adjusted",clrGold);
01758:     return true;
01759: }
01760:
01761: if(!protectionOK && InpCloseIfProtectionFails)
01762: {
01763:     CloseUnprotectedPosition(ticket,(sig.buy ? "BUY" : "SELL")+ " closed - SL/TP protection failed");
01764:     return false;
01765: }
01766:
01767: g_StateTicket=ticket;
01768: g_InitialVolume=PositionGetDouble(POSITION_VOLUME);
01769: g_RiskDistance=MathAbs(PositionGetDouble(POSITION_PRICE_OPEN)-sl);
01770: g_PC1_Done=false;
01771: g_PC2_Done=false;
01772: g_PC3_Done=false;
01773: g_BE_Done=false;
01774: SavePositionState();
01775:
01776: DrawTradeLevels(ticket,sig.buy,sl,finalTP);
01777:
01778: if(protectionOK)
01779: {
01780:     SetLastMessage((sig.buy ? "BUY" : "SELL")+ " placed | Lot "+DoubleToString(lot,VolumeDigits())+
01781:         " | Risk "+MoneyText(actualRisk)+
01782:         " | SL "+PriceText(sl)+" | TP "+PriceText(finalTP),clrLime);
01783: }
01784: else
01785: {
01786:     SetLastMessage((sig.buy ? "BUY" : "SELL")+ " placed - check SL/TP message in Experts tab",clrGold);
01787: }
01788:
01789: return true;
01790: }
01791:
01792: double PositionRRRFromValues(bool buy,double entry,double sl)
01793: {
01794:     double risk=buy ? (entry-sl) : (sl-entry);
01795:     if(risk<=_Point)
01796:         return 0.0;
01797:
01798:     double price=buy ? SymbolInfoDouble(_Symbol,SYMBOL_BID) : SymbolInfoDouble(_Symbol,SYMBOL_ASK);
01799:     if(price<=0.0)
01800:         return 0.0;
01801:
01802:     double move=buy ? price-entry : entry-price;
01803:     return move/risk;
01804: }
01805:
01806: bool EnforceSecondEntryProtection(bool buy,double sl,double tp,string &reason)
01807: {

```

```
01808:     reason="";
01809:     sl=NormalizeDouble(sl,_Digits);
01810:     tp=NormalizeDouble(tp,_Digits);
01811:
01812:     int matched=0;
01813:     int failed=0;
01814:     bool stopsChecked=false;
01815:     string lastFail="";
01816:
01817:     for(int i=PositionsTotal()-1;i>=0;i--)
01818:     {
01819:         ulong ticket=PositionGetTicket(i);
01820:         if(ticket==0)
01821:             continue;
01822:
01823:         string sym=PositionGetString(POSITION_SYMBOL);
01824:         long magic=(long)PositionGetInteger(POSITION_MAGIC);
01825:         if(sym!=_Symbol || magic!=InpMagic)
01826:             continue;
01827:
01828:         bool posBuy=((ENUM_POSITION_TYPE)PositionGetInteger(POSITION_TYPE)==POSITION_TYPE_BUY);
01829:         if(posBuy!=buy)
01830:             continue;
01831:
01832:         matched++;
01833:
01834:         double oldSL=PositionGetDouble(POSITION_SL);
01835:         double oldTP=PositionGetDouble(POSITION_TP);
01836:         bool needModify=(MathAbs(oldSL-sl)>_Point*0.5 || MathAbs(oldTP-tp)>_Point*0.5);
01837:         if(!needModify)
01838:             continue;
01839:
01840:         if(!stopsChecked)
01841:         {
01842:             if(!ValidateStops(buy,sl,tp,reason))
01843:                 return false;
01844:             stopsChecked=true;
01845:         }
01846:
01847:         if(!Trade.PositionModify(ticket,sl,tp) || !TradeRetcodeOK())
01848:         {
01849:             failed++;
01850:             lastFail=Trade.ResultRetcodeDescription();
01851:         }
01852:     }
01853:
01854:     if(matched<=0)
01855:     {
01856:         reason="position not found";
01857:         return false;
01858:     }
01859:
01860:     if(failed>0)
01861:     {
01862:         reason=lastFail;
01863:         return false;
01864:     }
01865:
01866:     return true;
01867: }
01868:
01869: bool ExecuteSecondEntryFromBase(ulong baseTicket)
01870: {
01871:     if(baseTicket==0 || !PositionSelectByTicket(baseTicket))
01872:         return false;
01873:
01874:     bool buy=((ENUM_POSITION_TYPE)PositionGetInteger(POSITION_TYPE)==POSITION_TYPE_BUY);
01875:     double baseSL=NormalizeDouble(PositionGetDouble(POSITION_SL),_Digits);
01876:     double baseTP=NormalizeDouble(PositionGetDouble(POSITION_TP),_Digits);
01877:
01878:     if(baseSL<=0.0 || baseTP<=0.0)
01879:     {
01880:         SetLastMessage("Second entry skipped - first trade has no SL/TP",clrGold);
01881:         return false;
01882:     }
01883:
01884:     string reason="";
01885:     int maxEntries=MaxEntriesPerCycle();
01886:     if(CountOurPositions())>=maxEntries)
01887:     {
01888:         SetLastMessage("Second entry skipped - maximum "+IntegerToString(maxEntries)+" entries already open",clrGold);
01889:         return false;
01890:     }
01891:
01892:     if(g_SecondEntryDone || g_SecondEntryBlocked)
01893:         return false;
01894:
01895:     if(!IsTradingAllowedForDirection(buy,reason))
01896:     {
01897:         SetLastMessage(reason,clrTomato);
01898:         return false;
01899:     }
01900:
01901:     if(!SpreadAllowed(reason))
01902:     {
01903:         SetLastMessage(reason,clrTomato);
01904:         return false;
01905:     }
01906:
01907:     double ask=SymbolInfoDouble(_Symbol,SYMBOL_ASK);
01908:     double bid=SymbolInfoDouble(_Symbol,SYMBOL_BID);
```

```

01909: double entry=buy ? ask : bid;
01910: if(entry<=0.0)
01911: {
01912:     SetLastMessage("Second entry skipped - no valid price",clrTomato);
01913:     return false;
01914: }
01915:
01916: if(!ValidateStops(buy,baseSL,baseTP,reason))
01917: {
01918:     SetLastMessage("Second entry skipped: "+reason,clrTomato);
01919:     return false;
01920: }
01921:
01922: double lot=0.0;
01923: double targetRisk=0.0;
01924: double actualRisk=0.0;
01925: if(!CalculateRiskVolume(buy,entry,baseSL,lot,targetRisk,actualRisk,reason))
01926: {
01927:     SetLastMessage("Second entry risk failed: "+reason,clrTomato);
01928:     return false;
01929: }
01930:
01931: bool ok=false;
01932: string comment="TCX Second";
01933: if(buy)
01934:     ok=Trade.Buy(lot,_Symbol,0.0,baseSL,baseTP,comment+" BUY");
01935: else
01936:     ok=Trade.Sell(lot,_Symbol,0.0,baseSL,baseTP,comment+" SELL");
01937:
01938: if(!ok || !TradeRetcodeOK())
01939: {
01940:     string firstError=Trade.ResultRetcodeDescription();
01941:
01942:     if(!InpFallbackNoInitialSLTP)
01943:     {
01944:         SetLastMessage("Second entry failed: "+firstError,clrTomato);
01945:         return false;
01946:     }
01947:
01948:     if(buy)
01949:         ok=Trade.Buy(lot,_Symbol,0.0,0.0,0.0,comment+" BUY protect");
01950:     else
01951:         ok=Trade.Sell(lot,_Symbol,0.0,0.0,0.0,comment+" SELL protect");
01952:
01953:     if(!ok || !TradeRetcodeOK())
01954:     {
01955:         SetLastMessage("Second entry failed: "+firstError+" | retry "+Trade.ResultRetcodeDescription(),clrTomato);
01956:         return false;
01957:     }
01958: }
01959:
01960: g_SecondEntryDone=true;
01961: g_SecondEntryOn=false;
01962: SetArmMode(ARM_NONE);
01963: g_AutoArm=false;
01964: SaveSecondEntryState();
01965:
01966: Sleep(150);
01967:
01968: bool protectionOK=true;
01969: if(!EnforceSecondEntryProtection(buy,baseSL,baseTP,reason))
01970: {
01971:     protectionOK=false;
01972:     if(reason=="")
01973:         reason=Trade.ResultRetcodeDescription();
01974: }
01975:
01976: if(!protectionOK && InpCloseIfProtectionFails)
01977: {
01978:     ulong protectTicket=FindNewestOurPositionTicket(baseTicket);
01979:     if(protectTicket==0)
01980:         protectTicket=FindNewestOurPositionTicket(0);
01981:     CloseUnprotectedPosition(protectTicket,(buy ? "BUY" : "SELL")+" second entry closed - SL/TP protection
failed");
01982:     return false;
01983: }
01984:
01985: SetLastMessage((buy ? "BUY" : "SELL")+" second entry placed | Lot "+DoubleToString(lot,VolumeDigits())+
01986:     " | SL "+PriceText(baseSL)+" | TP "+PriceText(baseTP),clrLime);
01987: return true;
01988: }
01989:
01990: void MonitorSecondEntry()
01991: {
01992:     SyncSecondEntryState();
01993:
01994:     if(g_SecondBaseTicket==0 || !PositionSelectByTicket(g_SecondBaseTicket))
01995:         return;
01996:
01997:     int openCount=CountOurPositions();
01998:     if(openCount<=0)
01999:     {
02000:         ResetSecondEntryState();
02001:         return;
02002:     }
02003:
02004:     if(openCount>1 && !g_SecondEntryDone)
02005:     {
02006:         g_SecondEntryDone=true;
02007:         g_SecondEntryOn=false;
02008:         SetArmMode(ARM_NONE);

```

```

02009:     g_AutoArm=false;
02010:     SaveSecondEntryState();
02011:     return;
02012: }
02013:
02014: if(!PositionSelectByTicket(g_SecondBaseTicket))
02015:     return;
02016:
02017: bool buy=((ENUM_POSITION_TYPE)PositionGetInteger(POSITION_TYPE)==POSITION_TYPE_BUY);
02018: double entry=PositionGetDouble(POSITION_PRICE_OPEN);
02019: double sl=PositionGetDouble(POSITION_SL);
02020: if(entry<=0.0 || sl<=0.0)
02021:     return;
02022:
02023: double rr=PositionRRFromValues(buy,entry,sl);
02024: double cancelAt=MathMax(0.1,InpSecondEntryCancelAtR);
02025: if(rr>=cancelAt && !g_SecondEntryBlocked)
02026: {
02027:     string beReason="";
02028:     bool beOK=MoveTicketToBreakEven(g_SecondBaseTicket,beReason);
02029:     g_SecondEntryBlocked=true;
02030:     g_SecondEntryOn=false;
02031:     SetArmMode(ARM_NONE);
02032:     g_AutoArm=false;
02033:     SaveSecondEntryState();
02034:     string msg="Second entry blocked - first trade reached "+DoubleToString(cancelAt,1)+"R";
02035:     if(beOK)
02036:         msg+=(beReason=="already protected" ? " | SL already BE" : " | SL moved BE");
02037:     else if(beReason!="")
02038:         msg+=" | BE failed: "+beReason;
02039:     SetLastMessage(msg,beOK ? clrLime : clrGold);
02040:     return;
02041: }
02042:
02043: if(!g_SecondEntryOn || g_SecondEntryDone || g_SecondEntryBlocked)
02044:     return;
02045:
02046: double trigger=MathMax(0.1,InpSecondEntryTriggerLossR);
02047: if(rr>-trigger)
02048:     return;
02049:
02050: datetime now=TimeCurrent();
02051: if(g_SecondEntryLastAttempt>0 && now-g_SecondEntryLastAttempt<10)
02052:     return;
02053: g_SecondEntryLastAttempt=now;
02054:
02055: ExecuteSecondEntryFromBase(g_SecondBaseTicket);
02056: }
02057:
02058: string SecondEntryStatusText()
02059: {
02060:     if(!g_SecondEntryOn)
02061:         return "2nd entry OFF";
02062:     if(!HasOurPosition())
02063:         return "2nd entry ready";
02064:     if(CountOurPositions()>=MaxEntriesPerCycle())
02065:         return "Max "+IntegerToString(MaxEntriesPerCycle())+" entries";
02066:     if(g_SecondEntryBlocked)
02067:         return "2nd blocked after 2R";
02068:     if(g_SecondEntryDone || CountOurPositions()>1)
02069:         return "2nd entry done";
02070:     return "2nd waits -"+DoubleToString(MathMax(0.1,InpSecondEntryTriggerLossR),1)+"R";
02071: }
02072:
02073: string FirstProfitExitStatusText()
02074: {
02075:     if(!g_FirstProfitExitOn)
02076:         return "1st auto exit OFF";
02077:     if(CountOurPositions()<2)
02078:         return "1st auto exit waits 2nd";
02079:     if(!SelectFirstEntryPosition())
02080:         return "1st trade closed";
02081:
02082:     ulong ticket=(ulong)PositionGetInteger(POSITION_TICKET);
02083:     double expectedNet=0.0;
02084:     string reason="";
02085:     if(!ExpectedCloseNetForTicket(ticket,expectedNet,reason))
02086:         return "1st auto exit waits price";
02087:     if(expectedNet>=0.0)
02088:         return "1st auto exit ready";
02089:     return "1st auto exit waits profit";
02090: }
02091:
02092: void TryArmedExecution()
02093: {
02094:     if(g_ArmedMode==ARM_NONE && !g_AutoArm)
02095:         return;
02096:
02097:     datetime currentBar=iTime(_Symbol,_Period,0);
02098:     datetime justClosedBar=iTime(_Symbol,_Period,1);
02099:     if(currentBar<=0 || justClosedBar<=0 || currentBar<=justClosedBar)
02100:         return;
02101:
02102:     if(g_LastTradeScanBarTime==currentBar)
02103:         return;
02104:     g_LastTradeScanBarTime=currentBar;
02105:
02106:     string gateReason="";
02107:     if(!CanStartModelEntry(gateReason))
02108:     {
02109:         SetLastMessage(gateReason,clrGold);

```

```

02110:     return;
02111: }
02112:
02113: PatternSignal sig;
02114: bool wantBuy=(g_ArmedMode==ARM_BUY);
02115:
02116: if(g_AutoArm)
02117: {
02118:     if(DetectPattern(1,true,sig))
02119:         wantBuy=true;
02120:     else if(DetectPattern(1,false,sig))
02121:         wantBuy=false;
02122:     else
02123:         return;
02124: }
02125: else
02126: {
02127:     if(!DetectPattern(1,wantBuy,sig))
02128:         return;
02129: }
02130:
02131: if(g_ArmMinSignalTime>0 && sig.time<g_ArmMinSignalTime)
02132:     return;
02133:
02134: if(sig.time!=justClosedBar)
02135:     return;
02136:
02137: if(g_LastTradeSignalTime>0 && sig.time==g_LastTradeSignalTime)
02138:     return;
02139:
02140: DrawSignalMarker(sig);
02141:
02142: string signalText=(wantBuy ? "BUY" : "SELL");
02143: if(sig.swing)
02144:     signalText+=" swing";
02145:
02146: SetLastMessage(signalText+" model found - sending order",clrGold);
02147:
02148: if(ExecuteSignal(sig))
02149: {
02150:     g_LastTradeSignalTime=sig.time;
02151:     SetArmMode(ARM_NONE);
02152:     g_AutoArm=false;
02153: }
02154: }
02155:
02156: //=====
02157: // PARTIAL CLOSE / BREAK EVEN / CLOSE ALL
02158: //=====
02159: bool DoPartialCloseLevel(int level,double pct,double rrLevel,bool &markDone)
02160: {
02161:     markDone=false;
02162:
02163:     if(!SelectOurPosition())
02164:         return false;
02165:
02166:     ulong ticket=(ulong)PositionGetInteger(POSITION_TICKET);
02167:     double volume=PositionGetDouble(POSITION_VOLUME);
02168:
02169:     if(g_InitialVolume<=0.0)
02170:         g_InitialVolume=volume;
02171:
02172:     double rawLot=g_InitialVolume*pct/100.0;
02173:     double closeLot=NormalizeVolumeDown(rawLot);
02174:     double minLot=BrokerMinLot();
02175:     double step=BrokerStepLot();
02176:
02177:     if(closeLot<=0.0)
02178:     {
02179:         SetLastMessage("PC"+IntegerToString(level)+" skipped - lot too small",clrGold);
02180:         markDone=true;
02181:         return false;
02182:     }
02183:
02184:     if(closeLot>volume)
02185:         closeLot=NormalizeVolumeDown(volume);
02186:
02187:     if(closeLot<=0.0)
02188:     {
02189:         SetLastMessage("PC"+IntegerToString(level)+" skipped - no closable volume",clrGold);
02190:         markDone=true;
02191:         return false;
02192:     }
02193:
02194:     bool closeFull=false;
02195:     if(closeLot>=volume-step*0.1)
02196:         closeFull=true;
02197:     else if(volume-closeLot<minLot)
02198:     {
02199:         double adjusted=NormalizeVolumeDown(volume-minLot);
02200:         if(adjusted<=0.0)
02201:         {
02202:             SetLastMessage("PC"+IntegerToString(level)+" skipped - would leave less than min lot",clrGold);
02203:             markDone=true;
02204:             return false;
02205:         }
02206:         closeLot=adjusted;
02207:     }
02208:
02209:     bool ok=false;
02210:     bool isBuy=((ENUM_POSITION_TYPE)PositionGetInteger(POSITION_TYPE)==POSITION_TYPE_BUY);

```



```

02211:
02212:     if(closeFull)
02213:     {
02214:         ok=Trade.PositionClose(ticket);
02215:     }
02216:     else if(IsHedgingAccount())
02217:     {
02218:         ok=Trade.PositionClosePartial(ticket,closeLot);
02219:     }
02220:     else
02221:     {
02222:         if(isBuy)
02223:             ok=Trade.Sell(closeLot,_Symbol,0.0,0.0,0.0,"TCX partial reduce");
02224:         else
02225:             ok=Trade.Buy(closeLot,_Symbol,0.0,0.0,0.0,"TCX partial reduce");
02226:     }
02227:
02228:     if(ok && TradeRetcodeOK())
02229:     {
02230:         SetLastMessage("PC"+IntegerToString(level)+" booked "+DoubleToString(closeLot,VolumeDigits())+
02231:             " lot at "+DoubleToString(rrLevel,1)+"R",clrLime);
02232:         markDone=true;
02233:         return true;
02234:     }
02235:
02236:     SetLastMessage("PC"+IntegerToString(level)+" failed: "+Trade.ResultRetcodeDescription(),clrTomato);
02237:     return false;
02238: }
02239:
02240: void MonitorPartialClose()
02241: {
02242:     if(!g_PC_On)
02243:         return;
02244:     if(!SelectOurPosition())
02245:         return;
02246:
02247:     SyncPositionState();
02248:
02249:     bool isBuy=((ENUM_POSITION_TYPE)PositionGetInteger(POSITION_TYPE)==POSITION_TYPE_BUY);
02250:     double entry=PositionGetDouble(POSITION_PRICE_OPEN);
02251:     double sl=PositionGetDouble(POSITION_SL);
02252:     double price=isBuy ? SymbolInfoDouble(_Symbol,SYMBOL_BID) : SymbolInfoDouble(_Symbol,SYMBOL_ASK);
02253:
02254:     if(g_RiskDistance<=0.0)
02255:         g_RiskDistance=MathAbs(entry-sl);
02256:     if(g_RiskDistance<=0.0)
02257:         return;
02258:
02259:     double profitDistance=isBuy ? price-entry : entry-price;
02260:     double rr=profitDistance/g_RiskDistance;
02261:
02262:     if(rr<0.0)
02263:         return;
02264:
02265:     bool mark=false;
02266:
02267:     if(!g_PC1_Done && g_PC1_Pct>0.0 && rr>=InpPC1_RR)
02268:     {
02269:         DoPartialCloseLevel(1,g_PC1_Pct,InpPC1_RR,mark);
02270:         if(mark)
02271:         {
02272:             g_PC1_Done=true;
02273:             SavePositionState();
02274:         }
02275:         return;
02276:     }
02277:
02278:     if(!g_PC2_Done && g_PC2_Pct>0.0 && rr>=InpPC2_RR)
02279:     {
02280:         DoPartialCloseLevel(2,g_PC2_Pct,InpPC2_RR,mark);
02281:         if(mark)
02282:         {
02283:             g_PC2_Done=true;
02284:             SavePositionState();
02285:         }
02286:         return;
02287:     }
02288:
02289:     if(!g_PC3_Done && g_PC3_Pct>0.0 && rr>=InpPC3_RR)
02290:     {
02291:         DoPartialCloseLevel(3,g_PC3_Pct,InpPC3_RR,mark);
02292:         if(mark)
02293:         {
02294:             g_PC3_Done=true;
02295:             SavePositionState();
02296:         }
02297:         return;
02298:     }
02299: }
02300:
02301: double EntryCommissionForPosition(long positionId)
02302: {
02303:     if(positionId<=0)
02304:         return 0.0;
02305:     if(!HistorySelect((datetime)0,TimeCurrent()))
02306:         return 0.0;
02307:
02308:     double commission=0.0;
02309:     int total=HistoryDealsTotal();
02310:     for(int i=0;i<total;i++)
02311:     {

```

```

02312:         ulong deal=HistoryDealGetTicket(i);
02313:         if(deal==0)
02314:             continue;
02315:         if(HistoryDealGetString(deal,DEAL_SYMBOL)!=_Symbol)
02316:             continue;
02317:         if((long)HistoryDealGetInteger(deal,DEAL_POSITION_ID)!=positionId)
02318:             continue;
02319:
02320:         long entry=HistoryDealGetInteger(deal,DEAL_ENTRY);
02321:         if(entry==DEAL_ENTRY_IN || entry==DEAL_ENTRY_INOUT)
02322:             commission+=HistoryDealGetDouble(deal,DEAL_COMMISSION);
02323:     }
02324:
02325:     return commission;
02326: }
02327:
02328: double EstimatedCloseCommissionFromEntry(double entryCommission)
02329: {
02330:     if(entryCommission<0.0)
02331:         return -MathAbs(entryCommission);
02332:     return 0.0;
02333: }
02334:
02335: double BreakEvenCostTargetMoney()
02336: {
02337:     long positionId=(long)PositionGetInteger(POSITION_IDENTIFIER);
02338:     double entryCommission=EntryCommissionForPosition(positionId);
02339:     double estimatedCloseCommission=EstimatedCloseCommissionFromEntry(entryCommission);
02340:     double swap=PositionGetDouble(POSITION_SWAP);
02341:     double extra=MathMax(0.0,InpBreakEvenExitExtraMoney);
02342:     double costs=swap+entryCommission+estimatedCloseCommission-extra;
02343:     return MathMax(0.0,-costs);
02344: }
02345:
02346: double CommissionAdjustedBreakEvenPrice(bool isBuy,double entry,double volume)
02347: {
02348:     double targetMoney=BreakEvenCostTargetMoney();
02349:     int plusPoints=InpBreakEvenPlusPoints;
02350:     if(plusPoints<0)
02351:         plusPoints=0;
02352:     ENUM_ORDER_TYPE orderType=isBuy ? ORDER_TYPE_BUY : ORDER_TYPE_SELL;
02353:     double onePointPrice=isBuy ? entry+_Point : entry-_Point;
02354:     double onePointProfit=0.0;
02355:
02356:     if(OrderCalcProfit(orderType,_Symbol,volume,entry,onePointPrice,onePointProfit) && onePointProfit>0.0)
02357:     {
02358:         int costPoints=(int)MathCeil(targetMoney/onePointProfit);
02359:         double price=isBuy ? entry+(costPoints+plusPoints)*_Point
02360:             : entry-(costPoints+plusPoints)*_Point;
02361:         return NormalizeDouble(price,_Digits);
02362:     }
02363:
02364:     double fallback=isBuy ? entry+plusPoints*_Point : entry-plusPoints*_Point;
02365:     return NormalizeDouble(fallback,_Digits);
02366: }
02367:
02368: bool ExpectedCloseNetForTicket(ulong ticket,double &net,string &reason)
02369: {
02370:     net=0.0;
02371:     reason="";
02372:     if(ticket==0 || !PositionSelectByTicket(ticket))
02373:     {
02374:         reason="position not found";
02375:         return false;
02376:     }
02377:
02378:     bool isBuy=((ENUM_POSITION_TYPE)PositionGetInteger(POSITION_TYPE)==POSITION_TYPE_BUY);
02379:     double entry=PositionGetDouble(POSITION_PRICE_OPEN);
02380:     double volume=PositionGetDouble(POSITION_VOLUME);
02381:     double closePrice=isBuy ? SymbolInfoDouble(_Symbol,SYMBOL_BID) : SymbolInfoDouble(_Symbol,SYMBOL_ASK);
02382:     if(entry<=0.0 || volume<=0.0 || closePrice<=0.0)
02383:     {
02384:         reason="price not ready";
02385:         return false;
02386:     }
02387:
02388:     ENUM_ORDER_TYPE orderType=isBuy ? ORDER_TYPE_BUY : ORDER_TYPE_SELL;
02389:     double gross=0.0;
02390:     if(!OrderCalcProfit(orderType,_Symbol,volume,entry,closePrice,gross))
02391:         gross=PositionGetDouble(POSITION_PROFIT);
02392:
02393:     long positionId=(long)PositionGetInteger(POSITION_IDENTIFIER);
02394:     double entryCommission=EntryCommissionForPosition(positionId);
02395:     double estimatedCloseCommission=EstimatedCloseCommissionFromEntry(entryCommission);
02396:     double swap=PositionGetDouble(POSITION_SWAP);
02397:     double extra=MathMax(0.0,InpBreakEvenExitExtraMoney);
02398:
02399:     net=gross+swap+entryCommission+estimatedCloseCommission-extra;
02400:     return true;
02401: }
02402:
02403: bool MoveTicketToBreakEven(ulong ticket,string &reason)
02404: {
02405:     reason="";
02406:     if(ticket==0 || !PositionSelectByTicket(ticket))
02407:     {
02408:         reason="position not found";
02409:         return false;
02410:     }
02411:
02412:     bool isBuy=((ENUM_POSITION_TYPE)PositionGetInteger(POSITION_TYPE)==POSITION_TYPE_BUY);

```

```

02413: double entry=PositionGetDouble(POSITION_PRICE_OPEN);
02414: double volume=PositionGetDouble(POSITION_VOLUME);
02415: double oldSL=PositionGetDouble(POSITION_SL);
02416: double tp=PositionGetDouble(POSITION_TP);
02417: double newSL=CommissionAdjustedBreakEvenPrice(isBuy,entry,volume);
02418:
02419: newSL=NormalizeDouble(newSL,_Digits);
02420:
02421: if(isBuy && oldSL>=newSL && oldSL>0.0)
02422: {
02423:     reason="already protected";
02424:     return true;
02425: }
02426: if(!isBuy && oldSL<=newSL && oldSL>0.0)
02427: {
02428:     reason="already protected";
02429:     return true;
02430: }
02431:
02432: if(!ValidateStops(isBuy,newSL,tp,reason))
02433:     return false;
02434:
02435: if(Trade.PositionModify(ticket,newSL,tp) && TradeRetcodeOK())
02436: {
02437:     if(ticket==g_StateTicket)
02438:     {
02439:         g_BE_Done=true;
02440:         SavePositionState();
02441:     }
02442:     reason="moved";
02443:     return true;
02444: }
02445:
02446: reason=Trade.ResultRetcodeDescription();
02447: return false;
02448: }
02449:
02450: void MoveToBreakEven()
02451: {
02452:     int found=0;
02453:     int moved=0;
02454:     int already=0;
02455:     int failed=0;
02456:     string lastFail="";
02457:
02458:     for(int i=PositionsTotal()-1;i>=0;i--)
02459:     {
02460:         ulong ticket=PositionGetTicket(i);
02461:         if(ticket==0)
02462:             continue;
02463:
02464:         string sym=PositionGetString(POSITION_SYMBOL);
02465:         long magic=(long)PositionGetInteger(POSITION_MAGIC);
02466:         if(sym!=_Symbol || magic!=InpMagic)
02467:             continue;
02468:
02469:         found++;
02470:
02471:         string reason="";
02472:         if(MoveTicketToBreakEven(ticket,reason))
02473:         {
02474:             if(reason=="already protected")
02475:                 already++;
02476:             else
02477:                 moved++;
02478:         }
02479:         else
02480:         {
02481:             failed++;
02482:             lastFail=reason;
02483:         }
02484:     }
02485:
02486:     if(found==0)
02487:         SetLastMessage("No open position for break even",clrGold);
02488:     else if(moved>0)
02489:         SetLastMessage("Stop moved to break even on "+IntegerToString(moved)+" position(s)",clrLime);
02490:     else if(failed>0)
02491:         SetLastMessage("BE failed: "+lastFail,clrTomato);
02492:     else if(already>0)
02493:         SetLastMessage("Break even already protected",clrGold);
02494: }
02495:
02496: void MoveFirstTradeToBreakEven()
02497: {
02498:     if(!SelectFirstEntryPosition())
02499:     {
02500:         SetLastMessage("No first trade for break even",clrGold);
02501:         return;
02502:     }
02503:
02504:     ulong ticket=(ulong)PositionGetInteger(POSITION_TICKET);
02505:     string reason="";
02506:     if(MoveTicketToBreakEven(ticket,reason))
02507:     {
02508:         if(reason=="already protected")
02509:             SetLastMessage("First trade already protected",clrGold);
02510:         else
02511:             SetLastMessage("First trade SL moved to break even",clrLime);
02512:         return;
02513:     }

```

```

02514:
02515:     SetLastMessage("First BE failed: "+reason,clrTomato);
02516: }
02517:
02518: bool CloseFirstTradeAtBreakEvenExitCore(bool manual)
02519: {
02520:     if(CountOurPositions()<2)
02521:     {
02522:         if(manual)
02523:             SetLastMessage("1st BE exit waits until the second trade is open",clrGold);
02524:         return false;
02525:     }
02526:
02527:     if(!SelectFirstEntryPosition())
02528:     {
02529:         if(manual)
02530:             SetLastMessage("No first trade for BE exit",clrGold);
02531:         return false;
02532:     }
02533:
02534:     ulong ticket=(ulong)PositionGetInteger(POSITION_TICKET);
02535:     double expectedNet=0.0;
02536:     string reason="";
02537:     if(!ExpectedCloseNetForTicket(ticket,expectedNet,reason))
02538:     {
02539:         if(manual)
02540:             SetLastMessage("1st BE exit failed: "+reason,clrTomato);
02541:         return false;
02542:     }
02543:
02544:     if(expectedNet<0.0)
02545:     {
02546:         if(manual)
02547:             SetLastMessageText("1st BE exit blocked - net would be "+SignedMoneyText(expectedNet)+" after
spread/commission",clrGold);
02548:         return false;
02549:     }
02550:
02551:     if(Trade.PositionClose(ticket) && TradeRetcodeOK())
02552:     {
02553:         if(ticket==g_StateTicket)
02554:             ResetLocalTradeState();
02555:         SetLastMessage((manual ? "First trade BE exit closed" : "First trade auto profit exit closed")+
02556:             " | est net "+SignedMoneyText(expectedNet),clrLime);
02557:         return true;
02558:     }
02559:
02560:     datetime now=TimeCurrent();
02561:     if(manual || g_FirstProfitExitLastFailure==0 || now-g_FirstProfitExitLastFailure>=2)
02562:     {
02563:         g_FirstProfitExitLastFailure=now;
02564:         SetLastMessage((manual ? "1st BE exit failed: " : "1st auto exit failed:
")+Trade.ResultRetcodeDescription(),clrTomato);
02565:     }
02566:     return false;
02567: }
02568:
02569: void CloseFirstTradeAtBreakEvenExit()
02570: {
02571:     CloseFirstTradeAtBreakEvenExitCore(true);
02572: }
02573:
02574: void MonitorFirstTradeProfitExit()
02575: {
02576:     if(!g_FirstProfitExitOn)
02577:         return;
02578:
02579:     SyncSecondEntryState();
02580:
02581:     if(!g_SecondEntryDone && CountOurPositions()<2)
02582:         return;
02583:
02584:     if(CountOurPositions()<2)
02585:         return;
02586:
02587:     CloseFirstTradeAtBreakEvenExitCore(false);
02588: }
02589:
02590: void CloseAllPositions()
02591: {
02592:     bool any=false;
02593:
02594:     for(int i=PositionsTotal()-1;i>=0;i--)
02595:     {
02596:         ulong ticket=PositionGetTicket(i);
02597:         if(ticket==0)
02598:             continue;
02599:
02600:         string sym=PositionGetString(POSITION_SYMBOL);
02601:         long magic=(long)PositionGetInteger(POSITION_MAGIC);
02602:         if(sym!=_Symbol || magic!=InpMagic)
02603:             continue;
02604:
02605:         any=true;
02606:         Trade.PositionClose(ticket);
02607:     }
02608:
02609:     SetArmMode(ARM_NONE);
02610:     ResetLocalTradeState();
02611:
02612:     if(any)

```

```

02613:     SetLastMessage("Close command sent",clrGold);
02614:     else
02615:         SetLastMessage("No matching position to close",clrGold);
02616: }
02617:
02618: void CloseCurrentPercent(double pct)
02619: {
02620:     if(pct<=0.0)
02621:         return;
02622:
02623:     if(!SelectOurPosition())
02624:     {
02625:         SetLastMessage("No matching position to close",clrGold);
02626:         return;
02627:     }
02628:
02629:     ulong ticket=(ulong)PositionGetInteger(POSITION_TICKET);
02630:     double volume=PositionGetDouble(POSITION_VOLUME);
02631:     bool isBuy=((ENUM_POSITION_TYPE)PositionGetInteger(POSITION_TYPE))==POSITION_TYPE_BUY;
02632:     double minLot=BrokerMinLot();
02633:     double closeLot=NormalizeVolumeDown(volume*pct/100.0);
02634:
02635:     if(closeLot<=0.0)
02636:     {
02637:         SetLastMessage("Close "+DoubleToString(pct,0)+"% skipped - lot too small",clrGold);
02638:         return;
02639:     }
02640:
02641:     if(volume-closeLot<minLot)
02642:         closeLot=volume;
02643:
02644:     bool ok=false;
02645:     if(closeLot>=volume)
02646:         ok=Trade.PositionClose(ticket);
02647:     else if(IsHedgingAccount())
02648:         ok=Trade.PositionClosePartial(ticket,closeLot);
02649:     else
02650:     {
02651:         if(isBuy)
02652:             ok=Trade.Sell(closeLot,_Symbol,0.0,0.0,0.0,"TCX manual close");
02653:         else
02654:             ok=Trade.Buy(closeLot,_Symbol,0.0,0.0,0.0,"TCX manual close");
02655:     }
02656:
02657:     if(ok && TradeRetcodeOK())
02658:         SetLastMessage("Closed "+DoubleToString(closeLot,VolumeDigits())+" lot",clrLime);
02659:     else
02660:         SetLastMessage("Close failed: "+Trade.ResultRetcodeDescription(),clrTomato);
02661: }
02662:
02663: //=====
02664: // UI HELPERS
02665: //=====
02666: void CalcPanelGeometry()
02667: {
02668:     int chartW=(int)ChartGetInteger(0,CHART_WIDTH_IN_PIXELS);
02669:     int chartH=(int)ChartGetInteger(0,CHART_HEIGHT_IN_PIXELS);
02670:
02671:     g_X=InpPanelX;
02672:     g_Y=InpPanelY;
02673:
02674:     if(g_X<0)
02675:         g_X=0;
02676:     if(g_Y<0)
02677:         g_Y=0;
02678:
02679:     int wantedW=InpPanelW;
02680:
02681:     // Clean side-controller width. Keep it wide enough for all blocks,
02682:     // but never force horizontal overflow on smaller charts.
02683:     if(wantedW<930)
02684:         wantedW=930;
02685:     if(wantedW>1120)
02686:         wantedW=1120;
02687:
02688:     g_W=wantedW;
02689:
02690:     if(InpAutoFitPanelWidth && chartW>100)
02691:     {
02692:         int fitW=chartW-g_X-12;
02693:         if(fitW>=900)
02694:             g_W=MathMin(wantedW,fitW);
02695:         else
02696:             g_W=MathMax(860,fitW);
02697:     }
02698:
02699:     if(g_W<860)
02700:         g_W=860;
02701:     if(g_W>1120)
02702:         g_W=1120;
02703:
02704:     // Content-fit height: removes the bad empty full-height area while keeping
02705:     // every block readable and aligned.
02706:     g_H=732;
02707: }
02708:
02709: void Rect(string name,int x,int y,int w,int h,color bg,int z=1)
02710: {
02711:     ObjectDelete(0,name);
02712:     ObjectCreate(0,name,OBJ_RECTANGLE_LABEL,0,0,0);
02713:     ObjectSetInteger(0,name,OBJPROP_XDISTANCE,x);

```

```

02714:   ObjectSetInteger(0,name,OBJPROP_YDISTANCE,y);
02715:   ObjectSetInteger(0,name,OBJPROP_XSIZE,w);
02716:   ObjectSetInteger(0,name,OBJPROP_YSIZE,h);
02717:   ObjectSetInteger(0,name,OBJPROP_BGCOLOR,bg);
02718:   ObjectSetInteger(0,name,OBJPROP_COLOR,bg);
02719:   ObjectSetInteger(0,name,OBJPROP_BORDER_TYPE,BORDER_FLAT);
02720:   ObjectSetInteger(0,name,OBJPROP_CORNER,CORNER_LEFT_UPPER);
02721:   ObjectSetInteger(0,name,OBJPROP_BACK,false);
02722:   ObjectSetInteger(0,name,OBJPROP_SELECTABLE,false);
02723:   ObjectSetInteger(0,name,OBJPROP_HIDDEN,true);
02724:   ObjectSetInteger(0,name,OBJPROP_ZORDER,z);
02725: }
02726:
02727: void Border(string name,int x,int y,int w,int h,color clr)
02728: {
02729:   Rect(name+"_I",x,y,w,2,clr,2);
02730:   Rect(name+"_B",x,y+h-2,w,2,clr,2);
02731:   Rect(name+"_L",x,y,2,h,clr,2);
02732:   Rect(name+"_R",x+w-2,y,2,h,clr,2);
02733: }
02734:
02735: void Txt(string name,string text,int x,int y,color clr,int size,bool bold=false,int z=20)
02736: {
02737:   ObjectDelete(0,name);
02738:   ObjectCreate(0,name,OBJ_LABEL,0,0,0);
02739:   ObjectSetInteger(0,name,OBJPROP_XDISTANCE,x);
02740:   ObjectSetInteger(0,name,OBJPROP_YDISTANCE,y);
02741:   ObjectSetString(0,name,OBJPROP_TEXT,text);
02742:   ObjectSetInteger(0,name,OBJPROP_COLOR,clr);
02743:   int uiSize=size;
02744:   if(uiSize>=22) uiSize-=6;
02745:   else if(uiSize>=18) uiSize-=5;
02746:   else if(uiSize>=14) uiSize-=3;
02747:   else if(uiSize>=10) uiSize-=1;
02748:   if(uiSize<6) uiSize=6;
02749:   ObjectSetInteger(0,name,OBJPROP_FONTSIZE,uiSize);
02750:   ObjectSetString(0,name,OBJPROP_FONT,bold ? "Arial Bold" : "Arial");
02751:   ObjectSetInteger(0,name,OBJPROP_CORNER,CORNER_LEFT_UPPER);
02752:   ObjectSetInteger(0,name,OBJPROP_SELECTABLE,false);
02753:   ObjectSetInteger(0,name,OBJPROP_HIDDEN,true);
02754:   ObjectSetInteger(0,name,OBJPROP_BACK,false);
02755:   ObjectSetInteger(0,name,OBJPROP_ZORDER,z);
02756: }
02757:
02758:
02759: void DotLabel(string name,int x,int y,color clr,int size=22,int z=30)
02760: {
02761:   ObjectDelete(0,name);
02762:   ObjectCreate(0,name,OBJ_LABEL,0,0,0);
02763:   ObjectSetInteger(0,name,OBJPROP_XDISTANCE,x);
02764:   ObjectSetInteger(0,name,OBJPROP_YDISTANCE,y);
02765:   ObjectSetString(0,name,OBJPROP_TEXT,"●");
02766:   ObjectSetInteger(0,name,OBJPROP_COLOR,clr);
02767:   ObjectSetInteger(0,name,OBJPROP_FONTSIZE,size);
02768:   ObjectSetString(0,name,OBJPROP_FONT,"Arial Black");
02769:   ObjectSetInteger(0,name,OBJPROP_CORNER,CORNER_LEFT_UPPER);
02770:   ObjectSetInteger(0,name,OBJPROP_SELECTABLE,false);
02771:   ObjectSetInteger(0,name,OBJPROP_HIDDEN,true);
02772:   ObjectSetInteger(0,name,OBJPROP_BACK,false);
02773:   ObjectSetInteger(0,name,OBJPROP_ZORDER,z);
02774: }
02775:
02776: void SetDotColor(string name,bool enabled,color onColor)
02777: {
02778:   if(ObjectFind(0,name)<0)
02779:     return;
02780:
02781:   ObjectSetString(0,name,OBJPROP_TEXT,"●");
02782:   ObjectSetInteger(0,name,OBJPROP_COLOR,enabled ? onColor : C'38,45,62');
02783: }
02784:
02785: void SetCandleDotColor(string name,bool valid,bool aboveOpen)
02786: {
02787:   if(ObjectFind(0,name)<0)
02788:     return;
02789:
02790:   ObjectSetString(0,name,OBJPROP_TEXT,"●");
02791:   if(!valid)
02792:   {
02793:     ObjectSetInteger(0,name,OBJPROP_COLOR,C'38,45,62');
02794:     return;
02795:   }
02796:
02797:   ObjectSetInteger(0,name,OBJPROP_COLOR,aboveOpen ? C'20,225,75' : C'245,38,38');
02798: }
02799:
02800: void Btn(string name,string text,int x,int y,int w,int h,color bg,color fg,int size=9)
02801: {
02802:   ObjectDelete(0,name);
02803:   ObjectCreate(0,name,OBJ_BUTTON,0,0,0);
02804:   ObjectSetInteger(0,name,OBJPROP_XDISTANCE,x);
02805:   ObjectSetInteger(0,name,OBJPROP_YDISTANCE,y);
02806:   ObjectSetInteger(0,name,OBJPROP_XSIZE,w);
02807:   ObjectSetInteger(0,name,OBJPROP_YSIZE,h);
02808:   ObjectSetString(0,name,OBJPROP_TEXT,text);
02809:   ObjectSetInteger(0,name,OBJPROP_COLOR,fg);
02810:   ObjectSetInteger(0,name,OBJPROP_BGCOLOR,bg);
02811:   ObjectSetInteger(0,name,OBJPROP_BORDER_COLOR,C'70,78,105');
02812:   int uiSize=size;
02813:   if(uiSize>=22) uiSize-=6;
02814:   else if(uiSize>=18) uiSize-=5;

```

```

02815:     else if(uiSize>=14) uiSize-=3;
02816:     else if(uiSize>=10) uiSize-=1;
02817:     if(uiSize<6) uiSize=6;
02818:     ObjectSetInteger(0,name,OBJPROP_FONTSIZE,uiSize);
02819:     ObjectSetString(0,name,OBJPROP_FONT,"Arial Bold");
02820:     ObjectSetInteger(0,name,OBJPROP_CORNER,CORNER_LEFT_UPPER);
02821:     ObjectSetInteger(0,name,OBJPROP_SELECTABLE,false);
02822:     ObjectSetInteger(0,name,OBJPROP_HIDDEN,true);
02823:     ObjectSetInteger(0,name,OBJPROP_BACK,false);
02824:     ObjectSetInteger(0,name,OBJPROP_ZORDER,50);
02825:     ObjectSetInteger(0,name,OBJPROP_STATE,false);
02826: }
02827:
02828: void EditBox(string name,string text,int x,int y,int w,int h,color bg,color fg,int size=10)
02829: {
02830:     ObjectDelete(0,name);
02831:     ObjectCreate(0,name,OBJ_EDIT,0,0,0);
02832:     ObjectSetInteger(0,name,OBJPROP_XDISTANCE,x);
02833:     ObjectSetInteger(0,name,OBJPROP_YDISTANCE,y);
02834:     ObjectSetInteger(0,name,OBJPROP_XSIZE,w);
02835:     ObjectSetInteger(0,name,OBJPROP_YSIZE,h);
02836:     ObjectSetString(0,name,OBJPROP_TEXT,text);
02837:     ObjectSetInteger(0,name,OBJPROP_COLOR,fg);
02838:     ObjectSetInteger(0,name,OBJPROP_BGCOLOR,bg);
02839:     ObjectSetInteger(0,name,OBJPROP_BORDER_COLOR,C'85,95,125');
02840:     int uiSize=size;
02841:     if(uiSize>=22) uiSize-=6;
02842:     else if(uiSize>=18) uiSize-=5;
02843:     else if(uiSize>=14) uiSize-=3;
02844:     else if(uiSize>=10) uiSize-=1;
02845:     if(uiSize<6) uiSize=6;
02846:     ObjectSetInteger(0,name,OBJPROP_FONTSIZE,uiSize);
02847:     ObjectSetString(0,name,OBJPROP_FONT,"Arial Bold");
02848:     ObjectSetInteger(0,name,OBJPROP_CORNER,CORNER_LEFT_UPPER);
02849:     ObjectSetInteger(0,name,OBJPROP_SELECTABLE,false);
02850:     ObjectSetInteger(0,name,OBJPROP_HIDDEN,true);
02851:     ObjectSetInteger(0,name,OBJPROP_BACK,false);
02852:     ObjectSetInteger(0,name,OBJPROP_ZORDER,70);
02853:     ObjectSetInteger(0,name,OBJPROP_READONLY,false);
02854:     ObjectSetInteger(0,name,OBJPROP_ALIGN,ALIGN_CENTER);
02855: }
02856:
02857: void SetTxt(string name,string text,color clr)
02858: {
02859:     if(ObjectFind(0,name)<0)
02860:         return;
02861:     ObjectSetString(0,name,OBJPROP_TEXT,text);
02862:     ObjectSetInteger(0,name,OBJPROP_COLOR,clr);
02863: }
02864:
02865: void SetRect(string name,color bg)
02866: {
02867:     if(ObjectFind(0,name)<0)
02868:         return;
02869:     ObjectSetInteger(0,name,OBJPROP_BGCOLOR,bg);
02870:     ObjectSetInteger(0,name,OBJPROP_COLOR,bg);
02871: }
02872:
02873: void SetBtn(string name,color bg,color fg,string text="")
02874: {
02875:     if(ObjectFind(0,name)<0)
02876:         return;
02877:     ObjectSetInteger(0,name,OBJPROP_BGCOLOR,bg);
02878:     ObjectSetInteger(0,name,OBJPROP_COLOR,fg);
02879:     if(text!="")
02880:         ObjectSetString(0,name,OBJPROP_TEXT,text);
02881:     ObjectSetInteger(0,name,OBJPROP_STATE,false);
02882: }
02883:
02884: void SetEditText(string name,double value,int digits)
02885: {
02886:     if(ObjectFind(0,name)<0)
02887:         return;
02888:     ObjectSetString(0,name,OBJPROP_TEXT,DoubleToString(value,digits));
02889: }
02890:
02891: void SectionTitle(string key,string title,int x,int y,int w,color bg,color fg)
02892: {
02893:     Rect(UI+key+"_BG",x,y,w,26,bg,5);
02894:     Txt(UI+key+"_TXT",title,x+12,y+5,fg,8,true,25);
02895: }
02896:
02897: datetime DayStart(datetime t)
02898: {
02899:     MqlDateTime dt;
02900:     TimeToStruct(t,dt);
02901:     dt.hour=0;
02902:     dt.min=0;
02903:     dt.sec=0;
02904:     return StructToTime(dt);
02905: }
02906:
02907: string MoneyText(double v)
02908: {
02909:     string cur=AccountInfoString(ACCOUNT_CURRENCY);
02910:     if(StringLen(cur)>0)
02911:         return cur+" "+DoubleToString(v,2);
02912:     return DoubleToString(v,2);
02913: }
02914:
02915: string SignedMoneyText(double v)

```

```

02916: {
02917:     string s=MoneyText(MathAbs(v));
02918:     if(v>0.0)
02919:         return "+"+s;
02920:     if(v<0.0)
02921:         return "-"+s;
02922:     return s;
02923: }
02924:
02925: void CalcDealStats(datetime fromTime,int &trades,int &wins,int &losses,double &net,double &grossProfit,double
&grossLoss)
02926: {
02927:     trades=0;
02928:     wins=0;
02929:     losses=0;
02930:     net=0.0;
02931:     grossProfit=0.0;
02932:     grossLoss=0.0;
02933:
02934:     if(!HistorySelect(fromTime,TimeCurrent()))
02935:         return;
02936:
02937:     int total=HistoryDealsTotal();
02938:     for(int i=0;i<total;i++)
02939:     {
02940:         ulong deal=HistoryDealGetTicket(i);
02941:         if(deal==0)
02942:             continue;
02943:
02944:         if(HistoryDealGetString(deal,DEAL_SYMBOL)!=_Symbol)
02945:             continue;
02946:         if(!IsDashboardMagic((long)HistoryDealGetInteger(deal,DEAL_MAGIC)))
02947:             continue;
02948:
02949:         long entry=HistoryDealGetInteger(deal,DEAL_ENTRY);
02950:         if(entry!=DEAL_ENTRY_OUT && entry!=DEAL_ENTRY_INOUT && entry!=DEAL_ENTRY_OUT_BY)
02951:             continue;
02952:
02953:         double p=HistoryDealGetDouble(deal,DEAL_PROFIT)+
02954:             HistoryDealGetDouble(deal,DEAL_SWAP)+
02955:             HistoryDealGetDouble(deal,DEAL_COMMISSION);
02956:
02957:         trades++;
02958:         net+=p;
02959:
02960:         if(p>0.0)
02961:         {
02962:             wins++;
02963:             grossProfit+=p;
02964:         }
02965:         else if(p<0.0)
02966:         {
02967:             losses++;
02968:             grossLoss+=MathAbs(p);
02969:         }
02970:     }
02971: }
02972:
02973: double OpenProfit()
02974: {
02975:     double p=0.0;
02976:     for(int i=PositionsTotal()-1;i>=0;i--)
02977:     {
02978:         ulong ticket=PositionGetTicket(i);
02979:         if(ticket==0)
02980:             continue;
02981:
02982:         if(PositionGetString(POSITION_SYMBOL)==_Symbol &&
02983:             IsDashboardMagic((long)PositionGetInteger(POSITION_MAGIC)))
02984:             p+=PositionGetDouble(POSITION_PROFIT);
02985:     }
02986:     return p;
02987: }
02988:
02989: double CurrentPositionRR()
02990: {
02991:     if(!SelectOurPosition())
02992:         return 0.0;
02993:
02994:     bool isBuy=((ENUM_POSITION_TYPE)PositionGetInteger(POSITION_TYPE)==POSITION_TYPE_BUY);
02995:     double entry=PositionGetDouble(POSITION_PRICE_OPEN);
02996:     double price=isBuy ? SymbolInfoDouble(_Symbol,SYMBOL_BID) : SymbolInfoDouble(_Symbol,SYMBOL_ASK);
02997:     double risk=g_RiskDistance;
02998:
02999:     if(risk<=0.0)
03000:         risk=MathAbs(entry-PositionGetDouble(POSITION_SL));
03001:     if(risk<=0.0)
03002:         return 0.0;
03003:
03004:     double move=isBuy ? price-entry : entry-price;
03005:     return move/risk;
03006: }
03007:
03008: string SessionName()
03009: {
03010:     MqlDateTime dt;
03011:     TimeToStruct(TimeCurrent(),dt);
03012:
03013:     if(dt.hour>=13 && dt.hour<22)
03014:         return "NEW YORK";
03015:     if(dt.hour>=7 && dt.hour<16)

```



```

03016:         return "LONDON";
03017:     if(dt.hour>=0 && dt.hour<7)
03018:         return "ASIA";
03019:     return "OFF HOURS";
03020: }
03021:
03022: string SessionTimeLeft()
03023: {
03024:     MqlDateTime dt;
03025:     TimeToStruct(TimeCurrent(),dt);
03026:
03027:     int endHour=24;
03028:     if(dt.hour>=13 && dt.hour<22)
03029:         endHour=22;
03030:     else if(dt.hour>=7 && dt.hour<16)
03031:         endHour=16;
03032:     else if(dt.hour>=0 && dt.hour<7)
03033:         endHour=7;
03034:
03035:     int mins=(endHour-dt.hour)*60-dt.min;
03036:     if(mins<0)
03037:         mins=0;
03038:
03039:     return IntegerToString(mins/60)+"H "+IntegerToString(mins%60)+"M";
03040: }
03041:
03042: string CandleCloseTimerText()
03043: {
03044:     int periodSeconds=PeriodSeconds(_Period);
03045:     datetime barOpen=iTime(_Symbol,_Period,0);
03046:     if(periodSeconds<=0 || barOpen<=0)
03047:         return "--:--";
03048:
03049:     long elapsed=(long)(TimeCurrent()-barOpen);
03050:     long left=(long)periodSeconds-elapsed;
03051:     if(left<0)
03052:         left=0;
03053:
03054:     if(left>=3600)
03055:         return StringFormat("%02d:%02d:%02d", (int)(left/3600), (int)((left%3600)/60), (int)(left%60));
03056:
03057:     return StringFormat("%02d:%02d", (int)(left/60), (int)(left%60));
03058: }
03059:
03060: int QualityScore()
03061: {
03062:     int score=0;
03063:
03064:     if(TerminalInfoInteger(TERMINAL_TRADE_ALLOWED) && MQLInfoInteger(MQL_TRADE_ALLOWED))
03065:         score++;
03066:     if(AccountInfoInteger(ACCOUNT_TRADE_ALLOWED))
03067:         score++;
03068:     if(!SpreadBlocksTrades() || CurrentSpreadPoints()<=InpMaxSpreadPoints)
03069:         score++;
03070:     string tradeReason="";
03071:     if(IsTradingAllowedForDirection(true,tradeReason) || IsTradingAllowedForDirection(false,tradeReason))
03072:         score++;
03073:     if(g_ArmedMode!=ARM_NONE || g_AutoArm)
03074:         score++;
03075:     if(HasEnoughBars())
03076:         score++;
03077:
03078:     PatternSignal sig;
03079:     if(DetectPattern(1,true,sig) || DetectPattern(1,false,sig))
03080:         score+=2;
03081:
03082:     if(score>8)
03083:         score=8;
03084:     return score;
03085: }
03086:
03087: string QualityText(int score)
03088: {
03089:     if(score>=7)
03090:         return "A+++";
03091:     if(score>=5)
03092:         return "B";
03093:     return "C";
03094: }
03095:
03096: color QualityColor(int score)
03097: {
03098:     if(score>=7)
03099:         return clrLime;
03100:     if(score>=5)
03101:         return clrGold;
03102:     return clrTomato;
03103: }
03104:
03105: void CardBox(string key,string title,string v1,string l2,string v2,int x,int y,int w,int h,color accent)
03106: {
03107:     Rect(UI+key+"_BOX",x,y,w,h,C'10,16,30',4);
03108:     Border(UI+key+"_BRD",x,y,w,h,C'24,36,58');
03109:     Txt(UI+key+"_T",title,x+16,y+14,C'185,195,220',8,true,25);
03110:     Txt(UI+key+"_V1",v1,x+16,y+42,accent,15,true,25);
03111:     Txt(UI+key+"_L2",l2,x+16,y+78,C'150,160,185',8,true,25);
03112:     Txt(UI+key+"_V2",v2,x+16,y+96,clrWhite,10,true,25);
03113: }
03114:
03115: void StatBox(string key,string title,string value,int x,int y,int w,int h,color valueColor)
03116: {

```

```

03117: Rect(UI+key+"_BOX",x,y,w,h,C'9,14,27',4);
03118: Border(UI+key+"_BRD",x,y,w,h,C'24,34,52');
03119: Txt(UI+key+"_T",title,x+12,y+14,C'150,160,185',8,true,25);
03120: Txt(UI+key+"_V",value,x+12,y+38,valueColor,13,true,25);
03121: }
03122:
03123: void MiniCard(string key,string title,string v1,string l2,string v2,int x,int y,int w,int h,color accent)
03124: {
03125:     Rect(UI+key+"_BOX",x,y,w,h,C'8,15,29',4);
03126:     Border(UI+key+"_BRD",x,y,w,h,C'22,36,58');
03127:
03128:     if(h<=70)
03129:     {
03130:         Txt(UI+key+"_T",title,x+9,y+5,C'160,174,204',6,true,25);
03131:         Txt(UI+key+"_V1",v1,x+9,y+20,accent,10,true,25);
03132:         Txt(UI+key+"_L2",l2,x+9,y+38,C'120,136,166',6,true,25);
03133:         Txt(UI+key+"_V2",v2,x+9,y+49,clrWhite,7,true,25);
03134:         return;
03135:     }
03136:
03137:     Txt(UI+key+"_T",title,x+10,y+9,C'160,174,204',6,true,25);
03138:     Txt(UI+key+"_V1",v1,x+10,y+29,accent,11,true,25);
03139:     Txt(UI+key+"_L2",l2,x+10,y+59,C'120,136,166',6,true,25);
03140:     Txt(UI+key+"_V2",v2,x+10,y+74,clrWhite,8,true,25);
03141: }
03142:
03143:
03144: void MiniStat(string key,string title,string value,int x,int y,int w,int h,color valueColor)
03145: {
03146:     Rect(UI+key+"_BOX",x,y,w,h,C'8,14,26',4);
03147:     Border(UI+key+"_BRD",x,y,w,h,C'24,34,52');
03148:
03149:     if(h<=32)
03150:     {
03151:         Txt(UI+key+"_T",title,x+7,y+4,C'140,154,184',6,true,25);
03152:         Txt(UI+key+"_V",value,x+7,y+17,valueColor,7,true,25);
03153:         return;
03154:     }
03155:
03156:     Txt(UI+key+"_T",title,x+8,y+6,C'140,154,184',6,true,25);
03157:     Txt(UI+key+"_V",value,x+8,y+23,valueColor,8,true,25);
03158: }
03159:
03160:
03161: void MetricRow(string key,string leftTitle,string leftValue,string rightTitle,string rightValue,
03162:     int x,int y,int w,int h,color leftColor,color rightColor)
03163: {
03164:     int mid=x+w/2;
03165:     Rect(UI+key+"_BOX",x,y,w,h,C'8,13,24',4);
03166:     Border(UI+key+"_BRD",x,y,w,h,C'24,36,58');
03167:     Txt(UI+key+"_L1",leftTitle,x+8,y+6,C'150,165,195',7,true,25);
03168:     Txt(UI+key+"_V1",leftValue,x+8,y+20,leftColor,10,true,25);
03169:     Txt(UI+key+"_L2",rightTitle,mid+6,y+6,C'150,165,195',7,true,25);
03170:     Txt(UI+key+"_V2",rightValue,mid+6,y+20,rightColor,10,true,25);
03171: }
03172:
03173:
03174: //=====
03175: // LIVE CANDLE / SWEEP STRUCTURE PANEL
03176: //=====
03177: int H4BlockNumber(datetime t)
03178: {
03179:     MqlDateTime dt;
03180:     TimeToStruct(t,dt);
03181:     return (dt.hour/4)+1; // broker-server day: 1,2,3,4,5,6
03182: }
03183:
03184: bool LatestH4ShiftByParity(bool wantOdd,int &shiftOut)
03185: {
03186:     shiftOut=-1;
03187:     int bars=iBars(_Symbol,PERIOD_H4);
03188:     if(bars<2)
03189:         return false;
03190:
03191:     int maxScan=MathMin(bars-1,30);
03192:     for(int sh=0; sh<=maxScan; sh++)
03193:     {
03194:         datetime t=iTime(_Symbol,PERIOD_H4,sh);
03195:         if(t<=0)
03196:             continue;
03197:
03198:         int block=H4BlockNumber(t);
03199:         bool isOdd=((block%2)==1);
03200:         if(isOdd==wantOdd)
03201:         {
03202:             shiftOut=sh;
03203:             return true;
03204:         }
03205:     }
03206:
03207:     return false;
03208: }
03209:
03210: bool PriceAboveOpen(ENUM_TIMEFRAMES tf,int shift,bool &aboveOpen)
03211: {
03212:     aboveOpen=false;
03213:     if(iBars(_Symbol,tf)<=shift)
03214:         return false;
03215:
03216:     double op=iOpen(_Symbol,tf,shift);
03217:     double bid=SymbolInfoDouble(_Symbol,SYMBOL_BID);

```

```

03218: double ask=SymbolInfoDouble(_Symbol,SYMBOL_ASK);
03219: double price=bid;
03220: if(price<=0.0)
03221:     price=ask;
03222: if(op<=0.0 || price<=0.0)
03223:     return false;
03224:
03225: aboveOpen=(price>=op);
03226: return true;
03227: }
03228:
03229: bool StandardSweep(ENUM_TIMEFRAMES tf,bool &highSweep,bool &lowSweep)
03230: {
03231:     highSweep=false;
03232:     lowSweep=false;
03233:
03234:     if(iBars(_Symbol,tf)<3)
03235:         return false;
03236:
03237:     double h0=iHigh(_Symbol,tf,0);
03238:     double l0=iLow(_Symbol,tf,0);
03239:     double h1=iHigh(_Symbol,tf,1);
03240:     double l1=iLow(_Symbol,tf,1);
03241:
03242:     if(h0<=0.0 || l0<=0.0 || h1<=0.0 || l1<=0.0)
03243:         return false;
03244:
03245:     highSweep=(h0>h1+_Point*0.1);
03246:     lowSweep=(l0<l1-_Point*0.1);
03247:     return true;
03248: }
03249:
03250: bool H4ParitySweep(bool wantOdd,bool &highSweep,bool &lowSweep)
03251: {
03252:     highSweep=false;
03253:     lowSweep=false;
03254:
03255:     int sh=-1;
03256:     if(!LatestH4ShiftByParity(wantOdd,sh))
03257:         return false;
03258:
03259:     if(iBars(_Symbol,PERIOD_H4)<=sh+1)
03260:         return false;
03261:
03262:     double h=iHigh(_Symbol,PERIOD_H4,sh);
03263:     double l=iLow(_Symbol,PERIOD_H4,sh);
03264:     double prevH=iHigh(_Symbol,PERIOD_H4,sh+1);
03265:     double prevL=iLow(_Symbol,PERIOD_H4,sh+1);
03266:
03267:     if(h<=0.0 || l<=0.0 || prevH<=0.0 || prevL<=0.0)
03268:         return false;
03269:
03270:     highSweep=(h>prevH+_Point*0.1);
03271:     lowSweep=(l<prevL-_Point*0.1);
03272:     return true;
03273: }
03274:
03275: void BuildCandleStructureRow(string key,string label,int x,int y,int w,int rowH)
03276: {
03277:     Rect(UI+key+"_SEP",x+12,y+rowH-1,w-24,1,C'24,36,58',6);
03278:     Txt(UI+key+"_L",label,x+20,y+6,clrWhite,8,true,25);
03279:     // Smaller dot with more vertical padding = no overflow outside the row.
03280:     DotLabel(UI+key+"_DOT",x+w-56,y+5,C'38,45,62',13,35);
03281: }
03282:
03283: void BuildSweepStructureRow(string key,string label,int x,int y,int w,int rowH)
03284: {
03285:     Rect(UI+key+"_SEP",x+12,y+rowH-1,w-24,1,C'24,36,58',6);
03286:     Txt(UI+key+"_L",label,x+18,y+6,clrWhite,8,true,25);
03287:
03288:     int highX=x+w/2-62;
03289:     int lowX=x+w-142;
03290:
03291:     Txt(UI+key+"_HT","High",highX,y+7,clrWhite,7,false,25);
03292:     DotLabel(UI+key+"_HDOT",highX+62,y+5,C'38,45,62',13,35);
03293:
03294:     Txt(UI+key+"_LT","Low",lowX,y+7,clrWhite,7,false,25);
03295:     DotLabel(UI+key+"_LDOT",lowX+66,y+5,C'38,45,62',13,35);
03296: }
03297:
03298: int BuildStructureSections(int x,int y,int w)
03299: {
03300:     int gap=10;
03301:     int h=176;
03302:     int leftW=(w-gap)/2;
03303:     int rightW=w-leftW-gap;
03304:     int leftX=x;
03305:     int rightX=x+leftW+gap;
03306:     int rowH=30;
03307:     int rowY=y+48;
03308:
03309:     Rect(UI+"CS_BG",leftX,y,leftW,h,C'5,11,22',4);
03310:     Border(UI+"CS_BRD",leftX,y,leftW,h,C'28,46,74');
03311:     Rect(UI+"CS_ACC",leftX,y,4,h,C'0,140,255',6);
03312:     Txt(UI+"CS_TITLE","CANDLE STRUCTURE",leftX+18,y+14,C'25,155,255',10,true,25);
03313:     Txt(UI+"CS_NOTE","price vs open",leftX+leftW-132,y+18,C'110,130,160',6,false,25);
03314:
03315:     BuildCandleStructureRow("CS_D1","D1",leftX+8,rowY,leftW-16,rowH);
03316:     rowY+=rowH;
03317:     BuildCandleStructureRow("CS_H40","H4 Odd",leftX+8,rowY,leftW-16,rowH);
03318:     rowY+=rowH;

```

```

03319: BuildCandleStructureRow("CS_H4E", "H4 Even", leftX+8, rowY, leftW-16, rowH);
03320: rowY+=rowH;
03321: BuildCandleStructureRow("CS_H1", "H1", leftX+8, rowY, leftW-16, rowH);
03322:
03323: rowY=y+48;
03324: Rect(UI+"SW_BG", rightX, y, rightW, h, C'5, 11, 22', 4);
03325: Border(UI+"SW_BRD", rightX, y, rightW, h, C'28, 46, 74');
03326: Rect(UI+"SW_ACC", rightX, y, 4, h, C'0, 140, 255', 6);
03327: Txt(UI+"SW_TITLE", "SWEEP STRUCTURE", rightX+18, y+14, C'25, 155, 255', 10, true, 25);
03328: Txt(UI+"SW_NOTE", "high red | low green", rightX+rightW-172, y+18, C'110, 130, 160', 6, false, 25);
03329:
03330: BuildSweepStructureRow("SW_H1", "H1", rightX+8, rowY, rightW-16, rowH);
03331: rowY+=rowH;
03332: BuildSweepStructureRow("SW_H4O", "H4 Odd", rightX+8, rowY, rightW-16, rowH);
03333: rowY+=rowH;
03334: BuildSweepStructureRow("SW_H4E", "H4 Even", rightX+8, rowY, rightW-16, rowH);
03335: rowY+=rowH;
03336: BuildSweepStructureRow("SW_D1", "D1", rightX+8, rowY, rightW-16, rowH);
03337:
03338: return h;
03339: }
03340:
03341: void UpdateStructureSections()
03342: {
03343:     bool above=false;
03344:     bool valid=false;
03345:     int sh=-1;
03346:
03347:     // Candle Structure:
03348:     // Green = live price above opening.
03349:     // Red = live price below opening.
03350:     valid=PriceAboveOpen(PERIOD_D1, 0, above);
03351:     SetCandleDotColor(UI+"CS_D1_DOT", valid, above);
03352:
03353:     valid=PriceAboveOpen(PERIOD_H1, 0, above);
03354:     SetCandleDotColor(UI+"CS_H1_DOT", valid, above);
03355:
03356:     bool oddAbove=false;
03357:     bool validOdd=LatestH4ShiftByParity(true, sh);
03358:     if(validOdd)
03359:         validOdd=PriceAboveOpen(PERIOD_H4, sh, oddAbove);
03360:     SetCandleDotColor(UI+"CS_H4O_DOT", validOdd, oddAbove);
03361:
03362:     bool evenAbove=false;
03363:     bool validEven=LatestH4ShiftByParity(false, sh);
03364:     if(validEven)
03365:         validEven=PriceAboveOpen(PERIOD_H4, sh, evenAbove);
03366:     SetCandleDotColor(UI+"CS_H4E_DOT", validEven, evenAbove);
03367:
03368:     // Sweep Structure:
03369:     // High sweep = red light.
03370:     // Low sweep = green light.
03371:     // If both swept, both lights stay ON.
03372:     bool hi=false;
03373:     bool lo=false;
03374:
03375:     valid=StandardSweep(PERIOD_H1, hi, lo);
03376:     SetDotColor(UI+"SW_H1_HDOT", valid && hi, C'245, 38, 38');
03377:     SetDotColor(UI+"SW_H1_LDOT", valid && lo, C'20, 225, 75');
03378:
03379:     valid=H4ParitySweep(true, hi, lo);
03380:     SetDotColor(UI+"SW_H4O_HDOT", valid && hi, C'245, 38, 38');
03381:     SetDotColor(UI+"SW_H4O_LDOT", valid && lo, C'20, 225, 75');
03382:
03383:     valid=H4ParitySweep(false, hi, lo);
03384:     SetDotColor(UI+"SW_H4E_HDOT", valid && hi, C'245, 38, 38');
03385:     SetDotColor(UI+"SW_H4E_LDOT", valid && lo, C'20, 225, 75');
03386:
03387:     valid=StandardSweep(PERIOD_D1, hi, lo);
03388:     SetDotColor(UI+"SW_D1_HDOT", valid && hi, C'245, 38, 38');
03389:     SetDotColor(UI+"SW_D1_LDOT", valid && lo, C'20, 225, 75');
03390: }
03391:
03392: void BuildPanel()
03393: {
03394:     CalcPanelGeometry();
03395:     ObjectsDeleteAll(0, UI);
03396:
03397:     int x=g_X;
03398:     int y=g_Y;
03399:     int W=g_W;
03400:     int H=g_H;
03401:
03402:     int pad=18;
03403:     int gap=10;
03404:     int inner=W-pad*2;
03405:
03406:     color bg=C'3, 8, 16';
03407:     color card=C'7, 13, 24';
03408:     color card2=C'15, 18, 38';
03409:     color border=C'24, 38, 62';
03410:     color soft=C'150, 165, 195';
03411:     color title=clrWhite;
03412:
03413:     int cy=y+10;
03414:
03415:     Rect(UI+"BG", x, y, W, H, bg, 1);
03416:     Border(UI+"BORDER", x, y, W, H, C'18, 38, 64');
03417:
03418:     // Header only. Removed account balance, daily P&L, spread and time-server cards.
03419:     int headerH=50;

```

```

03420: Txt(UI+"TITLE", "3-CANDLE EA v6.9",x+pad,cy+2,clrWhite,13,true,25);
03421: Txt(UI+"SUB",ClipText(_Symbol+" | "+EnumToString(_Period)+" | Clean Pro
Controller",68),x+pad,cy+28,C'145,170,215',8,true,25);
03422: Txt(UI+"CONN", "EA ON",x+W-86,cy+5,clrLime,8,true,25);
03423: Txt(UI+"VPS", "ONLINE",x+W-86,cy+25,clrLime,7,true,25);
03424: cy+=headerH+gap;
03425:
03426: // Status + daily lock row. This keeps useful lock info but removes the requested cards.
03427: int statusH=72;
03428: int dlockW=260;
03429: int statusW=inner-dlockW-gap;
03430:
03431: Rect(UI+"STBG",x+pad,cy,statusW,statusH,card2,4);
03432: Border(UI+"STBRD",x+pad,cy,statusW,statusH,border);
03433: Txt(UI+"STLBL", "STATUS",x+pad+16,cy+9,soft,8,true,25);
03434: Txt(UI+"STVAL", "WAITING FOR SETUP",x+pad+16,cy+28,clrWhite,15,true,25);
03435: Txt(UI+"STSUB", "Arm BUY or SELL and wait for next fresh model",x+pad+16,cy+54,C'180,190,215',8,true,25);
03436:
03437: int dlx=x+pad+statusW+gap;
03438: Rect(UI+"DLOCK_BOX",dlx,cy,dlockW,statusH,card,4);
03439: Border(UI+"DLOCK_BRD",dlx,cy,dlockW,statusH,border);
03440: Txt(UI+"DLOCK_T", "DAILY LOSS LOCK",dlx+14,cy+9,soft,7,true,25);
03441: Txt(UI+"DLOCK_V1", "0 / 2",dlx+14,cy+28,clrGold,13,true,25);
03442: Txt(UI+"DLOCK_L2", "STATUS",dlx+126,cy+11,soft,7,true,25);
03443: Txt(UI+"DLOCK_V2", "ACTIVE",dlx+126,cy+31,clrLime,9,true,25);
03444: cy+=statusH+gap;
03445:
03446: // Candle + Sweep structure. Real-time dots update from OnTimer().
03447: cy+=BuildStructureSections(x+pad,cy,inner)+gap;
03448:
03449: // Arming + quality row.
03450: int leftW=(inner-gap)*65/100;
03451: int rightW=inner-leftW-gap;
03452: int mainH=150;
03453:
03454: Rect(UI+"ARMBG",x+pad,cy,leftW,mainH,card,4);
03455: Border(UI+"ARMBRD",x+pad,cy,leftW,mainH,border);
03456: Txt(UI+"ARMT", "ARMING CONTROLS",x+pad+16,cy+12,title,10,true,25);
03457:
03458: int armY=cy+46;
03459: int armBtnW=(leftW-52)/3;
03460: Btn(B_BUY, "ARM BUY",x+pad+16,armY,armBtnW,38,C'0,120,50',clrWhite,9);
03461: Btn(B_AUTO, "AUTO ARM",x+pad+26+armBtnW,armY,armBtnW,38,C'25,36,52',clrWhite,9);
03462: Btn(B_SELL, "ARM SELL",x+pad+36+armBtnW*2,armY,armBtnW,38,C'145,28,28',clrWhite,9);
03463:
03464: int armInfoY=cy+102;
03465: int armCol=(leftW-32)/4;
03466: Txt(UI+"ASL", "ARM STATUS",x+pad+16,armInfoY,soft,7,true,25);
03467: Txt(UI+"ASV", "OFF",x+pad+16,armInfoY+18,clrSilver,8,true,25);
03468: Txt(UI+"ATL", "ARM TIMER",x+pad+16+armCol,armInfoY,soft,7,true,25);
03469: Txt(UI+"ATV", "00:00:00",x+pad+16+armCol,armInfoY+18,clrWhite,9,true,25);
03470: Txt(UI+"BIASL", "CC TIMER",x+pad+16+armCol*2,armInfoY,soft,7,true,25);
03471: Txt(UI+"BIASV", "- - - -",x+pad+16+armCol*2,armInfoY+18,clrDeepSkyBlue,8,true,25);
03472: Txt(UI+"CONFL", "CONFIRM",x+pad+16+armCol*3,armInfoY,soft,7,true,25);
03473: Txt(UI+"CONFV", "NO",x+pad+16+armCol*3,armInfoY+18,clrSilver,8,true,25);
03474:
03475: Rect(UI+"QUALBG",x+pad+leftW+gap,cy,rightW,mainH,card,4);
03476: Border(UI+"QUALBRD",x+pad+leftW+gap,cy,rightW,mainH,border);
03477: Txt(UI+"QUALT", "TRADE QUALITY SCORE",x+pad+leftW+gap+16,cy+12,title,10,true,25);
03478: Txt(UI+"QUALV", "0 / 8",x+pad+leftW+gap+36,cy+48,clrWhite,20,true,25);
03479: Txt(UI+"QUALS", "WAITING",x+pad+leftW+gap+36,cy+86,C'180,190,215',7,true,25);
03480: Rect(UI+"QUALBARBG",x+pad+leftW+gap+22,cy+110,rightW-44,6,C'30,38,52',5);
03481: Rect(UI+"QUALBARA",x+pad+leftW+gap+22,cy+110,(rightW-44)/3,6,C'35,175,80',6);
03482: Rect(UI+"QUALBARB",x+pad+leftW+gap+22+(rightW-44)/3,cy+110,(rightW-44)/3,6,C'225,170,24',6);
03483: Rect(UI+"QUALBARC",x+pad+leftW+gap+22+(rightW-44)*2/3,cy+110,(rightW-44)/3,6,C'210,45,36',6);
03484: Txt(UI+"QUALR1", "7-8 A+++",x+pad+leftW+gap+24,cy+128,clrLime,7,true,25);
03485: Txt(UI+"QUALR2", "5-6 B",x+pad+leftW+gap+108,cy+128,clrGold,7,true,25);
03486: Txt(UI+"QUALR3", "0-4 C",x+pad+leftW+gap+174,cy+128,clrTomato,7,true,25);
03487: cy+=mainH+gap;
03488:
03489: // Risk + mode row.
03490: int riskW=(inner-gap)*65/100;
03491: int modeW=inner-riskW-gap;
03492: int rowH=150;
03493:
03494: Rect(UI+"RISKBG",x+pad,cy,riskW,rowH,card,4);
03495: Border(UI+"RISKBRD",x+pad,cy,riskW,rowH,border);
03496: Txt(UI+"RISKT", "RISK MANAGEMENT",x+pad+16,cy+12,title,10,true,25);
03497:
03498: int groupY=cy+44;
03499: int groupH=72;
03500: int groupGap=10;
03501: int groupW=(riskW-32-groupGap*2)/3;
03502: int gx=x+pad+16;
03503:
03504: Rect(UI+"LOTBOX",gx,groupY,groupW,groupH,C'9,16,30',4);
03505: Border(UI+"LOTBOXBRD",gx,groupY,groupW,groupH,C'22,36,58');
03506: Txt(UI+"LOTL", "LOT SIZE",gx+10,groupY+8,soft,7,true,25);
03507: Btn(B_LOT_DN, "-",gx+10,groupY+35,28,28,C'24,34,48',clrWhite,9);
03508: EditText(E_LOT,DoubleToString(g_lot,VolumeDigits()),gx+43,groupY+35,66,28,C'12,18,30',clrWhite,9);
03509: Btn(B_LOT_UP, "+",gx+114,groupY+35,28,28,C'24,34,48',clrWhite,9);
03510:
03511: gx+=groupW+groupGap;
03512: Rect(UI+"RISKBOX",gx,groupY,groupW,groupH,C'9,16,30',4);
03513: Border(UI+"RISKBOXBRD",gx,groupY,groupW,groupH,C'22,36,58');
03514: Txt(UI+"RISKI", "RISK "+AccountInfoString(ACCOUNT_CURRENCY),gx+10,groupY+8,soft,7,true,25);
03515: Btn(B_RISK_DN, "-",gx+10,groupY+35,28,28,C'24,34,48',clrWhite,9);
03516: EditText(E_RISK,DoubleToString(g_RiskMoney,2),gx+43,groupY+35,78,28,C'12,18,30',clrWhite,9);
03517: Btn(B_RISK_UP, "+",gx+126,groupY+35,28,28,C'24,34,48',clrWhite,9);
03518:
03519: gx+=groupW+groupGap;

```

```

03520: Rect(UI+"RRBOX",gx,groupY,groupW,groupH,C'9,16,30',4);
03521: Border(UI+"RRBOXBRD",gx,groupY,groupW,groupH,C'22,36,58');
03522: Txt(UI+"RRL","RR TARGET",gx+10,groupY+8,soft,7,true,25);
03523: Btn(B_RR_DN,"-",gx+10,groupY+35,28,28,C'24,34,48',clrWhite,9);
03524: Txt(UI+"RRV","1:3.0",gx+48,groupY+42,clrWhite,9,true,25);
03525: Btn(B_RR_UP,"+",gx+114,groupY+35,28,28,C'24,34,48',clrWhite,9);
03526:
03527: Txt(UI+"LOTRANGE","Min -- Step -- Max --",x+pad+16,cy+126,C'120,135,165',7,false,25);
03528: Txt(UI+"RISKAMT","Risk --",x+pad+riskW/2-38,cy+126,C'120,135,165',7,false,25);
03529: Txt(UI+"RRTXT","TP 3R | SL modeL",x+pad+riskW-158,cy+126,C'120,135,165',7,false,25);
03530:
03531: Rect(UI+"MODEBG",x+pad+riskW+gap,cy,modelW,rowH,card,4);
03532: Border(UI+"MODEBRD",x+pad+riskW+gap,cy,modelW,rowH,border);
03533: Txt(UI+"MODET","TRADE MODE",x+pad+riskW+gap+16,cy+12,title,10,true,25);
03534: Btn(B_MODE_SAFE,"SAFE MODE",x+pad+riskW+gap+16,cy+44,(modelW-44)/2,32,C'0,95,170',clrWhite,8);
03535: Btn(B_MODE_ADV,"ADVANCED",x+pad+riskW+gap+28+(modelW-44)/2,cy+44,(modelW-44)/2,32,C'24,34,48',clrWhite,8);
03536: Btn(B_PC,g_PC_On ? "PART ON" : "PART OFF",x+pad+riskW+gap+16,cy+95,72,24,g_PC_On ? C'20,150,65' :
C'92,34,34',clrWhite,7);
03537: Txt(UI+"PCSTAT","Partial OFF",x+pad+riskW+gap+94,cy+99,C'180,190,210',7,true,25);
03538: EditBox(E_PC1,DoubleToString(g_PC1_Pct,0),x+pad+riskW+gap+184,cy+93,36,24,C'12,18,30',clrYellow,7);
03539: EditBox(E_PC2,DoubleToString(g_PC2_Pct,0),x+pad+riskW+gap+226,cy+93,36,24,C'12,18,30',clrYellow,7);
03540: EditBox(E_PC3,DoubleToString(g_PC3_Pct,0),x+pad+riskW+gap+268,cy+93,36,24,C'12,18,30',clrYellow,7);
03541: Btn(B_SECOND,g_SecondEntryOn ? "2ND ON" : "2ND OFF",x+pad+riskW+gap+16,cy+122,72,24,g_SecondEntryOn ? C'20,150,65' :
C'92,34,34',clrWhite,7);
03542: Txt(UI+"SESTAT","2nd entry OFF",x+pad+riskW+gap+94,cy+126,C'150,165,195',7,false,25);
03543: Txt(UI+"FPESTAT","1st auto exit waits 2nd",x+pad+riskW+gap+224,cy+126,C'150,165,195',7,false,25);
03544: cy+=rowH+gap;
03545:
03546: // Message footer. Account statistics and position info are removed.
03547: int msgH=52;
03548: Rect(UI+"MSGBG",x+pad,cy,inner,msgH,card,4);
03549: Border(UI+"MSGBRD",x+pad,cy,inner,msgH,border);
03550: Txt(UI+"MSGT","MESSAGE",x+pad+16,cy+9,soft,7,true,25);
03551: Txt(UI+"MSG","Ready",x+pad+16,cy+28,C'150,165,195',7,true,25);
03552:
03553: int manageBtnW=50;
03554: int manageGap=6;
03555: int manageX=x+pad+inner-(manageBtnW*6+manageGap*5)-12;
03556: int manageY=cy+14;
03557: Btn(B_CLOSE,"CLOSE",manageX,manageY,manageBtnW,26,C'80,12,18',clrWhite,7);
03558: Btn(B_BE,"BE",manageX+manageBtnW+manageGap,manageY,manageBtnW,26,C'0,70,115',clrWhite,7);
03559: Btn(B_FIRST_BE,"1BE",manageX+(manageBtnW+manageGap)*2,manageY,manageBtnW,26,C'0,92,125',clrWhite,7);
03560: Btn(B_FIRST_BE_EXIT,"1BEX",manageX+(manageBtnW+manageGap)*3,manageY,manageBtnW,26,C'0,118,96',clrWhite,7);
03561: Btn(B_CLOSE50,"50%",manageX+(manageBtnW+manageGap)*4,manageY,manageBtnW,26,C'90,65,0',clrWhite,7);
03562: Btn(B_CLOSE_ALL,"ALL",manageX+(manageBtnW+manageGap)*5,manageY,manageBtnW,26,C'55,16,95',clrWhite,7);
03563:
03564: g_PanelBuilt=true;
03565: }
03566:
03567: void UpdatePanel()
03568: {
03569:     if(!g_PanelBuilt)
03570:         return;
03571:
03572:     bool hasPos=HasOurPosition();
03573:     int openCount=CountOurPositions();
03574:     double balance=AccountInfoDouble(ACCOUNT_BALANCE);
03575:     double equity=AccountInfoDouble(ACCOUNT_EQUITY);
03576:     datetime now=TimeCurrent();
03577:
03578:     int totalTrades=0,wins=0,losses=0;
03579:     double totalNet=0.0,grossProfit=0.0,grossLoss=0.0;
03580:     CalcDealStats((datetime)0,totalTrades,wins,losses,totalNet,grossProfit,grossLoss);
03581:
03582:     int dayTrades=0,dayWins=0,dayLosses=0;
03583:     double dayNet=0.0,dayGrossProfit=0.0,dayGrossLoss=0.0;
03584:     CalcDealStats(DayStart(now),dayTrades,dayWins,dayLosses,dayNet,dayGrossProfit,dayGrossLoss);
03585:
03586:     double riskMoney=NormalizeRiskMoney(g_RiskMoney);
03587:     double dayR=(riskMoney>0.0 ? dayNet/riskMoney : 0.0);
03588:     double remainingR=MathMax(0.0,InpDailyLimitR-MathMax(0.0,-dayR));
03589:     int score=QualityScore();
03590:     double openPL=OpenProfit();
03591:     double rr=CurrentPositionRR();
03592:     double rrPct=0.0;
03593:     if(EffectiveRR(>0.0)
03594:         rrPct=MathMax(0.0,MathMin(100.0,rr/EffectiveRR()*100.0));
03595:
03596:     string timeText=TimeToString(now,TIME_SECONDS);
03597:     string dateText=TimeToString(now,TIME_DATE);
03598:     string addEntryStatus="Open positions: "+IntegerToString(openCount)+" | model entries locked";
03599:     if(hasPos)
03600:     {
03601:         if(!g_SecondEntryOn)
03602:             addEntryStatus="Second entry OFF - one entry mode";
03603:         else if(openCount>=MaxEntriesPerCycle())
03604:             addEntryStatus="Maximum "+IntegerToString(MaxEntriesPerCycle())+" entries already open";
03605:         else if(g_SecondEntryDone)
03606:             addEntryStatus="Second entry already used for this trade";
03607:         else if(g_SecondEntryBlocked)
03608:             addEntryStatus="First trade reached "+DoubleToString(MathMax(0.1,InpSecondEntryCancelAtR),1)+"R, no second
entry";
03609:         else
03610:             addEntryStatus="2nd waits for -"+DoubleToString(MathMax(0.1,InpSecondEntryTriggerLossR),1)+"R | same SL/TP";
03611:     }
03612:
03613:     if(g_AutoArm)
03614:     {
03615:         SetRect(UI+"STBG",C'28,35,12');
03616:         SetTxt(UI+"STVAL","AUTO WAIT",clrGold);
03617:         SetTxt(UI+"STSUB",hasPos ? addEntryStatus : "Entry after 3rd candle closes",C'180,190,215');

```



```

03618: }
03619: else if(g_ArmedMode==ARM_BUY)
03620: {
03621:     SetRect(UI+"STBG",C'5,50,18');
03622:     SetTxt(UI+"STVAL","BUY WAIT",C'80,255,140');
03623:     SetTxt(UI+"STSUB",hasPos ? addEntryStatus : "BUY enters after 3rd candle closes",C'180,190,215');
03624: }
03625: else if(g_ArmedMode==ARM_SELL)
03626: {
03627:     SetRect(UI+"STBG",C'52,10,10');
03628:     SetTxt(UI+"STVAL","SELL WAIT",C'255,105,105');
03629:     SetTxt(UI+"STSUB",hasPos ? addEntryStatus : "SELL enters after 3rd candle closes",C'180,190,215');
03630: }
03631: else if(hasPos)
03632: {
03633:     SetRect(UI+"STBG",C'16,44,24');
03634:     SetTxt(UI+"STVAL",openCount>1 ? "POSITIONS OPEN" : "POSITION OPEN",C'110,255,165');
03635:     SetTxt(UI+"STSUB","Managing "+IntegerToString(openCount)+" open position(s), SL, TP, BE and
partial",C'180,190,215');
03636: }
03637: else
03638: {
03639:     SetRect(UI+"STBG",C'18,21,42');
03640:     SetTxt(UI+"STVAL","WAITING",clrWhite);
03641:     SetTxt(UI+"STSUB","Arm BUY or SELL and wait for next model",C'180,190,215');
03642: }
03643:
03644: SetBtn(B_BUY,g_ArmedMode==ARM_BUY ? C'15,210,90' : C'8,120,55',clrWhite,
03645:     g_ArmedMode==ARM_BUY ? "ARM BUY ON" : "ARM BUY");
03646: SetBtn(B_AUTO,g_AutoArm ? C'0,95,170' : C'24,34,48',clrWhite,
03647:     g_AutoArm ? "AUTO ON" : "AUTO ARM");
03648: SetBtn(B_SELL,g_ArmedMode==ARM_SELL ? C'230,48,48' : C'150,28,28',clrWhite,
03649:     g_ArmedMode==ARM_SELL ? "ARM SELL ON" : "ARM SELL");
03650: SetBtn(B_PC,g_PC_On ? C'20,150,65' : C'92,34,34',clrWhite,g_PC_On ? "PART ON" : "PART OFF");
03651: SetBtn(B_SECOND,g_SecondEntryOn ? C'20,150,65' : C'92,34,34',clrWhite,g_SecondEntryOn ? "2ND ON" : "2ND OFF");
03652: SetBtn(B_MODE_SAFE,g_AdvancedMode ? C'24,34,48' : C'0,95,170',clrWhite);
03653: SetBtn(B_MODE_ADV,g_AdvancedMode ? C'0,95,170' : C'24,34,48',clrWhite);
03654: SetBtn(B_CLOSE,hasPos ? C'110,18,24' : C'36,42,54',clrWhite);
03655: SetBtn(B_BE,hasPos ? C'0,88,145' : C'36,42,54',clrWhite);
03656: SetBtn(B_FIRST_BE,hasPos ? C'0,105,140' : C'36,42,54',clrWhite);
03657: SetBtn(B_FIRST_BE_EXIT,openCount>1 ? C'0,132,108' : C'36,42,54',clrWhite);
03658: SetBtn(B_CLOSE50,hasPos ? C'120,84,0' : C'36,42,54',clrWhite);
03659: SetBtn(B_CLOSE_ALL,hasPos ? C'74,26,126' : C'36,42,54',clrWhite);
03660:
03661: int sp=CurrentSpreadPoints();
03662: string lotRange="Min "+DoubleToString(BrokerMinLot(),VolumeDigits())+
03663:     " Step "+DoubleToString(BrokerStepLot(),VolumeDigits())+
03664:     " Max "+DoubleToString(BrokerMaxLot(),VolumeDigits());
03665: SetTxt(UI+"LOTRANGE",ClipText(lotRange,44),(SpreadBlocksTrades() && sp>InpMaxSpreadPoints) ? clrTomato :
C'120,135,165');
03666:
03667: SetTxt(UI+"BAL_V1",ClipText(MoneyText(balance),16),clrDeepSkyBlue);
03668: SetTxt(UI+"BAL_V2",ClipText(MoneyText(equity),16),clrWhite);
03669: SetTxt(UI+"DPNL_V1",DoubleToString(dayR,2)+"R",dayNet>=0.0 ? clrLime : clrTomato);
03670: SetTxt(UI+"DPNL_V2",DoubleToString(remainingR,2)+"R",remainingR>0.0 ? clrLime : clrTomato);
03671: SetTxt(UI+"DLOCK_V1",IntegerToString(dayLosses)+" / "+IntegerToString(InpDailyLossLimitCount),
03672:     dayLosses<InpDailyLossLimitCount ? clrGold : clrTomato);
03673: SetTxt(UI+"DLOCK_V2",dayLosses<InpDailyLossLimitCount ? "ACTIVE" : "LOCKED",
03674:     dayLosses<InpDailyLossLimitCount ? clrLime : clrTomato);
03675: SetTxt(UI+"SPRD_V1",IntegerToString(sp)+" p", (SpreadBlocksTrades() && sp>InpMaxSpreadPoints) ? clrTomato :
clrLime);
03676: SetTxt(UI+"SPRD_V2",SpreadBlocksTrades() ? "BLOCK" : "NO BLOCK",SpreadBlocksTrades() ? clrGold : clrLime);
03677: SetTxt(UI+"TIME_V1",timeText,clrWhite);
03678: SetTxt(UI+"TIME_V2",ClipText(dateText,14),clrWhite);
03679:
03680: UpdateStructureSections();
03681:
03682: string armTxt="OFF";
03683: color armColor=clrSilver;
03684: if(g_AutoArm)
03685: {
03686:     armTxt="AUTO";
03687:     armColor=clrGold;
03688: }
03689: else if(g_ArmedMode==ARM_BUY)
03690: {
03691:     armTxt="BUY";
03692:     armColor=clrLime;
03693: }
03694: else if(g_ArmedMode==ARM_SELL)
03695: {
03696:     armTxt="SELL";
03697:     armColor=clrTomato;
03698: }
03699: SetTxt(UI+"ASV",armTxt,armColor);
03700:
03701: int armedSecs=0;
03702: if((g_ArmedMode!=ARM_NONE || g_AutoArm) && g_ArmMinSignalTime>0)
03703: {
03704:     long elapsed=(long)(TimeCurrent()-g_ArmMinSignalTime);
03705:     if(elapsed<0)
03706:         elapsed=0;
03707:     armedSecs=(int)elapsed;
03708: }
03709: string timerTxt=StringFormat("%02d:%02d:%02d",armedSecs/3600,(armedSecs%3600)/60,armedSecs%60);
03710: SetTxt(UI+"ATV",timerTxt,clrWhite);
03711:
03712: SetTxt(UI+"BIASV",CandleCloseTimerText(),clrDeepSkyBlue);
03713: SetTxt(UI+"CONFV",score>=6 ? "YES" : "NO",score>=6 ? clrLime : clrSilver);
03714:
03715: SetTxt(UI+"QUALV",IntegerToString(score)+" / 8",QualityColor(score));

```

```

03716: SetTxt(UI+"QUALS",score>=6 ? QualityText(score)+" QUALITY" : "WAITING",QualityColor(score));
03717:
03718: SetTxt(UI+"RISKAMT",ClipText(RiskPreviewText(),54),C'120,135,165');
03719: SetTxt(UI+"RRV", "1:"+DoubleToString(EffectiveRR(),1),clrWhite);
03720: SetTxt(UI+"RRTXT", "TP "+DoubleToString(EffectiveRR(),1)+"R | SL model",C'120,135,165');
03721:
03722: if(g_PC_On && hasPos)
03723: {
03724:     string pc="Partial watching";
03725:     if(g_PC3_Done)
03726:         pc="PC1+PC2+PC3 done";
03727:     else if(g_PC2_Done)
03728:         pc="PC1+PC2 done";
03729:     else if(g_PC1_Done)
03730:         pc="PC1 done";
03731:     SetTxt(UI+"PCSTAT",pc,clrGold);
03732: }
03733: else
03734: {
03735:     SetTxt(UI+"PCSTAT",g_PC_On ? "Partial ready" : "Partial OFF",g_PC_On ? clrSkyBlue : clrGray);
03736: }
03737: SetTxt(UI+"SESTAT",SecondEntryStatusText(),g_SecondEntryOn ? clrSkyBlue : clrGray);
03738: SetTxt(UI+"FPESTAT",FirstProfitExitStatusText(),g_FirstProfitExitOn ? clrSkyBlue : clrGray);
03739:
03740: if(hasPos)
03741: {
03742:     SelectOurPosition();
03743:     bool isBuy=((ENUM_POSITION_TYPE)PositionGetInteger(POSITION_TYPE)==POSITION_TYPE_BUY);
03744:     double entry=PositionGetDouble(POSITION_PRICE_OPEN);
03745:     double sl=PositionGetDouble(POSITION_SL);
03746:     double tp=PositionGetDouble(POSITION_TP);
03747:     double profit=PositionGetDouble(POSITION_PROFIT);
03748:     double vol=PositionGetDouble(POSITION_VOLUME);
03749:
03750:     SetTxt(UI+"P1V", "OPEN",C'190,95,255');
03751:     SetTxt(UI+"P2V",isBuy ? "BUY" : "SELL",isBuy ? clrLime : clrTomato);
03752:     SetTxt(UI+"P3V",DoubleToString(vol,VolumeDigits()),clrWhite);
03753:     SetTxt(UI+"P4V",DoubleToString(rr,2)+"R",profit>=0.0 ? clrLime : clrTomato);
03754:     SetTxt(UI+"P4M",SignedMoneyText(profit),profit>=0.0 ? clrLime : clrTomato);
03755:     SetTxt(UI+"P5V",PriceText(entry),clrWhite);
03756:     SetTxt(UI+"P6V",PriceText(sl),clrOrangeRed);
03757:     SetTxt(UI+"P7V",PriceText(tp),clrSpringGreen);
03758:     SetTxt(UI+"RRP2",DoubleToString(rr,2)+"R/"+DoubleToString(EffectiveRR(),2)+"R",clrWhite);
03759:     SetTxt(UI+"RRP3",DoubleToString(rrPct,0)+"%",rr>=0.0 ? clrLime : clrTomato);
03760: }
03761: else
03762: {
03763:     SetTxt(UI+"P1V", "NONE",clrGray);
03764:     SetTxt(UI+"P2V", "---",clrGray);
03765:     SetTxt(UI+"P3V", "---",clrGray);
03766:     SetTxt(UI+"P4V", "0.00R",clrGray);
03767:     SetTxt(UI+"P4M", "$0.00",clrGray);
03768:     SetTxt(UI+"P5V", "---",clrGray);
03769:     SetTxt(UI+"P6V", "---",clrGray);
03770:     SetTxt(UI+"P7V", "---",clrGray);
03771:     SetTxt(UI+"RRP2", "0.00R/"+DoubleToString(EffectiveRR(),2)+"R",clrWhite);
03772:     SetTxt(UI+"RRP3", "0%",clrWhite);
03773: }
03774:
03775: double winRate=(totalTrades>0 ? (double)wins*100.0/((double)totalTrades : 0.0);
03776: double profitFactor=(grossLoss>0.0 ? grossProfit/grossLoss : (grossProfit>0.0 ? 99.0 : 0.0));
03777: SetTxt(UI+"S1_V",IntegerToString(totalTrades),clrWhite);
03778: SetTxt(UI+"S2_V",DoubleToString(winRate,2)+"%",winRate>=50.0 ? clrLime : clrTomato);
03779: SetTxt(UI+"S3_V",IntegerToString(wins),clrLime);
03780: SetTxt(UI+"S4_V",IntegerToString(losses),clrTomato);
03781: SetTxt(UI+"S5_V",SignedMoneyText(openPL),openPL>=0.0 ? clrDeepSkyBlue : clrTomato);
03782: SetTxt(UI+"S6_V",SignedMoneyText(totalNet),totalNet>=0.0 ? clrLime : clrTomato);
03783: SetTxt(UI+"S7_V",DoubleToString(profitFactor,2),profitFactor>=1.0 ? clrDeepSkyBlue : clrTomato);
03784: SetTxt(UI+"S8_V", "--",clrTomato);
03785:
03786: SetTxt(UI+"MSG",ClipText(g_LastMessage,42),g_LastMsgColor);
03787:
03788: ChartRedraw();
03789: }
03790:
03791:
03792: //=====
03793: // SUPABASE WEB CONTROL BRIDGE
03794: // React/Supabase -> Edge Function command queue -> This EA
03795: // This block does not change the algo. It only calls the same internal
03796: // functions used by your MT5 panel buttons.
03797: //=====
03798: void RefreshLotEdit();
03799: void RefreshRiskEdit();
03800: void TCX_SupabasePostState(bool force);
03801: void TCX_SupabasePostFastState(bool force);
03802:
03803: string TCX_TrimRightSlash(string url)
03804: {
03805:     string out=url;
03806:     StringTrimLeft(out);
03807:     StringTrimRight(out);
03808:     while(StringLen(out)>0 && StringSubstr(out,StringLen(out)-1,1)=="")
03809:         out=StringSubstr(out,0,StringLen(out)-1);
03810:     return out;
03811: }
03812:
03813: string TCX_JsonEscape(string s)
03814: {
03815:     StringReplace(s,"\\", "\\");
03816:     StringReplace(s,"\"", "\\");

```



```

03817:   StringReplace(s, "\r", " ");
03818:   StringReplace(s, "\n", " ");
03819:   StringReplace(s, "\t", " ");
03820:   return s;
03821: }
03822:
03823: string TCX_BoolText(bool v)
03824: {
03825:     return v ? "true" : "false";
03826: }
03827:
03828: string TCX_CommandStatusText()
03829: {
03830:     if(g_AutoArm) return "AUTO WAIT";
03831:     if(g_ArmedMode==ARM_BUY) return "BUY WAIT";
03832:     if(g_ArmedMode==ARM_SELL) return "SELL WAIT";
03833:     int count=CountOurPositions();
03834:     if(count>1) return IntegerToString(count)+" POSITIONS OPEN";
03835:     if(count==1) return "POSITION OPEN";
03836:     int dashboardCount=CountDashboardPositions();
03837:     if(dashboardCount>1) return IntegerToString(dashboardCount)+" DASHBOARD POSITIONS";
03838:     if(dashboardCount==1) return "MANUAL POSITION OPEN";
03839:     return "IDLE";
03840: }
03841:
03842: string TCX_ArmText()
03843: {
03844:     if(g_AutoArm) return "AUTO";
03845:     if(g_ArmedMode==ARM_BUY) return "BUY";
03846:     if(g_ArmedMode==ARM_SELL) return "SELL";
03847:     return "OFF";
03848: }
03849:
03850: string TCX_PositionJson()
03851: {
03852:     string positions="[";
03853:     int count=0;
03854:     int eaCount=0;
03855:     int manualCount=0;
03856:     bool firstSet=false;
03857:     bool isBuy=true;
03858:     double entry=0.0;
03859:     double sl=0.0;
03860:     double tp=0.0;
03861:     double profit=0.0;
03862:     double vol=0.0;
03863:     double rr=0.0;
03864:     long firstMagic=0;
03865:     ulong firstTicket=0;
03866:
03867:     for(int i=PositionsTotal()-1;i>=0;i--)
03868:     {
03869:         ulong ticket=PositionGetTicket(i);
03870:         if(ticket==0)
03871:             continue;
03872:
03873:         string symbol=PositionGetString(POSITION_SYMBOL);
03874:         long magic=(long)PositionGetInteger(POSITION_MAGIC);
03875:         if(symbol!=_Symbol || !IsDashboardMagic(magic))
03876:             continue;
03877:
03878:         bool rowBuy=((ENUM_POSITION_TYPE)PositionGetInteger(POSITION_TYPE)==POSITION_TYPE_BUY);
03879:         double rowEntry=PositionGetDouble(POSITION_PRICE_OPEN);
03880:         double rowSL=PositionGetDouble(POSITION_SL);
03881:         double rowTP=PositionGetDouble(POSITION_TP);
03882:         double rowProfit=PositionGetDouble(POSITION_PROFIT);
03883:         double rowVol=PositionGetDouble(POSITION_VOLUME);
03884:         double rowRR=PositionRRFromValues(rowBuy,rowEntry,rowSL);
03885:         string source=DashboardSourceText(magic);
03886:         bool managed=IsManagedMagic(magic);
03887:
03888:         if(managed)
03889:             eaCount++;
03890:         else if(magic==0)
03891:             manualCount++;
03892:
03893:         if(!firstSet)
03894:         {
03895:             firstSet=true;
03896:             isBuy=rowBuy;
03897:             entry=rowEntry;
03898:             sl=rowSL;
03899:             tp=rowTP;
03900:             profit=rowProfit;
03901:             vol=rowVol;
03902:             rr=rowRR;
03903:             firstMagic=magic;
03904:             firstTicket=ticket;
03905:         }
03906:
03907:         if(count>0)
03908:             positions+=",";
03909:         positions+="{\"
03910:             +\"ticket\": \""+IntegerToString((long)ticket)+"\"\"
03911:             +\", \"type\": \""+(rowBuy ? "BUY" : "SELL")+"\"\"
03912:             +\", \"source\": \""+source+"\"\"
03913:             +\", \"magic\": \""+IntegerToString(magic)+"\"\"
03914:             +\", \"managed\": "+TCX_BoolText(managed)+"\"
03915:             +\", \"volume\": \""+DoubleToString(rowVol, VolumeDigits())+"\"
03916:             +\", \"entry\": \""+DoubleToString(rowEntry, _Digits)+"\"
03917:             +\", \"sl\": \""+DoubleToString(rowSL, _Digits)

```

```

03918:         +",\"tp\": "+DoubleToString(rowTP,_Digits)
03919:         +",\"profit\": "+DoubleToString(rowProfit,2)
03920:         +",\"rr\": "+DoubleToString(rowRR,2)
03921:         +"}";
03922:     count++;
03923: }
03924: positions+="]";
03925:
03926: if(count<=0 || !firstSet)
03927:     return "{ \"hasPosition\":false, \"count\":0, \"eaCount\":0, \"manualCount\":0, \"positions\":[]}";
03928:
03929: return "{ \"hasPosition\":true"
03930: +", \"count\": "+IntegerToString(count)
03931: +", \"eaCount\": "+IntegerToString(eaCount)
03932: +", \"manualCount\": "+IntegerToString(manualCount)
03933: +", \"ticket\": "+IntegerToString((long)firstTicket)+"\"\"
03934: +", \"type\": \""+(isBuy ? "BUY" : "SELL")+"\"\"
03935: +", \"source\": \""+DashboardSourceText(firstMagic)+"\"\"
03936: +", \"magic\": "+IntegerToString(firstMagic)
03937: +", \"managed\": "+TCX_BoolText(IsManagedMagic(firstMagic))
03938: +", \"volume\": "+DoubleToString(vol,VolumeDigits())
03939: +", \"entry\": "+DoubleToString(entry,_Digits)
03940: +", \"sl\": "+DoubleToString(sl,_Digits)
03941: +", \"tp\": "+DoubleToString(tp,_Digits)
03942: +", \"profit\": "+DoubleToString(profit,2)
03943: +", \"rr\": "+DoubleToString(rr,2)
03944: +", \"positions\": "+positions
03945: +"}";
03946: }
03947:
03948: string TCX_CandleRowJson(string label,ENUM_TIMEFRAMES tf,int shift)
03949: {
03950:     bool above=false;
03951:     bool valid=PriceAboveOpen(tf,shift,above);
03952:     return "{ \"label\": \""+TCX_JsonEscape(label)+"\", \"valid\": "+TCX_BoolText(valid)+"\", \"bull\": "+TCX_BoolText(valid
03953: && above)+"}";
03954: }
03955: string TCX_SweepRowJson(string label,bool valid,bool high,bool low)
03956: {
03957:     return "{ \"label\": \""+TCX_JsonEscape(label)+"\", \"valid\": "+TCX_BoolText(valid)+"\", \"high\": "+TCX_BoolText(valid
03958: && high)+"\", \"low\": "+TCX_BoolText(valid && low)+"}";
03959: }
03960: string TCX_StructureJson()
03961: {
03962:     int shOdd=-1, shEven=-1;
03963:     bool oddValid=LatestH4ShiftByParity(true,shOdd);
03964:     bool evenValid=LatestH4ShiftByParity(false,shEven);
03965:     bool hi=false, lo=false;
03966:
03967:     string candles="[";
03968:     candles+=TCX_CandleRowJson("D1",PERIOD_D1,0)+"",;
03969:     candles+=TCX_CandleRowJson("H4 Odd",PERIOD_H4,oddValid ? shOdd : 0)+"",;
03970:     candles+=TCX_CandleRowJson("H4 Even",PERIOD_H4,evenValid ? shEven : 0)+"",;
03971:     candles+=TCX_CandleRowJson("H1",PERIOD_H1,0)+""]";
03972:
03973:     string sweeps="[";
03974:     bool valid=StandardSweep(PERIOD_H1,hi,lo);
03975:     sweeps+=TCX_SweepRowJson("H1",valid,hi,lo)+"",;
03976:     valid=H4ParitySweep(true,hi,lo);
03977:     sweeps+=TCX_SweepRowJson("H4 Odd",valid,hi,lo)+"",;
03978:     valid=H4ParitySweep(false,hi,lo);
03979:     sweeps+=TCX_SweepRowJson("H4 Even",valid,hi,lo)+"",;
03980:     valid=StandardSweep(PERIOD_D1,hi,lo);
03981:     sweeps+=TCX_SweepRowJson("D1",valid,hi,lo)+"]";
03982:
03983:     return "{ \"candles\": "+candles+", \"sweeps\": "+sweeps+"}";
03984: }
03985:
03986: string TCX_DealReasonText(long reason)
03987: {
03988:     if(reason==DEAL_REASON_SL) return "SL";
03989:     if(reason==DEAL_REASON_TP) return "TP";
03990:     if(reason==DEAL_REASON_SO) return "Stop out";
03991:     if(reason==DEAL_REASON_EXPERT) return "EA";
03992:     if(reason==DEAL_REASON_CLIENT) return "Manual";
03993:     if(reason==DEAL_REASON_MOBILE) return "Mobile";
03994:     if(reason==DEAL_REASON_WEB) return "Web";
03995:     if(reason==DEAL_REASON_ROLLOVER) return "Rollover";
03996:     if(reason==DEAL_REASON_VMARGIN) return "Variation margin";
03997:     if(reason==DEAL_REASON_SPLIT) return "Split";
03998:     return "Close";
03999: }
04000:
04001: string TCX_DealSideText(long entryType,long exitType)
04002: {
04003:     if(entryType==DEAL_TYPE_BUY)
04004:         return "BUY";
04005:     if(entryType==DEAL_TYPE_SELL)
04006:         return "SELL";
04007:     if(exitType==DEAL_TYPE_SELL)
04008:         return "BUY";
04009:     if(exitType==DEAL_TYPE_BUY)
04010:         return "SELL";
04011:     return "--";
04012: }
04013:
04014: string TCX_JsonPrice(double price)
04015: {
04016:     if(price<=0.0)

```

```

04017:         return "null";
04018:     return DoubleToString(price,_Digits);
04019: }
04020:
04021: ulong TCX_FindEntryDeal(long positionId,int exitIndex)
04022: {
04023:     for(int i=exitIndex-1;i>=0;i--)
04024:     {
04025:         ulong deal=HistoryDealGetTicket(i);
04026:         if(deal==0)
04027:             continue;
04028:         if(HistoryDealGetString(deal,DEAL_SYMBOL)!=_Symbol)
04029:             continue;
04030:         if(!IsDashboardMagic((long)HistoryDealGetInteger(deal,DEAL_MAGIC)))
04031:             continue;
04032:         if((long)HistoryDealGetInteger(deal,DEAL_POSITION_ID)!=positionId)
04033:             continue;
04034:
04035:         long entry=HistoryDealGetInteger(deal,DEAL_ENTRY);
04036:         if(entry==DEAL_ENTRY_IN || entry==DEAL_ENTRY_INOUT)
04037:             return deal;
04038:     }
04039:     return 0;
04040: }
04041:
04042: string TCX_TradeHistoryJson(int maxRows)
04043: {
04044:     if(maxRows<=0)
04045:         maxRows=40;
04046:     if(maxRows>100)
04047:         maxRows=100;
04048:     if(!HistorySelect((datetime)0,TimeCurrent()))
04049:         return "[]";
04050:
04051:     string json="[";
04052:     int rows=0;
04053:     int total=HistoryDealsTotal();
04054:     for(int i=total-1;i>=0 && rows<maxRows;i--)
04055:     {
04056:         ulong deal=HistoryDealGetTicket(i);
04057:         if(deal==0)
04058:             continue;
04059:         if(HistoryDealGetString(deal,DEAL_SYMBOL)!=_Symbol)
04060:             continue;
04061:         long dealMagic=(long)HistoryDealGetInteger(deal,DEAL_MAGIC);
04062:         if(!IsDashboardMagic(dealMagic))
04063:             continue;
04064:
04065:         long dealEntry=HistoryDealGetInteger(deal,DEAL_ENTRY);
04066:         if(dealEntry!=DEAL_ENTRY_OUT && dealEntry!=DEAL_ENTRY_INOUT && dealEntry!=DEAL_ENTRY_OUT_BY)
04067:             continue;
04068:
04069:         long positionId=(long)HistoryDealGetInteger(deal,DEAL_POSITION_ID);
04070:         ulong entryDeal=TCX_FindEntryDeal(positionId,i);
04071:         long sourceMagic=(entryDeal>0 ? (long)HistoryDealGetInteger(entryDeal,DEAL_MAGIC) : dealMagic);
04072:         long entryType=(entryDeal>0 ? HistoryDealGetInteger(entryDeal,DEAL_TYPE) : -1);
04073:         long exitType=HistoryDealGetInteger(deal,DEAL_TYPE);
04074:         datetime closeTime=(datetime)HistoryDealGetInteger(deal,DEAL_TIME);
04075:         datetime openTime=(entryDeal>0 ? (datetime)HistoryDealGetInteger(entryDeal,DEAL_TIME) : 0);
04076:         double profit=HistoryDealGetDouble(deal,DEAL_PROFIT);
04077:         double swap=HistoryDealGetDouble(deal,DEAL_SWAP);
04078:         double commission=HistoryDealGetDouble(deal,DEAL_COMMISSION);
04079:         double net=profit+swap+commission;
04080:         double sl=HistoryDealGetDouble(deal,DEAL_SL);
04081:         double tp=HistoryDealGetDouble(deal,DEAL_TP);
04082:         if(sl<=0.0 && entryDeal>0)
04083:             sl=HistoryDealGetDouble(entryDeal,DEAL_SL);
04084:         if(tp<=0.0 && entryDeal>0)
04085:             tp=HistoryDealGetDouble(entryDeal,DEAL_TP);
04086:
04087:         if(rows>0)
04088:             json+=",";
04089:         json+="{\"id\":\""+IntegerToString((long)deal)+"\"";
04090:             +",\"positionId\":\""+IntegerToString(positionId)+"\"";
04091:             +",\"source\":\""+DashboardSourceText(sourceMagic)+"\"";
04092:             +",\"magic\":\""+IntegerToString(sourceMagic)+"\"";
04093:             +",\"type\":\""+TCX_DealSideText(entryType,exitType)+"\"";
04094:             +",\"volume\":\""+DoubleToString(HistoryDealGetDouble(deal,DEAL_VOLUME),VolumeDigits())+"\"";
04095:             +",\"entryPrice\":\""+(entryDeal>0 ? TCX_JsonPrice(HistoryDealGetDouble(entryDeal,DEAL_PRICE)) : "null")+"\"";
04096:             +",\"exitPrice\":\""+TCX_JsonPrice(HistoryDealGetDouble(deal,DEAL_PRICE))+"\"";
04097:             +",\"sl\":\""+TCX_JsonPrice(sl)+"\"";
04098:             +",\"tp\":\""+TCX_JsonPrice(tp)+"\"";
04099:             +",\"profit\":\""+DoubleToString(net,2)+"\"";
04100:             +",\"grossProfit\":\""+DoubleToString(profit,2)+"\"";
04101:             +",\"swap\":\""+DoubleToString(swap,2)+"\"";
04102:             +",\"commission\":\""+DoubleToString(commission,2)+"\"";
04103:             +",\"openTime\":\""+(openTime>0 ? TCX_JsonEscape(TimeToString(openTime,TIME_DATE|TIME_SECONDS)) : "null")+"\"";
04104:             +",\"closeTime\":\""+TCX_JsonEscape(TimeToString(closeTime,TIME_DATE|TIME_SECONDS))+"\"";
04105:             +",\"openTimeSec\":\""+IntegerToString((long)openTime)+"\"";
04106:             +",\"closeTimeSec\":\""+IntegerToString((long)closeTime)+"\"";
04107:             +",\"reason\":\""+TCX_JsonEscape(TCX_DealReasonText(HistoryDealGetInteger(deal,DEAL_REASON))+"\"";
04108:             +",\"comment\":\""+TCX_JsonEscape(HistoryDealGetString(deal,DEAL_COMMENT))+"\"";
04109:             +"}";
04110:         rows++;
04111:     }
04112:     json+="]";
04113:     return json;
04114: }
04115:
04116:

```

```

04117: string TCX_BuildStateJson()
04118: {
04119:     datetime now=TimeCurrent();
04120:     int totalTrades=0,wins=0, losses=0;
04121:     double totalNet=0.0,grossProfit=0.0,grossLoss=0.0;
04122:     CalcDealStats((datetime)0,totalTrades,wins, losses,totalNet,grossProfit,grossLoss);
04123:
04124:     int dayTrades=0,dayWins=0,dayLosses=0;
04125:     double dayNet=0.0,dayGrossProfit=0.0,dayGrossLoss=0.0;
04126:     CalcDealStats(DayStart(now),dayTrades,dayWins,dayLosses,dayNet,dayGrossProfit,dayGrossLoss);
04127:
04128:     double balance=AccountInfoDouble(ACCOUNT_BALANCE);
04129:     double equity=AccountInfoDouble(ACCOUNT_EQUITY);
04130:     double margin=AccountInfoDouble(ACCOUNT_MARGIN);
04131:     double freeMargin=AccountInfoDouble(ACCOUNT_MARGIN_FREE);
04132:     double riskMoney=NormalizeRiskMoney(g_RiskMoney);
04133:     double dayR=(riskMoney>0.0 ? dayNet/riskMoney : 0.0);
04134:     double remainingR=MathMax(0.0, InpDailyLimitR-MathMax(0.0, -dayR));
04135:     double openPL=OpenProfit();
04136:     int score=QualityScore();
04137:     int sp=CurrentSpreadPoints();
04138:     double winRate=(totalTrades>0 ? (double)wins*100.0/((double)totalTrades : 0.0);
04139:     double profitFactor=(grossLoss>0.0 ? grossProfit/grossLoss : (grossProfit>0.0 ? 99.0 : 0.0));
04140:
04141:     return "{"
04142:         +"\"source\": \"mt5-ea\""
04143:         +"\", \"serverTime\": \""+TCX_JsonEscape(TimeToString(now, TIME_DATE|TIME_SECONDS))+"\""
04144:         +"\", \"accountLogin\": \""+IntegerToString((long)AccountInfoInteger(ACCOUNT_LOGIN))+"\""
04145:         +"\", \"accountName\": \""+TCX_JsonEscape(AccountInfoString(ACCOUNT_NAME))+"\""
04146:         +"\", \"accountCompany\": \""+TCX_JsonEscape(AccountInfoString(ACCOUNT_COMPANY))+"\""
04147:         +"\", \"accountServer\": \""+TCX_JsonEscape(AccountInfoString(ACCOUNT_SERVER))+"\""
04148:         +"\", \"platform\": \"MetaTrader 5\""
04149:         +"\", \"symbol\": \""+TCX_JsonEscape(_Symbol)+"\""
04150:         +"\", \"period\": \""+TCX_JsonEscape(EnumToString(_Period))+"\""
04151:         +"\", \"eaOnline\": true"
04152:         +"\", \"webConnected\": "+TCX_BoolText(g_WebConnected)
04153:         +"\", \"webError\": \""+TCX_JsonEscape(g_WebLastError)+"\""
04154:         +"\", \"status\": \""+TCX_CommandStatusText()+"\""
04155:         +"\", \"arm\": \""+TCX_ArmText()+"\""
04156:         +"\", \"autoArm\": "+TCX_BoolText(g_AutoArm)
04157:         +"\", \"advanced\": "+TCX_BoolText(g_AdvancedMode)
04158:         +"\", \"partialsOn\": "+TCX_BoolText(g_PC_On)
04159:         +"\", \"secondEntryOn\": "+TCX_BoolText(g_SecondEntryOn)
04160:         +"\", \"secondEntryDone\": "+TCX_BoolText(g_SecondEntryDone)
04161:         +"\", \"secondEntryBlocked\": "+TCX_BoolText(g_SecondEntryBlocked)
04162:         +"\", \"secondEntryStatus\": \""+TCX_JsonEscape(SecondEntryStatusText())+"\""
04163:         +"\", \"secondEntryTriggerR\": "+DoubleToString(MathMax(0.1, InpSecondEntryTriggerLossR),1)
04164:         +"\", \"secondEntryCancelAtR\": "+DoubleToString(MathMax(0.1, InpSecondEntryCancelAtR),1)
04165:         +"\", \"firstProfitExitOn\": "+TCX_BoolText(g_FirstProfitExitOn)
04166:         +"\", \"firstProfitExitStatus\": \""+TCX_JsonEscape(FirstProfitExitStatusText())+"\""
04167:         +"\", \"qualityScore\": "+IntegerToString(score)
04168:         +"\", \"qualityText\": \""+QualityText(score)+"\""
04169:         +"\", \"message\": \""+TCX_JsonEscape(g_LastMessage)+"\""
04170:         +"\", \"lot\": "+DoubleToString(g_Lot, VolumeDigits())
04171:         +"\", \"risk\": "+DoubleToString(g_RiskMoney,2)
04172:         +"\", \"riskPercent\": "+DoubleToString(RiskPercentOfBalance(g_RiskMoney),2)
04173:         +"\", \"riskMode\": \"money\""
04174:         +"\", \"rr\": "+DoubleToString(EffectiveRR(),1)
04175:         +"\", \"pc1\": "+DoubleToString(g_PC1_Pct,1)
04176:         +"\", \"pc2\": "+DoubleToString(g_PC2_Pct,1)
04177:         +"\", \"pc3\": "+DoubleToString(g_PC3_Pct,1)
04178:         +"\", \"spread\": "+IntegerToString(sp)
04179:         +"\", \"maxSpread\": "+IntegerToString(InpMaxSpreadPoints)
04180:         +"\", \"spreadProtectionPoints\": "+IntegerToString(SpreadProtectionPoints())
04181:         +"\", \"spreadBlock\": "+TCX_BoolText(SpreadBlocksTrades() && sp>InpMaxSpreadPoints)
04182:         +"\", \"balance\": "+DoubleToString(balance,2)
04183:         +"\", \"equity\": "+DoubleToString(equity,2)
04184:         +"\", \"margin\": "+DoubleToString(margin,2)
04185:         +"\", \"freeMargin\": "+DoubleToString(freeMargin,2)
04186:         +"\", \"currency\": \""+TCX_JsonEscape(AccountInfoString(ACCOUNT_CURRENCY))+"\""
04187:         +"\", \"openPL\": "+DoubleToString(openPL,2)
04188:         +"\", \"totalNet\": "+DoubleToString(totalNet,2)
04189:         +"\", \"totalTrades\": "+IntegerToString(totalTrades)
04190:         +"\", \"wins\": "+IntegerToString(wins)
04191:         +"\", \"losses\": "+IntegerToString(losses)
04192:         +"\", \"winRate\": "+DoubleToString(winRate,2)
04193:         +"\", \"profitFactor\": "+DoubleToString(profitFactor,2)
04194:         +"\", \"dayTrades\": "+IntegerToString(dayTrades)
04195:         +"\", \"dayLosses\": "+IntegerToString(dayLosses)
04196:         +"\", \"dayLossLimit\": "+IntegerToString(InpDailyLossLimitCount)
04197:         +"\", \"dayNet\": "+DoubleToString(dayNet,2)
04198:         +"\", \"dayR\": "+DoubleToString(dayR,2)
04199:         +"\", \"remainingR\": "+DoubleToString(remainingR,2)
04200:         +"\", \"session\": \""+TCX_JsonEscape(SessionName())+"\""
04201:         +"\", \"sessionLeft\": \""+TCX_JsonEscape(SessionTimeLeft())+"\""
04202:         +"\", \"candleTimer\": \""+TCX_JsonEscape(CandleCloseTimerText())+"\""
04203:         +"\", \"position\": "+TCX_PositionJson()
04204:         +"\", \"structure\": "+TCX_StructureJson()
04205:         +"\", \"tradeHistory\": "+TCX_TradeHistoryJson(50)
04206:         +"}";
04207: }
04208:
04209: string TCX_BuildFastStateJson()
04210: {
04211:     datetime now=TimeCurrent();
04212:     return "{"
04213:         +"\"source\": \"mt5-ea\""
04214:         +"\", \"serverTime\": \""+TCX_JsonEscape(TimeToString(now, TIME_DATE|TIME_SECONDS))+"\""
04215:         +"\", \"accountLogin\": \""+IntegerToString((long)AccountInfoInteger(ACCOUNT_LOGIN))+"\""
04216:         +"\", \"symbol\": \""+TCX_JsonEscape(_Symbol)+"\""
04217:         +"\", \"period\": \""+TCX_JsonEscape(EnumToString(_Period))+"\""

```

```

04218:     +", \"eaOnline\":true"
04219:     +", \"webConnected\": "+TCX_BoolText(g_WebConnected)
04220:     +", \"webError\": \"\"+TCX_JsonEscape(g_WebLastError)+"\" \"
04221:     +", \"status\": \"\"+TCX_CommandStatusText()+"\" \"
04222:     +", \"arm\": \"\"+TCX_ArmText()+"\" \"
04223:     +", \"autoArm\": "+TCX_BoolText(g_AutoArm)
04224:     +", \"advanced\": "+TCX_BoolText(g_AdvancedMode)
04225:     +", \"partialsOn\": "+TCX_BoolText(g_PC_On)
04226:     +", \"secondEntryOn\": "+TCX_BoolText(g_SecondEntryOn)
04227:     +", \"secondEntryDone\": "+TCX_BoolText(g_SecondEntryDone)
04228:     +", \"secondEntryBlocked\": "+TCX_BoolText(g_SecondEntryBlocked)
04229:     +", \"secondEntryStatus\": \"\"+TCX_JsonEscape(SecondEntryStatusText()+"\" \"
04230:     +", \"firstProfitExitOn\": "+TCX_BoolText(g_FirstProfitExitOn)
04231:     +", \"firstProfitExitStatus\": \"\"+TCX_JsonEscape(FirstProfitExitStatusText()+"\" \"
04232:     +", \"message\": \"\"+TCX_JsonEscape(g_LastMessage)+"\" \"
04233:     +", \"lot\": "+DoubleToString(g_Lot, VolumeDigits())
04234:     +", \"risk\": "+DoubleToString(g_RiskMoney, 2)
04235:     +", \"rr\": "+DoubleToString(EffectiveRR(), 1)
04236:     +", \"pc1\": "+DoubleToString(g_PC1_Pct, 1)
04237:     +", \"pc2\": "+DoubleToString(g_PC2_Pct, 1)
04238:     +", \"pc3\": "+DoubleToString(g_PC3_Pct, 1)
04239:     +", \"position\": "+TCX_PositionJson()
04240:     +"}";
04241: }
04242:
04243: bool TCX_HttpPostFunction(string functionName, string body, string &response)
04244: {
04245:     response="";
04246:     if(!InpWebControlEnabled) return false;
04247:     uint nowTick=GetTickCount();
04248:     if(g_WebBackoffUntilTick>0 && nowTick<g_WebBackoffUntilTick)
04249:         return false;
04250:
04251:     string base=TCX_TrimRightSlash(InpSupabaseFunctionsUrl);
04252:     string url=base+"/"+functionName;
04253:     string headers="Content-Type: application/json\r\n";
04254:     char data[];
04255:     char result[];
04256:     string resultHeaders="";
04257:     StringToCharArray(body, data, 0, StringLen(body), CP_UTF8);
04258:     ResetLastError();
04259:     int code=WebRequest("POST", url, headers, InpWebTimeoutMs, data, result, resultHeaders);
04260:     if(code<200 || code>=300)
04261:     {
04262:         g_WebLastError=functionName+" HTTP "+IntegerToString(code)+" MT5err "+IntegerToString(GetLastError());
04263:         g_WebConnected=false;
04264:         g_WebBackoffUntilTick=GetTickCount()+500;
04265:         return false;
04266:     }
04267:     response=CharArrayToString(result, 0, -1, CP_UTF8);
04268:     g_WebConnected=true;
04269:     g_WebLastError="";
04270:     g_WebBackoffUntilTick=0;
04271:     return true;
04272: }
04273:
04274: string TCX_JsonString(string src, string key, string def="")
04275: {
04276:     string needle="\""+key+"\"";
04277:     int p=StringFind(src, needle);
04278:     if(p<0) return def;
04279:     p=StringFind(src, ":", p);
04280:     if(p<0) return def;
04281:     p=StringFind(src, "\"", p+1);
04282:     if(p<0) return def;
04283:     int start=p+1;
04284:     int end=start;
04285:     while(end<StringLen(src))
04286:     {
04287:         string ch=StringSubstr(src, end, 1);
04288:         if(ch=="\" \" && (end==start || StringSubstr(src, end-1, 1)!="\" \"))
04289:             break;
04290:         end++;
04291:     }
04292:     if(end<start) return def;
04293:     string v=StringSubstr(src, start, end-start);
04294:     StringReplace(v, "\\\"", "\"");
04295:     StringReplace(v, "\\\"", "\"");
04296:     return v;
04297: }
04298:
04299: double TCX_JsonNumber(string src, string key, double def=0.0)
04300: {
04301:     string needle="\""+key+"\"";
04302:     int p=StringFind(src, needle);
04303:     if(p<0) return def;
04304:     p=StringFind(src, ":", p);
04305:     if(p<0) return def;
04306:     int start=p+1;
04307:     while(start<StringLen(src))
04308:     {
04309:         string ch=StringSubstr(src, start, 1);
04310:         if(ch!=" \" && ch!="\t \" && ch!="\r \" && ch!="\n \" break;
04311:         start++;
04312:     }
04313:     int end=start;
04314:     while(end<StringLen(src))
04315:     {
04316:         string ch=StringSubstr(src, end, 1);
04317:         if(StringFind("0123456789+-.", ch)<0) break;
04318:         end++;

```

```

04319:     }
04320:     if(end<=start) return def;
04321:     return StringToDouble(StringSubstr(src,start,end-start));
04322: }
04323:
04324: bool TCX_JsonHasKey(string src,string key)
04325: {
04326:     string needle="\""+key+"\"";
04327:     return (StringFind(src,needle)>=0);
04328: }
04329:
04330: bool TCX_JsonBool(string src,string key,bool def=false)
04331: {
04332:     string needle="\""+key+"\"";
04333:     int p=StringFind(src,needle);
04334:     if(p<0) return def;
04335:     p=StringFind(src,":",p);
04336:     if(p<0) return def;
04337:
04338:     int start=p+1;
04339:     while(start<StringLen(src))
04340:     {
04341:         string ch=StringSubstr(src,start,1);
04342:         if(ch!=" " && ch!="\t" && ch!="\r" && ch!="\n") break;
04343:         start++;
04344:     }
04345:
04346:     string v=StringSubstr(src,start,5);
04347:     StringToLower(v);
04348:     if(StringSubstr(v,0,4)=="true")
04349:         return true;
04350:     if(StringSubstr(v,0,5)=="false")
04351:         return false;
04352:     return def;
04353: }
04354:
04355: void TCX_AckCommand(string id,string status,string message)
04356: {
04357:     if(id=="") return;
04358:     string res="";
04359:     string body="{\"ea_id\": \"\"+TCX_JsonEscape(InpSupabaseEaId)+\"\", \"ea_token\": \"\"+TCX_JsonEscape(InpSupabaseEaToken)
)+\"\", \"command_id\": \"\"+TCX_JsonEscape(id)+\"\", \"status\": \"\"+TCX_JsonEscape(status)+\"\", \"message\": \"\"+TCX_JsonEsc
ape(message)+\"\"}";
04360:     TCX_HttpPostFunction("ea-ack-command",body,res);
04361: }
04362:
04363: bool TCX_ApplyWebCommand(string id,string action,string raw)
04364: {
04365:     if(id!="" && id==g_WebLastCommandId)
04366:         return true;
04367:
04368:     StringToUpper(action);
04369:     string msg="";
04370:
04371:     if(action=="ARM_BUY")
04372:     {
04373:         string reason="";
04374:         if(g_ArmedMode==ARM_BUY)
04375:         {
04376:             SetArmMode(ARM_NONE);
04377:             msg="WEB BUY wait cancelled";
04378:         }
04379:         else if(CanStartModelEntry(reason))
04380:         {
04381:             SetArmMode(ARM_BUY);
04382:             msg="WEB BUY armed - waiting for 3rd candle close";
04383:         }
04384:         else
04385:         {
04386:             msg=reason;
04387:         }
04388:         SetLastMessage(msg,g_ArmedMode==ARM_BUY ? clrLime : clrSilver);
04389:     }
04390:     else if(action=="ARM_SELL")
04391:     {
04392:         string reason="";
04393:         if(g_ArmedMode==ARM_SELL)
04394:         {
04395:             SetArmMode(ARM_NONE);
04396:             msg="WEB SELL wait cancelled";
04397:         }
04398:         else if(CanStartModelEntry(reason))
04399:         {
04400:             SetArmMode(ARM_SELL);
04401:             msg="WEB SELL armed - waiting for 3rd candle close";
04402:         }
04403:         else
04404:         {
04405:             msg=reason;
04406:         }
04407:         SetLastMessage(msg,g_ArmedMode==ARM_SELL ? clrTomato : clrSilver);
04408:     }
04409:     else if(action=="AUTO_ARM")
04410:     {
04411:         string reason="";
04412:         if(g_AutoArm)
04413:         {
04414:             SetAutoArm(false);
04415:             msg="WEB auto arm disabled";
04416:         }
04417:         else if(CanStartModelEntry(reason))

```

```

04418:         {
04419:             SetAutoArm(true);
04420:             msg="WEB auto arm enabled - waits for 3rd candle close";
04421:         }
04422:     else
04423:     {
04424:         msg=reason;
04425:     }
04426:     SetLastMessage(msg,g_AutoArm ? clrGold : clrSilver);
04427: }
04428: else if(action=="CANCEL")
04429: {
04430:     SetArmMode(ARM_NONE);
04431:     g_AutoArm=false;
04432:     msg="WEB waiting mode cancelled";
04433:     SetLastMessage(msg,clrSilver);
04434: }
04435: else if(action=="CLOSE" || action=="CLOSE_ALL")
04436: {
04437:     if(!InpWebAllowCloseCommands)
04438:     {
04439:         msg="WEB close blocked by input setting";
04440:         SetLastMessage(msg,clrTomato);
04441:         return false;
04442:     }
04443:     CloseAllPositions();
04444:     msg="WEB close command processed";
04445: }
04446: else if(action=="CLOSE_50")
04447: {
04448:     if(!InpWebAllowCloseCommands)
04449:     {
04450:         msg="WEB close 50 blocked by input setting";
04451:         SetLastMessage(msg,clrTomato);
04452:         return false;
04453:     }
04454:     CloseCurrentPercent(50.0);
04455:     msg="WEB close 50 processed";
04456: }
04457: else if(action=="BREAK_EVEN" || action=="BE")
04458: {
04459:     MoveToBreakEven();
04460:     msg="WEB break even processed";
04461: }
04462: else if(action=="FIRST_BREAK_EVEN" || action=="FIRST_BE" || action=="BE_FIRST")
04463: {
04464:     MoveFirstTradeToBreakEven();
04465:     msg=g_LastMessage;
04466: }
04467: else if(action=="FIRST_BE_EXIT" || action=="FIRST_BREAK_EVEN_EXIT" || action=="BE_EXIT_FIRST" ||
action=="FIRST_PROFIT_EXIT")
04468: {
04469:     CloseFirstTradeAtBreakEvenExit();
04470:     msg=g_LastMessage;
04471: }
04472: else if(action=="TOGGLE_PARTIALS")
04473: {
04474:     g_PC_On=!g_PC_On;
04475:     msg=(g_PC_On ? "WEB partial close enabled" : "WEB partial close disabled");
04476:     SetLastMessage(msg,g_PC_On ? clrSkyBlue : clrSilver);
04477: }
04478: else if(action=="TOGGLE_SECOND_ENTRY")
04479: {
04480:     g_SecondEntryOn=!g_SecondEntryOn;
04481:     if(!g_SecondEntryOn && HasOurPosition())
04482:     {
04483:         SetArmMode(ARM_NONE);
04484:         g_AutoArm=false;
04485:     }
04486:     SyncSecondEntryState();
04487:     msg=(g_SecondEntryOn ? "WEB second entry enabled" : "WEB second entry disabled");
04488:     SetLastMessage(msg,g_SecondEntryOn ? clrSkyBlue : clrSilver);
04489: }
04490: else if(action=="SET_MODE")
04491: {
04492:     string mode=TCX_JsonString(raw,"mode","safe");
04493:     StringToLower(mode);
04494:     if(mode=="advanced" || mode=="adv")
04495:     {
04496:         g_AdvancedMode=true;
04497:         g_PC_On=true;
04498:         msg="WEB advanced mode enabled";
04499:         SetLastMessage(msg,clrSkyBlue);
04500:     }
04501:     else
04502:     {
04503:         g_AdvancedMode=false;
04504:         g_PC_On=false;
04505:         msg="WEB safe mode enabled";
04506:         SetLastMessage(msg,clrSilver);
04507:     }
04508: }
04509: else if(action=="SET_RISK")
04510: {
04511:     double lot=TCX_JsonNumber(raw,"lot",g_Lot);
04512:     double risk=TCX_JsonNumber(raw,"risk",g_RiskMoney);
04513:     double rr=TCX_JsonNumber(raw,"rr",g_RRTarget);
04514:     g_Lot=NormalizeVolumeForPanel(lot);
04515:     g_RiskMoney=NormalizeRiskMoney(risk);
04516:     g_RRTarget=NormalizeDouble(MathMax(0.1,MathMin(20.0,rr)),1);
04517:     RefreshLotEdit();

```



```

04518: RefreshRiskEdit();
04519: msg="WEB risk updated: lot "+DoubleToString(g_Lot,VolumeDigits())+", risk "+MoneyText(g_RiskMoney)+"", RR
1:""+DoubleToString(g_RRTarget,1);
04520: SetLastMessage(msg,clrSilver);
04521: }
04522: else if(action=="SET_PARTIALS")
04523: {
04524:   g_PC1_Pct=ClampPercent(TCX_JsonNumber(raw,"pc1",g_PC1_Pct));
04525:   g_PC2_Pct=ClampPercent(TCX_JsonNumber(raw,"pc2",g_PC2_Pct));
04526:   g_PC3_Pct=ClampPercent(TCX_JsonNumber(raw,"pc3",g_PC3_Pct));
04527:   bool explicitPartials=TCX_JsonHasKey(raw,"partialsOn");
04528:   bool explicitSecond=TCX_JsonHasKey(raw,"secondEntryOn");
04529:   bool firstBeRequested=TCX_JsonBool(raw,"firstBreakEven",false);
04530:   bool firstBeExitRequested=TCX_JsonBool(raw,"firstBeExit",false);
04531:
04532:   if(explicitPartials)
04533:     g_PC_On=TCX_JsonBool(raw,"partialsOn",g_PC_On);
04534:
04535:   if(TCX_JsonHasKey(raw,"secondEntryOn"))
04536:   {
04537:     g_SecondEntryOn=TCX_JsonBool(raw,"secondEntryOn",g_SecondEntryOn);
04538:     if(!g_SecondEntryOn && HasOurPosition())
04539:     {
04540:       SetArmMode(ARM_NONE);
04541:       g_AutoArm=false;
04542:     }
04543:     SyncSecondEntryState();
04544:   }
04545:
04546:   SetEditText(E_PC1,g_PC1_Pct,0);
04547:   SetEditText(E_PC2,g_PC2_Pct,0);
04548:   SetEditText(E_PC3,g_PC3_Pct,0);
04549:
04550:   if(firstBeExitRequested)
04551:   {
04552:     CloseFirstTradeAtBreakEvenExit();
04553:     msg=g_LastMessage;
04554:   }
04555:   else if(firstBeRequested)
04556:   {
04557:     MoveFirstTradeToBreakEven();
04558:     msg=g_LastMessage;
04559:   }
04560:   else
04561:   {
04562:     msg=(explicitPartials || explicitSecond) ? "WEB trade controls updated" : "WEB partial values updated";
04563:     SetLastMessage(msg,clrSilver);
04564:   }
04565: }
04566: else if(action=="PING" || action=="NOOP")
04567: {
04568:   msg="WEB ping ok";
04569: }
04570: else
04571: {
04572:   msg="Unknown web command: "+action;
04573:   SetLastMessage(msg,clrTomato);
04574:   return false;
04575: }
04576:
04577: g_WebLastCommandId=id;
04578: UpdatePanel();
04579: g_WebStateDirty=true;
04580: return true;
04581: }
04582:
04583: bool TCX_WebReady()
04584: {
04585:   if(!InpWebControlEnabled)
04586:     return false;
04587:   if(StringLen(InpSupabaseFunctionsUrl)<20 || StringFind(InpSupabaseFunctionsUrl,"YOUR_PROJECT_REF")>=0)
04588:     return false;
04589:   if(StringLen(InpSupabaseEaId)<8 || StringFind(InpSupabaseEaId,"PASTE_EA_ID")>=0)
04590:     return false;
04591:   if(StringLen(InpSupabaseEaToken)<12 || StringFind(InpSupabaseEaToken,"PASTE_EA_SECRET")>=0)
04592:     return false;
04593:   return true;
04594: }
04595:
04596: void TCX_SupabasePollCommands()
04597: {
04598:   if(!TCX_WebReady())
04599:     return;
04600:
04601:   uint nowTick=GetTickCount();
04602:   int ms=MathMax(100,InpWebPollMilliseconds);
04603:   if(g_WebLastPollTick>0 && (uint)(nowTick-g_WebLastPollTick)<(uint)ms)
04604:     return;
04605:   g_WebLastPollTick=nowTick;
04606:
04607:   string res="";
04608:   string body="{\"ea_id\":\""+TCX_JsonEscape(InpSupabaseEaId)+"\", \"ea_token\":\""+TCX_JsonEscape(InpSupabaseEaToken)
)+\"\", \"symbol\":\""+TCX_JsonEscape(_Symbol)+"\", \"magic\":\""+IntegerToString(InpMagic)+"\"}";
04609:   if(!TCX_HttpPostFunction("ea-next-command",body,res))
04610:     return;
04611:
04612:   bool hasCommand=(StringFind(res, "\"action\"" )>=0 && StringFind(res, "\"id\"" )>=0 &&
StringFind(res, "\"command\":null"<0);
04613:   if(!hasCommand)
04614:     return;
04615:

```



```

04616:     string id=TCX_JsonString(res,"id","");
04617:     string action=TCX_JsonString(res,"action","");
04618:     if(action=="")
04619:         return;
04620:
04621:     bool ok=TCX_ApplyWebCommand(id,action,res);
04622:     TCX_SupabasePostFastState(true);
04623:     TCX_AckCommand(id,ok ? "done" : "failed",g_LastMessage);
04624: }
04625:
04626: void TCX_SupabasePostState(bool force)
04627: {
04628:     if(!TCX_WebReady() || !InpWebPostLiveState)
04629:         return;
04630:
04631:     uint nowTick=GetTickCount();
04632:     int ms=1000;
04633:     if(!force && !g_WebStateDirty && g_WebLastPostTick>0 && (uint)(nowTick-g_WebLastPostTick)<(uint)ms)
04634:         return;
04635:     g_WebLastPostTick=nowTick;
04636:
04637:     string res="";
04638:     string body="{\"ea_id\": \"\"+TCX_JsonEscape(InpSupabaseEaId)+\"\", \"ea_token\": \"\"+TCX_JsonEscape(InpSupabaseEaToken)
04639: }+\"\", \"state\": \"\"+TCX_BuildStateJson()+\"\"}";
04640:     if(TCX_HttpPostFunction("ea-post-state",body,res))
04641:         g_WebStateDirty=false;
04642: }
04643: void TCX_SupabasePostFastState(bool force)
04644: {
04645:     if(!TCX_WebReady() || !InpWebPostLiveState)
04646:         return;
04647:
04648:     uint nowTick=GetTickCount();
04649:     int ms=250;
04650:     if(!force && g_WebLastPostTick>0 && (uint)(nowTick-g_WebLastPostTick)<(uint)ms)
04651:         return;
04652:     g_WebLastPostTick=nowTick;
04653:
04654:     string res="";
04655:     string body="{\"ea_id\": \"\"+TCX_JsonEscape(InpSupabaseEaId)+\"\", \"ea_token\": \"\"+TCX_JsonEscape(InpSupabaseEaToken)
04656: }+\"\", \"partial\": true, \"state\": \"\"+TCX_BuildFastStateJson()+\"\"}";
04657:     if(TCX_HttpPostFunction("ea-post-state",body,res))
04658:         g_WebStateDirty=false;
04659: }
04660: void EnsurePanel()
04661: {
04662:     if(!g_PanelBuilt || ObjectFind(0,UI+"B6")<0 || ObjectFind(0,B_BUY)<0 || ObjectFind(0,B_SELL)<0)
04663:     {
04664:         BuildPanel();
04665:         UpdatePanel();
04666:     }
04667: }
04668:
04669: void RuntimeLoop(bool allowTradeScan)
04670: {
04671:     EnsurePanel();
04672:     SyncPositionState();
04673:     if(allowTradeScan)
04674:     {
04675:         MonitorSecondEntry();
04676:         MonitorFirstTradeProfitExit();
04677:     }
04678:     else
04679:     {
04680:         SyncSecondEntryState();
04681:     }
04682:     TCX_SupabasePollCommands();
04683:
04684:     if(g_PC_On)
04685:         MonitorPartialClose();
04686:
04687:     datetime barTime=iTime(_Symbol,_Period,0);
04688:     if(barTime!=g_LastBarTime)
04689:     {
04690:         g_LastBarTime=barTime;
04691:         DrawLatestClosedSignal();
04692:     }
04693:
04694:     // Trade scan is internally gated to the first tick after a candle closes.
04695:     if(allowTradeScan && (g_ArmedMode!=ARM_NONE || g_AutoArm))
04696:         TryArmedExecution();
04697:
04698:     UpdatePanel();
04699:     TCX_SupabasePostState(false);
04700:     ChartHeartbeat();
04701: }
04702:
04703: //=====
04704: // EDIT HANDLERS
04705: //=====
04706: void RefreshLotEdit()
04707: {
04708:     if(ObjectFind(0,E_LOT)>=0)
04709:         ObjectSetString(0,E_LOT,OBJPROP_TEXT,DoubleToString(g_Lot,VolumeDigits()));
04710: }
04711:
04712: void RefreshRiskEdit()
04713: {
04714:     if(ObjectFind(0,E_RISK)>=0)

```

```

04715:         ObjectSetString(0,E_RISK,OBJPROP_TEXT,DoubleToString(g_RiskMoney,2));
04716:     }
04717:
04718: void HandleLotEdit()
04719: {
04720:     string raw=ObjectGetString(0,E_LOT,OBJPROP_TEXT);
04721:
04722:     double maxLot=InpPanelLotMax;
04723:     if(maxLot<=0.0)
04724:         maxLot=100.0;
04725:     if(InpClampLotToBrokerMax)
04726:         maxLot=MathMin(maxLot,BrokerMaxLot());
04727:
04728:     g_Lot=NormalizeVolumeForPanel(CleanNumber(raw,g_Lot,BrokerMinLot(),maxLot));
04729:     RefreshLotEdit();
04730:     SetLastMessage("Lot set to "+DoubleToString(g_Lot,VolumeDigits()),clrSilver);
04731:     UpdatePanel();
04732:     TCX_SupabasePostFastState(true);
04733: }
04734:
04735: void HandleRiskEdit()
04736: {
04737:     string raw=ObjectGetString(0,E_RISK,OBJPROP_TEXT);
04738:     g_RiskMoney=CleanMoney(raw,g_RiskMoney);
04739:     RefreshRiskEdit();
04740:     SetLastMessage("Risk set to "+MoneyText(g_RiskMoney),clrSilver);
04741:     UpdatePanel();
04742:     TCX_SupabasePostFastState(true);
04743: }
04744:
04745: void HandlePartialEdit(string obj)
04746: {
04747:     string raw=ObjectGetString(0,obj,OBJPROP_TEXT);
04748:
04749:     if(obj==E_PC1)
04750:     {
04751:         g_PC1_Pct=CleanPercent(raw,g_PC1_Pct);
04752:         SetEditText(E_PC1,g_PC1_Pct,0);
04753:     }
04754:     else if(obj==E_PC2)
04755:     {
04756:         g_PC2_Pct=CleanPercent(raw,g_PC2_Pct);
04757:         SetEditText(E_PC2,g_PC2_Pct,0);
04758:     }
04759:     else if(obj==E_PC3)
04760:     {
04761:         g_PC3_Pct=CleanPercent(raw,g_PC3_Pct);
04762:         SetEditText(E_PC3,g_PC3_Pct,0);
04763:     }
04764:
04765:     SetLastMessage("Partial book values updated",clrSilver);
04766:     UpdatePanel();
04767:     TCX_SupabasePostFastState(true);
04768: }
04769:
04770: //=====
04771: // EVENTS
04772: //=====
04773: int OnInit()
04774: {
04775:     g_InitTime=TimeCurrent();
04776:     SymbolSelect(_Symbol,true);
04777:
04778:     g_Lot=NormalizeVolumeForPanel(InpLot);
04779:     g_RRTarget=(InpRiskReward>0.0 ? InpRiskReward : 3.0);
04780:     g_RiskMoney=NormalizeRiskMoney(InpRiskMoney);
04781:     g_PC_On=InpPartialCloseEnabled;
04782:     g_AdvancedMode=InpPartialCloseEnabled;
04783:     g_SecondEntryOn=InpSecondEntryEnabled;
04784:     g_FirstProfitExitOn=InpFirstProfitExitEnabled;
04785:     g_PC1_Pct=ClampPercent(InpPC1_Percent);
04786:     g_PC2_Pct=ClampPercent(InpPC2_Percent);
04787:     g_PC3_Pct=ClampPercent(InpPC3_Percent);
04788:
04789:     Trade.SetExpertMagicNumber(InpMagic);
04790:     Trade.SetDeviationInPoints(InpDeviationPoints);
04791:     Trade.SetMarginMode();
04792:     Trade.SetTypeFillingBySymbol(_Symbol);
04793:
04794:     g_LastBarTime=0; // Force pattern check on first tick
04795:
04796:     DeleteTradeLevelObjects();
04797:     BuildPanel();
04798:     ChartHeartbeat();
04799:     SyncPositionState();
04800:     SyncSecondEntryState();
04801:     DrawHistoricalSignals();
04802:     UpdatePanel();
04803:
04804:     SetLastMessage("Controller ready - buttons wait for next model, spread no block",clrSilver);
04805:     UpdatePanel();
04806:     if(InpWebControlEnabled)
04807:         EventSetMillisecondTimer(MathMax(100,InpWebPollMilliseconds));
04808:     else
04809:         EventSetTimer(1);
04810:     ChartRedraw();
04811:
04812:     return INIT_SUCCEEDED;
04813: }
04814:
04815: void OnDeinit(const int reason)

```

```
04816: {
04817:     EventKillTimer();
04818:     Comment("");
04819:     ObjectsDeleteAll(0,PX);
04820:     ChartRedraw();
04821: }
04822:
04823: void OnTick()
04824: {
04825:     RuntimeLoop(true);
04826: }
04827:
04828: void OnTimer()
04829: {
04830:     RuntimeLoop(false);
04831: }
04832:
04833: void TCX_FinishLocalControl()
04834: {
04835:     UpdatePanel();
04836:     TCX_SupabasePostFastState(true);
04837: }
04838:
04839: void OnChartEvent(const int id,const long &lparam,const double &dparam,const string &sparam)
04840: {
04841:     if(id==CHARTEVENT_CHART_CHANGE)
04842:     {
04843:         BuildPanel();
04844:         UpdatePanel();
04845:         return;
04846:     }
04847:
04848:     if(id==CHARTEVENT_OBJECT_ENDEDIT)
04849:     {
04850:         if(sparam==E_LOT)
04851:         {
04852:             HandleLotEdit();
04853:             return;
04854:         }
04855:         if(sparam==E_RISK)
04856:         {
04857:             HandleRiskEdit();
04858:             return;
04859:         }
04860:         if(sparam==E_PC1 || sparam==E_PC2 || sparam==E_PC3)
04861:         {
04862:             HandlePartialEdit(sparam);
04863:             return;
04864:         }
04865:     }
04866:
04867:     if(id!=CHARTEVENT_OBJECT_CLICK)
04868:         return;
04869:
04870:     if(ObjectFind(0,sparam)>=0)
04871:         ObjectSetInteger(0,sparam,OBJPROP_STATE,false);
04872:
04873:     if(sparam==B_BUY)
04874:     {
04875:         string reason="";
04876:         if(g_ArmedMode==ARM_BUY)
04877:             SetArmMode(ARM_NONE);
04878:         else if(CanStartModelEntry(reason))
04879:             SetArmMode(ARM_BUY);
04880:         else
04881:         {
04882:             SetLastMessage(reason,clrGold);
04883:             TCX_FinishLocalControl();
04884:             return;
04885:         }
04886:
04887:         SetLastMessage(g_ArmedMode==ARM_BUY ? "BUY armed - waiting for 3rd candle close" : "BUY wait cancelled",
04888:             g_ArmedMode==ARM_BUY ? clrLime : clrSilver);
04889:         TCX_FinishLocalControl();
04890:         return;
04891:     }
04892:
04893:     if(sparam==B_SELL)
04894:     {
04895:         string reason="";
04896:         if(g_ArmedMode==ARM_SELL)
04897:             SetArmMode(ARM_NONE);
04898:         else if(CanStartModelEntry(reason))
04899:             SetArmMode(ARM_SELL);
04900:         else
04901:         {
04902:             SetLastMessage(reason,clrGold);
04903:             TCX_FinishLocalControl();
04904:             return;
04905:         }
04906:
04907:         SetLastMessage(g_ArmedMode==ARM_SELL ? "SELL armed - waiting for 3rd candle close" : "SELL wait cancelled",
04908:             g_ArmedMode==ARM_SELL ? clrTomato : clrSilver);
04909:         TCX_FinishLocalControl();
04910:         return;
04911:     }
04912:
04913:     if(sparam==B_AUTO)
04914:     {
04915:         string reason="";
04916:         if(g_AutoArm)
```

```
04917:         SetAutoArm(false);
04918:     else if(CanStartModelEntry(reason))
04919:         SetAutoArm(true);
04920:     else
04921:     {
04922:         SetLastMessage(reason,clrGold);
04923:         TCX_FinishLocalControl();
04924:         return;
04925:     }
04926:
04927:     SetLastMessage(g_AutoArm ? "Auto arm enabled - waiting for 3rd candle close" : "Auto arm disabled",
04928:         g_AutoArm ? clrGold : clrSilver);
04929:     TCX_FinishLocalControl();
04930:     return;
04931: }
04932:
04933: if(sparam==B_CANCEL)
04934: {
04935:     SetArmMode(ARM_NONE);
04936:     g_AutoArm=false;
04937:     SetLastMessage("Waiting mode cancelled",clrSilver);
04938:     TCX_FinishLocalControl();
04939:     return;
04940: }
04941:
04942: if(sparam==B_CLOSE || sparam==B_CLOSE_ALL)
04943: {
04944:     CloseAllPositions();
04945:     TCX_FinishLocalControl();
04946:     return;
04947: }
04948:
04949: if(sparam==B_CLOSE50)
04950: {
04951:     CloseCurrentPercent(50.0);
04952:     TCX_FinishLocalControl();
04953:     return;
04954: }
04955:
04956: if(sparam==B_BE)
04957: {
04958:     MoveToBreakEven();
04959:     TCX_FinishLocalControl();
04960:     return;
04961: }
04962:
04963: if(sparam==B_FIRST_BE)
04964: {
04965:     MoveFirstTradeToBreakEven();
04966:     TCX_FinishLocalControl();
04967:     return;
04968: }
04969:
04970: if(sparam==B_FIRST_BE_EXIT)
04971: {
04972:     CloseFirstTradeAtBreakEvenExit();
04973:     TCX_FinishLocalControl();
04974:     return;
04975: }
04976:
04977: if(sparam==B_PC)
04978: {
04979:     g_PC_On=!g_PC_On;
04980:     SetLastMessage(g_PC_On ? "Partial close enabled" : "Partial close disabled",
04981:         g_PC_On ? clrSkyBlue : clrSilver);
04982:     TCX_FinishLocalControl();
04983:     return;
04984: }
04985:
04986: if(sparam==B_SECOND)
04987: {
04988:     g_SecondEntryOn=!g_SecondEntryOn;
04989:     if(!g_SecondEntryOn && HasOurPosition())
04990:     {
04991:         SetArmMode(ARM_NONE);
04992:         g_AutoArm=false;
04993:     }
04994:     SyncSecondEntryState();
04995:     SetLastMessage(g_SecondEntryOn ? "Second entry enabled - waits for -0.5R before 2R" : "Second entry disabled",
04996:         g_SecondEntryOn ? clrSkyBlue : clrSilver);
04997:     TCX_FinishLocalControl();
04998:     return;
04999: }
05000:
05001: if(sparam==B_MODE_SAFE)
05002: {
05003:     g_AdvancedMode=false;
05004:     g_PC_On=false;
05005:     SetLastMessage("Safe mode: fixed TP, no partials",clrSilver);
05006:     TCX_FinishLocalControl();
05007:     return;
05008: }
05009:
05010: if(sparam==B_MODE_ADV)
05011: {
05012:     g_AdvancedMode=true;
05013:     g_PC_On=true;
05014:     SetLastMessage("Advanced mode: partials and BE controls ready",clrSkyBlue);
05015:     TCX_FinishLocalControl();
05016:     return;
05017: }
```

```
05018:
05019:   if(sparam==B_LOT_UP)
05020:   {
05021:       double step=InpLotButtonStep;
05022:       if(step<=0.0)
05023:           step=BrokerStepLot();
05024:       g_Lot=NormalizeVolumeForPanel(g_Lot+step);
05025:       RefreshLotEdit();
05026:       SetLastMessage("Lot set to "+DoubleToString(g_Lot,VolumeDigits()),clrSilver);
05027:       TCX_FinishLocalControl();
05028:       return;
05029:   }
05030:
05031:   if(sparam==B_LOT_DN)
05032:   {
05033:       double step=InpLotButtonStep;
05034:       if(step<=0.0)
05035:           step=BrokerStepLot();
05036:       g_Lot=NormalizeVolumeForPanel(g_Lot-step);
05037:       RefreshLotEdit();
05038:       SetLastMessage("Lot set to "+DoubleToString(g_Lot,VolumeDigits()),clrSilver);
05039:       TCX_FinishLocalControl();
05040:       return;
05041:   }
05042:
05043:   if(sparam==B_RISK_UP)
05044:   {
05045:       double step=InpRiskMoneyButtonStep;
05046:       if(step<=0.0)
05047:           step=10.0;
05048:       g_RiskMoney=NormalizeRiskMoney(g_RiskMoney+step);
05049:       RefreshRiskEdit();
05050:       SetLastMessage("Risk set to "+MoneyText(g_RiskMoney),clrSilver);
05051:       TCX_FinishLocalControl();
05052:       return;
05053:   }
05054:
05055:   if(sparam==B_RISK_DN)
05056:   {
05057:       double step=InpRiskMoneyButtonStep;
05058:       if(step<=0.0)
05059:           step=10.0;
05060:       g_RiskMoney=NormalizeRiskMoney(g_RiskMoney-step);
05061:       RefreshRiskEdit();
05062:       SetLastMessage("Risk set to "+MoneyText(g_RiskMoney),clrSilver);
05063:       TCX_FinishLocalControl();
05064:       return;
05065:   }
05066:
05067:   if(sparam==B_RR_UP)
05068:   {
05069:       g_RRTarget=MathMin(20.0,g_RRTarget+0.1);
05070:       g_RRTarget=NormalizeDouble(g_RRTarget,1);
05071:       SetLastMessage("RR target set to 1:"+DoubleToString(g_RRTarget,1),clrSilver);
05072:       TCX_FinishLocalControl();
05073:       return;
05074:   }
05075:
05076:   if(sparam==B_RR_DN)
05077:   {
05078:       g_RRTarget=MathMax(0.1,g_RRTarget-0.1);
05079:       g_RRTarget=NormalizeDouble(g_RRTarget,1);
05080:       SetLastMessage("RR target set to 1:"+DoubleToString(g_RRTarget,1),clrSilver);
05081:       TCX_FinishLocalControl();
05082:       return;
05083:   }
05084: }
05085: //+-----+
```

Source Listing: tmp/multi-account-ui-preview.svg

Lines: 74 | Size: 8527 bytes | SHA256: eaf80546101d53b7016dc865e4772be97e48d28a7883619e4e25f013b62b4311

```
00001: <svg xmlns="http://www.w3.org/2000/svg" width="1440" height="1050" viewBox="0 0 1440 1050">
00002:   <defs>
00003:     <style>
00004:       text{font-family:Inter,Arial,sans-serif;fill:#f4f1ea}
00005:     .muted{fill:#a8abb2}.dim{fill:#737780}.teal{fill:#13b8a4}.green{fill:#2fe09a}.red{fill:#ff8181}.gold{fill:#f2b84d}
00006:     .bg{fill:#101114}.panel{fill:#191b20;stroke:#30333a;stroke-width:1}.soft{fill:#15171b;stroke:#30333a;stroke-width:1}
00007:     .btn{rx:8;stroke:#30333a;stroke-width:1}.small{font-size:15px;font-weight:700}.tiny{font-size:13px;font-weight:
700}.h1{font-size:34px;font-weight:800}.h2{font-size:20px;font-weight:800}.mono{font-family:Menlo,Consolas,monospace;
font-weight:700}
00008:   </style>
00009: </defs>
00010: <rect class="bg" width="1440" height="1050"/>
00011: <g opacity=".12" stroke="#ffff">
00012:   <path d="M0 80H1440M 160H1440M 240H1440M 320H1440M 400H1440M 480H1440M 560H1440M 640H1440M 720H1440M 800H1440M 880H1440M 960H1440"/>
00013:   <path d="M80 0V1050M160 0V1050M240 0V1050M320 0V1050M400 0V1050M480 0V1050M560 0V1050M640 0V1050M720 0V1050M800
0V1050M880 0V1050M960 0V1050M1040 0V1050M1120 0V1050M1200 0V1050M1280 0V1050M1360 0V1050"/>
00014: </g>
00015: <rect class="panel" x="28" y="24" width="1384" height="76" rx="8"/>
00016: <rect x="48" y="40" width="44" height="44" rx="8" fill="#0f9f8e"/><text x="105" y="58" class="h2">TCX
Pro</text><text x="105" y="78" class="tiny muted">multi account controller</text>
00017: <rect class="soft" x="325" y="42" width="345" height="40" rx="8"/><text x="345" y="67" class="small muted">Small 5K
VPS - XAUUSD</text>
00018: <rect class="soft" x="824" y="40" width="420" height="44" rx="8"/><text x="846" y="67" class="small
muted">Dashboard Accounts Trades Rules Settings</text><rect x="928" y="45" width="92" height="34" rx="7"
fill="#202329" stroke="#464a54"/>
00019: <rect x="1260" y="40" width="132" height="44" rx="8" fill="#0f9f8e"/><text x="1292" y="67" class="small"
fill="#06110f">New EA</text>
00020:
00021: <rect class="panel" x="28" y="124" width="1384" height="245" rx="8"/>
00022: <text x="56" y="157" class="tiny teal">MULTI ACCOUNT EXECUTION</text><text x="56" y="198" class="h1">Account
Controller</text>
00023: <rect class="soft" x="56" y="224" width="190" height="70" rx="8"/><text x="76" y="249" class="tiny
muted">Selected</text><text x="76" y="279" class="h2">4/6</text>
00024: <rect class="soft" x="260" y="224" width="190" height="70" rx="8"/><text x="280" y="249" class="tiny
muted">Online</text><text x="280" y="279" class="h2 green">4</text>
00025: <rect class="soft" x="464" y="224" width="190" height="70" rx="8"/><text x="484" y="249" class="tiny
muted">Offline</text><text x="484" y="279" class="h2 red">2</text>
00026: <rect class="soft" x="668" y="224" width="190" height="70" rx="8"/><text x="688" y="249" class="tiny muted">Open
Positions</text><text x="688" y="279" class="h2">3</text>
00027: <rect class="soft" x="872" y="224" width="250" height="70" rx="8"/><text x="892" y="249" class="tiny muted">Total
Equity</text><text x="892" y="279" class="h2 mono">USD 128,430.00</text>
00028: <rect class="soft" x="1136" y="224" width="220" height="70" rx="8"/><text x="1156" y="249" class="tiny muted">Last
Sync</text><text x="1156" y="279" class="h2 mono">17:03:12</text>
00029: <rect x="56" y="315" width="190" height="48" rx="8" fill="#16884d"/><text x="102" y="345" class="small">ARM
BUY</text>
00030: <rect x="260" y="315" width="190" height="48" rx="8" fill="#bf3d3d"/><text x="302" y="345" class="small">ARM
SELL</text>
00031: <rect class="soft" x="464" y="315" width="190" height="48" rx="8"/><text x="512" y="345" class="small">AUTO
ARM</text>
00032: <rect class="soft" x="668" y="315" width="190" height="48" rx="8"/><text x="724" y="345"
class="small">CANCEL</text>
00033: <rect class="soft" x="872" y="315" width="190" height="48" rx="8"/><text x="922" y="345" class="small">BREAK
EVEN</text>
00034: <rect x="1076" y="315" width="190" height="48" rx="8" fill="#2a1719" stroke="#7a3131"/><text x="1125" y="345"
class="small red">CLOSE ALL</text>
00035:
00036: <rect class="panel" x="28" y="392" width="1384" height="58" rx="8"/>
00037: <rect class="soft" x="48" y="402" width="150" height="38" rx="8"/><text x="72" y="426" class="tiny">Select
Visible</text>
00038: <rect class="soft" x="214" y="402" width="210" height="38" rx="8"/><text x="238" y="426" class="tiny muted">All
accounts</text>
00039: <text x="1040" y="427" class="tiny muted">Master buttons send only to selected accounts.</text>
00040:
00041: <rect class="panel" x="28" y="474" width="1384" height="414" rx="8" stroke="#13b8a4"/>
00042: <rect class="soft" x="28" y="474" width="130" height="74" rx="8"/><text x="58" y="518" class="tiny">Selected</text>
00043: <circle cx="186" cy="511" r="6" class="green"/><text x="208" y="504" class="h2">Small 5K VPS #884231</text><text
x="208" y="530" class="tiny muted">FundingPips - MetaQuotes-Demo</text>
00044: <rect class="soft" x="660" y="494" width="150" height="34" rx="8"/><text x="710" y="516" class="tiny">XAUUSD</text>
00045: <rect class="soft" x="822" y="494" width="170" height="34" rx="8"/><text x="852" y="516" class="tiny mono">USD
5,120.40</text>
00046: <rect class="soft" x="1004" y="494" width="150" height="34" rx="8"/><text x="1030" y="516" class="tiny">Risk USD
50</text>
00047: <rect class="soft" x="1166" y="494" width="150" height="34" rx="8"/><text x="1218" y="516" class="tiny">IDLE</text>
00048: <line x1="28" y1="548" x2="1412" y2="548" stroke="#30333a"/>
00049: <g transform="translate(48 570)">
00050:   <rect class="soft" x="0" y="0" width="200" height="58" rx="8"/><text x="16" y="22" class="tiny
muted">Status</text><text x="16" y="44" class="small green">Online</text>
00051:   <rect class="soft" x="214" y="0" width="200" height="58" rx="8"/><text x="230" y="22" class="tiny
muted">Balance</text><text x="230" y="44" class="small mono">USD 5,100.00</text>
00052:   <rect class="soft" x="428" y="0" width="200" height="58" rx="8"/><text x="444" y="22" class="tiny muted">Open
P/L</text><text x="444" y="44" class="small green">+USD 20.40</text>
00053:   <rect class="soft" x="642" y="0" width="200" height="58" rx="8"/><text x="658" y="22" class="tiny
muted">Positions</text><text x="658" y="44" class="small">1</text>
00054:   <rect class="soft" x="856" y="0" width="200" height="58" rx="8"/><text x="872" y="22" class="tiny
muted">Arm</text><text x="872" y="44" class="small">OFF</text>
00055:   <rect class="soft" x="0" y="78" width="640" height="185" rx="8"/><text x="18" y="107" class="h2">Risk
Settings</text>
00056:   <rect fill="#111216" stroke="#30333a" x="18" y="128" width="182" height="48" rx="8"/><text x="76" y="158"
class="small mono">0.03</text>
00057:   <rect fill="#111216" stroke="#30333a" x="218" y="128" width="182" height="48" rx="8"/><text x="274" y="158"
class="small mono">50.00</text>
00058:   <rect fill="#111216" stroke="#30333a" x="418" y="128" width="182" height="48" rx="8"/><text x="486" y="158"
```

```
class="small mono">3.0</text>
00059:   <rect x="18" y="196" width="582" height="42" rx="8" fill="#0f9f8e"/><text x="230" y="222" class="small"
fill="#06110f">Send Risk To This Account</text>
00060:   <rect class="soft" x="660" y="78" width="640" height="185" rx="8"/><text x="678" y="107" class="h2">Mode &amp;
Partials</text>
00061:   <rect fill="#202329" stroke="#464a54" x="678" y="126" width="122" height="38" rx="8"/><text x="721" y="150"
class="tiny">Safe</text>
00062:   <rect fill="#15171b" stroke="#30333a" x="812" y="126" width="122" height="38" rx="8"/><text x="844" y="150"
class="tiny muted">Advanced</text>
00063:   <rect fill="#193024" stroke="#2f7b51" x="946" y="126" width="150" height="38" rx="8"/><text x="982" y="150"
class="tiny green">Partials ON</text>
00064:   <rect fill="#15171b" stroke="#30333a" x="1108" y="126" width="122" height="38" rx="8"/><text x="1140" y="150"
class="tiny muted">2nd OFF</text>
00065:   <rect x="678" y="196" width="582" height="42" rx="8" class="soft"/><text x="888" y="222" class="small">Send
Partials To This Account</text>
00066: </g>
00067:
00068:   <rect class="panel" x="28" y="910" width="1384" height="80" rx="8"/>
00069:   <circle cx="72" cy="950" r="6" class="green"/><text x="94" y="945" class="h2">Big 100K VPS #912840</text><text
x="94" y="970" class="tiny muted">ICMarketsSSC - Live</text>
00070:   <rect class="soft" x="700" y="932" width="150" height="34" rx="8"/><text x="750" y="954" class="tiny">XAUUSD</text>
00071:   <rect class="soft" x="862" y="932" width="170" height="34" rx="8"/><text x="892" y="954" class="tiny mono">USD
101,220.70</text>
00072:   <rect class="soft" x="1044" y="932" width="150" height="34" rx="8"/><text x="1066" y="954" class="tiny">Risk USD
500</text>
00073:   <rect class="soft" x="1206" y="932" width="150" height="34" rx="8"/><text x="1252" y="954" class="tiny gold">BUY
WAIT</text>
00074: </svg>
```

Source Listing: dist/assets/favicon-D6E8JDMZ.svg

Lines: 4 | Size: 189 bytes | SHA256: eba91d7f5485b7b2220d2e0c763f8a7a86024e5dcc5574b64330de8aa7d5efc2

```
00001: <svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 64 64">
00002:   <rect width="64" height="64" rx="12" fill="#101114"/>
00003:   <path d="M35 6 15 36h15l-2 22 21-32H34l1-20Z" fill="#13b8a4"/>
00004: </svg>
```


Source Listing: dist/assets/index-CdhDc5Hx.css

Lines: 1 | Size: 43621 bytes | SHA256: 340142a65b787b270555a08b34b482a9dbb570497e0fd1b36ae6279ff2d68077

```

00001: @import "https://fonts.googleapis.com/css2?family=Inter:wght@400;500;600;700;800&family=JetBrains+Mono:wght@400;600&d
islay=swap";root{--bg:#101114;--bg-soft:#141519;--surface:#191b20;--surface-raised:#202329;--surface-muted:#15171b;
--input:#111216;--border:#30333a;--border-strong:#464a54;--text:#f4f1ea;--muted:#a8abb2;--dim:#737780;--accent:#0f9f8
e;--accent-strong:#13b8a4;--buy:#18a058;--sell:#df4b4b;--warning:#c98c18;--info:#4f8cc9;--shadow:0 18px 44px
#00000047;--shadow-soft:0 10px 28px #00000038;--radius:8px}*{box-sizing:border-box}html{background:var(--bg);min-widt
h:320px}body{min-width:320px;min-height:100vh;color:var(--text);background:linear-gradient(#ffffff06,#fff0
280px);linear-gradient(#111216 0%,#0f1013 46%,#13110f
100%);margin:0;font-family:Inter,system-ui,-apple-system,BlinkMacSystemFont,Segoe UI,sans-serif;overflow-x:hidden}bod
y:before{content:"";z-index:-1;pointer-events:none;opacity:.18;background-image:linear-gradient(#ffffff14 1px,#0000
1px);linear-gradient(90deg,#ffffff14 1px,#0000 1px);background-size:48px
48px;position:fixed;inset:0;-webkit-mask-image:linear-gradient(#000,#0000 75%);mask-image:linear-gradient(#000,#0000
75%)}button,input,select{font:inherit}button{border-radius:var(--radius);cursor:pointer;min-height:42px;color:var(--t
ext);border:0;justify-content:center;align-items:center;gap:8px;padding:11px
14px;font-weight:700;transition:transform .15s,border-color .15s,background-color .15s,box-shadow .15s;display:i
nline-flex}button:active{transform:translateY(1px)}button:disabled{cursor:not-allowed;opacity:.55;transform:none}butt
on svg{flex:none;width:17px;height:17px}label{color:var(--muted);letter-spacing:0;flex-direction:column;gap:8px;font-
size:12px;font-weight:700;display:flex}input,select{border:1px solid var(--border);border-radius:var(--radius);backgr
ound:var(--input);width:100%;min-height:42px;color:var(--text);outline:none;padding:11px 12px;transition:border-color
.15s,box-shadow .15s,background-color .15s}input:focus,select:focus{border-color:var(--accent-strong);box-shadow:0 0 0 3px
#13b8a429}input::placeholder{color:var(--dim)}code,.logTime,.statInfo strong,.posItem strong,.structState
b{font-family:JetBrains
Mono,ui-monospace,SFMono-Regular,Menlo,Consolas,monospace}.app{width:min(100%,1480px);margin:0
auto;padding:18px}.glass{background:color-mix(in srgb, var(--surface) 92%, transparent);border:1px solid var(--border
);border-radius:var(--radius);box-shadow:var(--shadow-soft)}.primaryBtn{background:var(--accent);color:#071210;box-sh
adow:0 10px 22px #0f9f8e38}.primaryBtn:hover:not(:disabled){background:var(--accent-strong);box-shadow:0 14px 28px
#0f9f8e47}.ghostBtn{background:var(--surface-raised);color:var(--text);border:1px solid var(--border)}.ghostBtn:hover
:not(:disabled){border-color:var(--border-strong);background:#272b32}.textBtn{min-height:auto;color:var(--accent-stro
ng);background:0 0;padding:10px 0
0;font-weight:700}.textBtn:hover{color:var(--text)}.fullBtn{width:100%}.compactBtn{min-height:40px;padding:9px
12px}.iconTextBtn{white-space:nowrap;min-height:40px;padding:9px 12px}.spin{animation:.7s linear infinite
spin}@keyframes
spin{to{transform:rotate(360deg)}}.sectionEyebrow{color:var(--accent-strong);letter-spacing:0;margin:0 0 4px;font-siz
e:12px;font-weight:800}.notice{border-radius:var(--radius);color:var(--text);background:#13b8a41a;border:1px solid #1
3b8a43d;margin-top:16px;padding:12px;font-size:14px}.errorNotice{background:#df4b4b1a;border-color:#df4b4b47}.envList
{gap:10px;margin-top:16px;display:grid}.envList code{border:1px solid var(--border);border-radius:var(--radius);backg
round:var(--input);color:var(--text);overflow-wrap:anywhere;padding:10px;font-size:12px;display:block}.pos{color:#28c
978!important}.neg{color:#ff6969!important}.loginShell{grid-template-columns:minmax(0,1fr)
minmax(360px,460px);align-items:center;gap:48px;width:min(100%,1120px);min-height:100vh;margin:0 auto;padding:24px;di
splay:grid}.loginIntro{min-width:0}.brandMark{color:var(--text);align-items:center;gap:12px;margin-bottom:22px;font-s
ize:24px;font-weight:800;display:inline-flex}.brandGlyph{border-radius:var(--radius);background:var(--accent);color:#
06110f;place-items:center;width:44px;height:44px;display:grid}.loginIntro h1{max-width:680px;color:var(--text);letter
-spacing:0;margin:0;font-size:58px;line-height:1.02}.loginMetrics{flex-wrap:wrap;gap:10px;margin-top:28px;display:fle
x}.loginMetrics span{border:1px solid var(--border);border-radius:var(--radius);color:var(--muted);background:#fffff
09;align-items:center;gap:8px;padding:9px
12px;font-size:13px;font-weight:700;display:inline-flex}.loginCard{width:100%;padding:28px}.loginCard
h2{letter-spacing:0;margin:0 0 22px;font-size:30px}.loginForm{flex-direction:column;gap:16px;display:flex}.setUpApp{w
idth:100%}.setUpShell{place-items:center;margin:0 0 36px;padding:18px;display:grid}.setUpCard{width:min(100%,720px);padding:28px}.setUpFields{gap:16px;margin:24px 0;dis
play:grid}.setUpBack{justify-content:center;margin-top:16px;display:flex}.secretBox{gap:14px;margin-top:22px;display:
grid}.secretBox h3{margin:0 0 4px;font-size:20px}.copyRow{border-radius:var(--radius);border:1px solid
var(--border);background:var(--surface-muted);grid-template-columns:190px minmax(0,1fr)
auto;align-items:center;gap:10px;padding:10px;display:grid}.copyRow
span{color:var(--muted);font-size:12px;font-weight:800}.copyRow
code{color:#2fe09a;overflow-wrap:anywhere;font-size:13px}.copyRow button{background:var(--surface-raised);border:1px
solid var(--border);width:38px;min-height:38px;padding:0}.dangerText{color:#f2b84d;align-items:center;gap:8px;font-si
ze:14px;font-weight:700;display:flex}.topbar{z-index:20;-webkit-backdrop-filter:blur(18px);backdrop-filter:blur(18px)
;grid-template-columns:minmax(0,1fr) auto;align-items:center;gap:16px;margin-bottom:18px;padding:12px;display:grid;po
sition:sticky;top:12px}.topbarLeft{grid-template-columns:auto minmax(260px,1fr);align-items:center;gap:18px;min-width
:0;display:grid}.brand{align-items:center;gap:12px;min-width:0;display:flex}.logo{border-radius:var(--radius);backgro
und:var(--accent);color:#06110f;flex:none;place-items:center;width:42px;height:42px;display:grid}.brandText{min-width
:0}.brandText h2{letter-spacing:0;margin:0;font-size:18px}.brandText>span,.emailPrivacy span{max-width:240px;color:va
r(--muted);text-overflow:ellipsis;white-space:nowrap;font-size:12px;font-weight:600;display:block;overflow:hidden}.em
ailPrivacy{grid-template-columns:minmax(0,auto)
auto;align-items:center;gap:6px;min-width:0;display:grid}.emailPrivacy
button{width:24px;min-height:24px;color:var(--muted);box-shadow:none;background:0
0;border-radius:6px;padding:0}.emailPrivacy
button:hover{color:var(--text);background:var(--surface-raised)}.emailPrivacy button
svg{width:14px;height:14px}.topbarCollapseBtn{border:1px solid var(--border);background:var(--surface-raised);width:3
4px;min-height:34px;color:var(--muted);box-shadow:none;margin-left:auto;padding:0}.topbar.open .topbarCollapseBtn
svg{transform:rotate(180deg)}.topbarClosed,.topbarClosed .topbarLeft{grid-template-columns:1fr}.topbarClosed
.topbarSelect,.topbarClosed .topbarActions{display:none}.topbarSelect{grid-template-columns:minmax(0,1fr) auto
auto;gap:8px;min-width:0;display:grid}.topbarSelect.editing{grid-template-columns:minmax(170px,1fr)
minmax(92px,120px) auto auto}.symbolInput{min-width:0}.topbarActions{flex-wrap:wrap;justify-content:flex-end;align-it
ems:center;gap:8px;display:flex}.viewToggle{border:1px solid var(--border);border-radius:var(--radius);background:var
(--surface-muted);grid-template-columns:repeat(5,minmax(0,auto));gap:4px;padding:4px;display:inline-grid}.viewToggle
button{min-height:32px;color:var(--muted);box-shadow:none;white-space:nowrap;background:0 0;padding:7px
10px}.viewToggle button.active{background:var(--surface-raised);color:var(--text);border:1px solid var(--border-stron
g)}.syncBadge{border-radius:var(--radius);min-height:40px;color:var(--text);white-space:nowrap;background:#13b8a414;b
order:1px solid #13b8a43d;grid-template-columns:auto auto;align-items:center;gap:0 8px;padding:7px
10px;font-size:12px;font-weight:800;display:inline-grid}.syncBadge small{color:var(--muted);grid-column:2;font-size:1
1px;font-weight:700}.liveDot{background:#2fe09a;border-radius:50%;width:8px;height:8px;box-shadow:0 0 0 5px
#2fe09a24}.hero{border-left:5px solid var(--border);grid-template-columns:minmax(0,1fr) 210px;align-items:stretch;gap
:22px;margin-bottom:18px;padding:22px;display:grid}.hero.position{border-left-color:#8a6fe8}.hero.buy{border-left-col
or:var(--buy)}.hero.sell{border-left-color:var(--sell)}.hero.auto{border-left-color:var(--warning)}.statusMeta{flex-w
rap:wrap;align-items:center;gap:8px;margin-bottom:16px;display:flex}.onlineRow,.symbolPill{border-radius:var(--radius
);min-height:32px;color:var(--muted);align-items:center;gap:8px;padding:7px 10px;font-size:12px;font-weight:800;displ
ay:inline-flex}.onlineRow.online{color:#2fe09a;background:#18a0581f;border:1px solid
#18a05847}.onlineRow.offline{color:#ff6969;background:#df4b4b1a;border:1px solid
#df4b4b40}.symbolPill{background:var(--surface-raised);border:1px solid var(--border)}.hero
h1{letter-spacing:0;max-width:860px;margin:0;font-size:38px;line-height:1.08}.hero
p{max-width:760px;color:var(--muted);margin:10px 0 0;line-height:1.55}.chips{flex-wrap:wrap;gap:8px;margin-top:18px;d
isplay:flex}.chip{border-radius:var(--radius);border:1px solid var(--border);background:var(--surface-muted);min-heig
ht:34px;color:var(--muted);align-items:center;gap:8px;padding:7px
10px;font-size:13px;font-weight:700;display:inline-flex}.chip
b{color:var(--text)}.heroRight{border-radius:var(--radius);background:var(--surface-muted);border:1px solid var(--bor

```

```

der);align-content:center;place-items:center;gap:10px;min-width:0;display:grid}.scoreRing{background:conic-gradient(v
ar(--accent-strong) calc(var(--score,0) * 100%), #2b2e35 0);border-radius:50%;place-items:center;width:128px;height:1
28px;display:grid;position:relative}.scoreRing:before{content:"";background:var(--surface);border:1px solid var(--bor
der);border-radius:50%;position:absolute;inset:10px}.scoreValue{z-index:1;align-items:baseline;gap:3px;display:flex;p
osition:relative}.scoreValue span{font-size:40px;font-weight:800}.scoreValue
small{color:var(--muted);font-size:16px;font-weight:800}.heroRight p{color:var(--muted);margin:0;font-size:12px;font-
weight:800}.collapsibleSection{margin-bottom:14px;overflow:hidden}.collapseHeader{width:100%;min-height:58px;color:va
r(--text);box-shadow:none;border-bottom:1px solid var(--border);background:0
0;border-radius:0;justify-content:space-between;padding:10px 12px}.collapsibleSection.closed .collapseHeader{border-b
ottom:0}.collapseTitle{text-align:left;align-items:center;gap:10px;min-width:0;display:inline-flex}.collapseIcon{bord
er:1px solid var(--border);border-radius:var(--radius);background:var(--surface-raised);width:34px;height:34px;color:
var(--muted);flex:none;place-items:center;display:grid}.collapseIcon svg{width:17px;height:17px}.collapseTitle
small{color:var(--accent-strong);margin-bottom:2px;font-size:11px;font-weight:900;display:block}.collapseTitle strong
{color:var(--text);font-size:17px;line-height:1.15;display:block}.collapseControl{border-radius:var(--radius);backgro
und:var(--surface-raised);border:1px solid var(--border);width:34px;height:34px;color:var(--muted);flex:none;place-it
ems:center;display:grid}.collapsibleSection.open .collapseControl svg{transform:rotate(180deg)}.collapseBody,.collaps
eBody.flushBody{padding:12px}.collapseBody.flushBody>.hero,.collapseBody.flushBody>.statGrid,.collapseBody.flushBody>
.mainLayout,.collapseBody.flushBody>.positionPanel,.collapseBody.flushBody>.structureContainer,.collapseBody.flushBod
y>.panel{margin-bottom:0}.collapseBody.flushBody>.glass{box-shadow:none}.statGrid{grid-template-columns:repeat(auto-f
it,minmax(174px,1fr));gap:12px;margin-bottom:18px;display:grid}.statCard{grid-template-columns:auto minmax(0,1fr);ali
gn-items:center;gap:12px;padding:14px;display:grid}.statIcon{border-radius:var(--radius);background:var(--surface-rai
sed);border:1px solid var(--border);width:40px;height:40px;color:var(--muted);place-items:center;display:grid}.statIn
fo{min-width:0}.statInfo
span{color:var(--muted);margin-bottom:3px;font-size:12px;font-weight:800;display:block}.statInfo strong{overflow-wrap
:anywhere;min-width:0;color:var(--text);font-size:20px;line-height:1.15;display:block}.mainLayout{grid-template-colum
ns:minmax(0,1.08fr) minmax(340px,.92fr);align-items:start;gap:18px;margin-bottom:18px;display:grid}.panel{padding:18p
x}.panelHeader{align-items:center;gap:12px;margin-bottom:16px;display:flex}.panelIcon{border-radius:var(--radius);wid
th:40px;height:40px;color:var(--text);background:var(--surface-raised);border:1px solid
var(--border);flex:none;place-items:center;display:grid}.panelHeader h2{letter-spacing:0;margin:0;font-size:20px}.big
Btns{grid-template-columns:repeat(2,minmax(0,1fr));gap:12px;margin-bottom:12px;display:grid}.bigBtns
button{min-height:92px;font-size:20px}.buyBtn,.sellBtn{color:#fff;border:1px solid
#ffffff1f}.buyBtn{background:#16884d;box-shadow:0 15px 28px
#18a05833}.buyBtn:hover:not(:disabled){background:#1aa85d}.sellBtn{background:#bf3d3d;box-shadow:0 15px 28px #df4b4b3
3}.sellBtn:hover:not(:disabled){background:#df4b4b}.miniBtns,.dangerZone{gap:10px;margin-bottom:10px;display:grid}.mi
niBtns{grid-template-columns:repeat(3,minmax(0,1fr))}.dangerZone{grid-template-columns:repeat(auto-fit,minmax(124px,1
fr))}.miniBtns button,.dangerZone button{background:var(--surface-raised);border:1px solid
var(--border);color:var(--text);min-width:0;font-size:13px}.miniBtns button:hover:not(:disabled),.dangerZone
button:hover:not(:disabled){border-color:var(--border-strong);background:#282c33}.dangerZone .redBtn{color:#ff8181;ba
ckground:#df4b4b1a;border-color:#df4b4b47}.settingsGrid{grid-template-columns:repeat(3,minmax(0,1fr));gap:10px;margin
-bottom:14px;display:grid}.settingsGrid input{font-family:JetBrains Mono,ui-monospace,SFMono-Regular,Menlo,Consolas,m
onospace;font-weight:600}.stepperLabel{min-width:0}.stepperLabel>span{display:block}.stepperLabel
small{color:var(--dim);font-size:11px;font-weight:700}.stepperControl{grid-template-columns:38px minmax(0,1fr)
38px;gap:6px;display:grid}.stepperControl
input{text-align:center;min-width:0}.stepBtn{background:var(--surface-raised);border:1px solid var(--border);width:38
px;min-height:42px;color:var(--text);padding:0}.stepBtn:hover:not(:disabled){border-color:var(--border-strong);backgr
ound:#282c33}.modeToggle{border-radius:var(--radius);background:var(--surface-muted);border:1px solid
var(--border);grid-template-columns:repeat(auto-fit,minmax(112px,1fr));gap:6px;margin:14px
0;padding:6px;display:grid}.modeToggle button{min-width:0;color:var(--muted);box-shadow:none;background:0
0;padding:10px 8px}.modeToggle button.active{background:var(--surface-raised);color:var(--text);border:1px solid
var(--border-strong)}.modeToggle button.successToggle.active{color:#2fe09a;background:#18a05829;border-color:#18a0586
b}.inlineStatus{border-radius:var(--radius);background:var(--surface-muted);border:1px solid
var(--border);color:var(--muted);margin:-4px 0 14px;padding:10px 12px;font-size:13px;font-weight:800}.positionPanel{m
argin-bottom:18px}.positionList{gap:10px;display:grid}.positionRow,.positionGrid{grid-template-columns:repeat(auto-fi
t,minmax(130px,1fr));gap:10px;display:grid}.posItem{border-radius:var(--radius);background:var(--surface-muted);borde
r:1px solid var(--border);min-width:0;padding:12px}.posItem
span{color:var(--muted);margin-bottom:6px;font-size:12px;font-weight:800;display:block}.posItem strong{color:var(--te
xt);overflow-wrap:anywhere;font-size:18px;display:block}.structureContainer{grid-template-columns:repeat(2,minmax(0,1
fr));gap:18px;margin-bottom:18px;display:grid}.structList{gap:8px;display:grid}.structRow{border-radius:var(--radius
);background:var(--surface-muted);border:1px solid var(--border);grid-template-columns:minmax(0,1fr)
auto;align-items:center;gap:12px;min-height:48px;padding:10px 12px;display:grid}.structLabel{overflow-wrap:anywhere;m
in-width:0;color:var(--muted);font-weight:700}.structState{justify-content:flex-end;align-items:center;gap:10px;min-w
idth:0;display:inline-flex}.structState b{overflow-wrap:anywhere;text-align:right;font-size:13px}.dot{background:var(
--dim);border-radius:50%;flex:none;width:10px;height:10px}.dot.ok{background:#2fe09a;box-shadow:0 0 4px #2fe09a1f}.
logContainer{gap:10px;max-height:430px;padding-right:4px;display:grid;overflow-y:auto}.logContainer::-webkit-scrollba
r{width:8px}.logContainer::-webkit-scrollbar-thumb{background:var(--border-strong);border-radius:99px}.logItem{border
-radius:var(--radius);background:var(--surface-muted);border:1px solid var(--border);grid-template-columns:92px
minmax(0,1fr) auto;align-items:center;gap:12px;padding:12px;display:grid}.logBadge{border-radius:var(--radius);min-he
ight:28px;color:var(--text);background:var(--surface-raised);overflow-wrap:anywhere;justify-content:center;align-item
s:center;padding:5px 8px;font-size:11px;font-weight:900;display:inline-flex}.logBadge.done{color:#2fe09a;background:#
18a0581f}.logBadge.failed{color:#ff8181;background:#df4b4b1f}.logBadge.pending,.logBadge.sent{color:#f2b84d;backgrou
d:#c98c181f}.logContent{min-width:0}.logContent
strong{color:var(--text);overflow-wrap:anywhere;margin-bottom:3px;font-size:14px;display:block}.logContent p{color:va
r(--muted);overflow-wrap:anywhere;margin:0;font-size:13px;line-height:1.45}.logTime{color:var(--dim);white-space:norw
ap;font-size:12px}.emptyState{border-radius:var(--radius);border:1px dashed var(--border-strong);min-height:108px;col
or:var(--muted);text-align:center;background:#ffffff05;place-items:center;padding:18px;font-weight:700;display:grid}.
emptyState.compact{min-height:58px}.multiPage{gap:14px;display:grid}.multiMaster{padding:18px}.multiMasterHeader{grid
-template-columns:minmax(0,1fr) auto;align-items:start;gap:14px;margin-bottom:16px;display:grid}.multiMasterHeader h1
{letter-spacing:0;margin:0;font-size:28px}.multiHeaderActions{flex-wrap:wrap;justify-content:flex-end;gap:8px;displ
ay:flex}.masterStats{grid-template-columns:repeat(6,minmax(120px,1fr));gap:10px;margin-bottom:14px;display:grid}.master
Stats div,.accountSnapshot div{border:1px solid
var(--border);border-radius:var(--radius);background:var(--surface-muted);min-width:0;padding:12px}.masterStats
span,.accountSnapshot
span{color:var(--muted);margin-bottom:6px;font-size:11px;font-weight:900;display:block}.masterStats
strong,.accountSnapshot strong{color:var(--text);overflow-wrap:anywhere;font-size:18px;display:block}.masterControls{
grid-template-columns:repeat(6,minmax(0,1fr));gap:10px;display:grid}.masterControls button{white-space:normal;min-wid
th:0;min-height:58px}.redInlineBtn{color:#ff8181;background:#df4b4b1a;border-color:#df4b4b52}.redInlineBtn:hover(not:
disabled){background:#df4b4b2e;border-color:#df4b4b80}.bulkResult{border-radius:var(--radius);border:1px solid
var(--border);background:var(--surface-muted);color:var(--muted);grid-template-columns:auto minmax(0,1fr)
auto;align-items:center;gap:10px;margin-top:14px;padding:11px 12px;font-weight:800;display:grid}.bulkResult.sent{colo
r:#bdf5d8;background:#18a05817;border-color:#18a05857}.bulkResult.partial,.bulkResult.sending{color:#f2d59b;backgrou
nd:#c98c181a;border-color:#c98c1861}.bulkResult.failed{color:#ff8181;background:#df4b4b1a;border-color:#df4b4b61}.bul
kResult button{color:currentColor;opacity:.8;background:0 0;border:1px solid;border:30px;min-height:30px;padding:0}.acc
ountRiskBanner{border-radius:var(--radius);color:#f2d59b;background:#c98c181a;border:1px solid
#c98c1857;align-items:flex-start;gap:9px;margin-top:12px;padding:11px
12px;font-size:13px;font-weight:800;line-height:1.45;display:flex}.accountRiskBanner
svg{color:var(--warning);margin-top:1px}.accountToolBar{grid-template-columns:auto minmax(180px,240px)
minmax(0,1fr);align-items:center;gap:10px;padding:12px;display:grid}.accountToolBar select{min-height:40px}.accountTo
olbarNote{color:var(--muted);justify-content:flex-end;align-items:center;gap:7px;font-size:12px;font-weight:800;displ
ay:flex}.multiAccountList{gap:12px;display:grid}.multiAccountCard{border:1px solid
var(--border);border-radius:var(--radius);background:color-mix(in srgb, var(--surface) 92%, transparent);box-shadow:v
ar(--shadow-soft);overflow:hidden}.multiAccountCard.selected{border-color:#13b8a46b}.accountCardHeader{grid-template-

```

```

columns:122px minmax(0,1fr);align-items:stretch;min-height:74px;display:grid}.accountSelectBox{border-right:1px solid
var(--border);background:var(--surface-muted);color:var(--text);flex-direction:row;justify-content:center;align-item
s:center;gap:8px;padding:10px;font-size:12px;font-weight:900;display:flex}.accountSelectBox input{width:18px;min-heig
ht:18px;accent-color:var(--accent);padding:0}.accountHeaderMain{width:100%;min-height:74px;color:var(--text);box-shad
ow:none;text-align:left;background:0 0;border-radius:0;grid-template-columns:auto minmax(190px,.9fr) minmax(0,1.4fr)
auto;justify-content:stretch;align-items:center;gap:12px;padding:12px;display:grid}.accountHeaderMain: hover{backgroun
d:#ffffff06}.multiAccountCard.expanded .accountHeaderMain>svg{transform:rotate(180deg)}.accountOnlineDot{background:v
ar(--dim);border-radius:50%;width:11px;height:11px}.accountOnlineDot.online{background:#2fe09a;box-shadow:0 0 5px
#2fe09a1f}.accountOnlineDot.offline{background:#df4b4b;box-shadow:0 0 5px
#df4b4b1a}.accountTitleBlock{min-width:0}.accountTitleBlock strong{text-overflow:ellipsis;white-space:nowrap;margin-b
ottom:4px;font-size:15px;display:block;overflow:hidden}.accountTitleBlock small{color:var(--muted);text-overflow:elli
psis;white-space:nowrap;font-size:12px;font-weight:700;display:block;overflow:hidden}.accountHeaderMetrics{grid-templ
ate-columns:repeat(4,minmax(0,1fr));gap:8px;min-width:0;display:grid}.accountHeaderMetrics span{border-radius:var(--r
adius);background:var(--surface-muted);min-width:0;color:var(--muted);text-overflow:ellipsis;white-space:nowrap;paddi
ng:7px 9px;font-size:12px;font-weight:900;overflow:hidden}.accountCardBody{border-top:1px solid var(--border);gap:12p
x;padding:12px;display:grid}.accountSnapshot{grid-template-columns:repeat(6,minmax(0,1fr));gap:10px;display:grid}.acc
ountControlsGrid{grid-template-columns:minmax(0,1fr)
minmax(0,1.2fr);gap:12px;display:grid}.accountSubpanel{border:1px solid var(--border);border-radius:var(--radius);bac
kground:var(--surface-muted);min-width:0;padding:14px}.accountSafetyPanel{grid-column:1/-1}.subpanelTitle{color:var(-
-text);align-items:center;gap:8px;margin-bottom:12px;font-size:13px;font-weight:900;display:flex}.accountSettingsGrid
{grid-template-columns:repeat(3,minmax(0,1fr))}.accountModeToggle{grid-template-columns:repeat(4,minmax(0,1fr))}.acco
untActionGrid{grid-template-columns:repeat(6,minmax(0,1fr));gap:8px;display:grid}.accountActionGrid
button{white-space:normal;min-width:0;min-height:40px;padding:9px
8px;font-size:12px}.accountLowerGrid{grid-template-columns:minmax(0,1fr) minmax(0,1fr);gap:12px;display:grid}.account
MiniRows{gap:8px;display:grid}.accountMiniRow{border-radius:var(--radius);background:var(--input);border:1px solid
var(--border);color:var(--muted);grid-template-columns:minmax(0,1fr) auto auto
auto;align-items:center;gap:8px;padding:9px 10px;font-size:12px;font-weight:800;display:grid}.accountMiniRow
strong{text-overflow:ellipsis;white-space:nowrap;min-width:0;overflow:hidden}.accountMiniRow
span{white-space:nowrap}.miniStatus{background:var(--surface-raised);color:var(--muted);border-radius:6px;padding:4px
7px}.miniStatus.done{color:#2fe09a}.miniStatus.failed{color:#ff8181}.miniStatus.pending,.miniStatus.sent{color:#f2b8
4d}.accountCardFooter{color:var(--muted);justify-content:space-between;align-items:center;gap:12px;font-size:12px;font-
weight:800;display:flex}.settingsPage{grid-template-columns:minmax(0,1.05fr)
minmax(340px,.95fr);align-items:start;gap:18px;display:grid}.settingsHeader{grid-template-columns:auto minmax(0,1fr)
auto;display:grid}.telegramStatus{border-radius:var(--radius);border:1px solid var(--border);background:var(--surface
-muted);min-height:32px;color:var(--muted);justify-content:center;align-items:center;padding:7px 10px;font-size:12px;
font-weight:900;display:inline-flex}.telegramStatus.connected{color:#2fe09a;background:#18a0581f;border-color:#18a058
47}.telegramGrid{gap:16px;display:grid}.telegramSavedBox{border-radius:var(--radius);background:#13b8a414;border:1px
solid #13b8a43d;grid-template-columns:repeat(2,minmax(0,1fr));gap:10px;padding:12px;display:grid}.telegramSavedBox
div{gap:4px;min-width:0;display:grid}.telegramSavedBox
span{color:var(--muted);font-size:11px;font-weight:900}.telegramSavedBox strong{min-width:0;color:var(--text);overflo
w-wrap:anywhere;font-size:13px}.toggleLine,.prefItem{border-radius:var(--radius);background:var(--surface-muted);bord
er:1px solid var(--border);min-height:46px;color:var(--text);grid-template-columns:auto
minmax(0,1fr);align-items:center;gap:10px;padding:10px 12px;font-size:14px;font-weight:800;display:grid}.toggleLine
input,.prefItem
input{width:18px;min-height:18px;accent-color:var(--accent-strong)}.chatIdRow{grid-template-columns:minmax(0,1fr) aut
o;gap:8px;display:grid}.telegramBotLine{border-radius:var(--radius);color:var(--text);background:#13b8a414;border:1px
solid #13b8a43d;padding:10px 12px;font-size:13px;font-weight:800}.telegramActions{flex-wrap:wrap;gap:8px;display:fl
ex}.dangerGhost{color:#ff8181;background:#df4b4b14;border-color:#df4b4b38}.prefGrid{grid-template-columns:repeat(2,min
max(0,1fr));gap:10px;display:grid}.historyPage{gap:18px;display:grid}.historySummary{grid-template-columns:repeat(4,m
inmax(160px,1fr));gap:12px;display:grid}.historyMetric{padding:16px}.historyMetric
span{color:var(--muted);margin-bottom:8px;font-size:12px;font-weight:800;display:block}.historyMetric
strong{font-family:JetBrains Mono,ui-monospace,SFMono-Regular,Menlo,Consolas,monospace;font-size:22px}.historyTableWr
ap{overflow-x:auto}.historyTable{border-collapse:collapse;width:100%;min-width:1060px}.historyTable th,.historyTable
td{border-bottom:1px solid var(--border);text-align:left;white-space:nowrap;padding:12px}.historyTable
td{color:var(--muted);font-size:12px;font-weight:900}.historyTable td{color:var(--text);font-size:13px;font-weight:70
0}.sidePill{border-radius:var(--radius);justify-content:center;align-items:center;min-width:54px;min-height:26px;paddi
ng:4px 8px;font-size:12px;font-weight:900;display:inline-flex}.sidePill.buy{color:#2fe09a;background:#18a0581f}.side
Pill.sell{color:#ff8181;background:#df4b4b1f}.sourcePill{border-radius:var(--radius);justify-content:center;align-ite
ms:center;min-width:62px;min-height:26px;padding:4px 8px;font-size:12px;font-weight:900;display:inline-flex}.sourcePi
ll.ea{color:#77d7ff;background:#007eb824}.sourcePill.manual{color:#f2b84d;background:#c98c1824}.rulesPage{gap:18px;di
splay:grid}.rulesHero{grid-template-columns:minmax(0,1fr)
190px;align-items:stretch;gap:18px;padding:22px;display:grid}.rulesHero
h1{letter-spacing:0;max-width:860px;margin:0;font-size:36px;line-height:1.1}.rulesHero
p{max-width:760px;color:var(--muted);margin:10px 0
0;line-height:1.55}.rulesScore{border-radius:var(--radius);background:linear-gradient(180deg, #2fe09a1a, #2fe09a08),
var(--surface-muted);border:1px solid
#2fe09a47;align-content:center;place-items:center;gap:4px;min-height:160px;display:grid}.rulesScore
strong{color:#2fe09a;font-size:52px;line-height:1}.rulesScore span{color:var(--muted);text-transform:uppercase;font-si
ze:12px;font-weight:800}.rulesControlPanel{margin-bottom:0}.rulesControlGrid,.rulesInputGrid,.rulesStatusGrid,.rulesB
ars,.phaseFlow,.tierDiagram{gap:12px;display:grid}.rulesControlGrid{grid-template-columns:repeat(4,minmax(0,1fr))}.ru
lesGrid{grid-template-columns:minmax(0,1.1fr) minmax(360px,.9fr);align-items:start;gap:18px;display:grid}.rulesInputG
rid{grid-template-columns:repeat(3,minmax(0,1fr))}.rulesInputGrid input{font-family:JetBrains Mono,ui-monospace,SFMon
o-Regular,Menlo,Consolas,monospace;font-weight:600}.rulesStatusGrid{grid-template-columns:repeat(2,minmax(0,1fr))}.rul
eStatus{border-radius:var(--radius);border:1px solid
var(--border);background:var(--surface-muted);min-width:0;min-height:122px;padding:13px}.ruleStatus
span{color:var(--muted);font-size:12px;font-weight:900;display:block}.ruleStatus strong{color:var(--text);overflow-wr
ap:anywhere;margin-top:7px;font-size:20px;line-height:1.15;display:block}.ruleStatus p{color:var(--muted);margin:8px
0 0;font-size:12px;line-height:1.45}.ruleStatus.pass{background:#18a0581f;border-color:#2fe09a4d}.ruleStatus.pass
strong{color:#2fe09a}.ruleStatus.watch{background:#4f8cc91a;border-color:#4f8cc952}.ruleStatus.watch
strong{color:#8bc4ff}.ruleStatus.breach{background:#df4b4b1a;border-color:#df4b4b5c}.ruleStatus.breach strong{color:#
ff8181}.ruleStatus.neutral{background:var(--surface-muted)}.rulesBars{grid-template-columns:repeat(4,minmax(0,1fr))}.
ruleBar{border:1px solid var(--border);border-radius:var(--radius);background:var(--surface-muted);min-width:0;paddi
ng:14px}.ruleBarTop{color:var(--muted);justify-content:space-between;align-items:center;gap:10px;font-size:12px;font-w
eight:900;display:flex}.ruleBarTop
strong{color:var(--text);font-size:13px}.ruleTrack{background:#2b2e35;border-radius:99px;height:9px;margin:12px 0
10px;overflow:hidden}.ruleTrack span{border-radius:inherit;background:linear-gradient(90deg, var(--accent),
#4f8cc9);height:100%;display:block}.ruleTrack.hot span{background:linear-gradient(90deg, var(--warning),
var(--sell))}.ruleBar p{color:var(--muted);margin:0;font-size:12px;line-height:1.45}.phaseFlow{grid-template-columns:
repeat(auto-fit,minmax(150px,1fr))}.phaseNode{border:1px solid var(--border);border-radius:var(--radius);background:v
ar(--surface-muted);min-height:136px;padding:14px}.phaseNode.active{background:#13b8a41a;border-color:#13b8a47a}.phas
eNode span{background:var(--surface-raised);border:1px solid var(--border);width:28px;height:28px;color:var(--muted);
border-radius:50%;place-items:center;font-size:12px;font-weight:900;display:grid}.phaseNode.active
span{color:#2fe09a;border-color:#2fe09a59}.phaseNode
strong{color:var(--text);margin-top:10px;font-size:16px;display:block}.phaseNode p,.phaseNode
small{color:var(--muted);margin:6px 0 0;font-size:12px;line-height:1.4;display:block}.conditionList{gap:9px;max-heigh
t:520px;padding-right:4px;display:grid;overflow-y:auto}.conditionItem{border-radius:var(--radius);background:var(--su
rface-muted);border:1px solid var(--border);grid-template-columns:28px
minmax(0,1fr);align-items:start;gap:10px;padding:10px;display:grid}.conditionItem span{color:#f2b84d;background:#c98c
1824;border-radius:50%;place-items:center;width:24px;height:24px;font-size:11px;font-weight:900;display:grid}.conditi
onItem p{color:var(--muted);margin:0;font-size:13px;line-height:1.45}.rulesTableWrap{width:100%;overflow-x:auto}.rule
sTable{border-collapse:collapse;width:100%;min-width:420px}.rulesTable th,.rulesTable td{border-bottom:1px solid

```



```

var(--border);text-align:left;padding:12px;font-size:13px}.rulesTable
th{color:var(--muted);font-size:12px;font-weight:900}.rulesTable
td{color:var(--text);font-weight:700}.tierDiagram{grid-template-columns:repeat(6,minmax(0,1fr))}.tierStep{border:1px
solid var(--border);border-radius:var(--radius);background:var(--surface-muted);align-content:center;gap:8px;min-hei
ht:90px;padding:12px;display:grid}.tierStep span{color:var(--muted);font-size:12px;font-weight:800}.tierStep
strong{color:#8bc4ff;font-size:20px}.rulesFootnote{color:var(--dim);margin:14px 0
0;font-size:12px;line-height:1.5}.ruleDashboardHero{margin-bottom:0}.autoRulesControls .panelHeader{margin-bottom:12p
x}.objectivesPanel{overflow:hidden}.objectivesGrid{grid-template-columns:repeat(6,minmax(0,1fr));gap:14px;display:gr
id}.objectiveCard{border:1px solid var(--border);border-radius:var(--radius);background:linear-gradient(180deg,
#ffffff06,#fff0), var(--surface-muted);align-content:start;justify-items:center;gap:12px;min-width:0;min-height:245p
x;padding:18px;display:grid}.objectiveCard h3{color:var(--text);justify-self:stretch;margin:0;font-size:16px;font-we
ght:800;line-height:1.25}.objectiveRing{background:conic-gradient(var(--ring-color,#6bde70) calc(var(--pct,0) * 1%),
#293039 0);border-radius:50%;place-items:center;width:116px;height:116px;display:grid;position:relative}.objectiveRin
g:before{content:"";background:var(--surface-muted);border:1px solid
#ffffff0a;border-radius:50%;position:absolute;inset:12px}.objectiveRing span{z-index:1;color:var(--text);font-size:24
px;font-weight:900;position:relative}.objectiveCard .pass{--ring-color:#6bde70}.objectiveCard .watch{--ring-color:#f2b8
4d}.objectiveCard .breach{--ring-color:#ff6969;border-color:#df4b4b52}.objectiveCard .neutral{--ring-color:#6d7480}.obj
ectiveValueOnly{place-items:center;min-height:116px;display:grid}.objectiveValueOnly strong{color:var(--text);font-si
ze:30px;line-height:1.1}.objectiveValue{max-width:100%;min-height:34px;color:var(--text);text-align:center;overflow-w
rap:anywhere;font-size:14px;line-height:1.3}.objectiveCard p{color:var(--muted);text-align:center;margin:0;font-size:
12px;line-height:1.45}.accountSnapshotGrid{grid-template-columns:repeat(4,minmax(0,1fr));gap:14px;display:grid}.accou
ntMetricCard{align-content:center;gap:12px;min-height:122px;padding:18px;display:grid}.accountMetricCard
span{color:var(--muted);font-size:14px;font-weight:800}.accountMetricCard strong{color:var(--text);overflow-wrap:any
where;font-size:30px;line-height:1.1}.ruleDashboardGrid{grid-template-columns:minmax(0,1fr) minmax(310px,.34fr);align-
items:start;gap:18px;display:grid}.accountChartPanel,.accountCurve{min-width:0}.accountCurve
svg{width:100%;min-height:300px;display:block;overflow:visible}.accountCurve
line{stroke:#ffffff2e;stroke-width:1px}.accountCurve
text{fill:var(--dim);font-size:12px;font-weight:700}.accountCurve path,.accountCurve
circle{fill:none;stroke:linear-gradient(to right,stroke);stroke-width:2px}.balanceLine{stroke:#f2992e;stroke-width:4px}.equityLine{stroke:#57a7ff;stroke-width:3px;opaci
ty:.9}.floor{stroke-width:3px;stroke-dasharray:8 8}.dailyFloor{stroke:#f2c94c}.maxFloor{stroke:#ff6969}.chartLegend{c
olor:var(--muted);flex-wrap:wrap;align-items:center;gap:10px;margin-top:8px;font-size:12px;font-weight:800;display:fl
ex}.chartLegend span{align-items:center;gap:6px;display:inline-flex}.chartLegend span:before{content:"";background:cu
rrentColor;border-radius:99px;height:18px;width:18px}.balanceLegend{color:#f2992e}.equityLegend{color:#57a7ff}.dailyLe
gend{color:#f2c94c}.maxLegend{color:#ff6969}.lossInfoGrid{grid-template-columns:repeat(4,minmax(0,1fr));gap:12px;marg
in-top:16px;display:grid}.lossInfoGrid div{border:1px solid var(--border);border-radius:var(--radius);background:var(
--surface-muted);align-content:center;gap:8px;min-height:92px;padding:14px;display:grid}.lossInfoGrid span,.statValue
span{color:var(--muted);font-size:13px;font-weight:800}.lossInfoGrid strong,.statValue strong{color:var(--text);over
flow-wrap:anywhere;font-size:20px;line-height:1.2}.rulesSideStack{gap:18px;display:grid}.accountInfoList{gap:12px;dis
play:grid}.accountInfoRow{grid-template-columns:28px minmax(90px,auto)
minmax(0,1fr);align-items:center;gap:10px;min-height:42px;display:grid}.accountInfoRow
span{color:var(--muted)}.accountInfoRow svg{width:18px;height:18px}.accountInfoRow
b{color:var(--text);font-size:13px}.accountInfoRow strong{min-width:0;color:var(--muted);text-align:right;overflow-wr
ap:anywhere;justify-self:end;font-size:13px}.elapsedPanel h2{margin:0 0 16px;font-size:18px}.elapsedGrid{grid-templat
e-columns:repeat(4,minmax(0,1fr));gap:10px;margin-bottom:18px;display:grid}.elapsedGrid
div{text-align:center;gap:6px;display:grid}.elapsedGrid strong{color:var(--text);font-size:22px}.elapsedGrid
span{color:var(--muted);font-size:12px;font-weight:900}.elapsedPanel p{color:var(--muted);margin:0 0
8px;font-weight:800}.statisticsGrid{grid-template-columns:repeat(2,minmax(0,1fr));gap:24px 34px;display:grid}.statVal
ue{gap:6px;min-width:0;display:grid}.dailyTableWrap{max-height:420px;overflow:auto}.dailyTable{border-collapse:collap
se;width:100%;min-width:520px}.dailyTable th,.dailyTable td{border-bottom:1px solid
var(--border);text-align:left;padding:12px}.dailyTable
th{color:var(--muted);font-size:13px;font-weight:900}.dailyTable td{color:var(--text);font-size:14px;font-weight:800}
.footer{color:var(--dim);text-align:center;justify-content:center;align-items:center;gap:8px;padding:26px 0
14px;font-size:12px;font-weight:700;display:flex}@media (width<=1180px){.topbar{grid-template-columns:1fr}.topbarActi
ons{justify-content:flex-start}.mainLayout,.structureContainer,.settingsPage,.rulesGrid,.ruleDashboardGrid{grid-templ
ate-columns:1fr}.objectivesGrid{grid-template-columns:repeat(3,minmax(0,1fr))}.accountSnapshotGrid,.lossInfoGrid,.rul
esControlGrid,.rulesBars{grid-template-columns:repeat(2,minmax(0,1fr))}.tierDiagram,.masterStats,.accountSnapshot,.ma
sterControls,.accountActionGrid{grid-template-columns:repeat(3,minmax(0,1fr))}.accountControlsGrid,.accountLowerGrid{
grid-template-columns:1fr}@media
(width<=860px){.app{padding:12px}.loginShell{grid-template-columns:1fr;align-items:start;gap:24px}.loginIntro h1{font
-size:40px}.topbar{position:static}.topbarLeft,.topbarSelect,.topbarSelect.editing{grid-template-columns:1fr}.topbarA
ctions{grid-template-columns:repeat(2,minmax(0,1fr));display:grid}.syncBadge,.topbarActions button,.viewToggle{width:
100%}.viewToggle{grid-template-columns:repeat(3,minmax(0,1fr))}.hero,.rulesHero{grid-template-columns:1fr}.heroRight{
min-height:180px}.hero h1,.rulesHero h1{font-size:30px}.objectivesGrid{grid-template-columns:repeat(2,minmax(0,1fr))}
}.statisticsGrid{gap:18px}.multiMasterHeader,.accountToolBar,.accountCardHeader{grid-template-columns:1fr}.multiHeader
Actions,.accountToolBarNote{justify-content:flex-start}.accountSelectBox{border-right:0;border-bottom:1px solid
var(--border);justify-content:flex-start}.accountHeaderMain{grid-template-columns:auto minmax(0,1fr)
auto}.accountHeaderMetrics{grid-template-columns:1fr;grid-template-columns:repeat(2,minmax(0,1fr))}@media
(width<=620px){body{background:linear-gradient(#ffffff05,#fff0 220px),linear-gradient(#11216 0%,#101114
100%)}.app{padding:8px}.loginShell,.setupShell{padding:12px}.glass{box-shadow:0 8px 22px
#0003}.loginCard,.setupCard,.panel,.hero,.rulesHero{padding:12px}.loginIntro h1{font-size:32px}.bigBtns,.miniBtns,.da
ngerZone,.settingsGrid,.modeToggle,.prefGrid,.chatIdRow,.telegramSavedBox,.rulesControlGrid,.rulesInputGrid,.ruleStat
usGrid,.rulesBars,.tierDiagram,.objectivesGrid,.accountSnapshotGrid,.lossInfoGrid,.statisticsGrid,.masterStats,.accou
ntSnapshot,.accountSettingsGrid,.accountModeToggle{grid-template-columns:1fr}.topbar{gap:10px;margin-bottom:12px;pad
ding:10px}.topbarLeft,.brand{gap:10px}.topbarClosed{padding:8px 10px}.logo{width:40px;height:40px}.brandText
h2{font-size:20px;line-height:1.05}.emailPrivacy
span{max-width:220px;font-size:12px}.topbarSelect:not(.editing){grid-template-columns:minmax(0,1fr) 42px
42px;align-items:stretch}.topbarSelect:not(.editing) select{min-width:0;min-height:42px;padding:9px
10px;font-size:15px;font-weight:800}.topbarSelect:not(.editing)
.iconTextBtn{gap:0;width:42px;min-height:42px;padding:0;font-size:0}.topbarSelect:not(.editing) .iconTextBtn
svg{width:18px;height:18px}.topbarSelect.editing{grid-template-columns:1fr 1fr}.topbarSelect.editing
input{grid-template-columns:1fr 1fr}.topbarSelect.editing button{min-height:40px;padding:8px 10px;font-size:13px}.objectiveCard{ga
p:10px;min-height:196px;padding:14px}.objectiveRing{width:96px;height:96px}.objectiveRing:before{inset:9px}.objective
Ring span{font-size:21px}.objectiveValueOnly{min-height:96px}.objectiveValueOnly strong{font-size:26px}.objectiveCard
p{font-size:11px}.accountMetricCard strong{font-size:26px}.accountMetricCard,.lossInfoGrid
div{min-height:94px;padding:14px}.accountCurve svg{min-height:240px}.accountInfoRow{grid-template-columns:24px
minmax(80px,auto) minmax(0,1fr)}.dailyTable{min-width:0}.dailyTable thead{display:none}.dailyTable
tbody,.dailyTable tr,.dailyTable td{width:100%;display:block}.dailyTable tr{border:1px solid
var(--border);border-radius:var(--radius);background:var(--surface-muted);margin-bottom:10px;padding:12px}.dailyTable
td{white-space:normal;border-bottom:0;grid-template-columns:92px minmax(0,1fr);gap:10px;padding:7px
0;display:grid}.dailyTable
td:before{content:attr(data-label);color:var(--muted);font-size:12px;font-weight:900}.bigBtns button{min-height:64px;
font-size:17px}.topbarActions{grid-template-columns:repeat(2,minmax(0,1fr));gap:8px}.viewToggle{grid-template-columns:1fr;grid-
template-columns:repeat(2,minmax(0,1fr));gap:4px;padding:4px}.viewToggle button{gap:6px;min-height:38px;padding:7px
6px;font-size:13px}.viewToggle button
svg{width:15px;height:15px}.syncBadge{justify-content:center;min-height:40px;padding:7px
8px;font-size:12px}.topbarActions>button{min-height:40px;padding:8px 10px;font-size:13px}.topbarActions>button
svg{width:15px;height:15px}.collapsibleSection{margin-bottom:10px}.collapseHeader{min-height:50px;padding:8px
10px}.collapseIcon,.collapseControl{width:32px;height:32px}.collapseTitle{gap:8px}.collapseTitle
small{font-size:10px}.collapseTitle strong{font-size:15px}.collapseBody,.collapseBody.flushBody{padding:8px}.hero{bor
der-left-width:4px;gap:12px;margin-bottom:12px}.statusMeta{gap:6px;margin-bottom:10px}.onLineRow,.symbolPill{gap:6px;

```

```

min-height:30px;padding:6px 8px;font-size:11px}.onlineRow svg,.symbolPill svg{width:14px;height:14px}.hero
h1{font-size:30px}.hero p{margin-top:6px;font-size:14px;line-height:1.45}.chips{gap:6px;margin-top:12px}.chip{gap:6px
;min-height:30px;padding:6px 8px;font-size:12px}.heroRight{min-height:142px}.scoreRing{width:104px;height:104px}.scor
eRing:before{inset:8px}.scoreValue span{font-size:32px}.scoreValue small{font-size:14px}.statGrid,.mainLayout,.struct
ureContainer,.historySummary,.rulesPage{gap:10px}.statGrid,.historySummary{grid-template-columns:1fr}.multiMaster{pad
ding:12px}.multiMasterHeader h1{font-size:24px}.masterControls{grid-template-columns:1fr}.masterControls
button{min-height:48px}.bulkResult{grid-template-columns:1fr auto}.bulkResult
span{grid-area:2/1/auto/-1}.accountToolBar{padding:10px}.accountHeaderMain{grid-template-columns:auto minmax(0,1fr) a
uto;gap:9px;padding:10px}.accountHeaderMetrics{grid-template-columns:1fr;gap:6px}.accountCardBody{padding:10px}.accou
ntSubpanel{padding:12px}.accountActionGrid{grid-template-columns:repeat(2,minmax(0,1fr))}.accountMiniRow{grid-templat
e-columns:minmax(0,1fr) auto}.copyRow{grid-template-columns:1fr auto}.copyRow span{grid-column:1/-1}.structRow{grid-t
emplate-columns:1fr}.structState{justify-content:space-between}.logItem{grid-template-columns:1fr;align-items:start}.
logBadge,.logTime{justify-self:start}.footer{align-items:flex-start}.historyTable{min-width:0}.historyTable
thead{display:none}.historyTable,.historyTable tbody,.historyTable tr,.historyTable
td{width:100%;display:block}.historyTable tr{border:1px solid var(--border);border-radius:var(--radius);background:va
r(--surface-muted);margin-bottom:10px;padding:12px}.historyTable
td{white-space:normal;border-bottom:0;grid-template-columns:96px minmax(0,1fr);gap:10px;padding:8px
0;display:grid}.historyTable td:before{content:attr(data-label);color:var(--muted);font-size:12px;font-weight:900}}

```

Source Listing: dist/assets/index-DzKB_iEq.js

Lines: 32 | Size: 488578 bytes | SHA256: 29f36968ea1ecccc78d3b6316cd1404092459ab729d68c1b68c64861564e16a

```
00001: var e=Object.create,t=Object.defineProperty,n=Object.getOwnPropertyDescriptor,r=Object.getOwnPropertyNames,i=Object.g
etPrototypeOf,a=Object.prototype,o=(e,t)=>({t:({t={exports:{}}).exports,t,e=null),e=null),t.exports=s
(e,i,o,s)=>({if(!&&typeof i!=='object' || typeof i!=='function')for(var c=r(i),l=0,u=c.length,d;l<u;l++)d=c[l],!a.call(e,d)
&&!o&&t(e,d,{get:(e=>{e[e].bind(null,d),enumerable:!(s=n(i,d))|s.enumerable});return e},c=(n,r,a)=>{a=n=null?{
:e(a(n)),s(r)||!n||n.__esModule?{a,'default':{value:n,enumerable:!0}}:a,n});(function(){let
e=document.createElement('link').relList;if(e&&e.supports&&e.supports('modulepreload'))return;for(let e of
document.querySelectorAll('link[rel="modulepreload"]'))n(e);new MutationObserver(e=>{for(let t of
e)if(t.type==='childList')for(let e of
t.addedNodes)e.tagName==='LINK'&&e.rel==='modulepreload'&&n(e)).observe(document,{childList:!0,subtree:!0});function
t(e){let t={};return e.integrity&&(t.integrity=e.integrity),e.referrerPolicy&&(t.referrerPolicy=e.referrerPolicy),e.
crossOrigin==='use-credentials'?t.credentials='include':e.crossOrigin==='anonymous'?t.credentials='omit':t.credentials
s='same-origin',t.function n(e){if(e.ep!>0;let n=t(e);fetch(e.href,n))}();var l=o(e=>{var t=Symbol.for('
react.transitional.element'),n=Symbol.for('react.portal'),r=Symbol.for('react.fragment'),i=Symbol.for('react.strict-
mode'),a=Symbol.for('react.profiler'),o=Symbol.for('react.consumer'),s=Symbol.for('react.context'),c=Symbol.for('react.
forward_ref'),l=Symbol.for('react.suspense'),u=Symbol.for('react.memo'),d=Symbol.for('react.lazy'),f=Symbol.for('re
act.activity'),p=Symbol.iterator;function m(e){return typeof e!=='object' || e?null:(e=p&&e[p] || e['@@iterator'],typeof
e==function?e:null)}var h={isMounted:function(){return!1},enqueueForceUpdate:function(){},enqueueReplaceState:func
tion(){},enqueueSetState:function(){},g=Object.assign,_={};function v(e,t,n){this.props=e,this.context=t,this.refs=_
,this.updater=n||h}.prototype.isReactComponent={},v.prototype.setState=function(e,t){if(typeof e!=='object' &&typeof
e!=function &&e!=null)throw Error('takes an object of state variables to update or a function which returns an
object of state variables.');

```

```

g?0!:(e.unstable_now()-T<w)}function D(){if(g!=1,S){var t=e.unstable_now();T=t;var
i=0;try{a:={m:1,h&&(h=1,v(C),C=-1),p=0;var a=f;try{b:={for(b(t),d=n(c);d!=null&&!(d.expirationTime>t&&E());}{var
o=d.callback;if(typeof o=='function'){d.callback=null,f=d.priorityLevel;var
s=o(d.expirationTime<=t);if(t=e.unstable_now(),typeof s=='function'){d.callback=s,b(t),i=0;break
b}d==n(c)&&r(c),b(t)}else r(c);d=n(c)}if(d!=null)i=0;else var u=n(l);u!=null&&ne(x,u.startTTime-t,i=1)}break
a}finally{d=null,f=a,p=1}i=void 0}}finally{i?0():S=1}}var 0;if(typeof y=='function')0=function(){y(D)};else
if(typeof MessageChannel<'u'){var ee=new
MessageChannel,t=ee.port2;ee.port1.onmessage=D,O=function(){t.postMessage(null)};else O=function(){(D,0)};function
ne(t,n){C=_(function(){t(e.unstable_now()),n})e.unstable_IdlePriority=5,e.unstable_ImmediatePriority=1,e.unstable_L
owPriority=4,e.unstable_NormalPriority=3,e.unstable_Profiling=null,e.unstable_UserBlockingPriority=2,e.unstable_cance
lCallback=function(e){e.callback=null},e.unstable_forceFrameRate=function(e){0<e?125<=e?console.error('forceFrameRate
takes a positive int between 0 and 125, forcing frame rates higher than 125 fps is not
supported'):w=0<e?Math.floor(1e3/e):5},e.unstable_getCurrentPriorityLevel=function(){return
f},e.unstable_next=function(e){switch(f){case 1:case 2:case 3:var t=3;break;default:t=f}var n=f;f=t;try{return
e()}finally{f=n}},e.unstable_requestPaint=function(g){g=0},e.unstable_runWithPriority=function(e,t){switch(e){case
1:case 2:case 3:case 4:case 5:break;default:e=3}var n=f;f=e;try{return
t()}finally{f=n}},e.unstable_scheduleCallback=function(r,i,a){var o=e.unstable_now();switch(typeof
a== 'object'&&a={a:a,delay,a=typeof a=='number'&&0<a?o+a:0}:a,o,r){case 1:var s=-1;break;case 2:s=250;break;case
5:s=1073741823;break;case 4:s=1e4;break;default:s=5e3}return s=a+s,r={id:u++,callback:i,priorityLevel:r.startTTime:a,e
xpirationTime:s,sortIndex:-1},a>0?(r.sortIndex=a,t(l,r),n(c)==null&&r==n(l)&&(h?v(C),C=-1):h=0,ne(x,a,r)):r.sort
Index=s,t(c,r),m[l][p][m=0,S](S=0,0(0))),r,e.unstable_shouldYield=E,e.unstable_wrapCallback=function(e){var
t=f;return function(){var n=f;f=t;try{return
e.apply(this,arguments)}finally{f=n}}}},f=0(((e,t)=>{t.exports=d}))),p=0((e=>{var t=u();function n(e){var
t='https://react.dev/errors/' + e;if(1<arguments.length){t+= '?args[]='+encodeURIComponent(arguments[1]);for(var
n=2;n<arguments.length;n++)t+= '&args[]='+encodeURIComponent(arguments[n])}return'Minified React error #'+e+'; visit
'+t+' for the full message or use the non-minified dev environment for full errors and additional helpful
warnings.')}function r(c){var i={d:{f:r,r:function(){throw
Error(n(522))},D:r,C:r,L:r,m:r,X:r,S:r,M:r},p:0,findDOMNode:null},a=Symbol.for('react.portal');function o(e,t,n){var
r=3<arguments.length&&arguments[3]!==void
0?arguments[3]:null;return{$$typeof:a,key:r===null?null:``+r,children:e,containerInfo:t,implementation:n}}var
s=t.__CLIENT_INTERNALS_DO_NOT_USE_OR_WARN_USERS_THEY_CANNOT_UPGRADE,function c(e,t){if(e=== 'font' )return' ;if(typeof
t=='string' )return t==='use-credentials'?t:``}}e.__DOM_INTERNALS_DO_NOT_USE_OR_WARN_USERS_THEY_CANNOT_UPGRADE=e.crea
tePortal=function(e,t){var r=2<arguments.length&&arguments[2]!==void
0?arguments[2]:null;if(!t){t.nodeType!==1&&t.nodeType!==9&&t.nodeType!==11}throw Error(n(299));return
o(e,t,null,r)},e.flushSync=function(e){var t=s.T,n=i.p;try{if(s.T=null,i.p=2,e)return
e()}finally{s.T=t,i.p=n,i.d.f({}),e.preconnect=function(e,t){typeof e=='string'&&(t?t.t.crossOrigin,t=typeof
t=='string'?t==='use-credentials'?t:``:void 0):t=null,i.d.C(e,t)},e.prefetchDNS=function(e){typeof
e=='string'&&i.d.d(e)},e.preinit=function(e,t){if(typeof e=='string'&&typeof t.as=='string'){var
n=t.as,r=c(n,t.crossOrigin),a=typeof t.integrity=='string'?t.integrity:void 0,o=typeof
t.fetchPriority=='string'?t.fetchPriority:void 0,n=== 'style'?i.d.S(e,typeof t.precedence=='string'?t.precedence:void
0,{crossOrigin:r,integrity:a,fetchPriority:o}):n=== 'script'&&i.d.X(e,{crossOrigin:r,integrity:a,fetchPriority:o,nonce
:typeof t.nonce=='string'?t.nonce:void 0})},e.preinitModule=function(e,t){if(typeof e=='string'&&typeof t.as=='
string'&&t.integrity=='string'?t.integrity:void 0,nonce:typeof t.nonce=='string'?t.nonce:void 0})}else
t?i.d.M(e),e.preload=function(e,t){if(typeof e=='string'&&typeof t.as=='string'){var
n=t.as,r=c(n,t.crossOrigin),i.d.L(e,n,{crossOrigin:r,integrity:typeof t.integrity=='string'?t.integrity:void 0,
nonce:typeof t.nonce=='string'?t.nonce:void 0,type:typeof t.type=='string'?t.type:void 0,fetchPriority:typeof
t.fetchPriority=='string'?t.fetchPriority:void 0,referrerPolicy:typeof
t.referrerPolicy=='string'?t.referrerPolicy:void 0,imageSrcSet:typeof t.imageSrcSet=='string'?t.imageSrcSet:void
0,imageSizes:typeof t.imageSizes=='string'?t.imageSizes:void 0,media:typeof t.media=='string'?t.media:void
0})},e.preloadModule=function(e,t){if(typeof e=='string'&&typeof t.as=='string'&&t.integrity=='string'?t.integrity:
void 0,nonce:typeof t.nonce=='string'?t.nonce:void 0,crossOrigin:n,integrity:typeof t.integrity=='string'?t.integrity:
void 0})}else i.d.m(e)},e.requestFormReset=function(e){i.d.r(e)},e.unstable_batchedUpdates=function(e,t){return
e(t)},e.useFormState=function(e,t,n){return s.H.useFormState(e,t,n)},e.useFormStatus=function(){return
s.H.useHostTransitionStatus(),e.version='19.2.5'}),m=o((e,t)=>{function n(c){if(!i(typeof
__REACT_DEVTOOLS_GLOBAL_HOOK__>'u' )|typeof __REACT_DEVTOOLS_GLOBAL_HOOK__.checkDCE!='function' )}try{__REACT_DEVTOOLS_
GLOBAL_HOOK__.checkDCE(n)}catch(e){console.error(e)}}n(),t.exports=p})),h=o((e=>{var t=f(),n=u(),r=m();function
i(e){var
t='https://react.dev/errors/' + e;if(1<arguments.length){t+= '?args[]='+encodeURIComponent(arguments[1]);for(var
n=2;n<arguments.length;n++)t+= '&args[]='+ encodeURIComponent(arguments[n])}return'Minified React error #'+e+'; visit
'+t+' for the full message or use the non-minified dev environment for full errors and additional helpful
warnings.')}function a(e){return!(!e|e.nodeType!==1&&e.nodeType!==9&&e.nodeType!==11)}function o(e){var
t=e,n=e;if(e.alternate)for(;t.return;t=t.return);else t=e;do
t=t.flags&&4096&&(n=t.return),e=t.return;while(e)}return t.tag===3?n:null}function s(e){if(e.tag===13){var
t=e.memoizedState;if(t===null&&(e=e.alternate,e!=null&&(t=e.memoizedState)),t!=null)return t.dehydrated}return
null}function c(e){if(e.tag===31){var
t=e.memoizedState;if(t===null&&(e=e.alternate,e!=null&&(t=e.memoizedState)),t!=null)return t.dehydrated}return
null}function l(e){if(o(e)===e)throw Error(i(188))}function d(e){var t=e.alternate;if(!t){if(t=o(e),t===null)throw
Error(i(188))}return t===e?e:null}for(var n=e,r=t;if(a=n,r=t;if(a===n.return;if(a===n.alternate;if(s===null){
if(r=a.return,r!=null){n=r;continue}break}if(a.child===s.child){for(s=a.child;s;){if(s===n)return
l(a),e;if(s===r)return l(a),t;s=s.sibling}throw Error(i(188))}if(n.return===r.return)n=a,r=s;else{for(var c=1,u=a.c
ild;u;){if(u===n){c=10,n=r,s=break}if(u===r){c=10,r=a,n=s;break}u=u.sibling}if(!c){for(u=s.child;u;){if(u===n){c=10
,n=s,r=a;break}if(u===r){c=10,r=s,n=a;break}u=u.sibling}if(!c)throw Error(i(189))}if(n.alternate===r)throw
Error(i(190))}if(n.tag===3)throw Error(i(188))}return n.stateNode.current===n?t:}function p(e){var
t=e.tag;if(t===5||t===26||t===27||t===6)return e;for(e=e.child;e!=null;){if(t=p(e),t!=null)return
t;e=e.sibling}var h=Object.assign,g=Symbol.for('react.element'),_ =Symbol.for('react.transitional.element'
),v=Symbol.for('react.portal'),y=Symbol.for('react.fragment'),b=Symbol.for('react.strict_mode'),x=Symbol.for('react.p
rofiler'),S=Symbol.for('react.consumer'),C=Symbol.for('react.context'),w=Symbol.for('react.forward_ref'),T=Symbol.f
or('react.suspense'),E=Symbol.for('react.suspense_list'),D=Symbol.for('react.memo'),O=Symbol.for('react.lazy'),ee=Symbo
l.for('react.activity'),te=Symbol.for('react.memo_cache_sentinel'),ne=Symbol.iterator;function re(e){return typeof
e!='object' ||!e?null:(e=ne&&e[ne])||e[ '@@iterator' ],typeof e=='function'?e:null}var
ie=Symbol.for('react.client.reference');function ae(e){if(e===null)return null;if(typeof e=='function')return
e.$$typeof===ie?null:e.displayName||e.name||null;if(typeof e=='string')return e;switch(e){case
y:return'Fragment';case x:return'Profiler';case b:return'StrictMode';case T:return'Suspense';case
E:return'SuspenseList';case ee:return'Activity'}if(typeof e=='object'){switch(e.$$typeof){case v:return'Portal';case
C:return e.displayName||'Context';case S:return(e._context.displayName||'Context')+'_.Consumer';case w:var
t=e.render;return e.displayName,e|=e(t.displayName)||t.name||'',e==='?'?'ForwardRef':'ForwardRef('+e+')';case
D:return t.displayName||null,t===null?ae(e.type)||'Memo':t;case O:t=e._payload,e=e._init;try{return
ae(e(t))}catch{}return null}var oe=Array.isArray,k=n.__CLIENT_INTERNALS_DO_NOT_USE_OR_WARN_USERS_THEY_CANNOT_UPGRADE
,A=r.__DOM_INTERNALS_DO_NOT_USE_OR_WARN_USERS_THEY_CANNOT_UPGRADE,se={pending:!1,data:null,method:null,action:null},c
e=[],le=-1,function ue(e){return{current:e}}function de(e){0<le||e.current===ce[le],ce[le]=null,le--}}function
j(e,t){le++,ce[le]=e.current,e.current=t}var fe=ue(null),pe=ue(null),me=ue(null),he=ue(null);function
ge(e,t){switch(j(me,t),j(pe,e),j(fe,null),t.nodeType){case 9:case 11:e=(e=documentElement)&&(e=e.namespaceURI)?Vd(e
):0;break;default:if(e.t.tagName,t.t.namespaceURI)t=Vd(t),e=Hd(t,e);else
switch(e){case'svg':e=1;break;case'math':e=2;break;default:e=0}}de(fe),j(fe,e)}function
_e(e){de(fe),de(pe),de(me)}function ve(e){e.memoizedState!=null&&j(he,e);var
t=fe.current,n=Hd(t,e.type);t!=n&&j(j(pe,e),j(j(fe,n)))function
ye(e){pe.current===e&&(de(fe),de(pe)),he.current===e&&(de(he),Qf._currentValue=se)}var be,x;function
Se(e){if(be===void 0)try{throw Error()}catch(e){var t=e.stack.trim().match(/\n *(at
)?/);be=t&&t[1]||'',xe=-1<e.stack.indexOf('@')?'@unknown:0:0:':''}return
at')?' (<anonymous>):-1<e.stack.indexOf('@')?'@unknown:0:0:':''}return

```



```

o!='function'&&typeof o!=='symbol'&&typeof o!=='boolean'&&(e.name=o),Rt(e))function
Gt(e,t,n){t===`number`&&Bt(e.ownerDocument)===e||e.defaultvalue===`+n||e.defaultvalue===`+n)}function
Kt(e,t,n,r){if(e.e.options,t){t={};for(var i=0;i<n.length;i++)t['$'+n[i]]=!0;for(n=0;n<e.length;n++)i=t.hasOwnProperty
y('$'+e[n].value),e[n].selected===!0&&e[n].selected=i,1&&e[n].defaultSelected=!0)}else{for(n=`+P(n),t=null,i=0;
i<e.length;i++){if(e[i].value===n)e[i].selected=!0,r&&(e[i].defaultSelected=!0);return}t!=null||e[i].disabled||t(e
[i])}t!=null&&t.selected=!0}}function qt(e,t,n){if(t!=null&&(t=`+P(t),t===e.value&&(e.value=t),n=null)}(e.default
value)===t&&(e.defaultvalue=t);return)e.defaultvalue=n=null?`+P(n)}function
Jt(e,t,n,r){if(t!=null){if(r!=null){if(n!=null)throw Error(i(92));if(oe(r)){if(i<r.length)throw Error(i(93));r=r[0]}n
=r}n?`+P(n),t=n}n=P(t),e.defaultvalue=n,r=e.textContent,r===n&&r!=""&&r!=null&&(e.value=r),Rt(e)}function
Yt(e,t){if(t){var n=e.firstChild;if(n&&n===e.lastChild&&n.nodeType===3){n.nodeValue=t;return}}e.textContent=t}var
Xt=new Set('animationIterationCount aspectRatio borderImageSlice borderImageWidth boxFlex
boxFlexGroup boxOrdinalGroup columnCount columns flex flexGrow flexPositive flexShrink flexNegative flexOrder
gridArea gridRow gridRowEnd gridRowSpan gridRowStart gridColumn gridColumnEnd gridColumnSpan gridColumnStart
fontWeight lineClamp lineHeight opacity order orphans case tabSize widows zIndex zoom fillOpacity floodOpacity
stopOpacity strokeDasharray strokeDashoffset strokeMiterLimit strokeOpacity strokeWidth MozAnimationIterationCount
MozBoxFlex MozBoxFlexGroup MozLineClamp msAnimationIterationCount msFlex msZoom msFlexGrow msFlexNegative msFlexOrder
msFlexPositive msFlexShrink msGridColumn msGridColumnSpan msGridRow msGridRowSpan WebkitAnimationIterationCount
WebkitBoxFlex WebkitBoxFlexGroup WebkitBoxOrdinalGroup WebkitBoxColumnCount WebkitBoxFlex WebkitFlexGrow
WebkitFlexPositive WebkitFlexShrink WebkitLineClamp'.split(''));function Zt(e,t,n){var
r=t.indexOf('--')==0;n=null||typeof
n!=='boolean'||n===`?r?e.setProperty(t,`):t===`float`?e.cssFloat=`:e[t]=`+r?e.setProperty(t,n):typeof
n!=='number'||n===0||Xt.has(t)?t===`float`?e.cssFloat=n:e[t]=`+n).trim():e[t]=n+`px`}function
Qt(e,t,n){if(t!=null&&typeof t!=='object')throw Error(i(62));if(e=e.style,n!=null){for(var r in n)!n.hasOwnProperty(r)
||t!=null&&t.hasOwnProperty(r)||r.indexOf('--')==0?e.setProperty(r,`):r===`float`?e.cssFloat=`:e[r]=`;for(var a
in t)r=t[a],t.hasOwnProperty(a)&&a!=""&&Zt(e,a,r)}else for(var o in t)t.hasOwnProperty(o)&&Zt(e,o,t[o])}function
$(e){if(e.indexOf('--')===-1)return!1;switch(e){case`annotation-xml`:'case`color-profile`:'case`font-face`:'case`font-fa
ce-src`:'case`font-face-uri`:'case`font-face-format`:'case`font-face-name`:'case`missing-glyph`:'return!1;default:return!0
}}var en=new Map([['acceptCharset`,`accept-charset`,`htmlFor`,`for`,`httpEquiv`,`http-equiv`,`crossOrigin`,`cro
ssorigin`,`accentHeight`,`accent-height`,`alignmentBaseline`,`alignment-baseline`,`arabicForm`,`arabic-form`,`
baselineShift`,`baseline-shift`,`capHeight`,`cap-height`,`clipPath`,`clip-path`,`clipRule`,`clip-rule`,`colo
rInterpolation`,`color-interpolation`,`colorInterpolationFilters`,`color-interpolation-filters`,`colorProfile`,`c
olor-profile`,`colorRendering`,`color-rendering`,`dominantBaseline`,`dominant-baseline`,`enableBackground`,`ena
ble-background`,`fillOpacity`,`fill-opacity`,`fillRule`,`fill-rule`,`floodColor`,`flood-color`,`floodOpacity`,`
flood-opacity`,`fontFamily`,`font-family`,`fontSize`,`font-size`,`fontStyle`,`font-style`,`fontWeight`,`font-weight`,`
fontStretch`,`font-stretch`,`fontStyle`,`font-style`,`fontVariant`,`font-variant`,`fontWeight`,`font-weight`,`glyp
hName`,`glyph-name`,`glyphOrientationHorizontal`,`glyph-orientation-horizontal`,`glyphOrientationVertical`,`glyph
-orientation-vertical`,`horizAdvX`,`horiz-adv-x`,`horizOriginX`,`horiz-origin-x`,`imageRendering`,`image-render
ing`,`letterSpacing`,`letter-spacing`,`lightingColor`,`lighting-color`,`markerEnd`,`marker-end`,`markerMid`,`
marker-mid`,`markerStart`,`marker-start`,`overlinePosition`,`overline-position`,`overlineThickness`,`overline-t
hickness`,`paintOrder`,`paint-order`,`panose-1`,`panose-1`,`pointerEvents`,`pointer-events`,`renderingIntent`,`
rendering-intent`,`shapeRendering`,`shape-rendering`,`stopColor`,`stop-color`,`stopOpacity`,`stop-opacity`,`
strikethroughPosition`,`strikethrough-position`,`strikethroughThickness`,`strikethrough-thickness`,`strokeDashar
ray`,`stroke-dasharray`,`strokeDashoffset`,`stroke-dashoffset`,`strokeLinecap`,`stroke-linecap`,`strokeLinejoin
`,`stroke-linejoin`,`strokeMiterLimit`,`stroke-miter-limit`,`strokeOpacity`,`stroke-opacity`,`strokeWidth`,`stro
ke-width`,`textAnchor`,`text-anchor`,`textDecoration`,`text-decoration`,`textRendering`,`text-rendering`,`tra
nsformOrigin`,`transform-origin`,`underlinePosition`,`underline-position`,`underlineThickness`,`underline-thickne
ss`,`unicodeBidi`,`unicode-bidi`,`unicodeRange`,`unicode-range`,`unitsPerEm`,`units-per-em`,`vAlphabetic`,`v
alphabetic`,`vHanging`,`v-hanging`,`vIdeographic`,`v-ideographic`,`vMathematical`,`v-mathematical`,`vectorEff
ect`,`vector-effect`,`vertAdvY`,`vert-adv-y`,`vertOriginX`,`vert-origin-x`,`vertOriginY`,`vert-origin-y`,`wor
dSpacing`,`word-spacing`,`writingMode`,`writing-mode`,`xmlnsXlink`,`xmlns:xlink`,`xHeight`,`x-height`]]),t=/^[\
u0000-\u001f
]]*[\r\n\t]*a[\r\n\t]*v[\r\n\t]*a[\r\n\t]*s[\r\n\t]*c[\r\n\t]*r[\r\n\t]*i[\r\n\t]*p[\r\n\t]*t[\r\n\t]*:/i;function
n*(e){return tn.test(`+e)? javascript:throw new Error('React has blocked a javascript: URL as a security
precaution.`):e}function rn({})var an=null,function on(e){return e.e.target||e.srcElement||window,e.correspondingUse
Element&&(e.e.correspondingUseElement),e.nodeType===3?e.parentnode:e}var sn=null,cn=null,function ln(e){var
t=xt(e);if(t&&(e.t.stateNode)){var n=e[ft]||null;a:switch(e.t.stateNode,t.type){case`input`:if(ut(e,n.value,n.default
value,n.defaultvalue,n.checked,n.defaultchecked,n.type,n.name),t=n.name,n.type===`radio`&&t!=null){for(=n;n.parentNo
de;n=n.parentNode;for(n=n.querySelectorAll(`input[name=${`+t`+`"}][type="radio"]`),t=0;t<n.length;t++){var
r=n[t];if(r!=""&&r.form===e.form){var a=r[ft]||null;if(a)throw Error(i(90));Ut(r,a.value,a.defaultvalue,a.defaultval
ue,a.checked,a.defaultchecked,a.type,a.name)}}for(t=0;t<n.length;t++){r=n[t],r.form===e.form&&zt(r)}break
a;case`textarea`:qt(e,n.value,n.defaultvalue);break a;case`select`:t=n.value,t!=null&&Kt(e,!n.multiple,t,!1)}}var
un=!1;function dn(e,t,n){if(un)return e(t,n);un=!0;try{return e(t)}finally{if(un=!1,(sn!=null||cn!=null)&&(bu({},sn&
&(t=sn,e=cn,cn=sn=null,ln(t),e)))for(t=0;t<e.length;t++){ln(e[t])}}function fn(e,t){var
n=e.stateNode;if(n===null)return null;var r=n[ft]||null;if(r===null)return null;n=r[t];a:switch(t){case`onClick`:case
`onClickCapture`:case`onDoubleClick`:case`onDoubleClickCapture`:case`onMouseDown`:case`onMouseDownCapture`:case`onMou
seMove`:case`onMouseMoveCapture`:case`onMouseUp`:case`onMouseUpCapture`:case`onMouseEnter`:r=r[i.disabled]||(e.e.type
,r!=""&&e.type===`button`||e===`input`||e===`select`||e===`textarea`)),e=r;break a;default:e=!1;if(e)return
null;if(n&&typeof n!=='function')throw Error(i(231,t,typeof n));return n}var pn=!1;typeof
window.u`u`||window.document===void 0||window.document.createElement===void 0,mn=!1;if(pn){try{var hn={};Object.define
Property(hn,`passive`,`get:function(){mn=!0}}),window.addEventListener(`test`,hn,hn),window.removeEventListener(`test
`,hn,hn)}catch{mn=!1}var gn=null,_n=null,vn=null,function yn(){if(vn)return vn;var e,t=n,n=t.length,r,i=`value`in
gn?gn.value:gn.textContent,a=i.length;for(e=0;e<n&&t[i]===!e[i];e++)var
o=n-e;for(r=i;r<o&&[n-r]===[a-r];r++){return vn=i.slice(e,1<r?1-r:void 0)}function bn(e){var
t=e.keyCode;return`charCode`in e?(e=e.charCode,e===0&&t===13&&(e=13)):e,t,e===10&&(e=13),32<=e||e===13?e:0}function
xn(){return!0}function Sn(){return!1}function Cn(e){function t(t,n,r,i,a){for(var o in this._reactName=t,this._target
Inst=r,this.type=n,this.nativeEvent=i,this.target=a,this.currentTarget=null,e.hasOwnProperty(o)&&(t=e[o],this[o]=t?
t(i):i[o]);return this.isDefaultPrevented=(i.defaultPrevented==null?!1==i.returnValue:i.defaultPrevented)?xn:Sn,this
.isPropagationStopped=Sn,this)return h(t.prototype,{preventDefault:function(){this.defaultPrevented=!0;var
e=this.nativeEvent;e&&(e.preventDefault?e.preventDefault():typeof
e.returnValue!=='unknown`&&(e.returnValue=!1),this.isDefaultPrevented=xn)},stopPropagation:function(){var
e=this.nativeEvent;e&&(e.stopPropagation?e.stopPropagation():typeof e.cancelBubble!=='unknown`&&(e.cancelBubble=!0),th
is.isPropagationStopped=xn)},persist:function(){},isPersistent:xn)},t}var
wn={eventPhase:0,bubbles:0,cancelable:0,timeStamp:function(e){return e.timeStamp||Date.now()},defaultPrevented:0,isTr
usted:0,Tn=Cn(wn),En={},wn,{view:0,detail:0},Dn=Cn(En),On,kn,An,Fh={},En,{screenX:0,screenY:0,clientX:0,clientY:
0,pageX:0,pageY:0,ctrlKey:0,shiftKey:0,altKey:0,metaKey:0,getModifierState:Vn,button:0,buttons:0,relatedTarget:functi
on(e){return e.relatedTarget===void
0?e.fromElement===e.srcElement?e.toElement:e.fromElement:e.relatedTarget},movementX:function(e){return`movementX`in e
?e.movementX:(e!=""&&(An&&e.type===`mousemove`?(On=e.screenX-An.screenX,kn=e.screenY-An.screenY):kn=On=0,An=e,On),
movementY:function(e){return`movementY`in e?e.movementY:kn}),jn=Cn(F),Mn=Cn(h({},F,{dataTransfer:0})),Nn=Cn(h({},En,
{relatedTarget:0})),Pn=Cn(h({},wn,{animationName:0,elapsedTime:0,pseudoElement:0})),Fn=Cn(h({},wn,{clipboardData:func
tion(e){return`clipboardData`in
e?e.clipboardData:window.clipboardData})),In=Cn(h({},wn,{data:0})),Ln={Esc:`Escape`,Spacebar:``,Left:`ArrowLeft`,Up
:`ArrowUp`,Right:`ArrowRight`,Down:`ArrowDown`,Del:`Delete`,Win:`OS`,Menu:`ContextMenu`,Apps:`ContextMenu`,Scroll:`Sc
rollLock`,MozPrintableKey:`Unidentified`},Rn={8:`Backspace`,9:`Tab`,12:`Clear`,13:`Enter`,16:`Shift`,17:`Control`,18:
`Alt`,19:`Pause`,20:`CapsLock`,27:`Escape`,32:``,33:`PageUp`,34:`PageDown`,35:`End`,36:`Home`,37:`ArrowLeft`,38:`Arr
owUp`,39:`ArrowRight`,40:`ArrowDown`,45:`Insert`,46:`Delete`,112:`F1`,113:`F2`,114:`F3`,115:`F4`,116:`F5`,117:`F6`,11
8:`F7`,119:`F8`,120:`F9`,121:`F10`,122:`F11`,123:`F12`,144:`NumLock`,145:`ScrollLock`,224:`Meta`},zn={Alt:`altKey`,Co
ntrol:`ctrlKey`,Meta:`metaKey`,Shift:`shiftKey`};function Bn(e){var t=this.nativeEvent;return
t.getModifierState?t.getModifierState(e):(e=zn[e])?!e[e]:!1}function Vn(){return Bn}var
Hn=Cn(h({},En,{key:function(e){if(e.key){var t=Ln[e.key]}|e.key;if(t!=""&&`Unidentified`return t}return e.type===`keypr
ess`?(e=bn(e),e===13?`Enter`:String.fromCharCode(e)):e.type===`keydown`||e.type===`keyup`?Rn[e.keyCode]||`Unidentifie

```

```

e.type===':',code:0,location:0,ctrlKey:0,shiftKey:0,altKey:0,metaKey:0,repeat:0,locale:0,getModifierState:Vn,CharCode:function(){}return e.type===`keypress`?bn(e):0,keyCode:function(){}return e.type===`keydown`||e.type===`keyup`?e.keyCode:0,which:function(){}return e.type===`keypress`?bn(e):e.type===`keydown`||e.type===`keyup`?e.keyCode:0}})),Un=Cn(h({}),F,{pointerId:0,width:0,height:0,pressure:0,tangentialPressure:0,tiltX:0,tiltY:0,twist:0,pointerType:0,isPrimary:0}),Wn=Cn(h({}),En,{touches:0,targetTouches:0,changedTouches:0,altKey:0,ctrlKey:0,metaKey:0,shiftKey:0,getModifierState:Vn})),Gn=Cn(h({}),wn,{propertyName:0,elapsedTime:0,pseudoElement:0})),Kn=Cn(h({}),F,{deltaX:function(e){return`deltaX`in e?e.deltaX:`wheelDelta`in e?e.wheelDelta:0},deltaY:function(e){return`deltaY`in e?e.deltaY:`wheelDeltaY`in e?e.wheelDeltaY:0},deltaZ:function(e){return`deltaZ`in e?e.wheelDeltaZ:0},deltaMode:0})),qn=Cn(h({}),wn,{newState:0,oldState:0})),Jn=[9,13,27,32],Yn=pn&&`CompositionEvent`in window,Xn=null,pn&&`documentMode`in document&&(Xn=document.documentMode);var Zn=pn&&`TextEvent`in window&&Xn,Xn=pn&&{!Yn||Xn&&8-Xn&&11>Xn},$n=``,er=1;function tr(e,t){switch(e){case`keyup`:return Jn.indexOf(t.keyCode)===-1;case`keydown`:return t.keyCode!==229;case`keypress`:case`mousedown`:case`mouseup`:return!0;default:return!1}}function nr(e){return e=e.detail,typeof e==`object`&&`data`in e?e.data:null;var rr=1;function ir(e,t){switch(e){case`compositionend`:return nr(t);case`keypress`:return t.which===32?(er=!0,$n):null;case`textInput`:return er=t.data,e===`$n`&&er?null:e;default:return null}}function ar(e,t){if(rr)return e===`compositionend`?!Yn&&tr(e,t)?(e=yn(),vn=n=qn=null,rr=1,e):null;switch(e){case`paste`:return null;case`keypress`:if(!t&&(t=ctrKey)||t.altKey||t.metaKey){t.ctrKey&&t.altKey}{if(t.char&&t1<t.char.length)return t.char;if(t.which)return String.fromCharCode(t.which)}return null;case`compositionend`:return Qn&&t.locale!=='ko'?null:t.data;default:return null}}var or={color:0,date:0,datetime:0,'datetime-local':0,email:0,month:0,number:0,password:0,range:0,search:0,tel:0,text:0,time:0,url:0,week:0};function sr(e){var te=&&e.nodeName&&e.nodeName.toLowerCase();return te==='input'?!or[e.type]:te==='textarea'?function cr(e,t,n,r){$n?cn.push(r):cn=[r]:sn=r,t=Ed(t,'onChange'),0<t.length&&(n=new Tn('onChange','change',null,n,r),e.push([event:n,listeners:t]))}var lr=null,ur=null;function dr(e){yd(e,0)}function fr(e){if(!zt(St(e)))return e,function pr(e,t){if(e==='change')return fr;var mr=1;if(pn){var hr;if(pn){var gr=`oninput`in document;if(!gr){var`r`=document.createElement('div`),r.setAttribute('oninput`,`return`),gr=typeof`r`.oninput===`function`?hr:gr}else hr=1;mr=hr&&!document.documentMode||9<document.documentMode}}function vr(){!lr&&(lr.detachEvent('onpropertychange`,yr),ur=lr=null)}function yr(e){if(e.propertyName==='value`&&fr(ur)}{var t=[];cr(t,ur,e,on(e)),dn(dr(t))}function br(e,t,n){e===`focus`?vr(),lr=t,ur=n,lr.attachEvent('onpropertychange`,yr)):e===`focusout`&&vr()}function xr(e){if(e==='selectionchange`||e===`keyup`||e===`keydown`return fr(ur)}function Sr(e,t){if(e==='click`return fr(t)}function Cr(e,t){if(e===`input`||e===`change`return fr(t)}function wr(e,t){return e===t&&(e!==0||1/e===1/t)||e!==e&t!==t}var Tr=typeof Object.is===`function`?Object.is:sw;function Er(e,t){if(Tr(e,t))return!0;if(typeof e!=='object`||e||typeof t!=='object`||t)return!1;var n=Object.keys(e),r=Object.keys(t);if(n.length===r.length)return!1;for(r=0;r<n.length;r++){var i=n[r];if(!Ee.call(t,i)||!Tr(e[i],t[i]))return!1}return!0}function Dr(e){for(e&&e.firstChild;return e)return r(r,e,t){var n=Dr(e),e=0;for(var r;n;){if(n.nodeType===3){if(r===n.textContent.length,<=t&&r==t)return{nod e:n,offset:t};e+=r;a?:f?n;}}if(n.nextSibling)[n.nextSibling;break a]n=n.parentNode;if(n===null)return{node:n,offset:t};e+=r;a?:f?n;}}if(n.nextSibling)[n.nextSibling;break a]n=n.parentNode;if(n===null)return{node:n,offset:t};e+=r;a?:f?n;}}(e.compareDocumentPosition?!?(e.compareDocumentPosition()&t16):!1:1)}function Ar(e){e=e instanceof e.ownerDocument!&&e.ownerDocument.defaultView!&&e.ownerDocument.defaultView>window;for(var t=Bt(e.document);t instanceof e.HTMLIFrameElement;){try{var n=typeof t.contentWindow.location.href==='string'?catch(n=!1)}if(n){e=t.contentWindow;else break;t=Bt(e.document)}return t}function jr(e){var t=&&e.nodeName&&e.nodeName.toLowerCase();return t&&(t==='input`&&(e.type==='text`||e.type==='se arch`||e.type==='tel`||e.type==='url`||e.type==='password`)||t==='textarea`||e.contentEditable==='true')}var Mr=pn&&`documentMode`in document&&11>document.documentMode,Nr=null,Pr=null,Fr=null,Ir=1;function Lr(e,t,n){var r=n.window===n?n.document:n.nodeType===9?n.ownerDocument:Ir||Nr===null||Nr===Bt(r)||{r=Nr,'selectionStart`in r&jr(r)?r={start:r.selectionStart,end:r.selectionEnd}:{r={r=Nr,'selectionStart`in r.ownerDocument.defaultView>window.getSelection().r={anchorNode:r.anchorNode,anchorOffset:r.anchorOffset,focusNode:r.focusNode,focusOffset:r.focusOffset}},Fr&&Er(Fr,r)}||{Fr=r,r=Ed(Fr,'onSelect'),0<r.length&&(t=new Tn('onSelect`,`select`,null,t,n),e.push([event:t,listeners:r]),t.target=Nr))}}function Rr(e,t){var n={};return [e,t.toLowerCase()]=t.toLowerCase(),n['webkit`+=`webkit`,`+`moz`,`+=`moz`,`+`n`var I={animationend:Rr('Animation`,`AnimationEnd`),animationiteration:Rr('Animation`,`AnimationIteration`),animationstart:Rr('Animation`,`AnimationStart`),transitionrun:Rr('Transition`,`TransitionRun`),transitionstart:Rr('Transition`,`TransitionStart`),transitioncancel:Rr('Transition`,`TransitionCancel`),transitionend:Rr('Transition`,`TransitionEnd`)},zr={},Br={};pn&&(Br=document.createElement('div`),style,'AnimationEvent`in window||(delete I.animationend.animation,delete I.animationiteration.animation,delete I.animationstart.animation),`TransitionEvent`in window||(delete I.transitionend.transition),function Vr(e){if(zr[e]return zr[e];if(!I[e]return e;var t=[e,n];for(n in t){if(t.hasOwnProperty(n)&&n in Br)return zr[t]=[n];return e}var Hr=Vr('animationend`),Ur=Vr('animationiteration`),Wr=Vr('animationstart`),Gr=Vr('transitionrun`),Kr=Vr('transitionstart`),qr=Vr('transitioncancel`),Jr=Vr('transitionend`),Yr=new Map,Xr=`abort`onClick beforeToggle cancel canPlay canPlayThrough click close contextMenu copy cut drag dragEnd dragEnter dragExit dragLeave dragOver dragStart drop durationChange emptied encrypted ended error dragPointerCapture mouseDown mouseMove mouseOut mouseOver mouseUp paste pause play playing pointerCancel pointerDown pointerMove pointerOut pointerOver pointerUp progress rateChange reset resize seeking seeking stalled submit suspend timeUpdate touchCancel touchEnd touchStart volumeChange scroll toggle touchMove waiting wheel`.split(``),Xr.push('scrollEnd`);function Zr(e,t){Yr.set(e,t),Dt(t,[e]),var Qr=typeof reportError==='function'?reportError:function(e){if(typeof e!==`object`&&typeof window.ErrorEvent==='function'){var t=new window.ErrorEvent('error',{bubbles:0,cancelable:0,message:typeof e==='object`&&typeof e.message==='string'?String(e.message):String(e),error:e});if(!window.dispatchEvent(t))return}else if(typeof e==='object`&&typeof process.emit==='function'){process.emit('uncaughtException`,e);return}console.error(e)},$r=[],ei=0,ti=0;function ni(){for(var e=ti,t=ei;0<t;&&(var n=$r[t];$r[t++]=null;var r=$r[t];$r[t++]=null;var i=$r[t];$r[t++]=null;var a=$r[t];$r[t++]=null;var l=$r[t];$r[t++]=null;var o=$r[t];$r[t++]=null;var u=$r[t];$r[t++]=null;var s=$r[t];$r[t++]=null;var y=$r[t];$r[t++]=null;var v=$r[t];$r[t++]=null;var w=$r[t];$r[t++]=null;var x=$r[t];$r[t++]=null;var z=$r[t];$r[t++]=null;var A=$r[t];$r[t++]=null;var B=$r[t];$r[t++]=null;var C=$r[t];$r[t++]=null;var D=$r[t];$r[t++]=null;var E=$r[t];$r[t++]=null;var F=$r[t];$r[t++]=null;var G=$r[t];$r[t++]=null;var H=$r[t];$r[t++]=null;var I=$r[t];$r[t++]=null;var J=$r[t];$r[t++]=null;var K=$r[t];$r[t++]=null;var L=$r[t];$r[t++]=null;var M=$r[t];$r[t++]=null;var N=$r[t];$r[t++]=null;var O=$r[t];$r[t++]=null;var P=$r[t];$r[t++]=null;var Q=$r[t];$r[t++]=null;var R=$r[t];$r[t++]=null;var S=$r[t];$r[t++]=null;var T=$r[t];$r[t++]=null;var U=$r[t];$r[t++]=null;var V=$r[t];$r[t++]=null;var W=$r[t];$r[t++]=null;var X=$r[t];$r[t++]=null;var Y=$r[t];$r[t++]=null;var Z=$r[t];$r[t++]=null;var Aa=$r[t];$r[t++]=null;var Ba=$r[t];$r[t++]=null;var Ca=$r[t];$r[t++]=null;var Da=$r[t];$r[t++]=null;var Ea=$r[t];$r[t++]=null;var Fa=$r[t];$r[t++]=null;var Ga=$r[t];$r[t++]=null;var Ha=$r[t];$r[t++]=null;var Ia=$r[t];$r[t++]=null;var Ja=$r[t];$r[t++]=null;var Ka=$r[t];$r[t++]=null;var La=$r[t];$r[t++]=null;var Ma=$r[t];$r[t++]=null;var Na=$r[t];$r[t++]=null;var Oa=$r[t];$r[t++]=null;var Pa=$r[t];$r[t++]=null;var Qa=$r[t];$r[t++]=null;var Ra=$r[t];$r[t++]=null;var Sa=$r[t];$r[t++]=null;var Ta=$r[t];$r[t++]=null;var Ua=$r[t];$r[t++]=null;var Va=$r[t];$r[t++]=null;var Wa=$r[t];$r[t++]=null;var Xa=$r[t];$r[t++]=null;var Ya=$r[t];$r[t++]=null;var Za=$r[t];$r[t++]=null;var Aa=$r[t];$r[t++]=null;var Ba=$r[t];$r[t++]=null;var Ca=$r[t];$r[t++]=null;var Da=$r[t];$r[t++]=null;var Ea=$r[t];$r[t++]=null;var Fa=$r[t];$r[t++]=null;var Ga=$r[t];$r[t++]=null;var Ha=$r[t];$r[t++]=null;var Ia=$r[t];$r[t++]=null;var Ja=$r[t];$r[t++]=null;var Ka=$r[t];$r[t++]=null;var La=$r[t];$r[t++]=null;var Ma=$r[t];$r[t++]=null;var Na=$r[t];$r[t++]=null;var Oa=$r[t];$r[t++]=null;var Pa=$r[t];$r[t++]=null;var Qa=$r[t];$r[t++]=null;var Ra=$r[t];$r[t++]=null;var Sa=$r[t];$r[t++]=null;var Ta=$r[t];$r[t++]=null;var Ua=$r[t];$r[t++]=null;var Va=$r[t];$r[t++]=null;var Wa=$r[t];$r[t++]=null;var Xa=$r[t];$r[t++]=null;var Ya=$r[t];$r[t++]=null;var Za=$r[t];$r[t++]=null;var Aa=$r[t];$r[t++]=null;var Ba=$r[t];$r[t++]=null;var Ca=$r[t];$r[t++]=null;var Da=$r[t];$r[t++]=null;var Ea=$r[t];$r[t++]=null;var Fa=$r[t];$r[t++]=null;var Ga=$r[t];$r[t++]=null;var Ha=$r[t];$r[t++]=null;var Ia=$r[t];$r[t++]=null;var Ja=$r[t];$r[t++]=null;var Ka=$r[t];$r[t++]=null;var La=$r[t];$r[t++]=null;var Ma=$r[t];$r[t++]=null;var Na=$r[t];$r[t++]=null;var Oa=$r[t];$r[t++]=null;var Pa=$r[t];$r[t++]=null;var Qa=$r[t];$r[t++]=null;var Ra=$r[t];$r[t++]=null;var Sa=$r[t];$r[t++]=null;var Ta=$r[t];$r[t++]=null;var Ua=$r[t];$r[t++]=null;var Va=$r[t];$r[t++]=null;var Wa=$r[t];$r[t++]=null;var Xa=$r[t];$r[t++]=null;var Ya=$r[t];$r[t++]=null;var Za=$r[t];$r[t++]=null;var Aa=$r[t];$r[t++]=null;var Ba=$r[t];$r[t++]=null;var Ca=$r[t];$r[t++]=null;var Da=$r[t];$r[t++]=null;var Ea=$r[t];$r[t++]=null;var Fa=$r[t];$r[t++]=null;var Ga=$r[t];$r[t++]=null;var Ha=$r[t];$r[t++]=null;var Ia=$r[t];$r[t++]=null;var Ja=$r[t];$r[t++]=null;var Ka=$r[t];$r[t++]=null;var La=$r[t];$r[t++]=null;var Ma=$r[t];$r[t++]=null;var Na=$r[t];$r[t++]=null;var Oa=$r[t];$r[t++]=null;var Pa=$r
```

```

a;case S:s=9;break a;case w:s=11;break a;case D:s=14;break a;case O:s=16,r=null;break
a)s=29,n=Error(i(130,e===null?'null':typeof e,''),r=null)return
t=li(s,n,t,a),t.elementType=e,t.type=r,t.lanes=0,t.function mi(e,t,n,r){return e=li(7,e,r,t),e.lanes=n,e}function
hi(e,t,n){return e=li(6,e,null,t),e.lanes=n,e}function qi(e){var t=li(18,null,null,0);return t.stateNode=e,t}function
_i(e,t,n){return t=li(4,e.children===null?[]:e.children,e.key,t),t.lanes=n,t.stateNode={containerInfo:e.containerInf
o,pendingChildren:null,implementation:e.implementation},t}var vi=new WeakMap;function yi(e,t){if(typeof
e==`object`&&e){var n=vi.get(e);return n===void
0?t={value:e,source:t,stack:Te(t)},vi.set(e,t),t}:n)return{value:e,source:t,stack:Te(t)}var
bi=[],xi=0,Si=null,Ci=0,wi=[],Ti=0,Ei=null,Di=1,Oi=``;function ki(e,t){bi[xi++]Ci=Si,Si=e,Ci=t}function
Ai(e,t,n){wi[Ti++]Di=wi[Ti++]Oi=wi[Ti++]Ei,Ei=e;var r=Di,e=Oi;var i=32-N(r)-1;r&=-(1<i),n+=1;var
a=32-N(t)+1;if(30<a){var o=i-1%5;a=(r&(1<o)-1).toString(32),r>=o,i-=o,Di=1<<32-N(t)+i|n<i|r,Oi=a+e}else
Di=1<a|n<i|r,Oi=e}function ji(e){e.return!~=null&&(ki(e,1),Ai(e,1,0))}function Mi(e){for(;e===Si;)Si=bi[--xi],bi[xi
]=null,Ci=bi[--xi],bi[xi]=null;for(;e===Ei;)Ei=wi[--Ti],wi[Ti]=null,Oi=wi[--Ti],wi[Ti]=null,Di=wi[--Ti],wi[Ti]=null}f
unction Ni(e,t){wi[Ti++]Di=wi[Ti++]Oi=wi[Ti++]Ei,Di=t.id,Oi=t.overflow,Ei=e}var
Pi=null,R=null,z=1,Fi=null,Ii=1,Li=Error(i(519));function Ri(e){throw
Wi(yi(Error(i(418,1<arguments.length&&arguments[1]!~=void 0&&arguments[1]?`text`:`HTML`,``),e)),Li)}function
zi(e){var t=e.stateNode,n=e.type,r=e.memoizedProps;switch(t[dt]=e,t[ft]=r,n){case`dialog`:Q(`cancel`,t),Q(`close`,t);
break;case`iframe`:case`object`:case`embed`:Q(`load`,t);break;case`video`:case`audio`:for(n=0;n<d.length;n++)Q(`d[n]
`,t);break;case`source`:Q(`error`,t);break;case`img`:case`image`:case`link`:Q(`error`,t),Q(`load`,t);break;case`detail
`:Q(`toggle`,t);break;case`input`:Q(`invalid`,t),Wt(t,r.value,r.defaultValue,r.checked,r.defaultChecked,r.type,r.nam
e,!0);break;case`select`:Q(`invalid`,t);break;case`textarea`:Q(`invalid`,t),Jt(t,r.value,r.defaultValue,r.children)n
=r.children,typeof n!=`string`&&typeof n!=`number`&&typeof n!=`bigint`||t.textContent===``+n||!0===r.suppressHydratio
nWarning||Md(t.textContent,n)?(r.popover!=null&&(Q(`beforetoggle`,t),Q(`toggle`,t)),r.onScroll!=null&&Q(`scroll`,t),r
.onScrollEnd!=null&&Q(`scrollend`,t),r.onClick!=null&&(t.onclick=rn,t=!0):t=!1,t|!Ri(e,!0))}function
Bi(e){for(Pi=e.return;Pi;)switch(Pi.tag){case 5:case 31:case 13:Ii=1;return;case 27:case
3:Ii=0;return;default:Pi=Pi.return}function Vi(e){if(e!==Pi)return!1;if(!z)return Bi(e),z=!0,!1;var t=e.tag,n;if((n
=!1===3&&t!==27)&&((n===5)&&(n=e.type,n!==(n===`form`&&n!=`button`))||ud(e.type,e.memoizedProps)),n!=n),n&&R&&Ri(e),B
i(e),t===13){if(e=e.memoizedState,e===null?null:e.dehydrated,!e)throw Error(i(317));R=uf(e)}else
if(t===31){if(e=e.memoizedState,e===null?null:e.dehydrated,!e)throw Error(i(317));R=uf(e)}else
t===27?(t=R,Zd(e.type)?(e=lf,lf=null,R=e):R=t):R=Pi?cf(e.stateNode.nextSibling):null;return!0}function
Hi(){R=Pi=null,z=1}function Ui(){var e=Fi;return e!=null&&(Zl===null?Zl=e:Zl.push.apply(Zl,e),Fi=null),e}function
Wi(e){Fi===null?Fi=[e]:Fi.push(e)}var Gi=ue(null),Ki=null,qi=null;function
Ji(e,t,n){(Gi,t._currentValue),t._currentValue=n}function Yi(e){e._currentValue=Gi.current,de(Gi)}function
Xi(e,t,n){for(;e!=null;){var r=e.alternate;if((e.childLanes&t)===t?r!=null&&(r.childLanes&t)===t&&(r.childLanes|=t)
:(e.childLanes&t,r!=null&&(r.childLanes|=t)),e===n)break;e=e.return}}function Zi(e,t,n,r){var
a=e.child;for(a!=null&&(a.return=e);a!=null;){var o=a.dependencies;if(o!=null){var
s=a.child;o.o.firstContext;a:for(;o!=null;){var c=o;o=a;for(var l=0;l<t.length;l++)if(c.context===t[l]){o.lanes|=n,c
=o.alternate,c!=null&&(c.lanes|=n),Xi(o.return,n,e),r||l===s;break a}o=c.next}}else
if(a.tag===18){if(s=a.return,s===null)throw
Error(i(341));s.lanes|=n,o=s.alternate,o!=null&&(o.lanes|=n),Xi(s,n,e),s=null}else
s=a.child;if(s!=null)s.return=a;else for(s=a;s!=null;){if(s===e){s=null;break}if(a=s.sibling,a!=null){a.return=s,r
eturn,s=a;break}s=s.return;a=s}}function Qi(e,t,n,r){e=null;for(var
a=t,o=!1;a!=null;){if(!o){if(a.flags&524288)o=!0;else if(a.flags&262144)break}if(a.tag===10){var
s=a.alternate;if(s===null)throw Error(i(387));if(s=s.memoizedProps,s!=null){var
c=s.type;Tr(a.pendingProps.value,s.value)||e===null?e=[c]:e.push(c)}}else
if(a===he.current){if(s=a.alternate,s===null)throw Error(i(387));s.memoizedState.memoizedState!~=a.memoizedState.memo
izedState&&(e===null?e=[Qf]:e.push(Qf))a.a.return!~=null&&Zi(t,e,n,r),t.flags|=262144}function Si(e){for(e=e.first
Context;e!=null;){if(!Tr(e._currentValue,e.memoizedValue))return!0;e=e.next}return!1}function
ea(e){Ki=e,qi=null,e=e.dependencies,e!=null&&(e.firstContext=null)}function ta(e){return ra(Ki,e)}function
na(e,t){return Ki===null&&ea(e),ra(e,t)}function ra(e,t){var
n=t._currentValue;if(t=context:t,memoizedValue:n,next:null,qi===null){if(e===null)throw
Error(i(308));qi=t,e.dependencies=lanes:0,firstContext:t,t.flags|=524288}else qi=qi.next;return n}var ia=typeof
AbortController<`u`?AbortController:function(){var e=[];t=this.signal={aborted:!1,addEventListener:function(t,n){e.pu
sh(n)}};this.abort=function(){t.aborted=!0,e.forEach(function(e){return e()})};aa=t.unstable_scheduleCallback,oa=t.u
nstable_NormalPriority,sa=${$typeof:C,Consumer:null,Provider:null,_currentValue:null,_currentValue2:null,_threadCount
:0};function B(){return{controller:new ia,data:new Map,refCount:0}}function
ca(e){e.refCount--,e.refCount===0&&aa(oa,function(){e.controller.abort()})}var la=null,ua=0,da=0,fa=null;function
pa(e,t){if(la===null){var n=la=[];ua=0,da=dd(),fa={status:`pending`,value:void 0,then:function(e){n.push(e)}}return
ua++,t.then(ma,ma),t}function ma(){if(--ua===0&&la!=null){fa!=null&&(fa.status=`fulfilled`);var
e=la;la=null,da=0,fa=null;for(var t=0;t<e.length;t++){(0,e[t])()}function ha(e,t){var
n=[];r={status:`pending`,value:null,reason:null,then:function(e){n.push(e)}};return
e.then(function(){r.status=`fulfilled`,r.value=t;for(var
e=0;e<n.length;e++){(0,n[e])()}}),function(e){for(r.status=`rejected`,r.reason=e,e=0;e<n.length;e++){(0,n[e])()}}},r}var
ga=k.S;k.S=function(e,t){eu=j(e),typeof t==`object`&&typeof
t.then==`function`&&pa(e,t),ga!=null&&ga(e,t);var _a=ue(null);function va(){var e=_a.current;return
e===null?q.poolCache:e}function ya(e,t){t===null?j(_a,_a.current):j(_a,t.pool)}function ba(){var e=va();return
e===null?null:{parent:sa._currentValue,pool:e}}var
xa=Error(i(469)),Sa=Error(i(474)),Ca=Error(i(542)),wa={then:function(){}};function Ta(e){return
e.e.status,e===`fulfilled`||e===`rejected`}function Ea(e,t,n){switch(n=[n],n===void
0?e.push(t):n!=t&&(t.then(rn,rn),t=n),t.status){case`fulfilled`:return t.value;case`rejected`:throw
e.t.reason,Aa(e),e;default:if(typeof
t.status==`string`){t.then(rn,rn);else if(e=q,e!=null&&100<e.shellSuspendCounter)throw
Error(i(482));e.t.e.status=`pending`,e.then(function(e){if(t.status===`pending`){var
n=t,n.status=`fulfilled`,n.value=e}},function(e){if(t.status===`pending`){var
n=t,n.status=`rejected`,n.reason=e}})}switch(t.status){case`fulfilled`:return t.value;case`rejected`:throw
e.t.reason,Aa(e),e}throw oa(xa)}try{var t=e._init;return t(e._payload)}catch(e){throw typeof
e==`object`&&e&&typeof e.then==`function`?(0a=e,xa):e}}var 0a=null;function ka(){if(0a===null)throw Error(i(459));var
e=0a;return 0a=null,e}function Aa(e){if(e===xa|e===Ca)throw Error(i(483))}var ja=null,Ma=0;function Na(e){var
t=Ma;return Ma+=1,ja===null&&(ja=[]),Ea(ja,e,t)}function Pa(e,t){t=t.props.ref,e.ref=t===void 0?null:t}function
Fa(e,t){throw t.$typeof==g?Error(i(525)):(e=Object.prototype.toString.call(t),Error(i(31,e==`object
Object`?`object with keys`+Object.keys(t).join(`,`)`+`)`:`e`))}function Ia(e){function t(t,n){if(e){var
r=t.deletions;r===null?(t.deletions=[n],t.flags|=16):r.push(n)}function n(n,r){if(!e)return
null;for(;r!=null;t(n,r),r=r.sibling;return null}function r(e){for(var t=new
Map;e!=null;){e.key===null?t.set(e.index,e):t.set(e.key,e),e=e.sibling;return t}function a(e,t){return
e=d3(e,t),e.index=0,e.sibling=null,e}function o(t,n,r){return t.index=r,e?(r=t.alternate,r===null?(t.flags|=67108866,
n):(r=r.index,r<n?(t.flags|=67108866,n):r):(t.flags|=1048576,n)}function s(t){return
e&&t.alternate===null&&(t.flags|=67108866),t}function c(e,t,n,r){return
t===null||t.tag!=6?{t=hi(n,e.mode,r),t.return=e,t):(t=a(t,n),t.return=e,t)}function l(e,t,n,r){var i=n.type;return
i===y?d(e,t,n.props.children,r,n.key):t!=null&&(t.elementType===i||typeof i==`object`&&i.$typeof===0&&0a(i)===t
.type)?(t=a(t,n.props),Pa(t,n),t.return=e,t):(t=pi(n.type,n.key,n.props,null,e.mode,r),Pa(t,n),t.return=e,t)}function
u(e,t,n,r){return t===null||t.tag!=4||t.stateNode.containerInfo!=n.containerInfo||t.stateNode.implementation!=n.im
plementation?(t=li(4,n,e.mode,r),t.return=e,t):(t=a(t,n.children)[0],t.return=e,t)}function d(e,t,n,r,i){return
t===null||t.tag!=7?(t=mi(n,e.mode,r,i),t.return=e,t):(t=a(t,n),t.return=e,t)}function f(e,t,n){if(typeof
t==`string`&&t!=``||typeof t==`number`||typeof t==`bigint`)return t=hi(``+t,e.mode,n),t.return=e,t;if(typeof
t==`object`&&t){switch(t.$typeof){case _:return n=pi(t.type,t.key,t.props,null,e.mode,n),Pa(n,t),n.return=e,n;case
v:return t=_i(t,e.mode,n),t.return=e,t;case 0:return t=Da(t),f(e,t,n)}if(oe(t)||re(t))return
t=m3(t,e.mode,n,null),t.return=e,t;if(typeof t.then==`function`)return f(e,Na(t),n);if(t.$typeof===c)return
f(e,na(e,t),n);fa(e,t)}return null}function p(e,t,n,r){var i=t===null?null:t.key;if(typeof
n==`string`&&n!=``||typeof n==`number`||typeof n==`bigint`)return i===null?c(e,t,`n,r`):null;if(typeof
n==`object`&&n){switch(n.$typeof){case _:return n.key===i?l(e,t,n,r):null;case v:return
n.key===i?u(e,t,n,r):null;case 0:return n=Da(n),p(e,t,n,r)}if(oe(n)||re(n))return

```



```

r==null?d(e,t,n,r,null):null;if(typeof n.then=='function')return p(e,t,n,r);if(n.$$$typeof===C)return
p(e,t,a(n,e,r),r);Fa(e,n,r);return null;if(function m(e,t,n,r,i){if(typeof r==='string'&&!r==='')||typeof r==='number'
r==='bigint'}return e=e.get(n)||null,c(t,e,r,i);if(typeof r===object'&&r){switch(r.$$$typeof){case _:return
e=e.get(r.key===null?n:r.key)}||null,l(t,e,r,i);case v:return e=e.get(r.key===null?n:r.key)}||null,u(t,e,r,i);case
O:return r=Ds(r),m(e,t,n,r,i)}if(oe(r)||re(r))return e=e.get(n)||null,d(t,e,r,i,null);if(typeof
r.then=='function')return m(e,t,n,Na(r,i));if(r.$$$typeof===C)return m(e,t,n,Na(t,r,i));Fa(t,r);return null;if(function
h(i,a,s,c){for(var l=null,u=null,d=a,ha=a,g=null,d1:=null&&hcs.length>h++){d.index>h?(g=d,null):g=d.sibling;var _=
p(i,d,s[h],c);if(!--=null){d===null&&(d=g);break;}e&&d&&_._alternate===null&&(i,d),a=o(_a,h),u===null?l:=u.sibling:=
_,u._dg&if(h===s.length)return n(i,d),z&&ki(i,h),l;if(d===null){for(;hcs.length>h++d=(i,s[h],c),d1===null&&(a=o(d,a
,h),u===null?l:=u.sibling=d,u=d);return z&&ki(i,h),l}for(d=r(d);hcs.length>h++g=m(d,i,h,s[h],c),g1===null&&(e&&g.alt
ernate1===null&&d.delete(g.key===null?h:g.key),a=o(g,a,h),u===null?l:=g.sibling=g,u=g);return
e&&d;forEach(function(e){return t(i,e)},z&&ki(i,h),l)}function g(a,s,c,l){if(c===null)throw Error(i(151));for(var
u=null,d=null,h=s,g=s,o=_null,v=c.next()&&!n.done&&v.done&&g++&&v.c.next()&&(h.index>g?(_=h,null):_:=h.sibling);y=
p(a,h,v.value,l),l;if(y===null){v:=null&&(h=_)&&break;}e&&h&&y._alternate===null&&(a,h),s=o(y,s,g),d===null?u:=y.d.sibling
g=y,d=y,h=_jif(v.done)return n(a,h),z&&ki(a,g),u;if(h===null){for(;!v.done&&g++&&v.c.next()&&(a,v.value,l),v1===null&&
s=o(v,s,g),d===null?u:=v.d.sibling=v,d=v);return z&&ki(a,g),u}for(h=r(h);!v.done&&g++&&v.c.next()&&(h,g,v.value,l),
v1===null&&(e&&v._alternate1===null&&h.delete(v.key===null?g:v.key),s=o(v,s,g),d===null?u:=v.d.sibling=v,d=v);return
e&&h;forEach(function(e){return t(a,e)},z&&ki(a,g),u)}function b(e,r,o,c){if(typeof
o==='object'&&o.type===y&&o.key===null&&(o.o.props.children),typeof o==='object'&&o){switch(o.$$$typeof){case
_:a:for(var l=o.key;r1===null);if(r.r.key===l){if(l=o.type,l===y){if(r.tag===7){n(e,r.sibling),c=a(r,o.props.children),
c.return=e,e;c;break;}else if(r.r.elementType===l)}typeof
l==='object'&&l.$$$typeof===O&&Da(l)===r.type){n(e,r.sibling),c=a(r,o.props),Pa(c,o),c.return=e,e;c;break
a)n(e,r);break;}else t(e,r);r=r.sibling;o.type===y?(c=m(i,o.props.children,e.mode,c,o.key),c.return=e,e;c):(c=p(i,o.type
,o.key,o.props,null,e.mode,c),Pa(c,o),c.return=e,e;c)}return s(e);case v:a:for(l=o.key;r1===null);if(r.r.key===l){if(r
.tag===4&r.stateNode.containerInfo===o.containerInfo&r.stateNode.implementation===o.implementation){n(e,r.sibling),c
=a(r,o.children)[l]},c.return=e,e;c;break a}else n(e,r);break;}else
t(e,r);r=r.sibling;c=i(o,e.mode,c),c.return=e,e;c}return s(e);case O:return o=Da(o),b(e,r,o,c)}if(oe(o))return
h(e,r,o,c);if(re(o))if(l=r(o),typeof l!=='function')throw Error(i(150));return o=l.call(o,g(e,r,o,c))if(typeof
o.then=='function')return b(e,r,Na(o),c);if(o.$$$typeof===C)return b(e,r,Na(e,o,c));Fa(e,o);return typeof
o==='string'&&o!=='')||typeof o==='number'||typeof o==='bigint'?o==='+'&&r1===null&&r.tag===6?n(e,r.sibling),c=a(r,o),c.re
turn=e,e;c):(n(e,r),c=hi(o,e.mode,c),c.return=e,e;c),s(e))n(e,r)}return function(e,t,n,r){try{Ma=o;var
i=b(i,e,t,n,r),return j=a>null,i}catch(t){if(t==='xa')l:=Ca}throw t;var a=li(29,t,null,e.mode);return
a.lanes=r,a.return=e,a}}var La=Ta(10),Ra=Ta(11),za=1;function Ba(e){updateQueue=baseState:e.memoizedState,firstB
aseUpdate:null,lastBaseUpdate:null,shared:(pending:null,lanes:0,hiddenCallbacks:null),callbacks:null}function Va(e,t
){e=e.updateQueue,e.updateQueue=e&&t.updateQueue=baseState:e.baseState,firstBaseUpdate:e.firstBaseUpdate,lastBase
Update:e.lastBaseUpdate,shared:e.shared,callbacks:null}function Ha(e){return{lane:e,tag:0,payload:null,callback:null,next:null}var
r=e.updateQueue;if(r===null)return null;if(r=r.shared,K&2){var i=r.pending;return
i===null?t.next:t.next=i.next,i.next=t},r.pending=t,t=oi(e),ai(e,null,n),t)return ri(e,r,t,n),oi(e)}function
Wa(e,t,n){if(t.t.updateQueue,t1===null&&t.t.shared,n&4194048)}{var
r=t.lanes;r&e.pendingLanes,n=r,t.lanes=n,it(e,n)}function Ga(e,t){var
n=e.updateQueue,r=e._alternate;if(r!===null&&(r=r.updateQueue,n=r)}{var
i=null,a=null;if(n=n.firstBaseUpdate,n1===null){do{var o={lane:n.lane,tag:n.tag,payload:n.payload,callback:null,next:n
ull};a===null?i=a:o.a.next=o,n=n.next}while(n!===null);a===null?i=a:t=i}else i=a;t=baseState:r.baseState,
firstBaseUpdate:i,lastBaseUpdate:a,shared:r.shared,callbacks:r.callbacks,e.updateQueue=n;return}e.n.lastBaseUpdate
e===null?n.firstBaseUpdate:t.next=t.n.lastBaseUpdate=t.jvar Ka=1;function qa(){if(Ka){var e=fa;if(e!===null)throw
e}}function Ja(e,t,n,r){Ka=1;var i=e.updateQueue;za=1;var
a=1;firstBaseUpdate,o=i.lastBaseUpdate,s=i.shared.pending;if(s!===null){i.shared.pending=s,u=i.lastBaseUpdate,
c=s,l=c.next;c.next=null,o===null?a=l:o.next=l,o=c;var u=e._alternate;u!===null&&(u=u.updateQueue,s=u.lastBaseUpdate,
s1===o&&(s===null?u.firstBaseUpdate=l:s.next=l,u.lastBaseUpdate=c))if(a!===null){var
d=1;baseState;o,o,u=l=c=null,s=a;do{var f=s.lane;f===s.lane;if(p?{Y&f}===f){f!===o&&f===da&&(Ka
10)},u!===null&&(u=u.next?{lane:0,tag:s.tag,payload:s.payload,callback:null,next:null}:a)}{var m=e,g=s,f=t;var
_n=switch(c.f.tag){case 1:if(m=g.payload,typeof m=='function'){d=m.call(_d,f);break a}d=m;break a;case
3:m.f.flags=m.f.flags-65537128;case 0:if(m=g.payload,f=typeof m=='function'?m.call(_d,f):m.f;f===null)break
a;d=h({},d,f);break a;case 2:za=0}f=s.callback,f1===null&&(e.f.flags=64,p&&(e.f.flags=8192),p=i.callbacks,p===null?i.c
allbacks=[f]:p.push(f))}else p={lane:f,tag:s.tag,payload:s.payload,callback:s.callback,next:null},u===null?(l=u=p,c=d
):u=u.next=p,o=f;if(s=s.next,s===null){if(s=i.shared.pending,s===null)break;p=s,s=p.next,p.next=null,i.lastBaseUpdat
e=p,i.shared.pending=null}while(1);p===null&&(c=d),i.baseState=c,i.firstBaseUpdate=l,i.lastBaseUpdate=u,a===null&&(i
.shared.lanes=0),Gl=o,e.lanes=o,e.memoizedState=c)}function Ya(e,t){if(typeof e!=='function')throw
Error(i(191),e).e.call(t)}function Xa(e,t){var
n=e.callbacks;if(n!===null)for(e.callbacks=null,e=0;<n.length;e++)Ya(n[e],t)}var V=ue(null),H=ue(0);function
Za(e,t){e=U,l,j(H,e),j(V,t),U=ei.t.baseLanes}function Qa(a){j(H,U,l),j(V,V.current)}function
Sa(a){U!H.current,de(V),de(H)}var eo=ue(null),to=null;function no(e){var t=e._alternate;j(so,s.current&1),j(eo,e),to
===null&&(t===null)|V.current!===null|t.memoizedState!===null)&&(to=e)}function
ro(e){j(so,s.current),j(eo,e),to===null&&(to=e)}function
io(e){e.tag===22?j(so,s.current),j(eo,e),to===null&&(to=e):ao(e)}function
ao(){j(so,s.current),j(eo,e.current)}function oo(e){de(o),to===e&&(to=null),de(so)}var so=ue(0);function
co(e){for(var t=e;t!===null){if(t.tag===13){var
n=t.memoizedState;if(n!===null&&(n=n.dehydrated,n===null){af(n)[of(n)]return t}else if(t.tag===19&&t.memoizedProps
.revealOrder==='forwards'||t.memoizedProps.revealOrder==='backwards'||t.memoizedProps.revealOrder==='unstable_legacy_b
ackwards'||t.memoizedProps.revealOrder==='together')){if(t.flags&128)return t}else if(t.child!===null){t.child.return=
t,t.t.child;continue;}if(t===e)break;for(;t.sibling===null);if(t.return===null|t.return===e)return
null;t=t.sibling.t.sibling.return;t.return=t.sibling;return null}var
lo=0,u=null,w=null,uo=null,fo=1,po=1,mo=1,ho=0,go=0,_o=null,vo=0;function G(){throw Error(i(321))}function
yo(e,t){if(t!===null)return1;for(var n=0;nt.length&&e.length>n++){if(!Tr(e[n],t[n]))return1;return!0}function
bo(e,t,n,r,i,a){return lo=a,u=t,po&&(a=So(t,n,r,i)),xo(e,a)}function xo(e){k.H=Is;var
t=W!===null&&W.next!===null;if(lo=0,uo=W=U=null,fo=1,go=0,_o=null,t)throw
Error(i(300));e===null|t[c]?{e=dependencies,e!===null&&Si(e)&&(t=0)}function So(e,t,n,r){U=e;var
a=o;do{if(po&&_o=null),go=po,p=1,25<a)throw Error(i(301));if(a=1,uo=W=null,e.updateQueue!null){var o=e.updateQue
ue;o.lastEffect=null,o.events=null,o.stores=null,o.memoCache!null&&(o.memoCache.index=0)}k.H=zs,o=t(n,r)while(po);r
eturn of function Co(){var e=k.H,t=useState()[0];return t=typeof
t.then=='function'?Ao(t):t,e=useState()[0],(W===null?null:W.memoizedState)!===e&&(U.flags=1024),t}function wo(){var
e=ho!===0;return ho=0,e}function to(e,t,n){updateQueue=e.updateQueue,t.flags&=2053,e.lanes&=n}function
Eo(e){if(fo){for(e=e.memoizedState;e!===null;){var
t=e.queue;t!===null&&(t.pending=null),e=e.next;fo=1}lo=0,uo=W=U=null,po=1,go=ho,_o=null}function Do(){var
e={memoizedState:null,baseState:null,baseQueue:null,queue:null,next:null};return
uo===null?U.memoizedState=u:e.uo=u.next=e,uo}function Oo(){if(W===null){var
e=U._alternate;e===null?null:e.memoizedState}else e=W.next;var
t=uo===null?U.memoizedState=uo.next;if(t!===null)uo=t,W=e;else if(e===null)throw U._alternate===null?Error(i(467)):Error
r(i(310));W=e,e={memoizedState:W.memoizedState,baseState:W.baseState,baseQueue:W.baseQueue,queue:W.queue,next:null},u
o===null?U.memoizedState=u:e.uo=u.next=e}return uo}function
ko(){return{lastEffect:null,events:null,stores:null,memoCache:null}function Ao(e){var t=go;return go=1,o===null&&(
o=[]),e=ea(o,e,t),t=U,(uo===null?t.memoizedState=uo.next===null&&(t.t.alternate,k.H===null|t.memoizedState!null?
Ls:Rs),e)}function jo(e){if(typeof e==='object'&&e){if(typeof e.then=='function')return
Ao(e);if(e.$$$typeof===C)return ta(e)}throw Error(i(438,Str(e)))}function Mo(e){var
t=null,n=U.updateQueue;if(n!===null&&(t=n.memoCache,t===null){var
r=U._alternate;r!===null&&(r=r.updateQueue,r1===null&&(r=r.memoCache,r1===null&&(t={data:r.data,map(function(e){return e.s
lice()},index:0)})))if(t??={data:[],index:0},n===null&&(n=ko()),U.updateQueue=n,n.memoCache=t,n.t.data[t.index],n===
void 0)for(n=t.data[t.index]=Array(e),r=0;r<e;r++){n[r]=t;return t.index++&&n}function No(e,t){return typeof
t=='function'?t(e):t}function Po(e){return Fo(Oo(),W,e)}function Fo(e,t,n){var r=e.queue;if(r===null)throw

```

```
Error(r,(311));r.l.lastRenderedReducer=r;var a=e.baseQueue,o=.pending;if(o!=null){if(a!=null){var s=a.next;a.next=o;o.next=s}t.baseQueue=a,r.pending=null;if(o.e.baseState,a===null)e.memoizedState=o;else{t=a.next;var c=s==null,l=null,u=t,d:=1;do{var f=u.lane&-536870913;if(f===u.lane?&&(Y&f)===f){(var p=u.revertLane;if(p===0)l!=null&&(l.l.next!==lane:0,revertLane:0,gesture:null,action:o.action,hasEagerState:u.hasEagerState,eagerState:u.eagerState,next:null)),f=da&&(d:=0);else if((lo&p)===p){u=u.next,p=da&&(d:=0);continue}else f={lane:0,revertLane:u.revertLane,gesture:null,action:o.action,hasEagerState:u.hasEagerState,eagerState:u.eagerState,next:null},l=nextNull?(c:=f,s:=o):l=l.next,f,U.lanes=p,Gl:=f;f=u.action,mo&&(o,f),o=u.hasEagerState?e.eagerState:(n(o,f))else p={lane:f,revertLane:u.revertLane,gesture:u.gesture,action:o.action,hasEagerState:u.hasEagerState,eagerState:u.eagerState,next:null},l=nextNull?(c:=p,s:=o):l=l.next,p,U.lanes=f,Gl:=f;u=u.next}while(u!==null&&!u.t);if(l===null?s:=l.next=c,!Tr(o,e.memoizedState)&&(tc:=0,d&&(n:=fa,n!==(null)))throw n;e.memoizedState=o,e.baseState=s,e.baseQueue=l,r.lastRenderedState=o)return a===null&&(r.lanes=0),[e.memoizedState,r.dispatch]}function Io(e){var t=Do(o),n=t.queue;if(n===null)throw Error(i(311));n.l.lastRenderedReducer=e;var r=n.dispatch,a=n.pending,o=t.memoizedState;if(a!=null){n.pending=null;var s=a.a.next;do o=o(s.action),s=s.next;while(s!==a)}Tr(o,t.memoizedState)||{(tc:=0),t.memoizedState=o,t.baseQueue=nextNull&&(t.baseState=o),n.lastRenderedState=o}.return(o,r)}function Lo(e,t,n,r){var u=R,U=A,O=o,z:=f(o){if(n===void 0)throw Error(i(407));n=n()}else n=t();var s=Tr((W|la).memoizedState,n),(if(s&&(a.memoizedState=n,tc:=0),a=a.queue,cs(Bo.bind(null,r,a,e),[e]),a.getSnapshot!==(t||s)|uo)!=null&&uo.memoizedState.tag&1){if(r.flags|=2048,rs(9,{destroy:void 0}),z.unbind(null,r,a,n,t),null,q=====null}throw Error(i(349));q}|lo&127|[Ro(r,t,n)]return n}function Ro(e,t,n){e.flags|=16384,e=[getSnapshot?t.value:n],t=U.updateQueue,t===null?t=(k:=(),U.updateQueue=t,t.stores=[]):(n.t.stores,n===null?t.stores=[e]:n.push(e))}function Zo(e,t,n,r){t.value=n,r(t.value,n,e.getSnapshot+V,V(o,t)&Ho(e))}function So(e,t,n){return e.getSnapshot?e=e.getSnapshot:e=e.value;try{var n=t();return!Tr(e,n)}catch{returnIo}(e)}function Uo(e){var t=L(2);t===null&&hu(t,e,2)}function Mo(e){var t=Do(o);if(typeof e=='function'){var n=e;if(e!=(n(),mo)(He(10));try{n()}{finally{He(11)}}}return t.memoizedState=t.baseState=e,t.queue={pending:null,lanes:0,dispatch:null,lastRenderedReducer:No,lastRenderedState:e},t}function Wo(e,t,n,r){return e.baseState=n,Fo(e,W,typeof r=="function"?No):function Go(e,t,n,r,a){if(NS(e,t))throw Error(i(485)){if(e==t.action,e!==(null){var o=[payload:a,action:e,next:null,isTransition:0,status:'pending',value:null,reason:null,listeners:],then:function(o){o.listeners.push(e)}};k.T===null?o.isTransition=!:(n(10),r(o),n=t.pending,n===null?(o.next=t.pending=o,Ko(t,o)):o.next=n.next,t.pending=n.next)o}function Ko(e,t){var n=t.action,r=t.payload,i=e.state;if(!isTransition){var a=k.T,o:=f;k.T:=o;try{var s=n(i,r),c=k.S;c!==(null&&c(o,s),qo(e,t,s))}catch(n){Yo(e,t,n)}finally{a!==(null&&o.types)!==(null&&(a.typeof=o.types),k.T:=a)}else try{a=n(i,r),qo(e,t,a)}catch(n){Yo(e,t,n)}function qo(e,t,n){typeof n=='object'&&n.typeof n.then=='function'?n.then(function(n){Jo(e,t,n)},function(n){return Yo(e,t,n)}):Jo(e,t,n)}function Jo(e,t,n){t.status='fulfilled',t.value=n,Xo(t,e.state,n,t.pending,t!==(null&&(n.t.next,n===?e.pending-null):(n=n.next,t.next=n,Ko(e,n))))}function Yo(e,t,n){var r=e.pending;e.pending=null;r!==(null){r=r.next;do t.status='rejected',t.reason=n,Xo(t,t.next);while(t!==(r))}e.action=null}function Xo(e){e.e.listeners;for(var t=0;t<e.length;t++){0,[e,t]]}function Zo(e,t){return t}function So(e,t){if(z){var n=q.formState;if(n!==(null){a:{var r=U;if(z){if(R){b:{for(var i=R,a=i,i.nodeType!==(8);){if(!a){i+=return t}function Qo(e,t){if(z){var n=q.formState;if(n!==(null){a:{var r=U;if(z){if(R){b:{for(var i=R,a=i,i.nodeType!==(8);){if(!a){i+=return t}function Qo(e,t){if(z){var n=q.formState;if(n!==(null){a:{var b;if(i=c(f.i.nextSibling),i===null){i=null;break b}}j=a.i.data,i:=a=='F'!|a==='?'?:null)}if(i){R=c(f.i.nextSibling),r=i.data==='F'!|break a}}Ji(r){r}=r+1}&&(t=[0]))}return NoDo().n.memoizedState=n.baseState,r={pending:null,lanes:0,dispatch:null,lastRenderedReducer:Zo,lastRenderedState:t},n.queue=r,n.As.bind(null,u,r),r.dispatch=n,r.Uo(11),a=Ms.bind(null,u,11,r.queue),r=Do().i:=state,t,dispatch:null,action:e,pending:null},r.queue=i,n.Go.bind(null,u,i,a,n),i.dispatch=n,r.memoizedState=e,[t,n,11]}function So(e){return es(Oo(),W,e)}function es(e,t,n){if(t=Fo(e,t,Zo)[0],e=Po(Nos)[0],typeof t=='object'&&t.typeof t.then=='function')try{var r=Ao(t)}catch(e){throw e===xa?Ca:e}else r=t;return t;return t;var i=t.queue,a=i.dispatch;return n!==t.memoizedState&&(U.flags|=2048,rs(9,{destroy:void 0}),ts.bind(null,i,n,null),[r,a,e]}function ts(e,t){e.action=t}function ns(e){var t=Do(o),n=W;if(n!==(null){return es(t,n,e);Oo()},t!,memoizedState,n=Oo():var r=n.queue.dispatch;return n.memoizedState=e,[t,r,11]}function rs(e,t,n,r){return e=[tag:e,create:n,deps:r,inst:t,next:null],t=U.updateQueue,t===null&&(t=k:=(),U.updateQueue=t),n=t.lastEffect,n===null?t.lastEffect=e.next=e:((r=n.next,n.next=e,e.next=r,t.lastEffect=e),e)function is(){return Oo().memoizedState}function as(e,t,n,r){var i=Do(o);U.flags|=e,i.memoizedState=rs(1[t,{destroy:void 0}],n,r)=void 0?null:r)}function os(e,t,n,r){var i=Oo(o);r=r===void 0?null:r;var a=i.memoizedState.inst;W!==(null&&r!=null&&yoy(r,W.memoizedState.deps)?i.memoizedState=rs(t,a,n,r):(U.flags|=i.memoizedState=rs(1[t,a,n,r]))}function ss(e,t){as(B390656,8,e,t)}function cs(e,t){os(2048,8,e,t)}function ls(e){U.flags|=4;var t=U.updateQueue;if(t===null)t=k:=(),U.updateQueue=t,t.events=[e];else{var n=t.events;n===null?t.events=[e]:n.push(e)}function us(e){var t=Do(o).memoizedState;return ls(ref:t,nextImpl:e),function(){if(K&2)throw Error(i(440));return t.impl.apply(void 0,arguments)}}function ds(e,t){return os(4,2,e,t)}function fs(e,t){return os(4,4,e,t)}function ps(e,t){if(typeof t=='function'){e=e();var n=t(e);return function(){typeof n=='function'?n():t(null)};if(t!==(null){return e(e()),t.current=e,function(){t.current=null}}function ms(e,t,n){n===null?t.n.concat([e]),os(4,4,ps.bind(null,t,e,n)}function hs(){function gs(e,t){var n=Oo(o);t!==(void 0?null:t)var r=n.memoizedState;return t!==(null&&yoy(t,r,1])}?[0]:(n.memoizedState=[e,t,e]}function _s(e,t){var n=Oo(o);t!==(void 0?null:t)var r=n.memoizedState;if(t!==(null&&yoy(t,r,1])}return r[0];if(r=(e=(),mo)(He(10));try{r(){finally{He(11)}}}return n.memoizedState=[r,t,r]}function vs(e,t,n){return n===void 0|[lo&1073741824&&(Y&261930)?e.memoizedState=t:(e.memoizedState=n,e=mu()),U.lanes]=e,Gl]=e,n)}function ys(e,t,n,r){return Tr(n,t,n):v.current===null?1|[lo&42]|lo&1073741824&&(Y&261930)?(tc:=0,e.memoizedState=n):(e=mu()),U.lanes]=e,Gl]=e),(e=vs(e,n,r),Tr(e,t))[tc:=0],e}function bs(e,t,n,r,i){var a=A,p=i/A;p=i-0&&8&a?a:8;var o=k.T,s:=f;k.T:=s,Ms(e,i,t,n);try{var c=i(),i,k,S;l:=null&&l(S,c),typeof c=='object'&&c.typeof c.then=='function'?j s(e,t,ha(c,r),pu(e)):js(e,t,r,pu(e))}catch(n){js(e,t,then:function(){},status:'rejected',reason:n)}finally{A=p,a,o!==(null&&s.types)!==(null&&o.types-s.types),k.T:=o}function xs(){return Ss(e,t,n,r)}if(e.tag:=5)throw Error(i(476));var a=Cs(e).queue;bs(e,a,t,s,n)=null?xs:function(n){return ws(n,r)}function Cs(e){var t=e.memoizedState;if(t!==(null){return t}t={memoizedState:se,baseState:se,baseQueue:null,queue:{pending:null,lanes:0,dispatch:null,lastRenderedReducer:No,lastRenderedState:se,next:null};var n:=f;return t.next=t.memoizedState,n.baseState=n,baseQueue=null,queue:{pending:null,lanes:0,dispatch:null,lastRenderedReducer:No,lastRenderedState:n,next:null},e.memoizedState=t,e.alternate,e!==(null&&(e.memoizedState=t),t}function vs(e){var t=Cs(e);t.next=nextNull&&(t=e.alternate.memoizedState),js(e,t.next.queue,j,pu())}function Ts(){return ta(Qf)}function Es(){return Oo().memoizedState}function Os(){return Oo().memoizedState}function Os(e){for(var t=e.return,t!==(null);){switch(t.tag){case 24:case 3:var n=pu(t);e=Ha(n);var r=Ua(t,e,n);r!==(null&&(hu(r,t,n),wa(r,t,n)),t={cache:B()},e.payload=t;return t=t.return}}function ks(e,t,n){var r=pu(t);n=lane:r,revertLane:0,gesture:null,action:n,hasEagerState:!1,eagerState:null,next:null},Ns(e)?Ps(t,n):(n=i(e,t,n,r),n!==(null&&(hu(n,e,r),Fs(n,t,r)))}function As(e,t,n){js(e,t,n,pu())}function js(e,t,n,r){var i=lane:r,revertLane:0,gesture:null,action:n,hasEagerState:!1,eagerState:null,next:null};if(Ns(e))Ps(t,i);else{var a=e.alternate;if(e.lanes===0&&(a===null)[a.lanes===0]&&(a.t.lastRenderedReducer,a!==(null))}try{o=t.lastRenderedState,s=a(o,n);if(i.hasEagerState=!0,i.eagerStates=Tr(s,o).return ri(e,t,i,0),q===null&&i(n),!1)}catch{if(n=i(e,t,i,r),n!==(null){return hu(n,e,r),Fs(n,t,r,!0)}return!1}function Ms(e,t,n,r){if(r!=lane:2,revertLane:dd(),gesture:null,action:r,hasEagerState:!1,eagerState:null,next:null),Ns(e))}{if(t thro w Error(i(479))}else t=i(e,n,r,2),t!==(null&&hu(t,e,2)}function Ns(e){var t=e.alternate;return e===U|t!==(null&&t===U}function Ps(e,t){po=fo=0;var n=t.pending;n===null?t.next=t:(t.next=n.next,n.next=t),e.pending=t}function Fs(e,t,n){if(n&&4194048){var r=t.lanes;r&e.pendingLanes,n=r,t.lanes=n,it(e,n)}var Is=readContext.ta;use=jo,useCallback:G,useContext:G,useEffect:G,useImperativeHandle:G,useLayoutEffect:G,useInsertionEffect:G,useMemo:G,useReducer:G,useRef:G,useState:G,useDebugValue:G,useDeferredValue:G,useTransition:G,useSyncExternalStore:G,useId:G,useHostTransitionStatus:G,useFormState:G,useActionState:G,useOptimistic:G,useMemoCache:G,useCacheRefresh:G};Is.useEffectEvent=G;var Ls=readContext.ta;use=jo,useCallback:G,useContext:G,useId:G,useMemoCache:G,useReducer:G,useRef:G,useState:G,useDebugValue:G,useDeferredValue:G,useTransition:G,useSyncExternalStore:G,useId:G,useHostTransitionStatus:G,useFormState:G,useActionState:G,useOptimistic:G,useMemoCache:G,useCacheRefresh:G};Is.useEffectEvent=G;var Ls=readContext.ta;use=jo,useCallback:G,useContext:G,useId:G,useMemoCache:G,useReducer:G,useRef:G,useState:G,useDebugValue:G,useDeferredValue:G,useTransition:G,useSyncExternalStore:G,useId:G,useHostTransitionStatus:G,useFormState:G,useActionState:G,useOptimistic:G,useMemoCache:G,useCacheRefresh:G};Is.useEffectEvent=G;var Ls=readContext.ta;use=jo,useCallback:G,useContext:G,useId:G,useMemoCache:G,useReducer:G,useRef:G,useState:G,useDebugValue:G,useDeferredValue:G,useTransition:G,useSyncExternalStore:G,useId:G,
```

```

t=e.queue,n=As.bind(null,U,t);return
t.dispatch=n,[e.memoizedState,n]],useDebugValue:hs,useDeferredValue:function(e,t){return
vs(Do(),e,t)},useTransition:function(){var e=Uo(!1);return
e=bs.bind(null,U,e.queue,!0,!1),Do().memoizedState=e,[!1,e]],useSyncExternalStore:function(e,t,n){var
r=U,a=Do();if(z){if(n===void 0)throw Error(i(407));n=n()}else if(n=t(),q===null)throw
Error(i(349));Y&127||Ro(r,t,n)).memoizedState=n;var o={value:n,getSnapshot:t};return
a.queue=o,ss(Bo.bind(null,r,o,e),[e]),r.flags|=2048,rs(9,{destroy:void
0}),zo.bind(null,r,o,n,t),null,n),useId:function(){var e=Do(),t=q.identifierPrefix;if(z){var
n=Oi,r=D1;n=(r&-1<32-N(r)-1)).toString(32)+n,t='_'+t+'R_'+n,n=ho++,0<n&&(t+='H'+n.toString(32)),t+='_'else
n=vo++,t='_'+t+'r_'+n.toString(32)+'_'return
e.memoizedState=t},useHostTransitionStatus:Ts,useFormState:Qo,useActionState:Qo,useOptimistic:function(e){var
t=Do();t.memoizedState=t.baseState=e;var
n={pending:null,lanes:0,dispatch:null,lastRenderedReducer:null,lastRenderedState:null};return
t.queue=n,t=Ms.bind(null,U,!0,n),n.dispatch=t,[e,t]],useMemoCache:Mo,useCacheRefresh:function(){return
Do().memoizedState=Os.bind(null,U)},useEffectEvent:function(e){var t=Do(),n={impl:e};return
t.memoizedState=n,function(){if(K&2)throw Error(i(440));return n.impl.apply(void 0,arguments)}}},Rs={readContext:ta,use
se:jo,useCallback:gs,useContext:ta,useEffect:cs,useImperativeHandle:ms,useInsertionEffect:ds,useLayoutEffect:fs,useMe
mo:_s,useReducer:Po,useRef:is,useState:function(){return
Po(No)},useDebugValue:hs,useDeferredValue:function(e,t){return
ys(Do(),W.memoizedState,e,t)},useTransition:function(){var e=Po(No)[0],t=Oo().memoizedState;return[typeof e==='boolean
'?e:Ao(e),t]},useSyncExternalStore:Lo,useId:Es,useHostTransitionStatus:Ts,useFormState:$o,useActionState:$o,useOptimi
stic:function(e,t){return Wo(Do(),W,e,t)},useMemoCache:Mo,useCacheRefresh:Ds;Rs.useEffectEvent=us;var zs=[readContex
t:ta,use:jo,useCallback:gs,useContext:ta,useEffect:cs,useImperativeHandle:ms,useInsertionEffect:ds,useLayoutEffect:fs
,useMemo:_s,useReducer:_io,useRef:is,useState:function(){return
Io(No)},useDebugValue:hs,useDeferredValue:function(e,t){var n=Oo();return
W===null?vs(n,e,t):ys(n,W.memoizedState,e,t)},useTransition:function(){var
e=Io(No)[0],t=Oo().memoizedState;return[typeof e==='boolean'?e:Ao(e),t]],useSyncExternalStore:Lo,useId:Es,useHostTrans
itionStatus:Ts,useFormState:ns,useActionState:ns,useOptimistic:function(e,t){var n=Oo();return W===null?(n.baseState=
e,[e,n.queue.dispatch]):Wo(n,W,e,t)},useMemoCache:Mo,useCacheRefresh:Ds;zs.useEffectEvent=us;function Bs(e,t,n,r){t=
e.memoizedState,n=n(r,t),n=n===null?t:h({},t,n),e.memoizedState=n,e.lanes===0&&(e.updateQueue.baseState=n)}var
Vs=[enqueueSetState:function(e,t,n){e=e._reactInternals;var r=pu(),i=Ha(r);i.payload=t,n!=null&&(i.callback=n),t=Ua(e
,i,r),t!=null&&(hu(t,e,r),Wa(t,e,r)),enqueueReplaceState:function(e,t,n){e=e._reactInternals;var r=pu(),i=Ha(r);i.t
ag=1,i.payload=t,n!=null&&(i.callback=n),t=Ua(e,i,r),t!=null&&(hu(t,e,r),Wa(t,e,r)),enqueueForceUpdate:function(e,t
){e=e._reactInternals;var
n=pu(),r=Ha(n);r.tag=2,t!=null&&(r.callback=t),t=Ua(e,r,n),t!=null&&(hu(t,e,n),Wa(t,e,n))};function
Hs(e,t,n,r,i,a,o){return e.stateNode,typeof e.shouldComponentUpdate==='function'?e.shouldComponentUpdate(r,a,o):t.pr
ototype&&t.prototype.isPureReactComponent?!Er(n,r)||Er(i,a):!0}function Us(e,t,n,r){e=t.state,typeof
t.componentWillReceiveProps==='function'&&t.componentWillReceiveProps(n,r),typeof t.UNSAFE_componentWillReceiveProps==
'function'&&t.UNSAFE_componentWillReceiveProps(n,r),t.state!=='&&Vs.enqueueReplaceState(t,t.state,null)}function
Ws(e,t){var n=t;if('ref'in t)for(var r in n={},t)r!=='ref'&&(n[r]=t[r]);if(e=e.defaultProps)for(var i in
n===t&&(n=h({},n)),e)[i]==void 0&&(n[i]=e[i]);return n}function Gs(e){Qr(e)}function
Ks(e){console.error(e)}function qs(e){Qr(e)}function Js(e,t){try{var
n=e.onUncaughtError;n(t.value,{componentStack:t.stack})}catch(e){setTimeout(function(){throw e})}}function
Ys(e,t,n){try{var r=e.onCaughtError;r(n.value,{componentStack:n.stack,errorBoundary:t.tag===1?t.stateNode:null})}catc
h(e){setTimeout(function(){throw e})}}function Xs(e,t,n){return
n=Ha(n),n.tag=3,n.payload={element:null},n.callback=function(){Js(e,t),n}function Zs(e){return
e=Ha(e),e.tag=3,e}function Qs(e,t,n,r){var i=n.type.getDerivedStateFromError;if(typeof i==='function'){var
a=r.value;e.payload=function(){return i(a)},e.callback=function(){Ys(t,n,r)}var o=n.stateNode;o!=null&&typeof
o.componentDidCatch==='function'&&(e.callback=function(){Ys(t,n,r),typeof i==='function'&&(ru===null?ru=new
Set([this]):ru.add(this));var e=r.stack;this.componentDidCatch(r.value,{componentStack:e===null?'':e})}}function
$S(e,t,n,r,a){if(n.flags|=32768,typeof r==='object'&&typeof
r.then==='function'){if(t.n.alternate,t!=null&&Qi(t,n,a,!0),n=eo.current,n!=null){switch(n.tag){case 31:case
13:return to===null?Du():n.alternate===null&&wl===0&&(wl=3),n.flags&=257,n.flags|=65536,n.lanes=a,r===wa?n.flags|=16
384:(t=n.updateQueue,t===null?n.updateQueue=new Set([r]):t.add(r),Gu(e,r,a)),!1;case 22:return n.flags|=65536,r===wa?
n.flags|=16384:(t=n.updateQueue,t===null?(t={transitions:null,markerInstances:null,retryQueue:new
Set([r]),n.updateQueue=t):(n=t.retryQueue,n===null?t.retryQueue=new Set([r]):n.add(r),Gu(e,r,a)),!1)throw
Error(i(435,n.tag))return Gu(e,r,a),Du(),!1}if(z)return t=eo.current,t===null?(r!=Li&&(t=Error(i(423),{cause:r}),Wi
(yi(t,n))),e=e.current.alternate,e.flags|=65536,a&=-a,e.lanes|=a,r=yi(r,n),a=Xs(e.stateNode,r,a),Ga(e,a),wl!=4&&(wl=
2)):(!t.flags&&65536)&&(t.flags|=256),t.flags|=65536,t.lanes=a,r!=Li&&(e=Error(i(422),{cause:r}),Wi(yi(e,n))),!1;va
r o=Error(i(520),{cause:r});if(o=yi(o,n),xl===null?xl[o]:xl.push(o),wl!=4&&(wl=2),t===null)return!0;r=yi(r,n),n=t;d
o{switch(n.tag){case 3:return n.flags|=65536,e=a&-a,n.lanes|=e,e=Xs(n.stateNode,r,e),Ga(n,e),!1;case
1:if(t.type,o=n.stateNode,!n.flags&&128)&&(typeof t.getDerivedStateFromError==='function'!|o!=null&&typeof
o.componentDidCatch==='function'&&(ru===null||ru.has(o)))return
n.flags|=65536,a&=-a,n.lanes|=a,a=Zs(a),Qs(a,e,n,r),Ga(n,a),!1)n=n.return}while(n!=null);return!1}var
ec=Error(i(461)),tc=!1,function nc(e,t,n,r){t.child=e===null?Ra(t,null,n,r):La(t,e.child,n,r)}function
rc(e,t,n,r,i){n=n.render;var a=t.ref;if('ref'in r){var o={};for(var s in r)s!=='ref'&&(o[s]=r[s])}else o=r;return ea(
t),r=bo(e,t,n,o,a,i),swo(),e!=null&&!tc?(To(e,t,i),Dc(e,t,i)):({z&&s&&j(i,t),t.flags|=1,nc(e,t,r,i),t.child})function
ic(e,t,n,r,i){if(e===null){var a=n.type;return typeof a==='function'&&!ui(a)&&a.defaultProps===void 0&&n.compare===nu
ll?(t.tag=15,t.type=a,ac(e,t,a,r,i)):(e=pi(n.type,null,r,t,t.mode,i),e.ref=t.ref,e.return=t,t.child=e)}if(a=e.child,!
Oc(e,i)){var o=a.memoizedProps;if(n=n.compare,n===null?Er:n,n(o,r)&&e.ref===t.ref)return Dc(e,t,i)}return
t.flags|=1,e=di(a,r),e.ref=t.ref,e.return=t,t.child=e}function ac(e,t,n,r,i){if(e!=null){var
a=e.memoizedProps;if(Er(a,r)&&e.ref===t.ref){if(tc=!1,t.pendingProps=r,a,Oc(e,i))e.flags|=131072&&(tc=!0);else return
t.lanes=e.lanes,Dc(e,t,i)}return pc(e,t,n,r,i)}function oc(e,t,n,r){var i=r.children,a=e===null?null:e.memoizedState;
if(e===null&&t.stateNode===null&&(t.stateNode={_visibility:1,_pendingMarkers:null,_retrCache:null,_transitions:null}
),r.mode==='hidden'){if(t.flags&&128){if(a===null?n:a.baseLanes|n,e!=null){for(r=t.child=e.child,i=0;r!=null;i=i
r.lanes|rc(childLanes,r,r.sibling,r=i&a)else r=0,t.child=null;return cc(e,t,a,n,r)}if(n&536870912)t.memoizedState={ba
seLanes:0,cachePool:null},e!=null&&ya(t,a===null?null:a.cachePool),a===null?Qa():Za(t,a),io(t);else return
r=t.lanes=536870912,cc(e,t,a===null?n:a.baseLanes|n,n,r)}else
a===null?(e!=null&&ya(t,null),Qa(),ao(t)):ya(t,a.cachePool),Za(t,a),ao(t),t.memoizedState=null;return
nc(e,t,i,n),t.child}function sc(e,t){return e!=null&&e.tag===22||t.stateNode!=null||t.stateNode={_visibility:1,_pe
ndingMarkers:null,_retrCache:null,_transitions:null},t.sibling}function cc(e,t,n,r,i){var a=va();return a===null?
null:{parent:sa._currentValue,pool:a},t.memoizedState={baseLanes:n,cachePool:a},e!=null&&ya(t,null),Qa(),io(t),e!=n
ull&&Qi(e,t,r,!0),t.childLanes=i,null}function lc(e,t){return
t=Sc({mode:t.mode,children:t.children},e.mode),t.ref=e.ref,e.child=t,t.return=e,t}function uc(e,t,n){return
La(t,e.child,null,n),e=lc(t,t.pendingProps),e.flags|=2,oo(t),t.memoizedState=null,e}function dc(e,t,n){var
r=t.pendingProps,a=(t.flags&&128)!0;if(t.flags&=129,e===null){if(z){if(r.mode==='hidden')return e=lc(t,r),t.lanes=53
6870912,sc(null,e);if(ro(t),(e=R)?(e=r(f(e,Ii),e)!=null&&e.data=== '&'?e:null,e!=null&&(t.memoizedState={dehydrated:
e,treeContext:Ei===null?null:{id:D1,overflow:0i},retryLane:536870912,hydrationErrors:null},n=gi(e),n.return=t,t.child
=n,Pi=t,R=null)):e=null,e===null)throw Ri(t);return t.lanes=536870912,null}return lc(t,r)}var
o=e.memoizedState;if(o!=null){var s=o.dehydrated;if(ro(t,a)if(t.flags&&256)t.flags&=257,t=uc(e,t,n);else
if(t.memoizedState!=null)t.child=e.child,t.flags|=128,t=null;else throw Error(i(558));else
if(tc||Qi(e,t,n,!1),a=(n&e.childLanes)!0,tc||a){if(r=q,r!=null&&(s=at(r,n),s!=0&&s!=0.o.retryLane))throw
o.retryLane=s,L(e,s),hu(r,e,s),ec;Du(),t=uc(e,t,n)}else
eo.o.treeContext,R=cf(s.nextSibling),Pi=t,z=!0,Fi=null,Ii=!1,e!=null&&Ni(t,e),t=lc(t,r),t.flags|=4096;return t}return
e=di(e.child,{mode:r.mode,children:r.children}),e.ref=t.ref,t.child=e,e.return=t,e}function fc(e,t){var
n=t.ref;if(n===null)e!=null&&e.ref!=null&&(t.flags|=4194816);else if(typeof n!=='function'&&typeof n!=='object')throw
Error(i(284));(e===null||e.ref!=n)&&(t.flags|=4194816)}function pc(e,t,n,r,i){return ea(t),n=bo(e,t,n,r,void
0,i),r=wo(),e!=null&&!tc?(To(e,t,i),Dc(e,t,i)):({z&&r&&j(i,t),t.flags|=1,nc(e,t,n,i),t.child})function
mc(e,t,n,r,i,a){return ea(t),t.updateQueue=null,n=So(t,n,r,i),xo(e),r=wo(),e!=null&&!tc?(To(e,t,a),Dc(e,t,a)):({z&&r&&
j(i,t),t.flags|=1,nc(e,t,n,a),t.child})function hc(e,t,n,r,i){if(ea(t),t.stateNode===null){var
a=si,o=n.contextType;typeof o==='object'&&(a=ta(o)),a=new n(r,a),t.memoizedState=a.state!=null&&a.state!=void 0?ra

```



```

.state:null,a.updater=Vs,t.stateNode=a,a._reactInternals=t,a=t.stateNode,a.props=r,a.state=t.memoizedState,a.refs={},
Ba(t),o=n.contextType,a.context=typeof
o==`object`&&o?ta(o):si,a.state=t.memoizedState,o=n.getDerivedStateFromProps,typeof
o==`function`&&(Bs(t,n,o,r),a.state=t.memoizedState),typeof n.getDerivedStateFromProps==`function`||typeof
a.getSnapshotBeforeUpdate==`function`||typeof a.UNSAFE_componentWillMount!=`function`&&typeof
a.componentWillMount!=`function`||((o=a.state,typeof a.componentWillMount==`function`&&a.componentWillMount(),typeof a
.UNSAFE_componentWillMount==`function`&&a.UNSAFE_componentWillMount(),o)!=a.state&&Vs.enqueueReplaceState(a,a.state,n
ull),Ja(t,r,a,i),qa(),a.state=t.memoizedState),typeof a.componentDidMount==`function`&&(t.flags|=4194308),r=10}else
if(e===null){a=t.stateNode;var s=t.memoizedProps,c=ws(n,s);a.props=c;var la=context,u=n.contextType;o=si,typeof
u==`object`&&u&&(o=ta(u));var d=n.getDerivedStateFromProps;u=typeof d==`function`||typeof
a.getSnapshotBeforeUpdate==`function`||s=t.pendingProps!==(s,u)||typeof
a.UNSAFE_componentWillReceiveProps!=`function`&&typeof
a.componentWillReceiveProps!=`function`||((s||l!=o)&&Us(t,a,r,o),za=!1;var
f=t.memoizedState;a.state=f,Ja(t,r,a,i),qa(),l=t.memoizedState,s||f!=l||za?(typeof
d==`function`&&(Bs(t,n,d,r),l=t.memoizedState),(c=za||hs(t,n,c,r,f,l,o))?u||typeof
a.UNSAFE_componentWillMount!=`function`&&typeof a.componentWillMount!=`function`||typeof
a.componentWillMount==`function`&&a.componentWillMount(),typeof
a.UNSAFE_componentWillMount==`function`&&a.UNSAFE_componentWillMount(),typeof
a.componentDidMount==`function`&&(t.flags|=4194308)):typeof a.componentDidMount==`function`&&(t.flags|=4194308),t.me
moizedProps=r,t.memoizedState=l,a.props=r,a.state=l,a.context=o,r=c):(typeof a.componentDidMount==`function`&&(t.fla
gs|=4194308),r=11)}else{a=t.stateNode,Va(e,t),o=t.memoizedProps,u=ws(n,o),a.props=u,d=t.pendingProps,f=a.context,l=n
.contextType,c=si,typeof l==`object`&&l&&(c=ta(l)),s=n.getDerivedStateFromProps,(l=typeof s==`function`||typeof
a.getSnapshotBeforeUpdate==`function`)||typeof a.UNSAFE_componentWillReceiveProps!=`function`&&typeof a.componentWill
ReceiveProps!=`function`||((o!=d)||f!=c)&&Us(t,a,r,c),za=!1,f=t.memoizedState,a.state=f,Ja(t,r,a,i),qa();var
p=t.memoizedState,o!=d||f!=p||za||e!=null&&e.dependencies!=null&&Si(e.dependencies)?(typeof s==`function`&&(Bs(t
,n,s,r),p=t.memoizedState),(u=za||hs(t,n,u,r,f,p,c))||e!=null&&e.dependencies!=null&&Si(e.dependencies))?l||typeof
a.UNSAFE_componentWillUpdate!=`function`&&typeof a.componentWillUpdate!=`function`||typeof
a.componentWillUpdate==`function`&&a.componentWillUpdate(r,p,c),typeof
a.UNSAFE_componentWillUpdate==`function`&&a.UNSAFE_componentWillUpdate(r,p,c)),typeof
a.componentDidUpdate==`function`&&(t.flags|=4),typeof a.getSnapshotBeforeUpdate==`function`&&(t.flags|=1024)):typeof
a.componentDidUpdate!=`function`||o==e.memoizedProps&&f==e.memoizedState||(t.flags|=4),typeof a.getSnapshotBeforeU
pdate!=`function`||o==e.memoizedProps&&f==e.memoizedState||(t.flags|=1024),t.memoizedProps=r,t.memoizedState=p),a.p
rops=r,a.state=p,a.context=c,r=u):(typeof
a.componentDidUpdate!=`function`||o==e.memoizedProps&&f==e.memoizedState||(t.flags|=4),typeof
a.getSnapshotBeforeUpdate!=`function`||o==e.memoizedProps&&f==e.memoizedState||(t.flags|=1024),r=11)}return
a=r,fc(e,t),r=(t.flags&128)=0,a||r?(a=t.stateNode,n=getDerivedStateFromError!=`function`?null:a.render()
,t.flags|=1,e!=null&&r?(t.child=La(t,e.child,null,i),t.child=La(t,null,n,i)):nc(e,t,n,i),t.memoizedState=a.state,e=t
.child):e=Dc(e,t,i),e}function gc(e,t,n,r){return Hi(t),t.flags|=256,nc(e,t,n,r),t.child}var
_c={dehydrated:null,treeContext:null,retryLane:0,hydrationErrors:null};function
vc(e){return[baseLanes:e.cachePool.ba()]}function yc(e,t,n){return e===null?0:e.childLanes&n,t&&(e|=1),e}function
bc(e,t,n){var r=t.pendingProps,a=1,o=(t.flags&128)!>0,s;if((s-o)||((s-e)!=null&&e.memoizedState===null?1:(so.current
t&2)!>0),s&&(a|=0),t.flags&=129),s=(t.flags&32)!>0,t.flags&=33,e===null){if(z){if(a?no(t):ao(t),(e=R)?(e=r(f(e,i)),e
e!=null&&e.data!=`?`e:null,e!=null&&(t.memoizedState={dehydrated:e,treeContext:Ei===null?null:{id:Di,overflow:Oi}
,retryLane:536870912,hydrationErrors:null},ngl(e),n.return=t,t.child=n,Pi=t,R=null)):e=null,e===null}throw
Ri(t);return of(e)?t.lanes=32:t.lanes=536870912,null}var c=r.children;return r=r.fallback,a?(ao(t),a=t.mode,c=Sc({mod
e:`hidden`,children:c},a),r=mi(r,a,n,null),c.return=r,r.return=t,c.sibling=r,t.child=c,r=t.child,r.memoizedState=vc(n
),r.childLanes=yc(e,s,n),t.memoizedState=c,sc(null,r)):(no(t),xc(t,c))}var le=e.memoizedState;if(l!=null&&(c=l.dehy
drated,c!=null)){if(o){t.flags&256?(no(t),t.flags&=257,t=Cc(e,t,n)):t.memoizedState===null?(ao(t),c=r.fallback,a=t.mo
de,r=Sc({mode:`visible`,children:r.children},a),c=mi(c,a,n,null),c.flags|=2,r.return=t,c.return=t,r.sibling=c,t.child
=r,La(t,e.child,null,n),r=t.child,r.memoizedState=vc(n),r.childLanes=yc(e,s,n),t.memoizedState=c,t=sc(null,r)):ao(t
),t.child=e.child,t.flags|=128,t=null}else if(no(t),of(c)){if(s=c.nextSibling&c.nextSibling.dataset.svar
us.dgst;s=u,r=Error(i(419)),r.stack=``,r.digest=s,Wi({value:r,source:null,stack:null}),t=Cc(e,t,n))}else
if(tc||Qi(e,t,n,!1),s=(n&e.childLanes)!=0,tc||s){if(s,q,s!=null&&(r=at(s,n),r!=0&&r!=l.retryLane))throw
l.retryLane=r,L(e,r),hu(s,e,r),ec;af(c)||Du(),t=Cc(e,t,n)}else af(c)?(t.flags|=192,t.child=e.child,t=null):(e=l.treeC
ontext,R=Cf(c.nextSibling),Pi,t,z=10,Fi=null,Ii=1,e!=null&&Ni(t,e),t=xc(t,r.children),t.flags|=4096);return
t}return a?(ao(t),c=r.fallback,a=t.mode,le=e.child,u=l.sibling,r=di(l,{mode:`hidden`,children:r.children}),r.subtreeFl
ags=l.subtreeFlags&65011712,u===null?(c=mi(c,a,n,null),c.flags|=2):c=di(u,c),c.return=t,r.return=t,r.sibling=c,t.chil
d=s,sc(null,r),r=t.child,c=e.child.memoizedState,c===null?c=vc(n):(a=c.cachePool,a===null?ba():l=sa._currentValue,
a=a.parent==l?a.parent:l.pool:}),c=[baseLanes:c.baseLanes|n.cachePool:a]),r.memoizedState=c,r.childLanes=yc(e,s,n
),t.memoizedState=c,sc(e.child,r)):no(t),n=e.child,r=n.sibling,n=di(n,{mode:`visible`,children:r.children}),n.return
=t,n.sibling=null,e!=null&&(s=t.deletions,s===null?(t.deletions=[e],t.flags|=16):s.push(e)),t.child=n,t.memoizedStat
e=null,n)}function xc(e,t){return t=Sc({mode:`visible`,children:t},e.mode),t.return=e,e.child=t}function
Sc(e,t){return e=li(22,e,null,t),e.lanes=0,e}function Cc(e,t,n){return
La(t,e.child,null,n),e=xc(t,t.pendingProps.children),e.flags|=2,t.memoizedState=null,e}function
wc(e,t,n){e.lanes|=t;var r=e.alternate;r!=null&&(r.lanes|=t),Xi(e.return,t,n)}function Tc(e,t,n,r,i,a){var o=e.memoi
zedState;o===null?e.memoizedState={isBackwards:t,renderingStart:0,renderingStartTime:0,last:r,tail:n,tailMode:i,treeFor
kCount:a}:{o.isBackwards=t,o.renderingStart:0,renderingStartTime:0,o.last=r,o.tail=n,o.tailMode=i,o.treeForkCount=a}
function Ec(e,t,n){var r=t.pendingProps,i=r.revealOrder,a=r.tail;r=r.children;var o=so.current,s=(o&2)!>0;if(s?(o&1
|2,t.flags|=128):o&1,j(so,o),nc(e,t,r,n),r=z?Ci:o,ls&&e!=null&&e.flags&128)a:for(e=t.child;e!=null;){if(e.tag===13
)e.memoizedState!=null&&wc(e,n,t);else if(e.tag===19)wc(e,n,t);else
if(e.child!=null){e.child.return=e,e=e.child;continue}if(e===t)break
a;for(;e.sibling===null;){if(e.return===t)break a;e=e.return}e.sibling.return=e.return,e=e.sibling}s
witch(i){case`forwards`:for(n=t.child,i=null;n!=null;){e=n.alternate,e!=null&&co(e)===null&&(i=n),n=n.sibling;n=i,n
===null?(i=t.child,t.child=null):(i=n.sibling,n.sibling=null),Tc(t,!1,i,n,a,r);break}case`backwards`:case`unstable_leg
acy-backwards`:for(n=null,i=t.child,t.child=null;i!=null;){if(e=i.alternate,e!=null&&co(e)===null){t.child=i;break}
e=i.sibling,i.sibling=n,i=i}Tc(t,!0,n,n,a,r);break}case`together`:Tc(t,!1,null,null,void
0,r);break;default:t.memoizedState=null}return t.child}function Dc(e,t,n){if(e!=null&&(t.dependencies=e.dependencies
),G|=t.lanes,(n&t.childLanes)===0){if(e!=null){if(Qi(e,t,n,!1),(n&t.childLanes)===0)return null}else return
null;if(e!=null&&t.child!=e.child)throw Error(i(153));if(t.child!=null){for(e=t.child,n=di(e,e.pendingProps),t.chi
ld=n,n.return=t,e.sibling!=null;){e=e.sibling,n=n.sibling=di(e,e.pendingProps),n.return=t;n.sibling=null}return
t.child}function Oc(e,t){return(e.lanes&t)===0?(e=e.dependencies,!1(e!=null&&Si(e))):0}function
kc(e,t,n){switch(t.tag){case 3:ge(t,t.stateNode.containerInfo),ji(t,sa,e.memoizedState.cache),Hi();break;case 27:case
5:ve(t);break;case 4:ge(t,t.stateNode.containerInfo);break;case 10:ji(t,t.type,t.memoizedProps.value);break;case
31:if(t.memoizedState!=null)return t.flags|=128,ro(t),null;break;case 13:var r=t.memoizedState;if(r!=null)return r.
dehydrated===null?(n&t.child.childLanes)===0?(no(t),e=Dc(e,t,n),e===null?null:e.sibling):bc(e,t,n):(no(t),t.flags|=12
8,null);no(t);break;case 19:var
i=(e.flags&128)!>0;if(r=(n&t.childLanes)===0,r||=(Qi(e,t,n,!1),(n&t.childLanes)===0),i){if(r)return Ec(e,t,n);t.flags
|=128;if(i=t.memoizedState,i!=null&&(i.rendering=null,i.tail=null,i.lastEffect=null),j(so,so.current),r)break;return
null;case 22:return t.lanes=0,oc(e,t,n,t.pendingProps);case 24:ji(t,sa,e.memoizedState.cache)}return
Dc(e,t,n)}function
Ac(e,t,n){if(e!=null){if(e.memoizedProps===t.pendingProps)tc=!0}else{if(!0c(e,n)&&(t.flags&128))return
tc=!1,kc(e,t,n);tc=!(e.flags&131072)}else tc=!1,z&&t.flags&1048576&&Ai(t,Ci,t.index);switch(t.lanes=0,t.tag){case
16:a:{var r=t.pendingProps;if(e=Da(t.elementType),t.type=e,typeof
e==`function`){ui(e)?(r=ws(e,t),t.tag=1,t=hc(null,t,e,r,n)):t.tag=0,t=pc(null,t,e,r,n)};else if(e!=null){var
a=e.$typeof;if(a===w){t.tag=11,t=rc(null,t,e,r,n);break a}else if(a===D){t.tag=14,t=ic(null,t,e,r,n);break a}}throw
t=ae(e)||e,Error(i(306,t,``))}}return t;case 0:return pc(e,t,t.type,t.pendingProps,n);case 1:return
r=t.type,a=ws(r,t.pendingProps),hc(e,t,r,a,n);case 3:a:{if(ge(t,t.stateNode.containerInfo),e===null)throw
Error(i(387));r=t.pendingProps;var o=t.memoizedState;a=o.element,Va(e,t),Ja(t,r,null,n);var s=t.memoizedState;if(r=s.
cache,ji(t,sa,r),r!=o.cache&&Zi(t,[sa,n,!0],qa()),r=s.element,o.isDehydrated){if(o={element:r,isDehydrated:!1,cache:s
.cache},t.updateQueue.baseState=o,t.memoizedState=o,t.flags&256){t=gc(e,t,r,n);break a}else
if(r!=a){a=yi(Error(i(424)),t),wi(a),t=gc(e,t,r,n);break a}else{switch(e=t.stateNode.containerInfo,e.nodeType){case

```

```

9:e=e.body;break;default:e=e.nodeName==='HTML'?e.ownerDocument.body:e}for(R=cf(e.firstChild),Pi=t,z=!0,Fi=null,Ii=!0,n=Ra(t,null,r,n),t.child=n;n;n).flags=n.flags&-3|4096,n=n.sibling}else{if(Hi(t),r===a){t=Dc(e,t,n);break}
a)nc(e,t,r,n)}t=t.child;return t;case 26:return fc(e,t),e===null?(n=kf(t.type,null,t.pendingProps,null))?.t.memoizedState:n:z|((n=t.type,e=t.pendingProps,r=Bd(me.current).createElement(n,r[dt]=t,r[ft]=e,Pd(r,n,e),wt(r),t.stateNode=r):t.memoizedState=kf(t.type,e.memoizedProps,t.pendingProps,e.memoizedState),null;case 27:return ve(t),e===null&&z&&(r=t.stateNode===ff(t.type,t.pendingProps,me.current),Pi=t,zi=!0,a=R,Zd(t.type)?(lf=a,R=cf(r.firstChild)):R=a),nc(e,t,t.pendingProps.children,n),fc(e,t),e===null&&(t.flags|=4194304),t.child;case 5:return e===null&&z&&(a=r)&&(r=cf(r,t.type,e,t.pendingProps,Ii),r===null?a=1:(t.stateNode=r,Pi=t,R=cf(r.firstChild),Ii=!1,a=!0)),a|!Ri(t)),ve(t),a=t.type,o=t.pendingProps,s=e===null?null:e.memoizedProps,r=o.children,Ud(a,o)?r=null:s!==null&&Ud(a,s)&&(t.flags|=32),t.memoizedState!==null&&(a=bo(e,t,Co,null,n),Qf._currentValue=a),fc(e,t),nc(e,t,r,n),t.child;case 6:return e===null&&z&&(e=n=R)&&(e=nf(R)=nf(n,t.pendingProps,Ii),n===null?e=1:(t.stateNode=n,Pi=t,R=null,e=!0)),e|!Ri(t)),null;case 13:return bc(e,t,n);case 4:return
ge(t,t.stateNode.containerInfo),r=t.pendingProps,e===null?t.child=La(t,null,r,n):nc(e,t,r,n),t.child;case 11:return Rc(e,t,t.type,t.pendingProps,n);case 7:return nc(e,t,t.pendingProps,n),t.child;case 8:return nc(e,t,t.pendingProps.children,n),t.child;case 12:return nc(e,t,t.pendingProps.children,n),t.child;case 10:return r=t.pendingProps,Ji(t,t.type,r.value),nc(e,t,r.children,n),t.child;case 9:return
a=t.type._context,r=t.pendingProps.children,ea(t),a=ta(a),r=r(a),t.flags|=1,nc(e,t,r,n),t.child;case 14:return ic(e,t,t.type,t.pendingProps,n);case 15:return ac(e,t,t.type,t.pendingProps,n);case 19:return Ec(e,t,n);case 31:return dc(e,t,n);case 22:return oc(e,t,n,t.pendingProps);case 24:return ea(t),r=ta(sa),e===null?(a=va(a),a===null&&(a=q,o=B()),a.pooledCache=o,o.refCount++,o!==null&&(a.pooledCacheLanes|=n),a=o),t.memoizedState={parent:r,cache:a},Ba(t),Ji(t,sa,a)):((e.lanes&n)!==0&&(Va(e,t),Ja(t,null,null,n),qa((a,e.memoizedState,o=t.memoizedState,a.parent===r?(r=o.cache,Ji(t,sa,r),r!==a.cache&&Zi(t,[sa],n,!0)):a={parent:r,cache:r},t.memoizedState=a,t.lanes===0&&(t.memoizedState=t.updateQueue.baseState=a),Ji(t,sa,r))),nc(e,t,t.pendingProps.children,n),t.child;case 29:throw
t.pendingProps}throw Error(i(156,t.tag))}function jc(e){e.flags|=4}function Mc(e,t,n,r,1){if((t=(e.mode&32)!==0)&&(t!==1),t){if(e.flags|=1677216,i&335544128)===i)if(e.stateNode.complete)e.flags|=8192;else if(wu(j))e.flags|=8192;else throw 0a=wa,sa}else e.flags|=1677217}function
Nc(e,t){if(t.type!=='stylesheet')|t.state.loading&4)e.flags&=1677217;else
if(e.flags|=1677216,!wf(t))if(wu(j))e.flags|=8192;else throw 0a=wa,sa}function
Pc(e,t){t!==null&&(e.flags|=4),e.flags&16384&&(t=e.tag===22?56870912:5e()),e.lanes|=t,Yl|=t)}function
Fc(e,t){if(!z)switch(e.tailMode){case 'hidden':t=e.tail;for(var n=null;t!==null;t=t.sibling;n=n.sibling;t=null:n.sibling=null;break;case 'collapsed':n=e.tail;for(var r=null;n!==null;n=n.sibling)n.alternate!==null&&(r=n),n=n.sibling;r===null?t|=e.tail===null?e.tail.sibling=null:r.sibling=null}function Ic(e){var
t=e.alternate!==null&&e.alternate.child===e.child,n=0,r=0;if(t)for(var i=e.child;i!==null;n|=i.lanes|i.childLanes,r|=i.subtreeFlags&65011712,r|=i.flags&65011712,i.return=e,i=i.sibling;else
for(i=e.child;i!==null;n|=i.lanes|i.childLanes,r|=i.subtreeFlags,r|=i.flags,i.return=e,i=i.sibling;return
e.subtreeFlags|=r,e.childLanes|=t}function Lc(e,t,n){var r=t.pendingProps;switch(Mi(t),t.tag){case 16:case 15:case 0:case 11:case 8:case 12:case 9:case 14:return Ic(t),null;case 1:return Ic(t),null;case 3:return n=t.stateNode,r=null,e!==null&&(r=e.memoizedState.cache),t.memoizedState.cache!==r&&(t.flags|=2048),Yi(sa),_e(),n.pendingContext&&(n.context=n.pendingContext,n.pendingContext=null),(e===null||je.child===null)&&(Vi(t)?jc(t):e===null||je.memoizedState.isDehydrated&&(t.flags&256)|((t.flags|=1024,Ui()))),Ic(t),null;case 26:var a=t.type,o=t.memoizedState;return e===null?jc(t,o),e===null?(Ic(t),Mc(t,a,null,r,n)):((Ic(t),Nc(t,o)):o?o===e.memoizedState?(Ic(t),t.flags&=1677217):(jc(t),Ic(t),Nc(t,o)):e=e.memoizedProps,e!==r&&jc(t),Ic(t),Mc(t,a,e,r,n)),null;case 27:if(ye(t),n=me.current,a=t.type,e!==null&&t.stateNode!==null)e.memoizedProps!==r&&jc(t);else if(!r){if(t.stateNode===null)throw Error(i(166));return
Ic(t),null}e=fe.current,Vi(t)zi(t,e):(e=ff(a,r,n),t.stateNode=e,jc(t))}return Ic(t),null;case 5:if(ye(t),a=t.type,e!==null&&t.stateNode!==null)e.memoizedProps!==r&&jc(t);else if(!r){if(t.stateNode===null)throw
Error(i(166));return Ic(t),null}jif(o=fe.current,Vi(t)zi(t,o),e){e=ff(a,r,n),t.stateNode=e,jc(t)}switch(o){case 1:o=s.createElementNS('http://www.w3.org/2000/svg',a);break;case 2:o=s.createElementNS('http://www.w3.org/1998/Math/M
athML',a);break;default:switch(a){case 'svg':o=s.createElementNS('http://www.w3.org/2000/svg',a);break;case 'math':o=s.createElementNS('http://www.w3.org/1998/Math/MathML',a);break;case 'script':o=s.createElement('div'),o.innerHTML='<script>',o.o.removeChild(o.firstChild);break;case 'select':o=typeof r.is==='string'?s.createElement('select',{is:r.is}):s.createElement('select'),r.multiple?o.multiple=!0:r.size&&o.size=r.size;break;default:o=typeof r.is==='string'?s.createElement(a,{is:r.is}):s.createElement(a)}o[dt]=t,o[ft]=r;a:for(s=t.child;s!==null;){if(s.tag===5||s.tag===6)o.appendChild(s.stateNode);else
if(s.tag===4&&s.tag!=='27&&s.child!=='null){s.child.return=s,s=s.child;continue}if(s===t)break
a;for(;s.sibling===null;){if(s.return===null||s.return===t)break a;s=s.return}s.sibling.return=s,s=s.sibling}t.stateNode=o;a:switch(Pd(o,a,r),a){case 'button':case 'input':case 'select':case 'textarea':r=!r.autoFocus;break
a;case 'img':r=!0;break a;default:r=!1}r&&jc(t)}return
Ic(t),Mc(t,t.type,e===null?null:e.memoizedProps,t.pendingProps,n),null;case 6:if(e&&t.stateNode!==null)e.memoizedProps!==r&&jc(t);else if(typeof r==='string'&&t.stateNode===null)throw
Error(i(166));if(e=me.current,Vi(t)){if(e=t.stateNode,n=t.memoizedProps,r=null,a=Pi,a!==null)switch(a.tag){case 27:case 5:r=a.memoizedProps}e[dt]=t,e=!((e.nodeValue===n)?r!==null&&10===r.suppressHydrationWarning||Md(e.nodeValue,n)),e|!Ri(t,!0)}else e=Bd(e).createElementNode(r,e[dt]=t,e[ft]=r,t.stateNode=e}return Ic(t),null;case 31:if(n=t.memoizedState,e===null||e.memoizedState!==null){if(r=Vi(t),n!==null){if(e===null){if(!r)throw
Error(i(318));if(e=t.memoizedState,e===null?null:e.dehydrated,!e)throw Error(i(557));e[dt]=t}else
Hi((i,(t.flags&128)&&(t.memoizedState=null),t.flags|=4;Ic(t),e=!1)else
n=U1(),e!==null&&e.memoizedState!==null&&(e.memoizedState.hydrationErrors=n),e=!0;if(!e)return
t.flags&256?(oo(t),t):(oo(t),null)}if(t.flags&128)throw Error(i(558))}return Ic(t),null;case 13:if(r=t.memoizedState,e===null||e.memoizedState!==null&&e.memoizedState.dehydrated!==null){if(a=Vi(t),r!==null&&r.dehydrated!==null){if(e===null){if(!a)throw Error(i(318));if(a=t.memoizedState,a===null?null:a.dehydrated,!a)throw
Error(i(317));a[dt]=t}else Hi((i,(t.flags&128)&&(t.memoizedState=null),t.flags|=4;Ic(t),a=!1)else
a=U1(),e!==null&&e.memoizedState!==null&&(e.memoizedState.hydrationErrors=a),a=!0;if(!a)return
t.flags&256?(oo(t),t):(oo(t),null)}return oo(t),t.flags&128?(t.lanes=n,t):(n=r!==null,e!==null&&e.memoizedState!==null,n&&(r=t.child,a=null,r.alternate!==null&&r.alternate.memoizedState!==null&&r.alternate.memoizedState.cachePool!==null&&(a=r.alternate.memoizedState.cachePool.pool),o=null,r.memoizedState!==null&&r.memoizedState.cachePool!==null&&(o=r.memoizedState.cachePool.pool),o!==a&&(r.flags|=2048)),n!==e&&n&&(t.child.flags|=8192),Pc(t,t.updateQueue),Ic(t),n
ull);case 4:return _e(),e===null&&Sd(t.stateNode.containerInfo),Ic(t),null;case 10:return Yi(t.type),Ic(t),null;case 19:if(de(so),r=t.memoizedState,r===null)return Ic(t),null;if(a=(t.flags&128)!==0,o=r.rendering,o===null)if(a)Fc(r,!1);
else if(Wl===0){e!==null&&e.flags&128}for(e=t.child;e!==null;){if(o=co(e),o!==null){for(t.flags|=128,fc(r,!1),e=o.updateQueue,t.updateQueue=e,Pc(t,e),t.subtreeFlags=0,e=n,n=t.child;n!==null;){fi(n,e),n=n.sibling;return j(so,so.current&1|2),z&&ki(t,r.treeForkCount),t.child=e.sibling}r.tail!==null&&je(t)>tu&&(t.flags|=128,a=!0,fc(r,!1),t.lanes=4194304)}else if(!a)if(e=co(o),e!==null){if(t.flags|=128,a=!0,e.updateQueue,t.updateQueue=e,Pc(t,e),fc(r,!0),r.tail===null&&r.tailMode==='hidden'&&o.alternate&&z)return Ic(t),null}else 2*je(t)-r.renderingStartTime>tu&&!==536870912&&(t.flags|=128,a=!0,fc(r,!1),t.lanes=4194304);r.isBackwards?(o.sibling=t.child,t.child=o):(e=r.last,e===null?t.child=o:e.sibling=o,r.last=o)}if(!e)Ic(t),null):(e=r.tail,r.rendering=e,r.tail=e.sibling,r.renderingStartTime=je(t),e.sibling=null,n=s.current,j(so,a?n&1|2:n&1),z&&ki(t,r.treeForkCount),e);case 22:case 23:return oo(t),Sa((a),r=t.memoizedState!==null,e===null?&&(t.flags|=8192):e.memoizedState!==null!==(r&&(t.flags|=8192),r?n&536870912&&(t.flags&128)&&(Ic(t),t.subtreeFlags&6&&(t.flags|=8192)):Ic(t),n,t.updateQueue,n!==null&&Pc(t,n.retryQueue),n=null,e!==null&&e.memoizedState!==null&&e.memoizedState.cachePool!==null&&(n=e.memoizedState.cachePool.pool),r=null,t.memoizedState!==null&&t.memoizedState.cachePool!==null&&(r=t.memoizedState.cachePool.pool),r!==n&&(t.flags|=2048),e!==null&&de(a),null;case 24:return
n=null,e!==null&&(n=e.memoizedState.cache),t.memoizedState.cache!==n&&(t.flags|=2048),Yi(sa),Ic(t),null;case 25:return null;case 30:return null}throw Error(i(156,t.tag))}function Rc(e,t){switch(Mi(t),t.tag){case 1:return
e.t.flags,e&65536?(t.flags=e&-65537|128,t):null;case 3:return
Yi(sa),_e(),e.t.flags,e&65536&&(e&128)?(t.flags=e&-65537|128,t):null;case 26:case 27:case 5:return ye(t),null;case 31:if(t.memoizedState!==null){if(oo(t),t.alternate===null)throw Error(i(340));Hi(j)}return
e.t.flags,e&65536?(t.flags=e&-65537|128,t):null;case 19:return de(so),null;case 4:return _e(),null;case 10:return Yi(t.type),null;case 22:case 23:return
oo(t),Sa((a),e!==null&&de(a),e,t.flags,e&65536?(t.flags=e&-65537|128,t):null;case 24:return Yi(sa),null;case 25:return
null;default:return null}}function zc(e,t){switch(Mi(t),t.tag){case 3:Yi(sa),_e();break;case 26:case 27:case

```



```

5:ye(t);break;case 4:_e();break;case 31:t.memoizedState!==null&&oo(t);break;case 13:oo(t);break;case
19:de(so);break;case 10:Yi(t.type);break;case 22:case 23:oo(t),Sa(),e!:=null&&de(_a);break;case 24:Yi(sa)}}function
Bc(e,t){try{var n=t.updateQueue,r=n===null?null:n.lastEffect;if(r!:=null){var
i=r.next;n=i;do{if(!n.tag&&e)===e){r=void 0;var
a=n.create,o=n.inst;r=a(),o.destroy=r;n=n.next}while(n!:=i)}catch(e){Z(t,t.return,e)}function Vc(e,t,n){try{var
r=t.updateQueue,i=r===null?null:r.lastEffect;if(i!:=null){var a=i.next;r=a;do{if(!n.tag&&e)===e){var
o=r.inst,s=o.destroy;if(s!:=void 0){o.destroy=void 0,i=t;var
c=n,l=s;try{l()}catch(e){Z(i,c,e)}}r=r.next}while(r!:=a)}catch(e){Z(t,t.return,e)}function Hc(e){var
t=e.updateQueue;if(t!:=null){var n=e.stateNode;try{Xa(t,n)}catch(t){Z(e,e.return,t)}}function Uc(e,t,n){n.props=ws(e
.type,e.memoizedProps),n.state=e.memoizedState;try{n.componentWillUnmount()}catch(n){Z(e,t,n)}}function
Wc(e,t){try{var n=e.ref;if(n!:=null){switch(e.tag){case 26:case 27:case 5:var r=e.stateNode;break;case
30:r=e.stateNode;break;default:r=e.stateNode}typeof
n==function?e.refCleanup=n(r):n.current=r}}catch(n){Z(e,t,n)}}function Gc(e,t){var
n=e.ref,r=e.refCleanup;if(n!:=null){if(typeof
r==function){try{r()}catch(n){Z(e,t,n)}}finally{e.refCleanup=null,e.e.alternate,e!:=null&&(e.refCleanup=null)}else
if(typeof n==function){try{n(null)}catch(n){Z(e,t,n)}}else n.current=null}function Kc(e){var t=e.type,n=e.memoizedPro
ps,r=e.stateNode;try{a:switch(t){case'button':case'input':case'select':case'textarea':n._autoFocus&&r.focus();break
a;case'img':n.src?r.src=n.src:n.srcSet&&(r.srcSet=n.srcSet)}catch(t){Z(e,e.return,t)}}function Jc(e){return
e.tag===5||e.tag===3||e.tag===26||e.tag===27&&Zd(e.type)||e.tag===4}function
Yc(e){a:for(;;){for(;e.sibling!:=null;){if(e.return!:=null){Jc(e.return)}return null;e=e.return}for(e.sibling.return=
e.return,e=e.sibling;e.tag!:=5&&e.tag!:=6&&e.tag!:=18;){if(e.tag===27&&Zd(e.type)||e.flags&2||e.child!:=null||e.tag=
=4)continue a;e.child.return=e,e=e.child;if(!(e.flags&2))return e.stateNode}}function Xc(e,t,n){var r=e.tag;if(r===5|
|r===6)e=e.stateNode,t?(n.nodeType===9?n.body:n.nodeName===`HTML`?n.ownerDocument.body:n).insertBefore(e,t):(t=n.no
deType===9?n.body:n.nodeName===`HTML`?n.ownerDocument.body:n).appendChild(e),n=n._reactRootContainer,n!:=null||t.oncl
ick!:=null||t.onclick=rn));else if(r!:=4&&(r===27&&Zd(e.type)&&(n=e.stateNode,t=null),e=e.child,e!:=null))for(Xc(e,t,n
),e=e.sibling;e!:=null;){Xc(e,t,n),e=e.sibling}function Zc(e,t,n){var
r=e.tag;if(r===5||r===6)e=e.stateNode,t?(n.nodeType===9?n.body:n.nodeName===`HTML`?n.ownerDocument.body:n).insertBefore(e,t):n.appendChild(e);else if(r!:=4&&(r===27&&Zd(e.type)&&(n=e
.stateNode),e=e.child,e!:=null))for(Zc(e,t,n),e=e.sibling;e!:=null;){Zc(e,t,n),e=e.sibling}function Qc(e){var
t=e.stateNode,n=e.memoizedProps;try{for(var
r=e.type,i=t.attributes;i.length;t.removeAttributeNode(i[0]);Pd(t,r,n)[dt]=e,t[ft]=n}catch(t){Z(e,e.return,t)}}var
$=!1,el=!1,tl=!1,nl=typeof WeakSet==`function`?WeakSet:Set,r=nl;function
ll(e,t){if(e=e.containerInfo,Rd=sp,e=Ar(e),jr(e)){if(`selectionStart`in e)var
n={start:e.selectionStart,end:e.selectionEnd};else a:{n=(n=e.ownerDocument)&&n.defaultView|window;var
r=n.getSelection&&n.getSelection();if(r&&r.rangeCount!:=0){n=r.anchorNode;var
a=r.anchorOffset,o=r.focusNode;r=r.focusOffset;try{n.nodeType,o.nodeType}catch{n=null;break a}var
s=0,c=-1,l=-1,u=0,d=0,f=e,p=null;b:for(;;){for(var m,f!:=n|a!:=0&&f.nodeType!:=3||c=s+a,f!:=o||r!:=0&&f.nodeType!:=
3||l!:=r,f.nodeType===3&&(s+=f.nodeValue.length),(m=f.firstChild)!:=null;p=f,f=m;for(;;){if(f===e)break b;if(p===
n&&+u===a&&(c=s),p===o&&+d===r&&(l=s),(m=f.nextSibling)!:=null)break;f=p,p=f.parentNode;f=m;n=c===-1||l===-1?null:{
start:c,end:l}}else n=null||n!={start:0,end:0}}else n=null;for(zd={focusedElem:e,selectionRange:n},sp=!1,rl=t;rl!:=nu
ll;){if(t=rl,e=t.child,t.subtreeFlags&1028&&e!:=null)e.return=t,rl=e;else
for(;rl!:=null;){switch(t=rl,o=t.alternate,e=t.flags,t.tag){case 0:if(e&&(e=t.updateQueue,e.e===null?null:e.events,
e!:=null))for(n=0;n<e.length;n++){a=e[n],a.ref.impl=a.nextImpl;break;case 11:case 15:break;case
1:if(e&1024&&o!:=null){e=void 0,n=t,a=o.memoizedProps,o=o.memoizedState,r=n.stateNode;try{var h=ws(n.type,a);e=r.getS
napshotBeforeUpdate(h,o),r._reactInternalSnapshotBeforeUpdate=e}catch(e){Z(n,n.return,e)}}break;case
3:if(e&1024){if(e=t.stateNode.containerInfo,n=e.nodeType,n===9)ef(e);else
if(n===1)switch(e.nodeName){case`HEAD`:case`HTML`:case`BODY`:ef(e);break;default:e.textContent=``}}break;case 5:case
26:case 27:case 6:case 4:case 17:break;default:if(e&1024)throw
Error(i(163))}if(e=t.sibling,e!:=null){e.return=t.return,rl=e;break}rl=t.return}}function al(e,t,n){var
r=n.flags;switch(n.tag){case 0:case 11:case 15:bl(e,n),r&4&&Bc(5,n);break;case
1:if(bl(e,n),r&4){if(e=n.stateNode,t===null)try{e.componentDidMount()}catch(e){Z(n,n.return,e)}else{var i=ws(n.type,t
.memoizedProps);t=t.memoizedState;try{e.componentDidUpdate(i,t,e._reactInternalSnapshotBeforeUpdate)}catch(e){Z(n,n.r
eturn,e)}}r&64&&Hc(n),r&512&&Wc(n,n.return);break;case
3:if(bl(e,n),r&64&&(e=n.updateQueue,e!:=null)){if(t=null,n.child!:=null)switch(n.child.tag){case 27:case
5:5:n.child.stateNode;break;case 1:t=n.child.stateNode;try{Xa(e,t)}catch(e){Z(n,n.return,e)}}break;case
27:t===null&&r&4&&Qc(n);case 26:case 5:bl(e,n),t===null&&r&4&&Kc(n),r&512&&Wc(n,n.return);break;case
12:bl(e,n);break;case 31:bl(e,n),r&4&&dl(e,n);break;case 13:bl(e,n),r&4&&fl(e,n),r&64&&(e=n.memoizedState,e!:=null&&(
e=e.dehydrated,e!:=null&&(n=Ju.bind(null,n),sf(e,n)))));break;case
22:if(r=n.memoizedState!:=null||$c,!r){t!:=null&&t.memoizedState!:=null||el,i=$c;var
a=el,$c=r,(el=t)&&1a?S!(e,n,(n.subtreeFlags&8772)!:=0):bl(e,n),$c=i,el=a;break;case 30:break;default:bl(e,n)}}function
ol(e){var t=e.alternate;t!:=null&&(e.alternate=null,ol(t)),e.child=null,e.deletions=null,e.sibling=null,e.tag===5&&(
t=e.stateNode,t!:=null&&yt(t)),e.stateNode=null,e.return=null,e.dependencies=null,e.memoizedProps=null,e.memoizedStat
e=null,e.pendingProps=null,e.stateNode=null,e.updateQueue=null}var sl=null,cl=!1;function
ll(e,t,n){for(n=n.child;n!:=null;){ul(e,t,n),n=n.sibling}function ul(e,t,n){if(Ve&&typeof
Ve.onCommitFiberUnmount==`function`){try{Ve.onCommitFiberUnmount(Be,n)}catch{}switch(n.tag){case 26:el||Gc(n,t),ll(e,t
,n),n.memoizedState?n.memoizedState.count--:n.stateNode&&(n=n.stateNode,n.parentNode.removeChild(n));break;case
27:el||Gc(n,t);var r=sl,i=cl;Zd(n.type)&&(sl=n.stateNode,cl=!1),ll(e,t,n),pf(n.stateNode),sl=r,cl=i;break;case
5:el||Gc(n,t);case 6:if(r=sl,i=cl,sl=null,ll(e,t,n),sl=r,cl=i,sl!:=null){if(cl){try{(sl.nodeType===9?sl.body:sl.nodeNam
e===`HTML`?sl.ownerDocument.body:sl).removeChild(n.stateNode)}catch(e){Z(n,t,e)}}else
try{sl.removeChild(n.stateNode)}catch(e){Z(n,t,e)}break;case 18:sl!:=null&&(cl?(e=sl,Qd(e.nodeType===9?e.body:e.nodeName
===`HTML`?e.ownerDocument.body:e,n.stateNode),Np(e)):Qd(sl,n.stateNode));break;case
4:r=sl,i=cl,sl=n.stateNode.containerInfo,cl=!0,ll(e,t,n),sl=r,cl=i;break;case 0:case 11:case 14:case
15:Vc(2,n,t),el||Vc(4,n,t),ll(e,t,n);break;case 1:el||Gc(n,t),r=n.stateNode,typeof
r.componentWillUnmount==`function`&&Uc(n,t,r)),ll(e,t,n);break;case 21:ll(e,t,n);break;case
22:el=(r=el)||n.memoizedState!:=null,ll(e,t,n),el=r;break;default:ll(e,t,n)}}function dl(e,t){if(t.memoizedState===nu
ll&&(e=t.alternate,e!:=null&&(e=e.memoizedState,e!:=null)))e=e.dehydrated;try{Np(e)}catch(e){Z(t,t.return,e)}}funct
ion fl(e,t){if(t.memoizedState===null&&(e=t.alternate,e!:=null&&(e=e.memoizedState,e!:=null&&(e=e.dehydrated,e!:=null
))))try{Np(e)}catch(e){Z(t,t.return,e)}}function pl(e){switch(e.tag){case 31:case 13:case 19:var t=e.stateNode;return
t===null&&(t=e.stateNode=new nl),t;case 22:return e=e.stateNode,t=e._retryCache,t===null&&(t=e._retryCache=new
nl),t;default:throw Error(i(435,e.tag))}}function ml(e,t){var
n=pl(e);t.forEach(function(t){if(!n.has(t)){n.add(t);var r=Yu.bind(null,e,t);t.then(r,r)}})}function hl(e,t){var
n=t.deletions;if(n!:=null)for(var r=0;r<n.length;r++){var a=n[r],o=e,s=t,c=s;a:for(;c!:=null;){switch(c.tag){case
27:if(Zd(c.type)){sl=c.stateNode,cl=!1;break a}break;case 5:sl=c.stateNode,cl=!1;break a;case 3:case
4:sl=c.stateNode.containerInfo,cl=!0;break a}c=c.return;if(sl===null)throw Error(i(160));ul(o,s,a),sl=null,cl=!1,o=a.
alternates,o!:=null&&(o.return=null),a.return=null;if(t.subtreeFlags&13886)for(t=t.child;t!:=null;){l(t,e),t=t.sibling
}var gl=null;function _l(e,t,n){var n=e.alternate,r=e.flags;switch(e.tag){case 0:case 11:case 14:case
15:hl(t,e),vl(e),r&4&&(Vc(3,e,e.return),Bc(3,e),Vc(5,e,e.return));break;case 1:hl(t,e),vl(e),r&512&&(el||n===null||Gc
(n,n.return)),r&64&&Sc&&(e=e.updateQueue,e!:=null&&(r=e.callbacks,r!:=null&&(n=e.shared.hiddenCallbacks,e.shared.hidd
enCallbacks=n===null?r:n.concat(r)))));break;case 26:var
a=gl;if(hl(t,e),vl(e),r&512&&(el||n===null||Gc(n,n.return)),r&4){var o=n===null?null:n.memoizedState;if(r=e.memoizedS
tate,n===null){if(r!:=null){a:{r=e.type,n=e.memoizedProps,a=a.ownerDocument||a;b:switch(r){case`title`:o=a.getElemen
tsByTagName(`title`)[0],(!o[o[vt]]|o[dt])|o.namespaceURI===`http://www.w3.org/2000/svg`|o.hasAt
tribute(`itemprop`))&&(o=a.createElement(r),a.head.insertBefore(o,a.querySelector(`head >
title`))),Pd(o,r,n),o[dt]=e,wt(o),r=o;break a;case`link`:var s=Vf(`link`,`href`,a).get(r+(n.href||``));if(s){for(var
c=0;c<s.length;c++){if(o=s[c],o.getAttribute(`href`)===(n.href===null?n.href===``?null:n.href)&&o.getAttribute(`rel`)=
=(n.rel===null?null:n.rel)&&o.getAttribute(`title`)===(n.title===null?null:n.title)&&o.getAttribute(`crossorigin`)===(
n.crossOrigin===null?null:n.crossOrigin)){s.splice(c,1);break b}}o=a.createElement(r),Pd(o,r,n),a.head.appendChild(o);
break;case`meta`:if(s=Vf(`meta`,`content`,a).get(r+(n.content||``)))for(c=0;c<s.length;c++){if(o=s[c],o.getAttribute(
`content`)===(n.content===null?null:`+n.content`)&&o.getAttribute(`name`)===(n.name===null?null:n.name)&&o.getAttribu
te(`property`)===(n.property===null?null:n.property)&&o.getAttribute(`http-equiv`)===(n.httpEquiv===null?null:n.httpEquiv
)&&o.getAttribute(`charset`)===(n.charset===null?null:n.charset)){s.splice(c,1);break

```

```

b}}o=a.createElement(r),Pd(o,r,n),a.head.appendChild(o);break;default:throw
Error(i(468,r))}o[dt]=e,wt(o,r=o).e.stateNode=r}else Hf(a,e.type,e.stateNode);else
e.stateNode=If(a,r,e.memoizedProps);else o===r?r===null&&e.stateNode!==null&&q(c,e,e.memoizedProps,n.memoizedProps):(o
===null?n.stateNode===null&&(n=n.stateNode,n.parentNode.removeChild(n)):o.count--,r===null?Hf(a,e.type,e.stateNode):I
f(a,r,e.memoizedProps)}break;case 27:hl(t,e),vl(e),r&512&&(e|l|n===null||Gc(n,n.return)),n!:=null&&r&4&&q(c,e,e.memoi
zedProps,n.memoizedProps);break;case 5:if(hl(t,e),vl(e),r&512&&(e|l|n===null||Gc(n,n.return)),e.flags&32){a=e.stateNo
de;try{Yt(a,`)}catch(t){Z(e,e.return,t)}r&4&&e.stateNode!=null&&(a=e.memoizedProps,qc(e,a,n===null?a:n.memoizedProp
s)),r&1024&&(t!l=0);break;case 6:if(hl(t,e),vl(e),r&4){if(e.stateNode===null)throw
Error(i(162));r=e.memoizedProps,n=e.stateNode;try{n.nodeValue=r}catch(t){Z(e,e.return,t)}break;case 3:if(Bf=null,a=g
l,gl=gf(t.containerInfo),hl(t,e),gl=a,vl(e),r&4&&n!:=null&&n.memoizedState.isDehydrated)try{Np(t.containerInfo)}catch
(t){Z(e,e.return,t)}t&&(tl=!1,y(l(e)));break;case
4:r=gl,gl=gf(e.stateNode.containerInfo),hl(t,e),vl(e),gl=r;break;case 12:hl(t,e),vl(e);break;case
31:hl(t,e),vl(e),r&4&&(r=e.updateQueue,r!:=null&&(e.updateQueue=null,ml(e,r)));break;case 13:hl(t,e),vl(e),e.child.fl
ags&8192&&e.memoizedState!:=null!(n!:=null&&n.memoizedState!:=null&&($l=j(e))),r&4&&(r=e.updateQueue,r!:=null&&(e.up
dateQueue=null,ml(e,r)));break;case 22:a=e.memoizedState!:=null;var l=1!:=null&&n.memoizedState!:=null,u=$c,d=e;if($
c=ul|a,e!d||l,hl(t,e),e!d,$c=u,vl(e),r&8192)a:for(t=e.stateNode,t._visibility=a?t._visibility&-2:t._visibility|1,&&
(n===null||l|$c||e|l|x(l(e)),n=null,t=e;){if(t.tag===5||t.tag===26){if(n===null){l=n=t;try{if(o=l.stateNode,a)=s.o.s
tyle,typeof
s.setProperty=='function'?s.setProperty('display','none','important'):s.display='none';else{c=l.stateNode;var
f=l.memoizedProps.style,p=f!=null&&f.hasOwnProperty('display')?f.display:null;c.style.display=p===null||typeof p
p=='boolean'?`:`+p).trim()}catch(e){Z(l,l.return,e)}}else
if(t.tag===6){if(n===null){l=t;try{l.stateNode.nodeValue=a?`:`+l.memoizedProps}catch(e){Z(l,l.return,e)}}else
if(t.tag===18){if(n===null){l=t;try{var m=l.stateNode;a?$(m,!0):$(l.stateNode,!1)}catch(e){Z(l,l.return,e)}}else i
f((t.tag===22&&t.tag===23||t.memoizedState===null||t===e)&&t.child!:=null){t.child.return=t,t=t.child;continue}if(t===
e)break a:for(;t.sibling!:=null;){if(t.return===null||t.return===e)break a;n===t&&(n=null),t=t.return;n===t&&(n=null)
),t.sibling.return=t.return,t=t.sibling}r&4&&(r=e.updateQueue,r!:=null&&(n=r.retryQueue,n!:=null&&(r.retryQueue=null,
ml(e,n)));break;case 19:hl(t,e),vl(e),r&4&&(r=e.updateQueue,r!:=null&&(e.updateQueue=null,ml(e,r)));break;case
30:break;case 21:break;default:hl(t,e),vl(e)}function vl(e){var t=e.flags;if(t&2){try{for(var
n,r=e.return;r!:=null;){if(jc(r)){n=r;break}r=r.return}if(n===null)throw Error(i(160));switch(n.tag){case 27:var
a=n.stateNode;Zc(e,Yc(e),a);break;case 5:var
o=n.stateNode;n.flags&32&&(Yt(o,`),n.flags&=-33),Zc(e,Yc(e),o);break;case 3:case 4:var
s=n.stateNode.containerInfo;Xc(e,Yc(e),s);break;default:throw
Error(i(161))}}catch(t){Z(e,e.return,t)}e.flags&=-3&4096&&(e.flags&=-4097)}function
yl(e){if(e.subtreeFlags&1024)for(e=e.child;e!:=null;){var
t=e;yl(t),t.tag===5&&t.flags&1024&&t.stateNode.reset(),e=e.sibling}}function
bl(e,t){if(t.subtreeFlags&8772)for(t=t.child;t!:=null;){al(e,t.alternate,t),t=t.sibling}function
xl(e){for(e=e.child;e!:=null;){var t=e;switch(t.tag){case 0:case 11:case 14:case 15:Vc(4,t,t.return),xl(t);break;case
1:Gc(t,t.return);var n=t.stateNode;typeof n.componentWillUnmount=='function'&&Uc(t,t.return,n),xl(t);break;case
27:pf(t,t.stateNode);case 26:case 5:Gc(t,t.return),xl(t);break;case 22:t.memoizedState===null&&xl(t);break;case
30:xl(t);break;default:xl(t)}e=e.sibling}}function
Sl(e,t,n){for(n&&=(t.subtreeFlags&8772)!0,t=t.child;t!:=null;){var
r=t.alternate,i=e,a=t,o=a.flags;switch(a.tag){case 0:case 11:case 15:Sl(i,a,n),Bc(4,a);break;case
1:if(Sl(i,a,n),r=a,i=r.stateNode,typeof i.componentDidMount=='function')try{i.componentDidMount()}catch(e){Z(r,r.retu
rn,e)}if(i=r,a,i=r.updateQueue,i!:=null){var s=r.stateNode;try{var c=i.shared.hiddenCallbacks;if(c!:=null)for(i.shared.
hiddenCallbacks=null,i=0;i<c.length;i++)Ya(c[i],s)}catch(e){Z(r,r.return,e)}}n&&o&64&&Hc(a),Wc(a,a.return);break;case
27:Qc(a);case 26:case 5:Sl(i,a,n),n&&r===null&&o&4&&Kc(a),Wc(a,a.return);break;case 12:Sl(i,a,n);break;case
31:Sl(i,a,n),n&&o&4&&d(i,a);break;case 13:Sl(i,a,n),n&&o&4&&f(i,a);break;case
22:a.memoizedState=null&&Sl(i,a,n),Wc(a,a.return);break;case 30:break;default:Sl(i,a,n)}t=t.sibling}}function
Cl(e,t){var n=null;e!:=null&&e.memoizedState!:=null&&e.memoizedState.cachePool!:=null&&(n=e.memoizedState.cachePool.p
ool),e=null,t.memoizedState!:=null&&t.memoizedState.cachePool!:=null&&(e=t.memoizedState.cachePool.pool),e!:=n&&(e!:=n
ul&&e.refCount++,n!:=null&&ca(n))}function wl(e,t){e=null,t.alternate!:=null&&(e=t.alternate.memoizedState.cache),t=t
.memoizedState.cache,t!:=e&&(t.refCount++,e!:=null&&ca(e))}function
Tl(e,t,n,r){if(t.subtreeFlags&10256)for(t=t.child;t!:=null;){El(e,t,n,r),t=t.sibling}function El(e,t,n,r){var
i=t.flags;switch(t.tag){case 0:case 11:case 15:Tl(e,t,n,r),i&2048&&Bc(9,t);break;case 1:Tl(e,t,n,r);break;case 3:Tl(e
,t,n,r),i&2048&&(e=null,t.alternate!:=null&&(e=t.alternate.memoizedState.cache),t=t.memoizedState.cache,t!:=e&&(t.ref
Count++,e!:=null&&ca(e)));break;case 12:if(i&2048){Tl(e,t,n,r),e=t.stateNode;try{var
a=t.memoizedProps,o=a.id,s=a.onPostCommit;typeof
s=='function'&&s(o,t.alternate===null?'mount':`update`,e.passiveEffectDuration,-0)}catch(e){Z(t,t.return,e)}}else
Tl(e,t,n,r);break;case 31:Tl(e,t,n,r);break;case 13:Tl(e,t,n,r);break;case 23:break;case 22:a=t.stateNode,o=t.alterna
te,t.memoizedState===null?a._visibility&2?Tl(e,t,n,r):(a._visibility|=2,Dl(e,t,n,r,(t.subtreeFlags&10256)!0||1)):a._
visibility&2?Tl(e,t,n,r):Ol(e,t),i&2048&&Cl(o,t);break;case
24:Tl(e,t,n,r),i&2048&&wl(t.alternate,t);break;default:Tl(e,t,n,r)}function
Dl(e,t,n,r,i){for(i&&=(t.subtreeFlags&10256)!0||1,t=t.child;t!:=null;){var
a=e,o=t,s=n,c=r,l=o.flags;switch(o.tag){case 0:case 11:case 15:Dl(a,o,s,c,i),Bc(8,o);break;case 23:break;case 22:var
u=o.stateNode;o.memoizedState===null?(u._visibility|=2,Dl(a,o,s,c,i)):u._visibility&2?Dl(a,o,s,c,i):Ol(a,o),i&&l&2048
&&Cl(o.alternate,o);break;case
24:Dl(a,o,s,c,i),i&&l&2048&&wl(o.alternate,o);break;default:Dl(a,o,s,c,i)}t=t.sibling}}function
Ol(e,t){if(t.subtreeFlags&10256)for(t=t.child;t!:=null;){var n=e,r=t,i=r.flags;switch(r.tag){case
22:Ol(n,r),i&2048&&Cl(r.alternate,r);break;case
24:Ol(n,r),i&2048&&wl(r.alternate,r);break;default:Ol(n,r)}t=t.sibling}}var kl=8192;function
Al(e,t,n){if(e.subtreeFlags&kl)for(e=e.child;e!:=null;){jl(e,t,n),e=e.sibling}function jl(e,t,n){switch(e.tag){case
26:Al(e,t,n),e.flags&kl&&e.memoizedState!:=null&&Gf(n,gl,e.memoizedState,e.memoizedProps);break;case
5:Al(e,t,n);break;case 3:case 4:var r=gl,gl=gf(e.stateNode.containerInfo),Al(e,t,n),gl=r;break;case 22:e.memoizedStat
e===null&&(r=e.alternate,r!:=null&&r.memoizedState!:=null?(r=kl,kl=16777216,Al(e,t,n),kl=r):Al(e,t,n));break;default:
Al(e,t,n)}function Ml(e){var t=e.alternate;if(t!:=null&&(e=t.child,e!:=null)){t.child=null;do
t=e.sibling,e.sibling=null,e=t;while(e!:=null)}}function Nl(e){var t=e.deletions;if(e.flags&16){if(t!:=null)for(var
n=0;n<t.length;n++){var
r=t[n],rl=r,l(r,e)}Ml(e)}if(e.subtreeFlags&10256)for(e=e.child;e!:=null;){Pl(e),e=e.sibling}function
Pl(e){switch(e.tag){case 0:case 11:case 15:Nl(e),e.flags&2048&&Vc(9,e,e.return);break;case 3:Nl(e);break;case
12:Nl(e);break;case 22:var t=e.stateNode;e.memoizedState!:=null&&t._visibility&2&&(e.return===null||e.return.tag!:=3
)?(t._visibility&=-3,Fl(e)):Nl(e);break;default:Nl(e)}function Fl(e){var
t=e.deletions;if(e.flags&16){if(t!:=null)for(var n=0;n<t.length;n++){var
r=t[n],rl=r,l(r,e)}Ml(e)}for(e=e.child;e!:=null;){switch(t=e,t.tag){case 0:case 11:case
15:Vc(8,t,t.return),Fl(t);break;case
22:n=t.stateNode,n._visibility&2&&(n._visibility&=-3,Fl(t));break;default:Fl(t)}e=e.sibling}}function
Il(e,t){for(;rl!:=null;){var n=r,l=1;switch(n.tag){case 0:case 11:case 15:Vc(8,n,t);break;case 23:case
22:if(n.memoizedState!:=null&&n.memoizedState.cachePool!:=null){var
r=n.memoizedState.cachePool.pool;r!:=null&&r.refCount++}break;case
24:ca(n.memoizedState.cache)}if(r=n.child,r!:=null)r.return=n,r=r;else a:for(n=e;rl!:=null;){r=rl;var
l=r.sibling,a=r.return;if(ol(r,r===n){rl=null;break a}if(i!:=null){i.return=a,rl=i;break a}rl=a}}var
l=l?getCacheForType:Function(e){var t=ta(sa),n=t.data,ge(t,e);return n===void
0&&(n=e(t),t.data.set(e,n)),n},cacheSignal:function(){return ta(sa).controller.signal}},Rl=typeof WeakMap=='function'?
WeakMap:Map,K=0,q=null,J=null,Y=0,X=0,Z=null,BL=1,Vl=1,Hl=1,Ul=0,Wl=0,Gl=0,Kl=0,ql=0,Jl=0,Xl=0,Zl=null,Ql
=1,$l=0,eu=0,tu=1/0,nu=null,ru=null,iu=0,au=null,ou=null,su=0,cu=0,lu=null,uu=null,du=0,fu=null;function pu(){return
K&2&&Y!:=0?Y&-Y:k.T===null?ct():dd()}{if(Jl===0)if(!Y(536870912))|z}{var
e=qe;qe<=1,!((qe&3932160)&(qe&262144),Jl=e)else Jl=536870912;return e=eo.current,e!:=null&&(e.flags|=32),Jl}function
hu(e,t,n){(e===q&&(X===2||X===9)||e.cancelPendingCommit!:=null)&&(Su(e,o),yu(e,Y,Jl,1)),tt(e,n),!(K&2)|e!:=q&&(e
===q&&!(K&2)&&(Kl!=n),Wl===4&&yu(e,Y,Jl,1)),rd(e)}function gu(e,t,n){if(K&6)throw Error(i(327));var r=ln&&(t&127)=
0&&(t&e.expiredLanes===0)||Ze(e,t),a=r?Au(e,t):Ou(e,t,!0),o=r;do{if(a===0){Vl&&!r&&yu(e,t,!0,1);break}else{if(n=e.cu
rrent.alternate,o&&!vu(n)){a=Ou(e,t,!1),o=!1;continue}if(a===2){if(o=t,e.errorRecoveryDisabledLanes&o)var s=o;else
s=e.pendingLanes&-536870913,s=s===0?s&536870912?536870912:0:s;if(s!:=0){t=s;a:{var c=e;a=Xl;var l=c.current.memoizedS

```

```

tate.isDehydrated;if(l&&(Su(c,s).flags|=256),s=0u(c,s,!1),s!==2){if(Hl&&!l){c.errorRecoveryDisabledLanes|=o,Kl|=o,a=4;
;break a;o=Zl,Zl=a,o!=null&&(Zl==null?Zl=o:Zl.push.apply(Zl,o))a=s;if(o=1,a!=2)continue}}if(a==1){Su(e,0),yu(e,
t,0,!0);break}a:{switch(r=e,o=a,o){case 0:case 1:throw Error(i(345));case 4:if((t&4194048)!==t)break;case
6:yu(r,t,Jl,!Bl);break a;case 2:Zl=null;break;case 3:case 5:break;default:throw
Error(i(329))}if((t&62914560)===t&&(a=$!+300-je()),10<a)}{if(yu(r,t,Jl,!Bl),Xe(r,0,!0)===0)break
a;su=t,r.timeoutHandle=Kd(_u.bind(null,r,n,Zl,nu,Ql,t,Jl,Kl,Yl,Bl,o,'Throttled',-0,0),a);break
a}_u(r,n,Zl,nu,Ql,t,Jl,Kl,Yl,Bl,o,null,-0,0)}break}while(1);rd(e)}function _u(e,t,n,r,i,a,o,s,c,l,u,d,f,p){if(e.time
outHandle=-1,d=t.subtreeFlags,d&8192|((d&16785408)===16785408){d=stylesheets:null,count:0,imgCount:0,imgBytes:0,suspe
nseyImages:[],waitingForImages:10,waitingForViewTransition:11,unsuspend:rn},jl(t,a,d);var m=(a&62914560)===a?$_l-je():
(a&4194048)===a?eu-je():0;if(m=qf(d,m),m!=null){su=a,e.cancelPendingCommit=m(Lu.bind(null,e,t,a,n,r,i,o,s,c,u,d,null
,f,p)),yu(e,a,o,!1);return}Lu(e,t,a,n,r,i,o,s,c)}function vu(e){for(var t=e;;){var
n=t.tag;if((n==0||n==11|n==15)&&t.flags&16384&&(n=t.updateQueue,n!=null&&(n=n.stores,n!=null)))for(var
r=0;r<n.length;r++){var i=n[r],a=i.getSnapshot;i=i.value;try{if(!Tr(a(),i))return!1}catch{return!1}}if(n=t.child,t.su
btreeFlags&16384&&n!=null)n.return=t,t=n;else if(t===e)break;for(;t.sibling===null;){if(t.return===null||t.return===
e)return!0;t=t.return;t.sibling.return=t.sibling}return!0}function
yu(e,t,n,r){t&=-ql,t&=-Kl,e.suspendedLanes|=t,e.pingedLanes&=-t,r&&(e.warmLanes|=t),r=e.expirationTimes;for(var
i=t;0<i;){var a=31-N(i),o=i<a;r[a]=-1,i&=-o}n!=0&&rt(e,n,t)}function bu(){return K&6?0:(id(0,!1),!1)}function
xu(){if(J!=null){if(X==0)var e=J.return;else
e=J,qi=Ki=null,Eo(e),ja=null,Ma=0,e=J;for(;e!=null;){zc(e.alternate,e),e=e.return;J=null}}function Su(e,t){var n=e.ti
meoutHandle;n!==-1&&(e.timeoutHandle=-1,qd(n)),n=e.cancelPendingCommit,n!=null&&(e.cancelPendingCommit=null,n()),su=
0,xu(),q=e,J=n=di(e.current,nl),y=t,X=0,zl=null,Bl=1,Vl=Ze(e,t),Hl=1,Yl=Jl=ql=Kl=Gl=Wl=0,Zl=Xl=null,Ql=!1,t&&&(t
|=t&32),var r=e.entangledLanes;if(r!=0)for(e=e.entanglements,r&t;0<r;){var i=31-N(r),a=i<i;|t|=e[i],r&=-a}return
Ul=t,ni(),n}function Cu(e,t){U=null,k.H=Is,t===xa||t===Ca?(t=ka(),X=3):t===Sa?(t=ka(),X=4):X=t===ec?8:typeof
t==object&&t.typeof t.then==function?76:1,zl=t,J===null&&(Wl=1,Js(e,yi(t,e.current)))}function wu(){var
e=eo.current;return e===null?10:(Y&4194048)===Y?to===null:(Y&62914560)===Y||Y&536870912?e===to:!1}function Tu(){var
e=k,H;return k.H=Is,e===null?Is:e}function Eu(){var e=k,A;return k.A=Ll,e}function Du(){Wl=4,Bl||(Y&4194048)!==Y&&eo.
current!=null||((Vl=10),!(G&134217727)&&(K&134217727))|q===null|yu(q,Y,Jl,!1)}function Ou(e,t,n){var r=K;K|=2;var
i=Tu(),a=Eu();(q|=e|Y|=t)&&(nu=null,Su(e,t)),t=1;var o=Wl;a:do try{if(X!=0&&J!=null){var
s=J,c=zl;switch(X){case 8:xu(),o=6;break a;case 3:case 2:case 9:case 6:eo.current===null&&(t=!0);var
l=X;if(X=0,zl=null,Pu(e,s,c,l),n&&Vl){o=0;break
a}break;default:l=X,X=0,zl=null,Pu(e,s,c,l)}ku(),o=Wl;break}catch(t){Cu(e,t)}while(1);return
t&&e.shellSuspendCounter++,qi=Ki=null,K=r,k.H=1,k.A=a,J===null&&(q=null,Y=0,ni()),o}function
ru(){for(;J!=null;|Yu(J)}function Au(e,t){var n=K;K|=2;var
r=Tu(),a=Eu();q|=e|Y|=t?(nu=null,tu=je()+500,Su(e,t)):Vl=Ze(e,t);a:do try{if(X!=0&&J!=null){t=J;var
o=zl;b:switch(X){case 1:X=0,zl=null,Pu(e,t,o,1);break;case 2:case
9:if(Ta(o){X=0,zl=null,Nu(t);break}t=function(){X!=2&&X!=9|q|=e|X=7,rd(e)},o.then(t,t);break a;case
3:X=7;break a;case 4:X=5;break a;case 7:Ta(o)?(X=0,zl=null,Nu(t)):(X=0,zl=null,Pu(e,t,o,7));break;case 5:var
s=nl;switch(J.tag){case 26:s=J.memoizedState;case 5:case 27:var
c=J;if(s.Wf(s):c.stateNode.complete){X=0,zl=null;var l=c.sibling;if(l!=null)J=l;else{var
u=c.return;u===null?J=null:(J=u,Fu(u))}break b}X=0,zl=null,Pu(e,t,o,5);break;case
6:X=0,zl=null,Pu(e,t,o,6);break;case 8:xu(),Wl=6;break a;default:throw
Error(i(462))}ju()};break}catch(t){Cu(e,t)}while(1);return
qi=Ki=null,k.H=r,k.A=a,K=n,J===null?(q=null,Y=0,ni(),Wl=0)}function ju(){for(;J!=null&&!ke();)|Yu(J)}function
Mu(e){var t=Ac(e.alternate,e,Ul);e.memoizedProps=e.pendingProps,t===null?Fu(e):J=t}function Nu(e){var
t=e,n=t.alternate;switch(t.tag){case 15:case 0:t=mc(n,t,t.pendingProps,t.type,void 0,Y);break;case
11:t=mc(n,t,t.pendingProps,t.type.render,t.ref,Y);break;case
5:Eo(t);default:zc(n,t),t=Jf(t,Ul),t=Ac(n,t,Ul)}e.memoizedProps=e.pendingProps,t===null?Fu(e):J=t}function
Pu(e,t,n,r){qi=Ki=null,Eo(t),ja=null,Ma=0;var
i=t.return;try{if($s(e,i,t,n,Y))(Wl=1,Js(e,yi(n,e.current)),J=null;return)}catch(t){if(i!=null)throw J=i,t;Wl=1,Js(e
,yi(n,e.current)),J=null;return}t.flags&32768?z|j|r===1?e=!0:Vl|Y&536870912?e=!1:(Bl=e=!0,(r===2||r===9||r===3||r===
6)&&(r=eo.current,r!=null&&r.tag===13&&(r.flags|=16384))),Iu(t,e):Fu(t)}function Fu(e){var
t=e;do{if(t.flags&32768){Iu(t,Bl);return}e=t.return;var n=Lc(t.alternate,t,Ul);if(n!=null){J=n;return}if(t=t.sibling
,t!=null){J=t;return}J=t=e}while(t!=null);Wl===0&&(Wl=5)}function Iu(e,t){do{var n=Rc(e.alternate,e);if(n!=null)(n
.flags&32767,J=n;return}if(n=e.return,n!=null&&(n.flags|=32768,n.subtreeFlags=0,n.deletions=null),!t&&(e=e.sibling,
e!=null)){J=e;return}J=e=n}while(e!=null);Wl=6,J=null}function Lu(e,t,n,r,a,o,s,c,l){e.cancelPendingCommit=null;do
Hu();while(iu!=0);if(K&6)throw Error(i(327));if(t!=null){if(t===e.current)throw Error(i(177));if(o=t.lanes|t.childL
anes,o|=ti,nt(e,n,o,s,c,l),e===q&&(J=q=null,Y=0),ou=t,au=e,su=n,cu=0,lu=a,uu=r,t.subtreeFlags&10256|t.flags&10256?(e
.callbackNode=null,e.callbackPriority=0,Xu(Fe,function(){return Uu(),null}):(e.callbackNode=null,e.callbackPriority=
0),r=(t.flags&13878)!0,t.subtreeFlags&13878|)|r{r=k,T,k.T=null,a=A.p.A.p=2,s=K,K|=4;try{il(e,t,n)}finally{K=s,A.p=a,
k.T=r}}iu=1,Ru(),zu(),Bu())}function Ru(){if(iu===1){iu=0;var
e=au,t=ou,n=(t.flags&13878)!0;if(t.subtreeFlags&13878|)|n{n=k,T,k.T=null;var r=A.p;A.p=2;var
i=K,K|=4;try{al(t,e);var a=zd,o=Ar(e.containerInfo),s=a.focusedElem,c=a.selectionRange;if(o!=s&&s&&s.ownerDocument&&
kr(s.ownerDocument.documentElement,s))if(c!=null&&jr(s)){var l=c.start,u=c.end;if(u===void
0&&(u=l),'selectionStart'in s)s.selectionStart=l,s.selectionEnd=Math.min(u,s.value.length);else{var
d=s.ownerDocument|document,f=d&&d.defaultView|window;if(f.getSelection){var
p=f.getSelection(),m=s.textContent.length,h=Math.min(c.start,m),g=c.end===void
0?h:Math.min(c.end,m),t.p.extend&&h-g&&(o=g,h=h=0);var _=Or(s,h),v=Or(s,g);if(_&&v&&(p.rangeCount!=1||p.anchorNode!
==_._node|p.anchorOffset!=_._offset|p.focusNode!=v._node|p.focusOffset!=v._offset)){var y=d.createRange();y.setStar
t(_._node,_._offset),p.removeAllRanges(),h>g?(p.addRange(y),p.extend(v._node,v._offset)):(y.setEnd(v._node,v._offset),p.add
Range(y))}}for(d=[],p=s;p=p.parentNode;p.nodeType===1&&d.push({element:p,left:p.scrollLeft,top:p.scrollTop});for(t
ypeof s.focus==function&&s.focus()&&s.focus()&&s.length>0){var b=d[s];b.element.scrollLeft=b.left,b.element.scrollTop=b
.top}sp=1,Rd,zd=Rd=null}finally{K=i,A.p=r,k.T=n}}e.current=t,iu=2}function zu(){if(iu==2){iu=0;var
e=au,t=ou,n=(t.flags&8772)!0;if(t.subtreeFlags&8772|)|n{n=k,T,k.T=null;var r=A.p;A.p=2;var
i=K,K|=4;try{al(e,t.alternate,t)}finally{K=i,A.p=r,k.T=n}}iu=3}function Bu(){if(iu===4|iu===3){iu=0,Ae();var
e=au,t=ou,n=su,r=uu;t.subtreeFlags&10256|t.flags&10256?iu=5:(iu=0,ou=au=null,Vu(e,e.pendingLanes));var
i=e.pendingLanes;if(i===0&&(ru=null),st(n),t.stateNode,Ve&&typeof
Ve.onCommitFiberRoot==function)try{Ve.onCommitFiberRoot(Be,t,void
0,(t.current.flags&128)===128)}catch{if(r!=null){t=k,T,i=A.p,A.p=2,k.T=null;try{for(var
a=e.onRecoverableError,o=0;o<r.length;o++){var s=r[o];a(s.value,{componentStack:s.stack})}}finally{k.T=t,A.p=i}}su&&
Hu(),rd(e),i=e.pendingLanes,n&261930&&i&42?e===fu?du++:(du=0,fu=e):du=0,id(0,!1)}function
Vu(e,t){(e.pooledCacheLanes=t)===0&&(t=e.pooledCache,t!=null&&(e.pooledCache=null,ca(t)))}function Hu(){return
Ru(),zu(),Bu(),Uu()}function Uu(){if(iu!=5)return!1;var e=au,t=cu,cu=0;var
n=st(su),r=k,T,a=A.p;try{A.p=32>n?32:n,k.T=null,n=lu,lu=null;var o=au,s=su;if(iu=0,ou=au=null,su=0,K&6)throw
Error(i(331));var c=K;if(K|=4,Pl(o.current),El(o.o.current,s,n),K=c,id(0,!1),Ve&&typeof Ve.onPostCommitFiberRoot==fu
nction)try{Ve.onPostCommitFiberRoot(Be,o)}catch{return!0}finally{A.p=a,k.T=r,Vu(e,t)}function
Wu(e,t,n){t=yi(n,t),t=xs(e.stateNode,t,2),e=Ua(e,t,2),e!=null&&(tt(e,2),rd(e))}function
Zt(e,t,n){if(e.tag==3)Wu(e,e,n);else for(;t!=null;){if(t.tag==3){Wu(t,e,n);break}else if(t.tag==1){var
r=e.stateNode;if(typeof t.type.getDerivedStateFromError==function|typeof r.componentDidCatch==function&&(ru==nu
ll||!ru.has(r))){e=yi(n,e),n=Zs(2),r=Ua(t,n,2),r!=null&&(Qs(n,r,t,e),tt(r,2),rd(r));break}}t=t.return}}function
Gu(e,t,n){var r=e.pingCache;if(r===null){r=e.pingCache=new Lr;var i=new Set;r.set(r,i)}else i=r.get(t),i===void
0&&(i=new Set,r.set(t,i)),i.has(n)||Hl=!0,i.add(n),e=ku.bind(null,e,t),t.then(e,i)}function Ku(e,t,n){var r=e.pin
gCache;r!=null&&r.delete(t),e.pingedLanes|=e.suspendedLanes&n,e.warmLanes&=-n,q=e&&e(Y&n)===n&&(Wl==4|Wl==3&&(Y&
62914560)===Y&&300>je()-$_l?(K&2)&&Su(e,0):ql|=n,Yl=Ye&&(Yl=0)),rd(e)}function
qu(e,t){t===0&&(t=$e()),e=L(e,t),e!=null&&(tt(e,t),rd(e))}function Ju(e){var
t=e.memoizedState,n=0;e!=null&&(n=t.retryLane),qu(e,n)}function Yu(e,t){var n=0;switch(e.tag){case 3:case 13:var
r=e.stateNode,a=e.memoizedState;a!=null&&(n=a.retryLane);break;case 19:r=e.stateNode;break;case
22:r=e.stateNode._retryCache;break;default:throw Error(i(314))}r!=null&&r.delete(t),qu(e,n)}function Xu(e,t){return
De(e,t)}var Zu=null,Qu=null,$u=11,ed=11,td=11,nd=0;function
rd(e){e!=0&&e.next===null&&(Qu===null?Zu=Qu:e=Qu=Qu.next=e),ed=!0,$u|($u=!0,ud())}function
id(e,t){if(!td&&ed){td=!0;do for(var n=1,r=Zu;r!=null;){if(t)!if(e!=0){var i=r.pendingLanes;if(i===0)var
a=0;else{var o=r.suspendedLanes,s=r.pingedLanes;a=(1<31-N(42|e)+1)-1,a&=i&-o&-s,a=a&2013267417a&201326741|1:a?a|2:

```



```

wBox`:`case`width`:`case`height`:`Pt(e,n,r);break;case`style`:`Qt(e,r,o);break;case`data`:`if(t!=='object')`{Pt(e,`data`,r)
;break;case`src`:`case`href`:`if(r==='`&&t!=='a`||n!=='`href`')`{e.removeAttribute(n);break;if(r===null||typeof
r==='function`'||typeof r==='symbol`'||typeof
r==='boolean`')`{e.removeAttribute(n);break;r=nn(``+r),e.setAttribute(n,r);break;case`action`:`case`formAction`:`if(typeof
r==='function`')`{e.setAttribute(n,`javascript:throw new Error('A React form was unexpectedly submitted. If you called
form.submit() manually, consider using form.requestSubmit() instead. If you\\re trying to use
event.stopPropagation() in a submit event handler, consider also calling event.preventDefault().`')`);break;}else
typeof o==='function`&&(n==='formAction`'?(!=='input`&&$`$(e,t,`name`,a.name,a,null),$`$(e,t,`formEncType`,a.formEncType,a,
null),$`$(e,t,`formMethod`,a.formMethod,a,null),$`$(e,t,`formTarget`,a.formTarget,a,null)):$`$(e,t,`encType`,a.encType,a,
null),$`$(e,t,`method`,a.method,a,null),$`$(e,t,`target`,a.target,a,null))`);if(r===null||typeof r==='symbol`'||typeof r==='bo
olean`')`{e.removeAttribute(n);break;r=nn(``+r),e.setAttribute(n,r);break;case`onClick`:`r!`=null&&(e.onClick=rn);break;cas
e`onScroll`:`r!`=null&&Q(`scroll`,e);break;case`onScrollEnd`:`r!`=null&&Q(`scrollend`,e);break;case`dangerouslySetInner
HTML`:`if(r!`=null)`{if(typeof r!=='object`'||!(`_html`in r))throw
Error(i(61));if(n=r.``_html,n!`=null)`{if(a.children!`=null)`throw
Error(i(60));e.innerHTML=n;}`break;case`multiple`:`e.multiple=r&&typeof r!=='function`&&typeof
r!`=symbol`';break;case`muted`:`e.muted=r&&typeof r!`=function`&&typeof r!`=symbol`';break;case`suppressContentEditableW
arning`:`case`suppressHydrationWarning`:`case`defaultValue`:`case`defaultChecked`:`case`innerHTML`:`case`ref`:`break;case`a
utoFocus`:`break;case`xlinkHref`:`if(r===null||typeof r==='function`'||typeof r==='boolean`'||typeof r==='symbol`')`{e.removeAt
tribute(`xlink:href`);break;r=nn(``+r),e.setAttributeNS(`http://www.w3.org/1999/xlink`,`xlink:href`,n);break;case`con
tentEditable`:`case`spellCheck`:`case`draggable`:`case`value`:`case`autoReverse`:`case`externalResourcesRequired`:`case`fo
cusable`:`case`preserveAlpha`:`r!`=null&&typeof r!`=function`&&typeof r!`=symbol`?e.setAttribute(n,``+r):e.removeAttribut
e(n);break;case`inert`:`case`allowFullScreen`:`case`async`:`case`autoplay`:`case`controls`:`case`default`:`case`defer`:`case
`disabled`:`case`disablePictureInPicture`:`case`disableRemotePlayback`:`case`formNoValidate`:`case`hidden`:`case`loop`:`cas
e`noModule`:`case`noValidate`:`case`open`:`case`playsInline`:`case`readOnly`:`case`required`:`case`reversed`:`case`scoped`:`c
ase`seamless`:`case`itemScope`:`r&&typeof r!`=function`&&typeof r!`=symbol`?e.setAttribute(n,``):e.removeAttribute(n);br
eak;case`capture`:`case`download`:`!0===r?e.setAttribute(n,``):!1!==r&&r!`=null&&typeof r!`=function`&&typeof r!`=symbo
l`?e.setAttribute(n,r):e.removeAttribute(n);break;case`cols`:`case`rows`:`case`size`:`case`span`:`r!`=null&&typeof
r!`=function`&&typeof
r!`=symbol`&&!isNaN(r)&&!c=r?e.setAttribute(n,r):e.removeAttribute(n);break;case`rowSpan`:`case`start`:`r=nn(``+r)`||typeof
r==='function`'||typeof r==='symbol`'||!isNaN(r)?e.removeAttribute(n):e.setAttribute(n,r);break;case`popover`:`Q(`beforeto
oggle`,e),Q(`toggle`,e),Nt(e,`popover`,r);break;case`xlinkActuate`:`Ft(e,`http://www.w3.org/1999/xlink`,`xlink:actuate`
,r);break;case`xlinkArcrole`:`Ft(e,`http://www.w3.org/1999/xlink`,`xlink:arcrole`,r);break;case`xlinkRole`:`Ft(e,`http:
//www.w3.org/1999/xlink`,`xlink:role`,r);break;case`xlinkShow`:`Ft(e,`http://www.w3.org/1999/xlink`,`xlink:show`,r);br
eak;case`xlinkTitle`:`Ft(e,`http://www.w3.org/1999/xlink`,`xlink:title`,r);break;case`xlinkType`:`Ft(e,`http://www.w3.o
rg/1999/xlink`,`xlink:type`,r);break;case`xmlBase`:`Ft(e,`http://www.w3.org/XML/1998/namespace`,`xml:base`,r);break;cas
e`xmlLang`:`Ft(e,`http://www.w3.org/XML/1998/namespace`,`xml:lang`,r);break;case`xmlSpace`:`Ft(e,`http://www.w3.org/XM
L/1998/namespace`,`xml:space`,r);break;case`is`:`Nt(e,`is`,r);break;case`innerText`:`case`textContent`:`break;default:(!
(2<n.length)||n[0]!=='`o`&&n[0]!=='`0`'||n[1]!=='`n`&&n[1]!=='`N`&&(n=en.get(n)||n,Nt(e,n,r))`}}function
Nd(e,t,n,r,a,o){switch(n){case`style`:`Qt(e,r,o);break;case`dangerouslySetInnerHTML`:`if(r!`=null)`{if(typeof
r!=='object`'||!(`_html`in r))throw Error(i(61));if(n=r.``_html,n!`=null)`{if(a.children!`=null)`throw
Error(i(60));e.innerHTML=n;}`break;case`children`:`typeof r==='string`?Yt(e,r):(typeof r==='number`'||typeof r==='bigint`)&
&Yt(e,``+r);break;case`onScroll`:`r!`=null&&Q(`scroll`,e);break;case`onScrollEnd`:`r!`=null&&Q(`scrollend`,e);break;case`
onClick`:`r!`=null&&(e.onClick=rn);break;case`suppressContentEditableWarning`:`case`suppressHydrationWarning`:`case`inner
HTML`:`case`ref`:`break;case`innerText`:`case`textContent`:`break;default:if(!Et.hasOwnProperty(n))a:{if(n[0]===`o`&&n[1]
===`n`&&(a=n.endsWith(`Capture`),t=n.slice(2,a.n.length-7:void 0),o=e[ft])?null,o===null?null:o[n],typeof
o==='function`&&e.removeEventListener(t,o,a),typeof r==='function`')`{typeof o!`=function`&&o!`=null&&(n in
e)?n[n]=null:e.setAttribute(n,&&e.removeAttribute(n)),e.addEventListener(t,r,a);break`a`n`in
e?e[n]=r:!0===r?e.setAttribute(n,``):Nt(e,n,r)}}function Pd(e,t,n){switch(t){case`div`:`case`span`:`case`svg`:`case`pat
h`:`case`a`:`case`g`:`case`p`:`case`li`:`break;case`img`:`Q(`error`,e),Q(`load`,e);var r=!1,a=!1,o;for(o in
n)if(n.hasOwnProperty(o)){var s=n[o];if(s!`=null)`switch(o){case`src`:`r=!0;break;case`srcSet`:`a=!0;break;case`children`
:`case`dangerouslySetInnerHTML`:`throw Error(i(137,t));break;$`$(e,t,o,s,n,null)}&&$`$(e,t,`srcSet`,n.srcSet,n,null),&
&$`$(e,t,`src`,n.src,n,null);return;case`input`:`Q(`invalid`,e);var c=o=s=a=null,l=null,u=null;for(r in
n)if(n.hasOwnProperty(r)){var d=n[r];if(d!`=null)`switch(r){case`name`:`a=d;break;case`type`:`s=d;break;case`checked`:`l=d
;break;case`defaultChecked`:`u=d;break;case`value`:`o=d;break;case`defaultValue`:`c=d;break;case`children`:`case`dangero
uslySetInnerHTML`:`if(d!`=null)`throw
Error(i(137,t));break;default:$`$(e,t,r,d,n,null)}Wt(e,o,c,l,u,s,a,!1);return;case`select`:`for(a in Q(`invalid`,e),r=s
=o=null,n)if(n.hasOwnProperty(a))&&(c=n[a],c!`=null)`switch(a){case`value`:`o=c;break;case`defaultValue`:`s=c;break;case`
multiple`:`r=c;default:$`$(e,t,a,c,n,null)}t=o,n=s,e.multiple=!1,r,t===null?n!`=null&&Kt(e,!1,r,n,!0):Kt(e,!1,r,n,p);return;
case`textarea`:`for(s in Q(`invalid`,e),o=a=r=null,n)if(n.hasOwnProperty(s))&&(c=n[s],c!`=null)`switch(s){case`value`:`r=
c;break;case`defaultValue`:`a=c;break;case`children`:`o=c;break;case`dangerouslySetInnerHTML`:`if(c!`=null)`throw
Error(i(91));break;default:$`$(e,t,s,c,n,null)}Jt(e,r,a,o);return;case`option`:`for(l in
n)if(n.hasOwnProperty(l))&&(r=n[l],r!`=null)`switch(l){case`selected`:`e.selected=r&&typeof r!=='function`&&typeof r!`=sy
mbol`';break;default:$`$(e,t,l,r,n,null)}return;case`dialog`:`Q(`beforetoggle`,e),Q(`toggle`,e),Q(`cancel`,e),Q(`close`,e
);break;case`iframe`:`case`object`:`Q(`load`,e);break;case`video`:`case`audio`:`for(r=0;r<d.length;r++)Q(`_d[r],e);break;
case`image`:`Q(`error`,e),Q(`load`,e);break;case`details`:`Q(`toggle`,e);break;case`embed`:`case`source`:`case`link`:`Q(`e
rror`,e),Q(`load`,e);case`area`:`case`base`:`case`br`:`case`col`:`case`hr`:`case`keygen`:`case`meta`:`case`param`:`case`track
`:`case`wbr`:`case`menuitem`:`for(u in
n)if(n.hasOwnProperty(u))&&(r=n[u],r!`=null)`switch(u){case`children`:`case`dangerouslySetInnerHTML`:`throw
Error(i(137,t));default:$`$(e,t,u,r,n,null)}return;default:if($`$(t){for(d in n)n.hasOwnProperty(d)&&(r=n[d],r!`=void
0&&Nd(e,t,d,r,n,void 0));return}}for(c in n)n.hasOwnProperty(c)&&(r=n[c],r!`=null&&$`$(e,t,c,r,n,null)}function Fd(e,t,
n,r){switch(t){case`div`:`case`span`:`case`svg`:`case`path`:`case`a`:`case`g`:`case`p`:`case`li`:`break;case`input`:`var
a=null,o=null,s=null,c=null,l=null,u=null,d=null;for(m in n){var f=n[m];if(n.hasOwnProperty(m))&&f!`=null)`switch(m){cas
e`checked`:`break;case`value`:`break;case`defaultValue`:`l=f;default:r.hasOwnProperty(m)||$`$(e,t,m,null,r,f)}for(var p
in r){var m=r[p];if(f=n[p],r.hasOwnProperty(p))&&(m!`=null)`switch(p){case`type`:`o=m;break;case`name`:`a=m;breakea
k;case`checked`:`u=m;break;case`defaultChecked`:`d=m;break;case`value`:`s=m;break;case`defaultValue`:`c=m;break;case`chil
dren`:`case`dangerouslySetInnerHTML`:`if(m!`=null)`throw
Error(i(137,t));break;default:m!`=f&&$`$(e,t,p,m,r,f)}Ut(e,s,c,l,u,d,o,a);return;case`select`:`for(o in m=s=c=p=null,n)
if(l=n[o],n.hasOwnProperty(o))&&l!`=null)`switch(o){case`value`:`break;case`multiple`:`m=l;default:r.hasOwnProperty(o)||$`$(
e,t,o,null,r,l)}for(a in r)if(o=r[a],l=n[a],r.hasOwnProperty(a))&&(o!`=null`||l!`=null)`switch(a){case`value`:`p=o;break;c
ase`defaultValue`:`c=o;break;case`multiple`:`s=o;default:o!`=l&&$`$(e,t,a,o,r,l)}t=c,n=s,r,m,p===null?!1:r!`=!1&&(t===null?K
t(e,!1,n,p,!1):Kt(e,!1,n,p,!1));return;case`textarea`:`for(c in m=p=null,n)if(a=n[c],n.hasOwnProper
ty(c))&&a!`=null&&!r.hasOwnProperty(c))switch(c){case`value`:`break;case`children`:`break;default:$`$(e,t,c,null,r,a)}for(s
in r)if(a=r[s],o=n[s],r.hasOwnProperty(s))&&(a!`=null`||o!`=null)`switch(s){case`value`:`p=a;break;case`defaultValue`:`m=a
;break;case`children`:`break;case`dangerouslySetInnerHTML`:`if(a!`=null)`throw
Error(i(91));break;default:a!`=o&&$`$(e,t,s,a,r,o)}qt(e,p,m);return;case`option`:`for(var h in n)if(p=n[h],n.hasOwnPrope
rty(h))&&p!`=null&&!r.hasOwnProperty(h))switch(h){case`selected`:`e.selected=!1;break;default:$`$(e,t,h,null,r,p)}for(l in
r)if(p=[l],m=n[l],r.hasOwnProperty(l))&&p!`=m&&(p!`=null`||m!`=null)`switch(l){case`selected`:`e.selected=p&&typeof
p!`=function`&&typeof p!`=symbol`';break;default:$`$(e,t,l,p,r,m)}return;case`img`:`case`link`:`case`area`:`case`base`:`case
`br`:`case`col`:`case`embed`:`case`hr`:`case`keygen`:`case`meta`:`case`param`:`case`source`:`case`track`:`case`wbr`:`case`menui
tem`:`for(var g in n)p=n[g],n.hasOwnProperty(g)&&p!`=null&&!r.hasOwnProperty(g)&&$`$(e,t,g,null,r,p);for(u in r)if(p=r[u],
m=n[u],r.hasOwnProperty(u))&&p!`=m&&(p!`=null`||m!`=null)`switch(u){case`children`:`case`dangerouslySetInnerHTML`:`if(p!`=n
ull)`throw Error(i(137,t));break;default:$`$(e,t,u,p,r,m)}return;default:if($`$(t){for(var _ in
n)p=n[_],n.hasOwnProperty(_)&&p!`=void 0&&!r.hasOwnProperty(_)&&Nd(e,t,_,void 0,r,p);for(d in
r)p=r[d],m=n[d],!r.hasOwnProperty(d)||p===m||p===void 0&&m===void 0`||Nd(e,t,d,p,r,m);return}}for(var v in
n)p=n[v],n.hasOwnProperty(v)&&p!`=null&&!r.hasOwnProperty(v)&&$`$(e,t,v,null,r,p);for(f in
r)p=r[f],m=n[f],!r.hasOwnProperty(f)||p===m||p===null&&m===null`||$`$(e,t,f,p,r,m)}function Id(e){switch(e){case`css`:`case
`script`:`case`font`:`case`img`:`case`image`:`case`input`:`case`link`:`return!0;default:return!1}}function Ld(){if(typeof
performance.getEntriesByType==='function`'){for(var
e=0,t=n=performance.getEntriesByType(`resource`),r=0;r<n.length;r++){var i=n[r],a=i.transferSize,o=i.initiatorType,
s=i.duration;if(a&&s&&Id(o)){for(o=0,s=1.responseEnd,++=1;<n.length;r++){var c=n[r],l=c.startTime;if(l>s)break;var u
=c.transferSize,d=c.initiatorType;u&&Id(d)&&(c<c.responseEnd,o+=u*(c<s?1:(s-l)/(c-l)))}if(-r,t+=8*(a+o)/(i.duration/

```

```

1e3),++>10<e)break}}if(0<e)return t/e/1e6)return navigator.connection&&(e=navigator.connection.downlink,typeof
e==`number`)?e:5}var Rd=null,zd=null;function Bd(e){return e.nodeType===9?e:e.ownerDocument}function
Vd(e){switch(e){case`http://www.w3.org/2000/svg`:return 1;case`http://www.w3.org/1998/Math/MathML`:return
2;default:return 0}}function Hd(e,t){if(e===0)switch(t){case`svg`:return 1;case`math`:return 2;default:return
0}return e===1&t===`foreignObject`?0:e}function Ud(e,t){return e===`textarea`||e===`noscript`||typeof
t.children===`string`||typeof t.children===`number`||typeof t.children===`bigint`||typeof
t.dangerouslySetInnerHTML===`object`&&t.dangerouslySetInnerHTML===null&&t.dangerouslySetInnerHTML.__html===null}var
Wd=null;function Gd(){var e=window.event;return e&&e.type===`popstate`?e===Wd?1:(Wd=e,10):(Wd=null,1)}var Kd=typeof
setTimeout===`function`?setTimeout:void 0,qd=typeof clearTimeout===`function`?clearTimeout:void 0,Jd=typeof
Promise===`function`?Promise:void 0,Yd=typeof queueMicrotask===`function`?queueMicrotask:Jd===void
0?Kd:function(){return Jd.resolve(null)}.then(e).catch(Xd)};function Xd(e){setTimeout(function(){throw e})}function
Zd(e){return e===`head`?function Qd(e,t){var n=t,r=0;do{var i=n.nextSibling;if(e.removeChild(n),i&&i.nodeType===8)if(
n=i.data,n===`/$`||n===`/&`){if(r===0){e.removeChild(i),Np(t);return}r--}else
if(n===`/$`||n===`$?`||n===`$-`||n===`$!`||n===`&`)+;else if(n===`html`)pf(e.ownerDocument.documentElement);else
if(n===`head`){n=e.ownerDocument.head,pf(n);for(var a=n.firstChild;a){var o=a.nextSibling,s=a.nodeName;a[vt]||s===`S
CRYPT`||s===`STYLE`||s===`LINK`&&a.rel.toLowerCase()===`stylesheet`||n.removeChild(a),a=o}}else
n===`body`&&pf(e.ownerDocument.body);n=1}while(n);Np(t)}function Sd(e,t){var n=e,e=0;do{var r=n.nextSibling;if(n.nodeType
===17?((n._stashedDisplay=n.style.display,n.style.display=`none`):(n.style.display=n._stashedDisplay||``),n.getAtt
ribute(`style`))===`&n.removeAttribute(`style`)):n.nodeType===3&&(t?(n._stashedText=n.nodeValue,n.nodeValue=``):n.no
deValue=n._stashedText||``),r&&r.nodeType===8){if(n=r.data,n===`/$`){if(e===0)break;e--}else
n===`$`&&n===`$?`&&n===`$-`&&n===`$!`||e++;n=r}while(n)}function ef(e){var
t=e.firstChild;for(t&&t.nodeType===10&&(t=t.nextSibling);t){var n=t;switch(t=t.nextSibling,n.nodeName){case`HTML`:ca
se`HEAD`:case`BODY`:ef(n),yt(n);continue;case`SCRIPT`:case`STYLE`:continue;case`LINK`:if(n.rel.toLowerCase()===`style
sheet`)continue}e.removeChild(n)}function tf(e,t,n,r){for(;e.nodeType===1;){var
i=n;if(e.nodeName.toLowerCase()!==t.toLowerCase()){if(!r&&(e.nodeName!===`INPUT`||e.type!===`hidden`))break}else
if(!r)if(t===`input`&&e.type===`hidden`){var
a=i.name===null?null:`+i.name;if(i.type===`hidden`&&e.getAttribute(`name`)===a)return e}else return e}else
if(!e[vt])switch(t){case`meta`:if(!e.hasAttribute(`itemprop`))break;return e;case`link`:if(a=e.getAttribute(`rel`),a=
===`stylesheet`&&e.hasAttribute(`data-precedence`))|a|===i.rel||e.getAttribute(`href`)!==(i.href===null||i.href===`?nul
l:i.href)||e.getAttribute(`crossorigin`)!==(i.crossOrigin===null?null:i.crossOrigin)||e.getAttribute(`title`)!==(i.tit
le===null?null:i.title)}break;return e;case`style`:if(e.hasAttribute(`data-precedence`))break;return e;case`script`:if
(a=e.getAttribute(`src`)),(a!==(i.src===null?null:i.src)||e.getAttribute(`type`)!==(i.type===null?null:i.type)||e.getAtt
ribute(`crossorigin`)!==(i.crossOrigin===null?null:i.crossOrigin))&&a&&e.hasAttribute(`async`)&&!e.hasAttribute(`itemprop
`))break;return e;default:return e}if(e=cf(e.nextSibling),e===null)break;return null}function
nf(e,t,n){if(t===``)return null;for(;e.nodeType===3;){if((e.nodeType===1||e.nodeName!===`INPUT`||e.type!===`hidden`)&&n
!==(e=cf(e.nextSibling),e===null)return null;return e}function rf(e,t){for(;e.nodeType===8;){if((e.nodeType===1||e.nod
eName!===`INPUT`||e.type!===`hidden`)&&t!==(e=cf(e.nextSibling),e===null)return null;return e}function af(e){return
e.data===`$?`||e.data===`$-`?function of(e){return
e.data===`$!`||e.data===`$?`&&e.ownerDocument.readyState!===`loading`}function sf(e,t){var
n=e.ownerDocument;if(e.data===`$-`){e._reactRetry=t;else if(e.data!===`$?`||n.readyState!===`loading`){t}();else{var r=fu
nction(){t},n.removeEventListener(`DOMContentLoaded`,r);n.addEventListener(`DOMContentLoaded`,r),e._reactRetry=r}}fu
nction cf(e){for(;e!null;e=e.nextSibling){var t=e.nodeType;if(t===1||t===3)break;if(t===8){if(t=e.data,t===`$`||t===
`$!`||t===`$?`||t===`$-`||t===`$!`||t===`&`||t===`F!`||t===`F`break;if(t===`/$`||t===`/&`return null}}return e}var
lf=null;function uf(e){e=e.nextSibling;for(var t=0;t<e;){if(e.nodeType===8){var
n=e.data;if(n===`/$`||n===`/&`){if(t===0)return cf(e.nextSibling);t--}else
n===`$`&&n===`$!`&&n===`$?`&&n===`$-`&&n===`$!`||t++;e=e.nextSibling}return null}function
df(e){e=e.previousSibling;for(var t=0;t<e;){if(e.nodeType===8){var
n=e.data;if(n===`/$`||n===`/&`||n===`$?`||n===`$-`||n===`$!`||n===`&`){if(t===0)return e;t--}else
n!===`/$`&&n===`/&`||t++;e=e.previousSibling}return null}function
ff(e,t,n){switch(t=Bd(n),e){case`html`:if(e=t.documentElement,!e)throw Error(i(452));return
e;case`head`:if(e=t.head,!e)throw Error(i(453));return e;case`body`:if(e=t.body,!e)throw Error(i(454));return
e;default:throw Error(i(451))}}function pf(e){for(var t=e.attributes;t.length;e.removeChild(t[0]);yt(e)}var
mf=new Map,hf=new Set;function gf(e){return typeof
e.getRootNode===`function`?e.getRootNode():e.nodeType===9?e:e.ownerDocument}var
_f=A,d={f:vf,r:yf,D:Sf,C:cf,L:wf,m:Tf,X:Df,S:Ef,M:Of},function vf(){var e=f.f(),t=bu();return e||t}function
yf(e){var t=xt(e);t!===null&&t.tag===5&t.type===`form`?ws(t):_f.r(e)}var bf=typeof
document>`u`?null:document;function xf(e,t,n){var r=bf;if(r&&typeof t===`string`&&t){var
i=Ht(t);i=`link[rel="+e+""]`&&href="+i+"`,typeof n===`string`&&i+=`[crossorigin="+n+""]`,hf.has(i)||hf.add(i),e
={rel:e,crossOrigin:n,href:t},r.querySelector(i)===null&&(t=r.createElement(`link`),Pd(t,`link`,e),wt(t),r.head.append
Child(t))}}function Sf(e){f.D(e),xf(`dns-prefetch`,e,null)}function Cf(e,t){f.C(e,t),xf(`preconnect`,e,t)}function
wf(e,t,n){f.L(e,t,n);var r=bf;if(r&&e&&t){var i=`link[rel="preload"]`&&as="+Ht(t)+"`,t===`image`&&n.imageSrcSet
?i+=`[imagesrcset="+Ht(n.imageSrcSet)+""]`,typeof
n.imageSizes===`string`&&i+=`[imagesizes="+Ht(n.imageSizes)+""]`):i+=`[href="+Ht(e)+""]`;var a=i;switch(t){case`st
yle`:a=Af(e);break;case`script`:a=Pf(e)}mf.has(a)||e.h({rel:`preload`,href:t===`image`&&n.imageSrcSet?void 0:e.a
:t},n),mf.set(a,e),r.querySelector(i)===null||t===`style`&&r.querySelector(jf(a))||t===`script`&&r.querySelector(Ff(a
))||t===`script`&&r.createElement(`link`),Pd(t,`link`,e),wt(t),r.head.appendChild(t))}}function Tf(e,t){f.f.m(e,t);var
n=bf;if(n&&e){var r=t&&typeof t.as===`string`?t.as:`script`,i=`link[rel="modulepreload"]`&&as="+Ht(r)+"`&&[href="+Ht(e)
+""]`&&a=i;switch(r){case`audioworklet`:case`paintworklet`:case`serviceworker`:case`sharedworker`:case`worker`:case`sc
ript`:a=Pf(e)}if(mf.has(a)&&e.h({rel:`modulepreload`,href:e,t},mf.set(a,e),n.querySelector(i)===null)}switch(r){c
ase`audioworklet`:case`paintworklet`:case`serviceworker`:case`sharedworker`:case`worker`:case`script`:if(n.querySele
ctor(Ff(a))){return}r=n.createElement(`link`),Pd(r,`link`,e),wt(r),n.head.appendChild(r)}function
Ef(e,t,n){Sf(e,t,n);var r=bf;if(r&&e){var i=Ct(r).hoistableStyles,a=Af(e);t||=`default`;var o=i.get(a);if(!o){var s
=loading,preload=null;if(o=r.querySelector(jf(a)))s.loading=5;else e.h({rel:`stylesheet`,href:e,"data-precedence":
t},n),(n=mf.get(a))&&rf(e,n);var c=o.createElement(`link`);wt(c),Pd(c,`link`,e),c._p=Promise(function(e,t){c.o
nload=e,c.onerror=t},c).addEventListener(`load`,function(){s.loading=1},c).addEventListener(`error`,function(){s loa
ding=2}),s.loading=4,Lf(o,t,r))o={type:`stylesheet`,instance:o,count:1,state:s,i.set(a,o)}}function
Df(e,t){f.f.X(e,t);var n=bf;if(n&&e){var r=Ct(n).hoistableScripts,i=Pf(e),a=r.get(i);a||(a=n.querySelector(Ff(i)),a||
e.h({src:e,async:10,t},(t=mf.get(i))&&zf(e,t),a=n.createElement(`script`),wt(a),Pd(a,`link`,e),n.head.appendChild(a
),a={type:`script`,instance:a,count:1,state:null,r.set(i,a)}))function Of(e,t){f.f.M(e,t);var n=bf;if(n&&e){var r=Ct(
n).hoistableScripts,i=Pf(e),a=r.get(i);a||(a=n.querySelector(Ff(i)),a||e.h({src:e,async:10,type:`module`},t),(t=mf.g
et(i))&&zf(e,t),a=n.createElement(`script`),wt(a),Pd(a,`link`,e),n.head.appendChild(a),a={type:`script`,instance:a,c
ount:1,state:null,r.set(i,a)}))function kf(e,t,n,r){var a=(a=me.current)?gf(a):null;if(!a)throw
Error(i(446));switch(e){case`meta`:case`title`:return null;case`style`:return typeof n.precedence===`string`&&typeof n
.href===`string`?t=AF(n.href),n=Ct(a).hoistableStyles,r=n.get(t),r||(r={type:`style`,instance:null,count:0,state:null
},n.set(t,r)),r:{type:`void`,instance:null,count:0,state:null};case`link`:if(n.rel===`stylesheet`&&typeof
n.href===`string`&&typeof n.precedence===`string`){e=AF(n.href);var o=Ct(a).hoistableStyles,s=o.get(e);if(s){(a=a.owner
Document)[a,s={type:`stylesheet`,instance:null,count:0,state:loading,preload:null}],o.set(e,s),(o=a.querySelector(
jf(e)))&&o._p&&(s.instance=o,s.state.loading=5),mf.has(e))||(n={rel:`preload`,as:`style`,href:n.href,crossOrigin:n.cr
ossOrigin,integrity:n.integrity,media:n.media,hrefLang:n.hrefLang,referrerPolicy:n.referrerPolicy},mf.set(e,n),o||Nf(
a,e,n,s.state))),t&&r===null)throw Error(i(528,``));return s}if(t&&r===null)throw Error(i(529,``));return
null;case`script`:return t=n.async,n=n.src,typeof n===`string`&&typeof t===`function`&&typeof t===`symbol`?(t=Pf(n),n
=Ct(a).hoistableScripts,r=n.get(t),r||(r={type:`script`,instance:null,count:0,state:null},n.set(t,r)),r:{type:`void`
,instance:null,count:0,state:null};default:throw Error(i(444,e))}}function Af(e){return`href="+Ht(e)+"`}}function
jf(e){return`link[rel="stylesheet"]`+e}}function Mf(e){return
h(e),e,{`data-precedence`:e.precedence,precedence:null}}function Nf(e,t,n,r){e.querySelector(`link[rel="preload"]`)[as
=`style`][`+t`+`]`r.loading=1;(t=e.createElement(`link`),r.preload=t,t.addEventListener(`load`,function(){return
r.loading=1}),t.addEventListener(`error`,function(){return
r.loading=2}),Pd(t,`link`,n),wt(t),e.head.appendChild(t))}function Pf(e){return`src="+Ht(e)+"`}}function
Ff(e){return`script[async]+e`function If(e,t,n){if(t.count++,t.instance===null)switch(t.type){case`style`:var
r=e.querySelector(`style[data-href="+Ht(n.href)+""]`);if(r)return t.instance=r,wt(r),r;var
a=h({n,{`data-href`:n.href,`data-precedence`:n.precedence,href:null,precedence:null}});return r=(e.ownerDocument||e)

```



```

.createElement('style'),wt(r),Pd(r,'style',a),Lf(r,n.precedence,e),t.instance=r;case`stylesheet`:a=Af(n.href);var
o=e.querySelector(jf(a));if(o)return t.state.loading|=4,t.instance=o,wt(o,o);r=Mf(n),(a=mf.get(a))&&Rf(r,a),o=(e.owne
rDocument||e).createElement('link'),wt(o);var s=o;return s._p=new Promise(function(e,t){s.onload=e,s.onerror=t}),Pd(o
,'link',r),t.state.loading|=4,Lf(o,n.precedence,e),t.instance=o;case`script`:return o=Pf(n.src),(a=e.querySelector(Ff
(o)))?(t.instance=a,wt(a),a):(r=n,(a=mf.get(o))&&(r=h({},n),zf(r,a)),e.e.ownerDocument||e,a=e.createElement('script')
),wt(a),Pd(a,'link',r),e.head.appendChild(a),t.instance=a;case`void`:return null;default:throw
Error(i(443,t.type))}else
t.type===`stylesheet`&&!(t.state.loading&4)&&(r=t.instance,t.state.loading|=4,Lf(r,n.precedence,e));return
t.instance,function Lf(e,t,n){for(var r=n.querySelectorAll('link[rel="stylesheet"]')[data-precedence],style[data-preced
ence]),i=r.length-1,r.length-1:null,a=i,o=0;o<r.length;o++){var s=r[o];if(s.dataset.precedence===t)a=s;else if(a!==
i)break;a?a.parentNode.insertBefore(e,a.nextSibling):(t=n.nodeType===9?n.head:n,t.insertBefore(e,t.firstChild));}funct
ion Rf(e,t){e.crossOrigin??t.crossOrigin,e.referrerPolicy??t.referrerPolicy,e.title??t.title}function
zf(e,t){e.crossOrigin??t.crossOrigin,e.referrerPolicy??t.referrerPolicy,e.integrity??t.integrity}var
Bf=null;function Yf(e,t,n){if(Bf===null){var r=new Map,i=Bf=new Map;i.set(n,r)}else i=Bf,r=i.get(n,r)||r=new
Map,i.set(n,r);if(r.has(e))return r;for(r.set(e,null),n.getElementsByTagName(e),i=0;i<n.length;i++){var a=n[i];if(
![a.vt][a.dt][e===`link`&&a.getAttribute('rel')===`stylesheet`&&a.namespaceURI===`http://www.w3.org/2000/svg`]){var
o=a.getAttribute(t)||` `;o+=o;var s=r.get(o);s?s.push(a):r.set(o,[a])}return r}function
HF(e,t,n){e===e.e.ownerDocument||e.e.head.insertBefore(n,t,t===`title`?e.querySelector('head>title'):null)}function
UF(e,t,n){if(n===1){t.itemProp!=null?return1;switch(e){case`meta`:case`title`:return!0;case`style`:if(typeof
t.precedence!=='string')|t.typeof`string`|t.href!=`string`|t.href===``}break;return!0;case`link`:if(typeof
t.rel!=='string')|t.typeof`string`|t.href!=`string`|t.onLoad|t.onError}break;switch(t.rel){case`stylesheet`:return e=t.disabled,typeof
t.precedence=='string'&&e===null;default:return!0}case`script`:if(t.async&&typeof t.async!=='function'&&typeof
t.async!=`symbol`&&!(t.onload&&!(t.onError&&t.src&&typeof t.src=='string')return!1}function
WF(e){return!(e.type===`stylesheet`&&!(e.state.loading&3))}function Gf(e,t,n,r){if(n.type===`stylesheet`&&(typeof
r.media!=='string')|!1!==matchMedia(r.media).matches)&&!(n.state.loading&4)}(if(n.instance===null){var
i=Af(r.href),a=t.querySelector(jf(i));if(a){t=a._p,typeof t==='object'&&typeof t.then==='function'&&(e.count++,e=Jf.
bind(e),t.then(e,e)),n.state.loading|=4,n.instance=a,wt(a);return}a=t.ownerDocument||t,r=Mf(r),(i=mf.get(i))&&Rf(r,i
),a=a.createElement('link'),wt(a);var o=a;o._p=new
Promise(function(e,t){o.onload=e,o.onerror=t}),Pd(a,'link',r),n.instance=a)e.stylesheets===null&&(e.stylesheets=new M
ap),e.stylesheets.set(n,t),(t=n.state.preload&&!(n.state.loading&3)&&(e.count++,n=Jf.bind(e),t.addEventListener('load
',n),t.addEventListener('error',n)))}var Kf=0;function qf(e,t){return
e.stylesheets&&e.count===0&&Xf(e,e.stylesheets),0<e.count||0<e.imgCount?function(n){var
r=setTimeout(function(){if(e.stylesheets&&Xf(e,e.stylesheets),e.unsuspend){var
t=e.unsuspend;e.unsuspend=null,t({}),6e4+t)};0<e.imgBytes&&Kf===0&&(Kf=62500*Ld());var
i=setTimeout(function(){if(e.waitingForImages=1,e.count===0&&(e.stylesheets&&Xf(e,e.stylesheets),e.unsuspend){var
t=e.unsuspend;e.unsuspend=null,t({}),e.imgBytes>Kf?50:800)+t)};return
e.unsuspend=n,function(){e.unsuspend=null,clearTimeout(r),clearTimeout(i)}:null}function Jf(){if(this.count--,this.c
ount===0&&(this.imgCount===0||this.waitingForImages))){if(this.stylesheets)Xf(this,this.stylesheets);else
if(this.unsuspend){var e=this.unsuspend;this.unsuspend=null,e({})}var Yf=null;function
Xf(e,t){e.stylesheets=null,e.unsuspend!=='null'&&(e.count++,Yf=new Map,t.forEach(Zf,e),Yf=null,Jf.call(e))}function
Zf(e,t){if(!t.state.loading&4){var n=Yf.get(e);if(n)var r=n.get(null);else{n=new Map,Yf.set(e,n);for(var
i=e.querySelectorAll('link[data-precedence],style[data-precedence]'),a=0;a<i.length;a++){var
o=i[a];(o.nodeName===`LINK`||o.getAttribute('media')!=='not all')&&(n.set(o.dataset.precedence,o),r=o)}r&&n.set(null,
r)}i=t.instance,o=i.getAttribute('data-precedence'),a=n.get(o)||r,a===r&&n.set(null,i),n.set(o,i),this.count++,r=Jf.b
ind(this),i.addEventListener('load',r),i.addEventListener('error',r),a?a.parentNode.insertBefore(i,a.nextSibling):(e
.e.nodeType===9?e.head:e,e.insertBefore(i,e.firstChild)),t.state.loading|=4}}var
Qf=f($typeof:C,Provider:null,Consumer:null,currentValue:se,currentValue2:se,_threadCount:0);function $f(e,t,n,r,i,a
,o,s,c){this.tag=1,this.containerInfo=e,this.pingCache=this.current=this.pendingChildren=null,this.timeoutHandle=1,t
his.callbackNode=this.next=this.pendingContext=this.context=this.cancelPendingCommit=null,this.callbackPriority=0,this
.expirationTimes=et(-1),this.entangledLanes=this.shellSuspendCounter=this.errorRecoveryDisabledLanes=this.expiredLan
es=this.warmLanes=this.pingedLanes=this.suspendedLanes=this.pendingLanes=0,this.entanglements=et(0),this.hiddenUpdat
e=et(null),this.identifierPrefix=r,this.onUncaughtError=i,this.onCaughtError=a,this.onRecoverableError=0,this.pooledC
ache=null,this.pooledCacheLanes=0,this.formState=c,this.incompleteTransitions=new Map}function
ep(e,t,n,r,i,a,o,s,c,l,u,d){return e=new $f(e,t,n,o,c,l,u,d,s),t=1,i===a&&(t|=24),a=li(3,null,null,t),e.current=a,a.
stateNode=e,t=B(t),t.refCount++,e.pooledCache=t,t.refCount++,a.memoizedState={element:r,isDehydrated:n,cache:t},Ba(a),
e}function tp(e){return e?(e=s,e):si}function
np(e,t,n,r,i,a){i=tp(i),r.context===null?r.context=i:r.pendingContext=i,r=Ha(t),r.payload={element:n,a=a===void
0?null:a,a!=null&&(r.callback=a),n=Ua(e,r,t),n!=null&&(hu(n,e,t),wa(n,e,t))}function
rp(e,t){if(e=e.memoizedState,e!=null&&e.dehydrated!=='null'){var n=e.retryLane;e.retryLane=n!=='0&&n<t?n:t}}function
ip(e,t){rp(e,t),(e=e.alternate)&&rp(e,t)}function ap(e){if(e.tag===13||e.tag===31){var
t=L(e,67108864),t!=null&&hu(t,e,67108864),ip(e,67108864)}function op(e){if(e.tag===13||e.tag===31){var
t=pu(t);t=ot(t);var n=L(e,t);n!=null&&hu(n,e,t),ip(e,t)}var sp=!0;function cp(e,t,n,r){var i=k.T;k.T=null;var
a=A.p;try{A.p=2,up(e,t,n,r)}finally{A.p=a,k.T=i}}function lp(e,t,n,r){var i=k.T;k.T=null;var
a=A.p;try{A.p=8,up(e,t,n,r)}finally{A.p=a,k.T=i}}function up(e,t,n,r){if(sp){var
i=dp(r);if(i===null)wd(e,t,r,fp,n),Cp(e,r);else if(Tp(i,e,t,n,r))r.stopPropagation();else
if(Cp(e,r),t&&L<Sp.indexOf(Sp))for(;i!=='null';){var a=xt(i);if(a!=='null')switch(a.tag){case
3:if(a=a.stateNode,a.current.memoizedState.isDehydrated){var o=Ye(a.pendingLanes);if(o!=='0'){var
s=a;for(s.pendingLanes|=2,s.entangledLanes|=2;o;){var
c=1<<31-N(o);s.entanglements[1]|c,o&=-c}rd(a,!K&6)&&(tu=je()+500,id(0,1))}}break;case 31:case 13:s=L(a,2),s!=='nul
l&&hu(s,a,2),bu(r),ip(a,2)}if(a=dp(r),a===null&&wd(e,t,r,fp,n),a===1)break;i=a;i!=='null'&&r.stopPropagation();}else
wd(e,t,r,null,n)}function ep(e,t,n,r){var fp=null;function pp(e){if(fp=null,e=bt(e),e!=='null'){var
t=to(e);if(t===null)e=null;else{var n=t.tag;if(n===13){if(e=s(t),e!=='null')return e;e=null}else
if(n===31){if(e=c(t),e!=='null')return e;e=null}else if(n===3){if(t.stateNode.current.memoizedState.isDehydrated)return
t.tag=3?7:t.stateNode.containerInfo:null;e=null}else t!=='e&&(e=null)}return fp=e,null}function mp(e){switch(e){case
`beforetoggle`:case`cancel`:case`click`:case`close`:case`contextmenu`:case`copy`:case`cut`:case`auxclick`:case`dblcl
ick`:case`dragend`:case`dragstart`:case`drop`:case`focusin`:case`focusout`:case`input`:case`invalid`:case`keydown`:cas
e`keypress`:case`keyup`:case`mousedown`:case`mouseup`:case`paste`:case`pause`:case`play`:case`pointercancel`:case`poi
nterdown`:case`pointerup`:case`ratechange`:case`reset`:case`resize`:case`seeked`:case`submit`:case`toggle`:case`touch
cancel`:case`touchend`:case`touchstart`:case`volumechange`:case`change`:case`selectionchange`:case`textInput`:case`co
mpositionstart`:case`compositionend`:case`compositionupdate`:case`beforeblur`:case`afterblur`:case`beforeinput`:case`
blur`:case`fullscreenchange`:case`focus`:case`hashchange`:case`popstate`:case`select`:case`selectstart`:return 2;case
`drag`:case`dragenter`:case`dragexit`:case`dragleave`:case`dragover`:case`mousemove`:case`mouseout`:case`mouseover`:c
ase`pointermove`:case`pointerout`:case`pointerover`:case`scroll`:case`touchmove`:case`wheel`:case`mouseenter`:case`mo
useleave`:case`pointerenter`:case`pointerleave`:return 8;case`message`:switch(Me()){case Ne:return 2;case Pe:return
8;case Fe:case Ie:return 32;case Le:return 268435456;default:return 32}default:return 32}}var
hp=1,gp=null,_p=null,vp=null,yp=new Map,bp=new Map,xp=[],Sp='mousedown mouseup touchcancel touchend touchstart
auxclick dblclick pointercancel pointerdown pointerdrag dragstart drop compositionend compositionstart keydown
keypress keyup input textinput copy cut paste click change contextmenu reset'.split(` `);function Cp(e,t){switch(e){c
ase`focusin`:case`focusout`:gp=null;break;case`dragenter`:case`dragleave`:_p=null;break;case`mouseover`:case`mouseout`
:vp=null;break;case`pointerover`:case`pointerout`:yp.delete(t.pointerId);break;case`gotpointercapture`:case`lostpoin
tercapture`:bp.delete(t.pointerId)}function wp(e,t,n,r,i,a){return e===null||e.nativeEvent!=='a?(e={blockedOn:t,domev
entName:n,eventSystemFlags:r,nativeEvent:a,targetContainers:[i]},t!=='null&&(t=xt(t)),t!=='null&&ap(t)),e):(e.eventSyst
emFlags|=r,t=e.targetContainers,i!=='null&&t.indexOf(i)===-1&&t.push(i),e)}function
Tp(e,t,n,r,i){switch(t){case`focusin`:return gp=wp(gp,e,t,n,r,i),!0;case`dragenter`:return
_p=wp(_p,e,t,n,r,i),!0;case`mouseover`:return vp=wp(vp,e,t,n,r,i),!0;case`pointerover`:var a=i.pointerId;return
yp.set(a,wp(yp.get(a)||null,e,t,n,r,i)),!0;case`gotpointercapture`:return
a=i.pointerId,bp.set(a,wp(bp.get(a)||null,e,t,n,r,i)),!0}return!1}function Ep(e){var t=bt(e.target);if(t!=='null'){var
n=ot(t);if(n!=='null'){if(t=n.tag,t===13){if(t=s(n),t!=='null'){e.blockedOn=t,lt(e.priority,function(){op(n)});return}}els
e if(t===31){if(t=c(n),t!=='null'){e.blockedOn=t,lt(e.priority,function(){op(n)});return}}else if(t===3&&n.stateNode.cu
rrent.memoizedState.isDehydrated){e.blockedOn=n.tag===3?n.stateNode.containerInfo:null;return}}e.blockedOn=null}func

```



```

tion Dp(e){if(e.blockedOn!==null)return!1;for(var t=e.targetContainers;0<t.length;){var
n=dp(e.nativeEvent);if(n===null){n=e.nativeEvent;var r=new
n.constructor(n.type,n);an=r,n.target.dispatchEvent(r),an=null}else return
t=xt(n),t!==null&&ap(t),e.blockedOn=n,!1;t.shift()}return!0}function Op(e,t,n){Dp(e)&&n.delete(t)}function kp(){hp=!1
,gp!==null&&Dp(gp)&&(gp=null),_p!==null&&Dp(_p)&&(_p=null),vp!==null&&Dp(vp)&&(vp=null),yp.forEach(Op),bp.forEach(Op)
}function
Ap(e,n){e.blockedOn===n&&(e.blockedOn=null,hp||(hp=!0,t.unstable_scheduleCallback(t.unstable_NormalPriority,kp)))var
jp=null;function
Mp(e){jp!==e&&(jp=e,t.unstable_scheduleCallback(t.unstable_NormalPriority,function(){jp===e&&(jp=null);for(var
t=0;t<e.length;t+=3){var n=e[t],r=e[t+1],i=e[t+2];if(typeof r!=='function'){if(pp(r|n)===null)continue;break}var
a=xt(n),a!==null&&(t,3),t-=3,ss(a,{pending:!0,data:1,method:n.method,action:r,r,1}})}function
Np(e){function t(t){return
Ap(t,e){gp!==null&&Ap(gp,e),_p!==null&&Ap(_p,e),vp!==null&&Ap(vp,e),yp.forEach(t),bp.forEach(t);for(var
n=0;n<xp.length;n++){var r=xp[n];r.blockedOn===e&&(r.blockedOn=null)}for(;0<xp.length&&(n=xp[0],n.blockedOn===null);)
Ep(n),n.blockedOn===null&&xp.shift();if(n=(e.ownerDocument|e).$$reactFormReplay,n!==null)for(r=0;r<n.length;r+=3){var
i=n[r],a=n[r+1],o=i[ft]||null;if(typeof a=='function'){o|Mp(n);else if(o){var
s=null;if(a&&a.hasAttribute('formAction')){if(i=a,o=a[ft]||null)s=o.formAction;else if(pp(i)===null)continue}else
s=o.action;typeof s=='function'?n[r+1]=s:(n.splice(r,3),r-=3),Mp(n)}}function Pp(){function
e(e){e.canIntercept&&e.info=='react-transition'&&e.intercept({handler:function(){return new
Promise(function(e){return i=e}),focusReset:'manual',scroll:'manual'})}}function
t(i){i!==null&&(i(),i=null),r|setTimeout(n,20)}function n(){if(!r&&navigation.transition){var e=navigation.currentEnt
try,e&&e.url!==null&&navigation.navigate(e.url,{state:e.getState(),info:'react-transition',history:'replace'})}}if(ty
eof navigation=='object'){var r=!1,i=null;return navigation.addEventListener('navigate',e),navigation.addEventListene
r('navigatesuccess',t),navigation.addEventListener('navigateerror',t),setTimeout(n,100),function(){r=!0,navigation.re
moveEventListener('navigate',e),navigation.removeEventListener('navigatesuccess',t),navigation.removeEventListener('n
avigateerror',t),i!==null&&(i(),i=null)}}}function
Fp(e){this._internalRoot=e}Ip.prototype.render=Fp.prototype.render=function(e){var
t=this._internalRoot;if(t===null)throw Error(i(409));var
n=t.current;np(n,pu(),e,t,null,null),Ip.prototype.unmount=Fp.prototype.unmount=function(){var
e=this._internalRoot;if(e!==null){this._internalRoot=null;var
t=e.containerInfo;np(e.current,2,null,e,null,null),bu(),t[pt]=null}}function
Ip(e){this._internalRoot=e}Ip.prototype.unstable_scheduleHydration=function(e){if(e){var
t=ct(i);e={blockedOn:null,target:e,priority:t};for(var
n=0;n<xp.length&&t!==0&&t<xp[n].priority;n++);xp.splice(n,0,e,n===0&&Ep(e));var Lp=n.version;if(Lp!=='19.2.5')throw
Error(i(527,Lp,'19.2.5'));A.findDOMNode=function(e){var t=e._reactInternals;if(t===void 0)throw typeof
e.renderer=='function'?Error(i(188)):(e=Object.keys(e).join(','),Error(i(268,e)));return
e=d(t),e===null?null:p(e),e===null?null:e.stateNode,e};var Rp={bundleType:0,version:'19.2.5',rendererPackageName:
'react-dom',currentDispatcherRef:k,reconcilerVersion:'19.2.5'};if(typeof __REACT_DEVTOOLS_GLOBAL_HOOK__<'u'){var zp=
__REACT_DEVTOOLS_GLOBAL_HOOK___.if(!zp.isDisabled&&zp.supportsFiber)try{Be=zp.inject(Rp),Ve=zp.catch{}}e.createRoot=fun
ction(e,t){if(!a(e))throw Error(i(299));var n=!1,r='',o=Gs,s=Ks,c=qS;return
t=null&&(!0===t.unstable_strictMode&&(n=!0),t.identifierPrefix!==void
0&&(r=t.identifierPrefix),t.onUncaughtError!==void 0&&(o=t.onUncaughtError),t.onCaughtError!==void
0&&(s=t.onCaughtError),t.onRecoverableError!==void
0&&(c=t.onRecoverableError)),t=ep(e,i,1,null,null,n,r,null,o,s,c,Pp),e[pt]=t.current,Sd(e),new
Fp(t)}),g=0((e,t)=>function n(){if(!1(typeof __REACT_DEVTOOLS_GLOBAL_HOOK__>'u')||typeof __REACT_DEVTOOLS_GLOBAL_HO
OK___.checkDCE!=='function')try{__REACT_DEVTOOLS_GLOBAL_HOOK___.checkDCE(n)}catch(e){console.error(e)}n(),t.exports=h(
)}),_c(u(),1),vg(i);function y(e,t){var n={};for(var r in
e)Object.prototype.hasOwnProperty.call(e,r)&&t.indexOf(r)<0&&(n[r]=e[r]);if(e!==null&&typeof
Object.getOwnPropertySymbols=='function')for(var i=0,r=Object.getOwnPropertySymbols(e);i<r.length;i++)t.indexOf(r[i])
<0&&Object.prototype.propertyIsEnumerable.call(e,r[i])&&(n[r[i]]=e[r[i]]);return n}function b(e,t,n,r){function
l(e){return e instanceof n?e:new n(function(t){t(e)});return new(n)|=Promise(function(n,a){function
o(e){try{c(r.next(e))}catch(e){a(e)}function s(e){try{c(r.throw(e))}catch(e){a(e)}}function
c(e){e.done?(n(e.value):i(e.value).then(o,s));c((r=r).apply(e,t|[])).next()}}}var
x=e=>?(...t)=>e(...t):(...e)=>fetch(...e),S=class extends Error{constructor(e,t='FunctionsError',n){super(e,this.na
me=t,this.context=n)}toJSON(){return{name:this.name,message:this.message,context:this.context}},C=class extends
S{constructor(e){super('Failed to send a request to the Edge Function',`FunctionsFetchError`,e)},w=class extends
S{constructor(e){super('Relay Error invoking the Edge Function',`FunctionsRelayError`,e)},T=class extends
S{constructor(e){super('Edge Function returned a non-2xx status code',`FunctionsHttpError`,e)},E;(function(e){e.Any=
'any',e.ApNorthEast1='ap-northeast-1',e.ApNorthEast2='ap-northeast-2',e.ApSouth1='ap-south-1',e.ApSouthEast1='ap-sout
heast-1',e.ApSouthEast2='ap-southeast-2',e.CaCentral1='ca-central-1',e.EuCentral1='eu-central-1',e.EuWest1='eu-west-1
',e.EuWest2='eu-west-2',e.EuWest3='eu-west-3',e.SaEast1='sa-east-1',e.UsEast1='us-east-1',e.UsWest1='us-west-1',e.UsW
est2='us-west-2'})(E|={});var D=class{constructor(e,{headers:t={},customFetch:n,region:r=E.Any}={}){this.url=e,this.
headers=t,this.region=r,this.fetch=x(n)}setAuth(e){this.headers.Authorization='Bearer ${e}'}.invoke(e){return
b(this,arguments,void 0,function*(e,t){let
n,r;try{let{headers:i,method:a,body:o,signal:s,timeout:c}=t,l={},{region:u}=t;u|!=this.region;let d=new
URL(`${this.url}/${e}`);u&u!=='any'&&(l['x-region']=u,d.searchParams.set('forceFunctionRegion',u));let
f;o&&(i&&!Object.prototype.hasOwnProperty.call(i,'Content-Type'))||!i?typeof Blob<'u'&&o instanceof Blob|o
instanceof ArrayBuffer?([l'Content-Type']='application/octet-stream',f=o):typeof
o=='string'?([l'Content-Type']='text/plain',f=o):typeof FormData<'u'&&o instanceof
FormData?f=o:([l'Content-Type']='application/json',f=JSON.stringify(o)):f=o&&typeof o!='string'&&(typeof Blob<'u'&&o
instanceof Blob)&&!(o instanceof ArrayBuffer)&&(typeof FormData<'u'&&o instanceof FormData)?JSON.stringify(o):o;let
p=s;&&(r=new AbortController,n=setTimeout(()=>r.abort(),c),s?{p:r.signal,s.addEventListener('abort',()=>r.abort())}
:p:r.signal);let m=yield this.fetch(d.toString(),{method:a|'POST',headers:Object.assign(Object.assign(Object.assign(
{,l},this.headers),i),body:f,signal:p}).catch(e=>throw new
C(e)),h=m.headers.get('x-relay-error');if(h&&h==='true')throw new w(m);if(!m.ok)throw new T(m);let
g=m.headers.get('Content-Type')??'text/plain'.split(';')[0].trim(),;return _g==='application/json'?yield
m.json():g==='application/octet-stream'|g==='application/pdf'?yield
m.blob():g==='text/event-stream'?m.g==='multipart/form-data'?yield m.formData():yield
m.text(),{data:_,error:null,response:m})catch(e){return{data:null,error:e,response:e instanceof T|e instanceof
w?e.context:void
0}}finally{n&&clearTimeout(n)}}}),0=3,ee=e=>Math.min(1e3*2**e,3e4),te=[520,503],ne=['GET','HEAD','OPTIONS'],re=class
extends Error{constructor(e){super(e.message),this.name='PostgresError',this.details=e.details,this.hint=e.hint,this
s.code=e.code}toJSON(){return{name:this.name,message:this.message,details:this.details,hint:this.hint,code:this.code}
}};function ie(e,t){return new Promise(n=>{if(t?.aborted){n();return}let
r=setTimeout(()=>t?.removeEventListener('abort',i),n()),e);function
i(){clearTimeout(r),n()}t?.addEventListener('abort',i)}function
ae(e,t,n,r){return!(!r|n>=0)!ne.includes(e)||!te.includes(t)}var oe=class{constructor(e){this.shouldThrowOnError=!
1,this.retryEnabled=!0,this.method=e.method,this.url=e.url,this.headers=new Headers(e.headers),this.schema=e.schema,t
his.body=e.body,this.shouldThrowOnError=e.shouldThrowOnError??!1,this.signal=e.signal,this.isMaybeSingle=e.isMaybeSin
gle??!1,this.shouldStripNulls=e.shouldStripNulls??!1,this.urlLengthLimit=e.urlLengthLimit??8e3,this.retryEnabled=e.re
try??!0,e.fetch?this.fetch=e.fetch:this.fetch=fetch}throwOnError(){return
this.shouldThrowOnError!=!0,this.stripNulls(){if(this.headers.get('Accept')==='text/csv')throw Error('stripNulls()
cannot be used with csv()');return this.shouldStripNulls!=!0,this.setHeader(e,t){return this.headers=new
Headers(this.headers),this.headers.set(e,t),this.retry(e){return this.retryEnabled=e,this}then(e,t){var
n=this;if(this.schema===void 0){[('GET','HEAD').includes(this.method)?this.headers.set('Accept-Profile',this.schema):
this.headers.set('Content-Profile',this.schema)],this.method!=='GET'&&this.method!=='HEAD'&&this.headers.set('Content
-Type','application/json'),this.shouldStripNulls(){let e=this.headers.get('Accept');e==='application/vnd.pgsrc.object+
json'?this.headers.set('Accept','application/vnd.pgsrc.object+json;nulls=stripped'):(!e|e==='application/json')&&this
s.headers.set('Accept','application/vnd.pgsrc.array+json;nulls=stripped')}let r=this.fetch,i=(async())=>{let
e=0;for(;;){let t=new Headers(n.headers);e>0&&t.set('X-Retry-Count',String(e));let i;try{i=await
r(n.url.toString(),{method:n.method,headers:t,body:JSON.stringify(n.body,(e,t)=>typeof t=='bigint'?t.toString():t),si

```

```

    if(n.retryEnabled&&e.o){let t=lee(e,e).++await ie(t,n.signal);continue}throw
    t;if(ae(n.method,i.status,e,n.retryEnabled)){let
    t=1.headers?.get('Retry-After')?null,r=t===null?ee(e):Math.max(0,parseInt(t,10)||0)*1e3;await i.text(),e++,await ie(r,n.signal);continue}return await n.processResponse(i)}();return this.shouldThrowOnError||(i.i1.catch(e=>{let
    t='n',n='r',i=e?e?.cause;if(i){let n=i?.message??'',r=i?.code??'';t=`${e?.name??'FetchError'}:
    ${e?.message}`,t+='\n\nCaused by: ${i?.name??'Error'}: ${n}',r&&t+='\n\n${r}',i?.stack&&t+='\n\n${i.stack}`})else
    t=e?.stack??'';let a=this.url.toString().length;return e?.name==='AbortError'||e?.code==='ABORT_ERR'?(r='n',n='Request
    was aborted (timeout or manual cancellation)',a>this.urlLengthLimit&&n='n').Note: Your request url is ${a}
    characters, which may exceed server limits. If selecting many fields, consider using views. If filtering with large
    arrays (e.g., .in('id', [many IDs])), consider using an RPC function to pass values
    server-side.`):{i?.name==='HeadersOverflowError'||i?.code==='UND_ERR_HEADERS_OVERFLOW'}&&(r='n',n='HTTP headers
    exceeded server limits (typically 16KB)',a>this.urlLengthLimit&&n='n').Your request url is ${a} characters. If
    selecting many fields, consider using views. If filtering with large arrays (e.g., .in('id', [200+ IDs])), consider
    using an RPC function instead.`)},[success:!!1,error:{message:`${e?.name??'FetchError'}:
    ${e?.message}`,details:t,hint:n,code:r},data:null,count:null,statusText:''}),i.then(e,t){async
    processResponse(e){var t=this;let n=null,r=null,i=null,a=e.status,o=e.statusText;if(e.ok){if(t.method!=='HEAD'){let
    n=await e.text();n===''?(r=t.headers.get('Content')==='text/csv'||t.headers.get('Accept')&t.headers.get('Accept')?.
    includes('application/vnd.pgrst.plan+text')?'n:JSON.parse(n))let s=t.headers.get('Prefer')?.match(/count=(exact|planne
    d|estimated)/),c=e.headers.get('content-range')?.split('/')&s&&c&c.length>1&&i=parseInt(c[1]),t.isMaybeSingle&&Arr
    ay.isArray(r)&&r.length>1?(n={code:'PGRST116',details:'Results contain ${r.length} rows,
    application/vnd.pgrst.object+json requires 1 row',hint:null,message:JSON object requested, multiple (or no) rows
    returned'},r=null,i=null,a=406,o='Not Acceptable'):r=r.length===1?r[0]:null}else{let i=await e.text();try{n=JSON.par
    se(i),Array.isArray(n)&&e.status===404&&(r=[],n=null,a=200,o='OK')}catch{e.status===404&i===''?(a=204,o='No
    Content'):n={message:i}}if(!n&t.shouldThrowOnError)throw new
    re(n)}return{success:n===null,error:n,data:r,count:i,status:a,statusText:o}}returns(){return
    this.overrideTypes()}{return this},k=class extends oe{select(e){let
    t=1,n={?e??:''}.split('').map(e=>\/s/.test(e)&t?`${e}="`&t=t+e),e).join('');return this.url.searchParams.set(`
    select`,n),this.headers.append('Prefer`,`return=representation`),this.order(e,{ascending:t===0,nullsFirst:n,foreignTab
    le:r,referencedTable:i:r}={}){let a=i?`${i}.order`:`order`,o=this.url.searchParams.get(a);return
    this.url.searchParams.set(a,`${o}?${o}`)}${e}.${t}?asc`:`desc`}${n===void
    0?`n?`:`nullsfirst`:`nullslast`}),this.limit(e,{foreignTable:t,referencedTable:n=t}={}){let r=n===void
    0?`limit`:`${n}.limit`;return
    this.url.searchParams.set(r,`${e}`),this.range(e,t,{foreignTable:n,referencedTable:r=n}={}){let i=r===void
    0?`offset`:`{r}.offset`,a=r===void 0?`limit`:`{r}.limit`;return
    this.url.searchParams.set(i,`${e}`),this.url.searchParams.set(a,`${t-e+1}`),this.abortSignal(e){return
    this.signal=e,this.single()}{return
    this.headers.set('Accept`,`application/vnd.pgrst.object+json`),this.maybeSingle()}{return
    this.isMaybeSingle===0,this.csv()}{return this.headers.set('Accept`,`text/csv`),this.geojson()}{return this.headers.set(
    'Accept`,`application/geoparson`),this.explain({analyze:e===1,verbose:t===1,settings:r===1,buffers:i===1,format:a=
    'text'}={}){let o=[e?`analyze`:`null`,`verbose`:`null`,`n?`settings`:`null`,`r?`buffers`:`null`,`i?`wal`:`null`].filter(Boolean
    ).join(' '),s=this.headers.get('Accept')??`application/json`;return
    this.headers.set('Accept`,`application/vnd.pgrst.plan+${a}; for=${s}`; options=${o}`),this.rollback()}{return
    this.headers.append('Prefer`,`tx=rollback`),this.returns()}{return this.maxAffected()}{return this.headers.append('Pre
    fer`,`handling=strict`),this.headers.append('Prefer`,`max-affected=${e}`),this.$(),A=RegExp('[,()]'),se=class extends
    k{eq(e,t){return this.url.searchParams.append(e,`eq.${t}`),this.neq(e,t){return
    this.url.searchParams.append(e,`neq.${t}`),this.gt(e,t){return
    this.url.searchParams.append(e,`gt.${t}`),this.gte(e,t){return
    this.url.searchParams.append(e,`gte.${t}`),this.lt(e,t){return
    this.url.searchParams.append(e,`lt.${t}`),this.lte(e,t){return
    this.url.searchParams.append(e,`lte.${t}`),this.like(e,t){return
    this.url.searchParams.append(e,`like.${t}`),this.likeAllOf(e,t){return
    this.url.searchParams.append(e,`like(all).${t}.join(',')`),this.likeAnyOf(e,t){return
    this.url.searchParams.append(e,`like(any).${t}.join(',')`),this.like(e,t){return
    this.url.searchParams.append(e,`like.${t}`),this.likeAllOf(e,t){return
    this.url.searchParams.append(e,`like(all).${t}.join(',')`),this.likeAnyOf(e,t){return
    this.url.searchParams.append(e,`like(any).${t}.join(',')`),this.regexMatch(e,t){return
    this.url.searchParams.append(e,`match.${t}`),this.regexIMatch(e,t){return
    this.url.searchParams.append(e,`imatch.${t}`),this.is(e,t){return
    this.url.searchParams.append(e,`is.${t}`),this.isDistinct(e,t){return
    this.url.searchParams.append(e,`isdistinct.${t}`),this.in(e,t){let n=Array.from(new Set(t)).map(e=>typeof
    e==='string'&&A.test(e)?`${e}`:`${e}`).join(',')return
    this.url.searchParams.append(e,`in.${n}`),this.notIn(e,t){let n=Array.from(new Set(t)).map(e=>typeof
    e==='string'&&A.test(e)?`${e}`:`${e}`).join(',')return
    this.url.searchParams.append(e,`not.in.${n}`),this.contains(e,t){return typeof t==='string'?this.url.searchParams.ap
    pend(e,`cs.${t}`):Array.isArray(t)?this.url.searchParams.append(e,`cs.${t}.join(',')`):this.url.searchParams.append
    (e,`cs.${t}.stringify(t)`),this.containedBy(e,t){return typeof t==='string'?this.url.searchParams.append(e,`cd.${t}`
    ):Array.isArray(t)?this.url.searchParams.append(e,`cd.${t}.join(',')`):this.url.searchParams.append(e,`cd.${t}.JSON.s
    tringify(t)`),this.rangeGt(e,t){return this.url.searchParams.append(e,`sr.${t}`),this.rangeGte(e,t){return
    this.url.searchParams.append(e,`nxl.${t}`),this.rangeLt(e,t){return
    this.url.searchParams.append(e,`sl.${t}`),this.rangeLte(e,t){return
    this.url.searchParams.append(e,`nxr.${t}`),this.rangeAdjacent(e,t){return
    this.url.searchParams.append(e,`adj.${t}`),this.overlaps(e,t){return typeof t==='string'?this.url.searchParams.append(
    e,`ov.${t}`):this.url.searchParams.append(e,`ov.${t}.join(',')`),this.textSearch(e,t,{config:n,type:r}={}){let
    i='r'===`plain`?'i`:`pl`==='phrase`?'i`:`ph`==='websearch`&&(i='w');let a=n===void 0?`${n}`:`${n}`;return
    this.url.searchParams.append(e,`${i}fts.${a}.${t}`),this.match(e){return Object.entries(e).filter(([,e])=>t!==void
    0).forEach(([,e,t])=>{this.url.searchParams.append(e,`eq.${t}`)}),this.not(e,t,n){return
    this.url.searchParams.append(e,`not.${t}.${n}`),this.or(e,{foreignTable:t,referencedTable:n=t}={}){let
    r=n?`${n}.or`:`or`;return this.url.searchParams.append(r,`${e}`),this.filter(e,t,n){return this.url.searchParams.ap
    pend(e,`${t}.${n}`),this.ce=class{constructor(e,{headers:t,schema:n,fetch:r,urlLengthLimit:i=8e3,reply:a}){this.
    url=e,this.headers=new
    Headers(t),this.schema=n,this.fetch=r,this.urlLengthLimit=i,this.retry=a.cloneRequestState(){return{url:new
    URL(this.url.toString()),headers:new Headers(this.headers)}select(e,t){let{head:n=1,count:r=t??t,i=n?'HEAD':'GET'
    ,a=1,o=e??''}.split('').map(e=>\/s/.test(e)&a?`${e}="`&a=[a],e).join(''),url:s,headers:c}=this.cloneReque
    sState();return s.searchParams.set('select`,o),r&&c.append('Prefer`,`count=${r}`),new se({method:i,url:s,headers:c,s
    schema:this.schema,fetch:this.fetch,urlLengthLimit:this.urlLengthLimit,retry:this.retry})insert(e,{count:t,defaultToN
    ull:n=10}={}){let{url:r,headers:i}=this.cloneRequestState();if(!t&i.append('Prefer`,`count=${t}`),n|i.append('Prefer
    `,`missing=default`),Array.isArray(e)){let t=e.reduce((e,t)=>e.concat(Object.keys(t)),[]);if(t.length>0){let
    e=[...new Set(t)].map(e=>`${e}`);r.searchParams.set('columns`,e.join(',')})return new se({method:'POST',url:r,head
    ers:i,schema:this.schema,body:e,fetch:this.fetch??fetch,urlLengthLimit:this.urlLengthLimit,retry:this.retry})}upsert(
    e,{onConflict:t,ignoreDuplicates:n=1,count:r,defaultToNull:i=10}={}){let{url:a,headers:o}=this.cloneRequestState();i
    f(o.append('Prefer`,`resolution=${n?`ignore`:`merge`}-duplicates`),t===void 0&&a.searchParams.set('on_conflict`,t),r&
    o.append('Prefer`,`count=${t}`),i|i.append('Prefer`,`missing=default`),Array.isArray(e)){let
    t=e.reduce((e,t)=>e.concat(Object.keys(t)),[]);if(t.length>0){let e=[...new
    Set(t)].map(e=>`${e}`);a.searchParams.set('columns`,e.join(',')})return new se({method:'POST',url:a,headers:o,sche
    ma:this.schema,body:e,fetch:this.fetch??fetch,urlLengthLimit:this.urlLengthLimit,retry:this.retry})}update(e,{count:t
    }={}){let{url:n,headers:r}=this.cloneRequestState();return t&&r.append('Prefer`,`count=${t}`),new se({method:'PATCH',
    url:n,headers:r,schema:this.schema,body:e,fetch:this.fetch??fetch,urlLengthLimit,retry:this.retry})delete({count:e}={}){let{url:t,headers:n}=this.cloneRequestState();return e&&n.append('Prefer`,`count=${e}`),new s
    e({method:'DELETE',url:t,headers:n,schema:this.schema,fetch:this.fetch??fetch,urlLengthLimit:this.urlLengthLimit,ret
    ry:this.retry})}}function le(e){@babel/helpers - typeOf;return le=typeof Symbol==='function'&&typeof

```

```

Symbol.iterator='symbol'?function(e){return typeof e}:function(e){return e&&typeof
Symbol==function&&e.constructor==Symbol&&e!=Symbol.prototype?'symbol':typeof e},le(e))function
ue(e,t){if(le(e)!='object'&&!e)return e;var n=e[Symbol.toPrimitive];if(n!=void 0){var
r=n.call(e,t||'default');if(le(r)!='object')return r;throw TypeError( '@toPrimitive must return a primitive
value.' )}return(t==='string'?String:Number)(e))function de(e){var t=ue(e,'string');return
le(t)=='symbol'?t:t+''}function j(e,t,n){return(t=de(t))in
e?Object.defineProperty(e,t,{value:n,enumerable:!0,configurable:!0,writable:!0}):e[t]=n,e}function fe(e,t){(var
n=Object.keys(e);if(Object.getOwnPropertySymbols){var
r=Object.getOwnPropertySymbols(e);t&&(r=r.filter(function(t){return
Object.getOwnPropertyDescriptor(e,t).enumerable})),n.push.apply(n,r)}return n}function pe(e){for(var
t=1;t<arguments.length;t++){var n=arguments[t]==null?{}:arguments[t];t%2?fe(Object(n),!0).forEach(function(t){j(e,t,n
[t])}):Object.getOwnPropertyDescriptors?Object.defineProperties(e,Object.getOwnPropertyDescriptors(n)):fe(Object(n)).
forEach(function(t){Object.defineProperty(e,t,Object.getOwnPropertyDescriptor(n,t))})}return e}var me=class e{constru
ctor(e,{headers:t={},schema:n,fetch:r,timeout:i,urlLengthLimit:a=8e3,retry:o={}){this.url=e,this.headers=new
Headers(t),this.schemaName=n,this.urlLengthLimit=a;let s=r?globalThis.fetch;i==void 0&&i>0?this.fetch=(e,t)=>{let
n=new AbortController,r=setTimeout(()=>n.abort(),i),a=t?.signal;if(a){if(a.aborted)return clearTimeout(r),s(e,t);let
i()=>{clearTimeout(r),n.abort()};return a.addEventListener('abort',i,{once:!0}),s(e,pe(pe({t},{},{signal:n.signal}
))).finally(()=>{clearTimeout(r),a.removeEventListener('abort',i)})}return
s(e,pe(pe({t},{},{signal:n.signal}))).finally(()=>clearTimeout(r))}:this.fetch=s,this.retry=o}from(e){if(!e||typeof
e!='string'!|e.trim()===``)throw Error('Invalid relation name: relation must be a non-empty string.')}return new
ce(new URL(`${this.url}/${e}`),{headers:new Headers(this.headers),schema:this.schemaName,fetch:this.fetch,urlLengthLi
mit:this.urlLengthLimit,retry:this.retry})}schema(t){return new e(this.url,{headers:this.headers,schema:t,fetch:this
.fetch,urlLengthLimit:this.urlLengthLimit,retry:this.retry})}rpc(e,t={,head:n=!1,get:r=!1,count:i={}){let a,o=new
URL(`${this.url}/rpc/${e}`),s,c=e==typeof e=='object'&&!e&&Array.isArray(e)||e.some(c)||l=n&&Object.values(t).some
(c):l?(a='POST',s=t):n||!?(a='GET',s=t):a='GET',Object.entries(t).filter(([,t])=>t!=void 0).map(([,t])=>[e,Array.isArr
ay(t)?`${t}.join(',')`]:`${t}`}).forEach(([,t])=>[o.searchParams.append(e,t)]):(a='POST',s=t);let u=new
Headers(this.headers);return
l?u.set('Prefer',i?'count=${i}',return=minimal':return=minimal'):i&&u.set('Prefer','count=${i}'),new se({method:a,url
:o,headers:u,schema:this.schemaName,fetch:this.fetch?fetch,urlLengthLimit:this.urlLengthLimit,retry:this.retr
y})}};he=class{constructor(){static detectEnvironment(){if(typeof
WebSocket<'u')return{type:'native',constructor:WebSocket};if(typeof globalThis<'u'&&globalThis.WebSocket!==void
0)return{type:'native',constructor:globalThis.WebSocket};if(typeof global<'u'&&global.WebSocket!==void
0)return{type:'native',constructor:global.WebSocket};if(typeof globalThis<'u'&&globalThis.WebSocketPair!==void
0&&globalThis.WebSocket==void 0)return{type:'cloudflare',error:'Cloudflare Workers detected. WebSocket clients are
not supported in Cloudflare Workers.',workaround:'Use Cloudflare Workers WebSocket API for server-side WebSocket
handling, or deploy to a different runtime.'};if(typeof globalThis<'u'&&globalThis.EdgeRuntime|typeof
navigator<'u'&&navigator.userAgent?.includes('Vercel-Edge'))return{type:'unsupported',error:'Edge runtime detected
(Vercel Edge/Netlify Edge). WebSockets are not supported in edge functions.',workaround:'Use serverless functions or
a different deployment target for WebSocket functionality.'};let e=globalThis.process;if(e){let
t=e.versions;if(t&&t.node){let e=t.node,n=parseInt(e.replace(/^v/,``).split('.')[0]);return
n>22?globalThis.WebSocket==void 0?{type:'unsupported',error:'Node.js ${n} detected but native WebSocket not
found.',workaround:'Provide a WebSocket implementation via the transport
option.':{type:'native',constructor:globalThis.WebSocket}:type:'unsupported',error:'Node.js ${n} detected without
native WebSocket support.',workaround:'For Node.js < 22, install "ws" package and provide it via the transport
option:
00010: import ws from "ws"
00011: new RealtimeClient(url, { transport: ws })}}return{type:'unsupported',error:'Unknown JavaScript runtime without
WebSocket support.',workaround:'Ensure you're running in a supported environment (browser, Node.js, Deno) or provide
a custom WebSocket implementation.')}}static getWebSocketConstructor(){let
e=this.detectEnvironment();if(e.constructor)return e.constructor;let t=e.error||'WebSocket not supported in this
environment.';throw e.workaround&&(t+=`\n\nSuggested solution: ${e.workaround}`),Error(t)}static
isWebSocketSupported(){try{let e=this.detectEnvironment();return e.type==='native'!|e.type==='ws'?catch{return!1}};g
e='realtime-js/2.105.1',e='1.0.0',ve='2.0.0',ye=ve,be=ie4,x={closed:'closed',errored:'errored',joined:'joined',join
ing:'joining',leaving:'leaving'},Se={close:'phx_close',error:'phx_error',join:'phx_join',reply:'phx_reply',leave:'phx
_leave',access_token:'access_token'},Ce={connecting:'connecting',open:'open',closing:'closing',closed:'closed'},we=cl
ass{constructor(e){this.HEADER_LENGTH=1,this.USER_BROADCAST_PUSH_META_LENGTH=6,this.KINDS={userBroadcastPush:3,userBr
oadcast:4},this.BINARY_ENCODING=0,this.JSON_ENCODING=1,this.BROADCAST_EVENT='broadcast',this.allowedMetadataKeys=[],t
his.allowedMetadataKeys=e??[]}}encode(e,t){if(e.event===this.BROADCAST_EVENT&&(e.payload instanceof
ArrayBuffer)&&typeof e.payload.event=='string')return t(this._binaryEncodeUserBroadcastPush(e));let
n=[e.join_ref,e.ref,e.topic,e.event,e.payload];return t(JSON.stringify(n))._binaryEncodeUserBroadcastPush(e){return t
his._isArrayBuffer(e.payload)?this._encodeBinaryUserBroadcastPush(e):this._encodeJsonUserBroadcastPush(e)}_e
ncodeBinaryUserBroadcastPush(e){let t=e.payload?new ArrayBuffer(0);return
this._encodeUserBroadcastPush(e,this.BINARY_ENCODING,t)}_encodeJsonUserBroadcastPush(e){let
t=e.payload?payload??{};n=new TextEncoder().encode(JSON.stringify(t)).buffer;return
this._encodeUserBroadcastPush(e,this.JSON_ENCODING,n)}_encodeUserBroadcastPush(e,t,n){let r=e.topic,i=e.ref??``,a=e.j
oin_ref??``,o=e.payload.event,s=this.allowedMetadataKeys?this._pick(e.payload,this.allowedMetadataKeys):{},c=Object.k
eys(s).length==0?'':JSON.stringify(s);if(a.length>255)throw Error('joinRef length ${a.length} exceeds maximum of
255');if(i.length>255)throw Error('ref length ${i.length} exceeds maximum of 255');if(r.length>255)throw Error('topic
length ${r.length} exceeds maximum of 255');if(o.length>255)throw Error('userEvent length ${o.length} exceeds
maximum of 255');if(c.length>255)throw Error('metadata length ${c.length} exceeds maximum of 255');let
l=this.USER_BROADCAST_PUSH_META_LENGTH+a.length+i.length+r.length+o.length+c.length,u=new
ArrayBuffer(this.HEADER_LENGTH+l),d=new DataView(u),f=0;d.setUint8(f++,this.KINDS.userBroadcastPush),d.setUint8(f++,a
.length),d.setUint8(f++,i.length),d.setUint8(f++,r.length),d.setUint8(f++,o.length),d.setUint8(f++,c.length),d.setUin
t8(f++,t),Array.from(a,e=>d.setUint8(f++,e.charCodeAt(0))),Array.from(i,e=>d.setUint8(f++,e.charCodeAt(0))),Array.fro
m(r,e=>d.setUint8(f++,e.charCodeAt(0))),Array.from(o,e=>d.setUint8(f++,e.charCodeAt(0))),Array.from(c,e=>d.setUint8(f
++e.charCodeAt(0))),var p=new Uint8Array(u.byteLength+n.byteLength);return p.set(new Uint8Array(u),0),p.set(new
Uint8Array(n),u.byteLength),p.buffer}decode(e,t){if(this._isArrayBuffer(e))return t(this._binaryDecode(e));if(typeof
e=='string'){let[n,r,i,a,o]=JSON.parse(e);return t({join_ref:n,ref:r,topic:i,event:a,payload:o})}return
t({})}_binaryDecode(e){let t=new DataView(e),n=t.getUint8(0),r=new TextDecoder;switch(n){case
this.KINDS.userBroadcast:return this._decodeUserBroadcast(e,t,r)}_decodeUserBroadcast(e,t,n){let r=t.getUint8(1),i=t
.getUint8(2),a=t.getUint8(3),o=t.getUint8(4),s=this.HEADER_LENGTH+4,c=n.decode(e.slice(s,s+r));s+=r;let
l=n.decode(e.slice(s,s+i));s+=i;let u=n.decode(e.slice(s,s+a));s+=a;let d=e.slice(s,e.byteLength),f=o===this.JSON_ENC
ODING?JSON.parse(n.decode(d)):d,p={type:this.BROADCAST_EVENT,event:l,payload:f};return a>0&&(p.meta=JSON.parse(u)),{j
oin_ref:null,ref:null,topic:c,event:this.BROADCAST_EVENT,payload:p}}_isArrayBuffer(e){return e instanceof
ArrayBuffer!|e?.constructor?.name==='ArrayBuffer'}_pick(e,t){return!e||typeof e!='object'?{}:Object.fromEntries(Objec
t.entries(e).filter(([,e])=>!.includes(e)))},M:(function(){e.abstime='abstime',e.bool='bool',e.date='date',e.dateran
ge='daterange',e.float4='float4',e.float8='float8',e.int2='int2',e.int4='int4',e.int4range='int4range',e.int8='int8',
e.int8range='int8range',e.json='json',e.jsonb='jsonb',e.money='money',e.numeric='numeric',e.oid='oid',e.reltime='relt
ime',e.text='text',e.time='time',e.timestamp='timestamp',e.timestampz='timestampz',e.timetz='timetz',e.tsrange='tsr
ange',e.tstzrange='tstzrange'})(M|={});var Te=(e,t,n={})=>{let r=n.skipTypes??[];return
t?Object.keys(r).reduce((n,i)=>[n[i]=!e(i,e,t,r),n],{}):{}},Ee=(e,t,n,r)=>{let
i=t.find(t=>t.name===e)?t.type,a=n[e]:return i&&!r.includes(i)?De(i,a):Oe(a),De(e,t)=>{if(e.charAt(0)=='_')return
Me(t,e.slice(1,e.length));switch(e){case M.bool:return ke(t);case M.float4:case M.float8:case M.int2:case M.int4:case
M.int8:case M.numeric:case M.oid:return Ae(t);case M.json:case M.jsonb:return je(t);case M.timestamp:return
Ne(t);case M.abstime:case M.date:case M.daterange:case M.int4range:case M.int8range:case M.money:case M.reltime:case
M.text:case M.time:case M.timestampz:case M.timez:case M.tsrange:case M.tstzrange:return Oe(t);default:return
Oe(t)}},Oe=e=>e,ke=e=>{switch(e){case t:'return!0';case f:'return!1';default:return e}},Ae=e=>{if(typeof
e=='string'){let t=parseFloat(e);if(!Number.isNaN(t))return t}return e},je=e=>{if(typeof e=='string')try{return
JSON.parse(e)}catch{return e}return e},Me=(e,t)=>{if(typeof e!='string')return e;let
n=e.length-1,r=e[n];if(e[0]=='_'&&r==='')}{let
r,i=e.slice(1,n);try{r=JSON.parse(`[${i}]`)}catch{r=i?.split(','):[]}return r.map(e=>De(t,e))}return

```



```

e),Ne=e==>typeof e=='string'?e.replace(/`/g,''):e,Pe=e=>{let t=new URL(e);return t.protocol=t.protocol.replace(/aws/i,
'http'),t.pathname=t.pathname.replace(/\/+$/,'').replace(/\/socket\/websocket$/i,'').replace(/\/socket$/i,'').replace
(/\/websocket$/i,''),t.pathname===``?t.pathname='/api/broadcast':t.pathname='/api/broadcast',t.href
},Fe=e==>typeof e=='function'?e:function(){return e},Je=typeof self<'u'?self:null,Le=typeof window<'u'?window:null,Re
=!!e||e[globalThis,ze='2.0.0',Be=1e4,Ve=1e3,He={connecting:0,open:1,closing:2,closed:3},N={closed:'closed',errored:'
error',joined:'joined',joining:'joining',leaving:'leaving'},Ue={close:'phx_close',error:'phx_error',join:'phx_join'
,reply:'phx_reply',leave:'phx_leave'},We={longpoll:'longpoll',websocket:'websocket'},Ge={complete:4},Ke='base64url.be
arar.phx.',qe=class{constructor(e,t,n,r){this.channel=e,this.event=t,this.payload=n||function(){return{}};this.receive
dResp=null,this.timeout=r,this.timeoutTimer=null,this.reHooks=[],this.sent=1,this.ref=void 0}resend(e){this.timeou
t=e,this.reset(),this.send({})send(){this.hasReceived('timeout')}||(this.startTimeout(),this.sent=10,this.channel.socke
t.push({topic:this.channel.topic,event:this.payload(),ref:this.ref,join_ref:this.channel.joinRef()
}));receive(e,t){return this.hasReceived(e)&&t(this.receivedResp.response),this.reHooks.push({status:e,callback:t});
this.reset()}{this.cancelRefEvent(),this.ref=null,this.refEvent=null,this.receivedResp=null,this.sent=1}destroy(){thi
s.cancelRefEvent(),this.cancelTimeout()}matchReceive({status:e,response:t,_ref:n}){this.reHooks.filter(t=>t.status==
=e).forEach(e=>e.callback(t))}cancelRefEvent(){this.refEvent&&this.channel.off(this.refEvent)}cancelTimeout(){clearTi
meout(this.timeoutTimer),this.timeoutTimer=null}startTimeout(){this.timeoutTimer&&this.cancelTimeout(),this.ref=this.
channel.socket.makeRef(),this.refEvent=this.channel.replyEventName(this.ref),this.channel.on(this.refEvent,e=>{this.c
ancelRefEvent(),this.cancelTimeout(),this.receivedResp=e,this.matchReceive(e)}),this.timeoutTimer=setTimeout(()=>{thi
s.trigger('timeout',{}),this.timeoutTimer.hasReceived(e){return this.receivedResp&&this.receivedResp.status===e}trigger(
e,t){this.channel.trigger(this.refEvent,{status:e,response:t})},Je=class{constructor(e,t){this.callback=e,this.timer
Calc=t,this.timer=void 0,this.tries=0}reset(){this.tries=0,clearTimeout(this.timer)}scheduleTimeout(){clearTimeout(thi
s.timer),this.timer=setTimeout(()=>{this.tries+=1,this.callback(),this.timerCalc(this.tries+1)}),Ye=class{construc
tor(e,t,n){this.state=N.closed,this.topic=e,this.params=Fe(t||{}),this.socket=n,this.bindings=[],this.bindingRef=0,th
is.timeout=this.socket.timeout,this.joinedOnce=!1,this.joinPush=new
qe(this,Ue.join,this.params,this.timeout),this.pushBuffer=[],this.stateChangeRefs=[],this.rejoinTimer=new Je(()=>{thi
s.socket.isConnected()}&&this.rejoin(),this.socket.rejoinAfterMs),this.stateChangeRefs.push(this.socket.on(():=>{thi
s.rejoinTimer.reset()}),this.stateChangeRefs.push(this.socket.onOpen(():=>{this.rejoinTimer.reset(),this.isErrored()
&&this.rejoin()})),this.joinPush.receive('ok',():=>{this.state=N.joined,this.rejoinTimer.reset(),this.pushBuffer.forEa
ch(e=>e.send()),this.pushBuffer=[]}),this.joinPush.receive('error',e=>{this.state=N.errored,this.socket.hasLogger()&&
this.socket.log('channel','error',{this.topic},e),this.socket.isConnected()}&&this.rejoinTimer.scheduleTimeout()),thi
s.onClose(():=>{this.rejoinTimer.reset(),this.socket.hasLogger()&&this.socket.log('channel','close',{this.topic}),thi
s.state=N.closed,this.socket.remove(this)},this.onError(e=>{this.socket.hasLogger()&&this.socket.log('channel','err
or',{this.topic},e),this.isJoining()&&this.joinPush.reset(),this.state=N.errored,this.socket.isConnected()}&&this.rej
oinTimer.scheduleTimeout()),this.joinPush.receive('timeout',():=>{this.socket.hasLogger()&&this.socket.log('channel'
,'timeout',{this.topic}),this.joinPush.timeout,new qe(this,Ue.leave,Fe({}),this.timeout).send(),this.state=N.errored,
this.joinPush.reset(),this.socket.isConnected()}&&this.rejoinTimer.scheduleTimeout()),this.on(Ue.reply,(e,t)=>{this.t
rigger(this.replyEventName(t),e)}))join(e=this.timeout){if(this.joinedOnce)throw Error('tried to join multiple times.
')join() can only be called a single time per channel instance'}return this.timeout=e,this.joinedOnce=!0,this.rejoin(
),this.joinPush.teardown(){this.pushBuffer.forEach(e=>e.destroy()),this.pushBuffer=[],this.rejoinTimer.reset(),this.j
oinPush.destroy(),this.state=N.closed,this.bindings=[]}onClose(e){this.on(Ue.close,e)}onError(e){return
this.on(Ue.error,t=>e(t))}on(e,t){let n=this.bindingRef++;return this.bindings.push({event:e,ref:n,callback:t}),n}off
(e,t){this.bindings=this.bindings.filter(n=>!(n.event===e&&t===void 0||t===n.ref))}canPush(){return
this.socket.isConnected()}&&this.isJoined()}push(e,t,n=this.timeout){if(t||=,!this.joinedOnce)throw Error('tried to
push',{e}' to',{this.topic}' before joining. Use channel.join() before pushing events');let r=new
qe(this,e,function(){return t,n});return this.canPush()?r.send():{r.startTimeout(),this.pushBuffer.push(r)},r.leave(e
=this.timeout){this.rejoinTimer.reset(),this.joinPush.cancelTimeout(),this.state=N.leaving;let
t()=>{this.socket.hasLogger()&&this.socket.log('channel','leave
${this.topic}',this.trigger(Ue.close,'leave')),n=new qe(this,Ue.leave,Fe({}),e);return n.receive('ok',():=>t()).recei
ve('timeout',():=>t()),n.send(),this.canPush()||n.trigger('ok',{}),n}onMessage(e,t,n){return
t}filterBindings(e,t,n){return!0}isMember(e,t,n,r){return
this.topic===e?&&r!==this.joinRef()?{this.socket.hasLogger()&&this.socket.log('channel','dropping outdated
message',{topic:e,event:t,payload:n,joinRef:r}),!1}:!0:1}joinRef(){return this.joinPush.ref}rejoin(e=this.timeout){t
his.isLeaving()||{this.socket.leaveOpenTopic(this.topic),this.state=N.joining,this.joinPush.resend(e)}trigger(e,t,n,
r){let i=this.onMessage(e,t,n,r);if(t&&i)throw Error('channel onMessage callbacks must return the payload, modified
or unmodified');let a=this.bindings.filter(r=>r.event===e&&this.filterBindings(r,t,n));for(let
e=0;e<a.length;e++)a[e].callback(i,n,r||this.joinRef())replyEventName(e){return'chan_reply_${e}'}}isClosed(){return
this.state===N.closed}isErrored(){return this.state===N.errored}isJoined(){return
this.state===N.joined}isJoining(){return this.state===N.joining}isLeaving(){return
this.state===N.leaving},Xe=class{static request(e,t,n,r,i,a,o){if(Re.XDomainRequest){let n=new
Re.XDomainRequest;return this.xdomainRequest(n,e,t,r,i,a,o)}else if(Re.XMLHttpRequest){let s=new
Re.XMLHttpRequest;return this.xhrRequest(s,e,t,n,r,i,a,o)}else if(Re.fetch&&Re.AbortController){return
this.fetchRequest(e,t,n,r,i,a,o)}else throw Error('No suitable XMLHttpRequest implementation found')}static
fetchRequest(e,t,n,r,i,a,o){let s={method:e,headers:n,body:r},c=null;return i&&(c=new AbortController,setTimeout(()=>
c.abort(),i),s.signal=c.signal),Re.fetch(t,s).then(e=>e.text()).then(e=>this.parseJSON(e)).then(e=>o&&o(e)).catch(e=>
e.name==='AbortError'?&&a?{a:o&&o(null)},c)static xdomainRequest(e,t,n,r,i,a,o){return
e.timeout=i,e.open(t,n),e.onload(():=>{let
t=this.parseJSON(e.responseText);o&&o(t),a&&(e.ontimeout=a),e.onprogress=():=>{e.send(r),e}static
xhrRequest(e,t,n,r,i,a,o,s){e.open(t,n,10),e.timeout=a;for(let[t,n]of
Object.entries(r))e.setRequestHeader(t,n);return e.onerror=():=>s&&s(null),e.onreadystatechange=():=>{e.readyState===Ge
.complete&&s&&s(this.parseJSON(e.responseText)),o&&(e.ontimeout=o),e.send(i),e}static
parseJSON(e){if(!e||e==='')return null;try{return JSON.parse(e)}catch{return console&&console.log('failed to parse
JSON response',e),null}}static serialize(e,t){let n=[];for(var r in
e){if(!Object.prototype.hasOwnProperty.call(e,r))continue;let i=t?`${t}${r}`:r,a=e[r];typeof
a==='object'?n.push(this.serialize(a,i)):n.push(encodeURIComponent(i)+'='+encodeURIComponent(a))}return
n.join('&')}static appendParams(e,t){return
Object.keys(t).length===0?e: `${e}${e.match(/\/\?/)?'&':''}${this.serialize(t)}`,Ze=e=>{let t='',n=new
Uint8Array(e),r=n.byteLength;for(let e=0;e<r;e++)t+=String.fromCharCode(n[e]);return btoa(t)},qe=class{constructor(e,
t){t&&t.length===2&&t[1].startsWith(Ke)&&(this.authToken=atob(t[1].slice(Ke.length))),this.endpoint=null,this.token=n
ull,this.skipHeartbeat=!0,this.reqs=new Set,this.awaitingBatchAck=!1,this.currentBatch=null,this.currentBatchTimer=nu
ll,this.batchBuffer=[],this.onopen=function(){},this.onerror=function(){},this.onmessage=function(){},this.onclose=fu
nction(){},this.pollEndpoint=this.normalizeEndpoint(e),this.readyState=He.connecting,setTimeout(()=>this.poll(),0)}no
rmalizeEndpoint(e){return e.replace('ws://','http://').replace('wss://','https://').replace(RegExp('(.*)/+we.websock
et'),'1/'+We.longpoll)}endpointURL(){return Xe.appendParams(this.pollEndpoint,{token:this.token})}closeAndRetry(e,t,n
){this.close(e,t,n),this.readyState=He.connecting}ontimeout(){this.onerror('timeout'),this.closeAndRetry(1005,'timeou
t',1)}isActive(){return this.readyState===He.open||this.readyState===He.connecting}poll(){let e={Accept:'application
/json';this.authToken&&(e['X-Phoenix-Auth-Token']=this.authToken),this.ajax('GET',e,null,():=>this.ontimeout(),e=>{if(
e){var{status:t,token:n,messages:r}=e;if(t===410&&this.token!==null){this.onerror(410),this.closeAndRetry(3410,'sessi
on gone',!1);return}this.token=n}else t=0;switch(t){case
200:r.forEach(e=>{setTimeout(()=>this.onmessage({data:e}),0)},this.poll());break;case 204:this.poll();break;case
410:this.readyState=He.open,this.onopen({}),this.poll();break;case
403:this.onerror(403),this.close(1008,'forbidden',!1);break;case 0:case
500:this.onerror(500),this.closeAndRetry(1011,'internal server error',500);break;default:throw Error('unhandled poll
status ${t}')}}send(e){typeof e!='string'?e=Ze(e),this.currentBatch?this.currentBatch.push(e):this.awaitingBatch
Ack?this.batchBuffer.push(e):(this.currentBatch=[e],this.currentBatchTimer=setTimeout(()=>{this.batchSend(this.curren
tBatch),this.currentBatch=null},0))batchSend(e){this.awaitingBatchAck=!0,this.ajax('POST',{Content-Type:'applicati
on/x-ndjson'},e).join(
00012: `),():=>this.onerror('timeout'),e=>{this.awaitingBatchAck=!1,|e|.status!==200?(this.onerror(e&&e.status),this.closeA
ndRetry(1011,'internal server
error',!1)):this.batchBuffer.length>0&&(this.batchSend(this.batchBuffer),this.batchBuffer=[]))}close(e,t,n){for(let
e of this.reqs)e.abort();this.readyState=He.closed;let r=Object.assign({code:1e3,reason:void 0,wasClean:!0},{code:e,r
eason:t,wasClean:n});this.batchBuffer=[],clearTimeout(this.currentBatchTimer),this.currentBatchTimer=null,typeof

```

```

CloseEvent<'u'?this.onclose(new CloseEvent('close',r)):this.onclose(r)}ajax(e,t,n,r,i){let a=Xe.request(e,this.endp
ointURL(),t,n,this.timeout,()=>{this.reqs.delete(a),r()});e=>[this.reqs.delete(a),this.isActive()&&i(e)],this.reqs.ad
d(a)},$e=class e{constructor(t,n={}){let r=n.events||{state:'presence_state',diff:'presence_diff'};this.state={},this
.sendingDiffs=[],this.channel=t,this.joinRef=null,this.caller={onJoin:function(){},onLeave:function(){},onSync:funct
ion(){}},this.channel.on(r.state,t=>[let{onJoin:n,onLeave:r,onSync:i}=this.caller;this.joinRef=this.channel.joinRef(),
this.state=e.syncState(this.state,t,n,r),this.sendingDiffs.forEach(t=>{this.state=e.syncDiff(this.state,t,n,r)},this
.sendingDiffs=[],i()),this.channel.on(r.diff,t=>[let{onJoin:n,onLeave:r,onSync:i}=this.caller;this.inPendingSyncSta
te()?this.sendingDiffs.push(t):(this.state=e.syncDiff(this.state,t,n,r),i())])onJoin(e){this.caller.onJoin=e}onLeave
(e){this.caller.onLeave=e}onSync(e){this.caller.onSync=e}list(t){return
e.list(this.state,t)}inPendingSyncState(){return!this.joinRef||this.joinRef!==this.channel.joinRef()}static
syncState(e,t,n,r){let i=this.clone(e),a={},o={};return this.map(i,(e,n)=>[t[e]||o[e]=n]),this.map(t,(e,t)=>[let
n=i[e];if(n){let r=t.metas.map(e=>e.phx_ref),i=n.metas.map(e=>e.phx_ref),s=t.metas.filter(e=>i.indexOf(e.phx_ref)<0),
c=n.metas.filter(e=>r.indexOf(e.phx_ref)<0);s.length>0&&a[e]=t,a[e].metas=s),c.length>0&&o[e]=this.clone(n),o[e].me
tas=c}}else a[e]=t}),this.syncDiff(i,{joins:a,leaves:o},n,r)}static
syncDiff(e,t,n,r){let{joins:i,leaves:a}=this.clone(t);return n|=function(){},r|=function(){},this.map(i,(t,r)=>[let
i=e[t];if(e[t]=this.clone(r),i){let n=e[t].metas.map(e=>e.phx_ref),r=i.metas.filter(e=>n.indexOf(e.phx_ref)<0);e[t].
metas.unshift(...r)}n(t,i,r)}),this.map(a,(t,n)=>[let i=e[t];if(!i)return;let
a=n.metas.map(e=>e.phx_ref);i.metas=i.metas.filter(e=>a.indexOf(e.phx_ref)<0),r(t,i,n),i.metas.length===0&&delete
e[t]],e).static list(e,t){return t|=function(e,t){return t},this.map(e,(e,n)=>t(e,n))}static map(e,t){return
Object.getPrototypeOfNames(e).map(n=>t(n,e[n]))}static clone(e){return JSON.parse(JSON.stringify(e))},et={HEADER_LEN
GTH:1,META_LENGTH:4,KINDS:{push:0,reply:1,broadcast:2},encode(e,t){if(e.payload.constructor===ArrayBuffer)return
t(this.binaryEncode(e));let n=[e.join_ref,e.ref,e.topic,e.event,e.payload];return
t(JSON.stringify(n))},decode(e,t){if(e.constructor===ArrayBuffer)return
t(this.binaryDecode(e));let[n,r,i,a,o]=JSON.parse(e);return t({join_ref:n,ref:r,topic:i,event:a,payload:o})}},binary
Encode(e){let[join_ref:t,ref:n,event:r,topic:i,payload:a]=e,o=this.META_LENGTH+t.length+n.length+i.length+s=
new ArrayBuffer(this.HEADER_LENGTH+o),c=new DataView(s),l=0;c.setUint8(l++,this.KINDS.push),c.setUint8(l++,t.length),
c.setUint8(l++,n.length),c.setUint8(l++,i.length),c.setUint8(l++,r.length),Array.from(t,e=>c.setUint8(l++,e.charCodeAtA
t(0))),Array.from(n,e=>c.setUint8(l++,e.charCodeAtAt(0))),Array.from(i,e=>c.setUint8(l++,e.charCodeAtAt(0))),Array.from(r
,e=>c.setUint8(l++,e.charCodeAtAt(0))),var u=new Uint8Array(s.byteLength+a.byteLength);return u.set(new
Uint8Array(s),0),u.set(new Uint8Array(a,s.byteLength),u.buffer),binaryDecode(e){let t=new
DataView(e),n=t.getUint8(0),r=new TextDecoder;switch(n){case this.KINDS.push:return this.decodePush(e,t,r);case
this.KINDS.reply:return this.decodeReply(e,t,r);case this.KINDS.broadcast:return
this.decodeBroadcast(e,t,r)}},decodePush(e,t,n){let r=t.getUint8(1),i=t.getUint8(2),a=t.getUint8(3),o=this.HEADER_LEN
GTH+this.META_LENGTH-1,s=n.decode(e.slice(o,r));o++;let c=n.decode(e.slice(o,o+1));o+=1;let
l=n.decode(e.slice(o,o+a));return
o+=a,{join_ref:s,ref:null,topic:c,event:l,payload:e.slice(o,e.byteLength)}},decodeReply(e,t,n){let r=t.getUint8(1),i=
t.getUint8(2),a=t.getUint8(3),o=t.getUint8(4),s=this.HEADER_LENGTH+this.META_LENGTH,c=n.decode(e.slice(s,s+r));s+=r;l
et l=n.decode(e.slice(s,s+1));s+=1;let u=n.decode(e.slice(s,s+a));s+=a;let d=n.decode(e.slice(s,s+o));s+=o;let f={sta
tus:response:e.slice(s,e.byteLength)};return{join_ref:c,ref:l,topic:u,event:f},decodeBroadcast(e,
t,n){let r=t.getUint8(1),i=t.getUint8(2),a=this.HEADER_LENGTH+2,o=n.decode(e.slice(a,a+r));a+=r;let
s=n.decode(e.slice(a,a+1));return a+=1,{join_ref:null,ref:null,topic:o,event:s,payload:e.slice(a,e.byteLength)}},tt=
class{constructor(e,t={}){this.stateChangeCallbacks={open:[],close:[],error:[],message:[],this.channels=[],this.send
Buffer=[],this.ref=0,this.fallbackRef=null,this.timeout=t.timeout||Be,this.transport=t.transport||Re.WebSocket||Qe,th
is.conn=void 0,this.primaryPassedHealthCheck=!1,this.longPollFallbackMs=t.longPollFallbackMs,this.fallbackTimer=null,
this.sessionStore=t.sessionStorage||Re&Re.sessionStorage,this.establishedConnections=0,this.defaultEncoder=et.encode
.bind(et),this.defaultDecoder=et.decode.bind(et),this.closeWasClean=!0,this.disconnecting=!1,this.binaryType='binary
Type'|'arraybuffer',this.connectClock=1,this.pageHidden=!1,this.encode=void 0,this.decode=void 0,this.transport===Qe?
(this.encode=this.defaultEncoder,this.decode=this.defaultDecoder):(this.encode=t.encode|this.defaultEncoder,this.dec
ode=t.decode|this.defaultDecoder);let n=null;le&le.addEventListener&&(le.addEventListener('pagehide',e=>[this.conn&
&(this.disconnect(),n=this.connectClock)}),le.addEventListener('pageshow',e=>[n===this.connectClock&&(n=null,this.con
nect())]),le.addEventListener('visibilitychange',()=>[document.visibilityState==='hidden'?this.pageHidden=!0:(this.pa
geHidden=!1,this.isConnected()&&!this.closeWasClean&&this.tearDown(()=>this.connect()))]),this.heartbeatIntervalMs=
t.heartbeatIntervalMs||3e4,this.autoSendHeartbeat=t.autoSendHeartbeat?!0,this.heartbeatCallback=t.heartbeatCallback?
?()=>{}),this.rejoinAfterMs=e=>t.rejoinAfterMs?t.rejoinAfterMs(e):[1e3,2e3,5e3][e-1]||1e4,this.reconnectAfterMs=e=>t
.reconnectAfterMs?t.reconnectAfterMs(e):[10,50,100,150,200,250,500,1e3,2e3][e-1]||5e3,this.logger=t.logger||null,this
.s.logger&&t.debug&&(this.logger=(e,t,n)=>[console.log(`${e}: ${t}`,n)],this.longpollerTimeout=t.longpollerTimeout||2
e4,this.params=Fe(t.params)||{}),this.endPoint=`${e}/${We.websocket}`,this.vsn=t.vsn||ze,this.heartbeatTimeoutTimer=nu
ll,this.heartbeatTimer=null,this.heartbeatSentAt=null,this.pendingHeartbeatRef=null,this.reconnectTimer=new
Je(()=>[if(this.pageHidden){this.log('Not reconnecting as page is
hidden')},this.tearDown();return)this.tearDown(async()=>{t.beforeReconnect&&await
t.beforeReconnect(),this.connect()}),this.reconnectAfterMs,this.authToken=t.authToken}getLongPollTransport(){return
Qe}replaceTransport(e){this.connectClock++,this.closeWasClean=!0,clearTimeout(this.fallbackTimer),this.reconnectTime
r.reset(),this.conn&=(this.conn.close(),null),this.transport=e}protocol(){return
location.protocol.match(/^https/)?'ws':'ws'}endPointURL(){let
e=Xe.appendParams(Xe.appendParams(this.endPoint,this.params({},{vsn:this.vsn}));return e.charAt(0)=== '/'?e.charAt(1)=
='/'?'${this.protocol()}:${e}`:${this.protocol()}/${location.host}${e}`:e}disconnect(e,t,n){this.connectClock++,th
is.disconnecting=!0,this.closeWasClean=!0,clearTimeout(this.fallbackTimer),this.reconnectTimer.reset(),this.tearDown
()=>[this.disconnecting=!1,&&e({}),t,n]connect(e){e&&(console&&console.log('passing params to connect is deprecated.
Istead pass :params to the Socket constructor'),this.params=Fe(e)),!(this.conn&&this.disconnecting)&&(this.longPol
lFallbackMs&&this.transport!==Qe?this.connectWithFallback(Qe,this.longPollFallbackMs):this.transportConnect())}log(e,
t,n){this.logger&&this.logger(e,t,n)}hasLogger(){return this.logger!=null}onOpen(e){let t=this.makeRef();return
this.stateChangeCallbacks.open.push([t,e]),t}onClose(e){let t=this.makeRef();return
this.stateChangeCallbacks.close.push([t,e]),t}onError(e){let t=this.makeRef();return
this.stateChangeCallbacks.error.push([t,e]),t}onMessage(e){let t=this.makeRef();return this.stateChangeCallbacks.mess
age.push([t,e]),t}onHeartbeat(e){this.heartbeatCallback=e}ping(e){if(!this.isConnected())return!1;let
t=this.makeRef(),n=Date.now();this.push({topic:'phoenix',event:'heartbeat',payload:{},ref:t});let
r=this.onMessage(i=>[i.ref===t&&(this.off([r]),eDate.now()-n))];return!0}transportName(e){switch(e){case
Qe:return'longPoll';default:return e.name}transportConnect(){this.connectClock++,this.closeWasClean=!1;let
e=this.authToken&&(e['phoenix'],'${Ke}${btoa(this.authToken).replace(/=/g,'')}'),this.conn=new this.transport(this.e
ndPointURL(),e),this.conn.binaryType=this.binaryType,this.conn.timeout=this.longpollerTimeout,this.conn.onopen=()=>th
is.onConnOpen(),this.conn.onerror=()=>this.onConnError(e),this.conn.onmessage=e=>this.onConnMessage(e),this.conn.onclo
se=e=>this.onConnClose(e)}getSession(e){return this.sessionStore&&this.sessionStore.getItem(e)}storeSession(e,t){this
.sessionStore&&this.sessionStore.setItem(e,t)}connectWithFallback(e,t=2500){clearTimeout(this.fallbackTimer);let
n=!1,r=!0,i=1,a=this.transportName(e),o=t=>[this.log('transport',failing back to ${a}...',t),this.off([void
0,i]),r=1,this.replaceTransport(e),this.transportConnect()];if(this.getSession('phx:fallback:${a}'))return o('memori
zed');this.fallbackTimer=setTimeout(o,t),i=this.onError(e=>[this.log('transport','error',e),r&&!n&&(clearTimeout(this
.fallbackTimer),o(e))]),this.fallbackRef&&this.off([this.fallbackRef]),this.fallbackRef=this.onOpen(()=>[if(n=!0,i!r){
let t=this.transportName(e);return
this.primaryPassedHealthCheck|this.storeSession('phx:fallback:${t}',true'),this.log('transport','established ${t} f
allback')clearTimeout(this.fallbackTimer),this.fallbackTimer=setTimeout(o,t),this.ping(e=>[this.log('transport','con
nected to primary after',e),this.primaryPassedHealthCheck=!0,clearTimeout(this.fallbackTimer)}]),this.transportConne
ct()clearHeartbeats()clearTimeout(this.heartbeatTimer),clearTimeout(this.heartbeatTimeoutTimer)}onConnOpen(){this.h
asLogger()&&this.log('transport','connected to ${this.endPointURL()}'),this.closeWasClean=!1,this.disconnecting=!1,th
is.establishedConnections++,this.flushSendBuffer(),this.reconnectTimer.reset(),this.autoSendHeartbeat&&this.resetHea
rbeat(),this.triggerStateCallbacks('open')heartbeatTimeout(){if(this.pendingHeartbeatRef){this.pendingHeartbeatRef=n
ull,this.heartbeatSentAt=null,this.hasLogger()&&this.log('transport','heartbeat timeout. Attempting to re-establish
connection');try{this.heartbeatCallback('timeout')}catch(e){this.log('error','error in heartbeat
callback',e)}this.triggerChanError(Error('heartbeat
timeout'))},this.closeWasClean=!1,this.tearDown(()=>this.reconnectTimer.scheduleTimeout(),Ve,'heartbeat timeout')}}res
etHeartbeat(){this.conn&&this.conn.skipHeartbeat|this.pendingHeartbeatRef=null,this.clearHeartbeats(),this.heartbea
tTimer=setTimeout(()=>this.sendHeartbeat(),this.heartbeatIntervalMs)}tearDown(e,t,n){if(!this.conn)return e&&e();let

```

```

r=this.conn;this.waitForBufferDone(r,()=>{t?r.close(t,n||''):r.close(),this.waitForSocketClosed(r,()=>{this.conn===r
&&(this.conn.onopen=function(){},this.conn.onerror=function(){},this.conn.onmessage=function(){},this.conn.onclose=fun
ction(){},this.conn=null,e&&e()))}waitForBufferDone(e,t,n=1){if(n===5||!e.bufferedAmount){t();return}setTimeout((
n=>{this.waitForBufferDone(e,t,n+1)},150*n)}waitForSocketClosed(e,t,n=1){if(n===5||!e.readyState===He.closed){t();retu
rn}setTimeout((n=>{this.waitForSocketClosed(e,t,n+1)},150*n)}onConnClose(e){this.conn&&(this.conn.onclose=()=>{this
.s.hasLogger()&&this.log('transport','close',e),this.triggerChanError(e),this.clearHeartbeats(),this.closeHeartbeats|t
his.reconnectTimer.scheduleTimeout(),this.triggerStateCallbacks('close',e)}onConnError(e){this.hasLogger()&&this.log('
transport','error',e);let t=this.transport,n=this.establishedConnections;this.triggerStateCallbacks('error',e,t,n),(t
===this.transport||n>0)&&this.triggerChanError(e)}triggerChanError(e){this.channels.forEach(t=>{t.isErrored()||t.isLe
aving()||t.isClosed()||t.trigger(He.error,e)})}connectionState(){switch(this.conn&&this.conn.readyState){case
He.connecting:return'connecting';case He.open:return'open';case
He.closing:return'closing';default:return'closed'}}isConnected(){return this.connectionState()===`open`}remove(e){thi
s.off(e.stateChangeRefs),this.channels=this.channels.filter(t=>{t===e})off(e){for(let t in this.stateChangeCallbacks)t
his.stateChangeCallbacks[t]=this.stateChangeCallbacks[t].filter((t|>=>e.indexOf(t)===-1))channel(e,t={}){let n=new
Ye(e,t,this);return this.channels.push(n),n.push(e){if(this.hasLogger()){let {topic:t,event:n,payload:r,ref:i,join_ref
:a}=e;this.log('push',`${t} ${n} (${a}, ${i})`,r)}this.isConnected()?this.encode(e,e=>this.conn.send(e)):this.sendBuf
fer.push((n=>this.encode(e,e=>this.conn.send(e)))}makeRef(){let e=this.ref+1;return e===this.ref?this.ref=0:this.ref=e
,this.ref.toString()}sendHeartbeat(){if(!this.isConnected()){try{this.heartbeatCallback('disconnected')}catch(e){thi
s.log('error','error in heartbeat callback',e)}return}if(this.pendingHeartbeatRef){this.heartbeatTimeout();return}thi
s.pendingHeartbeatRef=this.makeRef(),this.heartbeatSentAt=Date.now(),this.push({topic:'phoenix',event:'heartbeat',pay
load:{},ref:this.pendingHeartbeatRef});try{this.heartbeatCallback('sent')}catch(e){this.log('error','error in
heartbeat callback',e)}this.heartbeatTimeoutTimer=setTimeout((n=>this.heartbeatTimeout(),this.heartbeatIntervalMs)}f
lushSendBuffer(){this.isConnected()&&this.sendBuffer.length>0&&(this.sendBuffer.forEach(e=>e()),this.sendBuffer=[])}on
ConnMessage(e){this.decode(e.data,e=>{let {topic:t,event:n,payload:r,ref:i,join_ref:a}=e;if(!i&i===this.pendingHeartbe
atRef){let e=this.heartbeatSentAt?Date.now()-this.heartbeatSentAt:void
0;this.clearHeartbeats();try{this.heartbeatCallback(r.status===`ok`?'ok':'error',e)}catch(e){this.log('error','error
in heartbeat callback',e)}this.log('error','error triggering $e callbacks',t)}leaveOpenTopic(e){let t=this.channels
.find(t=>t.topic===e&&t.isJoined()||t.isJoining());t&&(this.hasLogger()&&this.log('transport','leaving duplicate
topic "${e}"',t.leave()));nt=class e{constructor(t,n){let r=at(n);this.presence=new
$(t,t.getChannel(),r),this.presence.onJoin((n,r,i)=>{let
a=e.onJoinPayload(n,r,i);t.getChannel().trigger('presence',a)},this.presence.onLeave((n,r,i)=>{let a=e.onLeavePayloa
d(n,r,i);t.getChannel().trigger('presence',a)},this.presence.onSync()==>{t.getChannel().trigger('presence',{event:'s
ync'})}}get state(){return e.transformState(this.presence.state)}static transformState(e){return
e instanceof Object.getPrototypeOfNames(e).reduce((t,n)=>{let r=e[n];return t[n]=rt(r,t),{}))static
onJoinPayload(e,t,n){return{event:'join',key:e,currentPresences:ot(t),newPresences:rt(n)}static
onLeavePayload(e,t,n){return{event:'leave',key:e,currentPresences:ot(t),leftPresences:rt(n)}function rt(e){return
e.metas.map(e=>({e.presence_ref=e.phx_ref,delete e.phx_ref,delete e.phx_ref_prev,e}))function it(e){return
JSON.parse(JSON.stringify(e))}function at(e){return e.events&&(events:e.events)}function ot(e){return
e.metas?rt(e):[]}var st=function(e){e.SYNC='sync',e.JOIN='join',e.LEAVE='leave'}(st|={});var ct=class{get
state(){return this.presenceAdapter.state}constructor(e,t){this.channel=e,this.presenceAdapter=new
nt(this.channel.channelAdapter,t)}function lt(e){if(e instanceof Error)return e;if(typeof e==='string')return
Error(e);if(e&&typeof e==='object'){let t=e;if(typeof t.code==='number'){let n=typeof t.reason==='string'&&t.reason?
`${t.reason}`:'';return Error('socket closed: ${t.code}${n}',{cause:e})}return Error('channel error: transport
failure',{cause:e})}return Error('channel error: connection lost')}var ut=class{constructor(e,t,n){let
r=dt(n);this.channel=e.getSocket().channel(t,r),this.socket=e.get state(){return this.channel.state}set
state(e){this.channel.state=e}get joinedOnce(){return this.channel.joinedOnce}get joinPush(){return
this.channel.joinPush}get rejoinTimer(){return this.channel.rejoinTimer}on(e,t){return
this.channel.on(e,t)}off(e,t){this.channel.off(e,t)}subscribe(e){return this.channel.join(e)}unsubscribe(e){return
this.channel.leave(e)}teardown(){this.channel.teardown()}onConnClose(e){this.channel.onConnClose(e)}onError(e){return
this.channel.onError(e)}push(e,t,n){let r;try{r=this.channel.push(e,t,n)}catch{throw Error('tried to push "${e}" to
"${this.channel.topic}" before joining. Use channel.subscribe() before pushing
events')}}if(this.channel.pushBuffer.length>100){let
e=this.channel.pushBuffer.shift();e.cancelTimeout(t),this.socket.log('channel','discarded push due to buffer overflow:
${e.event},${e.payload()})return r}updateJoinPayload(e){let t=this.channel.joinPush.payload();this.channel.joinPush.p
ayload=()=>Object.assign(Object.assign({},t),e)}canPush(){return
this.socket.isConnected()&&this.state===xe.joined}isJoined(){return this.state===xe.joined}isJoining(){return
this.state===xe.joining}isClosed(){return this.state===xe.closed}isLeaving(){return this.state===xe.leaving}updateFil
terBindings(e){this.channel.filterBindings=e}updatePayloadTransform(e){this.channel.onMessage=e}getChannel(){return
this.channel}}function
dt(e){return{config:Object.assign({broadcast:{ack:!1,self:!1},presence:{key:'',enabled:!1,private:!1},e.config)}}var
ft;(function(e){e.ALL='*',e.INSERT='INSERT',e.UPDATE='UPDATE',e.DELETE='DELETE'})(ft|={});var pt;(function(e){e.BRO
DCAST='broadcast',e.PRESENCE='presence',e.POSTGRES_CHANGES='postgres_changes',e.SYSTEM='system'})(pt|={});var mt;(f
unction(e){e.SUBSCRIBED='SUBSCRIBED',e.TIMED_OUT='TIMED_OUT',e.CLOSED='CLOSED',e.CHANNEL_ERROR='CHANNEL_ERROR'})(mt|
=({});var ht=class e{get state(){return this.channelAdapter.state}set state(e){this.channelAdapter.state=e}get
joinedOnce(){return this.channelAdapter.joinedOnce}get timeout(){return this.socket.timeout}get joinPush(){return
this.channelAdapter.joinPush}get rejoinTimer(){return this.channelAdapter.rejoinTimer}constructor(e,t={config:{},n){
if(this.topic=e,this.params=t,this.socket=n,this.bindings={},this.subTopic=e.replace(/^realtime:/,''),this.params.co
nfig=Object.assign({broadcast:{ack:!1,self:!1},presence:{key:'',enabled:!1,private:!1},t.config),this.channelAdapter
=new ut(this.socket.socketAdapter,e,this.params),this.presence=new ct(this),this.onConnClose()==>{this.socket._remove(th
is)},this._updateFilterTransform(),this.broadcastEndpointURL=Pe(this.socket.socketAdapter.endpointURL()),this.privat
e=this.params.config.private||!1,!this.private&&this.params.config.broadcast?replay}throw Error('tried to use
replay on public channel "${this.topic}". It must be a private channel.')}subscribe(e,t=this.timeout){if(this.socket.
isConnected()||this.socket.connect(),this.channelAdapter.isClosed()){let {config:{broadcast:n,presence:r,private:i}}=t
his.params,a=this.bindings.postgres_changes?.map(e=>e.filter)?[]:[];o=!this.bindings[pt.PRESENCE]&&this.bindings[pt.PR
ESENCE].length>0||this.params.config.presence?.enabled===!0,s={},c={broadcast:n,presence:Object.assign(Object.assign(
{},{r},{enabled:o}),postgres_changes:a,private:i);this.socket.accessTokenValue&&(s.access_token=this.socket.accessToken
nValue),this.onError(t=>{e?.(mt.CHANNEL_ERROR,lt(t)))),this.onConnClose()==>e?.(mt.CLOSED)},this.updateJoinPayload(Obj
ect.assign({config:c,s}),this._updateFilterMessage(),this.channelAdapter.subscribe(t).receive('ok',async([postgres_ch
anges:t])=>{if(this.socket.isManualToken()){this.socket.setAuth(t,t===void
0)?e?.(mt.SUBSCRIBED);return}this._updatePostgresBindings(t,e)).receive('error',t=>{this.state=xe.errorred;let
n=Object.values(t).join('')||'error';e?.(mt.CHANNEL_ERROR,Error(n,{cause:t})).receive('timeout',()=>{e?.(mt.TIMED_OUT)}))return
this._updatePostgresBindings(t,n)}let r=this.bindings.postgres_changes,i=r?.length??0,a=[];for(let o=0;o<i;o++){let i
=[o],{filter:{event:s,schema:c,table:l,filter:u}}=i,d=t&t[o];if(d&&d.event===s&&e.isFilterValueEqual(d.schema,c)&&e
.isFilterValueEqual(d.table,l)&&e.isFilterValueEqual(d.filter,u))a.push(Object.assign(Object.assign({},i),{id:d.id}))
}else{this.unsubscribe('match',this.state=xe.errorred,n?.(mt.CHANNEL_ERROR,Error('mismatch between server and client
bindings for postgres changes')));return}this.bindings.postgres_changes=a,this.state=xe.errorred&&n&&(mt.SUBSCRIBED)
}presenceState(){return this.presence.state}async track(e,t={}){return await
this.send({type:'presence',event:'track',payload:e},t.timeout||this.timeout)}async untrack(e={}){return await
this.send({type:'presence',event:'untrack',e})on(e,t,n){let r=this.channelAdapter.isJoined()||this.channelAdapter.is
Joining(),i=e===pt.PRESENCE||e===pt.POSTGRES_CHANGES;if(r&&i)throw this.socket.log('channel','cannot add "${e}"\
callbacks for "${this.topic}" after "${e}" subscribe\`),Error('cannot add "${e}"\` callbacks for "${this.topic}" after
"${e}" subscribe\`);return this.on(e,t,n)}async httpSend(e,t,n={}){if(t===null)return Promise.reject(Error('Payload is
required for httpSend\`));let r=apikey:this.socket.apiKey?this.socket.apiKey:'',Content-Type:'application/json'
;this.socket.accessTokenValue&&(r.Authorization='Bearer ${this.socket.accessTokenValue}');let i={method:'POST',header
s:r,body:JSON.stringify({messages:[{topic:this.subTopic,event:e,payload:t,private:this.private}]})},a=await

```



```

this._fetchWithTimeout(this.broadcastEndpointURL,i,n.timeout??this.timeout);if(a.status===202)return{success:!0};let
o=a.statusText;try{let e=await a.json();o=e.error||e.message||o}catch{return Promise.reject(Error(o))}async
send(e,t={}){if(!this.channelAdapter.canPush())&&e.type==='broadcast'){console.warn('Realtime send() is automatically
falling back to REST API. This behavior will be deprecated in the future. Please use httpSend() explicitly for REST d
elivery.')}let{event:n,payload:r}=e,i={apiKey:this.socket.apiKey?this.socket.apiKey:'',Content-Type:'application/js
on'};this.socket.accessTokenValue&&(i.Authorization='Bearer $${this.socket.accessTokenValue}');let a={method:'POST',h
eaders:i,body:JSON.stringify({messages:[{topic:this.subTopic,event:n,payload:r,private:this.private}]})};try{let
e=await this._fetchWithTimeout(this.broadcastEndpointURL,a,t.timeout??this.timeout);return await
e.body?.cancel(),e.ok?'ok':'error'}catch(e){return e.name==='AbortError'?`timed out`:`error`}else return new
Promise(n=>{let r=this.channelAdapter.push(e.type,e,t.timeout||this.timeout);e.type==='broadcast'&&!this.params?.conf
ig?.broadcast?.ack&&(n.ok),r.receive('ok',()=>n('ok')),r.receive('error',()=>n('error')),r.receive('timeout',()=>n(
'timed out'))});updateJoinPayload(e){this.channelAdapter.updateJoinPayload(e)}async unsubscribe(e=this.timeout){return
new Promise(t=>{this.channelAdapter.unsubscribe(e).receive('ok',()=>t('ok')).receive('timeout',()=>t('timed
out')).receive('error',()=>t('error'))});teardown(){this.channelAdapter.teardown()}async _fetchWithTimeout(e,t,n){let
r=new AbortController,i=setTimeout(()=>r.abort(),n),a=await
this.socket.fetch(e,Object.assign(Object.assign({},t),{signal:r.signal}));return clearTimeout(i),a._on(e,t,n){let
r=e.toLocaleLowerCase(),i={type:r,filter:t,callback:n,ref:this.channelAdapter._on(e,n)};return this._bindings[r]?this.b
indings[r].push(i):this._bindings[r]=[i],this._updateFilterMessage(r),this._onClose(e){this.channelAdapter._onClose(e)}_
onError(e){this.channelAdapter._onError(e)}_updateFilterMessage(r){this.channelAdapter._updateFilterBindings((e,t,n)=>{l
et r=e.event.toLocaleLowerCase();if(this._notThisChannelEvent(r,n))return!1;let i=this._bindings[r]?this._find(t=>t.ref===e
.ref):if(!i)return!0;if(['broadcast','presence','postgres_changes'].includes(r))if('id'in i){let
e=i.id,n=i.filter?.event;return
e&&t.ids?.includes(e)&&(n==='*'||n?.toLocaleLowerCase()===t.data?.type.toLocaleLowerCase())}else{let
e=i?.filter?.event?.toLocaleLowerCase();return e==='*'||e===t?.event?.toLocaleLowerCase()}else return
i.type.toLocaleLowerCase()===r}}_notThisChannelEvent(e,t){let{close:n,error:r,leave:i,join:a}=Se;return t&&[n,r,i,a]
.includes(e)&&t!==this._joinPush.ref._updateFilterTransform(){this.channelAdapter._updatePayloadTransform((e,t,n)=>{if(
typeof t==='object'&&'ids'in t){let e=t.data,{schema:n,table:r,commit_timestamp:i,type:a,errors:o}=e;return Object.ass
ign(Object.assign({},{schema:n,table:r,commit_timestamp:i,eventType:a,new:{},old:{},errors:o}),this._getPayloadRecord
s(e))};return t}}copyBindings(e){if(this._joinedOnce)throw Error('cannot copy bindings into joined channel');for(let t
in e._bindings)for(let n of e._bindings[t])this._on(n.type,n.filter,n.callback)}static
isFilterValueEqual(e,t){return(e??void 0)===(t??void 0)}_getPayloadRecords(e){let t={new:{},old:{}};return(e.type==='
INSERT'||e.type==='UPDATE'&&t.new=Te(e.columns,e.record)),e.type==='UPDATE'||e.type==='DELETE'&&(t.old=Te(e.columns,
e.old_record)),t},gt=class{constructor(e,t){this.socket=new tt(e,t)}get timeout(){return this.socket.timeout}get
endpoint(){return this.socket.endpoint}get transport(){return this.socket.transport}get heartbeatIntervalMs(){return
this.socket.heartbeatIntervalMs}get heartbeatCallback(){return this.socket.heartbeatCallback}set
heartbeatCallback(e){this.socket.heartbeatCallback=e}get heartbeatTimer(){return this.socket.heartbeatTimer}get
pendingHeartbeatRef(){return this.socket.pendingHeartbeatRef}get reconnectTimer(){return
this.socket.reconnectTimer}get vsn(){return this.socket.vsn}get encode(){return this.socket.encode}get
decode(){return this.socket.decode}get reconnectAfterMs(){return this.socket.reconnectAfterMs}get sendBuffer(){return
this.socket.sendBuffer}get stateChangeCallbacks(){return
this.socket.stateChangeCallbacks}connect(){this.socket.connect()}disconnect(e,t,n,r=1e4){return new Promise(i=>{setTi
meout(()=>=>i('timeout'),r),this.socket.disconnect(()=>=>{e(),i('ok'),t,n})});push(e){this.socket.push(e)}log(e,t,n){this
.socket.log(e,t,n)}makeRef(){return this.socket.makeRef()}onOpen(e){this.socket.onOpen(e)}onClose(e){this.socket.onCl
ose(e)}onError(e){this.socket.onError(e)}onMessage(e){this.socket.onMessage(e)}isConnected(){return
this.socket.isConnected()}isConnecting(){return this.socket.connectionState()===Ce.connecting}isDisconnecting(){return
this.socket.connectionState()===Ce.closing}connectionState(){return
this.socket.connectionState()}endpointURL(){return
this.socket.endpointURL()}sendHeartbeat(){this.socket.sendHeartbeat()}getSocket(){return this.socket}},_t={HEARTBEAT_
INTERVAL:25e3,RECONNECT_DELAY:10,HEARTBEAT_TIMEOUT_FALLBACK:100},vt=[1e3,2e3,5e3,1e4],yt=1e4,bt=
00013:   addEventListener("message", (e) => {
00014:     if (e.data.event === "start") {
00015:       setInterval(() => postMessage({ event: "keepAlive" }), e.data.interval);
00016:     }
00017:   });xt=class{get endpoint(){return this.socketAdapter.endpoint}get timeout(){return this.socketAdapter.timeout}get
transport(){return this.socketAdapter.transport}get heartbeatCallback(){return
this.socketAdapter.heartbeatCallback}get heartbeatIntervalMs(){return this.socketAdapter.heartbeatIntervalMs}get
heartbeatTimer(){return this.worker?this._workerHeartbeatTimer:this.socketAdapter.heartbeatTimer}get
pendingHeartbeatRef(){return this.worker?this._pendingWorkerHeartbeatRef:this.socketAdapter.pendingHeartbeatRef}get
reconnectTimer(){return this.socketAdapter.reconnectTimer}get vsn(){return this.socketAdapter.vsn}get encode(){return
this.socketAdapter.encode}get decode(){return this.socketAdapter.decode}get reconnectAfterMs(){return
this.socketAdapter.reconnectAfterMs}get sendBuffer(){return this.socketAdapter.sendBuffer}get
stateChangeCallbacks(){return this.socketAdapter.stateChangeCallbacks}constructor(e,t){if(this.channels=[],this.acces
sTokenValue=null,this.accessToken=null,this.apiKey=null,this.httpEndpoint='',this.headers={},this.params={},this.ref=
0,this.serialize=new we,this._manuallySetToken=!1,this._authPromise=null,this._workerHeartbeatTimer=void 0,this._pen
dingWorkerHeartbeatRef=null,this._pendingDisconnectTime=null,this._disconnectOnEmptyChannelsAfterMs=0,this._resolveF
etch=e=>e?...t=>e(...t):(...e)=>fetch(...e),!t?.params?.apiKey)throw Error('API key is required to connect to
Realtime');this.apiKey=t.params.apiKey;let n=this._initializeOptions(t);this.socketAdapter=new gt(e,n),this.httpEndpo
int=Pe(e),this.fetch=this._resolveFetch(t?.fetch)}connect(){if(!this.isConnected()||this.isDisconnecting()||this.is
Connected()){this.accessToken&&this._authPromise&&this._setAuthSafely('connect'),this._setupConnectionHandlers();tr
y{this.socketAdapter.connect()}catch(e){let t=e.message;throw t.includes('Node.js')?Error(`${t}\n\nTo use Realtime in
Node.js, you need to provide a WebSocket implementation:
00018:
00019: Option 1: Use Node.js 22+ which has native WebSocket support
00020: Option 2: Install and provide the "ws" package:
00021:
00022:   npm install ws
00023:
00024:   import ws from "ws"
00025:   const client = new RealtimeClient(url, {
00026:     ...options,
00027:     transport: ws
00028:   });Error('WebSocket not available: ${t}')this._handleNodeJsRaceCondition()}endpointURL(){return
this.socketAdapter.endpointURL()}async disconnect(e,t){return
this._cancelPendingDisconnect(),this.isDisconnecting()?'ok':await this.socketAdapter.disconnect(()=>=>{clearInterval(th
is._workerHeartbeatTimer),this._terminateWorker(),e,t})getChannels(){return this.channels}async removeChannel(e){let
t=await e.unsubscribe();return t==='ok'&&e.teardown(),t}async removeAllChannels(){let e=this.channels.map(async
e=>{let t=await e.unsubscribe();return e.teardown(),t},t=await Promise.all(e);return await
this.disconnect(),t})log(e,t,n){this.socketAdapter.log(e,t,n)}connectionState(){return
this.socketAdapter.connectionState()||Ce.closed}isConnected(){return
this.socketAdapter.isConnected()}isConnecting(){return this.socketAdapter.isConnecting()}isDisconnecting(){return
this.socketAdapter.isDisconnecting()}channel(e,t={config:{}}){let
n=`realtime:${e}`,r=this.getChannels().find(e=>e.topic===n);if(r)return r;let n=new
ht('realtime:${e}',t,this);return
this._cancelPendingDisconnect(),this.channels.push(n,n)}push(e){this.socketAdapter.push(e)}async
setAuth(e=null){this._authPromise=this._performAuth(e);try{await
this._authPromise}finally{this._authPromise=null}}isManualToken(){return this._manuallySetToken}async sendHeartbeat(
e){this.socketAdapter.sendHeartbeat()}onHeartbeat(e){this.socketAdapter.heartbeatCallback=this._wrapHeartbeatCallba
ck(e)}makeRef(){return this.socketAdapter.makeRef()}_remove(e){this.channels=this.channels.filter(t=>t.topic!==e.topic)
,this.channels.length===0&&(this.log('transport','no channels remaining, scheduling disconnect'),this._schedulePendin
gDisconnect())._schedulePendingDisconnect()}if(this._cancelPendingDisconnect(),this._disconnectOnEmptyChannelsAfterMs
===0){this.log('transport','disconnecting immediately - no channels'),this.disconnect();return}this._pendingDisconnec

```



```

timer=setTimeout(()=>{this._pendingDisconnectTimer=null,this.channels.length==0&&(this.log('transport','deferred disconnect fired - no channels.
disconnecting'),this.disconnect()),this._disconnectOnEmptyChannelsAfterMs},this.log('transport','deferred disconnect scheduled in ${this._disconnectOnEmptyChannelsAfterMs}ms`}}_cancelPendingDisconnect(){this._pendingDisconnectTimer!=
=null&&(this.log('transport','pending disconnect cancelled - channel activity
detected'),clearTimeout(this._pendingDisconnectTimer),this._pendingDisconnectTimer=null})async
_performAuth(e=null){let t,n=1;if(e)t=e,n=0;else if(this.accessToken)try{t=await
this.accessToken()}catch(e){this.log('error','Error fetching access token from
callback',e),t=this.accessTokenValue}else t=this.accessTokenValue;n?this._manuallySetToken=!0:this.accessToken&&(this
._manuallySetToken=!1),this.accessTokenValue!=t&&(this.accessTokenValue=t,this.channels.forEach(e=>{let n={access_tok
en:t,version:ge};t&&e.updateJoinPayload(n),e.joinOnce&&e.channelAdapter.isJoined()&&e.channelAdapter.push(Se.access
_token,access_tokens:t)}))}async_waitForAuthIfNeeded(){this._authPromise&&await
this._authPromise.setAuthSafely(e='general'){this._isManualToken()|}|this.setAuth().catch(t=>{this.log('error','Error
setting auth in $(e',t)}))}.setupConnectionHandlers(){this.socketAdapter.onOpen(e=>{this._authPromise|}|this.acces
sToken&&this.accessTokenValue?this.setAuth():Promise.resolve()).catch(e=>{this.log('error','error waiting for auth
on connect',e)}),this.worker&&this.workerRef&&this._startWorkerHeartbeat()),this.socketAdapter.onClose(e=>{this.wor
ker&&this.workerRef&&this._terminateWorker()}),this.socketAdapter.onMessage(e=>{e.ref&&e.ref===this._pendingWorkerHea
rtbeatRef&&this._pendingWorkerHeartbeatRef=null}}).handleNodeJsRaceCondition(){this.socketAdapter.isConnected()&&thi
s.socketAdapter.getSocket().onConnect().wrapHeartbeatCallback(e){return(t,n=>{t='sent'&&this._setAuthSafely(),e.
&&e(t,n)}).startWorkerHeartbeat(){this.workerUrl?this.log('worker','starting worker for from
${this.workerUrl}:this.log('worker','starting default worker');let
e=this._workerObjectUrl(this.workerUrl);this.workerRef=new
worker(e),this.workerRef.onerror=e=>{this.log('worker','worker error',e.message),this._terminateWorker(),this.disconn
ect(),this.workerRef.onmessage=e=>{e.data.event==='keepAlive'&&this.sendHeartbeat(),this.workerRef.postMessage({eve
nt:'start',interval:this.heartbeatIntervalMs})}.terminateWorker(){this.workerRef&&this.log('worker','terminating
worker'),this.workerRef.terminate(),void 0}.workerObjectUrl(e){let t;if(e)t=e;else{let e=new
Blob([t],{type:'application/javascript'});t=URL.createObjectURL(e)}return
t}.initializeOptions(e){this.worker=e.worker??1,this.accessToken=e.accessToken??null;let t={};t.timeout=e.timeout
??be,t.heartbeatIntervalMs=e.heartbeatIntervalMs??t.HEARTBEAT_INTERVAL,this._disconnectOnEmptyChannelsAfterMs=e?.di
sconnectOnEmptyChannelsAfterMs??e?.heartbeatIntervalMs??t.HEARTBEAT_INTERVAL,t.transport=e?.transport??he.getWebS
ocketConstructor(),t.params=e?.params?.t.logger=e?.logger,t.heartbeatCallback=this._wrapHeartbeatCallback(e).heartbea
tCallback,t.reconnectAfterMs=e?.reconnectAfterMs??e==>vt[e-1]|yt;let n,r,i,e=?vsn??ye;switch(1){case
-e:n(e,t)=t(JSON.stringify(r),r)=(e,t)=>t(JSON.parse(e));break;case
ve:n=this.serializer.encode.bind(this.serializer),r=this.serializer.decode.bind(this.serializer);break;default:throw
Error('Unsupported serializer version: ${t.vsn}')}}if(t.vsn!&t.encode=?e?.encode??n,t.decode=?e?.decode??t.beforeReco
nnect=this._reconnectAuth.bind(this),(e?.logLevel|e?.log_level)&&(this.logLevel=e.logLevel|e.log_level,t.params=Obj
ect.assign(Object.assign({},t.params),{log_level:this.logLevel})),this.worker){if(typeof
window<'u'&!window.Worker)throw Error('Web Worker is not
supported');this.workerUrl=e.workerUrl,t.autoSendHeartbeat=!this.worker)return t}async _reconnectAuth(){await
this._waitForAuthIfNeeded(),this.isConnected()|}|this.connect(),St=class extends Error{constructor(e,t){super(e),thi
s.name='IcebergError',this.status=t.status,this.icebergType=t.icebergType,this.icebergCode=t.icebergCode,this.details
=t.details,this.isCommitStateUnknown=t.icebergType==='CommitStateUnknownException'|}|500,502,504}.includes(t.status)&
&t.icebergType?.includes('CommitState')===!0}isNotFound(){return this.status===404}isConflict(){return
this.status===409}isAuthenticationTimeout(){return this.status===419};function Ct(e,t,n){let r=new
URL(t,e);if(n)for(let[e,t]of Object.entries(n))!&void 0&&r.searchParams.set(e,t);return r.toString()}async function
wt(e){return!e.j.type==='none'?{j:e.type==='bearer'?{Authorization:'Bearer
${e.token}}':e.type==='header'?{[e.name]:e.value,e.type==='custom'?await e.getHeaders():{}}function Tt(e){let
t=e.fetchImpl??gloablThis.fetch;return(async request({method:n,path:r,query:i,body:a,headers:o}){let
s=Ct(e.baseUrl,r,i),c=await wt(e.auth),l=await
t(s,{method:n,headers:{...a?{"Content-Type":'application/json'}:{},...c,...o},body:a?JSON.stringify(a):void
0}),u=await
t.text(),d=(l.headers.get('content-type')|'|').includes('application/json'),f=d&&u?JSON.parse(u):u;if(!l.ok){let
e=d?f:void 0,t=e?.error;throw new St(t?.message??'Request failed with status ${l.status}',{status:l.status,icebergTyp
e:t?.type,icebergCode:t?.code,details:e})}return{status:l.status,headers:l.headers,data:f}}})function Et(e){return
e.join('█')}var Dt=class{constructor(e,t=''){this.client=e,this.prefix=t,this.accessDelegation=n}async
listTables(e){return(await this.client.request({method:'GET',path:'${this.prefix}/namespaces/${0t(e.nameSpace)}/table
s'})).data.identifiers}async createTable(e,t){let n={};return
this.accessDelegation&[n['X-Iceberg-Access-Delegation']=this.accessDelegation),(await this.client.request({method:'P
OST',path:'${this.prefix}/namespaces/${0t(e.nameSpace)}/tables',body:t,headers:n}).data.metadata)async
updateTable(e,t){let n=await this.client.request({method:'POST',path:'${this.prefix}/namespaces/${0t(e.nameSpace)}/ta
bles/${e.name}',body:t});return["metadata-location":n.data['metadata-location'],metadata:n.data.metadata]async
dropTable(e,t){await this.client.request({method:'DELETE',path:'${this.prefix}/namespaces/${0t(e.nameSpace)}/tables/${
e.name}',query:[`purgeRequested:String(2.purge?1)`])}async loadTable(e){let t={};return
this.accessDelegation&[t['X-Iceberg-Access-Delegation']=this.accessDelegation),(await this.client.request({method:'G
ET',path:'${this.prefix}/namespaces/${0t(e.nameSpace)}/tables/${e.name}',headers:t}).data.metadata)async
tableExists(e){let t={};this.accessDelegation&[t['X-Iceberg-Access-Delegation']=this.accessDelegation];try{return
await this.client.request({method:'HEAD',path:'${this.prefix}/namespaces/${0t(e.nameSpace)}/tables/${e.name}',headers
:t}),!0}catch(e){if(e instanceof St&&e.status===404)return!1;throw e}async createTableIfNotExists(e,t){try{return
await this.createTable(e,t)}catch(n){if(n instanceof St&&n.status===409)return await
this.loadTable({nameSpace:e.nameSpace,name:t.name});throw n}},At=class{constructor(e){let
t='vi';e.catalogName&&(t+=`/${e.catalogName}`);let n=e.baseUrl.endsWith('/')?e.baseUrl:`${e.baseUrl}/`;this.client=Tt
({baseUrl:n,auth:e.auth,fetchImpl:e.fetch}),this.accessDelegation=e.accessDelegation}.join(', '),this.nameSpaceOps=new
Dt(this.client,t),this.tableOps=new kt(this.client,t,this.accessDelegation)}async listNamespaces(e){return
this.nameSpaceOps.listNamespaces(e)}async createNameSpace(e,t){return this.nameSpaceOps.createNameSpace(e,t)}async
dropNameSpace(e){await this.nameSpaceOps.dropNameSpace(e)}async loadNameSpaceMetadata(e){return
this.nameSpaceOps.loadNameSpaceMetadata(e)}async listTables(e){return this.tableOps.listTables(e)}async
createTable(e,t){return this.tableOps.createTable(e,t)}async updateTable(e,t){return
this.tableOps.updateTable(e,t)}async dropTable(e,t){await this.tableOps.dropTable(e,t)}async loadTable(e){return
this.tableOps.loadTable(e)}async nameSpaceExists(e){return this.nameSpaceOps.nameSpaceExists(e)}async
tableExists(e){return this.tableOps.tableExists(e)}async createNameSpaceIfNotExists(e,t){return
this.nameSpaceOps.createNameSpaceIfNotExists(e,t)}async createTableIfNotExists(e,t){return
this.tableOps.createTableIfNotExists(e,t)};function jt(e){@"babel/helpers - typeOf";return jt=typeof
Symbol==`function`&&e.constructor===Symbol&&!&Symbol.prototype?Symbol.prototype[e]:(jt=function
Mt(e,t){if(jt(e)='object'|!e)return e;var n=[Symbol.toPrimitive];if(n!=void 0){var
r=n.call(e,t|'default');if(jt(r)='object')return r;throw TypeError`@@toPrimitive must return a primitive
value.`})return(t==='string'?String:Number)}&&function Nt(e){var t=Mt(e,'string');return
jt(t)===`symbol`?t:t+'`'}function Pt(e,t,n){return Nt(t)}in
0}Object.defineProperty(e,t,{value:n,enumerable:!0,configurable:!0,writable:!0}):e[t]=n,e,function Ft(e,t){var

```

```

n=Object.keys(e);if(Object.getOwnPropertySymbols){var
r=Object.getOwnPropertySymbols(e);t&&(r=r.filter(function(t){return
Object.getOwnPropertyDescriptor(e,t).enumerable})),n.push.apply(n,r)}return n}function P(e){for(var
t=1;t<arguments.length;t++){var n=arguments[t]==null?{}:arguments[t];t%2?Pt(Object(n),!0).forEach(function(t){Pt(e,t,
n[t]))}:Object.getOwnPropertyDescriptors?Object.defineProperties(e,Object.getOwnPropertyDescriptors(n)):Pt(Object(n))
}.forEach(function(t){Object.defineProperty(e,t,Object.getOwnPropertyDescriptor(n,t))})}return e}var It=class extends
Error{constructor(e,t='storage',n,r){super(e),this._isStorageError=!0,this.namespace=t,this.name=t==='vectors'?`Storage
VectorsError`:`StorageError`,this.status=n,this.statusCode=r}toJSON(){return{name:this.name,message:this.message,s
tatus:this.status,statusCode:this.statusCode}};function Lt(e){return typeof e=='object'&&!e._isStorageError'in
e}var Rt=class extends It{constructor(e,t,n,r='storage'){super(e,r,t,n),this.name=r==='vectors'?`StorageVectorsApiError
`:`StorageApiError`,this.status=t,this.statusCode=n}toJSON(){return P({},super.toJSON())},Zt=class extends It{cons
tructor(e,t,n='storage'){super(e,n),this.name=n==='vectors'?`StorageVectorsUnknownError`:`StorageUnknownError`,this.o
riginalError=t}};function Bt(e,t,n){let r=P({},e),i=t.toLowercase();for(let e of
Object.keys(r))e.toLowercase()===i&&delete r[e];return r[i]=n}function Vt(e){let t={};for(let[n,r]of
Object.entries(e))t[n.toLowercase()]=r;return t}var Ht=e=>e?(...t)=>e(...t)...e=>fetch(...e),Ut=e=>{if(typeof
e!='object'||!e)return 1;let t=Object.getPrototypeOf(e);return(t===null||t===Object.prototype|Object.getPrototypeOf(
t)===null)&&!(Symbol.toStringTag in e)&&!(Symbol.iterator in e)};Wt=e=>{if(Array.isArray(e))return
e.map(e=>Wt(e));if(typeof e=='function'||e!=Object(e))return e;let t={};return
Object.entries(e).forEach([(e,n)]=>{let
r=e.replace(/[-_][a-z-]/gi,e=>e.toUpperCase().replace(/[-_]/g,''));t[r]=Wt(n)}),t,Gt=e=>|e|typeof
e!='string'||e.length===0||e.length>100||e.trim()!==e||e.includes('/')||e.includes('\`')?1:/^[\w!.*'()
&@;,:+,-?~]*/$.test(e),Kt=e=>e.msg||e.message||e.error_description||typeof
e.error=='string'?e.error:e.error?.message)}JSON.stringify(e),qt=async(e,t,n,r)=>{if(typeof e=='object'&&e.typeof
e.json=='function'){let n=e,i=parseInt(n.status,10);Number.isFinite(1)||i=500,n.json().then(e=>{let
n=e?.statusCode||e?.code||i+'';t(new Rt(Kt(e),i,n,r))}).catch(()=>{let e=i+'';t(new Rt(n.statusText||`HTTP ${i}
error`,i,e,r))})}else t(new Zt(Kt(e),e,r)),Jt=(e,t,n,r)=>{let
i={method:e,headers:t?.headers||{};if(e==='GET'||e==='HEAD'||!r)return P(P({},i),n);if(Ut(r)){let
e=t?.headers||{};for(let[t,r]of Object.entries(e))t.toLowercase()===`content-type`&&(n=r);i.headers=Bt(e,`Content-T
ype`,n??`application/json`,i.body=r)}else i.body=r;return
t?.duplex&&(i.duplex=t.duplex),P(P({},i),n)};async function Yt(e,t,n,r,i,a,o){return new
Promise((s,c)=>{[n,Jt(r,i,a)].then(e=>{if(!e.ok)throw e;if(o==='vectors'){let t=e.hea
ders.get(`content-type`);if(e.headers.get(`content-length`)===`0`||e.status===204||!t||t.includes(`application/json`
)}return s.json()}).then(e=>s(e)).catch(e=>qt(e,c,r,o))}})}function
Xt(e='storage'){return get:async(t,n,r,i)=>Yt(t,`GET`,n,r,i,void 0,e),post:async(t,n,r,i,a)=>Yt(t,`POST`,n,i,a,r,e),p
ut:async(t,n,r,i,a)=>Yt(t,`PUT`,n,i,a,r,e),head:async(t,n,r,i)=>Yt(t,`HEAD`,n,P({},r),{}),[noResolveJson:!0],i,void
0,e),remove:async(t,n,r,i,a)=>Yt(t,`DELETE`,n,i,a,r,e)}var Zt,post:Qt,put:$t,head:en,remove:tn=Xt(`storage`),n
n=Xt(`vectors`),rn=class{constructor(e,t='storage'){this.shouldThrowOnError=!1,this.url=e,this.headers=Vt(t),t
his.fetch=Ht(n),this.namespace=r}throwOnError(){return this.shouldThrowOnError=!0,this.setHeader(e,t){return
this.headers=Bt(this.headers,e,t),this}async handleOperation(e){var t=this;try{return{data:await
e(),error:null}}catch(e){if(t.shouldThrowOnError)throw e;if(Lt(e))return{data:null,error:e};throw
e}},an=class{constructor(e,t){this.downloadFn=e,this.shouldThrowOnError=t}then(e,t){return
this.execute().then(e,t)}async execute(){var e=this;try{return{data:(await
e.downloadFn()).body,error:null}}catch(t){if(e.shouldThrowOnError)throw t;if(Lt(t))return{data:null,error:t};throw t
}},on=Symbol.toStringTag,sn=class{constructor(e,t){this.downloadFn=e,this.shouldThrowOnError=t,this.on]=`BlobDownload
Builder`,this.promise=null}asStream(){return new an(this.downloadFn,this.shouldThrowOnError)}then(e,t){return
this.getPromise().then(e,t)}catch(e){return this.getPromise().catch(e)}finally(e){return
this.getPromise().finally(e)}getPromise(){return this.promise||=this.execute(),this.promise}async execute(){var
e=this;try{return{data:await e.downloadFn().blob(),error:null}}catch(t){if(e.shouldThrowOnError)throw
t;if(Lt(t))return{data:null,error:t};throw t}},cn=[limit:100,offset:0,sortBy:{column:`name`,order:`asc`}],ln={cacheC
ontrol:`3600`,contentType:`text/plain;charset=UTF-8`,upsert:1},un=class extends
rn{constructor(e,t={},n,r){super(e,t,r,`storage`),this.bucketId=n}async uploadOrUpdate(e,t,n,r){var i=this;return
i.handleOperation(async()=>{let
a,o=P(P({},ln),r),s=P(P({},i.headers),e==='POST'&&{"x-upsert":String(o.upsert)}),c=o.metadata;if(typeof Blob<`u`&&
instanceof Blob?(a=new
FormData,a.append(`cacheControl`,o.cacheControl),c&&a.append(`metadata`,i.encodeMetadata(c)),a.append(``,n)):typeof
FormData<`u`&&instanceof FormData?(a=n,a.has(`cacheControl`)||a.append(`cacheControl`,o.cacheControl),c&&!a.has(`me
tadata`)&&a.append(`metadata`,i.encodeMetadata(c))):(a=n,s['cache-control']=`max-age=${o.cacheControl}`,s['content-ty
pe']=o.contentType,c&&(s['x-metadata']=i.toBase64(i.encodeMetadata(c))),typeof ReadableStream<`u`&&a instanceof
ReadableStream||a&&typeof a=='object'&&`pipe`in a&&typeof
a.pipe=='function'&&!o.duplex&&(o.duplex=`half`)),r?.headers}for(let[e,t]of
Object.entries(r.headers))s=Bt(s,e,t);let l=i._removeEmptyFolders(t),u=i._getFinalPath(l),d=await(e==='PUT'?$t:Qt)(i.f
etch,`${i.url}/object/${u}`,a,P({headers:s,o?.duplex?{duplex:o.duplex}:{}));return{path:l,id:d,fullPath:d.key}}}}
async upload(e,t,n){return this.uploadOrUpdate(`POST`,e,t,n)}async uploadToSignedUrl(e,t,n,r){var i=this;let
a=i._removeEmptyFolders(e),o=i._getFinalPath(a),s=new URL(i.url+'object/upload/sign/${o}');return
s.searchParams.set(`token`,t),i.handleOperation(async()=>{let
e,t=P(P({},ln),r),o=P(P({},i.headers),{"x-upsert":String(t.upsert)}),c=t.metadata;if(typeof Blob<`u`&&
instanceof Blob?(e=new
FormData,e.append(`cacheControl`,t.cacheControl),c&&e.append(`metadata`,i.encodeMetadata(c)),e.append(``,n)):typeof
FormData<`u`&&instanceof FormData?(e=n,e.has(`cacheControl`)||e.append(`cacheControl`,t.cacheControl),c&&!e.has(`me
tadata`)&&e.append(`metadata`,i.encodeMetadata(c))):(e=n,o['cache-control']=`max-age=${t.cacheControl}`,o['content-ty
pe']=t.contentType,c&&(o['x-metadata']=i.toBase64(i.encodeMetadata(c))),typeof ReadableStream<`u`&&e instanceof
ReadableStream||e&&typeof e=='object'&&`pipe`in e&&typeof
e.pipe=='function'&&!t.duplex&&(t.duplex=`half`)),r?.headers}for(let[e,t]of
Object.entries(r.headers))o=Bt(o,e,t);return{path:a,fullPath:await
$(i.fetch,s.toString(),e,P({headers:o,t?.duplex?{duplex:t.duplex}:{})).key}}}}async createSignedUploadUrl(e,t){var
n=this;return n.handleOperation(async()=>{let
r=n._getFinalPath(e),i=P({},n.headers);t?.upsert&&(i['x-upsert']=`true`);let a=await
Qt(n.fetch,`${n.url}/object/upload/sign/${r}`,i,{headers:}),o=new
URL(n.url+a.url),s=o.searchParams.get(`token`);if(!s)throw new It(`No token returned by
API`);return{signedUrl:o.toString(),path:e,token:s}})}async update(e,t,n){return
this.uploadOrUpdate(`PUT`,e,t,n)}async move(e,t,n,r=this;return r.handleOperation(async()=>await Qt(r.fetch,`${r
.url}/object/move`,{bucketId:r.bucketId,sourceKey:e,destinationKey:t,destinationBucket:n?.destinationBucket},{headers
:r.headers}))}async copy(e,t,n){var r=this;return r.handleOperation(async()=>{path:(await Qt(r.fetch,`${r.url}/objec
t/copy`,{bucketId:r.bucketId,sourceKey:e,destinationKey:t,destinationBucket:n?.destinationBucket},{headers:r.headers
}).key}))}async createSignedUrl(e,t,n){var r=this;return r.handleOperation(async()=>{let
i=r._getFinalPath(e),a=typeof n?.transform=='object'&&n.transform!=null&&Object.keys(n.transform).length>0,o=await
Qt(r.fetch,`${r.url}/object/sign/${i}`,P({expiresIn:t,a?{transform:n.transform}:{}},{headers:r.headers}),s=new URLSe
archParams;n?.download&&s.set(`download`,n.download===!0?'':n.download),n?.cacheNonce!=null&&s.set(`cacheNonce`,Strin
g(n.cacheNonce));let c=s.toString();return{signedUrl:encodeURIComponent(`${r.url}${o.signedURL}${c}?&${c}`)}})}async
createSignedUrls(e,t,n){var r=this;return r.handleOperation(async()=>{let i=await
Qt(r.fetch,`${r.url}/object/sign/${r.bucketId}`,i,{expiresIn:t,path:s,e},{headers:r.headers}),a=new URLSearchParams;n?.d
ownload&&a.set(`download`,n.download===!0?'':n.download),n?.cacheNonce!=null&&a.set(`cacheNonce`,String(n.cacheNonce
));let o=a.toString();return i.map(e=>P(P({},e),{}),{signedUrl:e.signedURL?encodeURIComponent(`${r.url}${e.signedURL}
${o}?&${o}`):`${r.url}${o}`}),download(e,t,n){let r=typeof t?.transform=='object'&&t.transform!=null&&Object.keys(t.transfor
m).length>0?`render/image/authenticated`:`object`,i=new URLSearchParams;t?.transform&&this.applyTransformOptsToQuery(i,t.t
ransform),t?.cacheNonce!=null&&i.set(`cacheNonce`,String(t.cacheNonce));let
a=i.toString(),o=this._getFinalPath(e);return new sn((t)=>Zt(this.fetch,`${this.url}/${r}/${o}${a}?&${a}`:``),{header
s:this.headers,noResolveJson:!0},n),this.shouldThrowOnError)}async info(e){var t=this;let n=t._getFinalPath(e);return
t.handleOperation(async()=>Wt(await Zt(t.fetch,`${t.url}/object/info/${n}`,i,{headers:t.headers})))}async
exists(e){var t=this;let n=t._getFinalPath(e);try{return await
en(t.fetch,`${t.url}/object/${n}`,i,{headers:t.headers}),(data:!0,error:null)}catch(e){if(t.shouldThrowOnError)throw

```

```

e;if(Lt(e)){let t=e instanceof Rt?e.status:e instanceof zt?e.originalError?.status:void 0;if(t!==void
0&&[400,404].includes(t))return{data:!1,error:e}}throw e}}getPublicUrl(e,t){let n=this._getFinalPath(e),r=new URLSear
chParams;t?.download&&r.set('download',t.download===!0?'':t.download),t?.transform&&this.applyTransformOptsToQuery(r,
t.transform),t?.cacheNonce!=null&&r.set('cacheNonce',String(t.cacheNonce));let i=r.toString(),a=typeof t?.transform==
'object'&&t.transform!=null&&Object.keys(t.transform).length>0?'render/image':object';return{data:{publicUrl:encodeURI('
${this.url}/${a}/public/${n}')+(i?'?${i}':'')}}}async remove(e){var t=this;return
t.handleOperation(async()=>await tn(t.fetch,'${t.url}/object/${t.bucketId}',{prefixes:e},{headers:t.headers})))async
list(e,t,n){var r=this;return r.handleOperation(async()=>{let i=P(P({},cn),t),{},{prefix:e||''});return await
Qt(r.fetch,'${r.url}/object/list/${r.bucketId}',i,{headers:r.headers},n))}async listV2(e,t){var n=this;return
n.handleOperation(async()=>{let r=P({},e);return await
Qt(n.fetch,'${n.url}/object/list-v2/${n.bucketId}',r,{headers:n.headers},t))}encodeMetadata(e){return
JSON.stringify(e)}toBase64(e){return typeof Buffer<'u'?Buffer.from(e).toString('base64'):btoa(e)}_getFinalPath(e){ret
urn`${this.bucketId}/${e.replace(/\//+/, '')}`}_removeEmptyFolders(e){return
e.replace(/\//+/$/,'').replace(/\//+g,'/')}applyTransformOptsToQuery(e,t){return t.width&&e.set('width',t.width.toS
tring()),t.height&&e.set('height',t.height.toString()),t.resize&&e.set('resize',t.resize),t.format&&e.set('format',t.
format),t.quality&&e.set('quality',t.quality.toString()),e},dn={"X-Client-Info":"storage-js/2.105.1"},fn=class
extends rn{constructor(e,t={},n,r){let i=new URL(e);r?.useNewHostname&&supabase.(co|in|red)$/.test(i.hostname)&&i.i
.hostname.includes('storage.supabase.')}&&(i.hostname=i.hostname.replace('supabase.','storage.supabase.'));let
a=i.href.replace(/\$/,''),o=P(P({},dn),t);super(a,o,n,'storage')}async listBuckets(e){var t=this;return
t.handleOperation(async()=>{let n=t.listBucketOptionsToQueryString(e);return await
Zt(t.fetch,'${t.url}/bucket/${n}',{headers:t.headers})))}async getBucket(e){var t=this;return
t.handleOperation(async()=>await Zt(t.fetch,'${t.url}/bucket/${e}',{headers:t.headers})))}async
createBucket(e,t={public:!1}){var n=this;return n.handleOperation(async()=>await Qt(n.fetch,'${n.url}/bucket',{id:e,n
ame:e,type:t.type,public:t.public,file_size_limit:t.fileSizeLimit,allowed_mime_types:t.allowedMimeTypes},{headers:n.h
eaders})))}async updateBucket(e,t){var n=this;return n.handleOperation(async()=>await $t(n.fetch,'${n.url}/bucket/${e}
',{id:e,name:e,public:t.public,file_size_limit:t.fileSizeLimit,allowed_mime_types:t.allowedMimeTypes},{headers:n.head
ers})))}async emptyBucket(e){var t=this;return t.handleOperation(async()=>await
Qt(t.fetch,'${t.url}/bucket/${e}/empty',{},{headers:t.headers})))}async deleteBucket(e){var t=this;return
t.handleOperation(async()=>await
tn(t.fetch,'${t.url}/bucket/${e}',{},{headers:t.headers})))listBucketOptionsToQueryString(e){let t={};return
e&&('limit'in e&&t.limit=String(e.limit)),('offset'in e&&(t.offset=String(e.offset)),e.search&&(t.search=e.search),e.
sortColumn&&(t.sortColumn=e.sortColumn),e.sortOrder&&(t.sortOrder=e.sortOrder)),Object.keys(t).length>0?''+new
URLSearchParams(t).toString()':''},pn=class extends rn{constructor(e,t={},n){let
r=e.replace(/\$/,''),i=P(P({},dn),t);super(r,i,n,'storage')}async createBucket(e){var t=this;return
t.handleOperation(async()=>await Qt(t.fetch,'${t.url}/bucket',{name:e},{headers:t.headers})))}async listBuckets(e){var
t=this;return t.handleOperation(async()=>{let n=new URLSearchParams;e?.limit!=void
0&&n.set('limit',e.limit.toString()),e?.offset!=void 0&&n.set('offset',e.offset.toString()),e?.sortColumn&&n.set('so
rtColumn',e.sortColumn),e?.sortOrder&&n.set('sortOrder',e.sortOrder),e?.search&&n.set('search',e.search);let
rn.toString(),i=r?'${t.url}/bucket?${r}':'${t.url}/bucket';return await Zt(t.fetch,i,{headers:t.headers})))}async
deleteBucket(e){var t=this;return t.handleOperation(async()=>await
tn(t.fetch,'${t.url}/bucket/${e}',{},{headers:t.headers})))from(e){var t=this;if(!gt(e))throw new It('Invalid bucket
name: File, folder, and bucket names must follow AWS object key naming guidelines and should avoid the use of any
other characters.')}let n=new At({baseUrl:this.url,catalogName:e,auth:{type:'custom',getHeaders:async()=>t.headers},f
etch:this.fetch}),r=this.shouldThrowOnError;return new Proxy(n,{get(e,t){let n=e[t];return typeof
n==function?async(...t)=>{try{return{data:await n.apply(e,t),error:null}}catch(e){if(r)throw
e;return{data:null,error:e}}}}:n)}},mn=class extends rn{constructor(e,t={},n){let
r=e.replace(/\$/,''),i=P(P({},dn),t),{"Content-Type":"application/json"},t);super(r,i,n,'vectors')}async
createIndex(e){var t=this;return t.handleOperation(async()=>await
nn.post(t.fetch,'${t.url}/CreateIndex',e,{headers:t.headers})))}async getIndex(e,t){var n=this;return
n.handleOperation(async()=>await
nn.post(n.fetch,'${n.url}/GetIndex',{vectorBucketName:e,indexName:t},{headers:n.headers})))}async listIndexes(e){var
t=this;return t.handleOperation(async()=>await nn.post(t.fetch,'${t.url}/ListIndexes',e,{headers:t.headers})))}async
deleteIndex(e,t){var n=this;return n.handleOperation(async()=>await
nn.post(n.fetch,'${n.url}/DeleteIndex',{vectorBucketName:e,indexName:t},{headers:n.headers})))}hn=class extends
rn{constructor(e,t={},n){let
r=e.replace(/\$/,''),i=P(P({},dn),t),{"Content-Type":"application/json"},t);super(r,i,n,'vectors')}async
putVectors(e){var t=this;if(e.vectors.length<1||e.vectors.length>500)throw Error('Vector batch size must be between 1
and 500 items');return t.handleOperation(async()=>await
nn.post(t.fetch,'${t.url}/PutVectors',e,{headers:t.headers})))}async getVectors(e){var t=this;return
t.handleOperation(async()=>await nn.post(t.fetch,'${t.url}/GetVectors',e,{headers:t.headers})))}async
listVectors(e){var t=this;if(e.segmentCount!=void 0){if(e.segmentCount<1||e.segmentCount>16)throw
Error('segmentCount must be between 1 and 16');if(e.segmentIndex!=void
0&&(e.segmentIndex<0||e.segmentIndex>=e.segmentCount))throw Error('segmentIndex must be between 0 and
${e.segmentCount-1}')}return t.handleOperation(async()=>await
nn.post(t.fetch,'${t.url}/ListVectors',e,{headers:t.headers})))}async queryVectors(e){var t=this;return
t.handleOperation(async()=>await nn.post(t.fetch,'${t.url}/QueryVectors',e,{headers:t.headers})))}async
deleteVectors(e,t){var n=this;if(e.keys.length<1||e.keys.length>500)throw Error('Keys batch size must be between 1 and
500 items');return t.handleOperation(async()=>await
nn.post(t.fetch,'${t.url}/DeleteVectors',e,{headers:t.headers})))}gn=class extends rn{constructor(e,t={},n){let
r=e.replace(/\$/,''),i=P(P({},dn),t),{"Content-Type":"application/json"},t);super(r,i,n,'vectors')}async
createBucket(e){var t=this;return t.handleOperation(async()=>await
nn.post(t.fetch,'${t.url}/CreateVectorBucket',{vectorBucketName:e},{headers:t.headers})))}async getBucket(e){var
t=this;return t.handleOperation(async()=>await
nn.post(t.fetch,'${t.url}/GetVectorBucket',{vectorBucketName:e},{headers:t.headers})))}async listBuckets(e={}){var
t=this;return t.handleOperation(async()=>await
nn.post(t.fetch,'${t.url}/ListVectorBuckets',e,{headers:t.headers})))}async deleteBucket(e){var t=this;return
t.handleOperation(async()=>await
nn.post(t.fetch,'${t.url}/DeleteVectorBucket',{vectorBucketName:e},{headers:t.headers})))},_n=class extends
gn{constructor(e,t={}){super(e,t.headers||{},t.fetch)}from(e){return new vn(this.url,this.headers,e,this.fetch)}async
createBucket(e){var t=()=>=>super.createBucket,n=this;return t().call(n,e)}async getBucket(e){var
t=()=>=>super.getBucket,n=this;return t().call(n,e)}async listBuckets(e={}){var t=()=>=>super.listBuckets,n=this;return
t().call(n,e)}async deleteBucket(e){var t=()=>=>super.deleteBucket,n=this;return t().call(n,e)},vn=class extends
mn{constructor(e,t,n,r){super(e,t,r),this.vectorBucketName=n}async createIndex(e){var
t=()=>=>super.createIndex,n=this;return t().call(n,P(P({},e),{},{vectorBucketName:n.vectorBucketName})))}async
listIndexes(e={}){var t=()=>=>super.listIndexes,n=this;return
t().call(n,P(P({},e),{},{vectorBucketName:n.vectorBucketName})))}async getIndex(e){var
t=()=>=>super.getIndex,n=this;return t().call(n,n.vectorBucketName,e)}async deleteIndex(e){var
t=()=>=>super.deleteIndex,n=this;return t().call(n,n.vectorBucketName,e)}index(e){return new
yn(this.url,this.headers,this.vectorBucketName,e,this.fetch)},yn=class extends
hn{constructor(e,t,n,r,i){super(e,t,i),this.vectorBucketName=n,this.indexName=r}async putVectors(e){var
t=()=>=>super.putVectors,n=this;return
t().call(n,P(P({},e),{},{vectorBucketName:n.vectorBucketName,indexName:n.indexName})))}async getVectors(e){var
t=()=>=>super.getVectors,n=this;return
t().call(n,P(P({},e),{},{vectorBucketName:n.vectorBucketName,indexName:n.indexName})))}async listVectors(e={}){var
t=()=>=>super.listVectors,n=this;return
t().call(n,P(P({},e),{},{vectorBucketName:n.vectorBucketName,indexName:n.indexName})))}async queryVectors(e){var
t=()=>=>super.queryVectors,n=this;return
t().call(n,P(P({},e),{},{vectorBucketName:n.vectorBucketName,indexName:n.indexName})))}async deleteVectors(e){var
t=()=>=>super.deleteVectors,n=this;return
t().call(n,P(P({},e),{},{vectorBucketName:n.vectorBucketName,indexName:n.indexName})))},bn=class extends
fn{constructor(e,t={},n,r){super(e,t,n,r)}from(e){return new un(this.url,this.headers,e,this.fetch)}get

```



```

vectors(){return new _n(this.url+`vector`,{headers:this.headers,fetch:this.fetch})}get analytics(){return new pn(this.s.url+`iceberg`,this.headers,this.fetch)},xn=2.105,1.Nm=3n*1e3,Cn=3*Snn,wn=http://localhost:9999/,Tn=Supabase.auth.token`,`En={"X-Client-Info":'gotrue-js/${xn}`,Dn='X-Supabase-API-Version',On={"2024-01-01":{timestamp:Date.parse('2024-01-01T00:00:00Z'),'name:'2024-01-01'},kn=/^[a-z0-9-]{4}$/${[a-z0-9-]{3}${[a-z0-9-]{2}}$}$/i,An=class extends Error{constructor(e,t,n){super(e),this._isAuthError=this,..._isAuthError===0}},this.status=t,this.code=n}toJSO
N(){return{name:this.name,message:this.message,status:this.status,code:this.code}};function F(e){return typeof e==='object'&&!e&&'_isAuthError'in e?var jn=class extends
An.constructor(e,t,n){super(e,t,n),this.names='AuthApiError',this.status=t,this.code=n};function Mn(e){return F(e)&&e.name==='AuthApiError'}var Nn=class extends
An.constructor(e,t){super(e),this.name='AuthUnknownError',this.originalError=t},Pn=class extends
An.constructor(e,t,n,r){super(e,n,r),this.name=t,this.status=n},Fn=class extends Pn.constructor(){super(`Auth session missing`,`AuthSessionMissingError`,400,void 0)};function In(e){return F(e)&&e.name==='AuthSessionMissingError'}var Ln=class extends Pn.constructor(){super(`Auth session or user missing`,`AuthInvalidTokenResponseError`,500,void 0)},Rn=class extends
Pn.constructor(e){super(e,'AuthInvalidCredentialsError',400,void 0)},zn=class extends
Pn.constructor(e,t=null){super(e,'AuthImplicitGrantRedirectError',500,void 0)},this.details=null,this.details=t}toJSON(){return Object.assign(Object.assign({},super.toJSON()),{details:this.details})};function Bn(e){return F(e)&&e.name==='AuthImplicitGrantRedirectError'}var Vn=class extends
Pn.constructor(e,t=null){super(e,'AuthPKCEGrantCodeExchangeError',500,void 0)},this.details=null,this.details=t}toJSON(){return Object.assign(Object.assign({},super.toJSON()),{details:this.details})},Hn=class extends
Pn.constructor(){super(`PKCE code verifier not found in storage. This can happen if the auth flow was initiated in a different browser or device, or if the storage was cleared. For SSR frameworks (Next.js, SvelteKit, etc.), use @supabase/ssr on both the server and client to store the code verifier in cookies.`,'AuthPKCECodeVerifierMissingError',400,'pkce_code_verifier_not_found')},Un=class extends
Pn.constructor(e,t){super(e,'AuthRetryableFetchError',t,void 0)};function Wn(e){return F(e)&&e.name==='AuthRetryableFetchError'}var Gn=class extends
Pn.constructor(e,t,n){super(e,'AuthWeakPasswordError',t,'weak_password'),this.reasons=n}toJSO()return
Object.assign(Object.assign({},super.toJSON()),{reasons:this.reasons}),Kn=class extends Pn.constructor(e){super(e,'AuthInvalidJwtError',400,'invalid_jwt'),qn=ABCDEFGHJKLMNPQRSTUVMXYZabcdefghijklmnopqrstuvwxyz0123456789-_.split('').Jn=`
00029: `r=_.split(''),Yn=(()=>=>let e=Array(128);for(let t=0;t<e.length;t+=1)e[t]=-1;for(let t=0;t<jn.length;t+=1)e[jn[t].charCodeAt(0)]=-2;for(let t=0;t<qn.length;t+=1)e[qn[t].charCodeAt(0)]=t;return e})();function Xn(e,t){if(!e===null)for(t.queue=t.queue<8|t.t.queuedBits+=8;t.queuedBits>6;n[qn[t.queue]>t.queuedBits-6&63],t.queuedBits-=6}else if(t.queuedBits>0)for(t.queue<=6-t.queuedBits;t.queuedBits=6;t.queuedBits>6;n[qn[t.queue]>t.queuedBits-6&63],t.queuedBits-=6)function Zn(e,t,n){let r=Yn(e);if(r>-1)for(t.queue=t.queue<6|r,t.queuedBits=6;t.queuedBits>8)n(t.queue>t.queuedBits-8&255),t.queuedBits-=8}else if(r===-2)return;else throw Error(`Invalid Base64-URL character "${String.fromCharCode(Cn[e])}"`)function Qn(e){let t=[],n=e=>t.push(String.fromCharCode(ePoint(e))),r=[tf8seq:0,codepoint:0],i={queue:0,queuedBits:0},a=e=>{f(r,e,n,r),for(let t=0;t<e.length;t+=1)Zn(e.charCodeAt(t),i,a);return t.join('')}function $n(e,t){if(e<=127){t(e);return}else if(e<=2047){t(192)(e>6),t(128)(e&63);return}else if(e<=65535){t(224)(e>12),t(128)(e>=6&63),t(128)(e&63);return}else if(e<=1114111){t(240)(e>=18),t(128)(e>=12&63),t(128)(e>=6&63),t(128)(e&63);return}throw Error(`Unrecognized Unicode codepoint: ${e.toString(16)}`}function er(e,t){for(let n=0;n<e.length;n+=1){let r=e.charCodeAt(n);if(r>=55295&&r<=56319){let t=(r-55296)*1024+65535;r=(e.charCodeAt(n+1)-56320+65535|t)+65536,n+=1}$n(r,t)}function tr(e,t,n){if(t.tf8seq===0){if(e<=127){n(e);return}for(let n=1;n<6;n+=1){if((e>7->n&1){t.tf8seq=n;break}if(t.tf8seq===2)t.codepoint=e&31;else if(t.tf8seq===3)t.codepoint=e&15;else if(t.tf8seq===4)t.codepoint=e&7;else throw Error(`Invalid UTF-8 sequence`);--t.tf8seq}else if(t.tf8seq>0){if(e<=127)throw Error(`Invalid UTF-8 sequence`);t.codepoint=t.codepoint<=6|e&63,--t.tf8seq,t.tf8seq===0&&(t.codepoint)}function nr(e){let t=[],n={queue:0,queuedBits:0},r=e=>{t.push(e);for(let t=0;t<e.length;t+=1)Zn(e.charCodeAt(t),n,r);return new Uint8Array(t)}function rr(e){let t=[];return er(e,e=>t.push(e)),new Uint8Array(t)}function ir(e){let t=[],n={queue:0,queuedBits:0},r=e=>{t.push(e);return e.forEach(e=>Xn(e,n,r)),Xn(null,n,r),t.join('')}function ar(e){return Math.round(Date.now()/1e3)+e}function or(){return Symbol('auth/callback')}var sr=(e=>typeof window<&&'&typeof documents<&&'cr={tested:!1,writable:!1},lr=()=>{if(lr!==1)return!1;try{if(typeof globalThis.localStorage!=='object')return!1}catch{return!1}if(cr.tested)return cr.writable;let e=lswt-${Math.random()}${Math.random()}`;try{globalThis.localStorage.setItem(e,e),globalThis.localStorage.removeItem(e),cr.tested=!0,cr.writable=!0}catch{cr.tested=!0,cr.writable=!1}return cr.writable;}function ur(e){let t={},n=new URL(e);if(n.hash&&n.hash[0]!=='#')try(new URLSearchParams(n.hash.substring(1)).forEach((e,n)=>{t[n]=e}))catch{}return n.searchParams.forEach((e,n)=>{t[n]=e}),t}?dr=e=>e?...e...e)...e...e}>fetch(...e),fr=e=>typeof e==='object'&&!e&&'status'in e&&'ok'in e&&'json'in e&&typeof e.json==='function',pr=async(e,t,n)=>{await e.setItem(t,JSON.stringify(n)),mr=async(e,t)=>{let n=await e.getItem(t);if(!n)return null;try{return JSON.parse(n)}catch{return n}},hr=async(e,t)=>{await e.removeItem(t)},gr=class e{constructor(t){this.promise=new e.Promise(Constructor((e,t)=>{this.resolve=e,this.reject=t}));gr.PromiseConstructor=Promise;function _r(e){let t=e.split('').if(t.length!=3)throw new Kn('Invalid JWT structure');for(let e=0;ect.length++;q+=1){!(kn.test(t[e]))throw new Kn('JWT not in base64url format');return(header:JSON.parse(Qn(t[0])),payload:JSON.parse(Qn(t[1])),signature:nr(t[2]),raw:{header:t[0],payload:t[1]});async function vr(e){return await new Promise(t=>{setTimeout(()=>t(null,e))});function yr(e,t){return new Promise((n,r)=>{(async())=>{for(let i=0;i<1/0;i++)try{let r=await e(i);if(!t(i,null,r)){n(r);return}catch(e){if(!t(i,e)){r(e);return}}}function br(e){return(n =>e.toString(16)).substr(-2)}function xr(){let e=new Uint32Array(56);if(typeof crypto<'u')let e='';for(let t=0;t<56;t++)e=' ABCDEFGHIJKLMNOPQRSTUVWXYZabcdeghijklmnopqrstuvwxyz0123456789-_. charAt(Math.floor(M ath.random()*66));return e}return e}function getRandomValues(e,Array,from,(e,br).join('')));async function Sr(e){let t=new TextEncoder().encode(e),n=await crypto.subtle.digest('SHA-256'),r=new Uint8Array(n);return Array.from(r).map(e=>String.fromCharCode(e)).join('')});async function Cr(e){if(!(typeof crypto<'u'&&crypto.subtle!==(void 0&&typeof TextEncoder<'u'))return console.warn('WebCrypto API is not supported. Code challenge method will default to use plain instead of sha256.'),e;let t=await Sr(e);return btoa(t).replace(/\+/g,'').replace(/\//g,'_').replace(/=/g,'')});async function wr(e,t,n=!1){let r=xr(),i=r;&&i!=='recovery',await pr(e,{ '$t':code-verifier,i});let a=await Cr(r)/r/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}$;/function Ar(e){if(!kr.test(e))throw Error('@supabase/auth-js: Expected parameter to be UUID but is not')}function Jr(e){if(!e.passkey)throw Error('@supabase/auth-js: the passkey API is experimental and disabled by default. Enable it by passing `auth: { experimental: { passkey: true } }` to createClient() or to the GoTrueClient constructor.')}function Mr(){return new Proxy({},{get:(e,t)=>{if(t=== '_isUserNotAvailableProxy')return!0;if(typeof t==='symbol'){let est.toString();if(====S ymbol(Symbol.toPrimitive)||=Symbol(Symbol.toStringTag)||=Symbol(util.inspect.custom)})return}throw Error('@supabase/auth-js: client was created with userStorage option and there was no user stored in the user storage. Accessing the "$t" property of the session object is not supported. Please use getUser() instead.'),set:(e,t)=>{throw Error('@supabase/auth-js: client was created with userStorage option and there was no user stored in the user storage. Setting the "$t" property of the session object is not supported. Please use getUser() to fetch a user object you can manipulate.'),deleteProperty:(e,t)=>{throw Error('@supabase/auth-js: client was created with userStorage option and there was no user stored in the user storage. Deleting the "$t" property of the session object is not supported. Please use getUser() to fetch a user object you can manipulate.')}}}function Nr(e,t){return new Proxy(e,{get:(e,n,r)=>{if(n=== '_isInsecureUserWarningProxy')return!0;if(typeof n==='symbol'){let t=n.toString();if(t=== 'Symbol(Symbol.toPrimitive)'|t=== 'Symbol(Symbol.toStringTag)'|t=== 'Symbol(util.inspect.custom)'|t=== 'Symbol(nodesjs.util.inspect.custom')return Reflect.get(e,n,r)}return!t.value&&typeof n==='string'&&(console.warn('Using the user object as returned from supabase.auth.getSession() or from some

```

```

upabase.cookie.onAuthStateChange() events could not be insecure. Use upabase.cookie.getUser() instead which authenticates the
(usually cookies on the server) and may not be authentic. Use upabase.cookie.getUser() instead which authenticates the
data by contacting the Supabase Auth server.`,t.value=10),Reflect.get(e,n,r))}}function Pr(e){return
JSON.parse(JSON.stringify(e))}var Fr=e.e.msg||Lr.message||e.error_description||e.error||JSON.stringify(e),Ir=[502,503
,504,505,521,522,523,524,530];async function Lr(e){if(!fr(e))throw new Un(Fr(e),0);if(Ir.includes(e.status))throw new
Un(Fr(e),e.status);let t;try{t=await e.json()}catch(e){throw new Nn(Fr(e),e)}let
n,r=e(e);if(r&r.getTime()>=0n[2024-01-01].timestamp&&typeof t=="object"&&typeof
t.code=="string"&n.t.code.typeof t=="object"&&t.error_code=="string"&&(n.t.error_code,ln){if(typeof
t=="object"&&t.typeof t.weak_password=="object"&&t.weak_password&&Array.isArray(t.weak_password.reasons)&&t.weak_pas
sword.reasons.length&&t.weak_password.reasons.reduce((e,t)=>e&&typeof t=="string",!0))throw new
Nn(Fr(t),e.status,t.weak_password.reasons)}else if(n=="weak_password")throw new
Nn(Fr(t),e.status,t.weak_password?.reasons[0]);}else if(n=="session_not_found")throw new Nn;throw new
Nn(Fr(t),e.status,[500,n])var Rr=(e,t,n,r)=>[let i:[method:e,headers:t,headers:r];return e=="GET"?i:(i.headers=Obje
ct.assign({Content-Type":`application/json;charset=UTF-8`},t.r.headers),i.body=JSON.stringify(r),Object.assign(Obje
ct.assign({i,n}),n),i);async function I(e,t,n,r){let i=Object.assign({r:r.headers});if(`X-Supabase-API-Version`)[i[Dn
]=0n[2024-01-01].name),r.jwt&&(i.Authorization="Bearer ${r.jwt}");let
a=r?.query??{};r?.redirectTo&&(a.redirect_to=r.redirectTo);let o=await zr(e,t,n+(Object.keys(a).length??`)+new
URLSearchParams(a).toString():`),{headers:i,noResolveJson:r?.noResolveJson},{r:r.body};return
r?.xform???.xform(o):{data:Object.assign({},o),error:null}async function zr(e,t,n,r,i,a){let
o=Rr(t,n,r,i,a),s;try{s=await e.n,Object.assign({},o)}catch(e){throw console.error(e),new Un(Fr(e),0)}if(s.ok){await
Lr(r,r.noResolveJson)return s;try{return await s.json()}catch(e){await Lr(e)}function Br(e){let
t=null;Kr(e)&&(t=Object.assign({},e),e.expires_at||t.expires_at=ar(e.expires_in));let
n=e.user??e;return{data:{session:t,user:n,error:null}}function Vr(e){let
n=Br(e);return!n.error&&t.weak_password&&typeof e.weak_password=="object"&&Array.isArray(e.weak_password.reasons)&&e.
weak_password.reasons.length&&t.weak_password.message&&typeof
e.weak_password.message=="string"&&t.weak_password.reasons.reduce((e,t)=>e&&typeof
t=="string",!0)&&(t.data.weak_password=e.weak_password),t}function
Hr(e){return{data:{user:e.user??e,error:null}}function Vr(e){return{data:e,error:null}}function Wr(e){let{action_lin
k:t,email_otp:n,hashed_token:r,redirect_to:i,verification_type:a}=e,o=y(e,[`action_link`,`email_otp`,`hashed_token`,`
redirect_to`,`verification_type`]);return{data:{properties:{action_link:t,email_otp:n,hashed_token:r,redirect_to:i,ve
rification_type:a},user:Object.assign({},o),error:null}}function Gr(e){return e}function Kr(e){return
e.access_token&&e.refresh_token&&e.expires_in}var qr=["global`,`local`,`others`],Jr=class{constructor({url:e`,`head
ers:t`,`fetch:n,experimental:r}){this.url=e,this.headers=t,this.fetch=dr(n),this.experimental=???},this.mfa={listFac
tors:this._listFactors.bind(this),deleteFactor:this._deleteFactor.bind(this),this.ouath={listClients:this._listOuth
Clients.bind(this),createClient:this._createOuthClient.bind(this),getClient:this._getOuthClient.bind(this),updateCl
ient:this._updateOuthClient.bind(this),deleteClient:this._deleteOuthClient.bind(this),regenerateClientSecret:this._
regenerateOuthClientSecret.bind(this)},this.customProviders={listProviders:this._listCustomProviders.bind(this),crea
teProvider:this._createCustomProvider.bind(this),getProvider:this._getCustomProvider.bind(this),updateProvider:this._
updateCustomProvider.bind(this),deleteProvider:this._deleteCustomProvider.bind(this)},this.passkeys={listPasskeys:thi
s._adminListPasskeys.bind(this),deletePasskey:this._adminDeletePasskey.bind(this)}async
signOut(e,t=qr[0]){if(qr.indexOf(t)<0)throw Error("@supabase/auth-js: Parameter scope must be one of ${qr.join`,`
`)}");try{return await I(this.fetch,`POST`,`${this.url}/logout?scope=${t}`,headers:this.headers,jwt:e,noResolveJson:
!0},{data:null,error:null})catch(e){if(F(e))return{data:null,error:e};throw e}}async
inviteUserByEmail(e,t={}){try{return await I(this.fetch,`POST`,`${this.url}/invite`,`body:{email:e,data:t},headers:
this.headers,redirectTo:t.redirectTo,xform:Hr)}catch(e){if(F(e))return{data:{user:null,error:e};throw e}}async
generateLink(e){try{let{options:t}=e,n=y(e,`options`),r=Object.assign(Object.assign({},n),t);return`newEmail`in
n&&(r.new_email=n,newEmail,delete r.newEmail),await I(this.fetch,`POST`,`${this.url}/admin/generate_link`,`body:r,he
aders:this.headers,xform:Hr,redirectTo:t.redirectTo)}catch(e){if(F(e))return{data:{properties:{user,user:null,error:
e};throw e}}async createUser(e){try{return await I(this.fetch,`POST`,`${this.url}/admin/users`,`body:e,headers:thi
s.headers,xform:Hr)}catch(e){if(F(e))return{data:{user:null,error:e};throw e}}async listUsers(e){try{let
t=(nextPage:number,lastPage:number,total:0),n=await I(this.fetch,`GET`,`${this.url}/admin/users`,`headers:this.headers,noRes
olveJson:!0,query:{page:(e?.page)??.toString():`,`per_page:(e?.perPage)??.toString():`,`},xform:Gr);if(n.error)throw
n.error;let r=await n.json(),i=n.headers.get(`x-total-count`)??.a=n.headers.get(`link`)??.split(``,``)??.[1];return
a.length>0&&a.forEach(e=>{let n=parseInt(e.split(``,``)[0].split(``,``)[1].substring(0,1)),r=JSON.parse(e.split(``,``)[1].
split(``,``)[1]),t[`${rPage}`]=n},t.total=parseInt(i)),{data:Object.assign(Object.assign({},r),t),error:null}}catch(e)
{if(F(e))return{data:{users:[],error:e};throw e}}async getUserById(e){Ar(e);try{return await I(this.fetch,`GET`,`${t
his.url}/admin/users/${e}`,headers:this.headers,xform:Hr)}catch(e){if(F(e))return{data:{user:null,error:e};throw
e}}async updateUserById(e,t){Ar(e);try{return await I(this.fetch,`PUT`,`${this.url}/admin/users/${e}`,body:t,headers:
this.headers,xform:Hr)}catch(e){if(F(e))return{data:{user:null,error:e};throw e}}async
deleteUser(e,t=!1){Ar(e);try{return await I(this.fetch,`DELETE`,`${this.url}/admin/users/${e}`,headers:this.headers,
body:{shouldSoftDelete:t},xform:Hr)}catch(e){if(F(e))return{data:{user:null,error:e};throw e}}async
_listFactors(e){Ar(e.userId);try{let{data:t,error:n}=await I(this.fetch,`GET`,`${this.url}/admin/users/${e.userId}/fa
ctors`,`headers:this.headers,xform=e=>({data:{factors:e},error:null)});return{data:t,error:n}}catch(e){if(F(e))retu
rn{data:null,error:e};throw e}}async _deleteFactor(e){Ar(e.userId),Ar(e.id);try{return{data:await I(this.fetch,`DELETE
`,`${this.url}/admin/users/${e.userId}/factors/${e.id}`,headers:this.headers),error:null}}catch(e){if(F(e))return{da
ta:null,error:e};throw e}}async _listOuthClients(e){try{let t=(nextPage:number,lastPage:number,total:0),n=await I(this.fet
ch,`GET`,`${this.url}/admin/ouath/clients`,`headers:this.headers,noResolveJson:!0,query:{page:(e?.page)??.toString():`,`
`,`per_page:(e?.perPage)??.toString():`,`},xform:Gr);if(n.error)throw n.error;let r=await
n.json(),i=n.headers.get(`x-total-count`)??.a=n.headers.get(`link`)??.split(``,``)??.[1];return
a.length>0&&(a.forEach(e=>{let n=parseInt(e.split(``,``)[0].split(``,``)[1].substring(0,1)),r=JSON.parse(e.split(``,``)[1].
split(``,``)[1]),t[`${rPage}`]=n},t.total=parseInt(i)),{data:Object.assign(Object.assign({},r),t),error:null}}catch(e)
{if(F(e))return{data:{clients:[],error:e};throw e}}async _createOuthClient(e){try{return await I(this.fetch,`POST
`,`${this.url}/admin/ouath/clients`,`body:e,headers:this.headers,xform=e=>({data:e,error:null})}}catch(e){if(F(e))retu
rn{data:null,error:e};throw e}}async _getOuthClient(e){try{return await I(this.fetch,`GET`,`${this.url}/admin/ouath/
clients/${e}`,headers:this.headers,xform=e=>({data:e,error:null})}}catch(e){if(F(e))return{data:null,error:e};throw
e}}async _updateOuthClient(e,t){try{return await I(this.fetch,`PUT`,`${this.url}/admin/ouath/clients/${e}`,body:t,
headers:this.headers,xform=e=>({data:e,error:null})}}catch(e){if(F(e))return{data:null,error:e};throw e}}async
_deleteOuthClient(e){try{return await I(this.fetch,`DELETE`,`${this.url}/admin/ouath/clients/${e}`,headers:this.h
eaders,noResolveJson:!0},{data:null,error:null}}catch(e){if(F(e))return{data:null,error:e};throw e}}async
_regenerateOuthClientSecret(e){try{return await I(this.fetch,`POST`,`${this.url}/admin/ouath/clients/${e}/regenerate
_secret`,`headers:this.headers,xform=e=>({data:e,error:null})}}catch(e){if(F(e))return{data:null,error:e};throw
e}}async _listCustomProviders(e){try{let t={};return e.type&&t.type=e.type,await I(this.fetch,`GET`,`${this.url}/a
dmin/custom-providers`,`headers:this.headers,query:t,xform=e=>({data:{providers:e?.providers??[]},error:null)}))catc
h(e){if(F(e))return{data:{providers:[],error:e};throw e}}async _createCustomProvider(e){try{return await I(this.fetc
h,`POST`,`${this.url}/admin/custom-providers`,`body:e,headers:this.headers,xform=e=>({data:e,error:null})}}catch(e){
if(F(e))return{data:null,error:e};throw e}}async _getCustomProvider(e){try{return await I(this.fetch,`GET`,`${this.ur
l}/admin/custom-providers/${e}`,headers:this.headers,xform=e=>({data:e,error:null})}}catch(e){if(F(e))return{data:n
ull,error:e};throw e}}async _updateCustomProvider(e,t){try{return await I(this.fetch,`PUT`,`${this.url}/admin/custom-
providers/${e}`,body:t,headers:this.headers,xform=e=>({data:e,error:null})}}catch(e){if(F(e))return{data:null,error:
e};throw e}}async _deleteCustomProvider(e){try{return await I(this.fetch,`DELETE`,`${this.url}/admin/custom-provider
s/${e}`,headers:this.headers,noResolveJson:!0},{data:null,error:null}}catch(e){if(F(e))return{data:null,error:e};th
row e}}async _adminListPasskeys(e){jr(this.experimental),Ar(e.userId);try{return await I(this.fetch,`GET`,`${this.ur
l}/admin/users/${e.userId}/passkeys`,`headers:this.headers,xform=e=>({data:e,error:null})}}catch(e){if(F(e))return{da
ta:null,error:e};throw e}}async _adminDeletePasskey(e){jr(this.experimental),Ar(e.userId),Ar(e.passkeyId);try{retu
rn await I(this.fetch,`DELETE`,`${this.url}/admin/users/${e.userId}/passkeys/${e.passkeyId}`,headers:this.headers,noRes
olveJson:!0},{data:null,error:null}}catch(e){if(F(e))return{data:null,error:e};throw e}}function
Yr(e={}){return{getItem:t=>e[t]||null,setItem:(t,n)=>e[t]=n,removeItem:t=>delete e[t]}var Xr={debug:!!(globalThis
&&Lr&&globalThis.localStorage&&globalThis.localStorage.getItem("supabase.gotrue-js.locks.debug")=="true")},Zr=cla
ss extends Error{constructor(e){super(e),this.isAcquireTimeout=!0},qr=class extends Zr{async function
$(e,t,n){Xr.debug&&console.log("@supabase/gotrue-js: navigator.lock: acquire lock",e),t;let r=new
globalThis.AbortController,i,t=0&&(i=setTimeout(()=>{r.abort(),Xr.debug&&console.log("@supabase/gotrue-js:

```

```

navigatorLock.acquireTimedOut(e),t)),await Promise.resolve();try{return await
globalThis.navigator.locks.request(e,t===0?{mode:'exclusive',ifAvailable:!0}:{mode:'exclusive',signal:r.signal},async
r=>{if(r){clearTimeout(i),Xr.debug&&console.log('@supabase/gotrue-js: navigatorLock: acquired',e,r.name)};try{return
await n()}}finally{Xr.debug&&console.log('@supabase/gotrue-js: navigatorLock: released',e,r.name)}}else if(t===0)throw
Xr.debug&&console.log('@supabase/gotrue-js: navigatorLock: not immediately available',e),new Qr('Acquiring an
exclusive Navigator LockManager lock "$e)" immediately failed');else if(Xr.debug)try{let e=await
globalThis.navigator.locks.query();console.log('@supabase/gotrue-js: Navigator LockManager
state',JSON.stringify(e,null,' '))}catch(e){console.warn('@supabase/gotrue-js: Error when querying Navigator
LockManager state',e)}return console.warn('@supabase/gotrue-js: Navigator LockManager returned a null lock when using
#request without ifAvailable set to true, it appears this browser is not following the LockManager spec
https://developer.mozilla.org/en-US/docs/Web/API/LockManager/request'),clearTimeout(i),await
n()}})}catch(a){if(t>0&&clearTimeout(i),a?.name==='AbortError'&&t>0){if(r.signal.aborted)return
Xr.debug&&console.log('@supabase/gotrue-js: navigatorLock: acquire timeout, recovering by stealing
lock',e),console.warn('@supabase/gotrue-js: Lock "$e)" was not released within ${t}ms. This may indicate an orphaned
lock from a component unmount (e.g., React Strict Mode). Forcefully acquiring the lock to recover.'),await
Promise.resolve().then(()=>globalThis.navigator.locks.request(e,{mode:'exclusive',steal:!0},async
t=>{if(t){Xr.debug&&console.log('@supabase/gotrue-js: navigatorLock: recovered (stolen)',e,t.name)};try{return await
n()}}finally{Xr.debug&&console.log('@supabase/gotrue-js: navigatorLock: released (stolen)',e,t.name)}})}else return
console.warn('@supabase/gotrue-js: Navigator LockManager returned null lock even with steal: true'),await
n()}});throw Xr.debug&&console.log('@supabase/gotrue-js: navigatorLock: lock was stolen by another request',e),new
Qr('Lock "$e)" was released because another request stole it')}throw a}function ei(){if(typeof
globalThis=== 'object'){try{Object.defineProperty(Object.prototype, '__magic__', {get: function() {return
this}, configurable: !0}), __magic__.globalThis=__magic__, delete Object.prototype.__magic__}catch(typeof
self<'u'&&(self.globalThis=self))}function ti(e){if(!/^0x[a-fA-F0-9]{40}$/.test(e))throw Error('@supabase/auth-js:
Address "$e)" is invalid.')}return e.toLowercase()}function ni(e){return parseInt(e,16)}function ri(e){let t=new
TextEncoder().encode(e);return 0x~Array.from(t,e=>e.toString(16).padStart(2, '0')).join('')}function
ii(e){let{chainId:t,domain:n,expirationTime:r,issuedAt:i}=new
Date,nonce:a,notBefore:o,requestId:s,resources:c,scheme:l,uri:u,version:d}=e;if(!Number.isInteger(t))throw
Error('@supabase/auth-js: Invalid SIWE message field "chainId". Chain ID must be a EIP-155 chain ID. Provided value:
${t}');if(!n)throw Error('@supabase/auth-js: Invalid SIWE message field "domain". Domain must be
provided.')}if(a&&a.length<8)throw Error('@supabase/auth-js: Invalid SIWE message field "nonce". Nonce must be at
least 8 characters. Provided value: ${a}');if(!u)throw Error('@supabase/auth-js: Invalid SIWE message field "uri".
URI must be provided.')}if(d!=='1')throw Error('@supabase/auth-js: Invalid SIWE message field "version". Version must
be '1'. Provided value: ${d}');if(e.statement?.includes('
00030: '))throw Error('@supabase/auth-js: Invalid SIWE message field "statement". Statement must not include '\\n'. Provided
value: ${e.statement}');let f=ti(e.address),p='${l?`${l}/${n}`:n}' wants you to sign in with your Ethereum
account:${f}\\n\\n${e.statement?`${e.statement}\\n`:`'`'},m='URI: ${u}\\nVersion: ${d}\\nChain ID: ${t}${a?`\\nNonce:
${a}`:`'`'}\\nIssued At: ${i.toISOString()}'},if(r&&(m+='\nExpiration Time: ${r.toISOString()}'},o&&(m+='\nNot Before:
${o.toISOString()}'},s&&(m+='\nRequest ID: ${s}`},c){let e='
00031: Resources: '};for(let t of c){if(!t||typeof t!=='string')throw Error('@supabase/auth-js: Invalid SIWE message field
"resources". Every resource must be a valid string. Provided value: ${t}');e+='\n- ${t}'}m+=e}return`${p}\\n${m}`}var
L=class extends
Error{constructor({message:e,code:t,cause:n,name:r}){super(e,{cause:n}),this.__isWebAuthnError=!0,this.name=r??(n
instanceof Error?n.name:void 0)??'Unknown Error',this.code=t},ai=class extends L{constructor(e,t){super({code:'ERROR
_PASSTHROUGH_SEE_CAUSE_PROPERTY',cause:t,message:e}),this.name='WebAuthnUnknownError',this.originalError=t};function
oi({error:e,options:t}){let{publicKey:n}=t;if(!n)throw Error('options was missing required publicKey
property');if(e.name==='AbortError'){if(t.signal instanceof AbortSignal)return new L({message:'Registration ceremony
was sent an abort signal',code:'ERROR_CEREMONY_ABORTED',cause:e})}else
if(e.name==='ConstraintError'){if(n.authenticatorSelection?.requireResidentKey===!0)return new
L({message:'Discoverable credentials were required but no available authenticator supported it',code:'ERROR_AUTHENTIC
ATOR_MISSING_DISCOVERABLE_CREDENTIAL_SUPPORT',cause:e});if(t.mediation==='conditional'&&n.authenticatorSelection?.use
rVerification==='required')return new L({message:'User verification was required during automatic registration but it
could not be performed',code:'ERROR_AUTO_REGISTER_USER_VERIFICATION_FAILURE',cause:e});if(n.authenticatorSelection?.
userVerification==='required')return new L({message:'User verification was required but no available authenticator
supported it',code:'ERROR_AUTHENTICATOR_MISSING_USER_VERIFICATION_SUPPORT',cause:e})}else
if(e.name==='InvalidStateError')return new L({message:'The authenticator was previously
registered',code:'ERROR_AUTHENTICATOR_PREVIOUSLY_REGISTERED',cause:e});else if(e.name==='NotAllowedError')return new
L({message:e.message,code:'ERROR_PASSTHROUGH_SEE_CAUSE_PROPERTY',cause:e});else
if(e.name==='NotSupportedError')return n.pubKeyCredParams.filter(e=>e.type==='public-key').length===0?new
L({message:'No entry in pubKeyCredParams was of type
"public-key",code:'ERROR_MALFORMED_PUBKEYCREDPARAMS',cause:e}):new L({message:'No available authenticator supported
any of the specified pubKeyCredParams
algorithms',code:'ERROR_AUTHENTICATOR_NO_SUPPORTED_PUBKEYCREDPARAMS_ALG',cause:e});else
if(e.name==='SecurityError'){let t=window.location.hostname;if(!pi(t))return new
L({message:'${window.location.hostname} is an invalid
domain',code:'ERROR_INVALID_DOMAIN',cause:e});if(n.rpId!=='t')return new L({message:'The RP ID "${n.rpId}" is invalid
for this domain',code:'ERROR_INVALID_RP_ID',cause:e})}else
if(e.name==='TypeError'){if(n.user.id.byteLength<1||n.user.id.byteLength>64)return new L({message:'User ID was not
between 1 and 64 characters',code:'ERROR_INVALID_USER_ID_LENGTH',cause:e})}else if(e.name==='UnknownError')return new
L({message:'The authenticator was unable to process the specified options, or could not create a new
credential',code:'ERROR_AUTHENTICATOR_GENERAL_ERROR',cause:e});return new L({message:'a Non-Webauthn related error
has occurred',code:'ERROR_PASSTHROUGH_SEE_CAUSE_PROPERTY',cause:e})}function
si({error:e,options:t}){let{publicKey:n}=t;if(!n)throw Error('options was missing required publicKey
property');if(e.name==='AbortError'){if(t.signal instanceof AbortSignal)return new L({message:'Authentication
ceremony was sent an abort signal',code:'ERROR_CEREMONY_ABORTED',cause:e})}else if(e.name==='NotAllowedError')return
new L({message:e.message,code:'ERROR_PASSTHROUGH_SEE_CAUSE_PROPERTY',cause:e});else if(e.name==='SecurityError'){let
t=window.location.hostname;if(!pi(t))return new L({message:'${window.location.hostname} is an invalid
domain',code:'ERROR_INVALID_DOMAIN',cause:e});if(n.rpId!=='t')return new L({message:'The RP ID "${n.rpId}" is invalid
for this domain',code:'ERROR_INVALID_RP_ID',cause:e})}else if(e.name==='UnknownError')return new L({message:'The
authenticator was unable to process the specified options, or could not create a new assertion
signature',code:'ERROR_AUTHENTICATOR_GENERAL_ERROR',cause:e});return new L({message:'a Non-Webauthn related error
has occurred',code:'ERROR_PASSTHROUGH_SEE_CAUSE_PROPERTY',cause:e})}var ci=new
class{createNewAbortSignal(){if(this.controller){let e=Error('Cancelling existing WebAuthn API call for new
one ')};e.name='AbortError',this.controller.abort(e)}let e=new AbortController;return
this.controller=e,e.signal}cancelCeremony(){if(this.controller){let e=Error('Manually cancelling existing WebAuthn
API call ')};e.name='AbortError',this.controller.abort(e),this.controller=void 0}};function li(e){if(!e)throw
Error('Credential creation options are required');if(typeof PublicKeyCredential<'u'&&'parseCreationOptionsFromJSON'in
PublicKeyCredential&&typeof PublicKeyCredential.parseCreationOptionsFromJSON==='function')return PublicKeyCredential.
parseCreationOptionsFromJSON(e);let{challenge:t,user:n,excludeCredentials:r}=e,i=y(e,['challenge','user','excludeCred
entials']),a=nr(t).buffer,o=Object.assign(Object.assign({},n,{id:nr(n.id).buffer}),s=Object.assign(Object.assign({},
i,{challenge:a,user:o}),if(r&&r.length>0){s.excludeCredentials=Array(r.length);for(let e=0;e<r.length;e++){let t=r[e
];s.excludeCredentials[e]=Object.assign(Object.assign({},t,{id:nr(t.id).buffer,type:t.type|'public-key',transports:
t.transports})}return s}function ui(e){if(!e)throw Error('Credential request options are required');if(typeof
PublicKeyCredential<'u'&&'parseRequestOptionsFromJSON'in PublicKeyCredential&&typeof
PublicKeyCredential.parseRequestOptionsFromJSON==='function')return PublicKeyCredential.parseRequestOptionsFromJSON(e)
;let{challenge:t,allowCredentials:n}=e,r=y(e,['challenge','allowCredentials']),i=nr(t).buffer,a=Object.assign(Object.
assign({},r),{challenge:i}),if(n&&n.length>0){a.allowCredentials=Array(n.length);for(let e=0;e<n.length;e++){let t=n[
e];a.allowCredentials[e]=Object.assign(Object.assign({},t,{id:nr(t.id).buffer,type:t.type|'public-key',transports:
t.transports})}return a}function di(e){if('toJSON'in e&&typeof e.toJSON==='function')return e.toJSON();let
t=e;return{id:e.id,rawId:e.id,response:{attestationObject:ir(new Uint8Array(e.response.clientDataJSON)),type:'public-

```



```

key', clientExtensionResults: e.getClientExtensionResults(), authenticatorAttachment: t.authenticatorAttachment ?? void
0}}function fi(e){if(`toJSON` in e&&typeof e.toJSON==`function`)return e.toJSON();let
t=e,n=e.getClientExtensionResults(),r=e.response;return{id:e.id,rawId:e.id,response:{authenticatorData:ir(new
Uint8Array(r.authenticatorData)),clientDataJSON:ir(new Uint8Array(r.clientDataJSON)),signature:ir(new
Uint8Array(r.signature)),userHandle:r.userHandle?ir(new Uint8Array(r.userHandle)):void
0},type:`public-key`,clientExtensionResults:n,authenticatorAttachment:t.authenticatorAttachment??void 0}}function
pi(e){return e===`localhost`||/^[a-z0-9]+(-[a-z0-9]+)*\.[a-z]{2,}$/i.test(e)}function
mi(){return!!(sr){&&`PublicKeyCredential`in window&&window.PublicKeyCredential&&`credentials`in
navigator&&typeof(navigator==null?void 0:navigator.credentials)?.create==`function`&&typeof(navigator==null?void
0:navigator.credentials)?.get==`function`}}async function hi(e){try{let t=await
navigator.credentials.create(e);return t?instanceof PublicKeyCredential?{data:t,error:null}:{data:null,error:new
ai(`Browser returned unexpected credential type`,t)}:{data:null,error:new ai(`Empty credential
response`,t)}}catch(t){return{data:null,error:oi({error:t,options:e})}}}}async function gi(e){try{let t=await
navigator.credentials.get(e);return t?instanceof PublicKeyCredential?{data:t,error:null}:{data:null,error:new
ai(`Browser returned unexpected credential type`,t)}:{data:null,error:new ai(`Empty credential
response`,t)}}catch(t){return{data:null,error:si({error:t,options:e})}}}}var _i={hints:[`security-key`],authenticatorSe
lection:{authenticatorAttachment:`cross-platform`,requireResidentKey:!1,userVerification:`preferred`,residentKey:`di
scouraged`,attestation:`direct`},vi={userVerification:`preferred`,hints:[`security-key`],attestation:`direct`};funct
ion yi(...e){let t=e==>typeof e==`object`&&!e&&!Array.isArray(e),n=e=>e instanceof
ArrayBuffer||ArrayBuffer.isView(e),r={};for(let i of e){if(i)for(let e in i){let a=i[e];if(a!==(void
0)if(Array.isArray(a))r[e]=a;else if(n(a))r[e]=a;else if(t(a)){let n=r[e];t(n)?r[e]=yi(n,a):r[e]=yi(a)}else
r[e]=a}return r}function bi(e,t){return yi(_i,e,t)};if(!a)return xi(e,t){return yi(vi,e,t)};var Si=class{constructo
r(e){this.client=e,this.enroll=this._enroll.bind(this),this.challenge=this._challenge.bind(this),this.verify=this._ve
rify.bind(this),this.authenticate=this._authenticate.bind(this),this.register=this._register.bind(this)}async
_enroll(e){return this.client.mfa.enroll(Object.assign(Object.assign({},e),{factorType:`webauthn`})))async
_challenge({factorId:e,webauthn:t,friendlyName:n,signal:r},i){try{let{data:a,error:o}=await
this.client.mfa.challenge({factorId:e,webauthn:t});if(!a)return{data:null,error:o};let s=r??ci.createNewAbortSignal()
;if(a.webauthn.type==`create`){let{user:a,webauthn:credential_options,publicKey;if(!e.name){let
t=n;if(t.e.name==`$e.id`:$t)}else{let t=await this.client.getUser().data.user,n=t?user_metadata?.name||t?.email|
t?.id||`User`;e.name==`$e.id`:$n}}e.displayName||e.name}switch(a.webauthn.type){case`create`:let{data:t,error:n
}=await hi({publicKey:bi(a.webauthn.credential_options.publicKey,i.create),signal:s});return t?{data:{factorId:e,cha
llengeId:a.id,webauthn:{type:a.webauthn.type,credential_response:t},error:null}:{data:null,error:n}}case`request`:l
et t=xi(a.webauthn.credential_options.publicKey,i.request),{data:n,error:r}=await
gi(Object.assign(Object.assign({},a.webauthn.credential_options),{publicKey:t,signal:s}));return n?{data:{factorId:e,
challengeId:a.id,webauthn:{type:a.webauthn.type,credential_response:n},error:null}:{data:null,error:r}}}}catch(e){re
turn F(e)?{data:null,error:e}:{data:null,error:new Nn(`Unexpected error in challenge`,e)}}}async
_verify({challengeId:e,factorId:t,webauthn:n}){return
this.client.mfa.verify({factorId:t,challengeId:e,webauthn:n})}async _authenticate({factorId:e,webauthn:{rpid:t,typeof
window<`u`?window.location.hostname:void 0,rpOrigins:n:typeof window<`u`?window.location.origin:void
0,signal:r}={}),i){if(!t)return{data:null,error:new An(`rpid is required for WebAuthn
authentication`)};try{if(!mi()){return{data:null,error:new Nn(`Browser does not support
WebAuthn`,null)};let{data:a,error:o}=await this.challenge({factorId:e,webauthn:{rpid:t,rpOrigins:n},signal:r},{reques
t:i});if(!a)return{data:null,error:o};let{webauthn:s}=a;return this._verify({factorId:e,challengeId:a.challengeId,web
authn:{type:s.type,rpid:t,rpOrigins:n,credential_response:s.credential_response}})}catch(e){return
F(e)?{data:null,error:e}:{data:null,error:new Nn(`Unexpected error in authenticate`,e)}}}async
_register({friendlyName:e,webauthn:{rpid:t,typeof window<`u`?window.location.hostname:void 0,rpOrigins:n:typeof
window<`u`?window.location.origin:void 0,signal:r}={}),i){if(!t)return{data:null,error:new An(`rpid is required for
WebAuthn registration`)};try{if(!mi()){return{data:null,error:new Nn(`Browser does not support
WebAuthn`,null)};let{data:a,error:o}=await this._enroll({friendlyName:e});if(!a)return await this.client.mfa.listFact
ors().then(t=>t.data?.all.find(t=>t.factor_type==`webauthn`&&t.friendly_name==e&&t.status!==(void 0)).then(e=>
e?this.client.mfa.unenroll({factorId:e?.id}):void 0,{data:null,error:o};let{data:s,error:c}=await this._challenge({f
actorId:a.id,friendlyName:a.friendly_name,webauthn:{rpid:t,rpOrigins:n},signal:r},{create:i});return s?this._verify({
factorId:a.id,challengeId:s.challengeId,webauthn:{rpid:t,rpOrigins:n,type:s.webauthn.type,credential_response:s.webau
thn.credential_response}):{data:null,error:c}}catch(e){return F(e)?{data:null,error:e}:{data:null,error:new
Nn(`Unexpected error in register`,e)};ei();var Ci={url:wn,storageKey:Tn,autoRefreshToken:!0,persistSession:!0,dete
ctSessionInUrl:!0,headers:En,flowType:`implicit`,debug:!1,hasCustomAuthorizationHeader:!1,throwOnError:!1,lockAcquire
Timeout:5e3,skipAutoInitialize:!1,experimental:{}};async function wi(e,t,n){return await n())}var Ti={},Ei=class e{get
jwks(){return Ti[this.storageKey]?jwks??{keys:[]}}set
jwks(e){Ti[this.storageKey]=Object.assign(Object.assign({},Ti[this.storageKey]),{jwks:e})}get jwks_cached_at(){return
Ti[this.storageKey]?cachedAt??(2**53-1)}set jwks_cached_at(e){Ti[this.storageKey]=Object.assign(Object.assign({},T
i[this.storageKey]),{cachedAt:e})}constructor(t){var
n;this.userStorage=null,this.memoryStorage=null,this.stateChangeEmitters=new Map,this.autoRefreshTicker=null,this.aut
oRefreshTickTimeout=null,this.visibilityChangedCallback=null,this.refreshingDeferred=null,this.initializePromise=null
,this.detectSessionInUrl=!0,this.hasCustomAuthorizationHeader=!1,this.suppressGetSessionWarning=!1,this.lockAcquired=
!1,this.pendingInLock=[],this.broadcastChannel=null,this.logger=console.log;let r=Object.assign(Object.assign({},Ci),t
);if(this.storageKey=r.storageKey,this.instanceID=e.nextInstanceId[this.storageKey]?0,e.nextInstanceId[this.storage
Key]=this.instanceID+1,this.logDebugMessages=!!r.debug,typeof
r.debug==`function`&&(this.logger=r.debug),this.instanceID=0&&sr()){let e=`${this._logPrefix()} Multiple GoTrueClient
instances detected in the same browser context. It is not an error, but this should be avoided as it may produce
undefined behavior when used concurrently under the same storage key.`;console.warn(e),this.logDebugMessages&&console
.trace(e)}if(this.persistSession=r.persistSession,this.autoRefreshToken=r.autoRefreshToken,this.experimental=r.experi
mental??{}),this.admin=new Jr({url:r.url,headers:r.headers,fetch:r.fetch,experimental:this.experimental}),this.url=r.u
rl,this.headers=r.headers,this.fetch=dr(r.fetch),this.lock=r.lock||wi,this.detectSessionInUrl=r.detectSessionInUrl,t
his.flowType=r.flowType,this.hasCustomAuthorizationHeader=r.hasCustomAuthorizationHeader,this.throwOnError=r.throwOnEr
ror,this.lockAcquireTimeout=r.lockAcquireTimeout,r.lock?this.lock=r.lock:this.persistSession&&sr()){&&(globalThis==null
?void 0:globalThis.navigator)?.locks?this.lock=$r:this.lock=wi||(this.jwks={keys:[]})?(this.jwks_cached_at=-(
2**53-1)),this.mfa={verify:this._verify.bind(this),enroll:this._enroll.bind(this),unenroll:this._unenroll.bind(this),
challenge:this._challenge.bind(this),listFactors:this._listFactors.bind(this),challengeAndVerify:this._challengeAndVe
rify.bind(this),getAuthenticatorAssuranceLevel:this._getAuthenticatorAssuranceLevel.bind(this),webauthn:new Si(this)},
this.oauth={getAuthorizationDetails:this._getAuthorizationDetails.bind(this),approveAuthorization:this._approveAutho
rization.bind(this),denyAuthorization:this._denyAuthorization.bind(this),listGrants:this._list0AuthGrants.bind(this),
revokeGrant:this._revokeAuthGrant.bind(this)},this.passkey={startRegistration:this._startPasskeyRegistration.bind(th
is),verifyRegistration:this._verifyPasskeyRegistration.bind(this),startAuthentication:this._startPasskeyAuthenticatio
n.bind(this),verifyAuthentication:this._verifyPasskeyAuthentication.bind(this),list:this._listPasskeys.bind(this),up
date:this._updatePasskey.bind(this),delete:this._deletePasskey.bind(this)},this.persistSession?(r.storage?this.storage
=r.storage:lr()?this.storage=globalThis.localStorage:(this.memoryStorage={},this.storage=Yr(this.memoryStorage)),r.us
erStorage&&(this.userStorage=r.userStorage)):(this.memoryStorage={},this.storage=Yr(this.memoryStorage)),sr(){&&global
This.BroadcastChannel&&this.persistSession&&this.storageKey){try{this.broadcastChannel=new
globalThis.BroadcastChannel(this.storageKey)}catch(e){console.error(`Failed to create a new BroadcastChannel,
multi-tab state changes will not be available`,e)}(n=this.broadcastChannel)==null||n.addEventListener(`message`,asyn
c e=>{this._debug(`received broadcast notification from other tab or client`,e);try{await this._notifyAllSubscribers(e
.data,event,e.data.session,1)}catch(e){this._debug(`broadcastChannel`,`error`,e)}})}r.skipAutoInitialize||this.init
ialize().catch(e=>{this._debug(`initialize`,`error`,e)}))isThrowOnErrorEnabled(){return
this.throwOnError?.returnResult(e){if(this.throwOnError&&e.error)throw e.error;return
e}_logPrefix(){return GoTrueClient@${this.storageKey}:${this.instanceID} ($${xn}) $${new
Date().toISOString()}}_debug(...e){return this.logDebugMessages&&this.logger(this._logPrefix(),...e),this}async
initialize(){return this.initializePromise|=(async()=>await this._acquireLock(this.lockAcquireTimeout,async()=>await
this._initialize()))(),await this.initializePromise}async _initialize(){try{let
e={t:`none`,if(sr){&&(e=ur(window.location.href),this._isImplicitGrantCallback(e)?t=`implicit`:await
this._isPKCECallback(e)&&(t=`pkce`)},sr){&&this.detectSessionInUrl&&t!==(void 0)}let{data:n,error:r}=await
this._getSessionFromURL(e,t);if(r){if(this._debug(`#_initialize`,`error detecting session from URL`,r),Bn(r)){let e

```



```

=r.details?.code;if(e==='identity_already_exists'|e==='identity_not_found'|e==='single_identity_not_deletable')return
rn(error:r)}return(error:r)}let{session:i,redirectType:a}=n;return this._debug(`#_initialize()`, 'detected session in
URL',i,'redirect type',a),await this._saveSession(i),setTimeout(async()=>{a==='recovery'?await
this._notifyAllSubscribers('PASSWORD_RECOVERY',i):await
this._notifyAllSubscribers('SIGNED_IN',i)},0),{error:null}}return await
this._recoverAndRefresh(),{error:null}}catch(e){return
F(e)?this._returnResult({error:e}):this._returnResult({error:new Nn('Unexpected error during
initialization',e)}))}finally{await this._handleVisibilityChange(),this._debug(`#_initialize()`,`end`)}})async
signInAnonymously(e){try{let{data:t,error:n}=await I(this.fetch,'POST',{this.url}/signup,{headers:this.headers,bod
y:{data:e?.options?.data??{}},gotrue_meta_security:{captcha_token:e?.options?.captchaToken}},xform:Br)};if(n!|t)retur
n this._returnResult({data:{user:null,session:null},error:n});let r=t.session,i=t.user;return t.session&&(await
this._saveSession(t.session),await this._notifyAllSubscribers('SIGNED_IN',r)),this._returnResult({data:{user:i,session:
n:r,error:null}})}catch(e){if(F(e))return this._returnResult({data:{user:null,session:null},error:e});throw e}}async
signUp(e){try{let t;if('email'in
e){let(email:n,password:r,options:i)=e,a=null,o=null;this.flowType==='pkce'&&([a,o]=await
wr(this.storage,this.storageKey)),t=await I(this.fetch,'POST',{this.url}/signup,{headers:this.headers,redirectTo:i
?.emailRedirectTo,body:{email:n,password:r,data:i?.data??{}},gotrue_meta_security:{captcha_token:i?.captchaToken},code
_challenge:a,code_challenge_method:o,xform:Br)}else if('phone'in e){let{phone:n,password:r,options:i}=e;t=await I(this
.fetch,'POST',{this.url}/signup,{headers:this.headers,body:{phone:n,password:r,data:i?.data??{}},channel:i?.chan
nel??'sms',gotrue_meta_security:{captcha_token:i?.captchaToken}},xform:Br)}else throw new Rn('You must provide
either an email or phone number and a password');let{data:n,error:r}=t;if(r!|n)return await
hr(this.storage,{this.storageKey}-code-verifier'),this._returnResult({data:{user:null,session:null},error:r});let
i=n.session,a=n.user;return n.session&&(await this._saveSession(n.session),await
this._notifyAllSubscribers('SIGNED_IN',i)),this._returnResult({data:{user:a,session:i},error:null}})}catch(e){if(await
hr(this.storage,{this.storageKey}-code-verifier'),F(e))return
this._returnResult({data:{user:null,session:null},error:e});throw e}}async signInWithPassword(e){try{let
t;if('email'in e){let(email:n,password:r,options:i)=e,t=await I(this.fetch,'POST',{this.url}/token?grant_type=passw
ord},{headers:this.headers,body:{email:n,password:r,gotrue_meta_security:{captcha_token:i?.captchaToken}},xform:Vr)}
else if('phone'in e){let(phone:n,password:r,options:i)=e;t=await I(this.fetch,'POST',{this.url}/token?grant_type=pa
ssword},{headers:this.headers,body:{phone:n,password:r,gotrue_meta_security:{captcha_token:i?.captchaToken}},xform:Vr
)}}else throw new Rn('You must provide either an email or phone number and a
password');let{data:n,error:r}=t;if(r)return
this._returnResult({data:{user:null,session:null},error:r});if(!n!|n.session!|!n.user){let e=new Ln;return
this._returnResult({data:{user:null,session:null},error:e});return n.session&&(await
this._saveSession(n.session),await this._notifyAllSubscribers('SIGNED_IN',n.session)),this._returnResult({data:Object
.assign({user:n.user,session:n.session},n.weakPassword?n.weak_password:null),error:r)}catch(e){if(F(
e))return this._returnResult({data:{user:null,session:null},error:e});throw e}}async signInWithOAuth(e){return await
this._handleProviderSignIn(e.provider,{redirectTo:e.options?.redirectTo,scopes:e.options?.scopes,queryParams:e.option
s?.queryParams,skipBrowserRedirect:e.options?.skipBrowserRedirect})}async exchangeCodeForSession(e){return await
this._initializePromise(this._acquireLock(this._lockAcquireTimeout,async()=>this._exchangeCodeForSession(e))}async
signInWithWeb3(e){let{chain:t}=e;switch(t){case'ethereum':return await this.signInWithEthereum(e);case'solana':return
await this.signInWithSolana(e);default:throw Error('supabase/auth-js: Unsupported chain "${t}"')}})async
signInWithEthereum(e){let t,n;if('message'in
e)t=e.message,n=e.signature;else{let(chain:r,wallet:i,statement:a,options:o)=e,s;if(!sr()){if(typeof
i!='object'|!o?.url)throw Error('@supabase/auth-js: Both wallet and url must be specified in non-browser
environments');s=i}else if(typeof i=='object')s=i;else{let e=window;if('ethereum'in e&&typeof
e.ethereum=='object'&&'request'in e.ethereum&&typeof e.ethereum.request=='function')s=e.ethereum;else throw
Error('@supabase/auth-js: No compatible Ethereum wallet interface on the window object (window.ethereum) detected.
Make sure the user already has a wallet installed and connected for this app. Prefer passing the wallet interface
object directly to signInWithWeb3({ chain: 'ethereum', wallet: resolvedUserWallet }) instead.')}let c=new
URL(o?.url??window.location.href),l=await s.request({method:'eth_requestAccounts'}).then(e=>e).catch(()=>{throw
Error('@supabase/auth-js: Wallet method eth_requestAccounts is missing or invalid')});if(!l||l.length===0)throw
Error('@supabase/auth-js: No accounts available. Please ensure the wallet is connected.')}let
u=t([0]),d=o?.signInWithEthereum?.chainId,d!|=n(await s.request({method:'eth_chainId'})),t=i({domain:c.host,addre
ss:u,statement:a,uri:c.href,version:'1',chainId:d,nonce:o?.signInWithEthereum?.nonce,issuedAt:o?.signInWithEthereum?.
issuedAt??new Date,expirationTime:o?.signInWithEthereum?.expirationTime,notBefore:o?.signInWithEthereum?.notBefore,
requestId:o?.signInWithEthereum?.requestId,resources:o?.signInWithEthereum?.resources}),n=await
s.request({method:'personal_sign',params:[r(t),u]});try{let{data:r,error:i}=await I(this.fetch,'POST',{this.url}/t
oken?grant_type=web3,{headers:this.headers,body:Object.assign({chain:'ethereum',message:t,signature:n,e.options?.ca
ptcha_token:{gotrue_meta_security:{captcha_token:e.options?.captchaToken}}:null},xform:Br)};if(i)throw
i;if(!r!|!r.session!|!r.user){let e=new Ln;return this._returnResult({data:{user:null,session:null},error:e)}return
r.session&&(await this._saveSession(r.session),await this._notifyAllSubscribers('SIGNED_IN',r.session)),this._returnR
esult({data:Object.assign({},r),error:i)}catch(e){if(F(e))return
this._returnResult({data:{user:null,session:null},error:e});throw e}}async signInWithSolana(e){let t,n;if('message'in
e)t=e.message,n=e.signature;else{let(chain:r,wallet:i,statement:a,options:o)=e,s;if(!sr()){if(typeof
i!='object'|!o?.url)throw Error('@supabase/auth-js: Both wallet and url must be specified in non-browser
environments');s=i}else if(typeof i=='object')s=i;else{let e=window;if('solana'in e&&typeof
e.solana=='object'&&'signIn'in e.solana&&typeof e.solana.signIn=='function')|'signMessage'in e.solana&&typeof
e.solana.signMessage=='function')s=e.solana;else throw Error('@supabase/auth-js: No compatible Solana wallet
interface on the window object (window.solana) detected. Make sure the user already has a wallet installed and
connected for this app. Prefer passing the wallet interface object directly to signInWithWeb3({ chain: 'solana',
wallet: resolvedUserWallet }) instead.')}let c=new URL(o?.url??window.location.href);if('signIn'in s&&s.signIn){let
e=await s.signIn(Object.assign(Object.assign(Object.assign({issuedAt:new Date().toISOString()}),o?.signInWithSolana),{
version:'1',domain:c.host,uri:c.href}),a?(statement:a):null),r;if(Array.isArray(e)&&e[0]&&typeof
e[0]!='object')r=e[0];else if(e&&typeof e=='object'&&'signedMessage'in e&&'signature'in e)r=e;else throw
Error('@supabase/auth-js: Wallet method signIn() returned unrecognized value');if('signedMessage'in r&&'signature'in
r&&(typeof r.signedMessage=='string'|r.signedMessage instanceof Uint8Array)&&r.signature instanceof
Uint8Array)t=typeof r.signedMessage=='string'?r.signedMessage:new
TextDecoder().decode(r.signedMessage),n=r.signature;else throw Error('@supabase/auth-js: Wallet method signIn() API
returned object without signedMessage and signature fields')}else{if(!('signMessage'in s)|typeof
s.signMessage!='function'|!('publicKey'in s)|typeof s!=object|!s.publicKey|!(toBase58'in s.publicKey)|typeof
s.publicKey.toBase58!='function')throw Error('@supabase/auth-js: Wallet does not have a compatible signMessage() and
publicKey.toBase58() API')}t=['$c.host'] wants you to sign in with your Solana
account',{s.publicKey.toBase58(),...a?['','a','']:[''],'Version: 1','URI:$c.href}','Issued At:
${o?.signInWithSolana?.issuedAt??new Date().toISOString()}',...o?.signInWithSolana?.notBefore?'Not Before:
${o.signInWithSolana?.notBefore}':[],...o?.signInWithSolana?.expirationTime?'Expiration Time:
${o.signInWithSolana?.expirationTime}':[],...o?.signInWithSolana?.chainId?'Chain ID:
${o.signInWithSolana?.chainId}':[],...o?.signInWithSolana?.nonce?'Nonce:
${o.signInWithSolana?.nonce}':[],...o?.signInWithSolana?.requestId?'Request ID: ${o.signInWithSolana?.requestId}':[],
...o?.signInWithSolana?.resources?.length?'Resources: ...o.signInWithSolana.resources.map(e=>`- ${e}`):[]].join(
'');let e=await s.signMessage(new TextEncoder().encode(t),'utf8');if(!e!|(e instanceof Uint8Array))throw
Error('@supabase/auth-js: Wallet signMessage() API returned an unrecognized value');n=e}}try{let{data:r,error:i}=await
I(this.fetch,'POST',{this.url}/token?grant_type=web3,{headers:this.headers,body:Object.assign({chain:'solana',mess
age:t,signature:i(r)},e.options?.captchaToken:{gotrue_meta_security:{captcha_token:e.options?.captchaToken}}:null},x
form:Br)};if(i)throw i;if(!r!|r.session!|r.user){let e=new Ln;return
this._returnResult({data:{user:null,session:null},error:e)}return r.session&&(await
this._saveSession(r.session),await this._notifyAllSubscribers('SIGNED_IN',r.session)),this._returnResult({data:Object
.assign({},r),error:i)}catch(e){if(F(e))return this._returnResult({data:{user:null,session:null},error:e});throw
e}}async _exchangeCodeForSession(e){let{t,n}=await
mr(this.storage,{this.storageKey}-code-verifier')??''.split('/');try{if(!t&&this.flowType==='pkce')throw new
Hn;let{data:r,error:i}=await I(this.fetch,'POST',{this.url}/token?grant_type=pkce,{headers:this.headers,body:{auth

```

```

_code:e,code_verifier:t,xform:Br});if(await hr(this.storage,`${this.storageKey}-code-verifier`),i)throw
i;if(!r||!r.session||!r.user){let e=new Ln;return
this._returnResult({data:{user:null,session:null,redirectType:null,error:e}});return r.session&&(await
this._saveSession(r.session),await this._notifyAllSubscribers(n===`recovery`?`PASSWORD_RECOVERY`:`SIGNED_IN`,r.sessio
n)),this._returnResult({data:Object.assign(Object.assign({},r),{redirectType:n?`null`},error:i)});catch(e){if(await
hr(this.storage,`${this.storageKey}-code-verifier`),F(e))return
this._returnResult({data:{user:null,session:null,redirectType:null,error:e}});throw e}}async
signInWithIdToken(e){try{let{options:t,provider:n,tokens:r,access_token:i,nonce:a}=e,{data:o,error:s}=await I(this.fet
ch,`POST`,`${this.url}/token?grant_type=id_token`,{headers:this.headers,body:{provider:n,id_token:r,access_token:i,no
nce:a,gotrue_meta_security:{captcha_token:t?captchaToken}},xform:Br});if(s)return
this._returnResult({data:{user:null,session:null,error:s}});if(!o||!o.session||!o.user){let e=new Ln;return
this._returnResult({data:{user:null,session:null,error:e}});return o.session&&(await
this._saveSession(o.session),await
this._notifyAllSubscribers(`SIGNED_IN`,o.session)),this._returnResult({data:o,error:s}});catch(e){if(F(e))return
this._returnResult({data:{user:null,session:null,error:e}});throw e}}async signInWithOtp(e){try{if(`email`in
e){let{email:t,options:n}=e,r=null,i=null;this.flowType===`pkce`&&([r,i]=await
wr(this.storage,this.storageKey));let{error:a}=await I(this.fetch,`POST`,`${this.url}/otp`,{headers:this.headers,body
:{email:t,data:n?data??:``,create_user:n?.shouldCreateUser??!0,gotrue_meta_security:{captcha_token:n?captchaToken},c
ode_challenge:r,code_challenge_method:i},redirectTo:n?.emailRedirectTo));return
this._returnResult({data:{user:null,session:null,error:a}});if(`phone`in
e){let{phone:t,options:n}=e,{data:r,error:i}=await I(this.fetch,`POST`,`${this.url}/otp`,{headers:this.headers,body:{
phone:t,data:n?data??:``,create_user:n?.shouldCreateUser??!0,gotrue_meta_security:{captcha_token:n?captchaToken},cha
nnel:n?.channel??`sms`});return
this._returnResult({data:{user:null,session:null,messageId:r?.message_id,error:i}});throw new Rn(`You must provide
either an email or phone number.`)}catch(e){if(await hr(this.storage,`${this.storageKey}-code-verifier`),F(e))return
this._returnResult({data:{user:null,session:null,error:e}});throw e}}async verifyOtp(e){try{let t,n;`options`in
e&&(t=e.options?.redirectTo,n=e.options?.captchaToken);let{data:r,error:i}=await I(this.fetch,`POST`,`${this.url}/ver
ify`,{headers:this.headers,body:Object.assign(Object.assign({},e),{gotrue_meta_security:{captcha_token:n}}),redirectTo
:t,xform:Br});if(i)throw i;if(!r)throw Error(`An error occurred on token verification.`);let
a=r.session,o=r.user;return a?.access_token&&(await this._saveSession(a),await this._notifyAllSubscribers(e.type===`re
covery`?`PASSWORD_RECOVERY`:`SIGNED_IN`,a)),this._returnResult({data:{user:o,session:a,error:null}});catch(e){if(F(e)
)return this._returnResult({data:{user:null,session:null,error:e}});throw e}}async signInWithSSO(e){try{let
t=null,n=null;this.flowType===`pkce`&&([t,n]=await wr(this.storage,this.storageKey));let r=await I(this.fetch,`POST`,
`${this.url}/sso`,{body:Object.assign(Object.assign(Object.assign({},providerId`in
e?{provider_id:e.providerId}:null),`domain`in e?{domain:e.domain}:null),{redirectTo:e.options?.redirectTo??:void 0},
e?.options?.captchaToken?gotrue_meta_security:{captcha_token:e.options.captchaToken}:null,{skip_http_redirect:!0,c
ode_challenge:t,code_challenge_method:n}),headers:this.headers,xform:Ur});return r.data?.url&&sr()&&!e.options?.skipB
rowserRedirect&&window.location.assign(r.data.url),this._returnResult(r)}catch(e){if(await
hr(this.storage,`${this.storageKey}-code-verifier`),F(e))return this._returnResult({data:null,error:e});throw
e}}async reauthenticate(){return await this.initializePromise,await
this._acquireLock(this.lockAcquireTimeout,async()=>await this._reauthenticate())}async _reauthenticate(){try{return
await this._useSession(async e=>{let{data:{session:t,error:n}=e;if(n)throw n;if(!t)throw new Fn;let{error:r}=await
I(this.fetch,`GET`,`${this.url}/reauthenticate`,{headers:this.headers,jwt:t.access_token});return
this._returnResult({data:{user:null,session:null,error:r}})});catch(e){if(F(e))return
this._returnResult({data:{user:null,session:null,error:e}});throw e}}async resend(e){try{let
t=`${this.url}/resend`;if(`email`in e){let{email:n,type:r,options:i}=e,{error:a}=await I(this.fetch,`POST`,t,{headers
:this.headers,body:{email:n,type:r,gotrue_meta_security:{captcha_token:i?captchaToken}},redirectTo:i?.emailRedirectT
o});return this._returnResult({data:{user:null,session:null,error:a}});else if(`phone`in
e){let{phone:n,type:r,options:i}=e,{data:a,error:o}=await I(this.fetch,`POST`,t,{headers:this.headers,body:{phone:n,t
ype:r,gotrue_meta_security:{captcha_token:i?captchaToken}});return
this._returnResult({data:{user:null,session:null,messageId:a?.message_id,error:o}});throw new Rn(`You must provide
either an email or phone number and a type`)}catch(e){if(F(e))return
this._returnResult({data:{user:null,session:null,error:e}});throw e}}async getSession(){return await
this.initializePromise,await this._acquireLock(this.lockAcquireTimeout,async()=>this._useSession(async e=>e))}async
_acquireLock(e,t){[this._debug(`#_acquireLock`,`begin`),e];try{if(this.lockAcquired){let
e=this.pendingInLock.length?this.pendingInLock[this.pendingInLock.length-1]:Promise.resolve(),n=(async()=>{await
e,await t})();return this.pendingInLock.push((async()=>{try{await n}catch{}}))(),n)return await
this.lock(`lock:${this.storageKey}`,e,async()=>{this._debug(`#_acquireLock`,`lock acquired for storage
key`,this.storageKey);try{this.lockAcquired=!0;let e=t();for(this.pendingInLock.push((async()=>{try{await
e}catch{}}))(),await e;this.pendingInLock.length);let e=[...this.pendingInLock];await
Promise.all(e),this.pendingInLock.splice(0,e.length)}return await e}finally{this._debug(`#_acquireLock`,`lock
released for storage key`,this.storageKey),this.lockAcquired=!1}})}finally{this._debug(`#_acquireLock`,`end`)}))}async
_useSession(e){this._debug(`#_useSession`,`begin`);try{return await e(await
this._loadSession())}finally{this._debug(`#_useSession`,`end`)}))}async
_loadSession(){this._debug(`#_loadSession`,`begin`),this.lockAcquired||this._debug(`#_loadSession`,`used
outside of an acquired lock!`,Error().stack);try{let e=null,t=await
mr(this.storage,this.storageKey);if(this._debug(`#getSession`,`session from
storage`,t),t!=null&&(this._isValidSession(t)?e=t:(this._debug(`#getSession`,`session from storage is not
valid`),await this._removeSession(t)),!e)return{data:{session:null,error:null};let
n=e.expires_at?e.expires_at*1e3-Date.now()<Cn:1;if(this._debug(`#_loadSession`,`session has${n?`:`}` not`
expired`,`expires_at`,`e.expires_at`,`n`){if(this._userStorage){let t=await mr(this._userStorage,this.storageKey`-user`
);t?.user?.e.user-t.user.e.user-Mr()}if(this.storage.isServer&&e.user&&!e.user._isUserNotAvailableProxy){let t={value:
this._suppressGetSessionWarning};e.user=M(e.user,t),t.value&&(this._suppressGetSessionWarning=!0)}return{data:{session
:e,error:null}};let{data:r,error:i}=await this._callRefreshToken(e.refresh_token);return i?this._returnResult({data:{
session:null,error:i}):this._returnResult({data:{session:r,error:null}})}finally{this._debug(`#_loadSession`,`end
`)}))}async getUser(e){if(e)return await this._getUser(e);await this.initializePromise;let t=await
this._acquireLock(this.lockAcquireTimeout,async()=>await this._getUser());return
t.data.user&&(this._suppressGetSessionWarning=!0),t}async _getUser(e){try{return e?await
I(this.fetch,`GET`,`${this.url}/user`,{headers:this.headers,jwt:e,xform:Br}):await this._useSession(async
e=>{let{data:t,error:n}=e;if(n)throw
n;return t.session?.access_token&&this.hasCustomAuthorizationHeader?{data:{user:null,error:new Fn}:await
I(this.fetch,`GET`,`${this.url}/user`,{headers:this.headers,jwt:t.session?.access_token??void
0,xform:Br}})}catch(e){if(F(e))return In(e)&&(await this._removeSession(),await
hr(this.storage,`${this.storageKey}-code-verifier`),this._returnResult({data:{user:null,error:e}});throw e)}async
updateUser(e,t={}){return await this.initializePromise,await this._acquireLock(this.lockAcquireTimeout,async()=>await
this._updateUser(e,t))}async _updateUser(e,t={}){try{return await this._useSession(async
n=>{let{data:r,error:i}=n;if(i)throw i;if(!r.session)throw new Fn;let
a=r.session,o=null,s=null;this.flowType===`pkce`&&e.email!&&[o,s]=await
wr(this.storage,this.storageKey));let{data:c,error:l}=await I(this.fetch,`PUT`,`${this.url}/user`,{headers:this.heade
rs,redirectTo:t?.emailRedirectTo,body:Object.assign(Object.assign({},e),{code_challenge:o,code_challenge_method:s}),j
wt:a.access_token,xform:Br});if(!l)throw l;return a.user=c.user,await this._saveSession(a),await
this._notifyAllSubscribers(`USER_UPDATED`,a),this._returnResult({data:{user:a.user,error:null}})}catch(e){if(await
hr(this.storage,`${this.storageKey}-code-verifier`),F(e))return this._returnResult({data:{user:null,error:e}});throw
e}}async setSession(e){return await this.initializePromise,await
this._acquireLock(this.lockAcquireTimeout,async()=>await this._setSession(e))}async
_setSession(e){try{if(!e.access_token||!e.refresh_token)throw new Fn;let t=Date.now()/1e3,n=t,r=10,i=null,{payload:a}
={r(e.access_token);if(a.exp&&(n-a.exp,r=n<t),r){let{data:t,error:n}=await
this._callRefreshToken(e.refresh_token);if(n)return this._returnResult({data:{user:null,session:null,error:n}});if(!t
)return{data:{user:null,session:null,error:null};i=t}else{let{data:r,error:a}=await
this._getUser(e.access_token);if(a)return this._returnResult({data:{user:null,session:null,error:a}});i={access_token
:e.access_token,refresh_token:e.refresh_token,user:r.user,token_type:`bearer`,expires_in:n-t,expires_at:n},await

```

```

this._saveSession(i), await this._notifyAllSubscribers('SIGNED_IN', i)) return
this._returnResult({data: {user: i.user, session: i}, error: null}); catch (e) { if (F(e)) return
this._returnResult({data: {session: null, user: null}, error: e}); throw e } } async refreshSession(e) { return await
this.initializePromise, await this._acquireLock(this._lockAcquireTimeout, async () => await this._refreshSession(e)) } async
_refreshSession(e) { try { return await this._useSession(async t => { if (!e) { let {data: n, error: r} = t; if (r) throw
r; e = session ?? void 0; if (!e?.refresh_token) throw new Fn({data: n, error: r}); await
this._callRefreshToken(e.refresh_token); return r } this._returnResult({data: {user: null, session: null}, error: r}); } : n ? this._
returnResult({data: {user: n.user, session: n}, error: null}); this._returnResult({data: {user: null, session: null}, error: null}
)); } catch (e) { if (F(e)) return this._returnResult({data: {user: null, session: null}, error: e}); throw e } } async
_getSessionFromURL(e, t) { try { if (!sr()) throw new zn('No browser
detected. '); if (e.error || e.error_description || e.error_code) throw new zn(e.error_description || 'Error in URL with
unspecified error_description', {error: e.error || 'unspecified_error', code: e.error_code || 'unspecified_code'}); switch (t) {
case 'implicit': if (this.flowType === 'pkce') throw new Vn('Not a valid PKCE flow
url. '); break; case 'pkce': if (this.flowType === 'implicit') throw new zn('Not a valid implicit grant flow
url. '); break; default: if (t === 'pkce') { if (this._debug('#_initialize()', 'begin', 'is PKCE flow', !0), e.code) throw new
Vn('No code detected. '); let {data: t, error: n} = await this._exchangeCodeForSession(e.code); if (n) throw n; let r = new
URL(window.location.href); return r.searchParams.delete('code'), window.history.replaceState(window.history.state, '', r.
toString()), {data: {session: t.session, redirectType: t.redirectType ?? null}, error: null}; } let {provider_token: n, provider_ref
resh_token: r, access_token: i, refresh_token: a, expires_in: o, expires_at: s, token_type: c} = e; if (!i || !o || !a || !c) throw new
zn('No session defined in URL '); let l = Math.round(Date.now() / 1e3), u = parseInt(o, 10), d = l + u; s && (d = parseInt(s)); let
f = d - l; f * 1e3 <= 3e4 && console.warn('@supabase/gotrue-js: Session as retrieved from URL expires in ${f}s, should have been
closer to ${u}s'); let p = d - u; l - p >= 120 ? console.warn('@supabase/gotrue-js: Session as retrieved from URL was issued
over 120s ago, URL could be stale', p, d, l) : l - p < 0 && console.warn('@supabase/gotrue-js: Session as retrieved from URL was
issued in the future? Check the device clock for skew', p, d, l); let {data: m, error: h} = await this._getUser(i); if (h) throw
h; let g = {provider_token: n, provider_refresh_token: r, access_token: i, expires_in: u, expires_at: d, refresh_token: a, token_type:
c, user: m.user}; return window.location.hash = '', this._debug('#_getSessionFromURL()', 'clearing
window.location.hash'), this._returnResult({data: {session: g, redirectType: e.type}, error: null}); } catch (e) { if (F(e)) return
this._returnResult({data: {session: null, redirectType: null}, error: e}); throw e } } _isImplicitGrantCallback(e) { return
typeof this.detectSessionInUrl == 'function' ? this.detectSessionInUrl(new
URL(window.location.href), e) : !!(e.access_token || e.error_description) } } async _isPKCECallback(e) { let t = await
mr(this.storage, `${this.storageKey}-code-verifier`); return !!(e.code && t) } async _signOut(e = {scope: 'global'}) { return
await this.initializePromise, await this._acquireLock(this._lockAcquireTimeout, async () => await this._signOut(e)) } async
_signOut({scope: e} = {scope: 'global'}) { return await this._useSession(async
t => { let {data: n, error: r} = t; if (r && !In(r)) return this._returnResult({error: r}); let
i = n.session?.access_token; if (i) { let {error: t} = await
this.admin.signOut(i, e); if (t && !Mn(t) && (t.status === 401 || t.status === 403) || In(t)) return
this._returnResult({error: t}); return e !== 'others' && (await this._removeSession(), await
hr(this.storage, `${this.storageKey}-code-verifier`), this._returnResult({error: null})); } } onAuthStateChange(e) { let
t = (r) => { id: t, callback: e.unsubscribe(); } => { this._debug('#unsubscribe()', 'state change callback with id
removed', t), this.stateChangeEmitters.delete(t); } return this._debug('#onAuthStateChange()', 'registered callback with
id', t), this.stateChangeEmitters.set(t, n), (async () => { await this.initializePromise, await
this._acquireLock(this._lockAcquireTimeout, async () => { this._emitInitialSession(t); })() }, {data: {subscription: n}}) } async
_emitInitialSession(e) { return await this._useSession(async t => { try { let {data: {session: n}, error: r} = t; if (r) throw r; await
this.stateChangeEmitters.get(e)?.callback('INITIAL_SESSION', n), this._debug('INITIAL_SESSION', 'callback
id', e, 'session', n); } catch (t) { await
this.stateChangeEmitters.get(e)?.callback('INITIAL_SESSION', null), this._debug('INITIAL_SESSION', 'callback
id', e, 'error', t), In(t) ? console.warn(t): console.error(t); } } ) } async _resetPasswordForEmail(e, t) { let
n = null, r = null; this.flowType === 'pkce' && ([n, r] = await wr(this.storage, this.storageKey, !0)); try { return await I(this.fetch
, 'POST', `${this.url}/recover`, {body: {email: e, code_challenge: n, code_challenge_method: r, gotrue_meta_security: {captcha_t
oken: t.captchaToken}}, headers: this.headers, redirectTo: t.redirectTo}); } catch (e) { if (await
hr(this.storage, `${this.storageKey}-code-verifier`, F(e)) return this._returnResult({data: {null, error: e}); } throw
e } } async _getUserIdentities() { try { let {data: e, error: t} = await this._getUser(); if (t) throw t; return
this._returnResult({data: {identities: e.user.identities ?? []}, error: null}); } catch (e) { if (F(e)) return
this._returnResult({data: {null, error: e}); } throw e } } async _linkIdentity(e) { return 'token' in
e ? this._linkIdentityIdToken(e) : this._linkIdentityOAuth(e); } async _linkIdentityOAuth(e) { try { let {data: t, error: n} = await
this._useSession(async t => { let {data: n, error: r} = t; if (r) throw r; let i = await this._getUrlForProvider(`${this.url}/user/i
dentities/authorize`, e.provider, {redirectTo: e.options?.redirectTo, scopes: e.options?.scopes, queryParams: e.options?.que
ryParams, skipBrowserRedirect: !0}); return await
I(this.fetch, 'GET', i, {headers: this.headers, jwt: n.session?.access_token ?? void 0}); } if (n) throw n; return sr()) && !e.optio
ns?.skipBrowserRedirect && window.location.assign(t?.url), this._returnResult({data: {provider: e.provider, url: t?.url, err
or: null}); } } catch (t) { if (F(t)) return this._returnResult({data: {provider: e.provider, url: null}, error: t}); throw t } } async
_linkIdentityIdToken(e) { return await this._useSession(async t => { try { let {error: n, data: {session: r}} = t; if (n) throw
n; let {options: i, provider: a, token: o, access_token: s, nonce: c} = e, {data: l, error: u} = await
I(this.fetch, 'POST', `${this.url}/token?grant_type=id_token`, {headers: this.headers, jwt: r?.access_token ?? void 0, body: {p
rovider: a, id_token: o, access_token: s, nonce: c, link_identity: !0, gotrue_meta_security: {captcha_token: i?.captchaToken}}, x
orm: Br}); return u ? this._returnResult({data: {user: null, session: null}, error: u}) : !l || !l.session || !l.user ? this._returnRes
ult({data: {user: null, session: null}, error: new Ln} : (l.session && (await this._saveSession(l.session), await
this._notifyAllSubscribers('USER_UPDATED', l.session)), this._returnResult({data: l, error: u})); } catch (e) { if (await
hr(this.storage, `${this.storageKey}-code-verifier`, F(e)) return
this._returnResult({data: {user: null, session: null}, error: e}); throw e } } } } async _unlinkIdentity(e) { try { return await
this._useSession(async t => { let {data: n, error: r} = t; if (r) throw r; return await I(this.fetch, 'DELETE', `${this.url}/user/i
dentities/${e.identity_id}`, {headers: this.headers, jwt: n.session?.access_token ?? void 0}); } } catch (e) { if (F(e)) return
this._returnResult({data: {null, error: e}); } throw e } } async _refreshAccessToken(e) { let
t = '#_refreshAccessToken($e.substring(0, 5))...'; this._debug(t, 'begin'); try { let n = Date.now(); return await yr(async
n => { n > 0 && await vr(200 * 2 ** (n - 1)), this._debug(t, 'refreshing attempt', n), await I(this.fetch, 'POST', `${this.url}/token?gr
ant_type=refresh_token`, {body: {refresh_token: e, headers: this.headers, xform: Br}}), (e, t) => { let r = 200 * 2 ** e; return
t && Wn(t) && Date.now() + r - n < 3e4 } } } catch (e) { if (this._debug(t, 'error', e), F(e)) return
this._returnResult({data: {session: null, user: null}, error: e}); throw
e } finally { this._debug(t, 'end') } } _isValidSession(e) { return typeof e == 'object' && !e.access_token in
e && 'refresh_token' in e && 'expires_at' in e } async _handleProviderSignIn(e, t) { let n = await this._getUrlForProvider(`${this
.url}/authorize`, e, {redirectTo: t.redirectTo, scopes: t.scopes, queryParams: t.queryParams}); return this._debug('#_handleP
roviderSignIn()', 'provider', e, 'options', t, 'url', n), sr() && !t.skipBrowserRedirect && window.location.assign(n), {data: {pro
vider: e, url: n}, error: null} } async _recoverAndRefresh() { let e = '#_recoverAndRefresh()'; this._debug(e, 'begin'); try { let
r = await mr(this.storage, this.storageKey); if (t && this.userStorage) { let e = await mr(this.userStorage, this.storageKey + '-us
er'); this.storage.isServer && Object.is(this.storage, this.userStorage) && !e && (e = {user: t.user}, await
pr(this.userStorage, this.storageKey + '-user', e)), t.user = e?.user ?? Mr() } else if (t && !t.user && !t.user) { let e = await
mr(this.storage, this.storageKey + '-user'); e && e?.user ? (t.user = e.user, await
hr(this.storage, this.storageKey + '-user'), await
pr(this.storage, this.storageKey, t)) : t.user = Mr() } if (this._debug(e, 'session from
storage', t), !this._isValidSession(t)) { this._debug(e, 'session is not valid', t) == null && await
this._removeSession(); } return let n = (t.expires_at ?? 1) * 1e3 - Date.now() < n; if (this._debug(e, 'session has ${n} ` ` not ` `
expired with margin of ${Cn}s'), n) { if (this.autoRefreshToken && t.refresh_token) { let {error: n} = await
this._callRefreshToken(t.refresh_token); n && (console.error(n), Wn(n)) || (this._debug(e, 'refresh failed with a
non-retryable error, removing the session', n), await this._removeSession()); } } else
if (t.user && t.user._isUserNotAvailableProxy === !0) try { let {data: n, error: r} = await
this._getUser(t.access_token); !r && n?.user ? (t.user = n.user, await this._saveSession(t), await
this._notifyAllSubscribers('SIGNED_IN', t)) : this._debug(e, 'could not get user data, skipping SIGNED_IN
notification'); } catch (t) { console.error('Error getting user data:', t), this._debug(e, 'error getting user data, skipping
SIGNED_IN notification', t) } else await this._notifyAllSubscribers('SIGNED_IN', t); } } catch (t) { this._debug(e, 'error', t), con
sole.error(t); return } finally { this._debug(e, 'end') } } async _callRefreshToken(e) { var t, n; if (!e) throw new
Fn; if (this.refreshingDeferred) return this.refreshingDeferred.promise; let

```



```

r=#_callRefreshToken({$e.substring(0,5)}...);this._debug(r,'begin');try{this.refreshingDeferred=new
gr;let{data:t,error:n}=await this._refreshAccessToken(e);if(n)throw n;if(!t.session)throw new Fn;await
this._saveSession(t.session),await this._notifyAllSubscribers('TOKEN_REFRESHED',t.session);let
r={data:t.session,error:null};return
this.refreshingDeferred.resolve(r),r}catch(e){if(this._debug(r,'error'),e,F(e)){let n={data:null,error:e};return
Wn(e)}await this._removeSession(),(t=this.refreshingDeferred===null)?t.resolve(n),n)throw(n=this.refreshingDeferred)
===null?n.reject(e),e}finally{this.refreshingDeferred=null,this._debug(r,'end')}}asnc
_notifyAllSubscribers(e,t,n=0){let r=#_notifyAllSubscribers({$e});this._debug(r,'begin',t,'broadcast'=$
{n});try{this.broadcastChannel&&this.broadcastChannel.postMessage({event:e,session:t});let
r=[],i=Array.from(this.stateChangeEmitters.values()).map(asnc n=>{try{await
n.callBack(e,t)}catch(e){r.push(e)}});if(await Promise.all(i),r.length>0){for(let
e=0;e<r.length;e+=1)console.error(r[e]);throw r[0]}finally{this._debug(r,'end')}}asnc
_saveSession(e){this._debug('#_saveSession()',e),this._suppressGetSessionWarning=!0,await
hr(this.storage,{this.storageKey}-code-verifier');let
r=Object.assign({},e),n=t.user&&t.user._isUserNotAvailableProxy===!0;if(this.userStorage){!n&&t.user&&await
pr(this.userStorage,this.storageKey+'-user',{user:t.user});let e=Object.assign({},t);delete e.user;let r=Pr(e);await
pr(this.storage,this.storageKey,r)}else{let e=Pr(t);await pr(this.storage,this.storageKey,e)}asnc
_removeSession(){this._debug('#_removeSession()',this._suppressGetSessionWarning=!1,await
hr(this.storage,this.storageKey),await hr(this.storage,this.storageKey+'-code-verifier'),await
hr(this.storage,this.storageKey+'-user'),this.userStorage&&await hr(this.userStorage,this.storageKey+'-user'),await t
his._notifyAllSubscribers('SIGNED_OUT',null)}_removeVisibilityChangedCallback(){this._debug('#_removeVisibilityChange
dCallback()');let e=this.visibilityChangedCallback;this.visibilityChangedCallback=null;try{e&&sr()&&window!&null&&win
dow.removeEventListener&&window.removeEventListener('visibilitychange',e)}catch(e){console.error('removing
visibilitychange callback failed',e)}asnc _startAutoRefresh(){await
this._stopAutoRefresh(),this._debug('#_startAutoRefresh()');let
e=setInterval(()=>this._autoRefreshTokenTick(),Sn);this._autoRefreshTICKER=e,e&&typeof e=='object'&&typeof e=='
function'?e.unref():typeof Deno<'u'&&typeof Deno.unrefTimer=='function'&&Deno.unrefTimer(e);let
t=setTimeout(asnc()=>{await this._initializePromise,await
this._autoRefreshTokenTick(),0},0);this._autoRefreshTickTimeout=t,t&&typeof t=='object'&&typeof
t.unref=='function'?t.unref():typeof Deno<'u'&&typeof Deno.unrefTimer=='function'&&Deno.unrefTimer(t)}asnc
_stopAutoRefresh(){this._debug('#_stopAutoRefresh()');let
e=this._autoRefreshTICKER;this._autoRefreshTICKER=null,e&&clearInterval(e);let
t=this._autoRefreshTickTimeout;this._autoRefreshTickTimeout=null,t&&clearTimeout(t)}asnc
_startAutoRefresh(){this._removeVisibilityChangedCallback(),await this._startAutoRefresh()}asnc
_stopAutoRefresh(){this._removeVisibilityChangedCallback(),await this._stopAutoRefresh()}asnc
_autoRefreshTokenTick(){this._debug('#_autoRefreshTokenTick()','begin');try{await
this._acquireLock(0,asnc()=>{try{let e=Date.now();try{return await this._useSession(asnc
t=>{let{data:{session:n}=t;if(!n||!n.refresh_token||!n.expires_at){this._debug('#_autoRefreshTokenTick()','no
session');return}let r=Math.floor((n.expires_at*1e3-e)/Sn);this._debug('#_autoRefreshTokenTick()','access token
expires in ${r} ticks, a tick lasts ${Sn}ms, refresh threshold is 3 ticks'),r<=3&&await
this._callRefreshToken(n.refresh_token)}}catch(e){console.error('Auto refresh tick failed with error. This is likely
a transient error.',e)}}finally{this._debug('#_autoRefreshTokenTick()','end')}})}catch(e){if(e.isAcquireTimeout|e
instanceof Zr){this._debug('auto refresh token tick lock not available');else throw e}asnc _handleVisibilityChange()
{if(this._debug('#_handleVisibilityChange()'),!sr()||!(window!&null&&window.addEventListener))return
this._autoRefreshToken&&this._startAutoRefresh(),!1;try{this.visibilityChangedCallback=asnc()=>{try{await this._onVisi
bilityChanged(!1)}catch(e){this._debug('#_visibilityChangedCallback','error',e)}},window=null||window.addEventListener
r('visibilitychange',this.visibilityChangedCallback),await
this._onVisibilityChanged(!0)}catch(e){console.error('handleVisibilityChange',e)}asnc _onVisibilityChanged(e){let
t=#_onVisibilityChanged({$e});this._debug(t,'visibilityState',document.visibilityState),document.visibilityState===
'visible'?{this._autoRefreshToken&&this._startAutoRefresh(),e}|{await this._initializePromise,await
this._acquireLock(this._lockAcquireTimeout,asnc()=>{if(document.visibilityState!=='visible'){this._debug(t,'acquired
the lock to recover the session, but the browser visibilityState is no longer visible, aborting');return}await this._
recoverAndRefresh()})):document.visibilityState==='hidden'&&this._autoRefreshToken&&this._stopAutoRefresh()}asnc
_getUrlForProvider(e,t,n){let r={provider:{$encodeURIComponent(t)}},if(n?.redirectTo&&r.push('redirect_to'=>$encodeU
RComponent(n.redirectTo)),n?.scopes&&r.push('scopes'=>$encodeURIComponent(n.scopes)),this.flowType==='pcke'){let
e,t}=await wr(this.storage,this.storageKey),n=new URLSearchParams({code_challenge:{$encodeURIComponent(e)},code_cha
llenge_method:{$encodeURIComponent(t)}},r.push(n.toString()))if(n?.queryParams){let e=new
URLSearchParams(n.queryParams);r.push(e.toString())}return
n?.skipBrowserRedirect&&r.push('skip_http_redirect=${n.skipBrowserRedirect}'),{$e}?${r.join('&')}}asnc
_unenroll(e){try{return await this._useSession(asnc t=>{let{data:n,error:r}=t;return
r?this._returnResult({data:null,error:r}):await I(this.fetch,'DELETE',{this.url}/factors/${e.factorId},{headers:t
h.is.headers,jwt:n?.session?.access_token}))}catch(e){if(F(e))return this._returnResult({data:null,error:e});throw
e}}asnc _enroll(e){try{return await this._useSession(asnc t=>{let{data:n,error:r}=t;if(r)return
this._returnResult({data:null,error:r});let i=Object.assign({friendly_name:e.friendlyName,factor_type:e.factorType},e
.factorType==='phone'?{phone:e.phone}:e.factorType==='totp'?{issuer:e.issuer}:{}),{data:a,error:o}=await
I(this.fetch,'POST',{this.url}/factors,{body:i,headers:this.headers,jwt:n?.session?.access_token});return o?this._
returnResult({data:null,error:o}):e.factorType==='totp'&&a.type==='totp'&&a.qr_code&&(a.totp.qr_code='data:image/svg+xml;utf-8;${a.totp.qr_code}'),this._returnResult({data:a,error:null}})}catch(e){if(F(e))return
this._returnResult({data:null,error:e});throw e}}asnc _verify(e){return
this._acquireLock(this._lockAcquireTimeout,asnc()=>{try{return await this._useSession(asnc
t=>{let{data:n,error:r}=t;if(r)return this._returnResult({data:null,error:r});let
i=Object.assign({challengeId:e.challengeId,'webauthn'in e?webauthn:Object.assign(Object.assign({},e.webauthn),{cre
dential_response:e.webauthn.type==='create'?di(e.webauthn.credential_response):fi(e.webauthn.credential_response)}):
{code:e.code}),{data:a,error:o}=await I(this.fetch,'POST',{this.url}/factors/${e.factorId}/verify,{body:i,headers:
this.headers,jwt:n?.session?.access_token});return o?this._returnResult({data:null,error:o}):{await
this._saveSession(Object.assign({expires_at:Math.round(Date.now()/1e3)+a.expires_in,a}),await this._notifyAllSubscri
bers('MFA_CHALLENGE_VERIFIED',a),this._returnResult({data:a,error:o}))}catch(e){if(F(e))return
this._returnResult({data:null,error:e});throw e}}asnc _challenge(e){return
this._acquireLock(this._lockAcquireTimeout,asnc()=>{try{return await this._useSession(asnc
t=>{let{data:n,error:r}=t;if(r)return this._returnResult({data:null,error:r});let i=await I(this.fetch,'POST',{this
.url}/factors/${e.factorId}/challenge,{body:e,headers:this.headers,jwt:n?.session?.access_token});if(i.error)return
i;let{data:a}=i;if(a.type==='webauthn')return{data:a,error:null};switch(a.webauthn.type){case'create':return{data:Obj
ect.assign(Object.assign({},a),{webauthn:Object.assign(Object.assign({},a.webauthn),{credential_options:Object.assign
(Object.assign({},a.webauthn.credential_options),{publicKey:li(a.webauthn.credential_options.publicKey)}))}},error:n
ull);case'request':return{data:Object.assign(Object.assign({},a),{webauthn:Object.assign(Object.assign({},a.webauthn)
,{credential_options:Object.assign(Object.assign({},a.webauthn.credential_options),{publicKey:ui(a.webauthn.credentia
l_options.publicKey)}))}},error:null}})}catch(e){if(F(e))return this._returnResult({data:null,error:e});throw
e}}asnc _challengeAndVerify(e){let{data:t,error:n}=await this._challenge({factorId:e.factorId});return
n?this._returnResult({data:null,error:n}):await
this._verify({factorId:e.factorId,challengeId:t.id,code:e.code})}asnc
_listFactors(){let{data:{user:e},error:t}=await this._getUser();if(t)return{data:null,error:t};let
n={all:[],phone:[],totp:[],webauthn:[]};for(let t of
e.factors??[])n.all.push(t),t.status==='verified'&&n[t.factor_type].push(t);return{data:n,error:null}}asnc
_getAuthenticatorAssuranceLevel(e){if(e)try{let{payload:t}=r(e),n=null;t.aal&&(n=t.aal);let
r=n,{data:{user:i},error:a}=await this._getUser(e);if(a)return
this._returnResult({data:null,error:a});((i?.factors)?.filter(e=>e.status==='verified')??[]).length>0&&(r='aal2');let
o=t.amr||[];return{data:{currentLevel:n,nextLevel:r,currentAuthenticationMethods:o,error:null}}catch(e){if(F(e))ret
urn this._returnResult({data:null,error:e});throw e}let{data:{session:t},error:n}=await this._getSession();if(n)return
this._returnResult({data:null,error:n});if(!t)return{data:{currentLevel:null,nextLevel:null,currentAuthenticationMet
hods:[],error:null};let{payload:r}=r(t.access_token),i=null;r.aal&&(i=r.aal);let
a=i;(t.user.factors?.filter(e=>e.status==='verified')??[]).length>0&&(a='aal2');let

```

```

o=r.amr||[];return{data:{currentLevel:i,nextLevel:a,currentAuthenticationMethods:o},error:null}}async
_getAuthorizationDetails(e){try{return await this._useSession(async t=>{let{data:{session:n},error:r}=t;return
r?this._returnResult({data:null,error:r}):n?await I(this.fetch, 'GET', `${this.url}/oauth/authorizations/${e}`, {headers
:this.headers, jwt:n.access_token, xform:e=>({data:e, error:null})}):this._returnResult({data:null, error:new
Fn})}})}catch(e){if(F(e))return this._returnResult({data:null, error:e});throw e}}async
_approveAuthorization(e,t){try{return await this._useSession(async n=>{let{data:{session:r}, error:i}=n;if(i)return
this._returnResult({data:null, error:i});if(!r)return this._returnResult({data:null, error:new Fn});let a=await I(this.
fetch, 'POST', `${this.url}/oauth/authorizations/${e}/consent`, {headers:this.headers, jwt:r.access_token, body:{action:'a
pprove'}, xform:e=>({data:e, error:null})});return a.data&&a.data.redirect_url&&r()&&!t?.skipBrowserRedirect&&window.l
ocation.assign(a.data.redirect_url, a)}}catch(e){if(F(e))return this._returnResult({data:null, error:e});throw
e}}async _denyAuthorization(e,t){try{return await this._useSession(async
n=>{let{data:{session:r}, error:i}=n;if(i)return this._returnResult({data:null, error:i});if(!r)return
this._returnResult({data:null, error:new Fn});let a=await I(this.fetch, 'POST', `${this.url}/oauth/authorizations/${e}/c
onsent`, {headers:this.headers, jwt:r.access_token, body:{action:'deny'}, xform:e=>({data:e, error:null})});return a.data&
&a.data.redirect_url&&r()&&!t?.skipBrowserRedirect&&window.location.assign(a.data.redirect_url, a)}}catch(e){if(F(e)
)return this._returnResult({data:null, error:e});throw e}}async _listOAuthGrants(){try{return await
this._useSession(async e=>{let{data:{session:t}, error:n}=e;return n?this._returnResult({data:null, error:n}):t?await I
(this.fetch, 'GET', `${this.url}/user/oauth/grants`, {headers:this.headers, jwt:t.access_token, xform:e=>({data:e, error:nu
ll})}):this._returnResult({data:null, error:new Fn})}})}catch(e){if(F(e))return
this._returnResult({data:null, error:e});throw e}}async _revokeOAuthGrant(e){try{return await this._useSession(async
t=>{let{data:{session:n}, error:r}=t;return r?this._returnResult({data:null, error:r}):n?await I(this.fetch, 'DELETE', `
${this.url}/user/oauth/grants`, {headers:this.headers, jwt:n.access_token, query:{client_id:e.clientId}, noResolveJson:!0
}), {data:{}, error:null}):this._returnResult({data:null, error:new Fn})}})}catch(e){if(F(e))return
this._returnResult({data:null, error:e});throw e}}async fetchJwk(e,t={keys:[]}){let
n=t.keys.find(t=>t.kid===e);if(n)return n;let
r=Date.now();if(n=this.jwks.keys.find(t=>t.kid===e), n&&this.jwks_cached_at+6e5>r)return n;let{data:i,error:a}=await
I(this.fetch, 'GET', `${this.url}/well-known/jwks.json`, {headers:this.headers});if(a)throw
a;return i.keys||i.keys.length===0||[this.jwks=i,this.jwks_cached_at=r,n=i.keys.find(t=>t.kid===e),!n]?null:n}async
getClaims(e,t={}){try{let n=e;if(!n){let{data:e,error:t}=await this.getSession();if(!t||e.session)return this._return
Result({data:null,error:t});n=e.session.access_token}let{header:r,payload:i,signature:a,raw:{header:o,payload:s}}=_r(n)
;?t.allowExpired||Dr(i.exp);let c=r.alg||r.alg.startsWith('HS')||!r.kid||!(crypto in globalThis&&subtle in
globalThis.crypto)?null:await this.fetchJwk(r.kid,t?.keys?{keys:t.keys}:t?.jwks);if(!c){let{error:e}=await
this.getSession();if(e)throw e;return{data:{claims:i,header:r,signature:a},error:null}}let l=Or(r.alg),u=await
crypto.subtle.importKey('jwk',c,l,!!0,['verify']);if(!await crypto.subtle.verify(l,u,a,rr({$o:{$s:}}))throw new
Kn('Invalid JWT signature');return{data:{claims:i,header:r,signature:a},error:null}}catch(e){if(F(e))return
this._returnResult({data:null,error:e});throw e}}async signInWithPasskey(e){jr(this.experimental);try{if(!mi())return
this._returnResult({data:null,error:new Nn('Browser does not support WebAuthn',null)});let{data:t,error:n}=await
this._startPasskeyAuthentication({options:{captchaToken:e?.options?.captchaToken}});if(n||!t)return
this._returnResult({data:null,error:n});let{data:r,error:i}=await
gi({publicKey:ui(t.options),signal:e?.options?.signal?ci.createNewAbortSignal({});if(i||!r)return
this._returnResult({data:null,error:i?new Nn('WebAuthn ceremony failed',null)}):a=fi(r);return
this._verifyPasskeyAuthentication({challengeId:t.challenge_id,credential:a})}catch(e){if(F(e))return
this._returnResult({data:null,error:e});throw e}}async registerPasskey(e){jr(this.experimental);try{if(!mi())return
this._returnResult({data:null,error:new Nn('Browser does not support WebAuthn',null)});let{data:t,error:n}=await
this._startPasskeyRegistration({});if(n||!t)return this._returnResult({data:null,error:n});let{data:r,error:i}=await
hi({publicKey:li(t.options),signal:e?.options?.signal?ci.createNewAbortSignal({});if(i||!r)return
this._returnResult({data:null,error:i?new Nn('WebAuthn ceremony failed',null)}):a=di(r);return
this._verifyPasskeyRegistration({challengeId:t.challenge_id,credential:a})}catch(e){if(F(e))return
this._returnResult({data:null,error:e});throw e}}async _startPasskeyRegistration(){jr(this.experimental);try{return
await this._useSession(async e=>{let{data:{session:t}, error:n}=e;if(n)return
this._returnResult({data:null,error:n});if(!t)return this._returnResult({data:null,error:new
Fn});let{data:r,error:i}=await I(this.fetch, 'POST', `${this.url}/passkeys/registration/options`, {headers:this.headers,
jwt:t.access_token, body:{}});return
i?this._returnResult({data:null,error:i}):this._returnResult({data:r,error:null})}}catch(e){if(F(e))return
this._returnResult({data:null,error:e});throw e}}async _verifyPasskeyRegistration(e){jr(this.experimental);try{return
await this._useSession(async t=>{let{data:{session:n}, error:r}=t;if(r)return
this._returnResult({data:null,error:r});if(!n)return this._returnResult({data:null,error:new
Fn});let{data:i,error:a}=await I(this.fetch, 'POST', `${this.url}/passkeys/registration/verify`, {headers:this.headers, j
wt:n.access_token, body:{challenge_id:e.challengeId,credential:e.credential}});return
a?this._returnResult({data:null,error:a}):this._returnResult({data:i,error:null})}}catch(e){if(F(e))return
this._returnResult({data:null,error:e});throw e}}async
_startPasskeyAuthentication(e){jr(this.experimental);try{let{data:t,error:n}=await I(this.fetch, 'POST', `${this.url}/p
asskeys/authentication/options`, {headers:this.headers, body:{gotrue_meta_security:{captcha_token:e?.options?.captchaTo
ken}}});return
n?this._returnResult({data:null,error:n}):this._returnResult({data:t,error:null})}catch(e){if(F(e))return
this._returnResult({data:null,error:e});throw e}}async
_verifyPasskeyAuthentication(e){jr(this.experimental);try{let{data:t,error:n}=await I(this.fetch, 'POST', `${this.url}/
passkeys/authentication/verify`, {headers:this.headers, body:{challenge_id:e.challengeId,credential:e.credential}, xform
:'Br'});return n?this._returnResult({data:null,error:n}):t.session&&(await this._saveSession(t.session), await
this._notifyAllSubscribers('SIGNED_IN', t.session)), this._returnResult({data:t,error:null})}catch(e){if(F(e))return
this._returnResult({data:null,error:e});throw e}}async _listPasskeys(){jr(this.experimental);try{return await
this._useSession(async e=>{let{data:{session:t}, error:n}=e;if(n)return
this._returnResult({data:null,error:n});if(!t)return this._returnResult({data:null,error:new
Fn});let{data:r,error:i}=await I(this.fetch, 'GET', `${this.url}/passkeys`, {headers:this.headers, jwt:t.access_token, xfo
rm:e=>({data:e,error:null})});return
i?this._returnResult({data:null,error:i}):this._returnResult({data:r,error:null})}}catch(e){if(F(e))return
this._returnResult({data:null,error:e});throw e}}async _updatePasskey(e){jr(this.experimental);try{return await
this._useSession(async t=>{let{data:{session:n}, error:r}=t;if(r)return
this._returnResult({data:null,error:r});if(!n)return this._returnResult({data:null,error:new
Fn});let{data:i,error:a}=await I(this.fetch, 'PATCH', `${this.url}/passkeys/${e.passkeyId}`, {headers:this.headers, jwt:n
.access_token, body:{friendly_name:e.friendlyName}});return
a?this._returnResult({data:null,error:a}):this._returnResult({data:i,error:null})}}catch(e){if(F(e))return
this._returnResult({data:null,error:e});throw e}}async _deletePasskey(e){jr(this.experimental);try{return await
this._useSession(async t=>{let{data:{session:n}, error:r}=t;if(r)return
this._returnResult({data:null,error:r});if(!n)return this._returnResult({data:null,error:new
Fn});let{data:i,error:a}=await I(this.fetch, 'DELETE', `${this.url}/passkeys/${e.passkeyId}`, {headers:this.headers, jwt:n.access_token, noResolveJson:!0
});return
i?this._returnResult({data:null,error:i}):this._returnResult({data:null,error:null})}}catch(e){if(F(e))return
this._returnResult({data:null,error:e});throw e}};Ei.nextInstanceId={};var Di=Ei,Oi='2.105.1',ki='';ki=typeof
Deno<'u'?deno:typeof document<'u'?web:typeof
navigator<'u'&&navigator.product==='ReactNative'?react-native:`node`;var Ai={headers:{'X-Client-Info':`supabase-js-
${ki}/${Oi}`}},ji={schema:'public'},Mi={autoRefreshToken:!0,persistSession:!0,detectSessionInUrl:!0,flowType:'implicit'
},Ni={};function Pi(e){return babel/helpers - typeOf";return Pi=typeof Symbol==='function'&&typeof
Symbol.iterator==='symbol'?function(e){return typeOf e}:function(e){return e&&typeof
Symbol==='function'&&e.constructor===Symbol&&e!===Symbol.prototype?`symbol`:typeof e,Pi(e)}function
R(e,t){if(Pi(e)!='object'||!e)return e;var n=e[Symbol.toPrimitive];if(n!=='void 0'){var
r=n.call(e,t||'default');if(Pi(r)!='object')return r;throw TypeError(`@toPrimitive must return a primitive
value.`)}return(t==='string'?String:Number)(e)}function z(e){var t=R(e,'string');return
Pi(t)===`symbol`?t:t+''}function Fi(e,t,n){return(t=z(t))in
e?Object.defineProperty(e,t,{value:n,enumerable:!0,configurable:!0,writable:!0}):e[t]=n,e}function Ii(e,t){var
n=Object.keys(e);if(Object.getOwnPropertySymbols){var

```

```

r=Object.getOwnPropertySymbols(e);t&&(r=r.filter(function(t){return
Object.getOwnPropertyDescriptor(e,t).enumerable})),n.push.apply(n,r)}return n}function Li(e){for(var
t=1;t<arguments.length;t++){var n=arguments[t]==null?{}:arguments[t];%2?i(Object(n),!0).forEach(function(t){Fi(e,t,
n[t]))}:Object.getOwnPropertyDescriptors?Object.defineProperty(e,Object.getOwnPropertyDescriptors(n)):i(Object(n))
}.forEach(function(t){Object.defineProperty(e,t,Object.getOwnPropertyDescriptor(n,t))})}return e}var
Ri=e=>e?(...t)=>e(...t):(...e)=>fetch(...e),zi=(...e)=>Headers,Bi=(e,t,n)=>{let r=Ri(n,i=zi());return async(n,a)=>{let
o=await t()?e,s=new i(a?.headers);return
s.has('apikey')||s.set('apikey',e),s.has('Authorization')||s.set('Authorization','Bearer
${o}'),r(n,Li(Li({},a),{}),{headers:s}))}};function Vi(e){return e.endsWith('/')?e:e+'/'}function Hi(e,t){let{db:n,auth:
h:r,realtime:i,global:a}=e,{db:o,auth:s,realtime:c,global:l}=t,u={db:Li(Li({},o),n),auth:Li(Li({},s),r),realtime:Li(Li
i({},c),l),storage:{},global:Li(Li(Li({},l),a),{}),{headers:Li(Li({},l?headers???:{}),a?.headers???:{}))},accessToken:asy
nc()=>''};return e.accessToken?u.accessToken=e.accessToken:delete u.accessToken,u}function Ui(e){let
t=e?.trim();if(!t)throw Error('supabaseUrl is required.')}if(!t.match(/^https?:\/\//i))throw Error('Invalid
supabaseUrl: Must be a valid HTTP or HTTPS URL.')}try{return new URL(Vi(t))}catch{throw Error('Invalid supabaseUrl:
Provided URL is malformed.')}var Wi=class extends
Di{constructor(e){super(e)},Gi=class{constructor(e,t,n){this.supabaseUrl=e,this.supabaseKey=t;let
r=Ui(e);if(!t)throw Error('supabaseKey is required.')}this.realtimeUrl=new
URL('realtime/v1',r),this.realtimeUrl.protocol=this.realtimeUrl.protocol.replace('http','ws'),this.authUrl=new
URL('auth/v1',r),this.storageUrl=new URL('storage/v1',r),this.functionsUrl=new URL('functions/v1',r);let i='sb-${r.ho
stname}.split('.')[0]'-auth-token',a={db:ji,realtime:Ni,auth:Li(Li({},Mi),{}),{storageKey:i},global:Ai},o=Hi(n???:{}),a;
this.storageKey=o.auth.storageKey???:this.headers=o.global.headers???:o.accessToken?(this.accessToken=o.accessToken
this.auth=new Proxy({},{get:(e,t)=>[throw Error('@supabase/supabase-js: Supabase Client is configured with the
accessToken option, accessing supabase.auth.${String(t)} is not possible')]}):this.auth=this._initSupabaseAuthClient
(o.auth???:{}),this.headers=o.global.fetch},this.fetch=Bi(Li,this._getAccessToken.bind(this),o.global.fetch),this.realtime
=this._initRealtimeClient(Li,{headers:this.headers,accessToken:this._getAccessToken.bind(this),fetch:this.fetch},o.r
ealtime)),this.accessToken&&Promise.resolve(this.accessToken()).then(e=>this.realtime.setAuth(e)).catch(e=>console.wa
rn('Failed to set initial realtime auth token:',e)),this.rest=new me(new URL('rest/v1',r)).href,{headers:this.headers,
schema:o.db.schema,fetch:this.fetch,timeout:o.db.timeout,urlLengthLimit:o.db.urlLengthLimit}},this.storage=new
bn(this.storageUrl.href,this.headers,this.fetch,n?.storage),o.accessToken|this._listenForAuthEvents()}get
functions(){return new D(this.functionsUrl.href,{headers:this.headers,customFetch:this.fetch})}from(e){return
this.rest.from(e)}schema(e){return this.rest.schema(e)}rpc(e,t={,n={head:1,get:1,count:void 0}}){return
this.rest.rpc(e,t,n)}channel(e,t={config:{}}){return this.realtime.channel(e,t)}getChannels(){return
this.realtime.getChannels()}removeChannel(e){return this.realtime.removeChannel(e)}removeAllChannels(){return
this.realtime.removeAllChannels()}asyncc_getAccessToken(){var e=this;if(e.accessToken)return await
e.accessToken();let{data:t}=await e.auth.getSession();return t.session?.access_token??e.supabaseKey}_initSupabaseAuth
Client({autoRefreshToken:e,persistSession:t,detectSessionInUrl:n,storage:r,userStorage:i,storageKey:a,flowType:o,lock
:s,debug:c,throwOnError:l,experimental:u},d,f){let p={Authorization:'Bearer
${this.supabaseKey}',apikey:'${this.supabaseKey}'};return new W1({url:this.authUrl.href,headers:Li(Li({},p),d),storag
eKey:a,autoRefreshToken:e,persistSession:t,detectSessionInUrl:n,storage:r,userStorage:i,flowType:o,lock:s,debug:c,thr
owOnError:l,experimental:u,fetch:f,hasCustomAuthorizationHeader:Object.keys(this.headers).some(e=>e.toLowercase())=='
authorization')})}_initRealtimeClient(e){return new xt(this.realtimeUrl.href,Li(Li({},e),{}),{params:Li(Li({},{}),{apikey:
this.supabaseKey}),e?.params))}_listenForAuthEvents(){return this.auth.onAuthStateChange((e,t)=>{this._handleTokenC
hanged(e,'CLIENT',t?.access_token)})}_handleTokenChanged(e,t,n){((e==='TOKEN_REFRESHED'||e==='SIGNED_IN')&&this.change
dAccessToken!==?)this.changedAccessToken=n,this.realtime.setAuth(n);e==='SIGNED_OUT'&&(this.realtime.setAuth({}),t='
STORAGE'&&this.auth.signOut({}),this.changedAccessToken=void 0)},Ki=(e,t,n)=>new Gi(e,t,n);function qi(i){if(typeof
window!=='u')return 1;let e=globalThis.process;if(!e)return!1;let t=e.version;if(t==null)return!1;let
n=t.match(/^v(\d+)\./);return n?parseInt(n[1],10)<=18:!1}qi()&&console.warn('■■■ Node.js 18 and below are deprecated
and will no longer be supported in future versions of @supabase/supabase-js. Please upgrade to Node.js 20 or later.
For more information, visit: https://github.com/orgs/supabase/discussions/37217');var Ji='https://onpvcxxjpcvwnlufdq
b.supabase.co',Yi='sb_publishable_oGbb9Ase6zHTRGTzJGm3Cw_vYpYREnR',Xi=!Yi;Xi||console.warn('Missing
VITE_SUPABASE_URL or VITE_SUPABASE_ANON_KEY. Copy .env.example to .env and fill it.')}var Zi=Xi?Ki(Ji,Yi):null,Qi=Xi?
'${Ji}/functions/v1':'',Si=(...e)=>e.filter((e,t,n)=>!!e&&e.trim()!='&n.indexOf(e)==t).join('').trim(),ea=e=>e.r
eplace(/([a-z0-9])([A-Z])/g,'$1-$2').toLowerCase(),ta=e=>e.replace(/^[A-Z])/['$_-']+($\w/g,e,t,n)=>n?n.toUppercase()
t.toLowerCase(),na=e=>{let t=ta(e);return
t.charAt(0).toUpperCase()}t.slice(1)},ra={xmlns:'http://www.w3.org/2000/svg',width:24,height:24,viewBox:'0 0 24
24',fill:'none',stroke:'currentColor',strokeWidth:2,strokeLinecap:'round',strokeLinejoin:'round'},ia=e=>{for(let t in
e)if(t.startsWith('aria-')||t==='role'||t==='title')return!0;return!1},aa=(0,...createContext)({}),oa=(e)=>{0,...useCon
text}(aa),sa=(0,...forwardRef)(({color:e,size:t,strokeWidth:n,absoluteStrokeWidth:r,className:i='',children:a,iconNode
:o,...s},c)=>{let{size:l=24,strokeWidth:u=2,absoluteStrokeWidth:d=!1,color:f='currentColor',className:p=''}=oa()??{,
m=r??d?Number(n??u)*24/Number(t??l):n??u;return(0,...createElement)('svg',{ref:c,...ra,width:t??l??ra.width,height:t??
l??ra.height,stroke:??f,strokeWidth:m,className:Si('lucide',p,i),...la&&ia(s)&&{"aria-hidden":"true"},...s),[...o.m
ap]([e,t])=>(0,...createElement)(e,t),...Array.isArray(a)?a:[a])},B=(e,t)=>{let n=(0,...forwardRef)(({className:n,...
r},i)=>(0,...createElement)(sa,{ref:i,iconNode:t,className:Si('lucide-${ea(na(e))}',`lucide-${e}`,n),...r}));return
n.displayName=na(e),n,ca=B('activity',[[`path`,{d:'M22 12h-2.48a2 2 0 0 0-1.93 1.46l-2.35 8.36a.25.25 0 0 1-.48
0L9.24 2.18a.25.25 0 0 0-.48 0L-2.35 8.36A2 2 0 0 1 4.49 12H2',key:'169zse'}]]],la=B('bell',[[`path`,{d:'M10.268 21a2
2 0 0 0 3.464 0',key:'vwmvt9'}],[[`path`,{d:'M3.262 15.326A1 1 0 0 0 4.17h16a1 1 0 0 0 .74-1.673C19.41 13.956 18
12.499 18 8A6 6 0 0 0 6 8C0 4.499-1.411 5.956-2.738 7.326',key:'11g9vi'}]]],ua=B('chart-column',[[`path`,{d:'M3
3v16a2 2 0 0 0 2 2h16',key:'c24i48'}],[[`path`,{d:'M18 17V9',key:'2bz60n'}],[[`path`,{d:'M13
17V5',key:'1frdt8'}],[[`path`,{d:'M8 17v-3',key:'17ska0'}]]],da=B('chevron-down',[[`path`,{d:'m6 9 6 6
6-6',key:'grunsl'}]]],fa=B('circle-arrow-down',[[`circle`,{cx:'12',cy:'12',r:'10',key:'1mglay'}],[[`path`,{d:'M12
8v8',key:'napkw2'}],[[`path`,{d:'m8 12 4 4
4-4',key:'k98ssh'}]]],pa=B('circle-arrow-up',[[`circle`,{cx:'12',cy:'12',r:'10',key:'1mglay'}],[[`path`,{d:'m16
12-4-4-4 4',key:'177agl'}],[[`path`,{d:'M12
16V8',key:'1sbj14'}]]],ma=B('circle-check',[[`circle`,{cx:'12',cy:'12',r:'10',key:'1mglay'}],[[`path`,{d:'m9 12 2 4-
4',key:'dzm74'}]]],ha=B('circle-dot',[[`circle`,{cx:'12',cy:'12',r:'10',key:'1mglay'}],[[`circle`,{cx:'12',cy:'12',r:
'1',key:'4hilf'}]]],ga=B('circle-pause',[[`circle`,{cx:'12',cy:'12',r:'10',key:'1mglay'}],[[`line`,{x1:'10',x2:'10',y
1:'15',y2:'9',key:'cinkhi'}],[[`line`,{x1:'14',x2:'14',y1:'15',y2:'9',key:'h65svq'}]]],_a=B('circle-play',[[`path`,{d:
'M9 9.003a1 1 0 0 1 1.517-.859L4.997 2.997a1 1 0 0 1 0 1.718l-4.997 2.997A1 1 0 0 1 9 14.996z',key:'kmsa83'}],[[`circl
e`,{cx:'12',cy:'12',r:'10',key:'1mglay'}]]],va=B('circle-x',[[`circle`,{cx:'12',cy:'12',r:'10',key:'1mglay'}],[[`path
`,{d:'m15 9-6 6',key:'1uzhvr'}],[[`path`,{d:'m9 9 6
6',key:'z0biqf'}]]],ya=B('clock-3',[[`circle`,{cx:'12',cy:'12',r:'10',key:'1mglay'}],[[`path`,{d:'M12 6v6h4',key:'135r
8i'}]]],ba=B('copy',[[`rect`,{width:'14',height:'14',x:'8',y:'8',rx:'2',ry:'2',key:'17jyea'}],[[`path`,{d:'M4 16c-1.1
0-2-.9-2-2V4c0-1.1-9-2-2h10c1 1 0 2-.9 2
2',key:'zix9uf'}]]],xa=B('database',[[`ellipse`,{cx:'12',cy:'5',rx:'9',ry:'3',key:'msslwz'}],[[`path`,{d:'M3 5V19A9 3
0 0 0 21 19V5',key:'1wlel7'}],[[`path`,{d:'M3 12A9 3 0 0 0 21 12',key:'mv7ke4'}]]],Sa=B('eye-off',[[`path`,{d:'M10.733
5.076a10.744 10.744 0 0 1 11.205 6.575 1 1 0 0 1 .696 10.747 10.747 0 0 1-1.444
2.49',key:'ct8eif'}],[[`path`,{d:'M14.084 14.158a3 3 0 1-4.242-4.242',key:'151rxh'}],[[`path`,{d:'M17.479
17.499a10.75 10.75 0 0 1-15.417-5.151 1 1 0 0 1-6.696 10.75 10.75 0 0 1 4.446-5.143',key:'13bj9a'}],[[`path`,{d:'m2 2
20 20',key:'1ooewy'}]]],Ca=B('eye',[[`path`,{d:'M2.062 12.348a1 1 0 0 1 0-.696 10.75 10.75 0 0 1 19.876 0 1 1 0 0 1
0-.696 10.75 10.75 0 0 1-19.876
0',key:'1nclc0'}],[[`circle`,{cx:'12',cy:'12',r:'3',key:'1v7zrd'}]]],wa=B('gauge',[[`path`,{d:'m12 14
4-4',key:'9kzdfg'}],[[`path`,{d:'M3.34 19a10 10 0 1 1 17.32 0',key:'19p75a'}]]],Ta=B('history',[[`path`,{d:'M3 12a9 9
0 1 0 9-9 9.75 0 0 0-6.74 2.74L3 8',key:'1357e3'}],[[`path`,{d:'M3 3v5h5',key:'1xh98a'}],[[`path`,{d:'M12 7v5l4
2',key:'1fvd2h'}]]],Ea=B('key-round',[[`path`,{d:'M2.586 17.414A2 2 0 0 2 18.828V21a1 1 0 0 0 1 1h3a1 1 0 0 0
1-1v-1a1 1 0 0 1 1-1h1a1 1 0 0 1-1v-1a1 1 0 0 1 1-1h.17a2 2 0 0 0 1.414-.586L8.14-.814a6.5 6.5 0 1 0-4-4z',key:'1s
6t7t'}],[[`circle`,{cx:'16.5',cy:'7.5',r:'.5',fill:'currentColor',key:'w0ekpg'}]]],Da=B('list-checks',[[`path`,{d:'M13
5h8',key:'a7qcIs'}],[[`path`,{d:'M13 12h8',key:'h98zly'}],[[`path`,{d:'M13 19h8',key:'c3s6r1'}],[[`path`,{d:'M3 17 2 2
4-4',key:'1jhpqw'}],[[`path`,{d:'M3 7 2 2 4-4',key:'1obspn'}]]],Oa=B('lock',[[`rect`,{width:'18',height:'11',x:'3',y:
'11',rx:'2',ry:'2',key:'1w4ew1'}],[[`path`,{d:'M7 11V7a5 5 0 0 1 10
0V4',key:'fwwmzm'}]]],ka=B('log-out',[[`path`,{d:'m16 17 5-5-5-5',key:'1bji2h'}],[[`path`,{d:'M21
12H9',key:'dn1m92'}],[[`path`,{d:'M9 21H5a2 2 0 0 1-2-2V5a2 2 0 0 1

```



```

2-2h4',key:'1uf3rs'}}]],Aa=B('minus',[[['path',{d:'M5 12h14',key:'1ays0h'}}]],Ja=B('pencil',[[['path',{d:'M21.174
6.812a1 1 0 0 0-3.986-3.987l3.842 16.174a2 2 0 0 0-5.831-1.321 4.352a 5.5 0 0 0 .623.622l4.353-1.32a2 2 0 0 0
-.83-.497z',key:'1a8usu'}}]],['path',{d:'m15 5 4 4',key:'1mk7zo'}}]],Ma=B('plus',[[['path',{d:'M5
12h14',key:'1ays0h'}}]],['path',{d:'M12 5v14',key:'s699le'}}]],Na=B('radio',[[['path',{d:'M16.247 7.761a6 6 0 0 1 0
8.478',key:'1fwjs5'}}]],['path',{d:'M19.075 4.933a10 10 0 0 1 0 14.134',key:'ehdyv1'}}]],['path',{d:'M4.925 19.067a10 10
0 0 1 0-14.134',key:'1q2zgi'}}]],['path',{d:'M7.753 16.239a6 6 0 0 1
0-8.478',key:'1r2q7qm'}}]],['circle',{cx:'12',cy:'12',r:'2',key:'1c9p78'}}]],Pa=B('refresh-cw',[[['path',{d:'M3 12a9 9 0
0 1 9-9 9.75 0 0 1 6.74 2.74L21 8',key:'v9h5vc'}}]],['path',{d:'M21 3v5h-5',key:'1q7to0'}}]],['path',{d:'M21 12a9 9
0 0 1 9-9 9.75 0 0 1 6.74 2.74L3 16',key:'3uifl3'}}]],['path',{d:'M8
16H3v5',key:'1cv678'}}]],Fa=B('save',[[['path',{d:'M15.2 3a2 2 0 0 1 1.4.6l3.8 3.8a2 2 0 0 1 .6 1.4V19a2 2 0 0 1-2
2H5a2 2 0 0 1-2-2V5a2 2 0 0 1 2-2z',key:'1c8476'}}]],['path',{d:'M17 21v-7a1 1 0 0 0-1-1H8a1 1 0 0 0-1
1v7',key:'1ydtos'}}]],['path',{d:'M7 3v4a1 1 0 0 0 1 1h7',key:'t51u73'}}]],Ia=B('send',[[['path',{d:'M14.536 21.686a 5.5
0 0 0-.937-.024l6.5-19a.496.496 0 0 0-.635-.635l-19 6.5a.5 0 0 0-.024.937l7.93 3.18a2 2 0 0 1 1.112
1.11z',key:'1ffxy3'}}]],['path',{d:'m21.854 2.147-10.94 10.939',key:'12cjpa'}}]],La=B('server',[[['rect',{width:'20',hei
ght:'8',x:'2',y:'2',rx:'2',ry:'2',key:'ngkwjq'}}]],['rect',{width:'20',height:'8',x:'2',y:'14',rx:'2',ry:'2',key:'iecq
9'}}]],['line',{x1:'6',x2:'6.01',y1:'6',y2:'6',key:'16zgz3'}}]],['line',{x1:'6',x2:'6.01',y1:'18',y2:'18',key:'nzw8ys'}}
]],Ra=B('settings-2',[[['path',{d:'M14 17H5',key:'grf3mx'}}]],['path',{d:'M19 7h-9',key:'619tg'}}]],['circle',{cx:'17',cy:'
17',r:'3',key:'18b49y'}}]],['circle',{cx:'7',cy:'7',r:'3',key:'dfmyox'}}]],za=B('shield',[[['path',{d:'M20 13c0 5-3.5
7.5-7.66 8.95a1 1 0 0 1-.67-.01C7.5 20.5 4 18 13V6a1 1 0 0 1 1-1c2 0 4.5-1.2 6.24-2.72a1.17 1.17 0 0 1 1.52 0C14.51
3.81 17 5 19 5a1 1 0 0 1 1 1z',key:'oe141y'}}]],Ba=B('sliders-horizontal',[[['path',{d:'M10
5H3',key:'1qgfaw'}}]],['path',{d:'M12 19H3',key:'yhmm1j'}}]],['path',{d:'M14 3v4',key:'1sua03'}}]],['path',{d:'M16
17v4',key:'1q0r14'}}]],['path',{d:'M21 12h-9',key:'1o4lsq'}}]],['path',{d:'M21 19h-5',key:'1ritip'}}]],['path',{d:'M21
5h-7',key:'1oszz2'}}]],['path',{d:'M8 10v4',key:'tgpqxk'}}]],['path',{d:'M8
12H3',key:'a7s4jb'}}]],Va=B('sparkles',[[['path',{d:'M11.017 2.814a1 1 0 0 1 1.966 0l1.051 5.558a2 2 0 0 0 1.594
1.594l5.558 1.051a1 1 0 0 1 1.966l5.558 1.051a2 2 0 0 0 1.594 1.594l-1.051 5.558a1 1 0 0 1-1.966 0l-1.051 5.558a2
2 0 0 0-1.594 1.594l-5.558-1.051a1 1 0 0 1-1.966l5.558 1.051a2 2 0 0 0 1.594-1.594z',key:'1s2grr'}}]],['path',{d:'M20
2v4',key:'1rf3ol'}}]],['path',{d:'M22
4h-4',key:'gwowj6'}}]],['circle',{cx:'4',cy:'20',r:'2',key:'6kqj1y'}}]],Ha=B('terminal',[[['path',{d:'M12
19H8',key:'baeox8'}}]],['path',{d:'m4 17 6-6-6',key:'1yngyt'}}]],Ua=B('trash-2',[[['path',{d:'M10
11v6',key:'nco0om'}}]],['path',{d:'M14 11v6',key:'outv1u'}}]],['path',{d:'M19 6v14a2 2 0 0 1-2 2H7a2 2 0 0
1-2-2V6',key:'mlytrc'}}]],['path',{d:'M3 6h18',key:'d0wm0j'}}]],['path',{d:'M8 6v4a2 2 0 0 1 2-2h4a2 2 0 0 1 2
2v2',key:'e791ji'}}]],Wa=B('triangle-alert',[[['path',{d:'m21.73 18-8-14a2 2 0 0 0-3.48 0l-8 14A2 2 0 0 1 4 21h16a2 2
0 0 0 1-7.3',key:'wmoenq'}}]],['path',{d:'M12 9v4',key:'juzpu7'}}]],['path',{d:'M12 17h.01',key:'p32p05'}}]],Ga=B('wal
le-t-cards',[[['rect',{width:'18',height:'18',x:'3',y:'3',rx:'2',key:'afitv7'}}]],['path',{d:'M3 9a2 2 0 0 1 2-2h14a2 2 0 0
1 2 2',key:'4125el'}}]],['path',{d:'M3 11h3c.8 0 1.6 3 2.1.9l1.1.9c1.6 1.6 4.1 1.6 5.7 0l1.1-.9c.5-.5 1.3-.9
2.1-.9H21',key:'1dpk16'}}]],Ka=B('wifi-off',[[['path',{d:'M12 20h.01',key:'zekei9'}}]],['path',{d:'M8.5 16.429a5 5 0 0 1
7 0',key:'1bycff'}}]],['path',{d:'M5 12.859a10 10 0 0 1 5.17-2.69',key:'1dl1wf'}}]],['path',{d:'M19 12.859a10 10 0 0
0-2.007-1.523',key:'4k23kn'}}]],['path',{d:'M2 8.82a15 15 0 0 1 4.177-2.643',key:'1grhjp'}}]],['path',{d:'M22 8.82a15 15
0 0 0-11.288-3.764',key:'z3jwby'}}]],['path',{d:'m2 2 20 20',key:'1ooewy'}}]],qa=B('wifi',[[['path',{d:'M12
20h.01',key:'zekei9'}}]],['path',{d:'M2 8.82a15 15 0 0 1 20 0',key:'dnpr2z'}}]],['path',{d:'M5 12.859a10 10 0 0 1 14
0',key:'1x1e6c'}}]],['path',{d:'M8.5 16.429a5 5 0 0 1 7 0',key:'1bycff'}}]],Ja=B('x',[[['path',{d:'M18 6 6
18',key:'1bl5f8'}}]],['path',{d:'m6 6 12 12',key:'d8bk6v'}}]],Ya=B('zap',[[['path',{d:'M4 14a1 1 0 0
1-.78-1.63l9.9-10.2a 5.5 0 0 1 .86.46l-1.92 6.02a1 1 0 0 0 13 10h7a1 1 0 0 1 .78 1.63l-9.9 10.2a 5.5 0 0
1-.86-.46l1.92-6.02a1 1 0 0 0 11 14z',key:'1xq2db'}}]],Xa=0((e=>var
t=Symbol.for('react.transitional.element'),n=Symbol.for('react.fragment');function r(e,n,r){var i=null;if(r!==void
0&&(i='*r'),n.key===void 0&&(i='*n.key'),key in n)for(var a in r={},n)a!=='key'&&(r[a]=n[a]);else r=n;return
n=r.ref,$$typeof:t,type:e,key:i,ref:n===void 0?null:n,props:r}}e.Fragment=n,e.jsx=r,e.jsxsr=r)),Vo=((e,t)>=>{t.expor
ts=Xa(i)})(i),H=(ARM_BUY:'ARM_BUY',ARM_SELL:'ARM_SELL',AUTO_ARM:'AUTO_ARM',CANCEL:'CANCEL',CLOSE_50:'CLOSE_50',BREAK_E
VEN:'BREAK_EVEN',FIRST_BE_EXIT:'FIRST_BE_EXIT',FIRST_BREAK_EVEN:'FIRST_BREAK_EVEN',CLOSE_ALL:'CLOSE_ALL',TOGGLE_PARTI
ALS:'TOGGLE_PARTIALS',TOGGLE_SECOND_ENTRY:'TOGGLE_SECOND_ENTRY',SET_MODE:'SET_MODE',SET_RISK:'SET_RISK',SET_PARTIALS:
'SET_PARTIALS',PING:'PING',Za=[[['trade_open','Trade Open'],['sl_hit','SL Hit'],['tp_hit','TP Hit'],['rr1_hit','1:1
Hit'],['rr2_hit','1:2 Hit'],['rr3_hit','1:3 Hit'],['partial_hit','Partial Close'],['command_sent','Command
Sent'],['command_done','Command Done'],['command_failed','Command Failed'],['ea_message','EA
Message'],['ea_online','EA Online'],['ea_offline','EA Offline']],Qa=Za.reduce((e,[t])=>{...e,[t]:0}),{}),$a=500,eo=
2e3,to=12e3,no=[['partialsOn','secondEntryOn'],ro=[{id:'fundingpips',label:'FundingPips',hasRules:!0},{id:'other',labe
l:'Other company',hasRules:1}],io='auto',ao='custom',oo=[5e3,1e4,25e3,5e4,1e5],so=[...oo,2e5],co={lotLimit:20,riskId
eaSmall:3,riskIdeaLarge:2,riskIdeaSplit:5e4,inactivityDays:30,commissions:[['Forex','$5 per lot','$10 per
lot'],['Metals','$5 per lot','$10 per lot'],['Energies','No commission','No commission'],['Indices','No
commission','No commission'],['Crypto','0.04%','0.04%']],leverage:[['Forex','1:30','1:30'],['Metals','1:10','1:10'],[
'Energies','1:10','1:10'],['Indices','1:5','1:5'],['Crypto','1:1','1:1']],dynamicLeverage:[['0.00 - 0.05
lots','1:50'],['0.05 - 0.10 lots','1:30'],['0.10 - 0.15 lots','1:25'],['0.15 - 0.25 lots','1:20'],['0.25 - 0.50
lots','1:10'],['0.50+ lots','1:5']],generalRules:['20 lots maximum per click or transaction.','Inactivity breach
after 30 consecutive days without a completed trade.','Copy trading is allowed only between accounts owned by the
same trader.','Forbidden strategies include gap trading, HFT, latency arbitrage, toxic flow, hedging, opposite
account trading, tick scalping, and third-party account management.','Stop loss is not required, but risk limits
still apply.']],lo=[{one_step:{id:'one_step',label:'1 Step Model',summary:'Single evaluation phase, then Live
account'},source:'FundingPips Help Center - 1 Step Model',accountSizes:oo,phases:[{label:'Phase
1',target:10,days:3},{label:'Live',target:null,days:null}],dailyLossPct:3,maxLossPct:6,maxLossLabel:'Maximum
Loss',consistencyPct:35,consistencyScope:'On Demand Live rewards',rewardText:'On Demand 90%, Weekly 60%, Bi-Weekly
80%, Monthly 100%'},news:'Evaluation has no news holding restriction. Live account cannot open or close within 5
minutes before or after high-impact news on affected instruments.',weekend:'Temporary master rule: weekend holding is
not allowed; open trades may be closed by the
system.',leverage:co.leverage,commissions:co.commissions},two_step:{id:'two_step',label:'2 Step Model',summary:'Two
evaluation phases, then Live account'},source:'FundingPips Help Center - 2 Step
Model',accountSizes:oo,phases:[{label:'Phase 1 - 8%',target:8,days:3},{label:'Phase 1 -
10%',target:10,days:3},{label:'Phase
2',target:5,days:3},{label:'Live',target:null,days:null}],dailyLossPct:5,maxLossPct:10,maxLossLabel:'Maximum
Loss',consistencyPct:35,consistencyScope:'On Demand Live rewards',rewardText:'On Demand 90%, Weekly 60%, Bi-Weekly
80%, Monthly 100%'},news:'Evaluation has no news holding restriction. Live account cannot open or close within 5
minutes before or after high-impact news on affected instruments.',weekend:'Temporary master rule: weekend holding is
not allowed; open trades may be closed by the system.',leverage:[['Forex','1:100','1:30'],['Metals','1:30','1:10'],[
'Energies','1:10','1:10'],['Indices','1:20','1:5'],['Crypto','1:2','1:1']],commissions:co.commissions},two_step_pro:{
id:'two_step_pro',label:'2 Step Pro Model',summary:'Two faster phases with 1 minimum trading day
each'},source:'FundingPips Help Center - 2 Step Pro Model',accountSizes:so,phases:[{label:'Phase
1',target:6,days:1},{label:'Phase
2',target:6,days:1},{label:'Live',target:null,days:null}],dailyLossPct:3,maxLossPct:6,maxLossLabel:'Maximum
Loss',consistencyPct:35,consistencyScope:'Only when Daily Reward cycle is selected for evaluation
phases',rewardText:'Weekly reward cycle has no consistency rule; Daily Reward add-on adds 35% consistency during
evaluation phases.',news:'Evaluation has no news holding restriction. Live account cannot open or close within 5
minutes before or after high-impact news on affected instruments.',weekend:'Weekend holding follows Live account
announcements and temporary trading condition
updates.',leverage:co.leverage,commissions:co.commissions},zero:{id:'zero',label:'FundingPips Zero',summary:'Direct
Live account with trailing loss, risk, consistency, news, and weekend restrictions.',source:'FundingPips Help Center
- FundingPips Zero',accountSizes:so,phases:[{label:'Live',target:null,days:null}],dailyLossPct:3,trailingLossPct:5,ma
xRiskPct:1,maxLossLabel:'Maximum Trailing Loss',consistencyPct:15,consistencyScope:'Reward request on Zero Live
account',profitableDaysRequired:7,profitableDayPct:.25,rewardText:'Bi-Weekly 95% reward split after first executed
trade, with 15% consistency, 7 profitable days, 3% safety cushion, and biggest loss not exceeding biggest
win.',news:'High-impact news holding is not allowed on Zero Live account.',weekend:'Weekend holding is not allowed on
FundingPips Zero, even with Swap Free add-on.',leverage:[['Forex','1:50','1:30'],['Metals','1:20','1:10'],['Energies
','1:10','1:10'],['Indices','1:20','1:5'],['Crypto','1:2','1:1']],commissions:[['Forex','$7 per lot','$10 per
lot'],['Metals','$7 per lot','$10 per lot'],['Energies','No commission','No commission'],['Indices','No

```



```

commission`, `No commission`], ['Crypto', `0.04%`, `0.04%`]], instant_1k: {id: `instant_1k`, label: `1K Instant
Account`, summary: `Giveaway instant account with no evaluation phase.`, source: `FundingPips Help Center - 1K Instant Ac
count`, accountSizes: [1e3], phases: [{label: `Live`, target: null, days: null}], dailyLossPct: null, maxLossPct: null, maxLossLab
e: `Not published in crawl`, consistencyPct: null, rewardText: `No evaluation phase, no minimum days, no time limits, no
consistency score. Minimum 50% of every reward request is transferred to Tradin account.`, news: `News trading is
allowed.`, weekend: `Weekend holding is allowed.`, leverage: [], commissions: [], specialRules: [ `Hedging is strictly
prohibited and may result in immediate account closure.`, `Third-party EAs and trade copiers are
permitted. ` ]}); function U(e, t=2){let n=Number(e);return Number.isFinite(n)?n.toFixed(2):`-`}function W(e, t=``){let
n=Number(e);return Number.isFinite(n)?`$${n}>0?`+`:`-$${t?`+`:`}`$${Math.abs(n).toFixed(2)}:`-`}function
uo(e, t=``){let n=Number(e);return Number.isFinite(n)?`$${t?`+`:`}`$${n.toFixed(2)}:`-`}function fo(e){return
Number.isFinite(Number(e))?`$${Number(e).toFixed(2)}%`:`-`}function po(e){return Number(e)>0?`pos`:`neg`}function
mo(e){return e?e.position?.hasPosition()||String(e.status).includes(`POSITION`)?`position`:`e.arm===`BUY`?`buy`:`e.arm
===`SELL`?`sell`:`e.arm===`AUTO`?`auto`:`idle`:`idle`}function ho(e){if(!e)return`Waiting`;let t=e instanceof
Date?e:new Date(e);return Number.isNaN(t.getTime())?`Waiting`:`t.toLocaleTimeString([], {hour: `2-digit`, minute: `2-digit
`, second: `2-digit`})}function go(e){if(!e)return`-`;if(typeof e==`string`)return e;let t=new
Date(Number(e)*1e3);return Number.isNaN(t.getTime())?`-`:`t.toLocaleString([], {month: `short`, day: `2-digit`, hour: `2-di
git`, minute: `2-digit`})}function _o(e, t, n=1e-6){let r=Number(e), i=Number(t);return
Number.isFinite(r)&&Number.isFinite(i)&&Math.abs(r-i)<=n}function vo(e, t, n){let r=Number(e);return
Number.isFinite(r)?Math.max(t, Math.min(n, r)):t}function Ge(e, t=``){let n=Number(e);return Number.isFinite(n)?`$${t?`+`
:`}`$${n.toLocaleString(void 0, {minimumFractionDigits: 2, maximumFractionDigits: 2})}`:`-`}function yo(e, t=1){let
n=Number(e);if(!Number.isFinite(n))return 0;let r=t>100-n;n=Math.max(0, Math.min(100, r))}function bo(e, t=0){let
n=Number(e);return Number.isFinite(n)?n:t}function xo(e){let t=e.filter(e=>Number.isFinite(Number(e)));return
t.length?t.reduce((e, t)=>e+Number(t), 0)/t.length:null}function So(e){return String(e).padStart(2, `0`)}function
Co(e){let t=new Date(Number(e)*1e3);return
Number.isNaN(t.getTime())?`-`:`$${t.getFullYear()}-$${t.getMonth()+1}]-$${t.getDate()}`}function
wo(e){if(!e)return`-`;let [t, n, r]=String(e).split(`-`);return!t||!n||!r?e: `$${r}$${n}$${t}`}function
To(e, t=`closeTimeSec`){let n=Number(e?.[t]);if(!Number.isFinite(n)&&n>0)return n;let
r=e?.[t.replace(`Sec`, ``)];if(!r)return 0;let i=String(r).replace(`/`, ``), a=new Date(i);return
Number.isNaN(a.getTime())?0:Math.floor(a.getTime()/1e3)}function Eo(e, t=Date.now()){let
n=Number(e)*1e3;if(!Number.isFinite(n)||n<=0)return null;let
r=Math.max(0, Math.floor((t-n)/1e3)), i=Math.floor(r/86400);r-=i*86400;let a=Math.floor(r/3600);r-=a*3600;let
o=Math.floor(r/60);return {days: i, hours: a, minutes: o, seconds: r-o*60}}function Do(e){let
t=Number(e?.entryPrice), n=Number(e?.exitPrice), r=Number(e?.sl);if(![t, n, r].every(NUMBER.isFinite)||r<=0)return
null;let i=Math.abs(t-r);return i<=0?null:(String(e?.type)||``).toUpperCase()===`SELL`?t-n:n-t)/i}function
Oo(e, t, n=1){if(!Number.isFinite(Number(t))||Number(t)<=0)return`neutral`;let
r=Math.max(0, Number(e).Number(t)*100);return n?r>100?`pass`:`watch`:`breach`:`r>75?`watch`:`pass`}function
ko(e, t, n, r=null){let i=e||[];a=Array.isArray(i.tradeHistory)?i.tradeHistory:[];o=i.currency||`USD`, s=bo(i.balance, 0),
c=bo(i.equity, s), l=bo(i.openPL, c-s), u=a.reduce((e, t)=>e+bo(t.profit, 0), 0), d=Number.isFinite(Number(i.totalNet))?Numbe
r(i.totalNet):u, f=s-d, p=Number(r), m=p>0?p:f>0?f:s>0?s:1e5, h=c-m, g=Math.max(0, h), _=Number.isFinite(Number(i.dayNet))?N
umber(i.dayNet):0, v=s-, y=c-, l=b=Math.max(v, y, m), x=t?.dailyLossPct?b*t.dailyLossPct/100:null, s=x===null?null:Math.ma
x(0, b-c), C=x===null?null:x-s, w=x===null?null:b-x, T=new Map;for(let e of a){let
t=Co(To(e, `closeTimeSec`));if(!t)continue;let n=bo(e.profit, 0), r=t.get(t)||{key:t, net:0, trades:0, wins:0, losses:0};r.n
et+=n, r.trades+=1, n>0&&(r.wins+=1), n<0&&(r.losses+=1), T.set(t, r)}let E=Co(Date.now()/1e3);if(E){let e=T.get(E)||{key:
E, net:0, trades:0, wins:0, losses:0};e.net+=n, e.trades+=Number.isFinite(Number(i.dayTrades))?Number(i.dayTrades):e.
trades, T.set(E, e)}let D=Array.from(T.values()).sort((e, t)=>e.key.localeCompare(t.key)), O=s-D.reduce((e, t)=>e+t, net, 0),
ee=D.map(e=>({0=e.net, {...e, balance:0, equity:e.key===E?C:0}));ee.length||ee.push({key:E||Co(Date.now()/1e3), net:, tr
ades:bo(i.dayTrades, 0), wins:0, losses:0, balance:s, equity:c});let te=Math.max(m, s, c, ...ee.map(e=>Math.max(e.balance, e.e
quity))), ne=Math.min(s|c, c|s), re=t?.trailingLossPct?Math.min(m, te-m*t.trailingLossPct/100):t?.maxLossPct?m*(1-t.ma
xLossPct/100):null, ie=re===null?null:t?.trailingLossPct?te-re:m-re, ae=re===null?null:t?.trailingLossPct?Math.max(0, te-
ne):Math.max(0, m-ne), oe=ie===null||ae===null?null:ie-ae, k=n?.target?m*n.target/100:null, A=k?Math.max(0, g)/k*100:null,
se=D.filter(e=>e.trades>0).length, ce=t?.profitableDayPct?m*t.profitableDayPct/100:0, le=D.filter(e=>e.net>=ce&&e.trade
s>0).length, ue=t?.profitableDaysRequired||n?.days||0, de=t?.profitableDaysRequired?le:se, j=Math.max(0, ...D.map(e=>e.ne
t)), fe=g>0?j/g*100:0, pe=t?.consistencyPct||null, me=bo(i.totalTrades, a.length), he=bo(i.wins, a.filter(e=>bo(e.profit, 0)
>0).length), ge=bo(i.losses, a.filter(e=>bo(e.profit, 0)<0).length), _e=me>0?bo(i.winRate, he*100/me):0, ve=me>0?100-_e:0, y
e=xo(a.map(e=>bo(e.profit, NaN))).filter(e=>e>0), be=xo(a.map(e=>bo(e.profit, NaN))).filter(e=>e<0), xe=xo(a.map(Do).f
ilter(e=>e!=null)), Se=me>0?d/me:null, Ce=Array.isArray(i.position?.positions)?i.position.positions:[];we=Math.max(0, ...C
e.map(e=>bo(e.volume, 0))), M=Math.max(0, -l), Te=t?.maxRiskPct?m*t.maxRiskPct/100:null, Ee=a.reduce((e, t)=>{let
n=To(t, `openTimeSec`)||To(t, `closeTimeSec`);return n>0?Math.min(e, n):e, 1/0});return {currency:o, rows:a, currentBalance:
s, currentEquity:c, openPL:l, closedNet:d, accountSize:m, inferredAccountSize:f>0?f:null, explicitAccountSize:p>0?p:null, to
talProfit:h, positiveProfit:g, dailyStartBalance:v, dailyStartEquity:y, dailyBase:b, dailyAllowed:x, dailyUsed:s, dailyRemai
ning:C, dailyFloor:w, maxFloor:re, maxAllowed:ie, maxUsed:ae, maxRemaining:oe, highwater:te, targetAmount:k, targetProgress:A
, tradingDays:se, profitableDays:le, profitableDayFloor:ce, requiredDays:ue, dayObjectiveCount:de, consistencyTopDay:j, cons
istencyScore:fe, consistencyAllowed:pe, totalTrades:me, wins:he, losses:ge, winRate:_e, lossRate:ve, avgWin:ye, avgLoss:be, av
gRR:xe, expectancy:s, maxOpenLots:we, openFloatingLoss:M, zeroMaxRiskAmount:Te, firstTradeSec:Number.isFinite(Ee)?Ee:null
, elapsed:Number.isFinite(Eo(Eo(E)):null, chartRows:ee, dailyRows:ee.slice().reverse())}async function Ao(e){let
t=await crypto.subtle.digest(`SHA-256`, new TextEncoder().encode(e));return Array.from(new
Uint8Array(t)).map(e=>e.toString(16).padStart(2, `0`)).join(``)}function jo({let e=`tcx`, t=new
Uint32Array(40);crypto.getRandomValues(t);for(let n of
t)je+=`ABCEFGHJKLMNPQRSTUUVWXYZabcdefghijklmnopqrstuvwxyz23456789`[n%57];return e}function Mo(){return
crypto.randomUUID?crypto.randomUUID():String(Date.now())+Math.random()}function No(e, t){return
t?.id?[t, ...e.filter(e=>e.id!=t.id)].sort((e, t)=>new Date(t.created_at|0)-new
Date(e.created_at|0)).slice(0, 12):e}function Po(e, t, l){let n={};for(let r of e||[]){let e=r?.[t];e&&(n[e]=r)}return
n}function Fo(e, t=8){let n={};for(let r of e||[]){if(!r?.ea_id)continue;let
en=[r.ea_id]||[];e.length&&e.push(r, [r.ea_id]=e)return n}function Io(e, t){return
t?.updated_at|e?.last_seen_at||null}function Lo(e, t, l=15e3){let r=Io(e, t);if(!r)return!1;let i=new Date(r);return
Number.isNaN(i.getTime())?!1:Date.now()-i.getTime()-<n}function Ro(e, t){return t?.symbol|e?.symbol||`XAUUSD`}function
zo(e, t){let n=t?.accountLogin|e?.account_login?return n?`$${e.name||`EA`} #${n}`:`e?.name||`EA Connection`}function
Bo(e){return String(e||``).replaceAll(` `, ``)}async function Vo(e, t, n, r={}, i=Mo()){let a=await
fetch(`${Q}|/create-command`, {method: `POST`, headers: {`Content-Type`: `application/json`, Authorization: `Bearer
${e.access_token}`}, body: JSON.stringify({ea_id:t, action:n, payload:r, client_id:i})});o=await
a.json().catch(()=>({}));if(!a.ok||!o.ok)throw Error(o.error||`Command failed`);return o.command||o}function Ho({let
[e, t]=(0, __useState)(`signin`), [n, r]=(0, __useState)(``), [i, a]=(0, __useState)(``), [o, s]=(0, __useState)(!1), [c, l]=(0, __
useState)(``);async function u(t){t.preventDefault(), s(!0, l(``);let r=e===`signup`?await
Zi.auth.signup({email:n, password:i}):await
Zi.auth.signInWithPassword({email:n, password:i});s(!1), r.error?!(r.error.message):l(e===`signup`?`Account created.
Check email if confirmation is enabled.`:`Signed in.`)}return({`div`, {className: `loginShell`, children:[(0, V.
jsx)(`section`, {className: `loginIntro`, children:[(0, V.jsx)(`div`, {className: `brandMark`, children:[(0, V.jsx)(`span`,
{className: `brandGlyph`, children:[(0, V.jsx)(Ya, {size:24})]), (0, V.jsx)(`span`, {children: `TCX
Pro`})]), (0, V.jsx)(`h1`, {children: `MT5 execution control, cleaned up for daily
use`}), (0, V.jsx)(`div`, {className: `loginMetrics`, `aria-label`: `Controller
features`, children:[(0, V.jsx)(`span`, {children:[(0, V.jsx)(Na, {size:16})], `Live EA
state`}), (0, V.jsx)(`span`, {children:[(0, V.jsx)(za, {size:16})], `RLS
secured`}), (0, V.jsx)(`span`, {children:[(0, V.jsx)(Da, {size:16})], `Command
log`})])]), (0, V.jsx)(`section`, {className: `loginCard
glass`, `aria-label`: `Authentication`, children:[(0, V.jsx)(`div`, {className: `sectionEyebrow`, children: `Secure
dashboard`}), (0, V.jsx)(`h2`, {children: e===`signup`?`Create account`:`Sign in`}), (0, V.jsx)(`form`, {onSubmit:u, classNa
me: `loginForm`, children:[(0, V.jsx)(`label`, {children:[`Email`, (0, V.jsx)(`input`, {value:n, onChange:e=>r(e.target.valu
e), type: `email`, placeholder: `you@email.com`, required: !0})]), (0, V.jsx)(`label`, {children:[`Password`, (0, V.jsx)(`input
`, {value:i, onChange:e=>a(e.target.value), type: `password`, placeholder: `Minimum 6
characters`, required: !0})]), (0, V.jsx)(`button`, {className: `primaryBtn`, disabled:o, children:o?`Please
wait...`:`e===`signup`?`Create account`:`Sign in`})])]), c&&(0, V.jsx)(`div`, {className: `notice`, children:c}), (0, V.jsx)(`

```

```

button`, {className: `textBtn`, onClick: () => t(e === `signup` ? `signin` : `signup`), children: e === `signup` ? `Already have
account? Sign in` : `New user? Create account`}})]}}function
Uo({user: e, onCreate: t, onDone: n}){let[r, i] = (0, __useState)()(`XAUUSD Main
VPS`), [a, o] = (0, __useState)()(`XAUUSD`), [s, c] = (0, __useState)({1}), [l, u] = (0, __useState)(null); async function d(){c(!0); let
n = jo(), i = await Ao(n), {data: o, error: s} = await Zi.from(`ea_instances`).insert({user_id: e.id, name: r, symbol: a, token_hash:
i, enabled: !0}).select().single(); if(c(!1), s)return alert(s.message); u({...o, token: n}), t?.(o)}return(0, V.jsx)(`div`, {c
lassName: `setupShell`, children: (0, V.jsxs)(`section`, {className: `glass setupCard`, children: [(0, V.jsxs)(`div`, {className:
`panelHeader`, children: [(0, V.jsx)(`div`, {className: `panelIcon`, children: (0, V.jsx)(Ha, {})), (0, V.jsxs)(`div`, {childr
en: [(0, V.jsx)(`p`, {className: `sectionEyebrow`, children: `MT5 bridge`}), (0, V.jsx)(`h2`, {children: `Create EA
connection`})]}]}], l?(0, V.jsxs)(`div`, {className: `secretBox`, children: [(0, V.jsx)(`h3`, {children: `Copy into MT5 EA in
puts`}), (0, V.jsx)(Wo, {label: `InpSupabaseEaId`, value: l.id}), (0, V.jsx)(Wo, {label: `InpSupabaseEaToken`, value: l.token}), (
0, V.jsx)(Wo, {label: `InpSupabaseFunctionsUrl`, value: `${https://onpvkxxjpcvwlufnufqb.supabase.co}?replace(.supabase.
co, .functions.supabase.co)`})|`https://PROJECT_REF.functions.supabase.co`}}), (0, V.jsxs)(`div`, {className: `dangerTex
t`, children: [(0, V.jsx)(Wa, {size: 18}), ` Save the token now. It is shown only
once. `]}), (0, V.jsx)(`button`, {className: `primaryBtn fullBtn`, onClick: () => n?.(), children: `Go To Dashboard`}})}): (0, V.j
sxs)(V.Fragment, {children: [(0, V.jsxs)(`div`, {className: `setupFields`, children: [(0, V.jsxs)(`label`, {children: `EA Name
`, (0, V.jsx)(`input`, {value: r, onChange: e => i(e.target.value)}), (0, V.jsxs)(`label`, {children: `Symbol`, (0, V.jsx)(`inp
ut`, {value: a, onChange: e => o(e.target.value)}), (0, V.jsx)(`button`, {className: `primaryBtn
fullBtn`, onClick: d, disabled: s, children: s ? `Creating...` : `Create EA Instance`})]}]}]}]}function Wo({label: e, value: t}){
return(0, V.jsxs)(`div`, {className: `copyRow`, children: [(0, V.jsx)(`span`, {children: e}), (0, V.jsx)(`code`, {children: t})], (
0, V.jsx)(`button`, {title: `Copy ${e}`, "aria-label": `Copy
${e}`, onClick: () => navigator.clipboard.writeText(t), children: (0, V.jsx)(ba, {size: 15})}})}function Go(){return(0, V.js
xs)(`div`, {className: `loginShell`, children: [(0, V.jsxs)(`section`, {className: `loginIntro`, children: [(0, V.jsxs)(`div`, {c
lassName: `brandMark`, children: [(0, V.jsx)(`span`, {className: `brandGlyph`, children: (0, V.jsx)(Ya, {size: 24})}), (0, V.js
x)(`span`, {children: `TCX Pro`})]}], (0, V.jsx)(`h1`, {children: `Supabase config is missing from this
deployment.`}), (0, V.jsxs)(`div`, {className: `loginMetrics`, "aria-label": `Required environment
variables`, children: [(0, V.jsxs)(`span`, {children: [(0, V.jsx)(La, {size: 16}), `
VITE_SUPABASE_URL`]), (0, V.jsxs)(`span`, {children: [(0, V.jsx)(Ea, {size: 16}), `
VITE_SUPABASE_ANON_KEY`]}]}], (0, V.jsxs)(`section`, {className: `loginCard glass`, "aria-label": `Deployment
configuration error`, children: [(0, V.jsx)(`div`, {className: `sectionEyebrow`, children: `Deploy
setup`}), (0, V.jsx)(`h2`, {children: `Environment variables required`}), (0, V.jsx)(`div`, {className: `notice
errorNotice`, children: `Add the Supabase URL and anon key in your hosting provider, then redeploy the site.`}), (0, V.js
xs)(`div`, {className: `envList`, children: [(0, V.jsx)(`code`, {children: `VITE_SUPABASE_URL=https://YOUR_PROJECT_REF.supab
ase.co`}), (0, V.jsx)(`code`, {children: `VITE_SUPABASE_ANON_KEY=YOUR_SUPABASE_ANON_KEY`})]}]}]}]}function
Ko({id: e, title: t, eyebrow: n, icon: r, children: i, defaultOpen: a = !0, className: o = ``, bodyClassName: s = ``) {let
c = `tcx-section-open-${e}`, [l, u] = (0, __useState)(a); (0, __useEffect) (() => {try {let
e = window.localStorage.getItem(c); e !== null & u(e === `true`) } catch {}}, [c]); function d(){u(e => {let
t = e; try {window.localStorage.setItem(c, String(t))} catch {} } return
t)}return(0, V.jsxs)(`section`, {className: `collapsibleSection glass ${l ? `open` : `closed`} ${o}`, children: [(0, V.jsxs)(`
button`, {type: `button`, className: `collapseHeader`, onClick: d, "aria-expanded": l, children: [(0, V.jsxs)(`span`, {className:
`collapseTitle`, children: [(0, V.jsx)(`span`, {className: `collapseIcon`, children: r}), (0, V.jsxs)(`span`, {children: [n&&(0,
V.jsx)(`small`, {children: n}), (0, V.jsx)(`strong`, {children: t})]}]}], (0, V.jsx)(`span`, {className: `collapseControl`, tit
le: l ? `Minimize section` : `Maximize
section`, children: (0, V.jsx)(da, {size: 18})}]}]}], l&&(0, V.jsx)(`div`, {className: `collapseBody
${s}`, children: i})]}]}function qo({user: e, instances: t, selectedId: n, setSelectedId: r, refresh: i, onNewEa: a, onDeleteEa: o, l
astSyncAt: s, isRefreshing: c, view: l, setView: u}){let[d, f] = (0, __useState)({1}), [p, m] = (0, __useState)({1}), [h, g] = (0, __useStat
e) (() => {try {let e = window.localStorage.getItem(`tcx-topbar-open`); return e === null ? !0 : e === `true` } catch {return !0}}), [v, y]
= (0, __useState)({}), [b, x] = (0, __useState)({}), S = t.find(e => e.id === n); (0, __useEffect) (() => {S&&(y.S.name|` `), x(S.symbol
|` `)}), [n, S, d]); async function C(){if(!n)return; let{error: e} = await
Zi.from(`ea_instances`).update({name: v, symbol: b}).eq(`id`, n); e?alert(e.message):(f(!1), i())}function w(){g(e => {let
t = e; try {window.localStorage.setItem(`tcx-topbar-open`, String(t))} catch {} } return
t)}return(0, V.jsxs)(`header`, {className: `topbar glass ${h ? `open` : `topbarClosed`}`, children: [(0, V.jsxs)(`div`, {classN
ame: `topbarLeft`, children: [(0, V.jsxs)(`div`, {className: `brand`, children: [(0, V.jsx)(`div`, {className: `logo`, children: (
0, V.jsx)(Ya, {size: 22})}), (0, V.jsx)(`div`, {className: `brandText`, children: [(0, V.jsx)(`h2`, {children: `TCX
Pro`}), (0, V.jsxs)(`div`, {className: `emailPrivacy`, children: [(0, V.jsx)(`span`, {children: p?`e?.email`|`Supabase MT5
Controller` : `Email hidden`}), e?.email&&(0, V.jsx)(`button`, {type: `button`, onClick: () => m(e) = !e, title: p?`Hide
email` : `Show email`, "aria-label": p?`Hide email` : `Show email`, children: p?(0, V.jsx)(Sa, {size: 14}), (0, V.jsx)(Ca, {size: 14
})]}]}]}], (0, V.jsx)(`button`, {type: `button`, className: `topbarCollapseBtn`, onClick: w, title: h?`Minimize
menu` : `Maximize
menu`, "aria-expanded": h, children: (0, V.jsx)(da, {size: 18})}]}], (0, V.jsx)(`div`, {className: `topbarSelect ${d?`editing` :
` `}, children: d?(0, V.jsxs)(V.Fragment, {children: [(0, V.jsx)(`input`, {value: v, onChange: e => y(e.target.value), placeholder:
`EA name`}), (0, V.jsx)(`input`, {className: `symbolInput`, value: b, onChange: e => x(e.target.value), placeholder: `Symbol`}),
(0, V.jsxs)(`button`, {className: `primaryBtn compactBtn`, onClick: C, title: `Save EA`, children: [(0, V.jsx)(Fa, {size: 16}), `
Save`]}], (0, V.jsxs)(`button`, {className: `ghostBtn compactBtn`, onClick: () => f(!1), title: `Cancel
edit`}, children: [(0, V.jsx)(Ja, {size: 16}), ` Cancel`]}]}]); (0, V.jsxs)(V.Fragment, {children: [(0, V.jsx)(`select`, {value: n|
` `}, onChange: e => r(e.target.value), "aria-label": `Select EA
instance`, children: t.map(e => (0, V.jsxs)(`option`, {value: e.id, children: [e.name, ` ` , e.symbol?`-
${e.symbol} ` : ` `], e.id})), (0, V.jsxs)(`button`, {className: `ghostBtn iconTextBtn`, onClick: () => f(!0), title: `Edit
EA`, children: [(0, V.jsx)(Ja, {size: 16}), ` Edit`]}], (0, V.jsxs)(`button`, {className: `ghostBtn dangerGhost
iconTextBtn`, onClick: o, title: `Delete EA`, children: [(0, V.jsx)(Ua, {size: 16}), ` Delete`]}]}]}], (0, V.jsxs)(`div`, {cla
ssName: `topbarActions`, children: [(0, V.jsxs)(`div`, {className: `viewToggle`, role: `group`, "aria-label": `Dashboard view`,
children: [(0, V.jsxs)(`button`, {className: l === `dashboard` ? `active` : ` `}, onClick: () => u(`dashboard`), title: `Dashboard`, chi
ldren: [(0, V.jsx)(ca, {size: 16}), `
Dashboard`]}], (0, V.jsxs)(`button`, {className: l === `accounts` ? `active` : ` `}, onClick: () => u(`accounts`), title: `All
accounts`, children: [(0, V.jsx)(Ga, {size: 16}), `
Accounts`]}], (0, V.jsxs)(`button`, {className: l === `history` ? `active` : ` `}, onClick: () => u(`history`), title: `Trade
history`, children: [(0, V.jsx)(Ta, {size: 16}), `
Trades`]}], (0, V.jsxs)(`button`, {className: l === `rules` ? `active` : ` `}, onClick: () => u(`rules`), title: `Funding
rules`, children: [(0, V.jsx)(Da, {size: 16}), ` Rules`]}], (0, V.jsxs)(`button`, {className: l === `settings` ? `active` : ` `}, onCl
ick: () => u(`settings`), title: `Settings`, children: [(0, V.jsx)(Ra, {size: 16}), `
Settings`]}]}], (0, V.jsxs)(`div`, {className: `syncBadge`, title: `Dashboard polls live data every 0.5 seconds and also
listens for realtime updates`, children: [(0, V.jsx)(`span`, {className: `liveDot`}), (0, V.jsx)(`span`, {children: `live
sync`}), (0, V.jsx)(`small`, {children: ho(s)})]}], (0, V.jsxs)(`button`, {className: `ghostBtn
iconTextBtn`, onClick: i, title: `Refresh now`, children: [(0, V.jsx)(Pa, {className: `c? spin` : ` `}, size: 16}), `
Refresh`]}], (0, V.jsxs)(`button`, {className: `primaryBtn iconTextBtn`, onClick: a, title: `New
EA`, children: [(0, V.jsx)(Ma, {size: 16}), ` New EA`]}], (0, V.jsxs)(`button`, {className: `ghostBtn
iconTextBtn`, onClick: () => Zi.auth.signOut(), title: `Logout`, children: [(0, V.jsx)(ka, {size: 16}), `
Logout`]}]}]}function Jo({state: e, selected: t}){let n = e?.updated_at?new Date(e.updated_at):null, r = n&&Date.now() - n.
getTime() < 8e3, i = e?.state|`{`, a = Number(i.qualityScore??0), o = Math.max(0, Math.min(1, a/8|!0)), s = t?.symbol|`{i.symbol|`XAU
USD`|return(0, V.jsxs)(`section`, {className: `hero glass ${mo(i)}`, children: [(0, V.jsxs)(`div`, {className: `heroLeft`, chi
ldren: [(0, V.jsxs)(`div`, {className: `statusMeta`, children: [(0, V.jsxs)(`div`, {className: `onlineRow
${r?`online` : `offline`}`, children: [r?(0, V.jsx)(qa, {size: 16}), (0, V.jsx)(Ka, {size: 16}), (0, V.jsx)(`span`, {children: r?`EA
ONLINE` : `WAITING FOR EA`})]}], (0, V.jsxs)(`div`, {className: `symbolPill`, children: [(0, V.jsx)(La, {size: 15}), `
`, s]), (0, V.jsxs)(`div`, {className: `symbolPill`, children: [(0, V.jsx)(ya, {size: 15}), `
`, ho(n)]})]}], (0, V.jsx)(`h1`, {children: i.status|`No live state yet`}), (0, V.jsx)(`p`, {children: i.message|`Attach the
EA to MT5, enable Algo Trading, and allow WebRequest to your Supabase functions
URL``}), (0, V.jsxs)(`div`, {className: `chips`, children: [(0, V.jsxs)(`div`, {className: `chip`, children: [`Arm
`, (0, V.jsx)(`b`, {children: i.arm|`OFF`})]}], (0, V.jsxs)(`div`, {className: `chip`, children: [`Positions`, (0, V.jsx)(`b`, {
children: i.position?.count??+!i.position?.hasPosition})]}], (0, V.jsxs)(`div`, {className: `chip`, children: [`Manual
`, (0, V.jsx)(`b`, {children: i.position?.manualCount??0})]}], (0, V.jsxs)(`div`, {className: `chip`, children: [`TF
`, (0, V.jsx)(`b`, {children: i.period|`--`})]}], (0, V.jsxs)(`div`, {className: `chip`, children: [`Spread

```

```

    }, (0, V.jsxs)({b: {children: i.spread?? ''}}), (0, V.jsxs)({div: {className: 'chip', children: ['SL/TP Space
    ', (0, V.jsx)({b: {children: i.spreadProtectionPoints?? 0}}), (0, V.jsxs)({div: {className: 'chip', children: ['2nd
    ', (0, V.jsx)({b: {children: i.secondEntryOn? ON: 'OFF'}}), (0, V.jsxs)({div: {className: 'chip', children: ['1st Exit ', (0
    ', V.jsx)({b: {children: i.firstProfitExitOn===1? OFF: 'AUTO'}}), (0, V.jsxs)({div: {className: 'chip', children: ['Qualit
    y ', (0, V.jsx)({b: {children: i.qualityText|| ''}})}]}]})), (0, V.jsxs)({aside: {className: 'heroRight', "aria-label": 'Tr
    ade quality score', children: [(0, V.jsx)({div: {className: 'scoreRing', style: {"--score": o}, children: (0, V.jsxs)({div: {cl
    assName: 'scoreValue', children: [(0, V.jsx)({span: {children: a}}, (0, V.jsx)({small: {children: '8'}})}]})), (0, V.jsx)({p, {
    children: 'Trade quality'}})}]}]}function Yo({state: e}){let
    t=e?.state|| {}, n=t.currency|| '';return (0, V.jsx)({section: {className: 'statGrid', "aria-label": 'Account
    statistics', children: [{Balance: n? $({n} $({U(t.balance)}: U(t.balance), (0, V.jsx)({Ga, {}}, ''), [Equity, n? $({n}
    $({U(t.equity)}: U(t.equity), (0, V.jsx)({Ca, {}}, ''), [Open P/L, W(t.openPL, n), (0, V.jsx)({ua, {}}, po(t.openPL))], [Total
    P/L, W(t.totalNet, n), (0, V.jsx)({xa, {}}, po(t.totalNet))], [Win Rate, fo(t.winRate), (0, V.jsx)({ma, {}}, ''), [Profit
    Factor, U(t.profitFactor), (0, V.jsx)({va, {}}, ''), [Risk/Trade, uo(t.risk, n), (0, V.jsx)({za, {}}, ''), [Daily
    R, $({U(t.dayR)}R, (0, V.jsx)({za, {}}, Number(t.dayR)>=0? pos: 'neg'], [Daily Losses, $({t.dayLosses?? 0})/($({t.dayLossLimi
    t?? 0}), (0, V.jsx)({wa, {}}, Number(t.dayLosses)>=Number(t.dayLossLimit)? neg: '']).map(([, t, n, r])=>(0, V.jsxs)({div: {cla
    ssName: 'statCard glass', children: [(0, V.jsx)({div: {className: 'statIcon', children: n}), (0, V.jsxs)({div: {className: 'sta
    tInfo', children: [(0, V.jsx)({span: {children: e}), (0, V.jsx)({strong: {className: 'r'}}}], children: t}})}]}]}function
    Xo({label: e, value: t, onChange: n, onStep: r, stepLabel: i}){return (0, V.jsxs)({label: {className: 'stepperLabel', children: [(0
    ', V.jsx)({span: {children: e}), (0, V.jsxs)({div: {className: 'stepperControl', children: [(0, V.jsx)({button: {type: 'button'
    ', className: 'stepBtn', onClick: ()=>r(-1), title: 'Decrease $({e)}, children: (0, V.jsx)({Aa, {size: 15}}), (0, V.jsx)({input: {in
    putMode: 'decimal', value: t, onChange: e=>n(e.target.value)}), (0, V.jsx)({button: {type: 'button', className: 'stepBtn', onCli
    ck: ()=>r(1), title: 'Increase
    $({e)}, children: (0, V.jsx)({Ma, {size: 15}})}]}]}), i&&(0, V.jsx)({small: {children: i}})}]}function Zo(e, t, n){let
    r=e[t];return r&&Date.now()-r.at<to?r.value:!!n}function Qo(e, t, n=Date.now()){let r={};for(let i of no){let
    a=e[i];a&&!!t?.[i]!==(a.value&&(n-a.at)>=to||r[i]=a)}return r}function
    $o({session: e, selected: t, state: n, reloadCommands: r}){let i=n?.state|| {}, [a, o]=(0, _useState)(''), [s, c]=(0, _useState)
    ({lot: '0.01', risk: '100.00', rr: '3.0'}), [l, u]=(0, _useState)({pc1: '30', pc2: '30', pc3: '40'}), [d, f]=(0, _useState)({l, p, m
    })=(0, _useState)({l, h, g})=(0, _useState)(null), [v, y]=(0, _useState)(null), [b, x]=(0, _useState)({}), $=i.currency|| 'Mo
    ney', C={partialsOn: Zo(b, 'partialsOn', i.partialsOn), secondEntryOn: Zo(b, 'secondEntryOn', i.secondEntryOn)}, w=(0, _useRef
    )(C);w.current=C, (0, _useEffect) (()=>{i&&(h&&o(i.lot, h.lot)&&o(i.risk, h.risk, .01)&&o(i.rr, h.rr, .01)&&(g(null), f(1
    1)), i&&!!h&&c(e=>({lot: String(i.lot??e.lot), risk: String(i.risk??e.risk), rr: String(i.rr??e.rr)}), &&o(i.pc1, v.pc1, .1)
    &&o(i.pc2, v.pc2, .1)&&o(i.pc3, v.pc3, .1)&&(y(null), m(11)), i&&!!v&&u(e=>({pc1: String(i.pc1??e.pc1), pc2: String(i.pc2??e
    .pc2), pc3: String(i.pc3??e.pc3)}), x(e=>({let t=Qo(e, i);return Object.keys(t).length===Object.keys(e).length?e:t})), [n
    ? .updated_at, i.lot, i.risk, i.rr, i.pc1, i.pc2, i.pc3, i.partialsOn, i.secondEntryOn, d, p, h, v]);async function
    T(n, i={}, a={}){if(!t?.id)return alert('Create/select EA first');let
    s=a.lock!==(1, c=a.clientId|| i?.request_id|| Mo(i);s&&o(n);try{let a=await Vo(e, t.id, n, i, c);return
    r?.().a[!0]}catch(e){return a.silent!|alert(e.message|| 'Command failed'), !1}finally{s&&o('')}}function
    E(e, t){c(n=>({...n, [e]: t})), f(!0)}function D(e, t){u(n=>({...n, [e]: t})), m(!0)}function O(e, t){E(e, vo((Number(s[e])|| 0)
    +*1{lot: .01, risk: 1, rr: 1})[e], {lot: .01, risk: .01, rr: 1})[e], {lot: 100, risk: 1e8, rr: 20})[e]}.toFixed({lot: 2, risk: 2, rr: 1})[e]
    )}function ee(e, t){D(e, vo((Number(l[e])|| 0)+t, 0, 100).toFixed(0)))}async function te(){let
    e=Number(s.lot), t=Number(s.risk), n=Number(s.rr);if(!Number.isFinite(e)||e<=0)return alert('Lot must be greater than
    zero');if(!Number.isFinite(t)||t<=0)return alert('Risk amount must be greater than
    zero');if(!Number.isFinite(n)||n<=0)return alert('RR must be greater than zero');await
    T(H.SET_RISK, {lot: e, risk: t, rr: n})&&g({lot: e, risk: t, rr: n})}async function ne(){let
    e={pc1: vo(l.pc1, 0, 100), pc2: vo(l.pc2, 0, 100), pc3: vo(l.pc3, 0, 100), partialsOn: C.partialsOn};await
    T(H.SET_PARTIALS, e)&&y(e)}async function re(e, t){let
    n=Mo(t), r=Date.now();w.current={...w.current, [e]: t}, x(a=>({...Qo(a, i, r), [e]: {value: t, at: r, requestId: n}}));let a=await
    T(H.SET_PARTIALS, {[e]: t, request_id: n}, {lock: 1, clientId: n});return a|x(t=>{if(t[e]?.requestId!=n)return t;let
    r={...t};return delete r[e], r}), a)}function ie(){return re('partialsOn', !w.current.partialsOn)}function ae(){return
    re('secondEntryOn', !w.current.secondEntryOn)}function oe(){return
    T(H.SET_PARTIALS, {firstBreakEven: !0});function k(){lock: 1}}function k(){return T(H.SET_PARTIALS, {firstBeExit: !0})}return (0, V.jsx
    s)({section: {className: 'mainLayout', children: [(0, V.jsxs)({div: {className: 'glass panel controlPanel', children: [(0, V.
    jsxs)({div: {className: 'panelHeader', children: [(0, V.jsx)({div: {className: 'panelIcon', children: (0, V.jsx)({a, {}}, (0,
    V.jsxs)({div: {children: [(0, V.jsx)({p, {className: 'sectionEyebrow', children: 'Execution'}), (0, V.jsx)({h2, {children: 'T
    rade Control'}})}]})), (0, V.jsxs)({div: {className: 'bigBtns', children: [(0, V.jsxs)({button: {className: 'buyBtn', disable
    d: a===H.ARM_BUY, onClick: ()=>T(H.ARM_BUY), children: [(0, V.jsx)({pa, {}}, 'ARM BUY'}), (0, V.jsxs)({button: {className: 'sel
    lBtn', disabled: a===H.ARM_SELL, onClick: ()=>T(H.ARM_SELL), children: [(0, V.jsx)({fa, {}}, 'ARM SELL'}]}]})), (0, V.jsxs)({div:
    ', className: 'miniBtns'.armHeader: [(0, V.jsxs)({button: {className: 'buyBtn', disabled: a===H.ARM_BUY, children: [(0,
    V.jsx)({ha, {}}, 'AUTO
    ARM'}), (0, V.jsxs)({button: {onClick: ()=>T(H.CANCEL), disabled: a===H.CANCEL, children: [(0, V.jsx)({ga, {}}, '
    CANCEL'}), (0, V.jsxs)({button: {onClick: ()=>T(H.PING), disabled: a===H.PING, children: [(0, V.jsx)({qa, {}}, 'PING'}]}]})), (0
    ', V.jsxs)({div: {className: 'dangerZone', children: [(0, V.jsxs)({button: {onClick: ()=>T(H.CLOSE_50), disabled: a===H.CLOSE_
    50, children: [(0, V.jsx)({Ba, {}}, 'CLOSE
    50%'}), (0, V.jsxs)({button: {onClick: ()=>T(H.BREAK_EVEN), disabled: a===H.BREAK_EVEN, children: [(0, V.jsx)({za, {}}, 'BREAK
    EVEN'}), (0, V.jsxs)({button: {onClick: oe, children: [(0, V.jsx)({za, {}}, '1ST
    BE'}), (0, V.jsxs)({button: {onClick: k, disabled: a===H.SET_PARTIALS, children: [(0, V.jsx)({za, {}}, '1ST BE
    EXIT'}), (0, V.jsxs)({button: {className: 'redBtn', onClick: ()=>window.confirm('Close all EA
    positions?')}&&T(H.CLOSE_ALL), disabled: a===H.CLOSE_ALL, children: [(0, V.jsx)({va, {}}, 'CLOSE
    ALL'}]}]}]})), (0, V.jsxs)({div: {className: 'glass panel', children: [(0, V.jsxs)({div: {className: 'panelHeader', children:
    [(0, V.jsx)({div: {className: 'panelIcon', children: (0, V.jsx)({Ra, {}}, (0, V.jsxs)({div: {children: [(0, V.jsx)({p, {classN
    ame: 'sectionEyebrow', children: 'Risk'}), (0, V.jsx)({h2, {children: 'Mode & Partials'}})}]}]})), (0, V.jsxs)({div: {className
    ': 'settingsGrid', children: [(0, V.jsx)({Xo, {label: 'Lot', value: s.lot, onChange: e=>E('lot', e), onStep: e=>O('lot', e), stepLabel
    : '+/- 0.01'}), (0, V.jsx)({Xo, {label: 'Risk
    $({S)}, value: s.risk, onChange: e=>E('risk', e), onStep: e=>O('risk', e), stepLabel: '+/-
    1'}), (0, V.jsx)({Xo, {label: 'RR', value: s.rr, onChange: e=>E('rr', e), onStep: e=>O('rr', e), stepLabel: '+/-
    0.1'}})}], (0, V.jsx)({button: {className: 'primaryBtn fullBtn', onClick: te, disabled: a===H.SET_RISK, children: 'Send Risk
    Settings'}), (0, V.jsxs)({div: {className: 'modeToggle', role: 'group', "aria-label": 'EA mode controls', children: [(0, V.jsx)
    ({button: {onClick: ()=>T(H.SET_MODE, {mode: 'safe'}), className: 'i.advanced?': 'active', disabled: a===H.SET_MODE, children:
    'Safe'}), (0, V.jsx)({button: {onClick: ()=>T(H.SET_MODE, {mode: 'advanced'}), className: 'i.advanced?': 'active', disabled: a=
    ==H.SET_MODE, children: 'Advanced'}), (0, V.jsxs)({button: {onClick: ie, className: 'C.partialsOn?': 'active
    successToggle': '', children: ['Partials
    ', C.partialsOn? ON: 'OFF']}), (0, V.jsxs)({button: {onClick: ae, className: 'C.secondEntryOn?': 'active
    successToggle': '', children: ['2nd
    ', C.secondEntryOn? ON: 'OFF']}]})), (0, V.jsx)({div: {className: 'inlineStatus', children: i.secondEntryStatus|| '2nd entry
    OFF'}), (0, V.jsx)({div: {className: 'inlineStatus', children: i.firstProfitExitStatus|| '1st auto exit waits
    2nd'}), (0, V.jsxs)({div: {className: 'settingsGrid', children: [(0, V.jsx)({Xo, {label: 'PC1
    %', value: l.pc1, onChange: e=>D('pc1', e), onStep: e=>ee('pc1', e), stepLabel: '+/- 1'}), (0, V.jsx)({Xo, {label: 'PC2
    %', value: l.pc2, onChange: e=>D('pc2', e), onStep: e=>ee('pc2', e), stepLabel: '+/- 1'}), (0, V.jsx)({Xo, {label: 'PC3
    %', value: l.pc3, onChange: e=>D('pc3', e), onStep: e=>ee('pc3', e), stepLabel: '+/-
    1'}})}], (0, V.jsx)({button: {className: 'ghostBtn fullBtn', onClick: ne, disabled: a===H.SET_PARTIALS, children: 'Send
    Partial Settings'}})}]}]}function es({state: e}){let t=e?.state|| {}, n=t.position|| {}, r=Array.isArray(n.positions)&&n.
    positions.length?n.positions: n.hasPosition?n: [], i=e>e.source|| (Number(e.magic)===0? 'Manual': 'EA');return (0, V.jsxs)
    ({section: {className: 'glass panel positionPanel', children: [(0, V.jsxs)({div: {className: 'panelHeader', children: [(0, V.
    jsx)({div: {className: 'panelIcon', children: (0, V.jsx)({wa, {}}, (0, V.jsxs)({div: {children: [(0, V.jsx)({p, {className: 's
    ectionEyebrow', children: 'Position'}), (0, V.jsx)({h2, {children: r.length>1? 'Live Positions': 'Live
    Position'}})}]}]}], r.length?(0, V.jsx)({div: {className: 'positionList', children: r.map((e, n)>=>{let r=i(e);return (0, V.jsx
    s)({div: {className: 'positionRow', children: [(0, V.jsxs)({div: {className: 'posItem', children: [(0, V.jsx)({span: {childre
    n: 'Source'}), (0, V.jsx)({strong: {children: (0, V.jsx)({span: {className: 'sourcePill $({r==='Manual'? 'manual': 'ea'}), chil
    dren: r}})}], (0, V.jsxs)({div: {className: 'posItem', children: [(0, V.jsx)({span: {children: 'Type'}), (0, V.jsx)({strong:
    ', className: 'e.type=== 'BUY'? 'pos': 'neg', children: 'e.type'}), (0, V.jsxs)({div: {className: 'posItem', children: [(0, V.jsx)({
    span: {children: 'Volume'}), (0, V.jsx)({strong: {children: 'e.volume'}})}], (0, V.jsxs)({div: {className: 'posItem', children

```



```

:([0,V.jsx]('span',{children:'RR'}),(0,V.jsxs)('strong',{children:[U(e.rr),'R']}})),(0,V.jsxs)('div',{className:'pos
Item',children:([0,V.jsx]('span',{children:'P/L'}),(0,V.jsx)('strong',{className:'po(e.profit),children:W(e.profit,t.c
urrency)}))),(0,V.jsxs)('div',{className:'posItem',children:([0,V.jsx]('span',{children:'Entry'}),(0,V.jsx)('strong'
,{children:e.entry}))),[0,V.jsxs]('div',{className:'posItem',children:([0,V.jsx]('span',{children:'SL'}),(0,V.jsx)('
strong',{children:e.sl}))),[0,V.jsxs]('div',{className:'posItem',children:([0,V.jsx]('span',{children:'TP'}),(0,V.js
x)('strong',{children:e.tp}))),e.ticket||`${e.type}-${e.n}`})):([0,V.jsx]('div',{className:'emptyState',children:'N
o open dashboard position. })))function ts({state:e}){let t=e.state?.structure||[],n=t.candles||[],r=t.sweeps||[];
return([0,V.jsxs]('section',{className:'structureContainer',children:([0,V.jsxs]('div',{className:'glass panel',child
en:([0,V.jsxs]('div',{className:'panelHeader',children:([0,V.jsx]('div',{className:'panelIcon',children:(0,V.jsx)(ya,
{})),(0,V.jsxs)('div',{children:([0,V.jsx]('p',{className:'sectionEyebrow',children:'Structure'}),(0,V.jsx)('h2',{ch
ildren:'Candle Structure'}))})),(0,V.jsx)('div',{className:'structList',children:n.length?n.map((e,t)=>([0,V.jsx](ns
,{label:e.label,good:e.valid,text:e.valid?e.bull?'Above open':'Below open':'No
data',kind:e.bull?'pos':'neg'},t)):(0,V.jsx)('div',{className:'emptyState compact',children:'No candle
data. }))))),[0,V.jsxs]('div',{className:'glass panel',children:([0,V.jsxs]('div',{className:'panelHeader',children:
[0,V.jsx]('div',{className:'panelIcon',children:(0,V.jsx)(Ya,{})),(0,V.jsxs)('div',{children:([0,V.jsx]('p',{classN
ame:'sectionEyebrow',children:'Sweep'}),(0,V.jsx)('h2',{children:'Sweep Structure'}))})),(0,V.jsx)('div',{className
:'structList',children:r.length?r.map((e,t)=>([0,V.jsx](ns,{label:e.label,good:e.valid,text:e.valid?e.high?'High
sweep':e.low?'Low sweep':'Clean':'No
sweep',kind:e.high?'neg':e.low?'pos':''},t)):(0,V.jsx)('div',{className:'emptyState compact',children:'No sweep
data. }))))})))function ns({label:e,good:t,text:n,kid:r}){return([0,V.jsxs]('div',{className:'structRow',children:([
0,V.jsx]('span',{className:'structLabel',children:e}),(0,V.jsxs)('div',{className:'structState',children:([0,V.jsx]('
b',{className:'r',children:n}),(0,V.jsx)('div',{className:'dot $t?'ok':'off'}))})))}function
rs({commands:e}){return([0,V.jsxs]('section',{className:'glass panel',children:([0,V.jsxs]('div',{className:'panelHead
er',children:([0,V.jsx]('div',{className:'panelIcon',children:(0,V.jsx)(Ea,{})),(0,V.jsxs)('div',{children:([0,V.jsx]
)('p',{className:'sectionEyebrow',children:'History'}),(0,V.jsx)('h2',{children:'Command Log'}))})),(0,V.jsx)('div'
,{className:'logContainer',children:e.length?e.map((e)=>([0,V.jsxs]('div',{className:'logItem',children:([0,V.jsx]('div'
,{className:'logBadge $e.status'},children:e.status}),(0,V.jsxs)('div',{className:'logContent',children:([0,V.jsx]('
strong',{children:String(e.action||'').replaceAll(' ','')}),(0,V.jsx)('p',{children:e.result_message||'Waiting for E
A... }))))),[0,V.jsx]('div',{className:'logTime',children:ho(e.created_at)}),e.id)):([0,V.jsx]('div',{className:'empt
yState',children:'No commands yet. }))))}function is({session:e,instances:t,onNewEa:n,onOpenAccount:r}){let[i,a]=([0
,_useState]({}),[o,s]=([0,_useState]({}),[c,l]=([0,_useState]({})=>new Set,[u,d]=([0,_useState]({})=>new Set,[f,p]=
([0,_useState]({}),[m,h]=([0,_useState]({}),[g,v]=([0,_useState]({}),[y,b]=([0,_useState]({}),x=([0,_useRef]({1
}),S=([0,_useRef]({1}),C=([0,_useRef]({1}),w=([0,_useMemo]({})=>t.map((e)=>e.id).filter(Boolean),[t],T=w.join(',')E=([0,_
useMemo]({})=>t.map((e)=>[e.id]||null,n=t?.state||[];return{instance:e,stateRow:t,state:n,online:Lo(e,t),selecte
d:c.has(e.id),expanded:u.has(e.id),symbol:Ro(e,n),title:zo(e,n),commands:o[e.id]||[]})),[o,u,t,c,i],D=([0,_useMemo]({
})=>E.filter((e)=>f===`online`?e.online:f===`offline`?e.offline:f===`selected`?e.selected:[]),[E,f],O=([0,_useMemo]({
})=>E.filter((e)=>e.selected),[E],ee=O.filter((e)=>e.online).length,te=Math.max(0,o.length-ee),ne=O.reduce((e,t)=>e+bo(t.s
tate.equity,0),0),re=O.reduce((e,t)=>e+bo(t.state.position?.count,!!t.state.position?.hasPosition),0),ie=Array.from(
new Set(O.map((e)=>e.symbol).filter(Boolean))),ae=Array.from(new
Set(O.map((e)=>e.state.currency).filter(Boolean))),oe=ae.length<=1?uo(ne,ae[0]||''):'Mixed
currency',k=([0,_useMemo]({})=>{let e=new Map;for(let t of E){let
n=t.state.accountLogin||t.instance.account_login,r=t.state.accountServer||'server';if(!n)continue;let
i=`$r:$n`;e.set(i,e.get(i)||0+1)}return Array.from(e.entries()).filter(([,e])=>e>1).map(([,e])=>e)},[E],A=D.map
((e)=>e.instance.id),se=A.length>0&&A.every((e)=>c.has(e)),ce=([0,_useCallback]({async})=>{if(!w.length)return;let
e=w,[t,n]=await Promise.all([Zi.from('ea_states').select('*').in('ea_id',e),Zi.from('commands').select('*').in('ea_id'
,e).order('created_at',{ascending:!1}).limit(Math.min(Math.max(e.length*8,24),200))]);t.error|JaPo(t.data||[],'ea_i
d')',n.error|s(Fo(n.data)||[]),b(new Date)},[T]);[0,_useEffect]({})=>{let e=new Set(w);l(n=>{let r=new
Set([...n].filter(t=>e.has(t));return S.current||(t.forEach((e)=>r.add(e.id)),!0,r)},d(n=>{let r=new
Set([...n].filter(t=>e.has(t));return C.current||(t.slice(0,2).forEach((e)=>r.add(e.id)),!0,r)},[T,t]),([0,_useEffe
ct]({})=>{ce(),[ce],([0,_useEffect]({})=>{if(!w.length)return;let e=!1;async function
t(){if(!x.current){x.current=!0;try{await ce()}finally{x.current=!1}}let n=window.setInterval(()=>e|t(),eo);retur
n()=>e=!0,window.clearInterval(n)},[T,w.length,ce]),([0,_useEffect]({})=>{if(!e?.user?.id)return;let t=Zi.channel('t
cx-multi-{$e.user.id}').on('postgres_changes',{event:'*',schema:'public',table:'ea_states',filter:'user_id=eq.{$e.us
er.id}'},e=>{e.new?.ea_id&&(a(t=>{...t,[e.new.ea_id]:e.new})).on('postgres_changes',{event:'*',schema:
'public',table:'commands',filter:'user_id=eq.{$e.user.id}'},e=>{e.new?.ea_id?s(t=>{...t,[e.new.ea_id]:No(t[e.new.ea
_id]||[e.new])):ce()}).subscribe();return()=>Zi.removeChannel(t)},[ce,e?.user?.id]);function le(e){t=>{let n=new
Set(t);return n.has(e)?n.delete(e):n.add(e,n)}}function ue(e){d(t=>{let n=new Set(t);return
n.has(e)?n.delete(e):n.add(e,n)}}function de(t){l(e=>{let t=new Set(e);return
se?A.forEach((e)=>t.delete(e)):A.forEach((e)=>t.add(e),t)}))async function j(t,n={}){let
r=O.map((e)=>e.instance.id),i=Mo(),a=await
fetch(`${Q}/create-bulk-command',{method:'POST',headers:{'Content-Type':'application/json',Authorization:'Bearer
${e.access_token}'},body:JSON.stringify({ea_ids:r,action:t,payload:n,client_id:i})}),o=await
a.json().catch(()=>({}));if(a.status===404)throw Error('BULK_FUNCTION_NOT_DEPLOYED');if(!a.ok||!o.ok)throw
Error(o.error||'Bulk command failed');return(ok:!0,sent:o.commands?.length||0,failed:o.details.o.commands||[])}async
function fe(t,n={}){let r=await Promise.allSettled(O.map((r)=>Vo(e,r.instance.id,t,n,'${Mo()}:${r.instance.id}')),i=r.
filter((e)=>e.status==='fulfilled').length,a=r.length-i;return(ok:a===0,sent:i,failed:a,details:r)}async function
pe(e,t={}){if(!0.length)return alert('Select at least one account first.')}if(!m&&!(te>0&&!window.confirm('{$te}
selected account(s) are offline. Command may expire before pickup. Send
anyway?'))&&!(e===H.ARM_BUY||e===H.ARM_SELL||e===H.AUTO_ARM)&&ie.length>1&&!window.confirm('Selected accounts use
${ie.length} symbols: ${ie.join(',')}. Send ${Bo(e)} to each account on its own
chart?'))&&!(e===H.CLOSE_ALL&&!window.confirm('Close all EA positions on ${0.length} selected
account(s)?')){h(e),v({action:e,status:'sending',sent:0,failed:0});try{let n;try{n=await
j(e,t)}catch(r){if(r.message!=='BULK_FUNCTION_NOT_DEPLOYED')throw r;n=await
fe(e,t)}v({action:e,status:n.failed?'sent':sent,...n}),await
ce()}catch(t){v({action:e,status:'failed',sent:0,failed:0,length:message:t.message})|'Command
failed'},alert(t.message||'Command failed'})finally{h('')}}return([0,V.jsxs]('section',{className:'multiPage',child
ren:([0,V.jsxs]('section',{className:'multiMaster glass',children:([0,V.jsxs]('div',{className:'multiMasterHeader',chi
ldren:([0,V.jsxs]('div',{children:([0,V.jsx]('p',{className:'sectionEyebrow',children:'Multi account
execution'}),(0,V.jsx)('h1',{children:'Account
Controller'}))})),(0,V.jsxs)('div',{className:'multiHeaderActions',children:([0,V.jsxs]('button',{className:'ghostBtn
iconTextBtn',onClick:ce,title:'Refresh accounts',children:([0,V.jsx]('pa,{size:16}),'
Refresh'})),[0,V.jsxs]('button',{className:'primaryBtn iconTextBtn',onClick:n,title:'New
EA',children:([0,V.jsx]('Ma,{size:16}),' New EA'])}))})),(0,V.jsxs)('div',{className:'masterStats',children:([0,V.jsx
s]('div',{children:([0,V.jsx]('span',{children:'Selected'}),(0,V.jsxs)('strong',{children:[0.length,'/',E.length]}))}
),(0,V.jsxs)('div',{children:([0,V.jsx]('span',{children:'Online'}),(0,V.jsx)('strong',{children:ee}))),[0,V.jsxs]('
div',{children:([0,V.jsx]('span',{children:'Offline'}),(0,V.jsx)('strong',{children:te}))),[0,V.jsxs]('div',{childre
n:([0,V.jsx]('span',{children:'Open
Positions'}),(0,V.jsx)('strong',{children:re}))),[0,V.jsxs]('div',{children:([0,V.jsx]('span',{children:'Total
Equity'}),(0,V.jsx)('strong',{children:oe}))),[0,V.jsxs]('div',{children:([0,V.jsx]('span',{children:'Last Sync'}),(
0,V.jsx)('strong',{children:ho(y)}))})),[0,V.jsxs]('div',{className:'masterControls',children:([0,V.jsxs]('button'
,{className:'buyBtn',disabled:m===H.ARM_BUY,onClick:()=>pe(H.ARM_BUY,children:([0,V.jsx]('pa,{}, ARM BUY'])),[0,V.js
xs]('button',{className:'sellBtn',disabled:m===H.ARM_SELL,onClick:()=>pe(H.ARM_SELL,children:([0,V.jsx]('fa,{}, ARM
SELL'])),[0,V.jsxs]('button',{className:'ghostBtn',disabled:m===H.AUTO_ARM,onClick:()=>pe(H.AUTO_ARM,children:([0,V.
jsx]('ha,{}, AUTO ARM'])),[0,V.jsxs]('button',{className:'ghostBtn',disabled:m===H.CANCEL,onClick:()=>pe(H.CANCEL),
children:([0,V.jsx]('ga,{}, CANCEL'])),[0,V.jsxs]('button',{className:'ghostBtn',disabled:m===H.BREAK_EVEN,onClick:()
=>pe(H.BREAK_EVEN,children:([0,V.jsx]('za,{}, BREAK EVEN'])),[0,V.jsxs]('button',{className:'ghostBtn
redInlineBtn',disabled:m===H.CLOSE_ALL,onClick:()=>pe(H.CLOSE_ALL,children:([0,V.jsx]('va,{}, CLOSE
ALL'])),[0,V.jsxs]('div',{className:'bulkResult $g.status'},children:([0,V.jsx]('strong',{children:Bo(g.action
)}),(0,V.jsx)('span',{children:g.status==='sending'?`Sending commands...`:g.status==='failed'?g.message||'Command
failed':`${g.sent} sent${g.failed?',' : ''}${g.failed}
failed':`'})),[0,V.jsx]('button',{type:'button',onClick:()=>v(null),title:'Clear result',children:(0,V.jsx)('Ja,{size

```

```

:15}}]})),(k.length>0||ie.length>1||ae.length>1)&&(0,V.jsxs)('div',{className:'accountRiskBanner',children:[(0,V.jsx
)(Wa,{size:17}),(0,V.jsxs)('span',{children:[k.length>0?`${k.length} duplicate MT5 login/server connection(s)
detected.`:'',ie.length>1?'Selected accounts have mixed symbols: ${ie.join(',')}`:'',ae.length>1?'Selected
accounts have mixed currencies.`':``]]]})),(0,V.jsxs)('div',{className:'accountToolBar
glass',children:[(0,V.jsxs)('button',{className:'ghostBtn compactBtn',onClick:de,children:se?'Unselect
Visible':'Select Visible'}),(0,V.jsxs)('select',{value:f,onChange:e=>p(e.target.value),"aria-label":'Account
filter',children:[(0,V.jsxs)('option',{value:'all',children:'All
accounts'}),(0,V.jsxs)('option',{value:'selected',children:'Selected
accounts'}),(0,V.jsxs)('option',{value:'online',children:'Online
only'}),(0,V.jsxs)('option',{value:'offline',children:'Offline
only'}]})),(0,V.jsxs)('div',{className:'accountToolBarNote',children:[(0,V.jsxs)(0a,{size:14}),`Master buttons send
only to selected accounts.`]})),(0,V.jsxs)('div',{className:'multiAccountList',children:D.length?D.map(t=>(0,V.jsxs)(
as,{session:e,account:t,onToggleSelected:()=>le(t.instance.id),onToggleExpanded:()=>ue(t.instance.id),onOpenSingle:()
=>r(t.instance.id),onCommandDone:ce},t.instance.id):(0,V.jsxs)('div',{className:'emptyState glass',children:'No
accounts match this filter.`)}]}))function as({session:e,account:t,onToggleSelected:n,onToggleExpanded:r,onOpenSing
le:i,onCommandDone:a}){let{instance:o,stateRow:s,state:c,online:l,selected:u,expanded:d,commands:f,symbol:p,title:m}=
t,h=c.currency||'',g=bo(c.position?count,++!c.position?.hasPosition),_to(o,s);return(0,V.jsxs)('article',{className
:'multiAccountCard {d?`expanded`:''}${u?'selected`':''}`,children:[(0,V.jsxs)('div',{className:'accountCardHeader',c
hildren:[(0,V.jsxs)('label',{className:'accountSelectBox',children:[(0,V.jsxs)('input',{type:'checkbox',checked:u,onCh
ange:n}),(0,V.jsxs)('span',{children:u?'Selected':'Select'})]}),(0,V.jsxs)('button',{type:'button',className:'accountH
eaderMain',onClick:r,"aria-expanded":d,children:[(0,V.jsxs)('span',{className:'accountOnlineBot ${l?'online':'offline'
}'}),(0,V.jsxs)('span',{className:'accountTitleBlock',children:[(0,V.jsxs)('strong',{children:m}),(0,V.jsxs)('small',{
children:[c.accountCompany||o.account_login||`Waiting for MT5 account`,``,c.accountServer?'- ${c.accountServer}`:'`
]}]})),(0,V.jsxs)('span',{className:'accountHeaderMetrics',children:[(0,V.jsxs)('span',{children:p}),(0,V.jsxs)('span',{
children:uo(c.equity,h}),(0,V.jsxs)('span',{children:[`Risk`,uo(c.risk,h}]}),(0,V.jsxs)('span',{children:c.status||`
Waiting`)}]})),(0,V.jsxs)(da,{size:18}]}]})),d&&(0,V.jsxs)('div',{className:'accountCardBody',children:[(0,V.jsxs)('di
v',{className:'accountSnapshot',children:[(0,V.jsxs)('div',{children:[(0,V.jsxs)('span',{children:'Status'}),(0,V.jsx
)('strong',{className:l?'pos':'neg',children:l?'Online':'Offline'}]})),(0,V.jsxs)('div',{children:[(0,V.jsxs)('span',{c
hildren:'Last Seen'}),(0,V.jsxs)('strong',{children:ho(_)}]})),(0,V.jsxs)('div',{children:[(0,V.jsxs)('span',{children:
'Balance'}),(0,V.jsxs)('strong',{children:uo(c.balance,h}]})),(0,V.jsxs)('div',{children:[(0,V.jsxs)('span',{children:
'Open P/L'}),(0,V.jsxs)('strong',{className:po(c.openPL),children:w(c.openPL,h}]})),(0,V.jsxs)('div',{children:[(0,V.
jsxs)('span',{children:'Positions'}),(0,V.jsxs)('strong',{children:g}]}),(0,V.jsxs)('div',{children:[(0,V.jsxs)('span',{
children:'Arm'}),(0,V.jsxs)('strong',{children:c.arm||'OFF'}]}]}]})),(0,V.jsxs)(os,{session:e,instance:o,stateRow:s,onC
ommandDone:a}), (0,V.jsxs)('div',{className:'accountLowerGrid',children:[(0,V.jsxs)(ss,{state:c}),(0,V.jsxs)(cs,{command
s:f}]})),(0,V.jsxs)('div',{className:'accountCardFooter',children:[(0,V.jsxs)('button',{className:'ghostBtn
compactBtn',onClick:i,children:[(0,V.jsxs)(ca,{size:15}),`Open Single Dashboard`]}),(0,V.jsxs)('span',{children:'EA ID
is private to this account connection.`)}]}]}))function
os({session:e,instance:t,stateRow:n,onCommandDone:r}){let i=n?.state||[],[a,o]=(0,_.useState)(''),[s,c]=(0,_.useState
)({lot:'0.01',risk:'100.00',rr:'3.0'}),[l,u]=(0,_.useState)({pc1:'30',pc2:'30',pc3:'40'}),[d,f]=(0,_.useState)({i},[p
,m]=(0,_.useState)({i},[h,g]=(0,_.useState)(null),[v,y]=(0,_.useState)(null),[b,x]=(0,_.useState)({}),S=i.currency||`
Money`,C={partialsOn:Zo(b,'partialsOn'),secondEntryOn:Zo(b,'secondEntryOn'),i.secondEntryOn},w=(0,_.useRef
)(C),w.current=C,(0,_.useEffect)(()=>{h&&o(i.lot,h.lot)&&o(i.risk,h.risk,.01)&&o(i.rr,h.rr,.01)&&(g(null),f(11))
,ld&&h&&c(e=>({lot:String(i.lot??e.lot),risk:String(i.risk??e.risk),rr:String(i.rr??e.rr)}),v&&o(i.pc1,v.pc1,.1)&&
_o(1.pc2,v.pc2,.1)&&o(i.pc3,v.pc3,.1)&&(y(null),m(11)),!p&&v&&u(e=>({pc1:String(i.pc1??e.pc1),pc2:String(i.pc2??e.p
c2),pc3:String(i.pc3??e.pc3)}),x(e=>{let t=Qo(e,i);return Object.keys(t).length===Object.keys(e).length?t:}),[n?.u
dated.at,i.lot,i.risk,i.rr,i.pc1,i.pc2,i.pc3,i.partialsOn,i.secondEntryOn,d,p,h,v]);async function
T(n,i=c,{a:[]}){if(!t?.id)return!1;let s=a.lock!==!1,c=a.clientId||i?.request_id||Mo();s&&o(n);try{return await
Vo(e,t,id,n,i,c),r?(()=>{!0}catch(e){return a.silent||alert(e.message||`Command failed`),!1}finally{s&&o(``)}}function
E(e,t){c(n=>({...n,[e]:t})),f(!0)}function D(e,t){u(n=>({...n,[e]:t})),m(!0)}function O(e,t){E(e,vo((Number(s[e])||0)
)+t*{lot:.01,risk:1,rr:.1}[e]),{lot:.01,risk:.01,rr:.1}[e]),{lot:100,risk:1e8,rr:20}[e]).toFixed({lot:2,risk:2,rr:1}[e])
}}function ee(e,t){D(e,vo((Number(l[e])||0)+t,0,100).toFixed(0))}async function te(){let
e=Number(s.lot),t=Number(s.risk),n=Number(s.rr);if(!Number.isFinite(e))|e<=0return alert(`Lot must be greater than
zero`);if(!Number.isFinite(t))|t<=0return alert(`Risk amount must be greater than
zero`);if(!Number.isFinite(n))|n<=0return alert(`RR must be greater than zero`);await
T(H.SET_RISK,{lot:e,risk:t,rr:n})&&g({lot:e,risk:t,rr:n})}async function ne(){let
e={pc1:vo(l.pc1,0,100),pc2:vo(l.pc2,0,100),pc3:vo(l.pc3,0,100),partialsOn:C.partialsOn};await
T(H.SET_PARTIALS,e)&&y(e)}async function re(e,t){let
n=Mo(),r=Date.now(),w.current={...w.current,[e]:t},x(a=>({...Qo(a,i,r),[e]:{value:t,at:r,requestId:n}})),await
T(H.SET_PARTIALS,[{e:t,request_id:n},{lock:!1,clientId:n}])|x(t=>{if(t[e]?.requestId!==n)return t;let
r={...t};return delete r[e],r}}return(0,V.jsxs)('div',{className:'accountControlsGrid',children:[(0,V.jsxs)('div',{c
lassName:'accountSubpanel',children:[(0,V.jsxs)('div',{className:'subpanelTitle',children:[(0,V.jsxs)(Ra,{size:16}),`
Risk Settings`]}),(0,V.jsxs)('div',{className:'settingsGrid accountSettingsGrid',children:[(0,V.jsxs)(Xo,{label:'Lot',
value:s.lot,onChange:e=>E('lot',e),onStep:e=>O('lot',e),stepLabel:' +/- 0.01'}),(0,V.jsxs)(Xo,{label:'Risk
'$S',value:s.risk,onChange:e=>E('risk',e),onStep:e=>O('risk',e),stepLabel:' +/-
1'}),(0,V.jsxs)(Xo,{label:'RR',value:s.rr,onChange:e=>E('rr',e),onStep:e=>O('rr',e),stepLabel:' +/-
0.1'}]}),(0,V.jsxs)('button',{className:'primaryBtn fullBtn',onClick:te,disabled:a===H.SET_RISK,children:'Send Risk
To This Account'})]}),(0,V.jsxs)('div',{className:'accountSubpanel',children:[(0,V.jsxs)('div',{className:'subpanelTi
tle',children:[(0,V.jsxs)(Ba,{size:16}),`Mode & Partials`]}),(0,V.jsxs)('div',{className:'modeToggle
accountModeToggle',role:'group',"aria-label":'Account trade controls',children:[(0,V.jsxs)('button',{onClick:()=>T(H.S
ET_MODE,{mode:'safe'}),className:i.advanced?'`active`',disabled:a===H.SET_MODE,children:'Safe'}),(0,V.jsxs)('button',
{onClick:()=>T(H.SET_MODE,{mode:'advanced'}),className:i.advanced?'active`',disabled:a===H.SET_MODE,children:'Advan
ced'}),(0,V.jsxs)('button',{onClick:()=>re('partialsOn',!w.current.partialsOn),className:C.partialsOn?'active
successToggle`':``,children:[`Partials`,C.partialsOn?'ON':'OFF'}]}),(0,V.jsxs)('button',{onClick:()=>re('secondEntryOn
',!w.current.secondEntryOn),className:C.secondEntryOn?'active successToggle`':``,children:[`2nd
`,C.secondEntryOn?'ON':'OFF'}]}]}),(0,V.jsxs)('div',{className:'settingsGrid
accountSettingsGrid',children:[(0,V.jsxs)(Xo,{label:'PC1
%',value:l.pc1,onChange:e=>O('pc1',e),onStep:e=>ee('pc1',e),stepLabel:' +/- 1'}),(0,V.jsxs)(Xo,{label:'PC2
%',value:l.pc2,onChange:e=>O('pc2',e),onStep:e=>ee('pc2',e),stepLabel:' +/- 1'}),(0,V.jsxs)(Xo,{label:'PC3
%',value:l.pc3,onChange:e=>O('pc3',e),onStep:e=>ee('pc3',e),stepLabel:' +/-
1'}]}]}),(0,V.jsxs)('button',{className:'ghostBtn fullBtn',onClick:ne,disabled:a===H.SET_PARTIALS,children:'Send
Partials To This Account'})]}),(0,V.jsxs)('div',{className:'accountSubpanel
accountSafetyPanel',children:[(0,V.jsxs)('div',{className:'subpanelTitle',children:[(0,V.jsxs)(za,{size:16}),`Account
Actions`]}),(0,V.jsxs)('div',{className:'accountActionGrid',children:[(0,V.jsxs)('button',{className:'ghostBtn',onCl
ick:()=>T(H.PING),disabled:a===H.PING,children:[(0,V.jsxs)(aa,{size:15}),`Ping`]}),(0,V.jsxs)('button',{className:'gh
ostBtn',onClick:()=>T(H.CANCEL),disabled:a===H.CANCEL,children:[(0,V.jsxs)(ga,{size:15}),`Cancel`]}),(0,V.jsxs)('butt
on',{className:'ghostBtn',onClick:()=>T(H.CLOSE_50),disabled:a===H.CLOSE_50,children:[(0,V.jsxs)(Ba,{size:15}),`Close
50%`]}),(0,V.jsxs)('button',{className:'ghostBtn',onClick:()=>T(H.BREAK_EVEN),disabled:a===H.BREAK_EVEN,children:[(0
,V.jsxs)(za,{size:15}),`BE`]}),(0,V.jsxs)('button',{className:'ghostBtn',onClick:()=>T(H.SET_PARTIALS,{firstBreakEven
:10},{lock:!1}),children:[(0,V.jsxs)(za,{size:15}),`1st BE`]}),(0,V.jsxs)('button',{className:'ghostBtn
redInlineBtn',onClick:()=>w.window.confirm(`Close all EA positions on
${t.name?}`)&&T(H.CLOSE_ALL),disabled:a===H.CLOSE_ALL,children:[(0,V.jsxs)(va,{size:15}),`Close
All`]}]}]}))function ss({state:e}){let t=Array.isArray(e.position?.positions)&&e.position.positions.length?e.pos
ition.positions:e.position?.hasPosition?[e.position]:[];return(0,V.jsxs)('div',{className:'accountSubpanel',children:
[(0,V.jsxs)('div',{className:'subpanelTitle',children:[(0,V.jsxs)(wa,{size:16}),`Positions`]}),(0,V.jsxs)('div',{c
lassName:'accountMiniRows',children:t.slice(0,4).map((t,n)=>(0,V.jsxs)('div',{className:'accountMiniRow',childre
n:[(0,V.jsxs)('strong',{className:t.type==='BUY'?`pos`:'neg',children:t.type||`-`}), (0,V.jsxs)('span',{children:[t.vo
lume||`-`,``,`lot`]}),(0,V.jsxs)('span',{children:[U(t.rr),`R`]}),(0,V.jsxs)('span',{className:po(t.profit),children:W(
t.profit,e.currency)}]})),t.ticket||n]}):(0,V.jsxs)('div',{className:'emptyState compact',children:'No open
position.`)}]}function cs({commands:e}){return(0,V.jsxs)('div',{className:'accountSubpanel',children:[(0,V.jsxs)('d
iv',{className:'subpanelTitle',children:[(0,V.jsxs)(Ea,{size:16}),`Recent Commands`]}),(0,V.jsxs)('div',{clas
sName:'accountMiniRows',children:e.slice(0,5).map(e=>(0,V.jsxs)('div',{className:'accountMiniRow',children:[(0,V.jsxs)

```

```

('strong',{children:Bo(e.action)}),(0,V.jsx)('span',{className:'miniStatus ${e.status}',children:e.status}),(0,V.jsx)
('span',{children:ho(e.created_at)}),e.id})):0,V.jsx)('div',{className:'emptyState compact',children:'No commands
yet.'})))function ls({session:e}){let[t,n]=(0,_.useState)()!0,[r,i]=(0,_.useState)()!1,[a,o]=(0,_.useState)()!1,[s
,c]=(0,_.useState)()!1,[l,u]=(0,_.useState)()!1,[d,f]=(0,_.useState)()!1,[p,m]=(0,_.useState)()!1,[h,g]=(0,_.useState)
)({connected_at:null,updated_at:null}),[v,y]=(0,_.useState)({enabled:!1,bot_token:'',chat_id:'',prefs:Qa}),b=(0,_.use
Memo)((()=>({Content-Type:'application/json',apikey:vi.Authorization:'Bearer
${e.access_token}'),[e.access_token],x=(0,_.useCallback)(async()=>{n(!0,u(''));try{let e=await
fetch(`${Q}/telegram-settings',{headers:b},t=await e.json().catch(()=>{}));if(!e.ok||!t.ok)throw
Error(t.error||'Unable to load Telegram settings');let n=t.settings||{};f(!n.has_token),m(n.bot_username||''),g({con
nected_at:n.connected_at|null,updated_at:n.updated_at|null}),y({enabled:!n.enabled,bot_token:'',chat_id:n.chat_id|
'|',prefs:{...Qa,...n.prefs}|{}))}catch(e){u(String(e.message)|e)}finally{n(!1)},[b]};(0,_.useEffect)((()=>{x()},{x
}));function S(e,t){y(n=>{...n,prefs:{...n.prefs,[e]:t}})}async function C(e=!1){i(!0,c(''),u(''));try{let t=await f
etch(`${Q}/telegram-settings',{method:'POST',headers:b,body:JSON.stringify({enabled:e?10:v.enabled,bot_token:v.bot_t
oken.trim()})|void 0,chat_id:v.chat_id.trim(),prefs:v.prefs,test:e})),n=await
t.json().catch(()=>{});if(!t.ok||!n.ok)throw Error(n.error||'Unable to save Telegram settings');let r=n.settings||{
};f(!r.has_token),m(r.bot_username|p),g({connected_at:r.connected_at|null,updated_at:r.updated_at|null}),y(e=>({
...e.enabled:!r.enabled,bot_token:'',chat_id:r.chat_id|e.chat_id,prefs:{...Qa,...r.prefs}|e.prefs})),c(e?'Telegram
saved and test message sent.':Telegram settings saved.')}catch(e){u(String(e.message)|e)}finally{i(!1)}))async
function w(){o(!0,c(''),u(''));try{let e=await
fetch(`${Q}/telegram-chat-id',{method:'POST',headers:b,body:JSON.stringify({bot_token:v.bot_token.trim()})|void
0})),t=await e.json().catch(()=>{});if(!e.ok||!t.ok)throw Error(t.error||'Unable to get Telegram chat
ID');m(t.bot_username|p);let n=t.chat?.id|v.chat_id;f(e=>{...e.enabled:!0,chat_id:n});let r=await fetch(`${Q}/te
legram-settings',{method:'POST',headers:b,body:JSON.stringify({enabled:!0,bot_token:v.bot_token.trim()})|void
0,chat_id:n,prefs:v.prefs,test:!1})),i=await r.json().catch(()=>{});if(!r.ok||!i.ok)throw Error(i.error||'Chat ID
detected but could not be saved');let a=i.settings||{};f(!a.has_token),g({connected_at:a.connected_at|null,updated_
at:a.updated_at|null}),y(e=>{...e.enabled:!a.enabled,bot_token:'',chat_id:a.chat_id|n,prefs:{...Qa,...a.prefs}|e.
prefs})),c('Chat ID detected and saved${t.chat?.username? for
@${t.chat.username}':'')'}catch(e){u(String(e.message)|e)}finally{o(!1)}))async function
T(){if(window.confirm('Disconnect Telegram alerts?')){i(!0,c(''),u(''));try{let e=await
fetch(`${Q}/telegram-settings',{method:'DELETE',headers:b},t=await e.json().catch(()=>{}));if(!e.ok||!t.ok)throw
Error(t.error||'Unable to disconnect Telegram');f(!1),m(''),g({connected_at:null,updated_at:null}),y({enabled:!1,bot_
token:'',chat_id:'',prefs:Qa}),c('Telegram disconnected.')}catch(e){u(String(e.message)|e)}finally{i(!1)}))return
t?(0,V.jsx)('section',{className:'glass panel',children:(0,V.jsx)('div',{className:'emptyState',children:'Loading
Telegram settings...'})):0,V.jsx)('section',{className:'settingsPage',children:[(0,V.jsx)('div',{className:'glass
panel telegramPanel',children:[(0,V.jsx)('div',{className:'panelHeader settingsHeader',children:[(0,V.jsx)('div',{c
lassName:'panelIcon',children:(0,V.jsx)('la,{}})),(0,V.jsx)('div',{children:[(0,V.jsx)('p',{className:'sectionEyebrow
',children:'Alerts'}),(0,V.jsx)('h2',{children:'Telegram Settings'}))],(0,V.jsx)('div',{className:'telegramStatus ${
v.enabled? connected':'',children:v.enabled? Connected:'Disabled'}})),(0,V.jsx)('div',{className:'telegramGrid',
children:[(d|v.chat_id|p)&&(0,V.jsx)('div',{className:'telegramSavedBox',children:[(0,V.jsx)('div',{
V.jsx)('span',{children:'Bot Token'}),(0,V.jsx)('strong',{children:'Saved securely':'Not
saved'})]),(0,V.jsx)('div',{children:[(0,V.jsx)('span',{children:'Chat
ID'}),(0,V.jsx)('strong',{children:v.chat_id|'Not
set'})]),(0,V.jsx)('div',{children:[(0,V.jsx)('span',{children:'Bot'}),(0,V.jsx)('strong',{children:p?'@${p}':'Not
checked'})]),(0,V.jsx)('div',{children:[(0,V.jsx)('span',{children:'Updated'}),(0,V.jsx)('strong',{children:ho(h.up
dated_at)}))]),(0,V.jsx)('label',{className:'toggleLine',children:[(0,V.jsx)('input',{type:'checkbox',checked:v.e
nabled,onChange:e=>y(t=>{...t,enabled:e.target.checked})),(0,V.jsx)('span',{children:'Enable Telegram
Alerts'})]),(0,V.jsx)('label',{children:'Telegram Bot Token'}),(0,V.jsx)('input',{type:'password',value:v.bot_token,
onChange:e=>y(t=>{...t,bot_token:e.target.value})),placeholder:d?'Token saved - paste new token to
replace ':'123456789:AA...',autoComplete:'off'})]),(0,V.jsx)('label',{children:'Telegram Chat ID'}),(0,V.jsx)('div',{
className:'chatIdRow',children:[(0,V.jsx)('input',{value:v.chat_id,onChange:e=>y(t=>{...t,chat_id:e.target.value})),
placeholder:'Press Start in your bot, then get chat ID'}),(0,V.jsx)('button',{className:'ghostBtn',onClick:w,disabl
ed:a|!v.bot_token.trim()&&d,children:[(0,V.jsx)('a,{size:16}),'a? Checking...':'Get Chat
ID'])}))]),p&&(0,V.jsx)('div',{className:'telegramBotLine',children:[(0,V.jsx)('div',{className:'notice',children:s},
&&(0,V.jsx)('div',{className:'notice errorNotice',childr
en:l})),(0,V.jsx)('div',{className:'telegramActions',children:[(0,V.jsx)('button',{className:'primaryBtn',onClick:()
=>C(!0,disabled:r,children:[(0,V.jsx)('a,{size:16}),'r? Saving...':'Save &
Test'}),(0,V.jsx)('button',{className:'ghostBtn',onClick:()=>C(!1,disabled:r,children:[(0,V.jsx)('a,{size:16}),'
Save'}),(0,V.jsx)('button',{className:'ghostBtn
dangerGhost',onClick:T,disabled:r|!d&&v.chat_id,children:[(0,V.jsx)('a,{size:16}),'
Disconnect'])}))]),(0,V.jsx)('div',{className:'glass panel telegramPanel',children:[(0,V.jsx)('div',{className
:'panelHeader',children:[(0,V.jsx)('div',{className:'panelIcon',children:(0,V.jsx)('Ra,{}})),(0,V.jsx)('div',{childr
en:[(0,V.jsx)('p',{className:'sectionEyebrow',children:'Preferences'}),(0,V.jsx)('h2',{children:'Message Types'})]),(0,V.jsx)('div',{className:'prefGrid',children:Za.map((e,t)=>(0,V.jsx)('label',{className:'prefItem',children:[(0,V.jsx)('input',{type:'checkbox',checked:v.prefs[e]===1,onChange:t=>S(e,t.target.checked)}),(0,V.jsx)('span',{child ren:t})),e))]}))function us({state:e,selected:t}){let n=e?state|{}:[r,i]=(0,_.useState)('fundingpips'),[a,o]=(0,_.useState)('two_step'),[s,c]=(0,_.useState)()!0,[l,u]=(0,_.useState)()!0,[d,f]=(0,_.useState)()!1,p='tcx-rule-conf ig-${t?.id|'default'}',m=lo[a],h=r.find(e=>e.id==r),g=m?.accountSize|oo,v=l===io?null:Number(l===ao?d:l);(0,_.useEffect)((()=>{try{let e=window.localStorage.getItem(p);if(!e)return;let t=JSON.parse(e);t.company&&i(t.company),t.mod elId&&l[t.modelId]&o(t.modelId),Number.isFinite(Number(t.phaseIndex))&&(Number(t.phaseIndex)),t.accountSizeMode&&u (String(t.accountSizeMode)),t.customAccountSize&&f(String(t.customAccountSize))}catch{}),[p]),(0,_.useEffect)((()=>{tr y(window.localStorage.setItem(p,JSON.stringify({company:r,modelId:a,phaseIndex:s,accountSizeMode:l,customAccountSize: d}))})),[p,r,a,s,l,d]),(0,_.useEffect)((()=>{l===io|l===ao|g.includes(Number(l)|l|u(io)),[l,g]};let y=m?.phase s|[],b=[Math.min(s,Math.max(0,y.length-1))]|y[0]|[],x=k(n,m,b,v),S=x.currency,C=x.accountSize<co.riskIdeaSplit?c o.riskIdeaSmall:co.riskIdeaLarge,w=x.accountSize*C/100,T=x.targetAmount===null?null:Math.max(0,x.targetAmount-x.posit iveProfit),E=m?.profitableDaysRequired?Profitable Days:'Min. Trading Days',D=x.requiredDays?x.dayObjectiveCount/x.r equiredDays*100:null,0=x.dailyAllowed?x.dailyUsed/x.dailyAllowed*100:null,ee=x.maxAllowed?x.maxUsed/x.maxAllowed*100: null,te=x.consistencyAllowed?x.consistencyScore/x.consistencyAllowed*100:null,ne=x.zeroMaxRiskAmount?x.openFloatingLo ss/x.zeroMaxRiskAmount*100:x.maxOpenLots/co.lotLimit*100,re=[{label:'Profit',value:W(x.totalProfit,S),progress:x.targ etAmount?x.targetProgress:null,center:x.targetAmount?`${U(yo(x.targetProgress),0)}%':null,state:x.targetAmount?x.posi tiveProfit>x.targetAmount?'pass':'watch':x.totalProfit>0?'pass':'breach',detail:x.targetAmount?`${G(Math.max(0,x.po sitiveProfit),S)} / ${G(x.targetAmount,S)} target':'No target on this phase.'},{label:'Daily Loss',value:x.dailyAllowed===null?'N/A':`${G(x.dailyUsed,S)} / ${G(x.dailyAllowed,S)}`,progress:0,center:0===null?'N/ A':`${U(yo(0),0)}%`,state:0o(x.dailyUsed,x.dailyAllowed),detail:x.dailyFloor===null?'No daily loss in this rule pack.':`Floor ${G(x.dailyFloor,S)}, remaining ${G(x.dailyRemaining,S)}`},{label:m?.maxLossLabel||'Maximum Loss',value:x.maxAllowed===null?'N/A':`${G(x.maxUsed,S)} / ${G(x.maxAllowed,S)}`,progress:ee,center:ee===null?'N/A':`${U(yo(ee),0)}%`,state:0o(x.maxUsed,x.maxAllowed),detail:x.maxFloor===null?'No maximum loss in this rule pack.':`Breach level ${G(x.maxFloor,S)}, remaining ${G(x.maxRemaining,S)}`},{label:E,value:x.requiredDays?`${x.dayObjectiveCount} / ${x.requiredDays}`:'N/A',progress:D ,center:D===null?'N/A':`${U(yo(0),0)}%`,state:x.requiredDays?x.dayObjectiveCount>x.requiredDays?'pass':'watch':'neut ral',detail:m?.profitableDaysRequired?'Zero reward rule uses profitable days of at least ${G(x.profitableDayFloor,S)} .b.days?`${b.label} needs ${b.days} minimum day(s)':'No minimum day rule for this phase.'},{label:'Consistency',value:x.consistencyAllowed?`${U(x.consistencyScore,2)}% / ${x.consistencyAllowed}`:'N/ A',progress:te,center:x.consistencyAllowed?`${U(x.consistencyScore,0)}%':`N/A`,state:ix.consistencyAllowed|ix.positiv eProfit<0?'neutral':x.consistencyScore<x.consistencyAllowed?'pass':'breach',detail:x.consistencyAllowed?'Top day ${G(x.consistencyTopDay,S)}. ${m.consistencyScope}':'No consistency rule in this pack.'},{label:x.zeroMaxRiskAmount?'Floating Risk':'Lot Limit',value:x.zeroMaxRiskAmount?`${G(x.openFloatingLoss,S)} / ${G(x.zeroMaxRiskAmount,S)}`:`${U(x.maxOpenLots,2)} / ${co.lotLimit} lots`,progress:ne,center:`${U(yo(ne),0)}%`,sta te:x.zeroMaxRiskAmount?0o(x.openFloatingLoss,x.zeroMaxRiskAmount):0o(x.maxOpenLots,co.lotLimit),detail:x.zeroMaxRiskA mount?Zero risk cap is ${m.maxRiskPct}% of initial size.'Single click limit. Idea risk guide: ${C}% ${G(w,S)}.'],ie=re.filter(e=>e.state==='pass').length,ae=e?.updated_at?'Live ${ho(e.updated_at)}':'Waiting for live state',oe=x.explicitAccountSize?l===ao?'Custom':'Selected':x.inferredAccountSize?'Auto':'Fallback';return

```



```

h?.hasRules?({0,V.jsxs}('section',{className:'rulesPage',children:[{0,V.jsxs}('section',{className:'glass rulesHero ru
leDashboardHero',children:[{0,V.jsxs}('div',{children:[{0,V.jsxs}('p',{className:'sectionEyebrow',children:'FundingPip
s Rules'}),{0,V.jsxs}('h1',{children:m.label}),{0,V.jsxs}('p',{children:[m.summary,'All objective values below are
calculated from the latest MT5 balance, equity, open P/L, positions, and closed trade
history.']}),{0,V.jsxs}('div',{className:'chips',children:[{0,V.jsxs}('div',{className:'chip',children:'Account Size
'),{0,V.jsxs}('b',{children:G(x.accountSize,S)}))]),{0,V.jsxs}('div',{className:'chip',children:'Size Source
'),{0,V.jsxs}('b',{children:oe}))]),{0,V.jsxs}('div',{className:'chip',children:'Phase
'),{0,V.jsxs}('b',{children:b.label}))]),{0,V.jsxs}('div',{className:'chip',children:'Symbol
'),{0,V.jsxs}('b',{children:n.symbol||t?.symbol||'--'}))]),{0,V.jsxs}('div',{className:'chip',children:'Update ',{0,V.
jsxs}('b',{children:ae}))])]),{0,V.jsxs}('div',{className:'rulesScore',children:[{0,V.jsxs}('strong',{children:ie})
,{0,V.jsxs}('span',{children:'checks clear'}))]),{0,V.jsxs}('section',{className:'glass panel rulesControlPanel au
oRulesControls',children:[{0,V.jsxs}('div',{className:'panelHeader',children:[{0,V.jsxs}('div',{className:'panelIcon
',children:{0,V.jsxs}('Ba,{})}),{0,V.jsxs}('div',{children:[{0,V.jsxs}('p',{className:'sectionEyebrow',children:'Selectors
'),{0,V.jsxs}('h2',{children:'Company, Account, Phase'})})]),{0,V.jsxs}('div',{className:'rulesControlGrid',childre
n:[{0,V.jsxs}('label',{children:'Company',{0,V.jsxs}('select',{value:r,onChange:e=>i(e.target.value),children:ro.map(
e=>{0,V.jsxs}('option',{value:e.id,children:e.label,e.id}))}),{0,V.jsxs}('label',{children:'Account Type',{0,V.jsxs}
('select',{value:a,onChange:e=>o(e.target.value),c(0)},children:Object.values(lo).map(e=>{0,V.jsxs}('option',{value:
e.id,children:e.label,e.id}))}),{0,V.jsxs}('label',{children:[ 'Account Size',{0,V.jsxs}('select',{value:l,onChange
:e=>u(e.target.value),children:[{0,V.jsxs}('option',{value:io,children:'Auto from MT5'}),g.map(e=>{0,V.jsxs}('option',{
value:String(e),children:G(e,S),e})),{0,V.jsxs}('option',{value:ao,children:'Custom / Scaled'}))])]),{0,V.jsxs}('labe
l',{children:'Phase',{0,V.jsxs}('select',{value:s,onChange:e=>c(Number(e.target.value)),children:y.map((e,t)=>{0,V.js
xs}('option',{value:t,children:e.label},`$${e.label}-${t}`)}))])]),l==ao&&{0,V.jsxs}('label',{children:'Custom Account
Size',{0,V.jsxs}('input',{type:'number',min:'1',step:'1000',value:d,onChange:e=>f(e.target.value),placeholder:'Example
120000'}))])]),{0,V.jsxs}('section',{className:'glass panel objectivesPanel',children:[{0,V.jsxs}('div',{className:
'panelHeader',children:[{0,V.jsxs}('div',{className:'panelIcon',children:{0,V.jsxs}('za,{})}),{0,V.jsxs}('div',{child
ren:[{0,V.jsxs}('p',{className:'sectionEyebrow',children:'Objectives'}),{0,V.jsxs}('h2',{children:'Live Funding Checks
'})})]),{0,V.jsxs}('div',{className:'objectivesGrid',children:re.map(e=>{0,V.jsxs}('ds,{...e},e.label}))]),{0,V.jsxs}
('section',{className:'accountSnapshotGrid',children:[{0,V.jsxs}('div',{className:'glass accountMetricCard',children:
[{0,V.jsxs}('span',{children:'Balance'}),{0,V.jsxs}('strong',{className:po(x.currentBalance-x.accountSize),children:G(x
.currentBalance,S)}))]),{0,V.jsxs}('div',{className:'glass accountMetricCard',children:[{0,V.jsxs}('span',{children:'E
quity'}),{0,V.jsxs}('strong',{className:po(x.currentEquity-x.accountSize),children:G(x.currentEquity,S)}))]),{0,V.jsxs}
('div',{className:'glass accountMetricCard',children:[{0,V.jsxs}('span',{children:'Open
P/L'}),{0,V.jsxs}('strong',{className:po(x.openPL),children:W(x.openPL,S)}))]),{0,V.jsxs}('div',{className:'glass
accountMetricCard',children:[{0,V.jsxs}('span',{children:'Win Ratio'}),{0,V.jsxs}('strong',{children:[U(x.winRate,0),'
%']}))]),{0,V.jsxs}('section',{className:'ruleDashboardGrid',children:[{0,V.jsxs}('div',{className:'glass panel ac
countChartPanel',children:[{0,V.jsxs}('div',{className:'panelHeader',children:[{0,V.jsxs}('div',{className:'panelIcon
',children:{0,V.jsxs}('ua,{})}),{0,V.jsxs}('div',{children:[{0,V.jsxs}('p',{className:'sectionEyebrow',children:'Account
Balance'}),{0,V.jsxs}('h2',{children:'Balance, Equity, And Loss Floors'})})]),{0,V.jsxs}('ms,{metrics:x})),{0,V.jsxs}('
div',{className:'lossInfoGrid',children:[{0,V.jsxs}('div',{children:[{0,V.jsxs}('span',{children:'Max permitted loss'
}),{0,V.jsxs}('strong',{children:x.maxAllowed===null?'N/A':G(x.maxAllowed,S)}))]),{0,V.jsxs}('div',{children:[{0,V.jsxs}
('span',{children:'Today permitted loss'}),{0,V.jsxs}('strong',{children:x.dailyAllowed===null?'N/A':G(x.dailyAllowed,
S)}))]),{0,V.jsxs}('div',{children:[{0,V.jsxs}('span',{children:'Today result'}),{0,V.jsxs}('strong',{className:po(bo(n
.dayNet,0)),children:W(bo(n.dayNet,0,S)}))]),{0,V.jsxs}('div',{children:[{0,V.jsxs}('span',{children:'Target left'
}),{0,V.jsxs}('strong',{children:T===null?'N/A':G(T,S)}))])]),{0,V.jsxs}('div',{className:'rulesSideStack',children:[
{0,V.jsxs}('div',{className:'glass panel accountDataPanel',children:[{0,V.jsxs}('div',{className:'panelHeader',childr
en:[{0,V.jsxs}('div',{className:'panelIcon',children:{0,V.jsxs}('xa,{})}),{0,V.jsxs}('div',{children:[{0,V.jsxs}('p',{cla
ssName:'sectionEyebrow',children:'Account Data'}),{0,V.jsxs}('h2',{children:'MT5 Details'})})])]),{0,V.jsxs}('div',{cl
assName:'accountInfoList',children:[{0,V.jsxs}('fs,{icon:{0,V.jsxs}('Ea,{})},label:'Login',value:n.accountLogin?'#${n.acco
untLogin}':'--'),{0,V.jsxs}('fs,{icon:{0,V.jsxs}('Ga,{})},label:'Account
Size',value=G(x.accountSize,S)}),{0,V.jsxs}('fs,{icon:{0,V.jsxs}('La,{})},label:'Platform',value:n.platform||'MetaTrader
5'}),{0,V.jsxs}('fs,{icon:{0,V.jsxs}('xa,{})},label:'Server',value:n.accountServer||n.accountCompany||'Waiting for EA'}),{
0,V.jsxs}('fs,{icon:{0,V.jsxs}('ca,{})},label:'Company',value:n.accountCompany||h.label}))]),{0,V.jsxs}('div',{classNam
e:'glass panel elapsedPanel',children:[{0,V.jsxs}('h2',{children:'Time Since First Trade'}),{0,V.jsxs}('div',{classNam
e:'elapsedGrid',children:[{0,V.jsxs}('div',{children:[{0,V.jsxs}('strong',{children:x.elapsed?.days?'--'}),{0,V.jsxs}('
span',{children:'DAY'})})]),{0,V.jsxs}('div',{children:[{0,V.jsxs}('strong',{children:x.elapsed?.hours?'--'}),{0,V.js
xs}('span',{children:'HR'})})]),{0,V.jsxs}('div',{children:[{0,V.jsxs}('strong',{children:x.elapsed?.minutes?'--'}),{0,
V.jsxs}('span',{children:'MIN'})})]),{0,V.jsxs}('div',{children:[{0,V.jsxs}('strong',{children:x.elapsed?.seconds?'--'
}),{0,V.jsxs}('span',{children:'SEC'})})])]),{0,V.jsxs}('p',{children:'Start Date'}),{0,V.jsxs}('strong',{children:x.firs
tTradeSec?wo(Co(x.firstTradeSec)):'--'}))])]),{0,V.jsxs}('section',{className:'rulesGrid',children:[{0,V.jsxs}('d
iv',{className:'glass panel statisticsPanel',children:[{0,V.jsxs}('div',{className:'panelHeader',children:[{0,V.jsxs}('
div',{className:'panelIcon',children:{0,V.jsxs}('wa,{})}),{0,V.jsxs}('div',{children:[{0,V.jsxs}('p',{className:'sectio
nEyebrow',children:'Statistics'})},{0,V.jsxs}('h2',{children:'Trading
Performance'}))])]),{0,V.jsxs}('div',{className:'statisticsGrid',children:[{0,V.jsxs}('ps,{label:'Number of
Trades',value:x.totalTrades}),{0,V.jsxs}('ps,{label:'Average Winning
Trade',value:x.avgWin===null?'--':G(x.avgWin,S),mood:'pos'}),{0,V.jsxs}('ps,{label:'Highwater Mark
Balance',value:G(x.highwater,S)}),{0,V.jsxs}('ps,{label:'Average Losing
Trade',value:x.avgLoss===null?'--':G(x.avgLoss,S),mood:'neg'}),{0,V.jsxs}('ps,{label:'Win Rate
%',value:`$${U(x.winRate,0)}%`}),{0,V.jsxs}('ps,{label:'Average
RRR',value:x.avgRR===null?'--':U(x.avgRR,2)}),{0,V.jsxs}('ps,{label:'Loss Rate %',value:`$${U(x.lossRate,0)}%`}),{0,V.js
xs}('ps,{label:'Expectancy',value:x.expectancy===null?'--':G(x.expectancy,S),mood:x.expectancy>=0?'pos':'neg'}),{0,V.js
xs}('ps,{label:'Consistency Top Day',value:G(x.consistencyTopDay,S)}))])]),{0,V.jsxs}('div',{className:'glass panel da
ilySummaryPanel',children:[{0,V.jsxs}('div',{className:'panelHeader',children:[{0,V.jsxs}('div',{className:'panelIcon
',children:{0,V.jsxs}('ya,{})}),{0,V.jsxs}('div',{children:[{0,V.jsxs}('p',{className:'sectionEyebrow',children:'Daily
Summary'})},{0,V.jsxs}('h2',{children:'Balance By Day'})})])]),{0,V.jsxs}('hs,{rows:x.dailyRows,currency:S}))]),{0,V.j
sxs}('section',{className:'rulesGrid',children:[{0,V.jsxs}('div',{className:'glass panel',children:[{0,V.jsxs}('div',
{className:'panelHeader',children:[{0,V.jsxs}('div',{className:'panelIcon',children:{0,V.jsxs}('Da,{})}),{0,V.jsxs}('div
',{children:[{0,V.jsxs}('p',{className:'sectionEyebrow',children:'Path'})},{0,V.jsxs}('h2',{children:'Account
Flow'})})]),{0,V.jsxs}('div',{className:'phaseFlow',children:y.map((e,t)=>{0,V.jsxs}('div',{className:'phaseNode $t
===s?'active':'',children:[{0,V.jsxs}('span',{children:t+1}),{0,V.jsxs}('strong',{children:e.label}),{0,V.jsxs}('p',{c
hildren:e.target?`${e.target}% target': 'No profit target'})},{0,V.jsxs}('small',{children:e.days?`${e.days} minimum
day(s)': 'Ongoing'})}),`${e.label}-${t}`)}))]),{0,V.jsxs}('div',{className:'glass panel',children:[{0,V.jsxs}('div',{
className:'panelHeader',children:[{0,V.jsxs}('div',{className:'panelIcon',children:{0,V.jsxs}('Wa,{})}),{0,V.jsxs}('div',
{children:[{0,V.jsxs}('p',{className:'sectionEyebrow',children:'Hard And Soft
Rules'})},{0,V.jsxs}('h2',{children:'Trade Conditions'})})]),{0,V.jsxs}('div',{className:'conditionList',children:[m.n
ews,m.weekend,m.rewardText,...m.specialRules][],...co.generalRules].filter(Boolean).map((e,t)=>{0,V.jsxs}('div',{cla
ssName:'conditionItem',children:[{0,V.jsxs}('span',{children:t+1}),{0,V.jsxs}('p',{children:e}))},t)}))]),{0,V.jsxs}
('section',{className:'rulesGrid',children:[{0,V.jsxs}('gs,{title:'Commission',rows:m.commissions[[]],columns:[ 'Instru
ment','Standard','Swap-Free
MT5'}]),{0,V.jsxs}('gs,{title:'Leverage',rows:m.leverage[[]],columns:[ 'Instrument','Standard','Swap-Free
MT5'}])]),{0,V.jsxs}('section',{className:'glass panel',children:[{0,V.jsxs}('div',{className:'panelHeader',children
:[{0,V.jsxs}('div',{className:'panelIcon',children:{0,V.jsxs}('xa,{})}),{0,V.jsxs}('div',{children:[{0,V.jsxs}('p',{class
Name:'sectionEyebrow',children:'Dynamic Leverage'})},{0,V.jsxs}('h2',{children:'Live Account Tier Diagram'})})]),{0,V
.jsxs}('div',{className:'tierDiagram',children:co.dynamicLeverage.map(([e,t])=>{0,V.jsxs}('div',{className:'tierStep',
children:[{0,V.jsxs}('span',{children:e})),{0,V.jsxs}('strong',{children:t}))},e))),{0,V.jsxs}('p',{className:'rulesFoot
note',children:'Rules are based on the local FundingPips Help Center PDF crawl and official FundingPips help
articles. Re-check FundingPips before taking high-stakes action because prop firm rules can
change.}'))]),{0,V.jsxs}('section',{className:'rulesPage',children:[{0,V.jsxs}('div',{className:'glass panel rulesCo
ntrolPanel',children:[{0,V.jsxs}('div',{className:'panelHeader',children:[{0,V.jsxs}('div',{className:'panelIcon',chil
dren:[{0,V.jsxs}('Da,{})}),{0,V.jsxs}('div',{children:[{0,V.jsxs}('p',{className:'sectionEyebrow',children:'Rules
Dashboard'})},{0,V.jsxs}('h2',{children:'Account Rule Pack'})})])]),{0,V.jsxs}('div',{className:'rulesControlGrid',child

```

```

ren: (0, V.jsx)(`label`, {children: [ `Company`, (0, V.jsx)(`select`, {value: r, onChange: e => i(e.target.value), children: ro.map(
e => (0, V.jsx)(`option`, {value: e.id, children: e.label, e.id})})] })), (0, V.jsx)(`div`, {className: `emptyState`, children: `
No rule pack is configured for this company yet.`})]})function
ds({label: e, value: t, progress: n, center: r, state: i, detail: a}){let
o=n==null?null:yo(n);return(0, V.jsx)(`div`, {className: `objectiveCard ${i||`neutral`}`, children: [(0, V.jsx)(`h3`, {chil
dren: e}), o==null?(0, V.jsx)(`div`, {className: `objectiveValueOnly`, children: (0, V.jsx)(`strong`, {children: t})}): (0, V.js
x)(`div`, {className: `objectiveRing`, style: {`--pct`: o}, children: (0, V.jsx)(`span`, {children: r||`$${U(0, 0)}%`})}), (0, V.js
x)(`strong`, {className: `objectiveValue`, children: t}), (0, V.jsx)(`p`, {children: a})]})function fs({icon: e, label: t, value
: n}){return(0, V.jsx)(`div`, {className: `accountInfoRow`, children: [(0, V.jsx)(`span`, {children: e}), (0, V.jsx)(`b`, {chil
dren: t}), (0, V.jsx)(`strong`, {children: n||`--`})]})function ps({label: e, value: t, mood: n}){return(0, V.jsx)(`div`, {class
Name: `statValue`, children: [(0, V.jsx)(`span`, {children: e}), (0, V.jsx)(`strong`, {className: n||``, children: t})]})functio
n ms({metrics: e}){let t=e.chartRows.length?e.chartRows: [{key: Co(Date.now()/1e3), balance: e.currentBalance, equity: e.cu
rentEquity}], n=t.flatMap(t=>[t.balance, t.equity, e.dailyFloor, e.maxFloor]).filter(e=>Number.isFinite(Number(e))), r=Mat
h.min(...n, e.accountSize)-Math.max(20, e.accountSize*.01), i=Math.max(...n, e.accountSize)+Math.max(20, e.accountSize*.01
), a=e=>34+(t.length<=17652/2:e*652/(t.length-1)), o=e=>i==r?280/2:246-(Number(e)-r)*212/(i-r), s=e=>t.map((t, n)>=>`$${n
==0?`M`:`L`}$${n.toFixed(1)}$${o(t[e]).toFixed(1)}`).join(` `), c=e=>Number.isFinite(Number(e))?`M`34
`$${o(e).toFixed(1)}$${L`686`$${o(e).toFixed(1)}$: ```, l=[1, (i+r)/2, r];return(0, V.jsx)(`div`, {className: `accountCurve`, chil
dren: [(0, V.jsx)(`svg`, {viewBox: `0 720 280`, role: `img`, `aria-label`: `Account balance chart`, children: [l.map((t, n)>=>
(0, V.jsx)(`g`, {children: [(0, V.jsx)(`line`, {x1: 34, x2: 686, y1: o(t), y2: o(t)}), (0, V.jsx)(`text`, {x: `4`, y: o(t)+4, children:
G(t, e.currency)}))]), n}), e.maxFloor!=null&&(0, V.jsx)(`path`, {className: `floor
maxFloor`, d: c(e.maxFloor)}), e.dailyFloor!=null&&(0, V.jsx)(`path`, {className: `floor dailyFloor`, d: c(e.dailyFloor)}), (
0, V.jsx)(`path`, {className: `equityLine`, d: s(`equity`)}), (0, V.jsx)(`path`, {className: `balanceLine`, d: s(`balance`)}), t.
map((e, t)>=>(0, V.jsx)(`circle`, {cx: a(t), cy: o(e.balance), r: `4`, e.key}))]), (0, V.jsx)(`div`, {className: `chartLegend`, ch
ildren: [(0, V.jsx)(`span`, {className: `balanceLegend`, children: `Balance`}), (0, V.jsx)(`span`, {className: `equityLegend`, c
hildren: `Equity`}), (0, V.jsx)(`span`, {className: `dailyLegend`, children: `Daily
floor`}), (0, V.jsx)(`span`, {className: `maxLegend`, children: `Max floor`})]})function hs({rows: e, currency: t}){let
n=e.slice(0, 8);return n.length?(0, V.jsx)(`div`, {className: `dailyTableWrap`, children: (0, V.jsx)(`table`, {className: `da
ilyTable`, children: [(0, V.jsx)(`thead`, {children: (0, V.jsx)(`tr`, {children: [(0, V.jsx)(`th`, {children: `Date`}), (0, V.jsx
)(`th`, {children: `Balance`}), (0, V.jsx)(`th`, {children: `Equity`}), (0, V.jsx)(`th`, {children: `Result`})]})]), (0, V.jsx)(`
tbody`, {children: n.map(e=>(0, V.jsx)(`tr`, {children: [(0, V.jsx)(`td`, {`data-label`: `Date`, children: wo(e.key)}), (0, V.js
x)(`td`, {`data-label`: `Balance`, children: G(e.balance, t)}), (0, V.jsx)(`td`, {`data-label`: `Equity`, children: G(e.equity, t
)}), (0, V.jsx)(`td`, {`data-label`: `Result`, children: (0, V.jsx)(`strong`, {className: po(e.net), children: w(e.net, t)}))])}
), e.key)}))]), (0, V.jsx)(`div`, {className: `emptyState compact`, children: `No daily data yet.`})function
gs({title: e, rows: t, columns: n}){return(0, V.jsx)(`div`, {className: `glass panel`, children: [(0, V.jsx)(`div`, {className:
`panelHeader`, children: [(0, V.jsx)(`div`, {className: `panelIcon`, children: (0, V.jsx)(xa, {})), (0, V.jsx)(`div`, {children
: [(0, V.jsx)(`p`, {className: `sectionEyebrow`, children: `Reference`}), (0, V.jsx)(`h2`, {children: e})]})]), t.length?(0, V.j
sx)(`div`, {className: `rulesTableWrap`, children: (0, V.jsx)(`table`, {className: `rulesTable`, children: [(0, V.jsx)(`thead
`, {children: (0, V.jsx)(`tr`, {children: n.map(e=>(0, V.jsx)(`th`, {children: e, e}))}), (0, V.jsx)(`tbody`, {children: t.map((e
, t)>=>(0, V.jsx)(`tr`, {children: e.map((e, n)>=>(0, V.jsx)(`td`, {children: e, `_${t}-${n}`)}), t)}))])}): (0, V.jsx)(`div`, {cla
ssName: `emptyState compact`, children: `No table values published in this rule pack.`})]})function _s({state: e}){let
t=e?.state||, n=t.currency||, r=Array.isArray(t.tradeHistory)?t.tradeHistory:[], i=r.reduce((e, t)>=>{let
n=Number(t.profit);return Number.isFinite(n)&&(e.net+=n, n>0&&(e.wins+=1), n<0&&(e.losses+=1), e), {net: 0, wins: 0, losses:
0}});return(0, V.jsx)(`section`, {className: `historyPage`, children: [(0, V.jsx)(`div`, {className: `historySummary`, childr
en: [(0, V.jsx)(`div`, {className: `glass historyMetric`, children: [(0, V.jsx)(`span`, {children: `Total
Trades`}), (0, V.jsx)(`strong`, {children: r.length})]), (0, V.jsx)(`div`, {className: `glass historyMetric`, children: [(0, V
.jsx)(`span`, {children: `Wins`}), (0, V.jsx)(`strong`, {children: i.wins})]), (0, V.jsx)(`div`, {className: `glass historyMetric
`, children: [(0, V.jsx)(`span`, {children: `Losses`}), (0, V.jsx)(`strong`, {className: `neg`, children: i.
losses})]), (0, V.jsx)(`div`, {className: `glass historyMetric`, children: [(0, V.jsx)(`span`, {children: `Net
P/L`}), (0, V.jsx)(`strong`, {className: po(i.net), children: w(i.net, n)}))])]), (0, V.jsx)(`section`, {className: `glass pan
el`, children: [(0, V.jsx)(`div`, {className: `panelHeader`, children: [(0, V.jsx)(`div`, {className: `panelIcon`, children: (0,
V.jsx)(Ta, {})), (0, V.jsx)(`div`, {children: [(0, V.jsx)(`p`, {className: `sectionEyebrow`, children: `Trade
History`}), (0, V.jsx)(`h2`, {children: `Closed Trades`})]})]), r.length?(0, V.jsx)(`div`, {className: `historyTableWrap`, ch
ildren: (0, V.jsx)(`table`, {className: `historyTable`, children: [(0, V.jsx)(`thead`, {children: (0, V.jsx)(`tr`, {children: [(0,
V.jsx)(`th`, {children: `Close Time`}), (0, V.jsx)(`th`, {children: `Source`}), (0, V.jsx)(`th`, {children: `Type`}), (0, V.js
x)(`th`, {children: `Lot`}), (0, V.jsx)(`th`, {children: `Entry`}), (0, V.jsx)(`th`, {children: `Exit`}), (0, V.jsx)(`th`, {childr
en: `SL`}), (0, V.jsx)(`th`, {children: `Target`}), (0, V.jsx)(`th`, {children: `Profit/Loss`}), (0, V.jsx)(`th`, {children: `Reas
on`})]})]), (0, V.jsx)(`tbody`, {children: r.map((e, t)>=>(0, V.jsx)(`tr`, {children: [(0, V.jsx)(`td`, {`data-label`: `Close Ti
me`, children: go(e.closeTime||e.closeTimeSec)}), (0, V.jsx)(`td`, {`data-label`: `Source`, children: (0, V.jsx)(`span`, {class
Name: `sourcePill ${e.source===`Manual`?`manual`:`ea`}`, children: e.source||`EA`})}), (0, V.jsx)(`td`, {`data-label`: `Type
`, children: (0, V.jsx)(`span`, {className: `sidePill ${e.type===`BUY`?`buy`:`sell`}`, children: e.type||`--`})}), (0, V.jsx)(
`td`, {`data-label`: `Lot`, children: U(e.volume, 2)}), (0, V.jsx)(`td`, {`data-label`: `Entry`, children: e.entryPrice??`--`})
), (0, V.jsx)(`td`, {`data-label`: `Exit`, children: e.exitPrice??`--`})}, (0, V.jsx)(`td`, {`data-label`: `SL`, children: e.sl??`--
`}), (0, V.jsx)(`td`, {`data-label`: `Target`, children: e.tp??`--`})}, (0, V.jsx)(`td`, {`data-label`: `Profit/Loss`, children: (
0, V.jsx)(`strong`, {className: po(e.profit), children: w(e.profit, n)}))]), (0, V.jsx)(`td`, {`data-label`: `Reason`, children: e
.reason||`--`})]), e.id||`_${e.positionId||`trade`}-${t}`})]})}: (0, V.jsx)(`div`, {className: `emptyState`, children: `No
closed trade history from EA yet.`})]})function vs({session: e}){let[t, n]=(0, _useState)(), [r, i]=(0, _useState)(), [p, m]=(0
, _useState)(), [h, g]=(0, _useState)(), [s, c]=(0, _useState)(), [l, u]=(0, _useState)(), [d, f]=(0, _useState)(), [p, m]=(0
, _useState)(), [h, g]=(0, _useState)(), [dashbaord`], w=(0, _useRef)(), y=(0, _useMemo)(), t=>f.find(e=>e.id===r), [t, r]],
b=(0, _useCallback)(async()=>{let[data: e, error: t]=await Zi.from(`ea_instances`).select(`*`).order(`created_at`, {ascen
ding: !1});t||n(e||[]), i(t=>e?.some(e=>e.id===t)?t:e?.[0]?id||`), [], x=(0, _useCallback)(async(e=r)>=>{if(!e)retur
n;let[data: t, error: n]=await Zi.from(`ea_states`).select(`*`).eq(`ea_id`, e).maybeSingle();n||o(t||null), f(new
Date), [r], [r], (0, _useCallback)(async(e=r)>=>{if(!e)return;let[data: t, error: n]=await Zi.from(`commands`).select(`*`).e
q(`ea_id`, e).order(`created_at`, {ascending: !1}).limit(12);n||c(t||[]), [r], C=(0, _useCallback)(async()=>{m(10);try{a
wait Promise.all([b(), x(), S()])}finally{m(1)}), [S, b, x], w=(0, _useCallback)(async()=>{if(!r)return;let
a=t.find(e=>e.id===r), s=a?`_${a.name}${a.symbol?`-`:`_${a.symbol}`}`: `this EA`;if(!window.confirm(`Delete ${s}? This
removes its live state and command history from the dashboard.`))return;let(error: l)=await
Zi.from(`ea_instances`).delete().eq(`id`, r).eq(`user_id`, e.user.id);if(l){alert(l.message);return}let u=t.filter(e=>e
.id!==r);n(u), i(u[0]?id||`), o(null), c([]), b(), [t, b, r, e.user.id];return(0, _useEffect)()=>{b(), [b]}, (0, _useEffe
ct)()=>{r&&x(r, S(r)), [r, S, x]}, (0, _useEffect)()=>{if(!r)return;let e=!1;async function
t(){if(!v.current){v.current=!0;try{await Promise.all([x(r), S(r)])}finally{v.current=!1}}t();let n=window.setInterva
l(()=>{e||t(), $a);return()=>{e=!0, window.clearInterval(n)}}, [r, S, x]), (0, _useEffect)()=>{if(!r)return;let e=Zi.chan
nel(`tcx-${r}`).on(`postgres_changes`, {event: `*, schema: public, table: ea_states`, filter: ea_id=eq.${r}}), e=>[e.new&
&o(e.new), f(new Date)]).on(`postgres_changes`, {event: `*, schema: public, table: commands`, filter: ea_id=eq.${r}}), e=>
[e.new?c(t=>No(t, e.new)):S(r)].subscribe();return()=>Zi.removeChannel(e), [r, S], !t.length||!?(0, V.jsx)(`main`, {cla
ssName: `app setupApp`, children: [(0, V.jsx)(Uo, {user: e.user, onCreated: e=>b(), i(e.id)}, onDone: ()=>u(1)}), t.length>0&&(
0, V.jsx)(`div`, {className: `setupBack`, children: (0, V.jsx)(Ga, {}), bodyClassName: `flushBody`, children: (0, V.jsx)(Yo, {state: a})), (0, V
.jsx)(Ko, {id: `${r}-controls`, title: `Trade Controls`, eyebrow: `Execution`, icon: (0, V.jsx)(_, a)}, bodyClassName: `flushBod
y`, children: (0, V.jsx)(So, {session: e, selected: y, state: a, reloadCommands: ()=>S(r)}), (0, V.jsx)(Ko, {id: `${r}-positions`,
title: `Positions`, eyebrow: `Open Trades`, icon: (0, V.jsx)(wa, {}), bodyClassName: `flushBody`, children: (0, V.jsx)(es, {state:
a})), (0, V.jsx)(Ko, {id: `${r}-structure`, title: `Market Structure`, eyebrow: `Model Checks`, icon: (0, V.jsx)(Ya, {}), bodyCla
ssName: `flushBody`, defaultOpen: !1, children: (0, V.jsx)(ts, {state: a})), (0, V.jsx)(Ko, {id: `${r}-commands`, title: `Command
Log`, eyebrow: `History`, icon: (0, V.jsx)(Ea, {}), bodyClassName: `flushBody`, defaultOpen: !1, children: (0, V.jsx)(rs, {commands:
s})]})]), (0, V.jsx)(`div`, {className: `footer`, children: [(0, V.jsx)(Oa, {size: 14}), ` Each user sees only their own EAs
via Supabase RLS. EA commands are verified by EA ID and private token.`])]})function ys(){let[e, t]=(0, _useState)(n

```

```
ull);return(0,_.useEffect)((()=>{if(!Xi)return;Zi.auth.getSession().then(({data:e})=>t(e.session));let{data:e}=Zi.auth
.onAuthStateChange((e,n)=>t(n));return()=>e.subscription.unsubscribe()},[]),Xi?e?(0,v.jsx)(vs,{session:e}):(0,v.jsx)(
Ho,{}):(0,v.jsx)(Go,{}))var bs=document.getElementById(`root`),xs=globalThis.__tcxRoot||(0,v.createRoot)(bs);globalTh
is.__tcxRoot=x,xs.render((0,v.jsx)(ys,{}));
```

Source Listing: dist/index.html

Lines: 15 | Size: 534 bytes | SHA256: ed37e0cd4f303be154dabeeb4ccfdd3fec79fb659b179dea157cbf1d4da228c6

```
00001: <!doctype html>
00002: <html lang="en">
00003:   <head>
00004:     <meta charset="UTF-8" />
00005:     <meta name="viewport" content="width=device-width, initial-scale=1.0" />
00006:     <meta name="theme-color" content="#101114" />
00007:     <link rel="icon" type="image/svg+xml" href="/assets/favicon-D6E8JDMZ.svg" />
00008:     <title>TCX Pro Controller</title>
00009:     <script type="module" crossorigin src="/assets/index-DzKB_iEq.js"></script>
00010:     <link rel="stylesheet" crossorigin href="/assets/index-CdhDc5Hx.css">
00011:   </head>
00012:   <body>
00013:     <div id="root"></div>
00014:   </body>
00015: </html>
```