Java Practice Set

```java
1.   class MyClass<T, U>
2.   {
3.       T t;
4.       U u;
5.       MyClass(T t, U u)
6.       {
7.           this.t = t;
8.           this.u = u;
9.       }
10.      public void print()
11.      {
12.          System.out.println(t);
13.          System.out.println(u);
14.      }
15.  }
16.  class Main
17.  {
18.      public static void main (String[] args)
19.      {
20.          MyClass <String, Integer> obj =
21.              new MyClass<String, Integer>("Aarushi", 15);
22.
23.          obj.print();
24.      }
25.  }
```

Answer :

Aarushi
15

Q 8 What will be the output of the following code?

```
1.   import java.util.EnumSet;
2.   enum Test
3.   {
4.       A, B, C, D, E
5.   };
6.   public class Example
7.   {
8.       public static void main(String[] args)
9.       {
10.
11.          EnumSet<Test> a1, a2, a3, a4;
12.
13.          a1 = EnumSet.of(Test.D, Test.C, Test.B, Test.A);
14.          a2 = EnumSet.complementOf(a1);
15.          a3 = EnumSet.allOf(Test.class);
16.          a4 = EnumSet.range(Test.A, Test.C);
17.          System.out.println("Set 1: " + a1);
18.          System.out.println("Set 2: " + a2);
19.          System.out.println("Set 3: " + a3);
20.          System.out.println("Set 4: " + a4);
21.      }
22.   }
```

Answer:

Set 1:[A, B, C, D]
Set 2:[E]
Set 3:[A, B, C, D, E]
Set 4:[A, B, C]

Ops: A. ◯ Set 1: [B, C, D, E]
             Set 2: [A]

Q 10 In the below piece of code, method go() will throw an exception. The developer has used three catch blocks. To which of the following class types would the thrown exception belongs and what will be the output of the code?

```
1.   class MainClass {
2.    public static void main(String[] args) {
3.     try {
4.       go();
5.     } catch (Exception e) {
6.       System.out.println("1");
7.     } catch (Error e){
8.       System.out.println("2");
9.     } catch (Throwable t){
10.      System.out.println("3");
11.    }
12.   }
13.   static void go(){
14.     go();
15.   }
16.  }
```

Answer:

Error,2

Ops: A. ○ Error, 2

B. ○ Compilation Error

C. ○ Throwable, 3

D. ○ Exception, 1

Q 14 There are 5 threads in the waiting pool of a monitor 'mon' and all these threads have the same priority. One of the threads is thread1. How can you notify thread1, so that it alone moves from Waiting state to Ready state?

Ops: A. ○ Execute thread1.notify(); from any code(synchronized or not) of any objects

B. ○ You cannot specify which thread will get notified

C. ○ Execute thread1.notify(); from a synchronized code of any objects

D. ● Execute mon.notify(thread1); from a synchronized code of any objects

reset answer

Answer:

You Cannot Specify which thread will get notified

Q 15 What should be done if an event listener has to perform a lengthy task i.e. checking spelling in a large document and would not be able to process additional UI events till the task is completed, that makes the program appear to freeze?

Ops: A. ○ The event listener should perform the UI events on the foremost priority

B. ○ The event listener should hand off long tasks to another thread

C. ○ The event listener should cancel the lengthy task if it is not complete in a specific time

D. ○ The event listener should prioritize the tasks

Answer:

The Event Listener should handoff long tasks to another thread.

Q 17 What will be the output of the following code?

```java
1.   class TestJoinMethod2 extends Thread{
2.    public void run(){
3.     for(int i=1;i<=3;i++){
4.      try{
5.        Thread.sleep(500);
6.       }catch(Exception e){System.out.println(e);}
7.      System.out.print(i);
8.     }
9.    }
10.  public static void main(String args[]){
11.    TestJoinMethod2 t1=new TestJoinMethod2();
12.    TestJoinMethod2 t2=new TestJoinMethod2();
13.    TestJoinMethod2 t3=new TestJoinMethod2();
14.    t1.start();
15.    try{
16.     t1.join(1500);
17.    }catch(Exception e){System.out.print(e);}
18.
19.    t2.start();
20.    t3.start();
21.   }
22.  }
```

Answer:
123112233

Q 16 What will be the output of the following code?

```
1.
2.  public class Test implements Runnable{
3.  public static void main(String[] args){
4.  Thread t = new Thread(this);
5.  t.start();
6.  }
7.
8.  public void run(){
9.  System.out.println("test");
10.  }
11.  }
```

Ops: A. ○ None of the mentioned options

B. ○ The program compiles fine, but it does not print anything because t does not invoke the run() method

C. ○ The program does not compile because this cannot be referenced in a static method.

D. ⦿ The program compiles and runs fine and displays test on the console.

reset answer

Answer:
The program does not compile because this cannot be referenced in a static method.t

Q 18 While performing the basic steps in JDBC for which of the following tasks, you have to supply Oracle driver-specific information in order to allow your program to use the JDBC application programming interface (API) to access a database?

Ops: A. ○ Running a Query and Retrieving a ResultSet Object

B. ○ Creating a Statement Object

C. ○ Closing the ResultSet and Statement Objects

D. ○ Processing the ResultSet Object

Answer:
A) Running a Query and Retrieving a ResultSet Object

Q 19 Which of the following are the correct ways to handle database warnings in JDBC?

1.

```
1.
2.      //Retrieving warning from connection object
3.      SQLWarning warning = conn.getWarnings();
4.      //Retrieving next warning from warning object itself
5.      SQLWarning nextWarning = warning.getNextWarning();
6.      //Clear all warnings reported for this Connection object.
7.      conn.clearWarnings();
```

2.

```
1.
2.      //Retrieving warning from statement object
3.      stmt.getWarnings();
4.      //Retrieving next warning from warning object itself
```

Q 24 For a web application, if you want to define the scope of an object so that a user's interaction with the web application would be across multiple HTTP requests then which of the following scope you should assign?

Ops: A. ⦿ @SessionScoped

Answer:
@ApplicationScoped

B. ○ @ApplicationScoped

C. ○ @RequestScoped

D. ○ @ConversationScoped

reset answer

Q 25 Which of the following statements correctly states the difference between a configuration (such as the CLDC) and a profile (such as the MIDP)?

Ops: A. ○ Profile actually uses the vertical set of classes that a configuration defines.

B. ○ Configuration provides a minimum set of class library for the far-ranging devices, and a profile provides the set of APIs for a particular group of devices.

C. ○ Profile is the base of a configuration.

D. ○ Configuration helps to define a minimum set of class libraries for a board range of devices, and profile helps to define a set of APIs for a specific family of devices

Answer:
configuration helps defines a minimum set of class libraries for a wide range of devices, and a profile defines the set of APIs available for a particular family of devices.

9

Q 22 Suppose an application has a servlet to perform 'addition operation' as shown below and sets the value in context scope and prints the result.

```
1.
2.  public void doGet(HttpServletRequest req, HttpServletResponse resp) {
3.    PrintWriter out = response.getWriter();
4.    param_1 = request.getParameter("Param1");
5.    param_2 = request.getParameter("Param2");
6.
7.    getServletContext.setAttribute("result",(param_1 + param_2));
8.    out.print("Result =="+getServletContext.getAttribute("result"));
9.  }
```

Answer:
Only 1 and 3

But it provides wrong output sometimes. In which of the following ways can we solve this issue?

1. By Putting the 'result' attribute in request scope.
2. By Putting the 'result' attribute in session scope.
3. By making the servletContext Synchronized

Ops: A. ○ Only 1 and 3

B. ○ None of the mentioned options can be used to solve this issue

C. ◉ Only 2 and 3

D. ○ Only 1

reset answer