
In21-S2-CS2023 - Data Structures and Algorithms

<u>Dashboard</u> My courses <u>In21-S2-CS2023 (117329)</u> Week 2 : Complexity Analysis -I

Complexity Analysis

Complexity Analysis



5.4.3 - Algorithms & Algorithm Analysis - Other Asymptotic Notations

Previous activity **◄** Lecture slides II Jump to...

Next activity

Complexity Analysis - Take home assignment ▶

video to learn about them.

Stay in touch

University of Moratuwa

- https://uom.lk
- info[AT]uom[.]Ik

im f

□ Data retention summary

[] Get the mobile app



We can use the following analogy for the asymptotic notations

Big-O Notation	Comparison Notation	Limit Definition
$\mathbf{f} \in o(g)$	f 🚫 g	$\lim_{x \to \infty} \frac{f(x)}{g(x)} = 0$
$\mathbf{f} \in O(g)$	f ⊜ g	$\lim_{x\to\infty} \frac{f(x)}{g(x)} < \infty$
$\mathbf{f} \in \Theta(g)$	f 🗐 g	$\lim_{x\to\infty} \frac{f(x)}{g(x)} \in \mathbb{R}_{>0}$
$\mathbf{f}\in\Omega(g)$	f 🕲 g	$\lim_{x \to \infty} \frac{f(x)}{g(x)} > 0$



Drag and place the correct terms to the following table.

Check

The following video explains another example. It is sufficient to watch until 8:50 timestamp.

CS560 Algorithms and Their Analysis: Big Theta notation examples



Now try to work out the following example.

$$f(x) = x + 100x^{2}$$

$$g(x) = x^{2}$$
Show that
$$f(x) = \Theta(g(x))$$



3/5





н₽

C Reuse

