PREPARE CERTIFY COMPETE

Q Search

D Û

210554M_CSE_21 ~

All Contests > In21-CS2023-Lab2 > 2D Array - DS

2D Array - DS

Problem

Submissions

Leaderboard

Discussions

Given a 6×6 2D Array, arr:

An hourglass in A is a subset of values with indices falling in this pattern in arr's graphical representation:

```
a b c d e f g
```

There are 16 hourglasses in arr. An hourglass sum is the sum of an hourglass' values. Calculate the hourglass sum for every hourglass in arr, then print the maximum hourglass sum. The array will always be 6×6 .

Example

arr =

```
-9 -9 -9 1 1 1 1 0 -9 0 4 3 2 -9 -9 -9 1 2 3 0 0 8 6 6 0 0 0 0 -2 0 0 0 0 1 2 4 0
```

The **16** hourglass sums are:

```
-63, -34, -9, 12,
-10, 0, 28, 23,
-27, -11, -2, 10,
9, 17, 25, 18
```

The highest hourglass sum is 28 from the hourglass beginning at row 1, column 2:

Note: If you have already solved the Java domain's Java 2D Array challenge, you may wish to skip this challenge.

Function Description

Complete the function *hourglassSum* in the editor below.

hourglassSum has the following parameter(s):

• int arr[6][6]: an array of integers

Returns

• int: the maximum hourglass sum

Input Format

Each of the **6** lines of inputs arr[i] contains **6** space-separated integers arr[i][j].

Constraints

- $-9 \leq arr[i][j] \leq 9$
- $0 \le i, j \le 5$

Output Format

Print the largest (maximum) hourglass sum found in arr.

Sample Input

Sample Output

19

Explanation

arr contains the following hourglasses:

The hourglass with the maximum sum (19) is:

```
2 4 4
2 7
1 2 4
```