

Cucumber Report

23 May, 2024 4:48:22 PM

Start : May 23, 4:48:18.405 PM

End : May 23, 4:48:21.403 PM

Duration : 2.998 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 2




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>contact app</u>	2.998 s	1	0	1	0	3	0	1	2

<i>Tag</i>	<i>Scenario</i>				<i>Feature</i>			
<i>Name</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@smoke	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>contact app</u>	1	0	1	0	2.998 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>contact app</u>	<u>Save the contact</u>	3	0	1	2	2.989 s

contact app

FAILED	DURATION - 2.998 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 4:48:18.405 PM // 4:48:21.403 PM /					

Save the contact

FAILED	DURATION - 2.989 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 4:48:18.414 PM // 4:48:21.403 PM /				
contact app				
@smoke				

#	Step / Hook Details	Status	Duration
1	<p>Given I have installed the application</p> <pre> java.lang.IllegalArgumentException: Can not set io.appium.java_client.MobileElement field com.qt.bdd.pages.LoginPage.add_contact to null value at sun.reflect.UnsafeFieldAccessorImpl.throwSetIllegalArgumentException(UnsafeFieldAccessorImpl.java:167) at sun.reflect.UnsafeFieldAccessorImpl.throwSetIllegalArgumentException(UnsafeFieldAccessorImpl.java:171) at sun.reflect.UnsafeObjectFieldAccessorImpl.set(UnsafeObjectFieldAccessorImpl.java:81) at java.lang.reflect.Field.set(Field.java:764) at org.openqa.selenium.support.PageFactory.proxyFields(PageFactory.java:117) at org.openqa.selenium.support.PageFactory.initElements(PageFactory.java:105) at com.qt.bdd.pages.LoginPage.<init>(LoginPage.java:69) at com.qt.stepdefinitions.SmokeLycaTest.<init>(SmokeLycaTest.java:31) at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) </pre>	FAILED	0.096 s

#	Step / Hook Details	Status	Duration
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at com.q.t.bdd.runner.TestRunner.scenario(TestRunner.java:56) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:584) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:172) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:804) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:145) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.util.ArrayList.forEach(ArrayList.java:1259) at org.testng.TestRunner.privateRun(TestRunner.java:770) at org.testng.TestRunner.run(TestRunner.java:591) at org.testng.SuiteRunner.runTest(SuiteRunner.java:402) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:396) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:355) at org.testng.SuiteRunner.run(SuiteRunner.java:304)		

#	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1180) at org.testng.TestNG.runSuitesLocally(TestNG.java:1102) at org.testng.TestNG.runSuites(TestNG.java:1032) at org.testng.TestNG.run(TestNG.java:1000) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:284) at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:75) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:119) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:428) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:562) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:548)		
	AFTER_STEP - com.qt.stepdefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException at com.qt.stepdefinitions.Hooks.addScreenshot(Hooks.java:190)		
2	When I have to do the operation"hk","hk@gmail.com","1234567890"	SKIPPED	0.000 s
3	Then I have to see the result	SKIPPED	0.000 s