
100

Duration : 3.852 s Start: May 23, 4:46:09.478 PM End: May 23, 4:46:13.330 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 2 3 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 80 20 20 80 80 90 90

Feature			Scer	nario			Step		
Name	Duration	T	P	F	S	T	P	F	S
contact app	3.852 s	1	0	1	0	3	0	1	2


Tag		Scer	nario			Fea	ture	ure	
Name	T	P	F	S	Т	P	F	S	
@smoke	1	0	1	0	1	0	1	0	

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	contact app	1	0	1	0	3.852 s

SCENARIOS SUMMARY -- 5 --




#		Scenario Name	T	P	F	S	Duration
1	contact app	Save the contact	3	0	1	2	3.842 s

DETAILED SECTION -- 6 --

contact app

FAILED	DURATION - 3.852 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 4:46:09.478 PM	// 4:46:13.330 PM /	Pass - 0	1	Pass - 0	3
		Fail - 1		Fail - 1	🦊 ് 📕
		Skip - 0		Skip - 2	

Save the contact



#	Step / Hook Details	Status	Duration
1	Given I have installed the application	FAILED	0.098 s
	java.lang.lllegalArgumentException: Can not set io.appium.java_client.MobileElement field com.qt.bdd.pages.LoginPage.add_contact to null		
	value value		
	at sun.reflect.UnsafeFieldAccessorImpl.throwSetIllegalArgumentException(UnsafeFieldAccessorImpl.java:167)		
	at sun.reflect.UnsafeFieldAccessorImpl.throwSetIllegalArgumentException(UnsafeFieldAccessorImpl.java:171)		
	at sun.reflect.UnsafeObjectFieldAccessorImpl.set(UnsafeObjectFieldAccessorImpl.java:81)		
	at java.lang.reflect.Field.set(Field.java:764)		
	at org.openqa.selenium.support.PageFactory.proxyFields(PageFactory.java:117)		
	at org.openqa.selenium.support.PageFactory.initElements(PageFactory.java:105)		
	at com.qt.bdd.pages.LoginPage. <init>(LoginPage.java:69)</init>		
	at com.qt.stepdefinitions.SmokeLycaTest. <init>(SmokeLycaTest.java:31)</init>		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)		
	at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)		

#	Step / Hook Details	Status	Duration
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)		
	at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at com.qt.bdd.runner.TestRunner.scenario(TestRunner.java:56)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:584)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:172)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:804)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:145)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.util.ArrayList.forEach(ArrayList.java:1259)		
	at org.testng.TestRunner.privateRun(TestRunner.java:770)		
	at org.testng.TestRunner.run(TestRunner.java:591)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:402)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:396)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:355)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:304)		

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1180)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1102)		
	at org.testng.TestNG.runSuites(TestNG.java:1032)		
	at org.testng.TestNG.run(TestNG.java:1000)		
	at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:284)		
	at org.apache.maven.surefire.testng.TestNGXmlTestSuite.execute(TestNGXmlTestSuite.java:75)		
	at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:119)		
	at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:428)		
	at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)		
	at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:562)		
	at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:548)		
	AFTER_STEP - com.qt.stepdefinitions.Hooks.addScreenshot(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException		
	at com.qt.stepdefinitions.Hooks.addScreenshot(Hooks.java:190)		
2	When I have to do the operation"hk","hk@gmail.com","1234567890"	SKIPPED	0.000 s
3	Then I have to see the result	SKIPPED	0.000 s