PARSHWANATH CHARITABLE TRUST'S
A.P. SHAH INSTITUTE OF TECHNOLOGY
Department of Computer Science and Engineering
Data Science

SafeRide - AI Enabled Smart Road Safety Violation Detection And Monitoring System Using Neural Vision

Group No. 5

Student ID	Group member
22107032	Sakshi Kadam
22107004	Priyanka Barman
22107005	Radhika Pradhan
22107015	Tejas Deshmukh

Project Guide
Dr. Veena Trivedi

Contents

- Abstract
- Introduction
- Objectives
- Literature Review
- Research Gap
- Problem Definition
- Scope
- Technological Stack
- Proposed System Architecture/Working/Module Diagram
- Prototype Design Demonstration
- Implementation Status
- Review Suggestions (Given in Last meeting)

Abstract

Traffic rule enforcement is often slow, error-prone, and labor-intensive. This project introduces a smart AI system using YOLOv8 and ANPR to detect violations like helmet-less riding, triple riding, seat belt absence, red light jumping, wrong-side driving, and mobile usage in real time. Each violation is logged with vehicle details, timestamp, and location, and fines are automatically generated and sent via email or SMS. By combining live video feeds, AI detection, and automated reporting, this system ensures faster, accurate, and consistent traffic law enforcement, making roads safer and smarter.

Sustainable Development Goals(SDG) mapped

SDG mapped to project: 11

SDG 11: Sustainable Cities and Communities

Mapping: Automated traffic monitoring plays a crucial role in creating safer roads and promoting better traffic discipline. By detecting violations in real time, it helps reduce accidents and ensures compliance with traffic rules. This contributes to more organized and livable cities by streamlining traffic flow and reducing congestion. Moreover, it encourages sustainable urban mobility and fosters public trust in smarter, technology-driven traffic management systems.

Introduction

- Road accidents are a major concern due to frequent traffic violations such as riding without helmets, triple-seat riding, and jumping red lights. Despite awareness campaigns, these unsafe behaviors continue to put lives at serious risk.
- Current traffic monitoring relies heavily on manual enforcement by traffic police, which is limited by human capacity, visibility, and availability.
- Manual monitoring cannot effectively cover all areas, especially in high-traffic zones, resulting in many violations going unnoticed and delayed action.
- The inefficiency of existing systems reduces the overall effectiveness of road safety measures, highlighting the need for smarter, automated solutions

Motivation

- Increasing road accidents and fatalities caused by preventable violations such as not wearing helmets or triple riding strongly motivate the development of automated enforcement systems.
- Automating traffic violation detection using AI ensures faster, unbiased, and scalable enforcement. This approach addresses issues such as unidentified violators, delayed fine generation, and repeated offenses, ultimately promoting safer roads and disciplined traffic behavior

Objectives

1. To integrate mobile camera live video capture with an external processing system for real-time AI-powered violation detection and data streaming.

2. To apply AI models for automatic detection of traffic violations such as helmet-less riding, triple seat riding, seat belt absence, red light jumping, wrong-side driving, and mobile phone usage, smoking while driving.

3. To extract vehicle number plates using ANPR techniques and log each violation with its type, timestamp, and location metadata and manage them by marking their status followed by automated email notifications to violators.

4. To enable automated generation of e-challans for detected violations, ensuring accurate fine calculation and streamlined digital penalty issuance without manual intervention.

Literature Review

The literature review is presented in the sequence illustrated in the figure: Live Video Capture & Streaming, AI-Based Violation Detection, Vehicle Identification & Logging, and Automated E-Challan Generation.



Figure 1: Categorized literature review

Literature Review

Sr.no	Title	Author(s)	Year	Methodology	Drawback
1	AI-Based Helmet Violation Detection for Traffic Management System[1]	Yahia Said, Yahya Alassaf, Refka Ghodhbani, Yazan Ahmad Alsariera	2025	Adapted PerspectiveNet with EfficientNetv2 backbone; trained on India Driving Dataset (IDD) for helmet detection	Focused only on helmet detection; may struggle with occlusion, multiple riders, or real-world varied conditions
2	Automatic Two-Wheeler Rider Identification and Triple-Riding Detection[2]	Uttam U. Deshpande, Supriya Shanbhag, Rudragoud Patil	2025	This paper presents a ResNet18-based DetectNet_v2 for two-wheeler detection; YOLOv8 on Darknet for triple-riding and license plate detection	Dataset has minimal triple-riding images; may not generalize to all CCTV angles and real-world scenarios
3	Wrong-Way Driving Detection with YOLOv9 and CNN[3]	Kiranmaie Pa, Abhisatwika Reddy Chada, Ilaiah Kavati	2025	YOLOv9 for vehicle detection; CNN for vehicle direction classification; trained on annotated images of correct and incorrect driving	Limited to wrong-way detection; may fail in complex intersections or occluded scenarios; dataset may not cover all traffic conditions
4	Real-time license plate detection for non-helmeted motorcyclist using YOLO[4]	Yonten Jamtsho, Panomkhawn Riyamongkol, Rattapoom Waranusast	2020	A single convolutional neural network (YOLOv2) is used for real-time detection of license plates for non-helmeted motorcyclists, and a centroid tracking method is used to reduce false positives from helmeted bikers leaving the frame.	The system's accuracy is affected by the absence of a license plate on some motorbikes and it relies on rear-position plates, as front LPs are not available for Thai motorcyclists.

Literature Review

Sr.no	Title	Author(s)	Year	Methodology	Drawback
5	Automated Detection of Driver and Passenger Without Seat Belt using YOLOv8[5]	Sutikno, Aris Sugiharto, Retno Kusumaningrum	2023	The system is divided into three subsystems—windshield detection, passenger classification, and seat belt classification—all of which are implemented using different YOLOv8 models.	A key limitation is the absence of a license plate detection subsystem, which is noted as a component for future research to enable the identification of vehicle owners.
6	Image-Based Seat Belt Fastness Detection Using Deep Learning[6]	Rupal A. Kapdi, Pimal Khanpara, Rohan Modi, and Manish Gupta	2022	Proposes an approach using a CNN-based model with MobileNet V2 as the backbone and transfer learning for binary seat belt classification, complemented by a number plate recognition module that uses a KNN classifier.	The dataset is highly imbalanced, leading to a zero recall and F1-score for the "without seat belt" class before threshold tuning. The system struggles with images that are too bright or dark, and with occlusions from objects or clothing that blend with the seat belt.
7	A Comprehensive Analysis of Real-Time Car Safety Belt Detection Using the YOLOv7 Algorithm[7]	Lwando Nkuzo, Sibiya, Markus, Elisha Didam Markus	2023	A real-time system uses a YOLOv7 object detection model, trained on a custom dataset annotated with "buckled" and "unbuckled" classes, to detect seat belt status by focusing on the visibility of the pillar loop.	The system's performance is limited by challenging environmental conditions such as high-light intensity, occlusions of the pillar loop, and blurry images, and it was not evaluated in night-time scenes.
8	DashCop: Automated E-ticket Generation for Two-Wheeler Traffic Violations Using Dashcam Videos[8]	Deepti Rawat, Keshav Gupta, Aryamaan Basu Roy, and Ravi Kiran Sarvadevabhatla	2025	The system uses a modified YOLOv8 with a novel Segmentation and Cross-Association (SAC) module and a custom tracker to detect violations and a separate module for automated license plate recognition, enabling end-to-end E-ticket generation.	The system struggles with significant glare, motion blur, and occlusions, which can lead to false negatives in detection, and license plate recognition performance decreases for vehicles approaching from the opposite lane.

Research Gap(Limitations of existing systems)

- **Low-Light and Weather Challenges**: Most current traffic violation systems struggle to maintain detection accuracy in poor lighting, nighttime conditions, or adverse weather such as rain and fog.
- **Occlusion and Motion Blur**: Vehicles or objects blocking the camera view, as well as fast-moving traffic, lead to missed or incorrect violation detection.
- **License Plate Recognition Issues**: ANPR systems often fail to read dirty, damaged, or regionally varying license plates, resulting in incomplete offender identification.
- **Generic Reporting** – Many platforms generate standard violation reports without actionable insights or analytics for traffic officers.
- **Delayed or Inaccurate e-Challan Generation**: Errors or processing delays in automated challan issuance occur due to incomplete metadata or high traffic volume.
- **Scalability and Adaptability Limitations**: Existing systems often cannot handle multiple camera feeds efficiently and may not adapt well to different traffic densities or regional variations.
- **Partial Integration of Advanced AI**: While deep learning models like YOLOv8 improve multi-class detection, they are not widely implemented or optimized, leaving room for improvement in real-time accuracy and robustness.

Problem Definition

Road accidents are a major cause of fatalities worldwide due to unsafe driving practices. Common violations include riding without helmets, triple riding, mobile phone usage, and not wearing seatbelts. Manual monitoring by traffic police is inefficient, error-prone, and cannot cover all areas effectively. There is a need for an automated AI-based system for real-time traffic violation detection. Such a system can identify offenders, log violations, generate e-challans, and improve overall road safety.

Key points to address:

1. Real-Time Violation Detection
2. Automatic Number Plate Recognition
3. Live Camera Integration and Video Upload
4. Violation Metadata Logging
5. Automated e-Challan Generation
6. Traffic Officer Dashboard
7. Reports and Analytics

Problem Definition

- Dirty or occluded plates
- Low-resolution cameras
- Plates from different regions
- Fast-moving vehicles reduce OCR accuracy
- Limited training data for uncommon plate formats

- Poor lighting performance
- Occlusion by vehicles or objects
- Low frame rate detection
- Crowded traffic reduces accuracy
- Motion blur in fast-moving vehicles



- Accuracy issues in detected violations
- Delays in processing
- Incomplete violation metadata
- Wrong notifications due to errors
- Scalability issues with high traffic volume

Figure 2: Problem Definition Diagram

Scope

- Detects traffic violations in real-time including no helmets, triple riding, seatbelt absence, and mobile phone usage, improving enforcement efficiency
- Performs Automatic Number Plate Recognition to accurately identify vehicles and link violations to owners
- Supports integration of live camera feeds and video uploads for flexible monitoring across multiple locations
- Generates automated e-challans and sends instant notifications to offenders, reducing manual intervention
- Provides interactive dashboards for traffic officers with login, access control, real-time monitoring, and violation management
- Offers analytics and insights for violation trends, high-risk areas, and data-driven decision making to enhance road safety

Technological Stack

Front-end:

- React.js/ TailwindCSS/ JavaScript**:** For building responsive web interfaces, ensuring cross- device compatibility

Back-end:

- Django 4.x / Django REST Framework: API handling, user authentication, and backend processing.
- SQLite: Stores officer info, Stores violation logs, vehicle details, timestamps, and status
- Node.js: Server-side logic, API handling.

Models:

- YOLOv8 (PyTorch): Multi-class traffic violation detection.
- ANPR Model (Tesseract OCR / EasyOCR): Reads vehicle license plates

Datasets:

- Kaggle and Roboflow Traffic Violation Dataset: Pre-collected videos/images annotated for multiple violation classes.

Technological Stack

Algorithm:

- Fine Calculation Algorithm: Computes penalties based on type & frequency of violation

Libraries:

- OpenCV / NumPy: Video frame processing and image manipulation.
- SMTP / SendGrid API: Automated email notifications to violators.
- CUDA / cuDNN: GPU acceleration for real-time inference with YOLO.

Analytics:

- Violation Statistics : Counts and categorizes violations by type, location, and time of day using Python .
- Dashboard Visualization: Interactive dashboards with Plotly, Matplotlib, Seaborn

Proposed system architecture



Figure 3: Proposed System Architecture

Prototype Design Demonstration



Prototype Design Demonstration



Prototype Design Demonstration



Prototype Design Demonstration



Prototype Design Demonstration



Prototype Design Demonstration

Original Image

Annotated Detection (with Bounding Boxes)



Detected Violations

No Helmet	Confidence: 55.4%
Number Plate	Confidence: 52.8%
Triple Seat	Confidence: 59.7%

Prototype Design Demonstration



Implementation Status

Objectives	Implementation Status
Automated Violation Detection	100%
Number Plate & Evidence Logging	100%
Digital E-Challan Issuance	100%
Live Stream Capture	100%

References

1. **Yahia Said, Yahya Alassaf, Refka Ghodhbani, Yazan Ahmad Alsariera**, "AI-Based Helmet Violation Detection for Traffic Management System," *Computational and Mathematical Engineering Sciences*, vol. 141, no. 1, pp. 733–749, 2024. doi: 10.32604/cmes.2024.052369 [1].
2. **Uttam U. Deshpande, Supriya Shanbhag, Rudragoud Patil**, "Automatic Two-Wheeler Rider Identification and Triple-Riding Detection," *Computational and Mathematical Engineering Sciences*, vol. 141, no. 1, pp. 733–749, 2024. doi: 10.32604/cmes.2024.052369 [2].
3. **Kiranmaie Pa, Abhisatwika Reddy Chada, Illajah Kavati**, "Wrong-Way Driving Detection with YOLOv9 and CNN," *Procedia Computer Science*, vol. 258, pp. 2060–2069, 2025. doi: 10.1016/j.procs.2025.04.456 [3] .
4. **Yonten Jamtsho, Panomkhawn Riyamongkol, Rattapoom Waranusast**, "Real-Time License Plate Detection for Non-Helmeted Motorcyclist using YOLO," *ICT Express*, vol. 7, no. 1, pp. 104–109, 2021. doi: 10.1016/j.icte.2020.07.008 [4].
5. **Sutikno, Aris Sugiharto, Retno Kusumaningrum**, "Automated Detection of Driver and Passenger Without Seat Belt using YOLOv8," *International Journal of Advanced Computer Science and Applications*, vol. 14, no. 11, pp. 81–85, 2023. Available: https://thesai.org/Downloads/Volume14No11/Paper_81-Automated_Detection_of_Driver_and_Passenger_Without_Seat_Belt.pdf [5].

6. **Rupal A. Kandi, Pimal Khanpara, Rohan Modi, Manish Gupta**, "Image-Based Seat Belt Fastness Detection Using Deep Learning," *Journal of Engineering Science and Technology Review*, vol. 15, no. 1, pp. 20271–20278, 2022. Available: https://scpe.org/index.php/scpe/article/view/2027 [6].
7. **Lwando Nkuzo, Sibiya Markus, Elisha Didam Markus**, "A Comprehensive Analysis of Real-Time Car Safety Belt Detection Using the YOLOv7 Algorithm," *Algorithms*, vol. 16, no. 9, p. 400, 2023. Available: https://www.mdpi.com/1999-4893/16/9/400 [7].
8. **Deepti Rawat, Keshav Gupta, Aryamaan Basu Roy, Ravi Kiran Sarvadevabhatla**, "DashCop: Automated E-Ticket Generation for Two-Wheeler Traffic Violations Using Dashcam Videos," *Proceedings of the IEEE/CVF Winter Conference on Applications of Computer Vision (WACV)*, pp. 1261–1270, 2025. doi: 10.1109/WACV52623.2025.00135 [8].

Thank You...!!