### appBeer:

## activity\_main:

```
<?xml version="1.0" encoding="utf-8"?>
   android:layout_height="match_parent"
   android:padding="50dp"
   android:background="@color/background">
       android:layout_height="wrap_content"
       android:layout_gravity="center"
       android:layout_margin="10dp"
       android:id="@+id/spinBeer"
       android:layout_height="35dp"
       android:layout_gravity="center"
       android:layout_margin="10dp"
       android:background="@color/backgroundSpin"
       android:entries="@array/typeBeer"
       android:popupBackground="@color/backgroundSpin" />
       android:layout_width="wrap_content"
       android:layout_height="wrap_content"
       android:layout_gravity="center"
       android:layout_margin="10dp"
       android:background="@drawable/gradient_btn"/>
    <ImageView
       android:layout_width="200sp"
```

```
<ImageView
              android:id="@+id/imageBeer"
              android:layout_width="200sp"
              android:layout_height="200sp"
              android:layout_gravity="center"
              android:layout_margin="10dp"/>
          <TextView
              android:id="@+id/recSort"
              android:layout_width="wrap_content"
              android:layout_height="wrap_content"
              android:layout_gravity="center"
              android:layout_margin="10dp"
              android:textSize="25sp"
              android:textColor="@color/textColor"/>
56
      </LinearLayout>
```

#### colors:

### strings:

## MainActivity:

```
val btnBeer = findViewById<Button>(R.id.btnBeer)
                 val tvBeer = findViewById<TextView>(R.id.tvBeer)
                 val spinBeer = findViewById<Spinner>(R.id.spinBeer)
                 val recSort = findViewById<TextView>(R.id.recSort)
                 val imageBeer = findViewById<ImageView>(R.id.<u>imageBeer</u>)
                 val variety = arrayOf("Dark", "Light", "Rye", "Sweet", "Bitter")
                 btnBeer.setOnClickListener {
                     val type = spinBeer.selectedItem
                     tvBeer.<u>text</u> = ("Your type beer: $type")
   if (type == "Dark") imageBeer.setImageResource(R.drawable.dark_beer)
38 🛎
                     if (type == "Light") imageBeer.setImageResource(R.drawable.light_beer)
                     if (type == "Rye") imageBeer.setImageResource(R.drawable.rye_beer)
39 🖴
                     if (type == "Sweet") imageBeer.setImageResource(R.drawable.sweet_beer)
  \simeq
   ≅
                     if (type == "Bitter") imageBeer.setImageResource(R.drawable.<u>bitter_beer</u>)
                     var <u>identically</u> = true
                     var recBeer = ""
                     while (identically == true) {
                         recBeer = variety.random().toString()
                         if (recBeer != type) identically = false
                     recSort.<u>text</u> = ("Recommend type: $recBeer")
```

# result:

