



Запрегалов Николай ИС 221



Cisco Packet Tracer

File Edit Options View Tools Extensions Window Help

Logical Physical x: 300, y: 159

Time: 00:06:03

PC0

PC1

PC2

Hub0

Command Prompt

```
Cisco Packet Tracer PC Command Line 1.0
C:\>

ping 192.168.0.1

Pinging 192.168.0.1 with 32 bytes of data:

Reply from 192.168.0.1: bytes=32 time=2ms TTL=128
Reply from 192.168.0.1: bytes=32 time=4ms TTL=128
Reply from 192.168.0.1: bytes=32 time=3ms TTL=128
Reply from 192.168.0.1: bytes=32 time=3ms TTL=128

Ping statistics for 192.168.0.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 2ms, Maximum = 4ms, Average = 3ms
C:\>
```

Realtime Simulation

Type	Color	Time(sec)	Periodic	Num	Edit
ICMP	Blue	0.000	N	0	(edit)
ICMP	Green	0.000	N	1	(edit)

Windows taskbar: Поиск, 9:57

Cisco Packet Tracer

File Edit Options View Tools Extensions Window Help

Logical Physical x: 304, y: 251

Time: 00:06:57

PC0

PC1

PC2

PC3

PC4

Hub0

Laptop0

Laptop1

Laptop2

No Available Ports

Scenario 0

New Delete

Toggle PDU List Window

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit
Successful	Successful	Laptop0	PC1	ICMP	Blue	0.000	N	0	(edit)
Failed	Failed	Laptop0	PC2	ICMP	Green	0.000	N	1	(edit)

Windows taskbar: Поиск, 9:58

Cisco Packet Tracer

File Edit Options View Tools Extensions Window Help

Logical Physical x: 376, y: 283

Time: 00:07:18

Hub0

Physical Config Attributes

MODULES

- PT-REPEATER-NM-1CE
- PT-REPEATER-NM-1CFE
- PT-REPEATER-NM-1CGE
- PT-REPEATER-NM-1FFE
- PT-REPEATER-NM-1FGE
- PT-REPEATER-NM-COVER

Physical Device View

Zoom In Original Size Zoom Out

Customize Icon in Physical View

Customize Icon in Logical View

The PT-REPEATER-NM-1CE features a single Ethernet port that can connect a LAN backbone which can also support either six PRI connections to aggregate ISDN lines, or 24 synchronous/asynchronous ports.

Top

Root 04:48:00

Realtime Simulation

Type	Color	Time(sec)	Periodic	Num	Edit
ICMP	Blue	0.000	N	0	(edit)
ICMP	Green	0.000	N	1	(edit)

Поиск

ENG 9:58

Cisco Packet Tracer

File Edit Options View Tools Extensions Window Help

Logical Physical x: 381, y: 248

Time: 00:07:59

Hub0

Physical Config Attributes

MODULES

- PT-REPEATER-NM-1CE
- PT-REPEATER-NM-1CFE
- PT-REPEATER-NM-1CGE
- PT-REPEATER-NM-1FFE
- PT-REPEATER-NM-1FGE
- PT-REPEATER-NM-COVER

Physical Device View

Zoom In Original Size Zoom Out

Customize Icon in Physical View

Customize Icon in Logical View

The PT-REPEATER-NM-1CE features a single Ethernet port that can connect a LAN backbone which can also support either six PRI connections to aggregate ISDN lines, or 24 synchronous/asynchronous ports.

Top

Root 05:09:00

Realtime Simulation

Type	Color	Time(sec)	Periodic	Num	Edit
ICMP	Blue	0.000	N	0	(edit)
ICMP	Green	0.000	N	1	(edit)

Поиск

ENG 9:59

