

Запрегалов Николай ИС 221



The image displays two overlapping screenshots of the Cisco Packet Tracer application. The top screenshot shows a network diagram with a PC-PT PC0 connected to a Laptop-PT Laptop0 via a dashed line. The bottom screenshot shows the same network diagram with the IP configuration window for PC0 open. The window is titled 'PC0' and has tabs for Physical, Config, Desktop, Programming, and Attributes. The 'Config' tab is selected, and the 'IP Configuration' section is expanded. The 'Interface' dropdown is set to 'FastEthernet0'. The 'IPv4 Configuration' section shows 'Static' selected, with the following values: IPv4 Address: 192.168.0.1, Subnet Mask: 255.255.255.0, Default Gateway: 0.0.0.0, and DNS Server: 0.0.0.0. The 'IPv6 Configuration' section shows 'Static' selected, with the following values: IPv6 Address: (empty), Link Local Address: FE80::230:F2FF:FE77:ECA0, Default Gateway: (empty), and DNS Server: (empty). The '802.1X' section shows 'Use 802.1X Security' unchecked, Authentication set to 'MD5', and Username and Password fields empty. The 'Top' button is at the bottom left of the window.

Top Screenshot: Cisco Packet Tracer interface showing a network diagram with PC-PT PC0 and Laptop-PT Laptop0. The status bar indicates 'Time: 00:03:29' and 'Realtime' mode.

Bottom Screenshot: Cisco Packet Tracer interface showing the IP Configuration window for PC0. The status bar indicates 'Time: 00:05:35' and 'Realtime' mode.

IP Configuration Window Details:

- Interface: FastEthernet0
- IPv4 Configuration:
 - Static (selected)
 - IPv4 Address: 192.168.0.1
 - Subnet Mask: 255.255.255.0
 - Default Gateway: 0.0.0.0
 - DNS Server: 0.0.0.0
- IPv6 Configuration:
 - Static (selected)
 - IPv6 Address: (empty)
 - Link Local Address: FE80::230:F2FF:FE77:ECA0
 - Default Gateway: (empty)
 - DNS Server: (empty)
- 802.1X:
 - Use 802.1X Security: (unchecked)
 - Authentication: MD5
 - Username: (empty)
 - Password: (empty)



Доп. задание:

Cisco Packet Tracer

File Edit Options View Tools Extensions Window Help

Logical Physical x: 332, y: 420

Root 04:42:30

Simulation Panel

Event List

Vis.	Time(sec)	Last Device
	0.000	--
	0.000	--
	0.001	Laptop0
	0.001	PC0

Reset Simulation ☒ Constant Delay Capturing...

Play Controls

Event List Filters - Visible Events

ACL Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H, 323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPsec, ISAKMP, IoT, IoT TCP, LACP, LLDP, Meraki, NDP, NETFLOW, NTP, OSPF, OSPFv6, PAgP, POP3, PPP, PPPoE, PTP, RADIUS, REP, RIP, RIPng, RTP, SCCP, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP

Edit Filters Show All/None

Time: 00:41:42.342 PLAY CONTROLS

Scenario 0

New Delete

Toggle PDU List Window

Copper Cross-Over

Fire Last Status Source Destination Type Color Time(sec) Periodic Num Edit

Почка 12:10