More

Successfully deleted DB instance mydb

Engine options

Engine type Info

- ○ Aurora (MySQL Compatible)
- ○ Aurora (PostgreSQL Compatible)
- ◉ MySQL
- ○ PostgreSQL
- ○ MariaDB
- ○ Oracle
- ○ Microsoft SQL Server
- ○ IBM Db2

Choose a database creation method

- ◉ Full configuration
  You set all of the configuration options, including ones for availability, security, backups, and maintenance.
- ○ Easy create
  Use recommended best-practice configurations. Some configuration options can be changed after the database is created.

Templates

Choose a sample template to meet your use case.

- ○ Production
  Use defaults for high availability and fast, consistent performance.
- ◉ Dev/Test
  This instance is intended for development use outside of a production environment.
- ○ Sandbox
  To develop new applications, test existing applications, or gain hands-on experience with Amazon RDS.

Availability and durability

Deployment options Info

Choose the deployment option that provides the availability and durability needed for your use case. AWS is committed to a certain level of uptime depending on the deployment option you choose. Learn more in the Amazon RDS service level agreement (SLA).

Multi-AZ DB cluster deployment (3 instances)
Creates a primary DB instance with two readable standbys in separate Availability Zones. This setup provides:
- 99.95% uptime
- Redundancy across Availability Zones
- Increased read capacity
- Reduced write latency



Multi-AZ DB instance deployment (2 instances)
Creates a primary DB instance with a non-readable standby instance in a separate Availability Zone. This setup provides:
- 99.95% uptime
- Redundancy across Availability Zones



Single-AZ DB instance deployment (1 instance)
Creates a single DB instance without standby instances. This setup provides:
- 99.5% uptime
- No data redundancy



Settings

Edition

MySQL Community

Engine version Info

View the engine versions that support the following database features.

Hide filters

Show only versions that support the Multi-AZ DB cluster Info
Create a A Multi-AZ DB cluster with one primary DB instance and two readable standby DB instances. Multi-AZ DB clusters provide up to 2x faster transaction commit latency and automatic failover in typically under 35 seconds.

Show only versions that support the Amazon RDS Optimized Writes Info
Amazon RDS Optimized Writes improves write throughput by up to 2x at no additional cost.

Engine version

☐ Enable RDS Extended Support Info

Amazon RDS Extended Support is a paid offering. By selecting this option, you consent to being charged for this offering if you are running your database major version past the RDS end of standard support date for that version. Check the end of standard support date for your major version in the RDS for MySQL documentation.

DB instance identifier Info

Type a name for your DB instance. The name must be unique across all DB instances owned by your AWS account in the current AWS Region.

sourcedb

The DB instance identifier is case-insensitive, but is stored as all lowercase (as in "mydbinstance"). Constraints: 1 to 63 alphanumeric characters or hyphens. First character must be a letter. Can't contain two consecutive hyphens. Can't end with a hyphen.

Credentials Settings

Master username Info

Type a login ID for the master user of your DB instance.

admin

1 to 16 alphanumeric characters. The first character must be a letter.

Credentials management

You can use AWS Secrets Manager or manage your master user credentials.

○ Managed in AWS Secrets Manager - *most secure*
RDS generates a password for you and manages it throughout its lifecycle using AWS Secrets Manager.

◉ Self managed
Create your own password or have RDS create a password that you manage.

☐ Auto generate password

Amazon RDS can generate a password for you, or you can specify your own password.

Master password | Info

••••••••

Password strength Very weak

Minimum constraints: At least 8 printable ASCII characters. Can't contain any of the following symbols: / ' " @

Confirm master password | Info

••••••••

▼ Additional credentials settings

Database authentication options Info

◉ Password authentication

Authenticates using the database password and user credentials through AWS IAM users and roles.

- Password and Kerberos authentication
  Choose a directory in which you want to allow authorized users to authenticate with this DB instance using Kerberos Authentication.

Instance configuration

The DB instance configuration options below are limited to those supported by the engine that you selected above.

DB instance class | Info

▼ **Hide filters**

Show instance classes that support Amazon RDS Optimized Writes

Info
Amazon RDS Optimized Writes improves write throughput by up to 2x at no additional cost.

Include previous generation classes

- Standard classes (includes m classes)
- Memory optimized classes (includes r and x classes)
- Burstable classes (includes t classes)

Instance type

db.t3.micro
2 vCPUs 1 GiB RAM EBS Bandwidth: Up to 2,085 Mbps
Network: Up to 5 Gbps

Storage

Storage type Info
Provisioned IOPS SSD (io2) storage volumes are now available.

General Purpose SSD (gp3)
Performance scales independently from storage

Allocated storage Info

20 GiB

Minimum: 20 GiB. Maximum: 6,144 GiB

Baseline IOPS of 3,000 IOPS is included for allocated storage less than 400 GiB.

Storage throughput Info

125 MiBps

Baseline storage throughput of 125 MiBps is included for allocated storage less than 400 GiB.

To provision additional IOPS and throughput, increase the allocated storage to 400 GiB or greater.

▶ **Additional storage configuration**

Connectivity Info

Compute resource

Choose whether to set up a connection to a compute resource for this database. Setting up a connection will automatically change connectivity settings so that the compute resource can connect to this database.

- (selected) Don’t connect to an EC2 compute resource
  Don’t set up a connection to a compute resource for this database. You can manually set up a connection to a compute resource later.
- Connect to an EC2 compute resource
  Set up a connection to an EC2 compute resource for this database.

Virtual private cloud (VPC) Info

Choose the VPC. The VPC defines the virtual networking environment for this DB instance.

vpc-026136507059affec
6 Subnets, 6 Availability Zones

After a database is created, you can't change its VPC. Only VPCs with a corresponding DB subnet group are listed.

After a database is created, you can't change its VPC.

DB subnet group Info

Choose the DB subnet group. The DB subnet group defines which subnets and IP ranges the DB instance can use in the VPC that you selected.

default-vpc-026136507059affec
6 Subnets, 6 Availability Zones

Public access Info

VPC security groups that specify which resources can connect to the database.

No
RDS doesn't assign a public IP address to the database. Only Amazon EC2 instances and other resources inside the VPC can connect to your database. Choose one or more VPC security groups that specify which resources can connect to the database.

VPC security group (firewall) Info

Choose one or more VPC security groups to allow access to your database. Make sure that the security group rules allow the appropriate incoming traffic.

- Choose existing
  Choose existing VPC security groups
- Create new
  Create new VPC security group

Existing VPC security groups

Choose one or more options

default

Availability Zone Info

No preference

RDS Proxy

RDS Proxy is a fully managed, highly available database proxy that improves application scalability, resiliency, and security.

Create an RDS Proxy Info
RDS automatically creates an IAM role and a Secrets Manager secret for the proxy. RDS Proxy has additional costs. For more information, see Amazon RDS Proxy pricing.

Certificate authority - *optional* Info

Using a server certificate provides an extra layer of security by validating that the connection is being made to an Amazon database. It does so by checking the server certificate that is automatically installed on all databases that you provision.

rds-ca-rsa2048-g1 (default)
Expiry: May 26, 2061

If you don't select a certificate authority, RDS chooses one for you.

Additional configuration

Tags - *optional*

A tag consists of a case-sensitive key-value pair.

No tags associated with the resource.

Monitoring Info

Choose monitoring tools for this database. Database Insights provides a combined view of Performance Insights and Enhanced Monitoring for your fleet of databases. **Database Insights** pricing is separate from RDS monthly estimates. See Amazon CloudWatch pricing.

- ( ) Database Insights - Advanced
  - Retains 15 months of performance history
  - Fleet-level monitoring
  - Integration with CloudWatch Application Signals
- (•) Database Insights - Standard

Additional monitoring settings

Enhanced Monitoring, CloudWatch Logs and DevOps Guru

Enhanced Monitoring

- [x] Enable Enhanced monitoring

  Enabling Enhanced Monitoring metrics are useful when you want to see how different processes or threads use the CPU.

OS metrics granularity

60 seconds

Monitoring role for OS metrics

default

Create new role

The monitoring role is an IAM role that allows RDS to send Enhanced Monitoring metrics to Amazon CloudWatch Logs. Choose an existing monitoring role, or choose **default** to have RDS automatically create the IAM role **rds-monitoring-role** for you.

Log exports

Select the log types to publish to Amazon CloudWatch Logs

- [ ] Audit log
- [ ] Error log
- [ ] General log
- [ ] iam-db-auth-error log
- [ ] Slow query log

IAM role

The following service-linked role is used for publishing logs to CloudWatch Logs.

Additional configuration

Database options, encryption turned on, backup turned on, backtrack turned off, maintenance, CloudWatch Logs, delete protection turned off.

You are responsible for ensuring that you have all of the necessary rights for any third-party products or services that you use with AWS services.

Cancel   Create database