

1. Program

1

Attempted: 1/1

Question 1

🔖 Revisit Later

How to Attempt?

All Digits Count

Write a function to find the count of ALL digits in a given number N. The number will be passed to the function as an input parameter of type int.

Assumption: The input number will be a positive integer number ≥ 1 and ≤ 25000 .

For e.g.

If the given number is 292, the function should return 3 because there are 3 digits in this number

If the given number is 1015, the function should return 4 because there are 4 digits in this number

✓ Corner 2

✓ Corner 1

✓ Necessary 2

✓ Necessary 1

✓ Basic 4

✓ Basic 3

✓ Basic 2

✓ Basic 1

1. Program

Attempted: 1/1

Question 1

Revisit Later

How to Attempt?

All Digits Count

Write a function to find the count of ALL digits in a given number N. The number will be passed to the function as an input parameter of type int.

Assumption: The input number will be a positive integer number ≥ 1 and ≤ 25000 .

For e.g.

If the given number is 292, the function should return 3 because there are 3 digits in this number

If the given number is 1015, the function should return 4 because there are 4 digits in this number

JAVA7

Compiler: Java - 1.7

```
1  import java.io.*;
2  import java.util.*;
3
4  // Read only region start
5  class UserMainCode
6  {
7
8      public int allDigitsCount(int input1){
9          // Read only region end
10         String str=Integer.toString(input1);
11         return str.length();
12     }
13 }
```

☐ Use Custom Input

Compile and Test

Submit Code