

College Code: 9209

N.S.N College of Engineering and Technology

PROJECT DOCUMENTATION

SWIFT SHIP TRACKER

A Salesforce-Based Parcel Management System

Team Members

S.No	Name	Role
1	Veerasaravanan V	Team Lead
2	Vignesh A	Team Member
3	Vijay R	Team Member
4	Vijaykumar K	Team Member

TABLE OF CONTENTS

User Story (Abstract).....	4
1. INTRODUCTION.....	5
1.1 Project Overview	5
1.2 Purpose.....	5
2. IDEATION PHASE	6
2.1 Problem Statement (Customer Problem Statement Template)	6
2.2 Empathy Map Canvas	6
2.3 Brainstorming & Idea Prioritization	7
3. REQUIREMENT ANALYSIS PHASE	9
3.1 Customer Journey Map	9
3.2 Solution Requirements.....	10
3.3 Data Flow Diagram.....	11
3.4 Technology Stack.....	12
4. PROJECT DESIGN PHASE	14
4.1 Problem–Solution Fit.....	14
4.2 Proposed Solution	15
4.3 Solution Architecture	15
5. PROJECT PLANNING & SCHEDULING	17
5.1 Project Planning	17
6. PROJECT DEVELOPMENT PHASE	19
Phase 1: Requirement Analysis & Planning	19
Phase 2: Salesforce Development – Backend & Configurations.....	23
Milestone 1 – Salesforce Account	23
Milestone 2 – Objects Creation	25
Milestone 3 – Tabs.....	29
Milestone 4 – Fields & Relationships.....	31
Milestone 5 – Prompt Builder.....	37
Milestone 6 – Flows.....	40
Phase 3: UI/UX Development & Customization	45
Milestone 1 – Creating Permission Sets	45
Milestone 2 – Assigning Permissions to the Agent User.....	48
Milestone 3 – Org Setup for Agentforce	49
Milestone 4 – Building the Agent.....	50
Phase 4: Data Migration, Testing & Security	56
Verify Agent	56
Validate Assigned Topic.....	56
Check the Flow Association	57
Activate and Test the Agent.....	58

Validate Data in Salesforce.....	59
Phase 5: Deployment, Documentation & Maintenance	60
7. FUNCTIONAL & PERFORMANCE TESTING.....	61
7.1 Test Cases	61
7.2 Results.....	61
7.3 Implementation Status	62
8. ADVANTAGES & DISADVANTAGES	63
Advantages.....	63
Disadvantages / Limitations.....	63
9. CONCLUSION	64
10. FUTURE SCOPE.....	65
11. APPENDIX.....	66
12. REFERENCES.....	67

User Story (Abstract)

The Swift Ship Tracker is designed to provide a centralized Salesforce-based parcel management solution that enables customers to book parcels, track delivery status, and manage shipments through an intuitive interface and conversational AI support. The system manages Parcel, Delivery, Sender, and Receiver information using Salesforce custom objects and relationships. Flows automate parcel operations and notifications, while Agentforce AI and Prompt Builder enable customers to retrieve parcel information and interact with the system conversationally. Delivery agents can update parcel status in real time, while Experience Cloud, security controls, reports, and dashboards provide secure customer access and operational visibility.

1. INTRODUCTION

1.1 Project Overview

The Swift Ship Tracker is a Salesforce CRM solution developed to simplify parcel booking, shipment tracking, and delivery management. It supports the complete parcel lifecycle from booking and dispatch through tracking and delivery confirmation. Customers can access shipment information, while delivery agents can update parcel details and delivery status.

1.2 Purpose

The purpose of Swift Ship Tracker is to:

- Centralize parcel and delivery information.
- Simplify parcel booking and tracking.
- Provide real-time shipment visibility.
- Automate delivery updates and customer notifications.
- Enable conversational parcel tracking using Agentforce AI and Prompt Builder.
- Improve agent efficiency through Salesforce Flows and dashboards.
- Provide secure, role-based access to customers, agents, support staff, and administrators.

2. IDEATION PHASE

2.1 Problem Statement (Customer Problem Statement Template)

PS	I am (Customer)	I'm trying to	But	Because	Which makes me feel
PS-1	Customer / Sender	book a parcel easily	booking requires support assistance or multiple applications	parcel operations are not centralized	frustrated
PS-2	Customer / Sender	track my parcel	I do not have a simple real-time tracking experience	shipment information is difficult to access	confused
PS-3	Delivery Agent	update parcel status	status updates require manual handling	there is a need for centralized operational tracking	concerned
PS-4	Customer	receive delivery updates	notifications may not be available at every delivery stage	communication needs to be automated	uncertain
PS-5	Admin	monitor parcel operations	parcel flow and delivery performance are difficult to monitor	operational data needs centralized reporting	concerned




Figure 1: Problem Statements

2.2 Empathy Map Canvas

User Persona: Customer / Sender

- **Think & Feel:** Wants a simple way to book and track parcels without repeatedly contacting support.

- **Hear:** Receives delivery information and status updates from the parcel service.
- **See:** Parcel details, tracking status, estimated delivery date, and delivery information.
- **Say & Do:** Books parcels, checks tracking information, and asks for delivery updates.
- **Pain:** Delays, confusion, lack of easy tracking, and dependence on support or multiple apps.
- **Gain:** Real-time visibility, self-service tracking, convenient booking, and timely notifications.




Figure 2: Empathy Map Canvas

2.3 Brainstorming & Idea Prioritization

Ideas Considered

- Manual registers
- Spreadsheet tracking
- Standalone parcel portal
- Salesforce CRM with Agentforce AI

Final Selection

Salesforce CRM selected due to:

- Centralized parcel management
- Automation through Flows
- Real-time tracking visibility
- Conversational AI assistance
- Secure role-based access
- Reports and dashboards




Figure 3: Brainstorming & Idea Prioritization

3. REQUIREMENT ANALYSIS PHASE

3.1 Customer Journey Map

Stages:

- Parcel Booking
- Parcel Record Creation
- Dispatch & Shipment
- In-Transit Tracking
- Out for Delivery
- Delivery Confirmation
- Customer Notification
- Feedback / Support



Figure 4: Customer Journey Map

3.2 Solution Requirements

Functional Requirements


FR No	Requirement
FR-1	Parcel booking and record creation
FR-2	Parcel status tracking
FR-3	Weight management
FR-4	Estimated delivery date management
FR-5	Sender information management
FR-6	Receiver information management
FR-7	Delivery and current-location tracking
FR-8	Agent parcel status updates
FR-9	Automated customer notifications
FR-10	AI-powered parcel tracking
FR-11	Reports and dashboards
FR-12	Customer access through Experience Cloud

Non-Functional Requirements


NFR	Description
Usability	Intuitive Salesforce and customer-facing interface
Security	Role-based and field-level access control
Reliability	Accurate parcel status and delivery information
Performance	Timely Flow and Agentforce responses
Availability	Salesforce cloud-based access
Scalability	Supports growing parcel and delivery operations
Data Integrity	Controlled access and relationship-based parcel data
Maintainability	Flows, prompts, topics, and configurations can be updated

3.3 Data Flow Diagram

Flow:



AI Tracking Flow



The Prompt Builder implementation retrieves Parcel ID, Status, Weight, and Estimated Delivery Date information for tracking responses.




Figure 5: Data Flow Diagram

3.4 Technology Stack

The table below lists the technology stack of the solution together with its implementation status in the Developer Edition org (see Section 7.3).

Layer	Technology	Status
Platform	Salesforce Developer Edition	Implemented
UI	Lightning App (Parcel Tracker app with object tabs)	Implemented
	Lightning Record Pages, Experience Cloud	Planned
Database	Salesforce Custom Objects (Parcel, Delivery, Sender, Receiver)	Implemented
	Standard Objects (Account, Contact, Case, Task, EmailMessage, User)	Planned
Business Logic	Salesforce Flows	Implemented
	Apex Classes	Planned
Automation	Auto-Launched Flow (Parcel Details)	Implemented
	Record-Triggered Flows, Scheduled Flows	Planned
AI	Agentforce AI, Prompt Builder	Implemented
Notifications	Email Alerts & Email Templates	Planned
Processing	Batch Apex	Planned
Security	Permission Sets (Swift Ship), Field Permissions	Implemented
	Profiles, Role Hierarchy, Sharing Rules	Planned
Reporting	Reports & Dashboards	Planned

4. PROJECT DESIGN PHASE

4.1 Problem–Solution Fit

Problem	Solution	Benefit
Parcel booking is difficult	Salesforce Parcel management	Centralized booking
Tracking requires support	Agentforce AI + Prompt Builder	Self-service tracking
Manual status updates	Salesforce Flows	Automated processes
Delivery communication gaps	Email Alerts	Timely notifications
Scattered shipment information	Parcel, Delivery, Sender & Receiver objects	Structured data
Difficult operational monitoring	Reports & Dashboards	Better visibility
Different users need different access	Profiles, Roles & Permission Sets	Secure access




Figure 6: Problem–Solution Fit

4.2 Proposed Solution

Parameter	Description
Problem	Difficult and inefficient parcel booking and tracking
Solution	Salesforce-based Parcel Management System
Innovation	Agentforce AI + Prompt Builder for conversational self-service tracking and automated Salesforce Flows
Impact	Centralized booking, real-time tracking visibility, timely notifications, and efficient delivery management
Business Model	Parcel, customer, delivery-agent, support, and administrator operations
Scalability	Supports growing parcel operations, Experience Cloud, and integration with external logistics systems

4.3 Solution Architecture

Users: Customer | Delivery Agent | Support Staff | Admin



Salesforce Lightning / Experience Cloud



Swift Ship Tracker Salesforce Platform

- **Data Layer:** Parcel, Delivery, Sender, Receiver
- **Automation Layer:** Flows, Approval Processes, Apex Classes, Batch Apex, Email Alerts
- **AI Layer:** Agentforce AI, Prompt Builder, Parcel Tracking Agent
- **Security Layer:** Profiles, Roles, Permission Sets, Sharing Rules, Field-Level Security

Reports & Dashboards



Parcel Tracking & Operational Insights




Figure 7: Solution Architecture

5. PROJECT PLANNING & SCHEDULING

5.1 Project Planning

- Agile methodology
- Epics → Stories → Story Points
- Sprint-based execution
- Velocity calculation used for estimation

Product Backlog, Sprint Schedule, and Estimation

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Member
Sprint-1	Developer Setup	USN-1	As a system administrator, I want to create and configure the Salesforce environment so that I can build the Swift Ship Tracker parcel management system.	3	High	Chandru R
Sprint-2	Data Modeling	USN-2	As an admin, I want to create Parcel, Delivery, Sender, and Receiver objects with proper relationships so that parcel and delivery data is stored and managed systematically.	5	High	Buvanesh K
Sprint-2	Data Modeling	USN-3	As a staff member, I want dedicated tabs and a Lightning App for Swift Ship modules so that I can easily navigate and manage parcel and delivery operations.	5	High	Ashwinkumar D
Sprint-3	Automation	USN-4	As a system, I want to validate parcel details, mandatory fields, and booking inputs so that invalid or incomplete parcel records are prevented.	3	High	Dhanush M
Sprint-3	Automation	USN-5	As a delivery coordinator, I want automated Flows to update parcel status and delivery information so that parcel processing requires minimal manual effort.	3	High	Dhanush M
Sprint-4	Apex	USN-6	As a system, I want Apex triggers and classes to automatically perform critical parcel and delivery actions so that important processes are handled accurately.	5	High	Chandru R

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Member
Sprint-4	Apex	USN-7	As an operations manager, I want Batch Apex jobs to process and update parcel or delivery records automatically so that operational data remains accurate and up to date.	5	High	Buvanesh K
Sprint-5	Reports	USN-8	As a manager, I want reports showing parcel status, delivery performance, and operational metrics so that I can monitor Swift Ship operations and make informed decisions.	4	High	Ashwinkumar D
Sprint-6	Dashboards & AI	USN-9	As a manager, I want dashboards showing parcel status, delivery performance, and key metrics, while Agentforce provides AI-powered tracking assistance, so that I can monitor operations efficiently.	4	Medium	Dhanush M

Project Tracker & Velocity

Sprint	Total Story Points	Duration	Story Points (from Product Backlog)
Sprint-1	3	6 Days	USN-1 (3)
Sprint-2	10	6 Days	USN-2 (5) + USN-3 (5)
Sprint-3	6	6 Days	USN-4 (3) + USN-5 (3)
Sprint-4	10	6 Days	USN-6 (5) + USN-7 (5)
Sprint-5	4	6 Days	USN-8 (4)
Sprint-6	4	6 Days	USN-9 (4)
Total	37	36 Days	Average velocity $\approx$ 6.2 story points per sprint

6. PROJECT DEVELOPMENT PHASE

Phase 1: Requirement Analysis & Planning

Objective:

“Customers often face delays and confusion while booking, tracking, and managing parcel deliveries because they need to call support or use multiple apps. A conversational AI agent can simplify this by allowing customers to book parcels, get live tracking, and manage deliveries in one place.”

Key Requirements:

- Requirement gathering from end users and delivery agents.
- Defining system scope and user personas (Customer, Agent, Admin).
- Designing the data model with relationships between Parcel, Sender, Receiver, and Delivery.
- Identifying use cases such as parcel booking, tracking, and delivery update automation.
- Selecting tools: Salesforce Flows, Prompt Builder, and Agentforce AI.

Defining Project Scope & Objectives

Project Scope:

1. Build a scalable CRM solution for parcel delivery businesses to manage customer bookings, shipments, and delivery operations efficiently.
2. Support the end-to-end parcel lifecycle — from parcel booking → dispatch → tracking → delivery confirmation.
3. Include comprehensive data model design, automation (Flows, Apex, Email Alerts), AI-powered Prompt Builder, and reporting dashboards for effective management.
4. Provide role-based access for admins, delivery agents, and customers through Salesforce profiles, permission sets, and Experience Cloud.
5. Ensure real-time parcel visibility for customers and simplified operational tracking for agents through AI-integrated conversational support.

Objectives Summary:

- Streamline parcel operations by automating booking, tracking, and delivery notifications to reduce manual updates.

- Improve customer satisfaction with transparent, real-time shipment status and self-service tracking options.
- Enhance agent efficiency through centralized dashboards and guided Flows for quick status updates.
- Enable business insights with reports and dashboards showing parcel trends, delivery performance, and agent activity.
- Ensure security and reliability by implementing Salesforce role hierarchies, sharing rules, and audit-based data access.

Gathering & Analysing User Needs

Users Involved:

- **Customers / Senders** – End users who book parcels, track deliveries, and receive real-time updates through the portal or AI agent.
- **Delivery Agents** – Manage assigned parcels, update delivery status, and ensure timely handover to customers.
- **Customer Support Team** – Handle delivery-related issues, respond to customer queries, and ensure smooth communication.
- **Admin Team** – Configure the Salesforce environment, manage user roles, security settings, and monitor operational performance.
- **System Integrator / Developer** – Responsible for implementing automation, AI agent setup, and backend integrations.

Key Functional Needs:

- Seamless parcel booking and tracking interface for customers through Salesforce Experience Site or agent assistance.
- Ability for agents to update parcel status (Booked → In Transit → Out for Delivery → Delivered) in real time.
- Automated notifications and email alerts to customers on every delivery stage update.
- Support for Sender and Receiver details management with address, contact, and email fields for communication.
- AI agent integration (via Prompt Builder) for real-time parcel status queries and automated assistance.

- Reports and dashboards to monitor parcel flow, delivery performance, and agent activity for admins.
- Security controls with role-based access, profiles, and permission sets for different user levels.

Tools Used:

- **Salesforce Developer Org** – For configuration, development, and testing.
- **Prompt Builder (Agentforce AI)** – To create intelligent parcel tracking prompts and responses.
- **Salesforce Flow Builder** – To automate booking, tracking, and delivery updates.
- **Google Sheets / Docs** – For initial data planning, requirement documentation, and system mapping.

Identifying Key Salesforce Features & Tools Required

Salesforce Features Planned:

- **Custom Objects:** Parcel__c, Delivery__c, Sender__c, Receiver__c
- **Standard Objects:** Account, Contact, Case, Task, EmailMessage, User
- **Automations:** Record-Triggered Flows, Auto-Launched Flows, Approval Processes, Scheduled Flows
- **Apex:** Apex Classes for automated parcel operations (e.g., Lead-to-Parcel mapping, delivery notifications), Batch Apex for periodic updates or notifications
- **UI:** Lightning App Page (Swift Ship Tracker App), Dynamic Forms for Parcel Details, Lightning Record Pages, and Experience Cloud for Customer Access
- **Agentforce AI & Prompt Builder:** Integrated AI agent trained to fetch parcel data based on Parcel ID and respond to tracking or delivery status queries
- **Email Services:** Custom Email Alerts and Templates for booking confirmations, delivery updates, and completion acknowledgments
- **Security:** Profiles, Permission Sets, Role Hierarchies, Field-Level Security, and Sharing Rules to ensure controlled access for Admin, Agent, and Customer roles

Designing Data Model and Security Model

Data Model Includes:

- **Parcel__c (Custom Object)** – Stores core parcel details such as Parcel ID, Status, Weight, and Estimated Delivery Date. Linked to Sender__c and Receiver__c objects to

fetch sender and receiver details, and connected with the Delivery__c object to track real-time parcel location and status.

- **Delivery__c (Custom Object)** – Stores delivery-specific information such as current location, estimated delivery date, and linked parcel. Connected with Sender__c and Parcel__c for relationship-based tracking, and used by agents to update and monitor delivery status during the parcel lifecycle.
- **Sender__c (Custom Object)** – Captures sender-related information such as address, contact number, and email. Linked to multiple parcels to track sender history and associated deliveries, and used for sending booking confirmations and delivery updates via automated emails.
- **Receiver__c (Custom Object)** – Stores receiver details such as address, contact, and email for communication and delivery confirmation. Linked to Sender__c and Parcel__c to associate both ends of the shipment process, and used by agents for delivery reference and automated email notifications upon completion.

Security Model Design:

- **Role Hierarchy:** Administrator → Delivery Manager → Agent → Customer
- **Profiles:**
 - **Admin Profile** – full access to all objects and records.
 - **Delivery Agent Profile** – Read/Edit access to Parcel, Delivery, Sender, and Receiver objects.
 - **Customer Profile** – read-only access to their own parcel details via Experience Cloud.
 - **Support Staff Profile** – access to Cases and Parcel details for issue resolution.
- **Permission Sets:** Used to grant additional privileges (e.g., “Update Delivery Status”, “Access Agent Console”). The Swift Ship permission set implemented in this project is described in Phase 3.
- **Record-Level Security:** Sharing Rules applied for Parcel__c and Delivery__c to allow controlled access for agents and managers. Customers can only view records linked to their own Sender or Receiver details.
- **Field-Level Security:** Sensitive fields like Sender Email, Receiver Contact, and Location Coordinates restricted to Admin and Agent profiles only.

Phase 2: Salesforce Development – Backend & Configurations

This phase focused on developing the core logic of Swift Ship Tracker. Custom objects were created for Parcel, Sender, Receiver, and Delivery with relationships. A Prompt Builder template and an auto-launched Flow were built so that the Agentforce agent can retrieve parcel details.


Milestone 1 – Salesforce Account

Salesforce is a customer success platform that helps organizations sell, service, market, analyse, and connect with their customers. Swift Ship Tracker is built on a free Salesforce Developer Edition org, which provides the objects, Flow Builder, Prompt Builder and Agentforce features used in this project.

Creating Developer Account

Creating a developer org in Salesforce:

1. Go to <https://developer.salesforce.com/signup>
2. On the sign-up form, enter the following details:



The screenshot shows the Salesforce Developer Edition sign-up page. On the left, there's a promotional banner for Agentforce with the text 'Build enterprise-quality apps fast and get hands-on with Agentforce and Data Cloud.' Below this, it says 'Sign up for your Developer Edition.' and lists several benefits: 'Build apps fast with drag and drop tools', 'Go further with Apex code', 'Build AI agents with Agentforce', 'Harmonize your data with Data Cloud', 'Ground Agentforce with structured and unstructured data', and 'Integrate with anything using APIs'. On the right, the sign-up form is displayed. It has fields for 'First name' (Annapurna), 'Last name' (Guram), 'Job title' (Student), 'Work email' (annapurnabethi.A@gmail.com), 'Company' (The SmartBridge), and 'Country/Region' (India). There is a checkbox for 'I agree to the Terms of Service' and a 'Sign Me Up' button at the bottom.

Figure 8: Salesforce Developer Edition sign-up form

- (a) First name & Last name
- (b) Email
- (c) Job Title: Developer
- (d) Company: N.S.N College of Engineering and Technology
- (e) Country: India

Click on Sign Me Up after filling these.

Go to the inbox of the email that you used while signing up. Click on Verify Account to activate your account. The email may take 10–30 minutes and sometimes up to 2 hours.




Figure 9: Account verification e-mail from Salesforce

1. Click on Verify Account.
2. Give a password and answer a security question and click on Change Password.

Figure 10: Change Your Password page

Then you will be redirected to your Salesforce Setup page.




Figure 11: Salesforce Setup Home page

Milestone 2 – Objects Creation

Creating Parcel Object

To create the Parcel object:

1. From the Setup page, click on Object Manager.
2. Click on Create >> Custom Object.
3. Enter the label name as Parcel.
4. Enter Plural label name as Parcel's (as shown in the org).
5. Enter Record Name as Parcel Name.
6. Select Data Type as Text: Parcel Name.
7. Select Allow Reports.
8. Select Allow Search.
9. Allow Track Field History.
10. Click on Save and New.




Figure 12: New Custom Object – optional features for the Parcel object




Figure 13: Parcel object details

Creating Delivery Object

1. From the Setup page, click on Object Manager.
2. Click on Create >> Custom Object.
3. Enter the label name as Delivery.
4. Enter Plural label name as Deliveries.
5. Enter Record Name as Delivery Name.
6. Select Data Type as Text: Delivery Name.
7. Select Allow Reports.
8. Select Allow Search.
9. Allow Track Field History.
10. Click on Save and New.

Figure 14: New Custom Object – optional features for the Delivery object

Figure 15: Delivery object details

Creating Sender Object

1. From the Setup page, click on Object Manager.
2. Click on Create >> Custom Object.
3. Enter the label name as Sender.
4. Enter Plural label name as Sender's.
5. Enter Record Name as Sender Name.
6. Select Data Type as Text: Sender Name.
7. Select Allow Reports.
8. Select Allow Search.
9. Allow Track Field History.
10. Click on Save and New.

Figure 16: New Custom Object – optional features for the Sender object

Figure 17: Sender object details

Creating Receiver Object

1. From the Setup page, click on Object Manager.
2. Click on Create >> Custom Object.
3. Enter the label name as Receiver.
4. Enter Plural label name as Receiver's.
5. Enter Record Name as Receiver Name.
6. Select Data Type as Text: Receiver Name.
7. Select Allow Reports.
8. Select Allow Search.
9. Allow Track Field History.
10. Click on Save and New.




Figure 18: New Custom Object – optional features for the Receiver object

Milestone 3 – Tabs

Creating a tab for the Parcel Object

1. Go to the Setup page → type Tabs in the Quick Find bar.
2. Click on Tabs.
3. Click on New (under Custom Object Tabs).
4. Select Object (Parcel) >> Select the tab style.
5. Click on Next >> (Add to Profiles page) keep it as default >> Click on Next (Add to Custom App) and uncheck Include Tab.
6. Make sure that Append tab to the user's existing personal customizations is checked.
7. Click Save.




Figure 19: Creating a custom object tab from Setup




Figure 20: Custom object tab definition for the Parcel object

More Tab Creation

1. Go to Setup → type Tabs in the Quick Find box.
2. Click Tabs under the User Interface section.
3. Click New under Custom Object Tabs.
4. Select the object (Delivery, Sender, or Receiver) → choose a Tab Style.
5. Click Next → keep the Add to Profiles settings as default → click Next.
6. On the Add to Custom Apps page, uncheck “Include Tab.”
7. Ensure Append tab to the user’s existing personal customizations is checked.
8. Click Save and repeat the steps for each object (Delivery, Sender, Receiver).




Figure 21: Custom object tabs list

Milestone 4 – Fields & Relationships

Create fields and relationships for the custom objects created in the previous milestone.

Creating Fields and Relationships for Parcel Object

Beside the Quick Find box, click on Object Manager, then search for and select the Parcel object.

Field 1: Parcel ID

- Go to Fields & Relationships → click New.
- Enter Data Type: Auto Number → Display Format P-{000}.




Figure 22: Parcel object – Fields & Relationships

Figure 23 shows the 'New Custom Field' configuration for the 'Parcel' object in Salesforce. The 'Field Label' is 'Parcel ID', the 'Display Format' is 'P-{000}', and the 'Starting Number' is '1'. The 'Field Name' is 'Parcel_ID'. The 'Generate Auto Number for existing records' checkbox is checked. The 'Set this field as the unique record identifier from an external system' checkbox is unchecked. The 'Add this field to existing custom report types that contain this entity' checkbox is checked.

Figure 23: Creating the Parcel ID auto-number field

- Click Next → Next → Save & New.

Follow the same steps to create the remaining fields (Status, Weight, Estimated Delivery, Sender) of the Parcel object (API Name: Parcel__c) as listed in the table below.

1. Parcel Object

- **API Name:** Parcel__c
- **Purpose:** Store parcel information

Field Name	API Name	Data Type	Description
Parcel ID	Parcel_ID__c	Auto number	Unique ID for each parcel
Status	Status__c	Picklist	[Booked, In Transit, Out for Delivery, Delivered]
Weight	Weight__c	Number	Weight of Parcel
Estimated Delivery	Estimated_Delivery_Date__c	Date	Expected Delivery Date
Sender	Sender__c	Lookup Relationship	Gets Details from Sender

Figure 24: Parcel object fields

Creating Fields and Relationships for Delivery Object

Beside the Quick Find box, click on Object Manager, then search for and select the Delivery object.

Field 1: Current Location

- Go to Fields & Relationships → click New.




Figure 25: Delivery object – Fields & Relationships

- Choose Data Type: Geolocation → click Next. Field Label: Current Location. Click Next → Next → Save & New.




Figure 26: Creating the Current Location geolocation field

Follow the same steps to create the remaining fields (Estimated Delivery, Sender, Parcel) of the Delivery object as listed in the table below.

Field Name	API Name	Data Type	Description
Current Location	Current_Location__c	Geolocation	Location in terms of longitude and latitude.
Estimated Delivery	Estimated_Delivery_Date__c	Date	Expected Delivery Date
Sender	Sender__c	Lookup Relationship	Gets Details from Sender
Parcel	Parcel__c	Lookup Relationship	Gets Details from Parcel

Figure 27: Delivery object fields

Creating Fields and Relationships for Sender Object

Beside the Quick Find box, click on Object Manager, then search for and select the Sender object.

Field 1: Sender Address

- Go to Fields & Relationships → click New.




Figure 28: Sender object – Fields & Relationships

- Choose Data Type: Geolocation → click Next. Field Label: Sender Address. Click Next → Next → Save & New.

The screenshot shows the Salesforce Setup interface. The left sidebar contains a navigation menu with options like 'Details', 'Fields & Relationships', 'Page Layouts', 'Lightning Record Pages', 'Buttons, Links, and Actions', 'Compact Layouts', 'Field Sets', 'Object Limits', 'Record Types', 'Related Lookup Filters', 'Search Layouts', 'List View Button Layout', and 'Restriction Rules'. The main content area is titled 'Sender' and 'New Custom Field'. It shows 'Step 2. Enter the details' of the field creation process. The 'Field Label' is 'Sender Address'. The 'Field Name' is 'Sender_Address'. The 'Data Type' is 'Geolocation'. The 'Decimal Places' are set to '15'. The 'Required' checkbox is unchecked.

Figure 29: Creating the Sender Address geolocation field

Follow the same steps to create the remaining fields (Sender Contact, Sender Email) of the Sender object as listed in the table below.

Field Name	API Name	Data Type	Description
Sender Address	Sender_Address__c	Geolocation	Location in terms of longitude and latitude.
Sender Contact	Sende_Contact__c	Phone	To contact the sender
Sender Email	Sender_Email__c	Email	To send email Notification.

Figure 30: Sender object fields

Creating Fields and Relationships for Receiver Object

Beside the Quick Find box, click on Object Manager, then search for and select the Receiver object.

Field 1: Receiver Address

- Go to Fields & Relationships → click New.




Figure 31: Receiver object – Fields & Relationships

- Choose Data Type: Geolocation → click Next. Field Label: Receiver's Address. Click Next → Next → Save & New.




Figure 32: Creating the Receiver's Address geolocation field

Follow the same steps to create the remaining fields (Receiver Contact, Receiver Email, Sender, Parcel) of the Receiver object as listed in the table below.

Field Name	API Name	Data Type	Description
Receiver Address	Receiver_Adress__c	Geolocation	Location in terms of longitude and latitude.
Receiver Contact	Receiver_Contact__c	Phone	To contact the Receiver
Receiver Email	Receiver_Email__c	Email	To send email Notification.
Sender	Sender__c	Lookup Relationship	Gets Details from Sender
Parcel	Parcel__c	Lookup Relationship	Gets Details from Parcel

Figure 33: Receiver object fields

Object Relationships

- Parcel → Sender (Lookup): a parcel gets its sender details from the Sender record.
- Delivery → Parcel and Sender (Lookup): a delivery record is linked to its parcel and sender.
- Receiver → Parcel and Sender (Lookup): a receiver record links both ends of a shipment.

Milestone 5 – Prompt Builder

Designing prompts for agent building. In Salesforce, go to Setup.

1. In the Quick Find box, type Prompt Builder (Einstein Generative AI → Prompt Builder).
2. Click New Prompt Template and choose the Record Summary template type.




Figure 34: Prompt Builder – New Prompt Template

3. Select the object type Parcel (Parcel__c) and click Start from Scratch.




Figure 35: Record Summary template – selecting the Parcel object

4. Enter the details:

- Label: Retrieve Parcel Details
- API Name: Retrieve_Parcel_Details
- Description: Retrieves parcel details where Parcel_ID matches the user input.

5. Enter the Prompt Template content. In the Prompt Template Text area, enter the following:

```
Retrieve details from Parcel__c where Parcel_ID__c matches user
input. Return response in this format:
Parcel Tracking Update
- Parcel Name: {!$Input:Parcel__c.Name}
- Parcel ID: {!$Input:Parcel__c.Parcel_ID__c}
- Status: {!$Input:Parcel__c.Status__c}
- Weight: {!$Input:Parcel__c.Weight__c}
- Estimated Delivery Date:
{!$Input:Parcel__c.Estimated_Delivery_Date__c}
```




Figure 36: Retrieve Parcel Details prompt template in Prompt Builder

6. Add Resource Mapping: scroll down to the Resources / Insert Resources section.
 - Click Insert Resource → choose Object → select Parcel__c.
 - Add the fields Name, Parcel_ID__c, Status__c, Weight__c and Estimated_Delivery_Date__c.
 - Click Insert Resource (or Add) for each one.
7. Click Save.
8. Then click Activate to make this Prompt Template available for your agent or Flow.

Testing the Prompt

1. Open the prompt Preview and select a Parcel record as the input.
2. The resolved prompt and the generated response show the Parcel Tracking Update (Parcel Name, Parcel ID, Status, Weight and Estimated Delivery Date) taken from the Parcel record.




Figure 37: Prompt preview – resolved prompt and generated response

Milestone 6 – Flows

Create a Flow that captures the prompt response and returns it to the agent. Go to Setup → search Flows → click New Flow.

1. Choose Autolaunched Flow (No Trigger) → click Create.




Figure 38: New Automation – Autolaunched Flow (No Trigger)

2. Add Input Variables (to allow the agent to pass values): click New Resource → Variable → Available for Input.




Figure 39: Creating a Flow variable resource

- ids → Data Type: Text → Available for Input.
- output → Data Type: Text → Available for Output.




Figure 40: Edit Variable – ids (available for input)

Edit Variable

*API Name ⓘ
output

Description

*Data Type ⓘ
Text ☐ Allow multiple values (collection) ⓘ

Default Value
Enter value or search resources...

Availability Outside the Flow
☐ Available for input
☒ Available for output

Figure 41: Edit Variable – output (available for output)

3. Click on the Add icon to add Element: Get Records → Label: Get Parcel Records.

Flow Builder | parcel details - V4 | Last saved on 9/19/2025, 03:29 PM | **Active** | Run | Debug | Save As New Version | Save | Deactivate

get parcel records (Get Records)

*Label: get.parcel.records | *API Name: get_parcel_records

Description:

Get Records of This Object
 *Object: Parcel ☐ Also get related records (beta) ⓘ

Filter Parcel Records
 Condition Requirements: All Conditions Are Met (AND)

Field	Operator	Value
Parcel ID	Equals	ids

Sort Parcel Records:

Figure 42: Get Records element – Parcel filtered by Parcel ID

- Object: Parcel
- Field = Parcel_ID__c
- Operator = Equals
- Value = ids

4. Element: Action. Find and select the Retrieve Parcel Details prompt template action.

- Label: Parcel Updates.

- Object To Summarize: Parcel from Get Parcel Records.




Figure 43: Parcel Updates action – Object To Summarize

5. Element: Assignment.

- Label: Assignment Outputs.
- Variable = output
- Operator = Equals
- Value = Outputs from Action > Prompt Response




Figure 44: Assignment element – storing the prompt response in output

6. Connect Start → Get Records → Action → Assignment → End.
7. Save Flow → Name: Parcel Details.

8. Activate the Flow.
9. Once the Flow is saved, go back to the Flows list, click the drop-down near the Flow that was just created and click Edit Access.




Figure 45: Flows list – Parcel Details Flow

10. On the top, look for Flow User Access, then assign the available profiles and click Save.





Figure 46: Flow User Access – enabled profiles for the Parcel Details Flow

To enable agents to efficiently manage parcel operations and ensure secure access control using permission sets and AI-driven agent experiences built with Agentforce.

In the Quick Find box (left side), type **Permission Sets**.

- [illegible]

2. Click the New button.
3. Enter the following details: Label: Swift Ship; API Name: auto-fills; License: Einstein Agent.
4. Click Save.



5. Inside the Permission Set page → under Apps, click Object Settings.




Figure 49: Permission set – Object Settings

6. Search and click each object one by one, then click Edit.
7. Enable Read, Create and Edit (Delete is optional, if agents should remove records).
8. Under Field Permissions, ensure at least Visible is checked for all key fields.
9. Click Save after each object.

Parcel__c




Figure 50: Object and field permissions – Parcel__c

Delivery__c

SETUP

Permission Sets

Object Permissions

Permission Name	Enabled
Read	☒
Create	☒
Edit	☒
Delete	☐
View All Records	☐
Modify All Records	☐
View All Fields	☐

Field Permissions

Field Name	Field API Name	☐ Read Access	☐ Edit Access
Created By	CreatedById	☒	☐
Current Location	Current_Location__c	☒	☒
Delivery Name	Name	☒	☒
Estimated Delivery Date	Estimated_Delivery_Date__c	☒	☒
Last Modified By	LastModifiedById	☒	☐
Owner	OwnerId	☒	☒
Parcel	Parcel__c	☒	☒
Sender details	Sender_details__c	☒	☒

Figure 51: Object and field permissions – *Delivery__c*

Sender__c

SETUP

Permission Sets

Available

Visible

☐

☐

Object Permissions


Permission Name	Enabled
Read	☒
Create	☒
Edit	☒
Delete	☐
View All Records	☐
Modify All Records	☐
View All Fields	☐

Field Permissions

Field Name	Field API Name	☐ Read Access	☐ Edit Access
Created By	CreatedById	☒	☐
Last Modified By	LastModifiedById	☒	☐
Owner	OwnerId	☒	☒
Sender Address	Sender_Address__c	☒	☒
Sender Contact	Sender_Contact__c	☒	☒
Sender Email	Sender_Email__c	☒	☒
Sender Name	Name	☒	☒

Figure 52: Object and field permissions – Sender_c

Receiver__c



Object Permissions	
Permission Name	Enabled
Read	☒
Create	☒
Edit	☒
Delete	☐
View All Records	☐
Modify All Records	☐
View All Fields	☐


Field Permissions			
Field Name	Field API Name	☐ Read Access	☐ Edit Access
Created By	CreatedById	☒	☐
Last Modified By	LastModifiedById	☒	☐
Owner	OwnerId	☒	☒
Parcel	Parcel__c	☒	☒
Receiver's Address	Receiver_s_Address__c	☒	☒
Receiver's Contact	Receiver_s_Contact__c	☒	☒
Receivers Email	Receivers_Email__c	☒	☒
Reciever	Reciever__c	☒	☒
Reciever Name	Name	☒	☒

Figure 53: Object and field permissions – Receiver__c

Milestone 2 – Assigning Permissions to the Agent User

In the Quick Find box on the left, type Users.

1. Click Users under the Users section.
2. Open the Agent User record: from the list of users, find the Einstein Service Agent user that represents the agent and click its Full Name to open the record.



Action	Full Name	Alias	Username	Role	Active	Profile
☐ Edit	Account Customer	cacco	customeracc@gmail.com		☒	System Administrator
☐ Edit	Angelo_Marc	mange	maeco@blue.com	Manager	☒	Standard Platform User
☐ Edit	Chatter Expert	Chatter	chatty00dgs0000bea3fuar.tho0ekbb33y@chatter.salesforce.com		☒	Chatter Free User
☐ Edit	EinsteinServiceAgent User	einstein	swift_ship_tracker@00dgs0000bea3fuar		☒	Einstein Agent User
☐ Edit	EPIC_OrgAdmin	OEPIc	epic.e7cafa1acba@orgarm.salesforce.com		☒	System Administrator
☐ Edit	T.Sanjana	sl	sanju@blue.com	Software Engineer	☒	Standard Platform User
☐ Edit	Tunk_Sanjana	san	sanjanatunk526@agentforce.com		☒	System Administrator
☐ Edit	User_Integration	integ	integration@00dgs0000bea3fuar.com		☒	Analytics Cloud Integration User
☐ Edit	User_Security	sec	insightssecurity@00dgs0000bea3fuar.com		☒	Analytics Cloud Security User

Figure 54: All Users list – EinsteinServiceAgent User

3. Scroll down to the section named Permission Set Assignments.
4. Click the Edit Assignments button.

- SETUP

Permission Sets

Permission Set Assignments

EinsteinServiceAgent User

SaveCancel

Available Permission Sets

Sales Cloud User

Sales Engagement Basic User

Salesforce Apex Guru

Salesforce CMS Integration Admin

Salesforce Console User

Salesforce Scheduler Greeter

SeaS Indexing C2C User Perm

Security Center Integration User

Segment Intelligence User

Seller-Focused Sales Mobile Experience

Add

Remove

Enabled Permission Sets

Agentforce Service Agent Secure Base

Swift Ship

SaveCancel

Help for this Page



SETUP

Users

User

EinsteinServiceAgent User

[Permission Set Assignments \(3\)](#) |
 [Permission Set Assignments: Activation Required \(0\)](#) |
 [Permission Set Group Assignments \(1\)](#) |
 [Permission Set License Assignments \(2\)](#) |
 [Personal Groups \(0\)](#) |
 [Public Group Membership \(0\)](#) |
 [Queue Membership \(0\)](#)

Permission Set Assignments

Edit Assignments

Permission Set Assignments Help ?

Action	Permission Set Name	Date Assigned	Expires On
Del	Agentforce Service Agent Secure Base	9/18/2025	
Del	Swift Ship	9/18/2025	

Username	swift_ship_tracker@00dgtk0000bea3fext	Active	☒
Nickname	User17581966943216485769 	Marketing User	☐
Title		Offline User	☐
Company		Knowledge User	☐
Department		Flow User	☐
Division		Service Cloud User	☐
Address		Site.com Contributor User	☐
Time Zone	(GMT-08:00) Pacific Standard Time (America/Los_Angeles)	Site.com Publisher User	☐
Locale	English (United States)	WDC User	☐
Language	English	Mobile Push Registrations	View

Milestone 3 – Org Setup for Agentforce

49

Enable Einstein Setup

Go to Setup → Quick Find → Einstein Setup. Open Einstein Setup and click Get Started if prompted. Toggle On these key services:

- Turn On Einstein
- Global Languages
- Deploy Prompt Templates




Figure 57: Einstein Setup – Einstein, Global Languages and Deploy Prompt Templates enabled

1. Refresh your browser page.
2. Go to Setup → Quick Find → Agentforce Agents and toggle On: Agentforce and Enable Agentforce Default Agent.




Figure 58: Agentforce Agents – Agentforce and Default Agent enabled

Milestone 4 – Building the Agent

1. In Setup, search for Agentforce Agents in Quick Find.

2. Click Agentforce Agents, then click on the default Agent, then click on Open in Builder.




Figure 59: Agentforce Agents list




Figure 60: Agentforce (Default Agent) details – Open in Builder

Assign Subagents to the Agent

1. On the Subagents panel click New, then click New Subagent.




Figure 61: Agentforce Builder – creating a new subagent

2. Create a new subagent.
3. Fill in the details: “The Agent should give the parcel details related to the user, by asking for the parcel Id”.




Figure 62: Create a Subagent dialog

Adding Actions to Agentforce Assets

1. While still in Agent Builder, open the topics’ actions (Agentforce Asset Library).




Figure 63: Agentforce Asset Library – Actions

2. Click on New Agent Action.
3. For Action type, click on Flow, then Next.




Figure 64: Create an Agent Action – Flow as reference action type

4. For Reference Flow use the recently created Flow (parcel details), click Next.




Figure 65: Selecting the parcel details Flow as the reference action

5. Fill in the details for Agent Configurations.

Assign Subagent Action

1. While on the Agent Builder in Subagent, click on the Parcel Updates subagent.




Figure 66: Subagent Details – This Subagent's Actions

2. Click on the subagent's Actions, then select Add from Asset Library.
3. Select the Flow action that was created and click Finish.




Figure 67: Add Available Actions – Parcel Details

4. Click on Settings, and rename the agent to SwiftShip Tracker.




Figure 68: Parcel Details action added to the subagent

Edit Agent Details

Name:

API Name:

* Description:

958 characters remaining

Role:

Company:

☐ Keep a record of conversations with enhanced event logs to review agent behavior [Learn More](#)

☒ Conversation Recommendations in Agent Responses

Figure 69: Edit Agent Details – agent renamed to SwiftShip Tracker

5. Click Save.
6. Click on Ignore & Activate, then Activate.

Put your subagents to the test

Configuration Issues Detected

This agent's configuration has issues that could affect its behavior:

- One or more subagents overlap.
- Conflicting instructions detected.
- Data Cloud isn't enabled.

[Review Activation Checklist](#)

Figure 70: Activation dialog – configuration issues detected

Phase 4: Data Migration, Testing & Security

This phase validates the functionality and reliability of the agent created in Agent Builder. It ensures that the agent correctly recognizes topics, triggers the assigned Flow, retrieves parcel data, and performs the intended actions without access or permission issues. The goal is to confirm that the AI-driven agent operates seamlessly within Salesforce and provides accurate responses to parcel management queries.

Verify Agent

Go to Setup → Agentforce Agents. Open the Agents list and confirm that the SwiftShip Tracker agent appears.




Figure 71: Agentforce Agents list showing the active SwiftShip Tracker agent

Validate Assigned Topic

In Agent Builder → Subagent, confirm that the subagent you created (Parcel Details Inquiry) is listed. Open the topic to verify:

- It contains a description related to parcel management.
- The Action / Flow (Parcel Details) is linked to this subagent.

Click Save and ensure the subagent is active.




Figure 72: Subagent configuration – Parcel Details Inquiry




Figure 73: Subagent's assigned action – Parcel Details

Check the Flow Association

Go to Setup → Flows and locate the Parcel Details Flow. Confirm that:

- The Flow is Activated.

- The Flow includes elements that handle the Parcel ID input, parcel details retrieval, and the prompt response output.

Open the Flow's Advanced Settings and ensure Run in System Context (Without Sharing) if data access is restricted.




Figure 74: Parcel Details Flow – Start, Get Records, Action, Assignment, End

Activate and Test the Agent

1. Return to Setup → Agentforce Agents → Agent Builder → SwiftShip Tracker.
2. Click Activate (if not already activated).
3. Once active, test using Conversation Preview by typing a query such as “Can I get my parcel details” and then providing the parcel ID.
4. Observe the agent’s response.




Figure 75: Agent conversation preview – parcel details returned for a Parcel ID

Validate Data in Salesforce

After the agent runs the Flow, go to App Launcher → the Parcel Tracker app and open the object tabs (Parcels, Senders, Receivers). Search for the record used during testing and verify that the record details match the information returned by the agent.




Figure 76: Receiver record in the Parcel Tracker Lightning app

Phase 5: Deployment, Documentation & Maintenance

- In the scope of the Swift Ship Tracker (Agentforce) project implementation, the purpose of this phase is to validate that the agent, created using Salesforce Agent Builder, works as intended within the Salesforce Developer Org environment.
- The main goal is to understand how an AI-powered service agent can be tested to ensure correct topic recognition, Flow execution, and data retrieval from Salesforce custom objects.
- Testing is conducted within the Developer Org to simulate how the agent would perform in a live setup, ensuring that permissions, Flows, and interactions function correctly before any deployment stage.
- Real-world production testing (UAT or sandbox deployment) is not performed in this project because:
 - Developer Edition orgs are standalone environments and do not support production-linked testing environments.
 - Enterprise-level Agentforce deployment involves sandbox testing, staging environments, and CI/CD automation, which are outside the scope of this academic/prototype implementation.

Maintenance, Monitoring & Troubleshooting

In the Swift Ship Tracker (Agentforce) project, ongoing maintenance ensures that Parcel, Sender, Receiver and Delivery data remain accurate, synchronized, and up to date. Regular monitoring helps detect issues such as misrouted agent queries, failed Flow executions, or performance delays in Agentforce responses. Troubleshooting activities include resolving configuration errors, updating Flow logic, refining agent topics, and improving prompts to enhance user interactions.

Although this project is implemented within a Salesforce Developer Org for learning purposes, in real-world enterprise deployments, these maintenance and monitoring practices are essential. They ensure that AI-powered service agents remain reliable, scalable, and continuously aligned with evolving customer service operations and business goals.

7. FUNCTIONAL & PERFORMANCE TESTING

Testing was carried out in the Salesforce Developer Org using the screenshots captured during implementation. The screenshots validate object and field creation, tab creation, the Prompt Builder template, the Parcel Details Flow, the Swift Ship permission set, and the Agentforce agent that returns parcel details through a conversation. Each feature listed below was verified against the corresponding figure in Chapter 6.

7.1 Test Cases

TC ID	Test Scenario	Expected Result	Status	Evidence
TC-01	Create custom objects	Parcel, Delivery, Sender and Receiver objects are created and deployed with reports, search and field history enabled	Pass	Figures 13, 15, 17, 33
TC-02	Create object tabs	Custom object tabs are available for Parcel, Delivery, Sender and Receiver	Pass	Figure 21
TC-03	Create fields and relationships	Parcel ID, Status, Weight, Estimated Delivery, Current Location, address, contact and e-mail fields and the Sender / Parcel lookups are created	Pass	Figures 24, 27, 30, 33
TC-04	Preview Prompt Builder template	Retrieve Parcel Details resolves the prompt for a Parcel record and generates the Parcel Tracking Update	Pass	Figure 37
TC-05	Verify Parcel Details Flow	Flow is active and runs Get Records → Action → Assignment → End	Pass	Figures 45, 74
TC-06	Assign permission set to agent user	Swift Ship permission set is listed in the agent user's assignments	Pass	Figure 56
TC-07	Verify agent, subagent and action	SwiftShip Tracker agent is active; Parcel Details Inquiry subagent is linked to the Parcel Details action	Pass	Figures 71, 72, 73
TC-08	Track a parcel through the agent	Agent asks for the Parcel ID and returns Parcel ID, Status and Weight for that parcel	Pass	Figure 75
TC-09	Validate data in Salesforce	Record details in the Parcel Tracker app match the information used by the agent	Pass	Figure 76

7.2 Results

In the conversation preview the agent first asked for the Parcel ID; after the user entered P-123 it returned a Parcel Tracking Update showing Parcel ID P-123, Status Booked and Weight 10 (Figure 75). The reasoning trace shows the Parcel Details topic being selected in

0.22 seconds and the action being selected in 0.38 seconds. The prompt preview (Figure 37) returned the same set of fields together with the Estimated Delivery Date. All test cases passed within the Developer Org.

7.3 Implementation Status

The table below separates the components that are demonstrated by the implementation screenshots from those that are part of the planned design and future scope.

Component	Details	Status
Custom objects	Parcel, Delivery, Sender, Receiver with tabs, fields and lookup relationships	Implemented
Lightning app	Parcel Tracker app with object tabs	Implemented
Prompt Builder	Retrieve Parcel Details (Record Summary template on Parcel)	Implemented
Flow	Parcel Details auto-launched Flow (input ids, output)	Implemented
Permission set	Swift Ship (Read, Create, Edit on the four objects)	Implemented
Agentforce	SwiftShip Tracker agent, Parcel Details Inquiry subagent, Parcel Details action	Implemented
Automation	Record-triggered and scheduled Flows, Approval Processes	Planned
Apex	Apex classes and Batch Apex	Planned
Notifications	Email Alerts and Email Templates	Planned
Customer access	Experience Cloud site	Planned
Analytics	Reports and Dashboards	Planned
Security model	Profiles, Role Hierarchy, Sharing Rules	Planned

8. ADVANTAGES & DISADVANTAGES

Advantages

- Centralized parcel and customer information in Salesforce.
- Provides better visibility into parcel booking and delivery tracking.
- Automates key logistics processes using Salesforce Flow.
- Agentforce enables conversational customer support and parcel-status assistance.
- Prompt Builder supports AI-powered responses and self-service.
- Reduces manual effort for customers, support teams, and administrators.
- Provides timely notifications and updates during the delivery process.
- Experience Cloud can provide customers with convenient access to tracking information.
- Supports integration with external logistics systems.
- Can scale to support multiple locations and growing parcel operations.

Disadvantages / Limitations

- Requires accurate and up-to-date parcel and customer data.
- Dependence on Salesforce configuration and automation.
- Agentforce responses depend on properly configured prompts and available data.
- External logistics integrations may increase implementation complexity.
- Flow and automation logic require regular maintenance when business processes change.
- Users need appropriate Salesforce or Experience Cloud access to use the system.
- Initial Salesforce implementation and configuration can require significant effort.
- Expanding the system to additional locations or integrations may require further customization.
- The prototype is built and tested only in a Developer Edition org; sandbox, UAT and CI/CD deployment are not performed.

9. CONCLUSION

The Swift Ship Tracker demonstrates how Salesforce can be used to build a centralized parcel management and tracking solution. The implemented prototype consists of the Parcel, Delivery, Sender and Receiver custom objects with tabs, fields and lookup relationships, a Prompt Builder template, an auto-launched Flow, the Swift Ship permission set, and an Agentforce agent. Apex, Email Alerts, Experience Cloud, reporting and the wider security model are part of the planned design and future scope.

The integration of Agentforce AI with Prompt Builder and Salesforce Flow provides a conversational approach to parcel tracking, enabling customers to obtain shipment information without depending entirely on manual support. The project therefore provides a practical foundation for a scalable and user-friendly parcel management solution.

10. FUTURE SCOPE

- Extend Agentforce capabilities for more parcel-management queries.
- Enhance real-time delivery tracking.
- Expand customer self-service through Experience Cloud.
- Add more advanced delivery-performance analytics, reports and dashboards.
- Integrate additional external logistics systems.
- Improve AI prompts and conversational experiences.
- Introduce enterprise-level sandbox and CI/CD deployment.
- Expand automation for additional parcel operations, including record-triggered Flows, Apex, Batch Apex and Email Alerts.

Continuous monitoring, prompt refinement, Flow improvement, and AI-agent scalability are the main areas for future enhancement.

11. APPENDIX

- **A. Custom Objects:** Parcel, Delivery, Sender, Receiver
- **B. Standard Objects (planned):** Account, Contact, Case, Task, EmailMessage, User
- **C. Automation:** Flows (implemented); Approval Processes, Email Alerts (planned)
- **D. Apex (planned):** Apex Classes, Batch Apex
- **E. AI:** Agentforce AI, Prompt Builder
- **F. UI:** Lightning App (implemented); Lightning Record Pages, Experience Cloud (planned)
- **G. Security:** Permission Sets, Field Permissions (implemented); Profiles, Roles, Sharing Rules (planned)
- **H. Analytics (planned):** Reports & Dashboards
- **I. Testing:** Flow, Agentforce, data retrieval, security and permission validation

12. REFERENCES

1. Salesforce Developer Edition sign-up: <https://developer.salesforce.com/signup>
2. Salesforce Help and Documentation: <https://help.salesforce.com>
3. Salesforce Trailhead: <https://trailhead.salesforce.com>

Thank You