



1_splash



2_dashboard_en



3_dashboard_kn



4_pretest

3:17

⊖ 📶 🔋 72%

←

Suicide Prevention Assessment

Suicide Prevention Assessment

Question 5 of 30

GENERAL KNOWLEDGE

What is the most common method of suicide globally?

a

Firearms

b

Pesticide poisoning


c

Drug overdose

d

Hanging

5_emergency



**DIMHANS DHARWAD**
Primary Mental Health Support

**Helpline Number**
14416

**Office Phone**
0836-2440202

**Address**
Dharwad Institute of Mental Health and Neurosciences
(DIMHANS), Belgaum Road, Dharwad-580008



24/7 Support Available

We're here to listen, anytime you need.

Quick Actions



Call Helpline



Call Office



Open in Maps



Important Notice

6_case_scenario_1

3:17

⊖   71%

←

Case Scenarios

↻



Learn through Cases
Interactive case-based learning scenarios

1/15



12 Warning Signs of Suicide
Learn to recognize the critical signs

>



The Silent Cry for Help
Completed

>

2

The Withdrawn Patient
Not Started

>

3

The Distressed Healthcare Worker
Not Started

>

4

The Elderly Man Who Has 'Lost Purpose'
Not Started

>

5

The Young Man with Alcohol Dependence
Not Started

>

6_case_scenario_2

3:17

71%



The Distressed Healthcare Worker

1/2



Context

A 30-year-old psychiatric nurse is distressed after a patient's suicide. She says, 'Maybe I should have been the one instead.'



Question

How should you respond to her statement?




Validate her emotions and ask if she is feeling suicidal.



Assume she is just venting and change the topic.

✓ Submit

7_1_training



7_rpsid_assessment_1

3:18

⊖   71%

<

RPSID Assessment





Risk Factors



Protective



Inquiry



Intervention



Documentation



Risk Factors Assessment

Identify demographic and clinical risk factors



Patient Information

Age:21

Gender:Male

Occupation:developer

Demographics

Marital Status

Socioeconomic Status

Religion

Clinical Risk Factors

Continue

7_rpsid_assessment_2

3:18

71%



RPSID Assessment



Risk Factors



Protective



Inquiry



Intervention



Documentation



Protective Factors

Identify factors that reduce suicide risk



Internal Protective Factors

Coping Skills



Religious Beliefs



Frustration Tolerance



Sense of Responsibility



Optimism



Problem Solving Skills



Back

Continue

7_rpsid_assessment_3

3:19

71%



RPSID Assessment



Risk Factors



Protective



Inquiry



Intervention



Documentation



Suicide Inquiry

Assess ideation, plan, behaviors, and intent



Ideation Assessment

Suicidal Ideation Present



Ideation Frequency



Ideation Intensity



Ideation Duration



Plan Assessment

Has Specific Plan



Back

Continue

7_rpsid_assesment_4

3:19

⊖   71%

<

RPSID Assessment





Risk Factors



Protective



Inquiry



Intervention



Documentation



Risk Assessment & Intervention

Review findings and recommended actions



RISK LEVEL

LOW

Standard care protocols

Assessment Summary

Suicidal Ideation	 Present
Specific Plan	No
Intent to Act	Not assessed
Past Attempts	No
Rehearsal Behaviors	Absent

Back

Continue

7_rpsid_assessment_5

3:19

71%



RPSID Assessment



Risk Factors



Protective



Inquiry



Intervention



Documentation

Behaviors:

Risk Assessment Summary

Modifiable risk factors, strong protective factors

Clinical Summary

Thoughts of death, no plan, intent, or behaviour

Recommended Interventions

- Outpatient referral
- Symptom reduction
- Give emergency/crisis numbers
- Encouraging participation in social support groups




Download Assessment Report

Back

Submit Assessment

7_training_video



8_daily_check_in

3:19

⊖ 📶 🔋 71%

←

Daily Check-in



How are you feeling today?

Rate your overall mood on a scale of 1-10

1

2

3

4

5

6

7

8

9


10


Very Poor


Okay


Excellent

9_progress



10_login

3:16

⊖   72%

←

Login

Login as:

☒ Trainee

☐ Trainer

 Email

 Password

Login as Trainee

Don't have an account? [Register here](#)

10_register

3:16

⊖   72%

←

Register

Create Account

Register as:

☐ Trainee

☐ Trainer

 Full Name

 Age

Gender

☐ Male

☐ Female

☐ Other

 Occupation

 Work Experience (years)

Previous Training in Suicide Prevention

☐ Yes

☐ No

 Email