




# REPORTE DE CALIDAD

INDUSTRIAL TAMTO DE PUEBLA S.A. DE C.V.

6/1/2026, 21:13:12



PARTE  
**HexCap**

MÁQUINA  
**OMNI 1**

MUESTRAS  
**30**

NÚMERO  
**5489333s**

INSPECTOR  
**Luis Vega**

TRAZABILIDAD  
**WO15899-00**

REVISIÓN  
**a**

PROVEEDOR  
**NA**

UNIDADES  
**millimeters**

CLIENTE  
**Solero**

LOTE  
**350**

TIPO  
**Inspection**


#	TIPO	CARACT.	MÍN.	NOMINAL	MÁX.	CRIT. OK	CRIT. NOK	HERR.	ID	OBS.	M1	M2	M3	M4	M5	M6	M7	M8	M9	M10
1	VAR	Dim 1	9.709	10.209	10.709			Caliper	T-7		10.248	9.890	11.136	9.952	9.987	10.428	9.644	10.458	9.969	10.178
2	VAR	Dim 2	13.596	14.096	14.596			Caliper	T-34		14.362	13.939	13.716	14.297	13.635	13.634	13.600	14.446	14.594	13.321
3	VAR	Dim 3	11.865	12.365	12.865			Caliper	T-50		12.479	11.915	12.476	12.793	12.429	12.049	12.365	12.460	12.829	12.120
4	VAR	Dim 4	11.499	11.999	12.499			Caliper	T-97		12.378	11.884	11.844	12.453	11.610	12.296	12.442	11.603	12.064	11.918
5	VAR	Dim 5	9.552	10.052	10.552			Caliper	T-5		10.390	10.094	10.166	10.141	10.705	10.533	9.829	9.785	10.954	10.052
6	VAR	Dim 6	10.603	11.103	11.603			Caliper	T-17		10.817	10.888	11.110	10.603	11.504	11.239	11.199	10.900	10.987	12.012
7	VAR	Dim 7	13.431	13.931	14.431			Caliper	T-17		13.827	14.347	14.115	14.389	14.151	13.860	14.359	13.462	13.541	14.045
8	VAR	Dim 8	11.639	12.139	12.639			Caliper	T-98		12.681	12.490	11.866	12.359	12.597	11.699	12.256	11.997	12.071	12.293
9	VAR	Dim 9	14.355	14.855	15.355			Caliper	T-51		14.191	14.490	14.958	15.022	14.797	14.535	14.357	14.678	15.265	14.684
10	VAR	Dim 10	10.95	11.45	11.95			Caliper	T-68		11.596	10.803	11.815	11.206	11.851	12.151	11.370	11.440	11.382	12.310
11	VAR	Dim 11	9.859	10.359	10.859			Caliper	T-0		10.061	10.538	10.738	10.553	10.244	10.128	10.514	10.148	10.090	10.809
12	VAR	Dim 12	10.746	11.246	11.746			Caliper	T-72		11.424	12.170	11.056	10.874	11.135	11.330	11.643	10.967	10.336	11.627
13	VAR	Dim 13	10.842	11.342	11.842			Caliper	T-63		11.136	11.088	11.201	11.579	11.031	11.169	11.300	10.480	11.469	11.077
14	VAR	Dim 14	10.608	11.108	11.608			Caliper	T-43		10.954	11.085	11.256	10.861	10.961	11.308	11.429	11.482	11.014	11.039
15	VAR	Dim 15	12	12.5	13			Caliper	T-4		12.031	12.006	12.013	12.052	12.739	12.348	12.470	12.604	12.395	12.475
16	VAR	Dim 16	11.147	11.647	12.147			Caliper	T-25		11.506	11.238	11.288	11.790	11.685	11.770	12.067	11.760	10.964	11.252
17	VAR	Dim 17	12.395	12.895	13.395			Caliper	T-27		12.425	13.158	13.105	12.703	13.005	13.058	12.530	13.335	13.139	12.045
18	VAR	Dim 18	10.053	10.553	11.053			Caliper	T-69		10.867	10.253	10.223	10.177	10.219	10.380	10.359	10.345	11.297	10.833
19	VAR	Dim 19	14.246	14.746	15.246			Caliper	T-11		14.742	15.207	14.886	15.011	15.228	14.827	15.235	15.032	15.043	14.889
20	VAR	Dim 20	10.257	10.757	11.257			Caliper	T-26		11.244	11.351	11.037	11.424	11.536	11.211	10.544	11.150	10.559	10.518
21	VAR	Dim 21	12.348	12.848	13.348			Caliper	T-53		12.623	12.579	12.979	13.019	12.694	13.037	13.608	13.060	13.053	13.137
22	VAR	Dim 22	13.512	14.012	14.512			Caliper	T-70		13.608	14.278	13.732	14.154	14.384	13.709	14.877	13.128	14.405	14.572
23	VAR	Dim 23	11.808	12.308	12.808			Caliper	T-38		11.698	12.703	12.695	12.495	12.007	11.998	12.001	11.927	13.188	12.721
24	VAR	Dim 24	9.837	10.337	10.837			Caliper	T-48		10.387	10.819	9.929	10.588	9.919	10.531	10.265	9.938	10.078	9.908
25	VAR	Dim 25	10.671	11.171	11.671			Caliper	T-10		11.284	11.144	11.478	11.543	11.175	11.434	11.669	12.019	11.285	11.267



# REPORTE DE CALIDAD

INDUSTRIAL TAMTO DE PUEBLA S.A. DE C.V.

6/1/2026, 21:13:12



PARTE  
**HexCap**

MÁQUINA  
**OMNI 1**

MUESTRAS  
**30**

NÚMERO  
**5489333s**

INSPECTOR  
**Luis Vega**

TRAZABILIDAD  
**WO15899-00**

REVISIÓN  
**a**

PROVEEDOR  
**NA**

UNIDADES  
**millimeters**

CLIENTE  
**Solero**

LOTE  
**350**

TIPO  
**Inspection**


#	TIPO	CARACT.	MÍN.	NOMINAL	MÁX.	CRIT. OK	CRIT. NOK	HERR.	ID	OBS.	M1	M2	M3	M4	M5	M6	M7	M8	M9	M10
26	VAR	Dim 26	10.565	11.065	11.565			Caliper	T-91		10.581	11.379	10.789	10.581	10.930	10.947	11.280	10.930	11.008	10.601
27	VAR	Dim 27	10.791	11.291	11.791			Caliper	T-68		10.848	11.039	10.925	10.837	11.380	11.192	10.804	11.740	11.623	11.606
28	VAR	Dim 28	9.827	10.327	10.827			Caliper	T-57		10.162	9.851	10.436	10.760	10.788	9.603	10.302	9.959	10.360	10.668
29	VAR	Dim 29	13.094	13.594	14.094			Caliper	T-54		14.268	13.721	14.031	13.301	13.604	13.725	13.525	13.397	13.746	13.159
30	VAR	Dim 30	12.998	13.498	13.998			Caliper	T-77		12.573	13.021	13.685	13.624	13.961	13.034	12.650	13.396	13.067	12.928
31	VAR	Dim 31	13.847	14.347	14.847			Caliper	T-36		14.243	14.696	14.785	13.905	14.461	13.970	14.736	14.282	14.083	14.795
32	VAR	Dim 32	11.782	12.282	12.782			Caliper	T-76		12.554	12.510	11.954	12.690	12.513	12.749	12.224	11.658	12.229	12.668
33	VAR	Dim 33	12.85	13.35	13.85			Caliper	T-22		13.007	13.541	12.488	12.481	13.581	13.343	13.257	14.288	13.156	14.036
34	VAR	Dim 34	11.888	12.388	12.888			Caliper	T-62		12.082	12.663	12.237	12.736	12.274	11.924	11.876	12.726	12.326	12.631
35	VAR	Dim 35	13.874	14.374	14.874			Caliper	T-91		14.338	13.595	13.617	14.677	14.549	14.723	14.068	13.999	14.690	13.546
36	VAR	Dim 36	12.059	12.559	13.059			Caliper	T-31		12.356	12.066	12.283	12.547	13.460	12.701	12.426	12.295	13.471	12.783
37	VAR	Dim 37	10.025	10.525	11.025			Caliper	T-40		10.708	11.037	10.830	10.228	10.133	10.433	10.994	10.477	10.782	10.686
38	VAR	Dim 38	9.821	10.321	10.821			Caliper	T-14		9.336	10.392	10.576	10.281	9.942	10.832	10.777	10.406	10.549	9.393
39	VAR	Dim 39	11.434	11.934	12.434			Caliper	T-10		11.680	11.921	11.757	11.573	11.511	11.649	12.783	11.923	12.119	12.250
40	VAR	Dim 40	14.378	14.878	15.378			Caliper	T-26		14.542	15.198	15.310	14.435	14.588	15.219	14.789	14.563	15.181	15.093
41	VAR	Dim 41	11.727	12.227	12.727			Caliper	T-89		12.192	12.374	11.827	12.125	12.323	12.462	11.361	12.102	12.704	12.657
42	VAR	Dim 42	13.648	14.148	14.648			Caliper	T-50		14.319	14.303	13.759	14.000	14.149	13.763	13.949	14.116	13.463	13.686
43	VAR	Dim 43	13.62	14.12	14.62			Caliper	T-72		14.557	14.022	14.295	14.185	14.282	13.658	14.154	14.485	14.264	14.347
44	VAR	Dim 44	10.753	11.253	11.753			Caliper	T-67		11.130	10.877	11.193	10.767	10.560	11.191	11.193	11.426	10.841	10.871
45	VAR	Dim 45	12.8	13.3	13.8			Caliper	T-68		13.140	13.910	13.076	13.288	13.635	12.352	12.851	13.680	12.704	13.402
46	VAR	Dim 46	14.254	14.754	15.254			Caliper	T-61		14.916	14.254	14.485	14.388	14.707	14.578	15.180	15.056	14.331	14.329
47	VAR	Dim 47	14.263	14.763	15.263			Caliper	T-54		14.688	13.840	14.618	15.207	14.849	14.378	14.740	15.150	14.311	14.199
48	VAR	Dim 48	14.129	14.629	15.129			Caliper	T-62		14.257	14.961	15.016	15.073	14.585	15.118	14.389	14.676	14.443	14.174
49	VAR	Dim 49	11.029	11.529	12.029			Caliper	T-16		11.475	11.073	11.296	11.367	11.862	11.632	11.706	11.390	11.055	11.596
50	VAR	Dim 50	10.32	10.82	11.32			Caliper	T-38		10.360	10.429	11.263	10.555	11.377	11.159	10.217	11.221	10.467	10.375



# REPORTE DE CALIDAD

INDUSTRIAL TAMTO DE PUEBLA S.A. DE C.V.

6/1/2026, 21:13:12



PARTE  
**HexCap**

MÁQUINA  
**OMNI 1**

MUESTRAS  
**30**

NÚMERO  
**5489333s**

INSPECTOR  
**Luis Vega**

TRAZABILIDAD  
**WO15899-00**

REVISIÓN  
**a**

PROVEEDOR  
**NA**

UNIDADES  
**millimeters**

CLIENTE  
**Solero**

LOTE  
**350**

TIPO  
**Inspection**


#	TIPO	CARACT.	MÍN.	NOMINAL	MÁX.	CRIT. OK	CRIT. NOK	HERR.	ID	OBS.	M11	M12	M13	M14	M15	M16	M17	M18	M19	M20
1	VAR	Dim 1	9.709	10.209	10.709			Caliper	T-7		10.054	10.139	10.254	9.977	10.034	9.867	10.692	10.560	10.248	9.768
2	VAR	Dim 2	13.596	14.096	14.596			Caliper	T-34		14.112	14.669	13.709	14.166	14.039	14.190	14.254	13.605	14.394	14.295
3	VAR	Dim 3	11.865	12.365	12.865			Caliper	T-50		12.425	11.753	12.380	12.019	11.958	12.051	11.994	12.344	12.076	12.244
4	VAR	Dim 4	11.499	11.999	12.499			Caliper	T-97		11.763	12.411	12.237	11.858	12.361	12.262	12.083	11.554	12.073	12.277
5	VAR	Dim 5	9.552	10.052	10.552			Caliper	T-5		9.642	9.820	10.200	10.078	9.773	10.454	10.517	10.967	10.411	10.494
6	VAR	Dim 6	10.603	11.103	11.603			Caliper	T-17		11.335	11.325	10.210	11.460	11.046	10.798	11.181	10.707	11.572	11.016
7	VAR	Dim 7	13.431	13.931	14.431			Caliper	T-17		13.872	13.594	14.046	14.133	13.379	13.999	13.974	13.779	14.110	14.127
8	VAR	Dim 8	11.639	12.139	12.639			Caliper	T-98		11.988	12.115	12.865	12.170	12.526	11.816	12.319	12.334	11.755	12.601
9	VAR	Dim 9	14.355	14.855	15.355			Caliper	T-51		13.948	14.863	15.018	15.351	15.273	15.354	14.992	15.102	15.170	15.029
10	VAR	Dim 10	10.95	11.45	11.95			Caliper	T-68		10.982	12.142	11.858	11.764	11.130	11.229	11.328	11.943	11.116	11.707
11	VAR	Dim 11	9.859	10.359	10.859			Caliper	T-0		10.848	10.218	10.220	10.907	10.612	10.180	10.501	10.814	10.243	10.648
12	VAR	Dim 12	10.746	11.246	11.746			Caliper	T-72		11.152	11.446	11.666	11.269	11.998	11.944	11.690	11.161	11.579	10.934
13	VAR	Dim 13	10.842	11.342	11.842			Caliper	T-63		11.529	11.716	11.303	11.130	11.758	10.885	11.378	11.567	11.327	10.847
14	VAR	Dim 14	10.608	11.108	11.608			Caliper	T-43		10.897	10.702	11.087	10.864	11.115	10.780	10.968	10.353	11.078	10.787
15	VAR	Dim 15	12	12.5	13			Caliper	T-4		12.739	12.422	12.861	12.290	12.926	12.856	12.382	12.726	12.595	12.878
16	VAR	Dim 16	11.147	11.647	12.147			Caliper	T-25		11.561	12.050	11.813	11.179	11.535	11.982	11.884	12.585	11.503	11.257
17	VAR	Dim 17	12.395	12.895	13.395			Caliper	T-27		13.089	12.521	12.410	13.097	12.975	12.905	13.131	13.350	12.586	12.710
18	VAR	Dim 18	10.053	10.553	11.053			Caliper	T-69		9.876	10.853	10.369	9.624	10.661	10.924	9.914	10.901	10.165	10.851
19	VAR	Dim 19	14.246	14.746	15.246			Caliper	T-11		14.744	14.490	15.071	15.071	14.729	14.881	14.143	14.414	14.290	14.937
20	VAR	Dim 20	10.257	10.757	11.257			Caliper	T-26		10.722	10.778	10.744	11.111	10.626	11.213	10.725	11.128	10.653	11.213
21	VAR	Dim 21	12.348	12.848	13.348			Caliper	T-53		11.980	12.592	12.731	12.710	13.000	12.709	12.934	13.422	12.931	13.170
22	VAR	Dim 22	13.512	14.012	14.512			Caliper	T-70		14.430	14.115	14.272	13.856	13.555	13.940	13.531	13.677	14.131	13.850
23	VAR	Dim 23	11.808	12.308	12.808			Caliper	T-38		11.496	12.251	12.090	12.514	12.703	12.722	12.487	12.322	12.210	12.593
24	VAR	Dim 24	9.837	10.337	10.837			Caliper	T-48		10.053	10.068	10.271	10.309	10.798	10.539	10.006	10.670	10.044	9.876
25	VAR	Dim 25	10.671	11.171	11.671			Caliper	T-10		10.757	11.607	11.543	10.426	11.409	10.734	11.203	11.817	10.719	10.425



# REPORTE DE CALIDAD

INDUSTRIAL TAMTO DE PUEBLA S.A. DE C.V.

6/1/2026, 21:13:12



PARTE  
**HexCap**

MÁQUINA  
**OMNI 1**

MUESTRAS  
**30**

NÚMERO  
**5489333s**

INSPECTOR  
**Luis Vega**

TRAZABILIDAD  
**WO15899-00**

REVISIÓN  
**a**

PROVEEDOR  
**NA**

UNIDADES  
**millimeters**

CLIENTE  
**Solero**

LOTE  
**350**

TIPO  
**Inspection**

#	TIPO	CARACT.	MÍN.	NOMINAL	MÁX.	CRIT. OK	CRIT. NOK	HERR.	ID	OBS.	M11	M12	M13	M14	M15	M16	M17	M18	M19	M20
26	VAR	Dim 26	10.565	11.065	11.565			Caliper	T-91		11.378	11.780	11.406	12.026	11.309	11.033	10.690	10.872	10.954	10.331
27	VAR	Dim 27	10.791	11.291	11.791			Caliper	T-68		10.957	11.519	11.171	11.549	11.578	11.643	10.444	11.224	11.468	11.136
28	VAR	Dim 28	9.827	10.327	10.827			Caliper	T-57		10.693	10.611	11.147	10.689	9.968	10.007	10.798	10.099	10.223	10.812
29	VAR	Dim 29	13.094	13.594	14.094			Caliper	T-54		14.404	14.285	13.338	13.634	13.413	13.847	13.656	13.974	13.418	13.264
30	VAR	Dim 30	12.998	13.498	13.998			Caliper	T-77		13.054	13.128	13.466	13.566	13.725	13.517	14.235	12.597	13.845	13.948
31	VAR	Dim 31	13.847	14.347	14.847			Caliper	T-36		14.338	14.546	14.176	14.747	14.525	14.117	15.161	13.727	14.040	14.871
32	VAR	Dim 32	11.782	12.282	12.782			Caliper	T-76		12.216	12.106	12.094	11.773	11.718	11.946	12.088	11.907	13.268	12.071
33	VAR	Dim 33	12.85	13.35	13.85			Caliper	T-22		12.880	12.906	13.814	13.339	13.636	13.358	12.719	13.704	13.448	13.317
34	VAR	Dim 34	11.888	12.388	12.888			Caliper	T-62		12.727	12.723	11.982	12.534	11.624	12.689	12.828	11.912	12.174	12.576
35	VAR	Dim 35	13.874	14.374	14.874			Caliper	T-91		13.924	14.424	14.099	13.880	14.380	14.492	13.918	14.535	13.671	14.251
36	VAR	Dim 36	12.059	12.559	13.059			Caliper	T-31		12.549	12.434	12.489	12.886	12.303	12.874	12.126	12.213	12.305	12.560
37	VAR	Dim 37	10.025	10.525	11.025			Caliper	T-40		10.572	10.418	10.816	10.779	10.417	11.395	10.723	11.023	10.704	10.610
38	VAR	Dim 38	9.821	10.321	10.821			Caliper	T-14		10.054	10.804	10.244	10.192	10.233	9.987	10.197	10.645	10.243	9.857
39	VAR	Dim 39	11.434	11.934	12.434			Caliper	T-10		11.593	11.502	11.935	12.390	11.709	11.107	11.771	12.286	11.739	12.278
40	VAR	Dim 40	14.378	14.878	15.378			Caliper	T-26		15.318	14.827	14.783	14.998	14.651	15.116	14.994	15.170	15.280	14.732
41	VAR	Dim 41	11.727	12.227	12.727			Caliper	T-89		11.932	11.722	12.108	11.418	12.224	11.872	11.824	12.127	11.996	11.856
42	VAR	Dim 42	13.648	14.148	14.648			Caliper	T-50		14.209	13.744	14.650	13.866	14.543	13.913	14.301	14.353	13.938	13.808
43	VAR	Dim 43	13.62	14.12	14.62			Caliper	T-72		14.407	14.618	14.108	13.825	14.250	13.234	13.687	14.035	13.935	14.311
44	VAR	Dim 44	10.753	11.253	11.753			Caliper	T-67		11.468	11.262	10.441	11.742	11.084	11.380	11.488	10.883	11.384	11.155
45	VAR	Dim 45	12.8	13.3	13.8			Caliper	T-68		13.755	12.945	12.900	13.532	13.292	13.338	13.282	13.134	13.413	13.310
46	VAR	Dim 46	14.254	14.754	15.254			Caliper	T-61		14.475	14.473	14.962	15.154	15.195	14.946	14.843	14.473	14.822	14.727
47	VAR	Dim 47	14.263	14.763	15.263			Caliper	T-54		14.861	14.427	14.667	14.866	14.580	14.647	14.822	14.662	15.651	15.166
48	VAR	Dim 48	14.129	14.629	15.129			Caliper	T-62		14.540	14.368	14.602	14.597	14.566	14.820	15.352	14.264	14.642	15.061
49	VAR	Dim 49	11.029	11.529	12.029			Caliper	T-16		11.476	10.907	11.764	11.469	11.512	11.543	11.185	11.355	12.163	11.522
50	VAR	Dim 50	10.32	10.82	11.32			Caliper	T-38		11.308	10.755	10.532	10.567	10.613	11.157	11.242	11.107	10.929	10.523



# REPORTE DE CALIDAD

INDUSTRIAL TAMTO DE PUEBLA S.A. DE C.V.

6/1/2026, 21:13:12



PARTE  
HexCap

NÚMERO  
5489333s

REVISIÓN  
a

CLIENTE  
Solero

MÁQUINA  
OMNI 1

INSPECTOR  
Luis Vega

PROVEEDOR  
NA

LOTE  
350

MUESTRAS  
30

TRAZABILIDAD  
WO15899-00

UNIDADES  
millimeters

TIPO  
Inspection


#	TIPO	CARACT.	MÍN.	NOMINAL	MÁX.	CRIT. OK	CRIT. NOK	HERR.	ID	OBS.	M21	M22	M23	M24	M25	M26	M27	M28	M29	M30
1	VAR	Dim 1	9.709	10.209	10.709			Caliper	T-7		10.020	10.181	10.657	9.957	10.397	10.046	10.277	10.018	9.973	10.544
2	VAR	Dim 2	13.596	14.096	14.596			Caliper	T-34		14.170	14.471	13.699	14.244	13.865	14.521	14.545	13.898	14.174	14.592
3	VAR	Dim 3	11.865	12.365	12.865			Caliper	T-50		12.680	12.526	12.189	12.722	11.996	11.867	11.915	12.071	13.227	12.653
4	VAR	Dim 4	11.499	11.999	12.499			Caliper	T-97		11.605	12.095	11.779	12.248	12.707	12.349	12.475	11.826	11.643	11.862
5	VAR	Dim 5	9.552	10.052	10.552			Caliper	T-5		10.014	9.687	10.447	10.465	10.328	10.488	9.695	10.466	10.264	10.309
6	VAR	Dim 6	10.603	11.103	11.603			Caliper	T-17		10.742	10.416	11.212	10.911	10.958	10.811	11.315	10.869	10.985	10.730
7	VAR	Dim 7	13.431	13.931	14.431			Caliper	T-17		14.369	14.112	13.855	14.406	14.132	14.057	13.852	13.518	13.917	12.972
8	VAR	Dim 8	11.639	12.139	12.639			Caliper	T-98		11.961	12.556	12.101	11.964	11.756	11.681	12.397	11.699	11.946	12.165
9	VAR	Dim 9	14.355	14.855	15.355			Caliper	T-51		15.127	14.995	14.571	14.775	14.842	14.581	14.980	15.197	14.408	14.712
10	VAR	Dim 10	10.95	11.45	11.95			Caliper	T-68		11.337	12.011	11.415	11.152	11.851	11.171	11.749	11.754	11.126	11.287
11	VAR	Dim 11	9.859	10.359	10.859			Caliper	T-0		10.413	10.630	10.859	9.860	10.764	10.372	11.033	10.628	10.207	10.004
12	VAR	Dim 12	10.746	11.246	11.746			Caliper	T-72		10.801	10.755	11.562	11.686	11.304	11.147	11.292	11.521	11.503	11.444
13	VAR	Dim 13	10.842	11.342	11.842			Caliper	T-63		11.735	11.315	11.015	11.800	11.628	10.854	12.072	11.251	11.842	10.808
14	VAR	Dim 14	10.608	11.108	11.608			Caliper	T-43		11.105	11.447	11.506	11.315	10.795	10.860	10.960	11.421	11.172	10.707
15	VAR	Dim 15	12	12.5	13			Caliper	T-4		12.495	12.031	12.129	12.969	12.359	12.165	12.113	12.132	12.787	12.604
16	VAR	Dim 16	11.147	11.647	12.147			Caliper	T-25		11.481	11.475	11.625	11.187	12.620	12.118	11.732	11.302	11.215	11.893
17	VAR	Dim 17	12.395	12.895	13.395			Caliper	T-27		12.563	13.390	12.746	13.214	12.786	13.155	12.688	13.311	12.767	12.587
18	VAR	Dim 18	10.053	10.553	11.053			Caliper	T-69		10.578	10.791	10.181	10.088	10.719	10.595	11.045	10.568	10.307	10.903
19	VAR	Dim 19	14.246	14.746	15.246			Caliper	T-11		14.671	14.956	14.704	14.751	15.234	15.156	14.624	15.020	14.658	14.400
20	VAR	Dim 20	10.257	10.757	11.257			Caliper	T-26		10.784	10.907	10.403	10.689	10.427	11.120	10.992	10.815	10.369	11.232
21	VAR	Dim 21	12.348	12.848	13.348			Caliper	T-53		13.155	13.155	13.289	12.103	12.539	12.562	12.958	12.273	12.552	12.615
22	VAR	Dim 22	13.512	14.012	14.512			Caliper	T-70		13.928	14.473	14.175	13.621	14.361	13.858	14.086	14.473	14.049	13.716
23	VAR	Dim 23	11.808	12.308	12.808			Caliper	T-38		11.590	12.243	11.914	12.378	11.932	12.313	12.449	11.731	12.342	11.339
24	VAR	Dim 24	9.837	10.337	10.837			Caliper	T-48		10.136	9.895	10.331	9.840	10.045	11.174	10.072	10.584	10.301	10.120
25	VAR	Dim 25	10.671	11.171	11.671			Caliper	T-10		10.851	11.297	11.353	11.079	10.725	10.981	10.649	10.780	11.210	11.648



# REPORTE DE CALIDAD

INDUSTRIAL TAMTO DE PUEBLA S.A. DE C.V.

6/1/2026, 21:13:12



PARTE  
**HexCap**

MÁQUINA  
**OMNI 1**

MUESTRAS  
**30**

NÚMERO  
**5489333s**

INSPECTOR  
**Luis Vega**

TRAZABILIDAD  
**WO15899-00**

REVISIÓN  
**a**

PROVEEDOR  
**NA**

UNIDADES  
**millimeters**

CLIENTE  
**Solero**

LOTE  
**350**

TIPO  
**Inspection**

#	TIPO	CARACT.	MÍN.	NOMINAL	MÁX.	CRIT. OK	CRIT. NOK	HERR.	ID	OBS.	M21	M22	M23	M24	M25	M26	M27	M28	M29	M30
26	VAR	Dim 26	10.565	11.065	11.565			Caliper	T-91		11.198	10.202	10.467	11.470	10.978	11.176	10.791	10.151	11.549	11.179
27	VAR	Dim 27	10.791	11.291	11.791			Caliper	T-68		11.508	11.747	11.604	11.370	10.975	12.239	11.577	10.311	11.770	11.136
28	VAR	Dim 28	9.827	10.327	10.827			Caliper	T-57		10.740	9.908	10.722	9.902	10.575	9.961	10.653	10.639	9.895	10.966
29	VAR	Dim 29	13.094	13.594	14.094			Caliper	T-54		13.283	12.828	13.964	13.260	13.663	13.797	13.135	12.830	14.078	13.443
30	VAR	Dim 30	12.998	13.498	13.998			Caliper	T-77		13.652	13.561	13.869	13.592	13.358	13.662	13.784	13.124	13.313	13.768
31	VAR	Dim 31	13.847	14.347	14.847			Caliper	T-36		14.335	14.189	14.675	14.683	14.622	14.277	14.788	14.598	14.756	14.579
32	VAR	Dim 32	11.782	12.282	12.782			Caliper	T-76		11.805	12.374	11.942	12.332	11.877	12.631	12.179	11.745	12.105	12.214
33	VAR	Dim 33	12.85	13.35	13.85			Caliper	T-22		12.705	13.693	13.606	13.006	13.225	13.761	13.482	13.053	12.443	13.123
34	VAR	Dim 34	11.888	12.388	12.888			Caliper	T-62		12.176	12.772	12.887	12.298	12.542	12.303	12.632	12.593	11.779	13.057
35	VAR	Dim 35	13.874	14.374	14.874			Caliper	T-91		14.201	14.745	14.588	14.768	14.547	14.301	15.093	14.048	13.899	14.520
36	VAR	Dim 36	12.059	12.559	13.059			Caliper	T-31		13.001	12.344	12.805	12.879	12.457	12.065	12.816	12.565	12.270	12.724
37	VAR	Dim 37	10.025	10.525	11.025			Caliper	T-40		10.056	10.231	10.967	10.971	10.607	10.854	10.120	10.189	10.254	10.578
38	VAR	Dim 38	9.821	10.321	10.821			Caliper	T-14		10.240	10.391	9.863	10.729	10.540	10.449	9.928	10.666	10.654	10.760
39	VAR	Dim 39	11.434	11.934	12.434			Caliper	T-10		11.580	11.943	10.947	11.859	12.130	12.023	11.812	12.075	11.728	11.608
40	VAR	Dim 40	14.378	14.878	15.378			Caliper	T-26		14.961	14.965	14.256	14.395	14.623	14.054	14.940	14.722	15.091	14.879
41	VAR	Dim 41	11.727	12.227	12.727			Caliper	T-89		12.349	12.017	12.625	12.118	11.818	11.840	12.564	12.106	12.625	12.566
42	VAR	Dim 42	13.648	14.148	14.648			Caliper	T-50		14.291	13.771	13.731	13.887	14.122	14.567	13.738	13.986	13.693	14.187
43	VAR	Dim 43	13.62	14.12	14.62			Caliper	T-72		14.609	14.127	14.510	13.793	13.802	14.178	13.844	15.038	14.038	13.724
44	VAR	Dim 44	10.753	11.253	11.753			Caliper	T-67		11.631	11.924	11.694	11.148	12.008	11.192	11.568	11.384	11.524	10.501
45	VAR	Dim 45	12.8	13.3	13.8			Caliper	T-68		12.920	13.658	13.073	13.670	12.812	12.929	13.025	13.686	13.670	13.748
46	VAR	Dim 46	14.254	14.754	15.254			Caliper	T-61		15.182	15.174	15.017	14.671	14.823	14.390	14.498	15.495	14.230	14.066
47	VAR	Dim 47	14.263	14.763	15.263			Caliper	T-54		14.424	15.058	14.676	15.119	14.910	14.641	14.730	14.831	14.670	14.415
48	VAR	Dim 48	14.129	14.629	15.129			Caliper	T-62		15.480	14.943	15.181	14.497	15.074	14.588	14.384	15.096	14.691	15.421
49	VAR	Dim 49	11.029	11.529	12.029			Caliper	T-16		11.433	11.796	12.397	11.292	11.881	10.960	10.782	11.152	11.841	10.810
50	VAR	Dim 50	10.32	10.82	11.32			Caliper	T-38		10.956	11.023	11.124	10.745	10.886	10.636	10.488	10.623	11.193	10.799